

torch.bitwise_xor#

https://pytorch.org/docs/stable/generated/torch.bitwise_xor.html#torch.bitwise_xor

Description:

Computes the bitwise XOR of input and other. The input tensor must be of integral or Boolean types. For bool tensors, it computes the logical XOR. input – the first input tensor other – the second input tensor out (Tensor, optional) – the output tensor.

Function Signature

```
torch.bitwise_xor(input, other, *, out=None) → Tensor#
```

Parameters

Keyword Arguments

Parameters

Keyword

out (Tensor, optional) – the output tensor.

Code Examples

```
>>> torch.bitwise_xor(torch.tensor([-1, -2, 3],
dtype=torch.int8), torch.tensor([1, 0, 3], dtype=torch.int8))
tensor([-2, -2,  0], dtype=torch.int8)
>>> torch.bitwise_xor(torch.tensor([True, True, False]),
torch.tensor([False, True, False]))
tensor([ True, False, False])
```

Detailed Documentation

Documentation

Computes the bitwise XOR of input and other. The input tensor must be of integral or Boolean types. For bool tensors, it computes the logical XOR.

input – the first input tensor

other – the second input tensor

out (Tensor, optional) – the output tensor.

Computes the bitwise XOR of input and other. The input tensor must be of integral or Boolean types. For bool tensors, it computes the logical XOR.

input – the first input tensor

input – the first input tensor

other – the second input tensor

other – the second input tensor

out (Tensor, optional) – the output tensor.