

torch.clone#

<https://pytorch.org/docs/stable/generated/torch.clone.html#torch.clone>

Description:

Returns a copy of input. This function is differentiable, so gradients will flow back from the result of this operation to input. To create a tensor without an autograd relationship to input see `detach()`. In addition, when `torch.preserve_format` is used: If the input tensor is dense (i.e., non-overlapping strided), its memory format (including strides) is retained. Otherwise (e.g., a non-dense view like a stepped slice), the output is converted to the dense (contiguous) format. input (Tensor) – the input tensor.

Function Signature

```
torch.clone(input, *, memory_format=torch.preserve_format) → Tensor#
```

Parameters

Keyword Arguments

Parameters

Keyword

`memory_format` (`torch.memory_format`, optional) – the desired memory format of returned tensor. Default: `torch.preserve_format`.

Notes & Warnings

NOTE

This function is differentiable, so gradients will flow back from the result of this operation to input. To create a tensor without an autograd relationship to input see `detach()`. In addition, when `torch.preserve_format` is used: If the input tensor is dense (i.e., non-overlapping strided), its memory format (including strides) is retained. Otherwise (e.g., a non-dense view like a stepped slice), the output is converted to the dense (contiguous) format.

Detailed Documentation

Documentation

Returns a copy of input.

This function is differentiable, so gradients will flow back from the result of this operation to input. To create a tensor without an autograd relationship to input see `detach()`.

In addition, when `torch.preserve_format` is used: If the input tensor is dense (i.e., non-overlapping strided), its memory format (including strides) is retained. Otherwise (e.g., a non-dense view like a stepped slice), the output is converted to the dense (contiguous) format.

`input (Tensor)` – the input tensor.

`memory_format (torch.memory_format, optional)` – the desired memory format of returned tensor. Default: `torch.preserve_format`.