

torch.compiler.assume_constant_result#

https://pytorch.org/docs/stable/generated/torch.compiler.assume_constant_result.html

Description:

This function is used to mark a function `fn` as having a constant result. This allows the compiler to optimize away your function. Returns The same function `fn` – The function to be marked as having a constant result. `assume_constant_result` can if invalid cause safety and soundness issues, `torch.compile()` will not attempt to validate whether the constant assumption is true or not

Function Signature

```
torch.compiler.assume_constant_result(fn)[source]#
```

Parameters

Notes & Warnings

WARNING

`assume_constant_result` can if invalid cause safety and soundness issues, `torch.compile()` will not attempt to validate whether the constant assumption is true or not

Detailed Documentation

Documentation

This function is used to mark a function `fn` as having a constant result. This allows the compiler to optimize away your function. Returns The same function `fn`

`fn` – The function to be marked as having a constant result.

`assume_constant_result` can if invalid cause safety and soundness issues, `torch.compile()` will not attempt to validate whether the constant assumption is true or not

This function is used to mark a function `fn` as having a constant result. This allows the compiler to optimize away your function. Returns The same function `fn`

`fn` – The function to be marked as having a constant result.

`assume_constant_result` can if invalid cause safety and soundness issues, `torch.compile()` will not attempt to validate whether the constant assumption is true or not

