

torch.cosh#

<https://pytorch.org/docs/stable/generated/torch.cosh.html#torch.cosh>

Description:

Returns a new tensor with the hyperbolic cosine of the elements of input.

input (Tensor) – the input tensor. out (Tensor, optional) – the output tensor.

Function Signature

```
torch.cosh(input, *, out=None) → Tensor#
```

Parameters

Keyword Arguments

Parameters

Keyword

out (Tensor, optional) – the output tensor.

Code Examples

```
>>> a = torch.randn(4)
>>> a
tensor([ 0.1632,  1.1835, -0.6979, -0.7325])
>>> torch.cosh(a)
tensor([ 1.0133,  1.7860,  1.2536,  1.2805])
```

Notes & Warnings

NOTE

Note When input is on the CPU, the implementation of `torch.cosh` may use the Sleef library, which rounds very large results to infinity or negative infinity. See [here](#) for details.

Detailed Documentation

Documentation

Returns a new tensor with the hyperbolic cosine of the elements of input.

input (Tensor) – the input tensor.

out (Tensor, optional) – the output tensor.

When input is on the CPU, the implementation of `torch.cosh` may use the Sleef library, which rounds very large results to infinity or negative infinity. See [here](#) for details.

Returns a new tensor with the hyperbolic cosine of the elements of input.

input (Tensor) – the input tensor.

out (Tensor, optional) – the output tensor.

When input is on the CPU, the implementation of `torch.cosh` may use the Sleef library, which rounds very large results to infinity or negative infinity. See [here](#) for details.