

torch.dist#

<https://pytorch.org/docs/stable/generated/torch.dist.html#torch.dist>

Description:

Returns the p-norm of (input - other) The shapes of input and other must be broadcastable. input (Tensor) – the input tensor. other (Tensor) – the Right-hand-side input tensor p (float, optional) – the norm to be computed

Function Signature

```
torch.dist(input, other, p=2) → Tensor#
```

Parameters

Code Examples

```
>>> x = torch.randn(4)
>>> x
tensor([-1.5393, -0.8675,  0.5916,  1.6321])
>>> y = torch.randn(4)
>>> y
tensor([ 0.0967, -1.0511,  0.6295,  0.8360])
>>> torch.dist(x, y, 3.5)
tensor(1.6727)
>>> torch.dist(x, y, 3)
tensor(1.6973)
>>> torch.dist(x, y, 0)
tensor(4.)
>>> torch.dist(x, y, 1)
tensor(2.6537)
```

Detailed Documentation

Documentation

Returns the p-norm of (input - other)

The shapes of input and other must be broadcastable.

input (Tensor) – the input tensor.

other (Tensor) – the Right-hand-side input tensor

p (float, optional) – the norm to be computed

Returns the p-norm of (input - other)

The shapes of input and other must be broadcastable.

input (Tensor) – the input tensor.

input (Tensor) – the input tensor.

other (Tensor) – the Right-hand-side input tensor

other (Tensor) – the Right-hand-side input tensor

p (float, optional) – the norm to be computed

p (float, optional) – the norm to be computed

