

torch.eq#

<https://pytorch.org/docs/stable/generated/torch.eq.html>

Description:

Computes element-wise equality The second argument can be a number or a tensor whose shape is broadcastable with the first argument. input (Tensor) – the tensor to compare other (Tensor or float) – the tensor or value to compare out (Tensor, optional) – the output tensor.

Function Signature

```
torch.eq(input, other, *, out=None) → Tensor#
```

Parameters

Keyword Arguments

Returns

Parameters

Keyword

out (Tensor, optional) – the output tensor.

Returns:

A boolean tensor that is True where input is equal to other and False elsewhere

Code Examples

```
>>> torch.eq(torch.tensor([[1, 2], [3, 4]]), torch.tensor([[1,
1], [4, 4]]))
tensor([[ True, False],
        [False, True]])
```

Detailed Documentation

Documentation

Computes element-wise equality

The second argument can be a number or a tensor whose shape is broadcastable with

the first argument.

input (Tensor) – the tensor to compare

other (Tensor or float) – the tensor or value to compare

out (Tensor, optional) – the output tensor.

A boolean tensor that is True where input is equal to other and False elsewhere

Computes element-wise equality

The second argument can be a number or a tensor whose shape is broadcastable with the first argument.

input (Tensor) – the tensor to compare

input (Tensor) – the tensor to compare

other (Tensor or float) – the tensor or value to compare

other (Tensor or float) – the tensor or value to compare

out (Tensor, optional) – the output tensor.

A boolean tensor that is True where input is equal to other and False elsewhere