

torch.functional.atleast_2d#

https://pytorch.org/docs/stable/generated/torch.functional.atleast_2d.html

Description:

Returns a 2-dimensional view of each input tensor with zero dimensions.

Input tensors with two or more dimensions are returned as-is. input (Tensor or sequence of Tensors) – tensor(s) to be converted to at least 2-dimensional. output (Tensor or tuple of Tensors)

Function Signature

```
torch.functional.atleast_2d(*tensors)[source]#
```

Parameters

Returns

Returns:

output (Tensor or tuple of Tensors)

Code Examples

```
>>> x = torch.tensor(1.)
>>> x
tensor(1.)
>>> torch.atleast_2d(x)
tensor([[1.]])
>>> x = torch.arange(4).view(2, 2)
>>> x
tensor([[0, 1],
        [2, 3]])
>>> torch.atleast_2d(x)
tensor([[0, 1],
        [2, 3]])
>>> x = torch.tensor(0.5)
>>> y = torch.tensor(1.)
>>> torch.atleast_2d((x, y))
(tensor([[0.5000]]), tensor([[1.]])
>>> torch.atleast_2d()
()
```

Detailed Documentation

Documentation

Returns a 2-dimensional view of each input tensor with zero dimensions. Input tensors with two or more dimensions are returned as-is.

input (Tensor or sequence of Tensors) – tensor(s) to be converted to at least 2-dimensional.

output (Tensor or tuple of Tensors)

Returns a 2-dimensional view of each input tensor with zero dimensions. Input tensors with two or more dimensions are returned as-is.

input (Tensor or sequence of Tensors) – tensor(s) to be converted to at least 2-dimensional.

output (Tensor or tuple of Tensors)