

torch.functional.atleast_3d#

https://pytorch.org/docs/stable/generated/torch.functional.atleast_3d.html

Description:

Returns a 3-dimensional view of each input tensor with zero dimensions.

Input tensors with three or more dimensions are returned as-is. input (Tensor or sequence of Tensors) – tensor(s) to be converted to at least 3-dimensional. output (Tensor or tuple of Tensors)

Function Signature

```
torch.functional.atleast_3d(*tensors)[source]#
```

Parameters

Returns

Returns:

output (Tensor or tuple of Tensors)

Code Examples

```
>>> x = torch.tensor(0.5)
>>> x
tensor(0.5000)
>>> torch.atleast_3d(x)
tensor([[[0.5000]]])
>>> y = torch.arange(4).view(2, 2)
>>> y
tensor([[0, 1],
        [2, 3]])
>>> torch.atleast_3d(y)
tensor([[[0],
        [1]],

        [[2],
        [3]]])
>>> x = torch.tensor(1).view(1, 1, 1)
>>> x
tensor([[[[1]]]])
>>> torch.atleast_3d(x)
tensor([[[[1]]]])
>>> x = torch.tensor(0.5)
>>> y = torch.tensor(1.0)
>>> torch.atleast_3d((x, y))
(tensor([[[[0.5000]]]]), tensor([[[[1.]]]]))
>>> torch.atleast_3d()
()
```

Detailed Documentation

Documentation

Returns a 3-dimensional view of each input tensor with zero dimensions. Input tensors with three or more dimensions are returned as-is.

input (Tensor or sequence of Tensors) – tensor(s) to be converted to at least 3-dimensional.

output (Tensor or tuple of Tensors)

Returns a 3-dimensional view of each input tensor with zero dimensions. Input tensors with three or more dimensions are returned as-is.

input (Tensor or sequence of Tensors) – tensor(s) to be converted to at least 3-dimensional.

output (Tensor or tuple of Tensors)