

torch.fx.experimental.proxy_tensor.make

https://pytorch.org/docs/stable/generated/torch.fx.experimental.proxy_tensor

Description:

Given a function `f`, return a new function which when executed with valid arguments to `f`, returns an FX GraphModule representing the set of operations that were executed during the course of execution. If `record_stack_traces` is `True`, the stack trace will be preserved on `node.meta["stack_trace"]` Callable[..., GraphModule]

Function Signature

```
torch.fx.experimental.proxy_tensor.make_fx(f,  
decomposition_table=None, tracing_mode='real',  
_allow_non_fake_inputs=False, *, pre_dispatch=False,  
record_module_stack=False, _allow_fake_constant=False,  
_error_on_data_dependent_ops=True,  
record_stack_traces=False)[source]#
```

Return type

Returns:

Callable[..., GraphModule]

Detailed Documentation

Documentation

Given a function `f`, return a new function which when executed with valid arguments to `f`, returns an FX GraphModule representing the set of operations that were executed during the course of execution.

If `record_stack_traces` is `True`, the stack trace will be preserved on `node.meta["stack_trace"]`

Callable[..., GraphModule]

Given a function `f`, return a new function which when executed with valid arguments to `f`, returns an FX GraphModule representing the set of operations that were executed during the course of execution.

If `record_stack_traces` is `True`, the stack trace will be preserved on `node.meta["stack_trace"]`

Callable[..., GraphModule]