

# torch.heaviside#

<https://pytorch.org/docs/stable/generated/torch.heaviside.html#torch.heaviside>

## Description:

Computes the Heaviside step function for each element in input. The Heaviside step function is defined as: input (Tensor) – the input tensor. values (Tensor) – The values to use where input is zero. out (Tensor, optional) – the output tensor.

## Function Signature

---

```
torch.heaviside(input, values, *, out=None) → Tensor#
```

Parameters

Keyword Arguments

## Parameters

---

### Keyword

out (Tensor, optional) – the output tensor.

## Code Examples

---

```
>>> input = torch.tensor([-1.5, 0, 2.0])
>>> values = torch.tensor([0.5])
>>> torch.heaviside(input, values)
tensor([0.0000, 0.5000, 1.0000])
>>> values = torch.tensor([1.2, -2.0, 3.5])
>>> torch.heaviside(input, values)
tensor([0., -2., 1.])
```

# Detailed Documentation

---

## Documentation

Computes the Heaviside step function for each element in input. The Heaviside step function is defined as:

input (Tensor) – the input tensor.

values (Tensor) – The values to use where input is zero.

out (Tensor, optional) – the output tensor.

Computes the Heaviside step function for each element in input. The Heaviside step function is defined as:

input (Tensor) – the input tensor.

input (Tensor) – the input tensor.

values (Tensor) – The values to use where input is zero.

values (Tensor) – The values to use where input is zero.

out (Tensor, optional) – the output tensor.