

# torch.isin#

<https://pytorch.org/docs/stable/generated/torch.isin.html>

## Description:

Tests if each element of elements is in test\_elements. Returns a boolean tensor of the same shape as elements that is True for elements in test\_elements and False otherwise. One of elements or test\_elements can be a scalar, but not both. elements (Tensor or Scalar) – Input elements test\_elements (Tensor or Scalar) – Values against which to test for each input element

## Function Signature

---

```
torch.isin(elements, test_elements, *, assume_unique=False, invert=False) → Tensor#
```

Parameters

Returns

### Returns:

A boolean tensor of the same shape as elements that is True for elements in test\_elements and False otherwise

## Code Examples

---

```
>>> torch.isin(torch.tensor([[1, 2], [3, 4]]), torch.tensor([2, 3]))
tensor([[False,  True],
        [ True, False]])
```

## Notes & Warnings

---

**NOTE** One of elements or test\_elements can be a scalar, but not both.

# Detailed Documentation

---

## Documentation

Tests if each element of `elements` is in `test_elements`. Returns a boolean tensor of the same shape as `elements` that is `True` for elements in `test_elements` and `False` otherwise.

One of `elements` or `test_elements` can be a scalar, but not both.

`elements` (Tensor or Scalar) – Input elements

`test_elements` (Tensor or Scalar) – Values against which to test for each input element

`assume_unique` (bool, optional) – If `True`, assumes both `elements` and `test_elements` contain unique elements, which can speed up the calculation. Default: `False`

`invert` (bool, optional) – If `True`, inverts the boolean return tensor, resulting in `True` values for elements not in `test_elements`. Default: `False`

A boolean tensor of the same shape as `elements` that is `True` for elements in `test_elements` and `False` otherwise