

# torch.lcm#

<https://pytorch.org/docs/stable/generated/torch.lcm.html#torch.lcm>

## Description:

Computes the element-wise least common multiple (LCM) of input and other. Both input and other must have integer types. This defines  $\text{lcm}(0,0)=0$ ,  $\text{lcm}(0, a) = 0$  and  $\text{lcm}(a, 0) = 0$ .  
input (Tensor) – the input tensor.

## Function Signature

---

```
torch.lcm(input, other, *, out=None) → Tensor#
```

Parameters

Keyword Arguments

## Parameters

---

### Keyword

out (Tensor, optional) – the output tensor.

## Code Examples

---

```
>>> a = torch.tensor([5, 10, 15])
>>> b = torch.tensor([3, 4, 5])
>>> torch.lcm(a, b)
tensor([15, 20, 15])
>>> c = torch.tensor([3])
>>> torch.lcm(a, c)
tensor([15, 30, 15])
```

## Notes & Warnings

---

**NOTE** This defines  $\text{lcm}(0,0)=0$ ,  $\text{lcm}(0, 0) = 0$ ,  $\text{lcm}(0,0)=0$  and  $\text{lcm}(0,a)=0$ ,  $\text{lcm}(0, a) = 0$ ,  $\text{lcm}(0,a)=0$ .

# Detailed Documentation

---

## Documentation

Computes the element-wise least common multiple (LCM) of input and other.

Both input and other must have integer types.

This defines  $\text{lcm}(0,0)=0$  $\text{lcm}(0, 0) = 0$  $\text{lcm}(0,0)=0$  and  $\text{lcm}(0,a)=0$  $\text{lcm}(0, a) = 0$  $\text{lcm}(0,a)=0$ .

input (Tensor) – the input tensor.

other (Tensor) – the second input tensor

out (Tensor, optional) – the output tensor.

Computes the element-wise least common multiple (LCM) of input and other.

Both input and other must have integer types.

This defines  $\text{lcm}(0,0)=0$  $\text{lcm}(0, 0) = 0$  $\text{lcm}(0,0)=0$  and  $\text{lcm}(0,a)=0$  $\text{lcm}(0, a) = 0$  $\text{lcm}(0,a)=0$ .

input (Tensor) – the input tensor.

input (Tensor) – the input tensor.

other (Tensor) – the second input tensor

other (Tensor) – the second input tensor

out (Tensor, optional) – the output tensor.

