

torch.ldexp#

<https://pytorch.org/docs/stable/generated/torch.ldexp.html>

Description:

Multiplies input by 2^{**}other . Typically this function is used to construct floating point numbers by multiplying mantissas in input with integral powers of two created from the exponents in other. input (Tensor) – the input tensor. other (Tensor) – a tensor of exponents, typically integers. out (Tensor, optional) – the output tensor.

Function Signature

```
torch.ldexp(input, other, *, out=None) → Tensor#
```

Parameters

Keyword Arguments

Parameters

Keyword

out (Tensor, optional) – the output tensor.

Code Examples

```
>>> torch.ldexp(torch.tensor([1.]), torch.tensor([1]))  
tensor([2.])  
>>> torch.ldexp(torch.tensor([1.0]), torch.tensor([1, 2, 3, 4]))  
tensor([ 2.,  4.,  8., 16.])
```

Detailed Documentation

Documentation

Multiplies input by 2^{**} other.

Typically this function is used to construct floating point numbers by multiplying mantissas in input with integral powers of two created from the exponents in other.

input (Tensor) – the input tensor.

other (Tensor) – a tensor of exponents, typically integers.

out (Tensor, optional) – the output tensor.

Multiplies input by 2^{**} other.

Typically this function is used to construct floating point numbers by multiplying mantissas in input with integral powers of two created from the exponents in other.

input (Tensor) – the input tensor.

input (Tensor) – the input tensor.

other (Tensor) – a tensor of exponents, typically integers.

other (Tensor) – a tensor of exponents, typically integers.

out (Tensor, optional) – the output tensor.
