

torch.le#

<https://pytorch.org/docs/stable/generated/torch.le.html>

Description:

Computes $\text{input} \leq \text{other}$ element-wise. The second argument can be a number or a tensor whose shape is broadcastable with the first argument. input (Tensor) – the tensor to compare other (Tensor or Scalar) – the tensor or value to compare out (Tensor, optional) – the output tensor.

Function Signature

```
torch.le(input, other, *, out=None) → Tensor#
```

Parameters

Keyword Arguments

Returns

Parameters

Keyword

out (Tensor, optional) – the output tensor.

Returns:

A boolean tensor that is True where input is less than or equal to other and False elsewhere

Code Examples

```
>>> torch.le(torch.tensor([[1, 2], [3, 4]]), torch.tensor([[1, 1], [4, 4]]))
tensor([[True, False], [True, True]])
```

Detailed Documentation

Documentation

Computes $\text{input} \leq \text{other}$ element-wise.

The second argument can be a number or a tensor whose shape is broadcastable with

the first argument.

input (Tensor) – the tensor to compare

other (Tensor or Scalar) – the tensor or value to compare

out (Tensor, optional) – the output tensor.

A boolean tensor that is True where input is less than or equal to other and False elsewhere

Computes $\text{input} \leq \text{other}$ element-wise.

The second argument can be a number or a tensor whose shape is broadcastable with the first argument.

input (Tensor) – the tensor to compare

input (Tensor) – the tensor to compare

other (Tensor or Scalar) – the tensor or value to compare

other (Tensor or Scalar) – the tensor or value to compare

out (Tensor, optional) – the output tensor.

A boolean tensor that is True where input is less than or equal to other and False elsewhere