

torch.masked_select#

https://pytorch.org/docs/stable/generated/torch.masked_select.html#torch.mas

Description:

Returns a new 1-D tensor which indexes the input tensor according to the boolean mask `mask` which is a BoolTensor. The shapes of the mask tensor and the input tensor don't need to match, but they must be broadcastable. The returned tensor does not use the same storage as the original tensor input (Tensor) – the input tensor.

Function Signature

```
torch.masked_select(input, mask, *, out=None) → Tensor#
```

Parameters

Keyword Arguments

Parameters

Keyword

out (Tensor, optional) – the output tensor.

Code Examples

```
>>> x = torch.randn(3, 4)
>>> x
tensor([[ 0.3552, -2.3825, -0.8297,  0.3477],
        [-1.2035,  1.2252,  0.5002,  0.6248],
        [ 0.1307, -2.0608,  0.1244,  2.0139]])
>>> mask = x.ge(0.5)
>>> mask
tensor([[False, False, False, False],
        [False, True, True, True],
        [False, False, False, True]])
>>> torch.masked_select(x, mask)
tensor([ 1.2252,  0.5002,  0.6248,  2.0139])
```

Notes & Warnings

NOTE The returned tensor does not use the same storage as the original tensor

Detailed Documentation

Documentation

Returns a new 1-D tensor which indexes the input tensor according to the boolean mask mask which is a BoolTensor.

The shapes of the mask tensor and the input tensor don't need to match, but they must be broadcastable.

The returned tensor does not use the same storage as the original tensor

input (Tensor) – the input tensor.

mask (BoolTensor) – the tensor containing the binary mask to index with

out (Tensor, optional) – the output tensor.

Returns a new 1-D tensor which indexes the input tensor according to the boolean mask mask which is a BoolTensor.

The shapes of the mask tensor and the input tensor don't need to match, but they must be broadcastable.

The returned tensor does not use the same storage as the original tensor

input (Tensor) – the input tensor.

input (Tensor) – the input tensor.

mask (BoolTensor) – the tensor containing the binary mask to index with

mask (BoolTensor) – the tensor containing the binary mask to index with

out (Tensor, optional) – the output tensor.