

torch.minimum#

<https://pytorch.org/docs/stable/generated/torch.minimum.html>

Description:

Computes the element-wise minimum of input and other. If one of the elements being compared is a NaN, then that element is returned. `minimum()` is not supported for tensors with complex dtypes. `input` (Tensor) – the input tensor. `other` (Tensor) – the second input tensor

Function Signature

```
torch.minimum(input, other, *, out=None) → Tensor#
```

Parameters

Keyword Arguments

Parameters

Keyword

out (Tensor, optional) – the output tensor.

Code Examples

```
>>> a = torch.tensor((1, 2, -1))
>>> b = torch.tensor((3, 0, 4))
>>> torch.minimum(a, b)
tensor([1, 0, -1])
```

Notes & Warnings

NOTE

If one of the elements being compared is a NaN, then that element is returned. `minimum()` is not supported for tensors with complex dtypes.

Detailed Documentation

Documentation

Computes the element-wise minimum of input and other.

If one of the elements being compared is a NaN, then that element is returned.
minimum() is not supported for tensors with complex dtypes.

input (Tensor) – the input tensor.

other (Tensor) – the second input tensor

out (Tensor, optional) – the output tensor.

Computes the element-wise minimum of input and other.

If one of the elements being compared is a NaN, then that element is returned.
minimum() is not supported for tensors with complex dtypes.

input (Tensor) – the input tensor.

input (Tensor) – the input tensor.

other (Tensor) – the second input tensor

other (Tensor) – the second input tensor

out (Tensor, optional) – the output tensor.
