

torch.mode#

<https://pytorch.org/docs/stable/generated/torch.mode.html#torch.mode>

Description:

Returns a namedtuple (values, indices) where values is the mode value of each row of the input tensor in the given dimension dim, i.e. a value which appears most often in that row, and indices is the index location of each mode value found. By default, dim is the last dimension of the input tensor. If keepdim is True, the output tensors are of the same size as input except in the dimension dim where they are of size 1. Otherwise, dim is squeezed (see `torch.squeeze()`), resulting in the output tensors having 1 fewer dimension than input. This function is not defined for `torch.cuda.Tensor` yet.

Function Signature

```
torch.mode(input, dim=-1, keepdim=False, *, out=None)#
```

Parameters

Keyword Arguments

Parameters

Keyword

out (tuple, optional) – the result tuple of two output tensors (values, indices)

Code Examples

```
>>> b = torch.tensor([[0, 0, 0, 2, 0, 0, 2],
...                   [0, 3, 0, 0, 2, 0, 1],
...                   [2, 2, 2, 0, 0, 0, 3],
...                   [2, 2, 3, 0, 1, 1, 0],
...                   [1, 1, 0, 0, 2, 0, 2]])
>>> torch.mode(b, 0)
torch.return_types.mode(
  values=tensor([0, 2, 0, 0, 0, 0, 2]),
  indices=tensor([1, 3, 4, 4, 2, 4, 4]))
```

Notes & Warnings

NOTE This function is not defined for `torch.cuda.Tensor` yet.

Detailed Documentation

Documentation

Returns a namedtuple (values, indices) where values is the mode value of each row of the input tensor in the given dimension dim, i.e. a value which appears most often in that row, and indices is the index location of each mode value found.

By default, dim is the last dimension of the input tensor.

If keepdim is True, the output tensors are of the same size as input except in the dimension dim where they are of size 1. Otherwise, dim is squeezed (see `torch.squeeze()`), resulting in the output tensors having 1 fewer dimension than input.

This function is not defined for `torch.cuda.Tensor` yet.

input (Tensor) – the input tensor.

dim (int, optional) – the dimension to reduce.

keepdim (bool, optional) – whether the output tensor has dim retained or not. Default: False.

out (tuple, optional) – the result tuple of two output tensors (values, indices)