

torch.narrow#

<https://pytorch.org/docs/stable/generated/torch.narrow.html#torch.narrow>

Description:

Returns a new tensor that is a narrowed version of input tensor. The dimension dim is input from start to start + length. The returned tensor and input tensor share the same underlying storage. input (Tensor) – the tensor to narrow dim (int) – the dimension along which to narrow start (int or Tensor) – index of the element to start the narrowed dimension from. Can be negative, which means indexing from the end of dim. If Tensor, it must be an 0-dim integral Tensor (bools not allowed) length (int) – length of the narrowed dimension, must be weakly positive

Function Signature

```
torch.narrow(input, dim, start, length) → Tensor#
```

Parameters

Code Examples

```
>>> x = torch.tensor([[1, 2, 3], [4, 5, 6], [7, 8, 9]])
>>> torch.narrow(x, 0, 0, 2)
tensor([[ 1,  2,  3],
        [ 4,  5,  6]])
>>> torch.narrow(x, 1, 1, 2)
tensor([[ 2,  3],
        [ 5,  6],
        [ 8,  9]])
>>> torch.narrow(x, -1, torch.tensor(-1), 1)
tensor([[3],
        [6],
        [9]])
```

Detailed Documentation

Documentation

Returns a new tensor that is a narrowed version of input tensor. The dimension dim is input from start to start + length. The returned tensor and input tensor share the same underlying storage.

input (Tensor) – the tensor to narrow

dim (int) – the dimension along which to narrow

start (int or Tensor) – index of the element to start the narrowed dimension from. Can be negative, which means indexing from the end of dim. If Tensor, it must be an 0-dim integral Tensor (bools not allowed)

length (int) – length of the narrowed dimension, must be weakly positive