- 1. assume n is an integer, give direct and contraposition proofs
 - (a) $(n^3 + 5 \text{ is odd}) \rightarrow (n \text{ is even})$
 - i. direct proof
 - $n^3 + 5$ is odd, $n^3 + 5 = 2k + 1$, $n^3 = 2k 4$
 - $\bullet \ n = \sqrt[3]{2(k-2)}$
 - a cube root of an even number is always even by definition, statement claimed in p is true
 - ii. contraposition proof
 - assume n is not even, n is odd, n = 2k + 1
 - $n^3 + 5 = (2k+1)^3 + 5 = 8k^3 + 12k^2 + 6k + 6$
 - $8k^3 + 12k^2 + 6k + 6 = 2(4k^3 + 6k^2 + 3k + 3)$
 - we have shown that p is even when n is odd, the statement claimed is true
 - (b) (3 does not divide n) \rightarrow (3 divides $n^2 + 2$)
 - i. direct proof
 - if 3 does not divide n, then n = 3k + 1
 - assuming p is true, 3 divides $n^2 + 2$, so $n^2 + 2 = 3k$
 - $n^2 = 3k 2$, then $n = \sqrt{3k 2}$
 - plugging in n = 3k, we get $n = \sqrt{n-2}$
 - this is not true for all cases, therefore, this statement is false
 - ii. contraposition proof
 - 3 does not divide by $n^2 + 2$
 - therefore, $n^2 + 2 \neq 3k$, for some integer k

- 3 does not divide n, $n \neq 3k$
- $(3k)^2 + 2 \neq 3k$
- 2. prove by contradiction

(a)
$$(x,y) \in \mathbb{Z}^2 \to x^2 - 4y - 3 \neq 0$$

- assume $x^2 4y 3 = 0$
- rearranging variables to isolate x, we get $x^2 = 4y + 3$
- we now know that x^2 is odd, therefore $x^2 = 2k + 1$
- substitute x^2 in, 2k + 1 4y = 3
- isolate y, we get $\frac{2k+1-3}{4} = y$, $y = \frac{2k-2}{4}$
- simplify to get $y = \frac{k-1}{2}$, uh oh, there are integers k that makes y not a positive integer
- the statement is true due to proof by contradiction
- 3. prove these if and only if, prove two implications
 - (a) prove: 4 divides $n \in \mathbb{Z}$ IF AND ONLY IF $n = 1 + (-1)^k (2k 1)$ for $k \in \mathbb{N}$. (Try n < 0, n = 0, n > 0; k is even/odd.)
 - i. $p \rightarrow q$
 - direct proof: $4w = n \to n = 1 + (-1)^k (2k 1)$
 - from plugging in, we get $4w = 1 + (-1)^k (2k 1)$
 - if k is even, then k = 2w, from plugging in, we get 4w = 1 + (2(2w) 1), equal to 4w = 4w, from above, we stated that 4 divides n, therefore n = 4w
 - if k is odd, then k = 2w + 1, from plugging in, we get 4w = 1 + (-1)(2(2w + 1) 1), equal to $4w \neq 1 4w$, then n = 1 4w,

which does not divide 4

- if k = 0, then it becomes 4w = 0, then n = 0 as well, which is divisible by 4
- plug in 4w for n in the other equation, then do the three cases where k is even or odd or equal to 0

ii. $q \rightarrow p$

- direct proof
- assuming that p is true
- assuming k = 2w for even cases, k = 2w + 1 for odd cases, k = 0 for 0 cases
- even cases of k, n = 1 + (2(2w) 1) = 4w, then n = 4w, it does divide by 4
- odd cases of k n = 1 + (-1)(2(2w+1)-1), then n = 1 4w, it does not divide by 4
- 0 case of k n=0, it is divisible by 4
- 4. determine the type of proof and prove
 - (a) If n is odd, then $n^2 1$ is divisible by 8.
 - this statement can be proven by a direct proof
 - if n is odd, then n = 2k + 1
 - then with $n^2 1$, you can substitute n for 2k + 1
 - becomes $(2k+1)^2 1 = 4k^2 + 4k + 1 1$
 - at its simplest form, it is $4(k^2 + k) \neq 8k$
 - by direct proof, the statement is false