

CSGE602055 Operating Systems

CSF2600505 Sistem Operasi

Week 09: Storage, BIOS, Loader, & Systemd

Rahmat M. Samik-Ibrahim

University of Indonesia

<https://os.vlsm.org/>

Always check for the latest revision!

REV177 09-Jan-2018

Operating Systems 2018-2 (Room 3114)

R/M (Tu/Th 13-15) | I (Tu/Th 15-17)

Week	Schedule	Topic	OSC10
Week 00	XX Jan - XX Jan 2019	Overview 1, Virtualization & Scripting	Ch. 1, 2, 18.
Week 01	XX Jan - XX Jan 2019	Overview 2, Virtualization & Scripting	Ch. 1, 2, 18.
Week 02	XX Jan - XX Jan 2019	Security, Protection, Privacy, & C-language	Ch. 16, 17
Week 03	XX Jan - XX Jan 2019	File System & FUSE	Ch. 13, 14, 15
Week 04	XX Jan - XX Jan 2019	Addressing, Shared Lib, & Pointer	Ch. 9
Week 05	XX Jan - XX Jan 2019	Virtual Memory	Ch. 10
Reserved	XX Jan - XX Jan 2019		
Mid-Term	24 Jan 2019	MidTerm (UTS): 09:00 - 11:30	
Week 06	XX Jan - XX Jan 2019	Concurrency: Processes & Threads	Ch. 3, 4
Week 07	XX Jan - XX Jan 2019	Synchronization & Deadlock	Ch. 6, 7, 8
Week 08	XX Jan - XX Jan 2019	Scheduling	Ch. 5
Week 09	XX Jan - XX Jan 2019	Storage, BIOS, Loader, & Systemd	Ch. 11
Week 10	XX Jan - XX Jan 2019	I/O & Programming	Ch. 12
Reserved	XX Jan - XX Jan 2019		
Final	XX Dec 2019	Final (UAS): 09:00 - 11:00	This schedule is subject to change
Extra	XX Jan 2019	Extra assignment confirmation	

The Weekly Check List

- ☐ **Resources:** <https://os.vlsm.org/>
 - ☐ **(THIS) Slides** — <https://github.com/UI-FASILKOM-OS/SistemOperasi/tree/master/pdf/>
 - ☐ **Demos** — <https://github.com/UI-FASILKOM-OS/SistemOperasi/tree/master/demos/>
 - ☐ **Extra** — BADAK.cs.ui.ac.id:///extra/
 - ☐ **Problems** — rms46.vlsm.org/2/195.pdf, [196.pdf](http://rms46.vlsm.org/2/196.pdf), ..., [205.pdf](http://rms46.vlsm.org/2/205.pdf)
- ☐ **Text Book:** any recent/decent OS book. Eg. **(OSC10)** Silberschatz et. al.: **Operating System Concepts**, 10th Edition, 2018.
- ☐ Encode your **QRC** with size upto 7cm x 7cm (ca. 400x400 pixels):
"OS182 CLASS ID SSO-ACCOUNT Your-Full-Name"
- ☐ For **Week 00**, send your **embedded QRC before the 2nd lecture**
<mailto:operatingsystems@vlsm.org>
With Subject: OS182 CLASS ID SSO-ACCOUNT Your-Full-Name
- ☐ Write your Memo (with QRC) **every week**.
- ☐ Login to badak.cs.ui.ac.id via kawung.cs.ui.ac.id for at least **10 minutes** every week. Copy the weekly demo files to your own home directory.
Eg. (Week00): `cp -r /extra/Week00/W00-demos/ W00-demos/`

Agenda

- 1 Start
- 2 Schedule
- 3 Agenda
- 4 Week 09
- 5 Week 09: Storage, BIOS, Loader, & Systemd
- 6 Storage Management
- 7 RAID
- 8 Legacy BIOS
- 9 UEFI
- 10 Operating System (Boot) Loader
- 11 GRUB Map
- 12 init (SYSV legacy)
- 13 UpStart - Ubuntu
- 14 The All New "systemd"
- 15 systemctl
- 16 The End

Week 09 Storage, BIOS, Loader, & Systemd: Topics¹

- Storage
- Storage Arrays
- BIOS
- Loader
- Systemd

¹Source: ACM IEEE CS Curricula 2013

Week 09 Storage, BIOS, Loader, & Systemd: Learning Outcomes¹

- Storage [Usage]
- Storage Arrays [Usage]
- BIOS [Usage]
- Loader [Usage]
- Systemd [Usage]

¹Source: ACM IEEE CS Curricula 2013

- Reference: (OSC10-ch11)
- Mass-Storage Structure
 - Obsolete: Magnetic Tape, Disket
 - Until When?: Magnetic Disk, DVD
 - Until When?: Mechanical Disk Arm Scheduling
 - Solid-State Disks (SSD)
 - (What is a) Flash Disk
- Attached-Storage
 - Host-Attached Storage: via I/O
 - Network-Attached Storage (NAS): via distributed FS
 - Storage Area Network (SAN): dedicated Network

- Formating
 - Low Level (Physical)
 - High Level (FS)
- Boot Block
- Disk Partition
 - "MBR"-scheme
 - upto 4 primary partition
 - upto 2 TB disk
 - "GPT"-scheme
 - "unlimited" partition
 - "unlimited" disk
 - redundancy
- Swap Space Management: On Partition or FS?

RAID: Redundant Array of In* Disks

- RAID 0, 1, 5, 6, 10, 100
- Note (<http://www.commodore.ca/windows/raid5/raid5.htm>):
 - RAID was created to enhance data performance, reliability and availability.
 - Striping, parity checking and mirroring are three primary functions of RAID systems.
 - RAID performs its functions transparent to the operating system.
 - Systems are typically defined by ranks consisting of five disks each connected to one or two Disk Array Controllers.
 - Different RAID levels provide varying degrees of speed and data protection.
- Problems with RAID
- Stable-Storage Implementation

BIOS, Boot, & Systemd

- Firmware
 - BIOS: Basic Input Output System.
 - UEFI: Unified Extensible Firmware Interface.
 - ACPI: Advanced Configuration and Power Interface.
- Operating System (Boot) Loader
 - BOOTMGT: Windows Bootmanager / Bootloader.
 - LILO: Linux Loader.
 - GRUB: GRand Unified Bootloader.
- Operating System Initialization
 - Init (legacy)
 - UpStart
 - Systemd

- Check Settings.
- Initialize CPU & RAM.
- POST: Power-On Self-Test.
- Initialize ports, LANS, etc.
- Load a Boot Loader.
- Handover to the Boot Loader.
- Provides "Native" (obsolete) Drivers only (not loadable).
- Provides "INT" services .
- Limitation.
 - Technology of 1970s.
 - 16 bits software.
 - 20 bits address space (1 MB).
 - 31 bits disk space (2 TB).



Figure: BIOS

- A Firmware Specification, not an Implementation!
- No (INT) service after boot.
- HII: Human Interface Infrastructure.
- Protected Mode.
- Flexible.
 - Technology of 2000s.
 - written in C.
 - (third party) loadable drivers and tools.
 - Emulate Legacy BIOS transition (MBR block, INT service).
 - UEFI Shell: environment shell for diagnostic (no need for DOS).
- Problems
 - Who controls the Hardware?
 - Is "Secure Boot" a good thing?
 - How about a **NASTY/LOCKING/TROJAN** UEFI implementation?
 - Different **DRIVERS**.



Figure: UEFI

Platform Initialization (PI) Boot Phases



Figure: UEFI Boot Process¹.

Operating System (Boot) Loader

- General
 - How/Where to start the operating system?
 - What to do?
 - How many ways to boot?
 - How many types of OS?
- Disk Partition
 - MBR: Master Boot Record (1983).
 - GPT: GUID (Globally Unique Identifiers) Partition Table (2010s).
- GRUB: GRand Unified Boot system
 - Stage 1: a small boot.img inside the MBR.
 - Stage 1.5 (core.img): FS drivers after MBR.
 - Stage 2: Kernel Selection: Windows, Linux, BSD, etc.
- GRUB2
 - More flexible than GRUB legacy.
 - More automated than GRUB legacy.
 - Accept MBR and GPT.
 - Stage 1.5 (core.img): generated from diskboot.img.
 - No 1024 cylinder restriction.

GNU GRUB 2

Locations of *boot.img*, *core.img* and the */boot/grub* directory

Example 1: an MBR-partitioned harddisc with sector size of 512 or 4096Bytes



Example 2: a GPT-partitioned harddisc with sector size of 512 or 4096Bytes



Figure: GRUB¹.

¹Source Shmuel Csaba Otto Traian 2013

init (SYSV legacy)

- File: `/etc/inittab`.
- Folders: `/etc/rcX.d` — `X` = runlevel.
 - Seven (7) different runlevels:
 - 0 (shutdown).
 - 1 (single-user/admin).
 - 2 (multi-user non net).
 - 3 (standard).
 - 4 (N/A).
 - 5 (3+GUI).
 - 6 (reboot).
 - `SXX-YYY`: Start
 - `KXX-YYY`: Kill.
- One script at a time in order.
- dependency is set manually.

- Developer: Ubuntu.
- Folder: `/etc/init/`.
- Control: `initctl`.
 - `initctl list` – listing all processes managed by upstart.
- better support for hotplug devices.
- cleaner service management.
- faster service management.
- asynchronous.

The All New "systemd"

- Replaces (SYSV) init and UpStart.
 - better concurrency handling: Faster!
 - better dependencies handling: No more "S(tarts)" and "K(ills)".
 - better crash handling: automatic restart option.
 - better security: group protection from anyone including superusers.
 - simpler config files: reliable and clean scripts.
 - hotplug: dynamic start/stop.
 - supports legacy systems (init).
 - overhead reducing.
 - unified management way for all distros.
 - bloated: doing more with more resources.
 - linux specific: NOT portable.

systemctl

```
for II in \
'systemctl list-unit-files | head -8; echo "(...)";
  systemctl list-unit-files| tail -8' \
'systemd-analyze blame | wc -l; echo "===";
  systemd-analyze blame | head -15' \
'systemctl --full | wc -l; echo "===";
  systemctl --full | head -10' \
'systemctl list-units | wc -l; echo "===";
  systemctl list-units | head -10' \
'systemctl list-units |grep .service|wc -l;echo "===";
  systemctl list-units|grep .service|head -10' \
'systemctl list-units | grep ssh.service' \
'systemctl status ssh.service' \
'systemctl is-enabled ssh' \
'journalctl' \
'journalctl -b' \
do
...
```

The End

- ☐ This is the end of the presentation.
- ☒ This is the end of the presentation.
 - This is the end of the presentation.