CSGE602055 Operating Systems CSF2600505 Sistem Operasi Week 05: Virtual Memory

Rahmat M. Samik-Ibrahim

University of Indonesia

http://os.vlsm.org/
Always check for the latest revision!

REV154 23-Aug-2018

Operating Systems 2018-2 (Room 3114) R/M (Tu/Th 13-15) \mid I (Tu/Th 15-17) \mid E (Th 19-22)

Week	Schedule	Topic	OSC10
Week 00	04 Sep - 12 Sep 2018	Overview 1	Ch. 1, 18
Week 01	13 Sep - 19 Sep 2018	Overview 2 & Scripting	Ch. 1, 2
Week 02	20 Sep - 26 Sep 2018	Security, Protection, Privacy,	Ch. 16, 17
		& C-language	
Week 03	27 Sep - 03 Oct 2018	File System & FUSE	Ch. 13, 14, 15
Week 04	04 Oct - 10 Oct 2018	Addressing, Shared Lib, & Pointer	Ch. 9
Week 05	11 Oct - 17 Oct 2018	Virtual Memory	Ch. 10
Reserved	18 Oct - 23 Oct 2018		
Mid-Term	24 Okt - 01 Nov 2018	MidTerm (UTS): TBA	
Week 06	06 Nov - 12 Nov 2018	Concurency: Processes & Threads	Ch. 3, 4
Week 07	13 Nov - 21 Nov 2018	Synchronization & Deadlock	Ch. 6, 7, 8
Week 08	22 Nov - 28 Nov 2018	Scheduling	Ch. 5
Week 09	29 Nov - 05 Dec 2018	Disks, BIOS, Loader, & Systemd	Ch. 11
Week 10	06 Dec - 12 Dec 2018	I/O & Programming	Ch. 12
Reserved	13 Dec - 25 Dec 2018		
Final	26 Dec - 04 Jan 2018	Final (UAS): TBA	This schedule is
Extra	12 Jan 2019	Extra assignment	subject to change.

The Weekly Check List

```
Resources: https://os.vlsm.org/
    ☐ (THIS) Slides — https://github.com/UI-FASILKOM-OS/
       SistemOperasi/tree/master/pdf/
    ☐ Demos — https://github.com/UI-FASILKOM-OS/
       SistemOperasi/tree/master/demos/
    ☐ Extra — BADAK.cs.ui.ac.id:///extra/
       Problems — rms46.vlsm.org/2/195.pdf, 196.pdf, ..., 205.pdf
☐ Text Book: any recent/decent OS book. Eg. (OSC10) Silberschatz
  et. al.: Operating System Concepts, 10<sup>th</sup> Edition, 2018.
☐ Encode your QRC with image size of approximately 250×250 pixels:
  "OS182 CLASS ID SSO-ACCOUNT Your-Full-Name"
  Special for Week 00, mail your embedded QRC to:
  operatingsystems@vlsm.org
  With Subject: OS182 CLASS ID SSO-ACCOUNT Your-Full-Name
☐ Write your Memo (with QRC) every week.
Login to badak.cs.ui.ac.id via kawung.cs.ui.ac.id for at least
  10 minutes every week. Copy the weekly demo files to your own home
  directory.
  Eg. (Week00): cp -r /extra/Week00/W00-demos/ W00-demos/
```

Week 05: Memory

- Start
- Schedule
- 3 Week 05
- 4 Week 05
- Virtual Memory
- 6 Memory Allocation Algorothm
- TOP
- 8 06-memory
- The End

Week 05 Virtual Memory: Topics¹

- Review of physical memory and memory management hardware
- Virtual Memory
- Caching
- Memory Allocation
- Memory Performance
- Working sets and thrashing

¹Source: ACM IEEE CS Curricula 2013

Week 05 Virtual Memory: Learning Outcomes¹

- Explain memory hierarchy and cost-performance trade-offs.
 [Familiarity]
- Summarize the principles of virtual memory as applied to caching and paging. [Familiarity]
- Describe the reason for and use of cache memory (performance and proximity, different dimension of how caches complicate isolation and VM abstraction). [Familiarity]
- Defend the different ways of allocating memory to tasks, citing the relative merits of each. [Assessment]
- Evaluate the trade-offs in terms of memory size (main memory, cache memory, auxiliary memory) and processor speed. [Assessment]
- Discuss the concept of thrashing, both in terms of the reasons it occurs and the techniques used to recognize and manage the problem. [Familiarity]

¹Source: ACM IEEE CS Curricula 2013

Virtual Memory

- Reference: (OSC9-ch09 demo-w05)
- Virtual Memory: Separation Logical from Physical.
- Virtual Address Space: logical view.
- Demand Paging
- Page Flags: Valid / Invalid
- Page Fault
- Demand Paging Performance
- Copy On Write (COW)
- Page Replacement Algorithm
 - Reference String
 - First-In-First-Out (FIFO)
 - Belady Anomaly
 - Optimal Algorithm
 - Least Recently Used (LRU)
 - LRU Implementation
 - Lease Frequently Used (LFU)
 - Most Frequently Used (MFU)

Allocation Algorothm

- Page-Buffering Algorithms
- Allocation of Frames
- Fixed Allocation
- Priority Allocation
- Global vs. Local Allocation
- Non-Uniform Memory Access (NUMA)
- Thrashing
- Working-Set Model
- Shared Memory via Memory-Mapped I/O
- Kernel
 - Buddy System Allocator
 - Slab Allocator

TOP




Figure: top

TOP (2)

	@rmsba:	se: ~			· ·	-				
гоо ×					@je ×			@r ×		. × @r × 👬 🔻
				, 1 user						
				unning, 1						
				sy, 0.0			0.0 wa,			si, 0.0 st
KiB Me		8197060			L 52 used		.908 fre		191512 but	
KiB Sv	vap:	683004	tota	ι,	0 used	, 683	004 fre	ee.	639140 cad	ched Mem
	USER	PR	NI	VIRT	RES	SHR S		**********		COMMAND
518		20	0	162032	112		225.2	0.0	1882:33	
3448	100000	20	0	0	0	0 5		0.0		kworker/0:2
3198		20	0	0	0	0 S		0.0		kworker/4:0
3062		20	0	0	0	0 S		0.0		kworker/1:2
3289		20	0	0	0	0 S		0.0		kworker/6:1
	root	20	0	0	0	0 S		0.0		rcu_sched
3376		20	0	0	0	0 S		0.0		kworker/5:0
1914		20	0	0	0	0 S		0.0		kworker/2:1
_	root	20	0	28684	4736	3012 S		0.1	0:02.91	
2	root	20	0	0	0	0 5		0.0		kthreadd
3	root	20	0	0	0	0 S		0.0		ksoftirqd/0
5	root	0	- 20	0	0	0 S		0.0		kworker/0:+
8	root	20	0	0	0	0 5		0.0	0:00.00	
9	root	rt	0	0	0	0 S		0.0		migration/0
10	root	rt	0	0	0	0 S		0.0		watchdog/0
11		rt	0	0	0	0 S		0.0		watchdog/1
1000	root	rt	0	0	0	0 5		0.0		migration/1
13	root	20	0	0	0	0 S	0.0	0.0	0:06.80	ksoftirqd/1

Figure: "h" = help

TOP (3)




Figure: Moving Fields: "f"

TOP (4)

```
@rmsbase: ~
                        × @r... × @je... × @r... × @r... ×
                                                           @r... × @r... × @r... ×
Fields Management for window 1:Def, whose current sort field is %CPU
  Navigate with Up/Dn, Right selects for move then <Enter> or Left commits,
   'd' or <Space> toggles display, 's' sets sort. Use 'g' or <Esc> to end!
 PID
         = Process Id
                            SUID
                                    = Saved User Td
                                                       vMn
                                                               = Minor Faults
                                    = Saved User Na
                                                               = IPC namespace
 VIRT
         = Virtual Image
                            SUSFR
                                                       nsIPC
 RES
         = Resident Size
                            GID
                                                       nsMNT
                                    = Group Id
                                                               = MNT namespace
 SHR
         = Shared Memory
                            GROUP
                                    = Group Name
                                                      nsNET
                                                               = NET namespace
 SWAP
         = Swapped Size
                            PGRP
                                    = Process Group
                                                      nsPID
                                                               = PID namespace
 CODE
         = Code Size (Ki
                            TTY
                                    = Controlling T
                                                      nsUSER
                                                               = USER namespac
 DATA
         = Data+Stack (K
                            TPGID
                                                      nsUTS
                                                               = UTS namespace
                                    = Tty Process G
 USED
         = Res+Swap Size
                            SID
                                    = Session Id
 nDRT
         = Dirty Pages C
                            nTH
                                    = Number of Thr
 PPID
         = Parent Proces
                            P
                                    = Last Used Cpu
 %MEM
         = Memory Usage
                            TIME
                                    = CPU Time
 USER
         = Effective Use
                            nMaj
                                    = Major Page Fa
 PR
         = Priority
                            nMin
                                    = Minor Page Fa
 NI
         = Nice Value
                            WCHAN
                                    = Sleeping in F
         = Process Statu
                            Flags
                                    = Task Flags <s
 %CPU
         = CPU Usage
                            CGROUPS = Control Group
 TIME+
         = CPU Time. hun
                            SUPGIDS = Supp Groups I
                            SUPGRPS = Supp Groups N
 COMMAND = Command Name/
 UID
                            TGID
         = Effective Use
                                    = Thread Group
 RUID
                            ENVIRON = Environment v
         = Real User Id
 RUSER
         = Real User Nam
                            vMi
                                    = Maior Faults
```

Figure: Moving Fields

TOP (5)

```
@rmsbase: ~/Downloads
       @r... × | @r... × | @r... × |
                          @r... × @je... × @r... × @r... × @r... × @r... × @r... × @r... ×
top - 19:57:14 up 11:38,  1 user,  load average: 0.43, 0.54, 0.58
Tasks: 285 total, 2 running, 283 sleeping, 0 stopped,
                                                             0 zombie
%Cpu(s): 3.8 us, 1.3 sy, 0.0 ni, 94.6 id, 0.3 wa, 0.0 hi, 0.0 si,
KiB Mem : 16385976 total, 269672 free, 3179788 used,12936516 buff/cache
KiB Swap: 1000444 total,
                            994752 free.
                                              5692 used. 12649780 avail Mem
 PID
         VIRT
                 RES
                        SHR
                              SWAP
                                     CODE
                                              DATA
                                                     USED nDRT
 3547 2377296 394828 165776
                                      196 1642748 394828
                                 0
                                                             0
 1234
      278216
               87880
                     59116
                                 0
                                     2288
                                             25164
                                                   87880
                                      196 1856708 433176
 3321 2683572 433176 149376
                                 0
 2708 1687448 214112
                                       12 1179008 214112
                     80608
                                 0
 2841 679488
              50860 30484
                                 0
                                      292
                                            389096
                                                    50860
 3748 1896812 321288
                     76656
                                 0 133688 1474084 321288
 3971 2047252 440112 97384
                                   133688 1587052 440112
32501 630768
              33500
                     27960
                                 0
                                       76
                                           373220
                                                   33500
 4067 8554396 320516 109756
                                 0
                                      196 7954584 320516
 4130 2391592 341632 117636
                                 0
                                      196 1717824 341632
22635 2198448 274812 108000
                                 0
                                      196 1532152 274812
 1292
                                 0
            0
                   0
                          0
                                        0
                                                 0
 2514
      930224
               34304
                      26028
                                 0
                                            448864
                                                    34304
                                       36
 3233 4515228 360812 126784
                                   133688 3757984 360812
32495
        33488
                3380
                       2836
                                 0
                                       96
                                              1264
                                                     3380
 2388
       44036
                4424
                       2724
                                      212
                                              1716
                                                     4424
                                 0
 2412 423204
              11380
                       5264
                                      152
                                            374232
                                 0
                                                    11380
 2512
      685824
               74188
                     36868
                                      552
                                            399836
                                                    74188
```

Figure: Write Configuration .toprc: "W"

06-memory

```
/* Copyright (C) 2016-2018 Rahmat M. Samik-Ibrahim
 * http://rahmatm.samik-ibrahim.vlsm.org/
 * This program is free script/software. This program is distributed in the
 * hope that it will be useful, but WITHOUT ANY WARRANTY; without even the
 * implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
 * REVO4 Mon Mar 12 17:33:30 WIB 2018
 * START Mon Oct 3 09:26:51 WIB 2016
 */
#define MSIZEO 0x10000
#define MSIZE1 0x10008
#define MSTZE2 0x10009
#define MSTZE3 0x1000A
#define MSIZE4 0x20978
#define MSIZE5 0x20979
#define MSIZE6 0x2097A
#define MSIZE7 0xF0000
#define MSTZE8 0x10000
#define MSTZE9 0x1000
#define LINE
#define MAXSTR 80
#include <stdio.h>
#include <stdlib.h>
#include <unistd.h>
#include <string.h>
#include <sys/types.h>
void printLine(int line) {
   while(line-- > 0) putchar('x');
  putchar('\n'):
  fflush(NULL):
```

06-memory (2)

```
void main (void) {
   int
        msize[] = {MSIZE0, MSIZE1, MSIZE2, MSIZE3, MSIZE4,
                    MSIZE5, MSIZE6, MSIZE7, MSIZE8, MSIZE97:
   int ii. ii:
   int myPID = (int) getpid();
   char strSYS1[MAXSTR], strOUT[MAXSTR];
   char* chrStr = strSYS1:
   char* chrPTR:
   printLine(LINE):
   sprintf(strSYS1, "top -b -n 1 -p%d | tail -5", myPID);
   system (strSYS1);
   sprintf(strSYS1, "top -b -n 1 -p%d | tail -1", mvPID);
  for (ii=0: ii< (sizeof(msize)/sizeof(int)): ii++){
     chrStr = malloc(msize[ii]);
     fgets(strOUT, sizeof(strOUT)-1, popen(strSYS1, "r"));
     strOUT[(int) strlen(strOUT)-1]='\0':
     printf("%s [%X]\n", strOUT, msize[ii]);
     free(chrStr):
   7
  for (ii=0: ii< (sizeof(msize)/sizeof(int)): ii++){
     chrPTR = chrStr = malloc(msize[ii]):
     for (ii=0:ii<msize[ii]:ii++)
         *chrPTR++='x':
     fgets(strOUT, sizeof(strOUT)-1, popen(strSYS1, "r"));
      strOUT[(int) strlen(strOUT)-1]='\0':
     printf("%s [%X]\n", strOUT, msize[ii]);
     free(chrStr);
}
```

06-memory (2)

>>>> \$./06-memory KiB Mem: 8197060 total, 957928 used, 7239132 free, 192520 buffers KiB Swap: 660108 cached 683004 total, 0 used, 683004 free. Mem PID VIRT RES SHR. SWAP CODE DATA USED nDRT [10000] [10008] Γ100091 [1000A] [20978] [20979] [2097A] [F0000] [10000] [1000]

06-memory (3)

4362	4376	1200	1068	0	4	524	1200	0	[1000]
4362	4376	1200	1068	0	4	524	1200	0	[10000]
4362	4376	1276	1068	0	4	524	1276	0	[10008]
4362	4376	1276	1068	0	4	524	1276	0	[10009]
4362	4376	1284	1068	0	4	524	1284	0	[1000A]
4362	4376	1284	1068	0	4	524	1284	0	[20978]
4362	4376	1352	1068	0	4	524	1352	0	[20979]
4362	4376	1352	1068	0	4	524	1352	0	[2097A]
4362	5340	2144	1068	0	4	1488	2144	0	[F0000]
4362	5340	2324	1068	0	4	1488	2324	0	[10000]
4362	5340	2324	1068	0	4	1488	2324	0	[1000]
>>>> \$									

The End

- \square This is the end of the presentation.
- extstyle ext
- This is the end of the presentation.