

```
<!DOCTYPE html>

<html lang="fr">

<head>

  <meta charset="UTF-8" />

  <meta name="viewport" content="width=device-width, initial-scale=1.0"/>

  <title>Fiche D&D 5e</title>
```

```
<style>

body {

  margin: 0;

  font-family: Arial, sans-serif;

  background:

    radial-gradient(circle at top, #3b2f2f, #1b1410),

    repeating-linear-gradient(

      45deg,

      rgba(255,255,255,0.02),

      rgba(255,255,255,0.02) 2px,

      transparent 2px,

      transparent 6px

    );

  height: 100vh;

  overflow: hidden;

  display: flex;

  flex-direction: column;

  color: #2b1d0e;

}
```

```
header {
```

```
background: linear-gradient(90deg, #2a1b12, #1a0f0a);
color: #f5e6c8;
padding: 10px 12px;
display: flex;
justify-content: space-between;
align-items: center;
gap: 10px;
flex-wrap: wrap;
flex-shrink: 0;
border-bottom: 3px solid #c9a227;
box-shadow: 0 2px 10px rgba(0,0,0,0.5);
}
```

```
header h1 {
margin: 0;
font-size: 18px;
letter-spacing: 1px;
}
```

```
button {
cursor: pointer;
border: none;
padding: 7px 10px;
border-radius: 6px;
font-weight: bold;
font-size: 13px;
}
```

```
.btn-white {  
  background: #f5e6c8;  
  color: #2a1b12;  
  border: 1px solid #7a5a2a;  
}
```

```
.btn-dark {  
  background: #2b1a12;  
  color: #f5e6c8;  
  border: 1px solid #c9a227;  
}
```

```
main {  
  flex: 1;  
  overflow: hidden;  
  padding: 10px;  
  box-sizing: border-box;  
}
```

```
.nav {  
  background: #1a0f0a;  
  color: #f5e6c8;  
  padding: 10px 12px;  
  display: flex;  
  justify-content: space-between;  
  align-items: center;  
  flex-shrink: 0;  
  gap: 10px;
```

```
border-top: 3px solid #c9a227;  
}
```

```
.nav button {  
  background: #2b1a12;  
  color: #f5e6c8;  
  border: 1px solid #c9a227;  
}
```

```
.nav button:disabled {  
  background: #3a2a22;  
  cursor: not-allowed;  
}
```

```
.page-container {  
  height: 100%;  
  display: grid;  
  gap: 10px;  
}
```

```
.cols-3 {  
  grid-template-columns: 1fr 1fr 1fr;  
}
```

```
.col {  
  overflow-y: auto;  
  padding-right: 4px;  
}
```

```
.box {  
  
  background: linear-gradient(#f6e3bf, #e6d0a3);  
  padding: 8px;  
  border-radius: 8px;  
  border: 2px solid #5a3e1b;  
  margin-bottom: 10px;  
  box-shadow: inset 0 0 10px rgba(0,0,0,0.2);  
}
```

```
.box-title {  
  
  font-size: 10px;  
  font-weight: bold;  
  margin-bottom: 6px;  
  text-transform: uppercase;  
  color: #3a2412;  
}
```

```
input, textarea {  
  
  width: 100%;  
  padding: 6px;  
  border: 1px solid #7a5a2a;  
  background: rgba(255,248,230,0.9);  
  border-radius: 6px;  
  box-sizing: border-box;  
  margin-bottom: 6px;  
  font-size: 13px;  
}
```

```
textarea {  
  resize: none;  
  overflow: hidden;  
  min-height: 30px;  
}
```

```
.grid-2 {  
  display: grid;  
  grid-template-columns: 1fr 1fr;  
  gap: 8px;  
}
```

```
.grid-3 {  
  display: grid;  
  grid-template-columns: 1fr 1fr 1fr;  
  gap: 8px;  
}
```

```
.row {  
  display: flex;  
  gap: 8px;  
  align-items: center;  
  margin-bottom: 6px;  
}
```

```
.row label {  
  flex: 1;
```

```
font-size: 13px;  
}
```

```
.tiny-input {  
width: 55px !important;  
margin: 0 !important;  
}
```

```
.check {  
width: 16px !important;  
height: 16px !important;  
margin: 0 !important;  
}
```

```
.stat-box {  
background: rgba(255,255,255,0.3);  
padding: 6px;  
border-radius: 8px;  
border: 1px solid #7a5a2a;  
text-align: center;  
}
```

```
.stat-box-title {  
font-weight: bold;  
font-size: 11px;  
margin-bottom: 4px;  
}
```

```
.money-grid {  
  display: grid;  
  grid-template-columns: repeat(5, 1fr);  
  gap: 6px;  
}
```

```
.money-grid div {  
  text-align: center;  
}
```

```
.money-grid b {  
  font-size: 11px;  
  display: block;  
  margin-bottom: 3px;  
}
```

```
.page-buttons {  
  display: flex;  
  gap: 6px;  
  flex-wrap: wrap;  
  justify-content: center;  
}
```

```
.page-btn {  
  background: #2b1a12;  
  color: #f5e6c8;  
  padding: 6px 10px;  
  border-radius: 6px;
```



```

    font-size: 12px;

    border: 1px solid #c9a227;
}

.page-btn.active {
    background: #c9a227;
    color: #1b1b1b;
}
</style>
</head>

<body>

<header>

<h1>Fiche D&D </h1>

<div class="top-buttons">

    <button class="btn-white" onclick="exportFile()">Exporter</button>

    <button class="btn-white"
onclick="document.getElementById('fileInput').click()">Importer</button>

    <button class="btn-dark" onclick="resetSheet()">Reset</button>

</div>

    <input class="hidden-file" type="file" id="fileInput" accept=".json"
onchange="importFile(event)" />

</header>

<main>

    <div id="content" style="height:100%;"></div>

```

```
</main>
```

```
<div class="nav">
```

```
<button onclick="prevPage()" id="prevBtn">Précédent</button>
```

```
<div class="page-buttons">
```

```
<button class="page-btn" id="btn0" onclick="goToPage(0)">Principale</button>
```

```
<button class="page-btn" id="btn1" onclick="goToPage(1)">Personnage</button>
```

```
<button class="page-btn" id="btn2" onclick="goToPage(2)">Sorts</button>
```

```
<button class="page-btn" id="btn3" onclick="goToPage(3)">Notes</button>
```

```
</div>
```

```
<button onclick="nextPage()" id="nextBtn">Suivant</button>
```

```
</div>
```

```
<script>
```

```
let page = 0;
```

```
let charData = {};
```

```
function setValue(key, value) {
```

```
    charData[key] = value;
```

```
}
```

```
function getSafe(key) {
```

```
    return (charData[key] || "").toString().replace(/"/g, '&quot;');
```

```
}
```

```
function inputField(key, placeholder = "") {
```

```

return `
  <input type="text" placeholder="${placeholder}"
    value="${getSafe(key)}"
    oninput="set_value('${key}', this.value)">
`;
}

```

```

function tinyInputField(key, placeholder = "") {
  return `
    <input class="tiny-input" type="text" placeholder="${placeholder}"
      value="${getSafe(key)}"
      oninput="set_value('${key}', this.value)">
    `;
}

```

```

function checkboxField(key) {
  const checked = charData[key] ? "checked" : "";
  return `
    <input class="check" type="checkbox" ${checked}
      onchange="set_value('${key}', this.checked)">
    `;
}

```

```

function textAreaField(key, placeholder = "", rows = 2) {
  const value = (charData[key] || "").toString();
  return `
    <textarea rows="${rows}" placeholder="${placeholder}"
      oninput="set_value('${key}', this.value); autoResize(this);"

```

```
>${value}</textarea>
`;
}
```

```
function autoResize(textarea) {
    textarea.style.height = "auto";
    textarea.style.height = textarea.scrollHeight + "px";
}
```

```
function box(title, content) {
    return `
    <div class="box">
        <div class="box-title">${title}</div>
        ${content}
    </div>
    `;
}
```

```
function updatePageButtons() {
    for (let i = 0; i < 4; i++) {
        document.getElementById("btn" + i).classList.remove("active");
    }
    document.getElementById("btn" + page).classList.add("active");
}
```

```
function goToPage(p) {
    page = p;
    renderPage();
}
```

```
}
```

```
function exportFile() {  
    const json = JSON.stringify(charData, null, 2);  
    const blob = new Blob([json], { type: "application/json" });  
    const url = URL.createObjectURL(blob);  
  
    const a = document.createElement("a");  
    a.href = url;  
    a.download = "dnd-char.json";  
    a.click();  
  
    URL.revokeObjectURL(url);  
}
```

```
function importFile(event) {  
    const file = event.target.files[0];  
    if (!file) return;  
  
    const reader = new FileReader();  
    reader.onload = function(e) {  
        try {  
            const data = JSON.parse(e.target.result);  
            if (typeof data === "object" && data !== null) {  
                charData = data;  
                renderPage();  
                alert("✓ Fiche importée !");  
            } else {
```

```
        alert("X Fichier invalide !");
    }
} catch (err) {
    alert("X Erreur : JSON invalide !");
}
};
```

```
reader.readAsText(file);
}
```

```
function resetSheet() {
    if (confirm("Effacer toute la fiche ?")) {
        charData = {};
        renderPage();
    }
}
```

```
function renderPage() {
    document.getElementById("prevBtn").disabled = (page === 0);
    document.getElementById("nextBtn").disabled = (page === 3);
```

```
    updatePageButtons();
```

```
    let html = "";
```

```
    // PAGE 1
```

```
    if (page === 0) {
        html += `<div class="page-container cols-3">`;
```

```

html += `<div class="col">`;

html += box("Identité", `
  ${inputField("nom", "Nom du personnage")}

  <div class="grid-2">
    ${inputField("classe", "Classe & niveau")}
    ${inputField("race", "Race")}
  </div>

  <div class="grid-2">
    ${inputField("bg", "Historique")}
    ${inputField("align", "Alignement")}
  </div>

  <div class="grid-2">
    ${inputField("joueur", "Nom du joueur")}
    ${inputField("xp", "XP")}
  </div>
`);

```

```

html += box("Caractéristiques", `
  <div class="grid-3">
    ${["FOR","DEX","CON","INT","SAG","CHA"].map((stat, i) => `
      <div class="stat-box">
        <div class="stat-box-title">${stat}</div>
        ${inputField("car"+i, "Score")}
        ${inputField("mod"+i, "Mod")}
      </div>
    `).join("")}
  </div>
`);

```

```
`);
```

```
html += box("Jets de sauvegarde", `
```

```
${[
```

```
  "Force (FOR)",
```

```
  "Dextérité (DEX)",
```

```
  "Constitution (CON)",
```

```
  "Intelligence (INT)",
```

```
  "Sagesse (SAG)",
```

```
  "Charisme (CHA)"
```

```
].map((save, i) => `
```

```
  <div class="row">
```

```
    ${checkboxField("js"+i)}
```

```
    ${tinyInputField("jsv"+i, "+0")}
```

```
    <label>${save}</label>
```

```
  </div>
```

```
`).join("")]
```

```
`);
```

```
html += `</div>`;
```

```
html += `<div class="col">`;
```

```
html += box("Compétences", `
```

```
${[
```

```
  "Acrobaties (DEX)",
```

```
  "Arcanes (INT)",
```

```
  "Athlétisme (FOR)",
```

```
  "Discrétion (DEX)",
```


"Dressage (SAG)",
"Escamotage (DEX)",
"Histoire (INT)",
"Intimidation (CHA)",
"Investigation (INT)",
"Médecine (SAG)",
"Nature (INT)",
"Perception (SAG)",
"Perspicacité (SAG)",
"Persuasion (CHA)",
"Religion (INT)",
"Représentation (CHA)",
"Survie (SAG)",
"Tromperie (CHA)"

```
].map((skill, i) => `  
  <div class="row">  
    ${checkboxField("sk"+i)}  
    ${tinyInputField("skv"+i, "+0")}  
    <label>${skill}</label>  
  </div>  
`).join("")}  
`);
```

```
html += box("Maîtrises & Langues", `  
  ${textField("mait", "Listez vos maîtrises et langues...", 3)}  
`);
```

```
html += box("Perception passive", `
```

```
    ${inputField("percp", "10")}  
  `);
```

```
html += `</div>`;
```

```
html += `<div class="col">`;
```

```
html += box("Défense", `  
  <div class="grid-3">  
    <div>  
      <div class="box-title">CA</div>  
      ${inputField("ca", "10")}  
    </div>  
    <div>  
      <div class="box-title">Initiative</div>  
      ${inputField("init", "+0")}  
    </div>  
    <div>  
      <div class="box-title">Vitesse</div>  
      ${inputField("vit", "30")}  
    </div>  
  </div>  
  `);
```

```
html += box("Points de vie", `  
  <div class="grid-3">  
    <div>  
      <div class="box-title">Max</div>
```

```

    ${inputField("pvmax", "10")}
  </div>

  <div>

    <div class="box-title">Actuels</div>

    ${inputField("pv", "10")}

  </div>

  <div>

    <div class="box-title">Temp</div>

    ${inputField("pvt", "0")}

  </div>
</div>
`);

```

```

html += box("Jets contre la mort", `
  <div class="grid-2">

    <div>

      <div class="box-title">Succès</div>

      <div class="row">

        ${checkboxField("ds1")}<label>1</label>

        ${checkboxField("ds2")}<label>2</label>

        ${checkboxField("ds3")}<label>3</label>

      </div>

    </div>

    <div>

      <div class="box-title">Échecs</div>

      <div class="row">

        ${checkboxField("df1")}<label>1</label>

        ${checkboxField("df2")}<label>2</label>

```

```

        ${checkboxField("df3")}<label>3</label>

    </div>

</div>

</div>

`);

html += box("Attaques et sorts", `

    ${textAreaField("atk", "Listez vos attaques...", 4)}

`);

html += box("Équipement", `

    ${textAreaField("equip", "Votre équipement...", 4)}

`);

html += box("Monnaie", `

    <div class="money-grid">

        <div><b>PC</b>${inputField("m0", "0")}</div>

        <div><b>PA</b>${inputField("m1", "0")}</div>

        <div><b>PE</b>${inputField("m2", "0")}</div>

        <div><b>PO</b>${inputField("m3", "0")}</div>

        <div><b>PP</b>${inputField("m4", "0")}</div>

    </div>

`);

html += `</div>`;

html += `</div>`;

}

```

```
// PAGE 2
```

```
if (page === 1) {
```

```
    html += `<div class="page-container cols-3">`;
```

```
    html += `<div class="col">`;
```

```
    html += box("Identité", `
```

```
        ${inputField("nom", "Nom du personnage")}
```

```
        <div class="grid-3">
```

```
            ${inputField("age", "Âge")}
```

```
            ${inputField("tail", "Taille")}
```

```
            ${inputField("poid", "Poids")}
```

```
        </div>
```

```
    `);
```

```
    html += box("Apparence physique", `
```

```
        <div class="grid-3">
```

```
            ${inputField("yeux", "Yeux")}
```

```
            ${inputField("peau", "Peau")}
```

```
            ${inputField("chev", "Cheveux")}
```

```
        </div>
```

```
        ${textAreaField("app", "Décrivez l'apparence...", 4)}
```

```
    `);
```

```
    html += `</div>`;
```

```
    html += `<div class="col">`;
```

```
    html += box("Traits de personnalité", `
```

```
        ${textAreaField("trait", "Vos traits...", 4)}
```

```
    `);
```

```
html += box("Histoire", `
    ${textField("hist", "L'histoire du personnage...", 6)}
`);
html += `</div>`;
```

```
html += `<div class="col">`;
html += box("Alliés et organisations", `
    ${textField("allie", "Vos alliés...", 5)}
`);
```

```
html += box("Ennemis", `
    ${textField("ennemis", "Vos ennemis...", 5)}
`);
```

```
html += box("Traits supplémentaires", `
    ${textField("supp", "Autres capacités...", 5)}
`);
```

```
html += box("Trésor", `
    ${textField("tres", "Objets magiques, objets rares...", 5)}
`);
html += `</div>`;
```

```
html += `</div>`;
```

```
}
```

```

if (page === 2) {
  html += `<div class="page-container cols-3">`;

  html += `<div class="col">`;
  html += box("Infos magie", `
    ${inputField("nom", "Nom du personnage")}
    <div class="grid-2">
      ${inputField("clasort", "Classe lanceur")}
      ${inputField("caraso", "Caractéristique")}
    </div>
    <div class="grid-2">
      ${inputField("dd", "DD sauvegarde")}
      ${inputField("bonat", "Bonus attaque")}
    </div>
  `);

  html += box("Sorts mineurs (0)", `
    ${textAreaField("sort0", "Liste des sorts mineurs...", 6)}
  `);
  html += `</div>`;

  html += `<div class="col">`;
  for (let n = 1; n <= 4; n++) {
    html += box("Niveau " + n, `
      <div class="row">
        <label>Utilisés / Total</label>
        ${tinyInputField("sl" + n + "u", "0")}
        <span style="font-weight:bold;"></span>
      </div>
    `);
  }
}

```

```

    ${tinyInputField("sl" + n, "0")}
  </div>

  ${textAreaField("sort" + n, "Sorts niveau " + n + "...", 4)}
  `);
}
html += `</div>`;

```

```

html += `<div class="col">`;
for (let n = 5; n <= 9; n++) {
  html += box("Niveau " + n, `
    <div class="row">
      <label>Utilisés / Total</label>
      ${tinyInputField("sl" + n + "u", "0")}
      <span style="font-weight:bold;"></span>
      ${tinyInputField("sl" + n, "0")}
    </div>
    ${textAreaField("sort" + n, "Sorts niveau " + n + "...", 4)}
    `);
}
html += `</div>`;

```

```

html += `</div>`;
}

```

```
// PAGE 4
```

```

if (page === 3) {
  html += `<div class="page-container cols-3">`;
}

```



```
html += `<div class="col"></div>`;
```

```
html += `<div class="col">`;
```

```
html += box("Notes", `  
  ${inputField("nom", "Nom du personnage")}  
  ${textField("notes", "Écris tes notes ici...", 20)}  
`);
```

```
html += `</div>`;
```

```
html += `<div class="col"></div>`;
```

```
html += `</div>`;
```

```
}
```

```
document.getElementById("content").innerHTML = html;
```

```
setTimeout(() => {  
  document.querySelectorAll("textarea").forEach(t => autoResize(t));  
}, 0);  
}
```

```
function nextPage() {  
  if (page < 3) {  
    page++;  
    renderPage();  
  }  
}
```

```
function prevPage() {  
  if (page > 0) {  
    page--;  
    renderPage();  
  }  
}
```

```
renderPage();
```

```
</script>
```

```
</body>
```

```
</html>
```