


S01-Text to Audio



S02- MultiLingual



S03-GenerateAPITestcasesFromSwaggerCode


GenAI-Aug-HomeAssignment > S03-GenerateAPITestcasesFromSwaggerCode
Save
Share
POST
https://api.groq.com/openai/v1/chat/completions
Send
Docs
Params
Authorization
Headers 11
Body
Scripts
Settings
none
form-data
x-www-form-urlencoded
raw
binary
GraphQL
JSON
Schema
Beautify
{
"model": "openai/gpt-oss-120b",
"messages": [
{
"role": "system",
"content": "You are a Senior API Test Automation Architect with strong expertise in Java, Rest Assured, TestNG, Maven, and API schema-driven test generation."
},
{
"role": "user",
"content": "I — INSTRUCTION\nGenerate Rest Assured Java code for Swagger Petstore APIs.\n\nMANDATORY RULES:\n1) Generate ONLY Java Rest Assured code.\n2) Do NOT include explanations, markdown, or extra text.\n3) Use TestNG as the test runner.\n4) Use meaningful class, method, and variable names.\n5) Include imports required for Rest Assured, TestNG, and assertions.\n6) Use reusable base URI setup.\n7) Cover CRUD operations for Pet resource.\n8) Add assertions for status code and important response fields.\n9) Keep the code clean, executable, and production-style.\n10) Do NOT use placeholder comments.\n\nC — CONTEXT\nThe code will be used by QA engineers for API automation practice using Swagger Petstore.\n\nP — PERSONA\nYou are a Senior API Test Automation Architect creating enterprise-style reusable Rest Assured automation code.\n\nO — OUTPUT\nReturn ONLY executable Java
Body
Cookies 1
Headers 19
Test Results
200 OK
2.67 s
2.33 KB
Save Response
{ } JSON
Preview
Visualize
{
"id": "chatcmpl-dc63e76e-8aec-439f-aab4-9aa7794a5778",
"object": "chat.completion",
"created": 1792022398,
"model": "openai/gpt-oss-120b",
"choices": [
{
"index": 0,
"message": {
"role": "assistant",
"content": "import io.restassured.RestAssured;\nimport io.restassured.http.ContentType;\nimport io.restassured.response.Response;\nimport org.testng.annotations.BeforeClass;\nimport org.testng.annotations.Test;\nimport org.testng.Assert;\nimport java.util.HashMap;\nimport java.util.Map;\n\npublic class PetStoreCrudTest {\n\n private static long petId;\n private static final String PET_NAME_INITIAL = \"Fluffy\";\n private static final String PET_NAME_UPDATED = \"FluffyUpdated\";\n private static final String PET_STATUS = \"available\";\n\n @BeforeClass public void setUp() {\n RestAssured.baseURI = \"https://petstore.swagger.io/v2\";\n }\n\n @Test(priority = 1)\n public void createNewPet() {\n petId = System.currentTimeMillis();\n Map<String, Object> category = new