UNIVERSIDAD NACIONAL AUNTONOMA DE NICARAGUA UNAN-León.



Facultad de Ciencias y Tecnología

Carrera: Ingeniería en Telemática.

Componente: Software como un Servicio.

Grupo: #2.

Docente: Ervin Montes.

Nombre:

• Rosa Arellys Orozco Lira.

Fecha: 01/10/2024.

¡A la libertad por la universidad!

1. Generar un nuevo provecto.

```
\oplus
                                                                    Q
                                                                         \equiv
                                  joysi@debian: ~
                                                                              ×
root@debian:/home/joysi/p_RoR/pract8# rails new App_RoR -T
     create
     create README.md
      create Rakefile
      create .ruby-version
     create config.ru
     create .gitignore
      create .gitattributes
      create Gemfile
        run qit init -b main from "."
Inicializado repositorio Git vacío en /home/joysi/p_RoR/pract8/App_RoR/.git/
     create app
     create app/assets/config/manifest.js
     create app/assets/stylesheets/application.css
      create app/channels/application_cable/channel.rb
     create app/channels/application_cable/connection.rb
     create app/controllers/application_controller.rb
      create app/helpers/application_helper.rb
      create app/jobs/application_job.rb
      create app/mailers/application_mailer.rb
      create app/models/application_record.rb
      create app/views/layouts/application.html.erb
      create app/views/layouts/mailer.html.erb
      create app/views/layouts/mailer.text.erb
```

2. Agregar las gemas que se utilizarán en el proyecto, dentro grupo development, test.

```
# joysi@debian:~

GNU nano 7.2

Gemfile *

group :development, :test do

# See https://guides.rubyonrails.org/debugging_rails_applications.html#debugg

gem "debug", platforms: %i[ mri mswin mswin64 mingw x64_mingw ]

gem "rspec-rails","~>3.7"

gem 'capybara'

gem 'database_cleaner'

end
```

3. Ejecutar el siguiente comando en el terminal para instalar las gemas.

```
joysi@debian: ~
                                                                          \equiv
                                                                                ×
Using actionmailer 7.1.3.4
Using sprockets-rails 3.5.1
Using importmap-rails 2.0.1
Using web-console 4.2.1
Using stimulus-rails 1.3.3
Using turbo-rails 2.0.6
Using rails 7.1.3.4
Installing database_cleaner-core 2.0.1
Installing rspec-support 3.9.4
Fetching database_cleaner-active_record 2.2.0
Fetching rspec-core 3.9.3
Fetching rspec-mocks 3.9.1
Fetching rspec-expectations 3.9.4
Installing database_cleaner-active_record 2.2.0
Fetching database_cleaner 2.0.2
Installing rspec-mocks 3.9.1
Installing rspec-expectations 3.9.4
Installing database_cleaner 2.0.2
Installing rspec-core 3.9.3
Fetching rspec-rails 3.9.1
Installing rspec-rails 3.9.1
Bundle complete! 16 Gemfile dependencies, 87 gems now installed.
Use `bundle info [gemname]` to see where a bundled gem is installed.
root@debian:/home/joysi/p_RoR/pract8/App_RoR#
```

4. Ejecutar el siguiente comando para crear los directorios que rspec necesita para trabajar.

```
root@debian:/home/joysi/p_RoR/pract8/App_RoR# rails g rspec:install
    create .rspec
    create spec
    create spec/spec_helper.rb
    create spec/rails_helper.rb
root@debian:/home/joysi/p_RoR/pract8/App_RoR#
```

5. Abrir el archivo config/application.rb y agregar el siguiente código dentro de la clase, en el mismo archivo.

```
application.rb pract8/App_RoR/config/application.rb
     # Require the gems listed in Gemfile, including any gems
17
     # you've limited to :test, :development, or :production.
18
19
     Bundler.require(*Rails.groups)
20
21
     module AppRoR
        class Application < Rails::Application</pre>
22
          config.generators do |q|
23
24
            g.test_framework :rspec,
              fixtures: true,
25
              view_specs: false,
26
              helper_specs: false,
27
28
              routing_specs: false,
              controller_specs: true,
29
              request_specs: false
30
31
          end
32
          # Toitializa configuration defaults for originally consented Dails
```

6. Abrir el archivo rails_helper.rb y agregar debajo de la línea require 'rspec/rails.

```
9 require 'rspec/rails'
10 require "capybara/rspec"
11 # Add additional requires below this line.
```

7. Ejecutar el comando y verificar que no muestra ningún mensaje en rojo.

```
root@debian:/home/joysi/p_RoR/pract8/App_RoR# rspec
No examples found.
Finished in 0.00121 seconds (files took 0.27907 seconds to load)
0 examples, 0 failures
```

8. Para crear páginas estáticas escribir los siguiente en el terminal.

```
root@debian:/home/joysi/p_RoR/pract8/App_RoR# rails generate controller StaticPa
ges home help
      create app/controllers/static_pages_controller.rb
      route get 'static_pages/home'
             get 'static_pages/help'
      invoke erb
      create app/views/static_pages
      create app/views/static_pages/home.html.erb
      create app/views/static_pages/help.html.erb
      invoke rspec
      create spec/controllers/static_pages_controller_spec.rb
      invoke helper
      create app/helpers/static_pages_helper.rb
      invoke
               rspec
root@debian:/home/joysi/p_RoR/pract8/App_RoR#
```

9. Verificar la configuración del archivo routes.rb.

```
Rails.application.routes.draw do
  get 'static_pages/home'
  get 'static_pages/help'
  # Define your application routes per the
```

10. Verificar que se han creado las vistas en app/views/static_pages/.

```
static_pages
help.html.erb
home.html.erb
```

11. Agregar al archivo home.html.erb.

> home.html.erb pract8/App_RoR/app/views/static_pages/home.html.erb

12. Modificar el archivo help.html.erb.

> help.html.erb pract8/App_RoR/app/views/static_pages/help.html.erb

13. El primer paso será ejecutar el comando db:migrate en el terminal para crear el esquema de pruebas con el que se ejecutarán los tests.

root@debian:/home/joysi/p_RoR/pract8/App_RoR# rails db:migrate

14. Probar hacer testing escribiendo en el terminal el comando.

```
root@debian:/home/joysi/p_RoR/pract8/App_RoR# bundle exec rspec spec/controllers
/static_pages_controller_spec.rb
...

Deprecation Warnings:

Rails 7.1 has deprecated the singular fixture_path in favour of an array.You sho uld migrate to plural:

If you need more of the backtrace for any of these deprecations to identify where to make the necessary changes, you can configure `config.raise_errors_for_deprecations!`, and it will turn the deprecation warnings into errors, giving you the full backtrace.

1 deprecation warning total

Finished in 0.15449 seconds (files took 2.43 seconds to load)
2 examples, 0 failures
```

15. Agregar siguiente código dentro del archivo static_pages_controller_spec.rb del directorio spec/controllers/.

```
describe "GET #about" do

it "returns http success" do

get :about
expect(response).to have_http_status(:success)
end
end
```

16. Ejecutar el comando rspec y ver que muestra el test en rojo.

```
joysi@debian: ~
root@debian:/home/joysi/p_RoR/pract8/App_RoR# bundle exec rspec spec/controllers
/static_pages_controller_spec.rb
Failures:
  1) StaticPagesController GET #about returns http success
     Failure/Error: get :about
     ActionController::UrlGenerationError:
       No route matches {:action=>"about", :controller=>"static_pages"}
     # ./spec/controllers/static_pages_controller_spec.rb:21:in `block (3 levels
) in <top (required)>'
Deprecation Warnings:
Rails 7.1 has deprecated the singular fixture_path in favour of an array.You sho
uld migrate to plural:
If you need more of the backtrace for any of these deprecations to
identify where to make the necessary changes, you can configure
`config.raise_errors_for_deprecations!`, and it will turn the
deprecation warnings into errors, giving you the full backtrace.
```

17. Editar el archivo routes.rb y agregar lo siguiente.

routes.rb pract8/App_RoR/config/routes.rb

```
Rails.application.routes.draw do

get 'static_pages/home'

get 'static_pages/help'

get 'static_pages/about'
```

18. Ejecutar el test de nuevo.

```
root@debian:/home/joysi/p_RoR/pract8/App_RoR# bundle exec rspec spec/controllers
/static_pages_controller_spec.rb
..F

Failures:

1) StaticPagesController GET #about returns http success
    Failure/Error: get :about

AbstractController::ActionNotFound:
    The action 'about' could not be found for StaticPagesController
    # ./spec/controllers/static_pages_controller_spec.rb:21:in `block (3 levels
) in <top (required)>'
```

19. Agregar el método en el archivo controllers/static_pages_controller.rb y luego ejecutar el test.

```
static_pages_controller.rb_practo/App_Non/app/controllers/static_pages_controller.rb
      class StaticPagesController < ApplicationController</pre>
 1
 2
        def home
 3
        end
 4
 5
        def about
        end
 6
 7
 8
        def help
 9
        end
10
_root@debian:/home/joysi/p_RoR/pract8/App_RoR# bundle exec rspec spec/controllers
/static_pages_controller_spec.rb
. . F
Failures:
  1) StaticPagesController GET #about returns http success
     Failure/Error: get :about
     AbstractController::ActionNotFound:
        The action 'about' could not be found for StaticPagesController
     # ./spec/controllers/static pages controller spec.rb:21:in `block (3 levels
 ) in <top (required)>'
Deprecation Warnings:
```

20. Crear una vista para ese método. Crear el archivo about.html.erb en el directorio app/views/static_pages/ y agregar el código html.

```
♦ about.html.erb pract8/App_RoR/app/views/static_pages/about.html.erb
```

```
1
     <h1>About</h1>
2
     <g>>
 3
      The <a href="http://www.railstutorial.org/"><em>Ruby on Rails
      Tutorial</em></a> is a
 4
 5
      <a href="http://www.railstutorial.org/book">book</a> and
      <a href="http://screencasts.railstutorial.org/">screencast series</a>
6
      to teach web development with
 7
      <a href="http://rubyonrails.org/">Ruby on Rails</a>.
8
      This is the sample application for the tutorial.
9
10
```

21. Para comprobar que todo funciona, ejecutar el test nuevamente.

```
root@debîan:/homê/joysi/p_RoR/pract8/App_RoR# bundle exec rspec spec/controllers
/static_pages_controller_spec.rb

Deprecation Warnings:
Rails 7.1 has deprecated the singular fixture_path in favour of an array.You should migrate to plural:
If you need more of the backtrace for any of these deprecations to videntify where to make the necessary changes, you can configure
/config.raise_errors_for_deprecations!`, and it will turn the adeprecation warnings into errors, giving you the full backtrace.
If deprecation warning total
Finished in 0.15386 seconds (files took 2.38 seconds to load)
Sexamples, 0 failures
```

22. Configurar el título de la página. 6.1. Para que el título de la página cambie por cada una de las vistas a la que se accede en la aplicación, copiar el código en el archivo app/helpers/application_helper.rb dentro del módulo.

```
module ApplicationHelper
1
2
      def full title(page title = '')
        base_title = "Rails_App"
3
4
        if page_title.empty?
5
        base title
6
        else
        page_title + " | " + base_title
7
8
        end
```

9

10

end

end

application_helper.rb pract8/App_RoR/app/helpers/application_helper.rb

23. En el archivo app/views/layouts/application.html.erb modificar la línea de la etiqueta tittle por la siguiente.

24. En el archivo help.html.erb, agregar la siguiente línea en la parte superior del

```
código.

código.

codigo.

codigo.

codigo.
codigo.

codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
codigo.
```

25. En el archivo about.html.erb, agregar la siguiente línea en la parte superior de todo el código.

> about.html.erb pract8/App_RoR/app/views/static_pages/about.html.erb			
	1	<h1>About</h1>	
	2		
	3	<pre><% provide(:title, "About") %></pre>	

26. Navegar en la dirección http://localhost:3000/static_pages/about y verificar que cambia el título de la página.

← → G	localhost:3000/static_pages/about

About

27. Navegar en la dirección http://localhost:3000/static_pages/help y verificar que cambia el título de la página.



Help

28. Copiar el código del recuadro, en el archivo static_pages_controller_spec.rb del directorio spec/controllers/.

```
describe "GET #contact" do

it "returns http success" do

get :contact

expect(response).to have_http_status(:success)

end

end
end
```

29. Ejecutar el test y deberá mostrar los siguientes mensajes.

```
\oplus
                                   joysi@debian: ~
root@debian:/home/joysi/p_RoR/pract8/App_RoR# bundle exec rspec spec/controllers
/static_pages_controller_spec.rb
. . . F
Failures:
  1) StaticPagesController GET #contact returns http success
     Failure/Error: get :contact
     ActionController::UrlGenerationError:
       No route matches {:action=>"contact", :controller=>"static_pages"}
     # ./spec/controllers/static_pages_controller_spec.rb:28:in `block (3 levels
) in <top (required)>'
Deprecation Warnings:
Rails 7.1 has deprecated the singular fixture_path in favour of an array.You sho
uld migrate to plural:
If you need more of the backtrace for any of these deprecations to
identify where to make the necessary changes, you can configure
`config.raise_errors_for_deprecations!`, and it will turn the
deprecation warnings into errors, giving you the full backtrace.
```

30. Realizar los mismos pasos que realizo con la página about y hacer que el test pase.

Rails.application.routes.draw do

```
get 'static_pages/home'
 qet 'static_pages/help'
 get 'static_pages/about'
qet 'static_pages/contact'
static_pages_controller.rb pract8/App_RoR/app/controllers/static_pages_controller.rb
 1
      class StaticPagesController < ApplicationController</pre>
 2
        def home
 3
        end
 4
 5
        def about
 б
        end
 7
 8
        def contact
 9
        end
10
        def help
11
12
        end
13
      end
```


root@debian:/home/joysi/p_RoR/pract8/App_RoR/app/views/static_pages# touch conta ct.html.erb root@debian:/home/joysi/p_RoR/pract8/App_RoR/app/views/static_pages# ls about.html.erb contact.html.erb help.html.erb home.html.erb root@debian:/home/joysi/p_RoR/pract8/App_RoR/app/views/static_pages#

- static_pages
 about.html.erb
 - contact.html.erb
 - help.html.erb
 - home.html.erb

contact.html.erb pract8/App_RoR/app/views/static_pages/contact.html.erb

```
<h1>Contact</h1>
2
   >
3
    The <a href="http://www.railstutorial.org/"><em>Ruby on Rails
    Tutorial</em></a> is a
    <a href="http://www.railstutorial.org/book">book</a> and
5
    <a href="http://screencasts.railstutorial.org/">screencast series</a>
    to teach web development with
7
    <a href="http://rubyonrails.org/">Ruby on Rails</a>.
3
    This is the sample application for the tutorial.
9
```

31... Navegar en la dirección http://localhost:3000/static_pages/contact.



Contact

- 32. Configurar el archivo config/routes.rb, para que la página de inicio del proyecto sea el archivo home que se encuentra dentro del directorio static_pages, realizar la prueba navegando en la dirección localhost:3000, como se muestra en la figura 105.
 - home.html.erb pract8/App_RoR/app/views/static_pages/home.html.erb
 - 1 <h1>StaticPages#home</h1>
 - 2
 - 3 Find me in app/views/static_pages/home.html.erb
 - 4

```
# Defines the root path route ("/")
Rails.application.routes.draw do
    # Define la ruta raíz para que ap
    root 'static_pages#home'
```

← → C ○ □ localhost:3000/static_pages/home

StaticPages#home

Find me in app/views/static_pages/home.html.erb