

Bare Demo of IEEEtran.cls for Conferences

Author 1
Affiliation 1
University of Granada
Email:

Author 2
Affiliation 2
University of Granada
Email:

Author 3
Affiliation 3
University of Granada
Email:

Abstract—Text of the summary of your article;

I. INTRODUCTION

This paper is organized as follows: In the next Section, a brief review on Evolutionary Art is presented.

II. EVOLUTIONARY ART

Creative evolutionary systems are used to evolve aesthetically pleasing or innovative structures [1].

A. Art Representation for Evolutive Art

- alalala

B. Aesthetic measures for evolutive art

MAIN CHALLENGE -¿ HOW TO MEASURE AESTHETICS.

Definition Two modes of aesthetics measures can be defined [2]:

- 1) *Aesthetics evaluations are expected to simulate, predict or cater to humans notions of beauty and taste.*
- 2) *Is an aspect of meta-aesthetic exploration and usually involves aesthetic standards created by software agents in artificial worlds.*

According to Galanter [2], computational aesthetics measures can be classified in the following categories:

- Based in Design Principles. Like the rule of thirds or theory of color (e.g., opposite colors) [3].
- Based in Neural Networks and Connective Models.
- Based in Evolutionary Systems:
 - Interactive Evolutionary Computation. The fitness of the individuals is determined by human agents.
 - Performance based goals. Certain properties of the art piece are evaluated and optimized based in performance measures (e.g., usable surface in furniture design generator).
 - Error relative to Exemplars. The individual fitness is measured using a real-world example (e.g., a photography or painting) [1].
 - Complexity measures. This type of measures is based in the idea the complexity is directly related to aesthetics, following the path firstly established by Birkhoff [4].

- Multi-objective. Given the multidimensional nature of aesthetics judgement, multi-objective EAs are a clear option in order to deal with this multidimensionality.
- Extensions to EA (such as, coevolution, agent swarm behavior, etc.).

- Complexity Based Models

En [5], Li et al. proponen las siguiente mtricas para el aprendizaje esttico:

- Color ingredient.
- Image complexity.
- Image order.
- MC metric.
- BL Metric.

En [6], presenta una comparacin de tres mtricas estticas:

- Benford Law.
- Global Contrast Factor.
- Information Theory.

En [7], presenta una comparacin de cuatro mtricas estticas:

- Machado and Cardoso.
- Ross and Ralph.
- Fractal Dimension.
- A weighted sum of the above mentioned metrics.

En [8] se presenta una aproximacin multi-objetivo para arte evolutivo. Las tres funciones de fitness utilizadas son:

- Benford Law.
- Global Contrast Factor.
- Ross and Ralph (bell curve).

En [3] se presenta un AE para crear arte evolutiva a partir de imgenes vectorizadas. La funcin de fitness utilizada es la diferencia de tono entre distintas regiones de la imagen a distintas resoluciones.

En [1] they present an automatic fitness function specific to portrait painting based in four scores:

- Resemblance.

- Composition (face vs background).
- Tonality.
- Color.

III. GENETIC OPERATORS

A. Representation

B. Initialization

C. Mutation

D. Crossover

E. Fitness Functions

1) *Histogram*: HISTOGRAMA DEF: a graphical representation of the tonal distribution in an image.

2) *Image Matching*:

IV. EXPERIMENTAL RESULTS

V. CONCLUSIONS AND FUTURE WORK

Aknowledments.:

REFERENCES

- [1] S. DiPaola and L. Gabora, "Incorporating characteristics of human creativity into an evolutionary art algorithm," *Genetic Programming and Evolvable Machines*, vol. 10, no. 2, pp. 97–110, 2009.
- [2] P. Galanter, "Computational aesthetic evaluation: past and future," in *Computers and Creativity*. Springer, 2012, pp. 255–293.
- [3] E. den Heijer and A. Eiben, "Evolving pop art using scalable vector graphics," *Evolutionary and Biologically Inspired Music, Sound, Art and Design*, pp. 48–59, 2012.
- [4] G. Birkhoff, *Aesthetic Measure 1933*. Harvard University Press, 2003. [Online]. Available: <http://books.google.es/books?id=F8A-UF8QgckC>
- [5] Y. Li, C. Hu, M. Chen, and J. Hu, "Investigating aesthetic features to model human preference in evolutionary art," *Evolutionary and Biologically Inspired Music, Sound, Art and Design*, pp. 153–164, 2012.
- [6] E. den Heijer and A. Eiben, "Using aesthetic measures to evolve art," in *Evolutionary Computation (CEC), 2010 IEEE Congress on*. IEEE, 2010, pp. 1–8.
- [7] E. Den Heijer and A. Eiben, "Comparing aesthetic measures for evolutionary art," *Applications of Evolutionary Computation*, pp. 311–320, 2010.
- [8] E. den Heijer and A. Eiben, "Evolving art using multiple aesthetic measures," *Applications of Evolutionary Computation*, pp. 234–243, 2011.