| | |
|---|---|
| **Status** | Finished |
| **Started** | Tuesday, 29 September 2026, 3:55 PM |
| **Completed** | Tuesday, 29 September 2026, 4:00 PM |
| **Duration** | 4 mins 35 secs |
| **Grade** | **15.00** out of 15.00 (**100**%) |

Question **1**

Correct

Mark 1.00 out of 1.00

What is the output of the following code?

```
f = open("test.txt", "w")
f.write("Hello, world!")
f.close()
f = open("test.txt", "r")
print(f.read())
f.close()
```

a. Hello, world! ✓

b. An error is raised

c. Hello

d. world

The correct answer is: Hello, world!

Question **2**

Correct

Mark 1.00 out of 1.00

What will the read() method return if used on an empty file?

a. None

b. EOFError

c. An empty string ✓

d. 0

The correct answer is: An empty string

Question **3**

Correct

Mark 1.00 out of 1.00

What is the use of seek() method in files?

a. sets the file's previous position at the offset

b. sets the file's current position within the file

c. sets the file's current position at the offset ✓

d. none of the mentioned

The correct answer is:
sets the file's current position at the offset

Question **4**

Correct

Mark 1.00 out of 1.00

How can you read a file line by line efficiently in Python?

a. Using the readlines() method

b. Using the readline() method

c. Using the read() method

d. Using a for loop ✓

The correct answer is: Using a for loop

Question **5**

Correct

Mark 1.00 out of 1.00

What does the following code do?

```
fo = open("foo.txt", "w")
```

a. Appends to an existing file

b. Opens an existing file in read mode

c. Opens a file in binary mode

d. Creates a new file for writing ✓

The correct answer is: Creates a new file for writing

Question **6**

Correct

Mark 1.00 out of 1.00

To open a file a.txt for reading, we use _____

a. infile = open(file = “a.txt”, “r”)

b. infile = open(“a.txt”, “r”) ✓

c. infile = open(file = “a.txt”, “r”)

d. infile = open(file, “a.txt”, “r”)

The correct answer is:
infile = open(“a.txt”, “r”)

Question **7**

Correct

Mark 1.00 out of 1.00

The readlines() method returns _____

a. a list of lines ✓

b. a list of single characters

c. a list of integers

d. str

The correct answer is:
a list of lines

Question **8**

Correct

Mark 1.00 out of 1.00

Which method is used to write a list of strings to a file?

a. writelines() ✓

b. write_all()

c. write_list()

d. write()

The correct answer is: writelines()

Question **9**

Correct

Mark 1.00 out of 1.00

Which function is used to open a file in Python?

a. openfile()
b. open_file()
c. file()
d. open() ✓

The correct answer is: open()

Question **10**

Correct

Mark 1.00 out of 1.00

What does the following code do?

```
f = open("data.txt", "a")
f.write("Adding new data\n")
f.close()
```

a. Raises an error because the file is opened in append mode
b. Overwrites the file with "Adding new data"
c. Opens the file in read mode
d. Appends "Adding new data" to the end of the file ✓

The correct answer is: Appends "Adding new data" to the end of the file

Question **11**

Correct

Mark 1.00 out of 1.00

Which method is used to close a file in Python?

a. finish()
b. terminate()
c. close() ✓
d. end()

The correct answer is: close()

Question **12**

Correct

Mark 1.00 out of 1.00

Which method is used to read file line by line

- a. readline() ✓
- b. readlines(1)
- c. read(1)
- d. line()

The correct answer is: readline()

Question **13**

Correct

Mark 1.00 out of 1.00

Which of the following is true about the readlines() method?

- a. It reads a single line from the file
- b. It reads the file and returns it as a dictionary
- c. It reads the entire file and returns it as a list of lines ✓
- d. It reads the entire file and returns it as a string

The correct answer is: It reads the entire file and returns it as a list of lines

Question **14**

Correct

Mark 1.00 out of 1.00

What does the encoding parameter in the open() function specify?

- a. The encoding format of the file ✓
- b. The size of the file
- c. The buffer size
- d. The mode of the file

The correct answer is: The encoding format of the file

Question **15**

Correct

Mark 1.00 out of 1.00

Which method can be used to read all lines of a file into a list?

- a. readlines() ✓
- b. read()
- c. readlist()
- d. readline()

The correct answer is: readlines()