Status	Finished
Started	Tuesday, 15 September 2026, 3:42 PM
Completed	Tuesday, 15 September 2026, 3:48 PM
Duration	6 mins 2 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

What is the output of the add() function call?

```
def add(a, b):
    return a+5, b+5
result = add(3, 2)
print(result)
```

a. Syntax Error

b. 8

c. 15

d. (8,7) ✓

Question **2**

Correct

Mark 1.00 out of 1.00

Which of the following are advantages of using function in program?

a. It increases reusability.

b. All of the mentioned ✓

c. It makes debugging easier.

d. It increases readability of program.

Question **3**

Correct

Mark 1.00 out of 1.00

The _____ statement returns the values from the function to the calling function.

a. send

b. give

c. take

d. return ✓

Question **4**

Correct

Mark 1.00 out of 1.00

The process of dividing a computer program into separate independent blocks of code with specific functionalities is known as _____.

a. More Programming
b. Modular Programming ✓
c. Programming
d. Step Programming

Question **5**

Correct

Mark 1.00 out of 1.00

Which of the following function definition header is wrong?

a. def mul(p1, n1, m1):
b. def scan(p1, p2 = 4, p3 = 5):
c. def sum(n1, n2, n = 3):
d. def div(p1=4, p2, p3): ✓

Question **6**

Correct

Mark 1.00 out of 1.00

Function defined to achieve some task as per the programmer's requirement is called a ____.

a. All of the mentioned
b. library function
c. user defined function ✓
d. built in functions

Question **7**

Correct

Mark 1.00 out of 1.00

Which of the following is not the type of function argument?

a. Required argument
b. initial argument ✓
c. Keyword argument
d. default argument

Question **8**

Correct

Mark 1.00 out of 1.00

Choose the incorrect statement.

- a. None of the mentioned ✓
- b. print(pow(2.3, 3.2))
- c. print(pow(2, 3, 2))
- d. print(pow(2, 3))

Question **9**

Correct

Mark 1.00 out of 1.00

What is the output of the following function call?

```
def outer_fun(a, b):
    def inner_fun(c, d):
        return c + d
        return inner_fun(a, b)
    return a
result = outer_fun(5, 10)
print(result)
```

- a. Syntax Error
- b. 15
- c. (15,5)
- d. 5 ✓

Question **10**

Correct

Mark 1.00 out of 1.00

Which module is to be imported for using randint  function?

- a. random ✓
- b. rand
- c. randrange
- d. randomrange

Question **11**

Correct

Mark 1.00 out of 1.00

Which keyword is used for defining a function?

- a. def ✓
- b. Function
- c. Define
- d. Fun

Question **12**

Correct

Mark 1.00 out of 1.00

What will be the output of the following Python code?

```
def test(i,j):
  if(i==0):
    return j
  else:
    return test(i-1,i+j)
print(test(4,7))
```

- a. 13
- b. Infinite loop
- c. 7
- d. 17 ✓

Question **13**

Correct

Mark 1.00 out of 1.00

Which of the following items are present in the function header?

- a. B. parameter list
- b. return value
- c. A. function name
- d. Both A and B ✓

Question **14**

Correct

Mark 1.00 out of 1.00

def cal(n1) : What is n1?

a. Keyword
b. None of the mentioned
c. Parameter ✓
d. Argument

Question **15**

Correct

Mark 1.00 out of 1.00

The part of the program where a variable is accessible is known as the _____ of that variable

a. part
b. scope ✓
c. none of the mentioned
d. module