Status	Finished
Started	Tuesday, 22 September 2026, 4:29 PM
Completed	Tuesday, 22 September 2026, 4:37 PM
Duration	7 mins 58 secs
Grade	**14.00** out of 15.00 (**93.33**%)

Question **1**

Correct

Mark 1.00 out of 1.00

1,2,3 are the _____ in the following dictionary. D = {1 : "One", 2 : "Two", 3 : "Three"}

a. Items
b. None of the mentioned
c. Values
d. Keys ✓

Question **2**

Correct

Mark 1.00 out of 1.00

Which of the following is used to delete an element from Dictionary?

a. pop ✓
b. remove
c. None of the mentioned
d. delete

Question **3**

Correct

Mark 1.00 out of 1.00

Write the output of the following codes.
>>>dI={1:10,2:20,3:30,4:40, 5:50}
>>>dl.items ()

a. [10, 20, 30, 40, 50]
b. Error
c. [(1, 10), (2, 20), (3, 30), (4, 40), (5, 50)] ✓
d. [1, 2, 3, 4, 5]

Question **4**

Correct

Mark 1.00 out of 1.00

What will be the Output of the following code?
dl={1:10, 2:20, 3:30, 4:40}
d2={5:50, 6:60, 7:70}
dl.update (d2)
print (dl)

- a. {1: 10, 2: 20, 3: 30, 4: 40, 5: 50, 6: 60, 7: 70} ✓
- b. [(1, 10), (2, 20), (3, 30), (4, 40), (5, 50)]
- c. {1:10, 2: 20, 4: 40, 5: 50, 6: 60, 7: 70}
- d. [1: 10, 2: 20, 3: 30, 4: 40, 5: 50, 6: 60, 7: 70]

Question **5**

Correct

Mark 1.00 out of 1.00

Following statement return values in the form of: D1.keys() # D1 is a dictionary

- a. string
- b. list ✓
- c. dictionary
- d. tuple

Question **6**

Correct

Mark 1.00 out of 1.00

Which of the following function create a dictionary from a sequence of key-value pairs

- a. dictionary
- b. convert
- c. dict ✓
- d. create

Question **7**

Correct

Mark 1.00 out of 1.00

Which one of the following is correct?

a. A dictionary can have two same keys with different values.

b. A python, a dictionary can neither have two same keys nor two same values.

c. A dictionary can have two same values with different keys. ✓

d. A dictionary can have two same keys or same values but cannot have two same key-value pair

Question **8**

Correct

Mark 1.00 out of 1.00

Write a statement to retrieve the value corresponding to the key 7 in dictionary 'D1'.

a. D1.pop(7)

b. D1.disp(7)

c. D1.get(7) ✓

d. D1.values(7)

Question **9**

Correct

Mark 1.00 out of 1.00

pop function delete and ____ the element of dictionary.

a. add

b. display

c. not return

d. return ✓

Question **10**

Correct

Mark 1.00 out of 1.00

Dictionaries are flexible in nature, means elements can be added or removed from it.

a. False

b. True ✓

Question **11**

Correct

Mark 1.00 out of 1.00

What will be the output of the following Python code snippet?

```
a={}
a['a']=1
a['b']=[2,3,4]
print(a)
```

a. {'b': [2, 3, 4], 'a': 1} ✓

b. {'b': [2], 'a': 1}

c. {'b': [2], 'a': [3]}

d. Error

Question **12**

Correct

Mark 1.00 out of 1.00

_____ datatype fall under mapping.

a. Tuple

b. String

c. List

d. Dictionary ✓

Question **13**

Correct

Mark 1.00 out of 1.00

A = {"A" : "Apple", "B" : "Ball", "C" : "Cat"} Which of the following statement will return : dict_items([('A', 'Apple'), ('B', 'Ball'), ('C', 'Cat')])

a. print(A.keys)

b. print(A.get)

c. print(A.Items) ✓

d. print(A.values)

Question **14**

Correct

Mark 1.00 out of 1.00

There is no index value in dictionary like we have in List.(T/F)

a. True ✓

b. False

Question **15**

Incorrect

Mark 0.00 out of 1.00

Which of the following is not method of dictionary?

a. del

b. len ✕

c. update

d. pop