

## DEPLOY &amp; RUN TRANSACTIONS

JavaScript VM (London)

VM

ACCOUNT

0x5B3...eddC4 (99.999999%)

GAS LIMIT

3000000

VALUE

0

Wei

CONTRACT

HelloWorld - contracts/zkuone.sol

Deploy

☒ Publish to IPFS

OR

At Address

Load contract from Address

Transactions recorded

Deployed Contracts

▼ HELLOWORLD AT 0x907...B5E99 (MI)

storeNumber

uint256 \_number

number

retrieveNumber

Low level interactions

CALLDATA

Transact

```
1 // SPDX-License-Identifier: GPL-3.0
2
3 pragma solidity >=0.7.0 <0.9.0;
4
5 contract HelloWorld {
6     //Declare variable for public
7     uint256 public number;
8
9     //Store the number
10    function storeNumber(uint256 _number) public{
11        number = _number;
12    }
13
14    //Retrieve the stored number
15    function retrieveNumber()public view returns(uint256){
16        return number;
17    }
18 }
```

0 ☐ listen on all transactions

Search with transaction hash or address

creation of HelloWorld pending...

✓ [vm] from: 0x5B3...eddC4 to: HelloWorld.(constructor) value: 0 wei data: 0x608...79033 logs: 0 hash: 0x2c2...4b1be

Debug