



86

Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

CONTRAST

- ▲ Background and foreground colors do not have a sufficient contrast ratio.



These are opportunities to improve the legibility of your content.

NAMES AND LABELS

- ▲ Links do not have a discernible name



These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.

BEST PRACTICES

- ▲ Touch targets do not have sufficient size or spacing.



These items highlight common accessibility best practices.

NAVIGATION

- ▲ Heading elements are not in a sequentially-descending order



These are opportunities to improve keyboard navigation in your application.

ARIA

- ARIA IDs are unique



These are opportunities to improve the usage of ARIA in your application which may enhance the experience for users of assistive technology, like a screen reader.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)

Show

These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review](#).

PASSED AUDITS (21)

Show

NOT APPLICABLE (31)

Show

Captured at Nov 25, 2025, 3:22
PM GMT+3
Initial page load

Emulated Desktop with
Lighthouse 12.8.2
Custom throttling

Single page session
Using Chromium 142.0.0.0 with
devtools

Generated by **Lighthouse** 12.8.2 | [File an issue](#)