

There were issues affecting this run of Lighthouse:

- The page loaded too slowly to finish within the time limit. Results may be incomplete.

  
92

## Accessibility

These checks highlight opportunities to [improve the accessibility of your web app](#). Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so [manual testing](#) is also encouraged.

### CONTRAST

- ▲ Background and foreground colors do not have a sufficient contrast ratio.



These are opportunities to improve the legibility of your content.

### BEST PRACTICES

- ▲ Touch targets do not have sufficient size or spacing.



These items highlight common accessibility best practices.

### NAVIGATION

- ▲ Heading elements are not in a sequentially-descending order



These are opportunities to improve keyboard navigation in your application.

### ARIA

- ▲ Uses ARIA roles on incompatible elements



These are opportunities to improve the usage of ARIA in your application which may enhance the experience for users of assistive technology, like a screen reader.

### ADDITIONAL ITEMS TO MANUALLY CHECK (10)

[Show](#)

These items address areas which an automated testing tool cannot cover. Learn more in our guide on [conducting an accessibility review](#).

PASSED AUDITS (26)

Show

NOT APPLICABLE (27)

Show

Captured at Nov 25, 2025, 3:19 PM GMT+3  
Initial page load

Emulated Desktop with  
Lighthouse 12.8.2  
Custom throttling

Single page session  
Using Chromium 142.0.0.0 with  
devtools

Generated by **Lighthouse** 12.8.2 | [File an issue](#)