

Bari Ingredient Parser and Scoring Gaps Review

Executive findings

The strongest immediate fixes are not all “more penalty” fixes. The evidence best supports a **severity split** for hydrogenated fats, a **separate maltodextrin signal, false-positive suppression** for baker’s yeast and trace guar gum, and **structural parsing fixes** for nested formulations, additive recurrence, ingredient order, and E-number identity overrides. By contrast, **E903 carnauba wax, E492 sorbitan tristearate, E553b talc, E525 potassium hydroxide, and E327 calcium lactate** are mostly **parser identity / explanation / formulation-complexity signals**, not strong stand-alone nutrition penalties. ¹

The user’s instinct that Bari is missing real signals is correct, but one assumption needs tightening: **“hardened” and “hydrogenated” should not all be treated as equivalent to partially hydrogenated oil**. The evidence is strongest for **partially hydrogenated oils** because they are the main industrial source of trans fat and have been explicitly restricted or removed by regulators; **fully hydrogenated fats** are different chemically and should not automatically inherit the same trans-fat severity, even though they can still be relevant as highly processed structuring fats high in saturated fatty acids. ²

Evidence summary table

Gap	Bari effect	Evidence strength	Recommended rule
שמן דקל מוקשה / hydrogenated or hardened palm oil	A + C if partial hydrogenation is explicit; B + C if only “hardened/ hydrogenated” is stated without “partial”	Strong for partial hydrogenation; moderate for unspecified hardened palm fat	Split into two signals: PHO/ trans-fat severe when “partially hydrogenated” is explicit; hardened-fat moderate when unspecified. Do not treat generic “מוקשה” as automatically equal to PHO severity. ³
מלטודקסטרין / maltodextrin	A + C	Moderate to strong	Treat as a digestible refined starch hydrolysate / high-GI starch derivative , not as “added sugar” gram-for-gram. Give a separate rapid-carb/UPF signal. ⁴
E903 / carnauba wax	D , optionally very weak C only as part of additive-count logic	Moderate	No direct health or glycemic penalty by itself. Record as glazing / surface-finishing complexity and explain in consumer-facing copy. ⁵

Gap	Bari effect	Evidence strength	Recommended rule
E492, E553b, E525, E327	Mostly E ; sometimes weak C ; F for label-override logic	Strong for identity/function; weak for stand-alone nutrition penalty	Use E-number identity precedence over vague Hebrew category labels. In particular, E327 = calcium lactate , not potassium lactate; E326 = potassium lactate . ⁶
שמרים / baker's yeast	F + E	Strong	Never create live-culture or probiotic credit from ordinary baker's yeast in baked cake/ bread. Fermentation benefit must be restricted to non-terminally heat-treated fermented foods with plausible surviving cultures or validated fermentation effects. ⁷
E412 / guar gum in cake-type matrices	F , and only conditional B for true fiber credit	Moderate	Guar gum can count toward fiber physiology only when the dose is plausibly material and the matrix is actually delivering viscous fiber. In cakes, sauces, fillings, and confectionery, default to stabilizer only unless evidence of meaningful dose exists. ⁸
Repeated additives, nested sub-recipes, egg substitutes, order/percentages, refined white flour	B + C + E + F	Moderate overall	Preserve structure instead of flattening away signal. Use descending-order weighting, declared percentages, compound-ingredient flattening, and recurrence counts . Penalize refined-main-carb cake structure mildly, but do not apply a strong universal white-flour penalty unsupported by evidence. ⁹

Fats and starch derivatives

Hydrogenated or hardened palm oil. Regulatory and epidemiologic evidence is strongest for **partially hydrogenated oils**. WHO states that industrial trans fat is produced by **partial hydrogenation** and should be avoided; FDA determined in 2015 that PHOs are no longer GRAS; and the EU limited industrial trans fat to **2 g per 100 g fat** effective from April 1, 2021. Those are not subtle “quality” flags; they are explicit public-health actions directed at partial hydrogenation and trans fat. ¹⁰

But Bari should not collapse **all** “מוקשה / hydrogenated / hardened” fats into that same severe bucket. **Fully hydrogenated fats** are chemically different because hydrogenation is driven further toward saturation, typically yielding very low trans-fat content and a stearic/palmitic-rich fat instead of the variable trans-fat profile seen in partial hydrogenation. Controlled feeding work shows stearic acid does not behave identically to trans fat, although stearic-rich structured fats are still not equivalent to unmodified unsaturated oils and can worsen lipoprotein ratios in some formulations. So “שמן דקל מוקשה” should trigger a **hardened-fat signal**, but **PHO severity should require an explicit partial-hydrogenation cue** or another direct trans-fat cue. ¹¹

Implementation rule.

If the label contains **מוקשה חלקית / partially hydrogenated / partially hydrogenated palm oil**, apply a **strong A penalty** plus a **C UPF/trans-fat signal**. If it contains only **מוקשה / hydrogenated / hardened palm oil** without “partial,” apply a **moderate B modifier** and **C formulation signal**, but do not score it as confirmed PHO/trans fat. Plain **palm oil / palm fat / palm olein / palm stearin** should stay separate from hydrogenation logic. Hebrew patterns worth adding: **שמן דקל מוקשה, שומן דקל מוקשה, שמן צמחי מוקשה, מוקשה למחצה, שמן צמחי מוקשה חלקית, partially hydrogenated, hydrogenated palm oil, palm fat, palm stearin.** ¹²

Maltodextrin. FDA defines maltodextrin as a **nonsweet nutritive saccharide polymer** made by **partial hydrolysis of starch** with a **dextrose equivalent below 20**. The best-reviewed nutrition paper here is not vague: replacing unprocessed starch with maltodextrins can increase **glycemic load** and **postprandial glycemia**, and maltodextrin functions industrially as a carrier, bulking agent, and texture aid in formulated foods. That makes it a poor fit for the “added sugar” bucket, but a very good fit for **refined, rapidly digestible starch derivative.** ¹³

For Bari, the right move is **not** “count it as sugar,” because chemically and regulatorily it is not sucrose/glucose/fructose syrup. The right move is a **separate signal** that captures three things at once: it is **digestible carbohydrate**, often **high-GI/reduced-structure carbohydrate**, and a strong **industrial formulation marker**. That signal can coexist with sugar signals when both appear in a cake, but it should not inflate added-sugar accounting. Hebrew patterns: **מלטודקסטרין, מלטו דקסטרין, maltodextrin.** ¹⁴

Low-relevance additives and identity overrides

E903 carnauba wax. Carnauba wax is a plant wax used mainly as a **glazing / surface-finishing / anti-sticking** agent. FDA allows it under GMP for uses including baked goods and confectionery, and JECFA lists a numerical ADI of **0–7 mg/kg bw**. EFSA’s re-evaluation described it as **not significantly absorbed from the diet** and found no concern for genotoxicity at approved uses. In practice, that means Bari should not pretend E903 has meaningful glycemic or macro-nutrient relevance. It is mostly a **formulation-complexity and appearance cue**, not a substantive health hit. Hebrew patterns: **חומרי הזגה, חומר הזגה, שעוות קרנובה, קרנובה, E903.** ⁵

E492 sorbitan tristearate. This is an **emulsifier/stabilizer**, not a sugar, not a fat-quality credit, and not a nutrient. Codex lists it as an **emulsifier** and **stabilizer**, and JECFA keeps it under a group ADI for sorbitan esters. Its real significance for Bari is structural: it is a classic **industrial texture-management ingredient** common in bakery and confectionery systems. That supports a **C UPF proxy** when part of a broader emulsifier/additive pattern, but not a strong stand-alone health penalty. Hebrew alias suggestions: **סורביטן טריסטארט, טריסטארט, E492.** ¹⁵

E553b talc. In food use, talc is mainly an **anticaking / coating / surface-finishing** agent. JECFA assigns **ADI not specified**, and EFSA's 2018 re-evaluation reported **very low absorption** and no safety concern at approved uses, while also noting specification questions such as particle characterization. So Bari should not map talc to a strong nutrition penalty; it should map it to **identity correctness** and perhaps a weak complexity flag. Hebrew aliases: טלק, טלקום, E553b, E 553b. ¹⁶

E525 potassium hydroxide. Potassium hydroxide is an **acidity regulator / pH control / processing aid**, with JECFA listing an **ADI not limited** and FDA recognizing uses including pH control and processing aid functions. Bari should therefore override any misleading “potassium” halo. Presence of **E525** does **not** mean potassium enrichment in a nutritionally meaningful sense. Hebrew aliases: אשלגן הידרוקסיד, אשלגן מאכל E525. ¹⁷

E327 calcium lactate. This one is a clear parser bug if ambiguity remains. JECFA and FDA both identify **E327 as calcium lactate**. **Potassium lactate is E326**, not E327. FDA also shows different function sets: calcium lactate acts as a **firming agent / stabilizer / nutrient supplement / leavening aid**, whereas potassium lactate is more often a **humectant / flavor enhancer / pH control agent**. Bari should therefore let the **E-number override the nearby Hebrew category label**. If the label says **E327**, canonicalize to **calcium lactate** even if a loosely translated text fragment suggests “potassium lactate.” Hebrew aliases: סידן לקטט, לקטט סידן, calcium lactate, E327 for E327, and אשלגן לקטט, לקטט אשלגן, potassium lactate, E326 for E326. ¹⁸

False-positive prevention for fermentation and fiber

Baker's yeast should not create live-culture benefit. FAO/WHO and ISAPP define probiotics as **live microorganisms that, when administered in adequate amounts, confer a health benefit on the host**. Ordinary baker's yeast in cake or bread fails that test twice: it is not being used as a probiotic, and baking is a terminal heat process. Modern baking research shows yeast activity contributes to early oven rise, but the final baked product is not a live-culture food in the consumer-facing sense Bari appears to be awarding. This is a clean **F false-positive prevention** case. ⁷

The safe exclusion rule is stricter than “don't call bread probiotic.” Bari should also avoid awarding generic **fermentation credit** to שמרים / baker's yeast / dry yeast / instant yeast / fresh yeast in any **baked** matrix. If you want a separate, smaller “fermentation-derived flavor/process” note for sourdough or cultured batters, that can exist, but it should be kept distinct from **live-culture** or **metabolic-health** credit and should not fire on ordinary cake yeast. Hebrew patterns: שמרים, שמרי אפייה, שמרים יבשים, שמרים טריים, yeast, baker's yeast, instant yeast. ¹⁹

Guar gum should not get automatic viscous-fiber credit in cakes. This is the other major false positive. FDA permits guar gum to count as dietary fiber on labels because isolated fibers can qualify when they show beneficial physiological effects. But the physiology is dose- and viscosity-dependent. Classic trials found postprandial glycemia reduction with **material intakes** such as about **5 g guar gum** with a carbohydrate meal, and later work continued to show that effect depends on viscosity and that **low-dose guar** can be less effective. JECFA/EFSA treat guar gum as a permitted additive with **ADI not specified**, but that is a safety position, not evidence that a trace amount in cake batter behaves like a metabolic fiber intervention. ²⁰

The practical scoring rule should therefore be conservative: **E412 in cake, frosting, filling, sauce, confectionery, dessert mix, or similar UPF matrix defaults to stabilizer only**. Only allow glycemic/fiber credit when the amount is plausibly meaningful. A defensible implementation heuristic is: require either **quantified fiber on the nutrition panel plus guar gum in a materially prominent position**, or an explicit fiber-focused product format where a serving could realistically deliver **roughly 3–5 g or more** of guar gum or total functional fiber. That threshold is an implementation inference from efficacy studies, not a regulatory cut-off, but it is much closer to the evidence than giving automatic viscous-fiber credit to trace E412 in cake. Hebrew patterns: גואר, גואר, גאם, גאם, גואר, E412. ²¹

Formulation structure signals

The label-structure issues matter because they are where Bari is currently throwing away the most usable information. Codex requires ingredients to be listed in **descending order by weight**, and compound ingredients can be declared with bracketed sub-ingredients. EU-style quantity declaration rules also require percentages for some emphasized or characterizing ingredients. That means **ingredient order, declared percentages**, and **sub-recipe flattening** are all legitimate, regulation-backed signals Bari can use rather than ignore. ²²

For UPF proxying, the strongest defensible approach is not “more additives = unhealthy” as a direct health claim. It is “more additives, more cosmetic structuring ingredients, more compound sub-recipes, and more recurrence of emulsifiers/stabilizers = stronger evidence of industrial formulation complexity.” That aligns with how NOVA-style literature identifies ultra-processed foods from ingredient lists, but Bari should keep it as a **proxy signal**, not a hard health-equivalence rule, because the UPF literature itself is heterogeneous and debated. ²³

On **repeated additives**, deduping to a single entry loses useful structure. If the same emulsifier appears in batter, cream, and coating, that should be represented as **one canonical additive identity plus an occurrence count and depth count**, not flattened to “present once.” On **egg-substitute systems**, Bari should detect patterns like starch + emulsifier + gum + protein + color/flavor used to replace egg functionality; that is a real **formulation-complexity / UPF proxy** even when no single ingredient justifies a direct penalty. ²⁴

On **refined white flour**, the evidence does not justify a large universal penalty just because flour is refined. Official dietary guidance clearly favors **whole grains over refined grains**, and meta-analyses support benefits when whole grains replace refined grains, but evidence that refined grains independently drive risk is more mixed than many product-scoring systems assume. For Bari, the better implementation is a **mild refined-main-carb modifier** when **white flour is a top ingredient in cakes/biscuits/snack sweets and there is no meaningful whole-grain or legume offset**. In other words, no whole-grain credit, modest refined-carb penalty in clearly discretionary matrices, but not a blanket punitive rule for every appearance of refined wheat flour. ²⁵

Prioritized implementation and owner prompts

Priority	Assessment	Owner	Why this owner	Copy-paste prompt
P0	Split partially hydrogenated from generic hardened/hydrogenated fat severity; add explicit PHO/trans-fat pathway	Chief Nutrition Officer	This changes risk logic and evidence thresholds, not just parsing	Prompt: "Define Bari fat rules with three tiers: (1) partially hydrogenated oils = severe trans-fat signal and scoring penalty; (2) hydrogenated/hardened oils without 'partial' = moderate hardened-fat modifier only; (3) plain palm oil/fat = no hydrogenation signal. Provide concise severity notes and example labels in Hebrew and English."
P0	Implement parser/scoring logic for hydrogenation split, maltodextrin separate signal, yeast false-positive block, guar trace-fiber block	Frontend Architect	This is the core implementation work across parser, canonicalization, and scoring	Prompt: "Ship parser/scoring patch with these rules: (a) explicit partial hydrogenation triggers PHO severity; generic 'מוקשה' does not; (b) maltodextrin maps to 'refined_starch_hydrolysate' not 'added_sugar'; (c) baker's yeast never triggers live-culture/fermentation credit in baked goods; (d) E412 defaults to stabilizer-only in cakes, fillings, sauces, confectionery unless material fiber evidence exists; (e) preserve additive recurrence count and compound-ingredient depth."
P0	Create regression tests for Hebrew labels and nested cake formulations	QA & Audit Lead	The current misses are mostly regression-prone edge cases	Prompt: "Build a regression suite for Hebrew packaged cakes covering: מוקשה vs שמן דקל מוקשה חלקית, maltodextrin, E903, E492, E553b, E525, E327 vs E326, שמרים in baked goods, E412 after sugar/oil/flour, repeated additives across sub-recipes, ingredient-order weighting, and egg-substitute systems."

Priority	Assessment	Owner	Why this owner	Copy-paste prompt
P1	Canonical E-number overrides for E492, E553b, E525, E327/E326	Frontend Architect	This is mainly identity mapping and parser precedence	Prompt: "Add E-number precedence rules so canonical identity overrides vague Hebrew category labels. Must resolve: E492=sorbitan tristearate, E553b=talc, E525=potassium hydroxide, E327=calcium lactate, E326=potassium lactate. Do not infer nutrient benefit from E525 or E327 unless supported elsewhere."
P1	Approve conservative guar-fiber and refined-flour policy	Head of Product	These are product-policy decisions where over-penalizing would create trust problems	Prompt: "Approve Bari policy: trace guar gum in UPF matrices gets no fiber credit by default; refined white flour gets no whole-grain credit and only a mild modifier when it is the main grain in discretionary sweet baked goods. Keep both rules conservative until quantified dose support exists."
P2	Improve user explanations for glazing agents, emulsifiers, pH regulators, and structural signals	Design Director	The goal is better transparency without ingredient fearmongering	Prompt: "Design short Bari explanations that distinguish 'recognized additive used for glazing/emulsifying/pH control' from 'evidence-based nutrition penalty.' Make copy calm and specific: e.g., E903 = glazing wax with minimal direct nutrition relevance; E492 = emulsifier; E525 = pH control agent; E327 = calcium lactate, not potassium lactate."
P3	Monitor new evidence on functional-fiber dose thresholds and additive-cluster outcomes	Research Analyst	This is a rolling evidence task, not a blocker for current fixes	Prompt: "Track prospective reviews and controlled trials on guar gum dose/viscosity thresholds in real food matrices, and on additive-cluster exposures versus single-additive interpretations. Flag only evidence that changes Bari thresholds or supports a new penalty."

Key sources

Trans fats and hydrogenation

- *Final Determination Regarding Partially Hydrogenated Oils* — U.S. FDA, 2015; administrative follow-through updated 2023–2024. ²⁶
- *Trans fat* — WHO fact sheet, 2024. ²⁷
- *Commission Regulation (EU) 2019/649* — European Commission, 2019; EU limit effective April 1, 2021. ²⁸
- Bonanome A, Grundy SM. *Effect of Dietary Stearic Acid on Plasma Cholesterol and Lipoprotein Levels* — *New England Journal of Medicine*, 1988. PMID-linked source. ²⁹
- Sundram K et al. *Stearic Acid-rich Interesterified Fat and Trans-rich Fat Raise the LDL/HDL Ratio and Plasma Glucose Relative to Palm Olein in Humans* — *Nutrition & Metabolism*, 2007. PMID-linked source. ³⁰

Maltodextrin

- 21 CFR §184.1444 *Maltodextrin* — U.S. FDA/eCFR, current text. ³¹
- Hofman DL et al. *Nutrition, Health, and Regulatory Aspects of Digestible Maltodextrins* — *Nutrients*, 2015. PMID: 25674937. ³²

Carnauba wax and additive identities

- *Scientific Opinion on the re-evaluation of carnauba wax (E 903) as a food additive* — EFSA Journal, 2012. ³³
- *Carnauba Wax* — JECFA database / FAO specifications, ADI 0–7 mg/kg bw. ³⁴
- *Sorbitan tristearate* — JECFA database and Codex GSFA, group ADI / emulsifier function. ³⁵
- *Re-evaluation of calcium silicate, magnesium silicate and talc as food additives* — EFSA Journal, 2018. PMID: 32626019. ³⁶
- *Talc* — JECFA database, ADI not specified. ³⁷
- 21 CFR §184.1631 *Potassium hydroxide* — U.S. FDA/eCFR; JECFA monograph records ADI not limited. ³⁸
- 21 CFR §184.1207 *Calcium lactate* and 21 CFR §184.1639 *Potassium lactate* — U.S. FDA/eCFR; JECFA INS 327 vs INS 326. ³⁹

Yeast and guar gum

- *Guidelines / definition of probiotics* — FAO/WHO and ISAPP consensus, retained definition of probiotics as live microorganisms conferring a health benefit. ⁴⁰
- Doppler F et al. *Viability of *Saccharomyces cerevisiae* during baking of bread dough by flow cytometry* — *Journal of Microbiological Methods*, 2022. PMID: 35944821. ⁴¹
- *Questions and Answers on Dietary Fiber* and 21 CFR §101.9 — U.S. FDA, current dietary fiber definition. ⁴²
- *Re-evaluation of guar gum (E 412) as a food additive* — EFSA Journal, 2017; JECFA ADI not specified. ⁴³
- Wolever TMS et al. *Guar Gum and Reduction of Post-Prandial Glycaemia* — 1979. PMID: 465440. ⁴⁴
- Leclère CJ et al. *Role of Viscous Guar Gums in Lowering the Glycemic Response after a Solid Meal* — *American Journal of Clinical Nutrition*, 1994. PMID: 7818627. ⁴⁵

- Watson LE et al. *Differentiating the effects of whey protein and guar gum preloads on postprandial glycemia* — 2019. PMID: 30583967. ⁴⁶

Formulation structure and refined grains

- *General Standard for the Labelling of Pre-Packaged Foods* — Codex Stan 1-1985; descending-order ingredient listing and compound-ingredient declaration. ⁴⁷
- *Ultra-processed foods: what they are and how to identify them* — *Public Health Nutrition*, 2019. ⁴⁸
- Hu H et al. *Consumption of whole grains and refined grains and risk of cardiovascular disease and all-cause mortality* — 2023. PMID: 36789934. ⁴⁹
- Marshall S et al. *The Effect of Replacing Refined Grains with Whole Grains on Cardiovascular Risk Factors* — 2020. PMID: 32933853. ⁵⁰
- Gaesser GA. *Refined grain intake and cardiovascular disease: meta-analysis* — 2024. PMID: 36075506. ⁵¹

¹ ² ³ ¹² ²⁶ Final Determination Regarding Partially Hydrogenated Oils

https://www.fda.gov/food/food-additives-petitions/final-determination-regarding-partially-hydrogenated-oils-removing-trans-fat?utm_source=chatgpt.com

⁴ ¹³ ¹⁴ ³¹ eCFR :: 21 CFR 184.1444 -- Maltodextrin.

<https://www.ecfr.gov/current/title-21/chapter-I/subchapter-B/part-184/subpart-B/section-184.1444>

⁵ eCFR :: 21 CFR 184.1978 -- Carnauba wax.

<https://www.ecfr.gov/current/title-21/chapter-I/subchapter-B/part-184/subpart-B/section-184.1978>

⁶ ¹⁵ GSFA Online Food Additive Details for Sorbitan tristearate

https://www.fao.org/gsfaonline/additives/details.html?id=120&utm_source=chatgpt.com

⁷ ¹⁹ ⁴⁰ Probiotics in food - FAO Knowledge Repository

https://openknowledge.fao.org/server/api/core/bitstreams/382476b3-4d54-4175-803f-2f26f3526256/content?utm_source=chatgpt.com

⁸ ²⁰ ²¹ 21 CFR 101.9 -- Nutrition labeling of food.

https://www.ecfr.gov/current/title-21/chapter-I/subchapter-B/part-101/subpart-A/section-101.9?utm_source=chatgpt.com

⁹ ²² ²⁴ ⁴⁷ General Standard for the Labelling of Pre-Packaged Foods

[https://www.fao.org/fao-who-codexalimentarius/sh-proxy/en/?Ink=1&url=https%253A%252F%252Fworkspace.fao.org%252Fsites%252Fcodex%252FStandards%252FCXS%2B1-1985%252FCXS_001e.pdf&utm_source=chatgpt.com](https://www.fao.org/fao-who-codexalimentarius/sh-proxy/en?Ink=1&url=https%253A%252F%252Fworkspace.fao.org%252Fsites%252Fcodex%252FStandards%252FCXS%2B1-1985%252FCXS_001e.pdf&utm_source=chatgpt.com)

¹⁰ ²⁷ Trans fat

https://www.who.int/news-room/fact-sheets/detail/trans-fat?utm_source=chatgpt.com

¹¹ Trans fat in food - Food Safety - European Commission

https://food.ec.europa.eu/food-safety/labelling-and-nutrition/trans-fat-food_en?utm_source=chatgpt.com

¹⁶ JECFA Evaluations-TALC-

https://incchem.org/documents/jecfa/jecval/jec_2221.htm?utm_source=chatgpt.com

¹⁷ GSFA Online Food Additive Details for Potassium hydroxide

https://www.fao.org/gsfaonline/additives/details.html?id=311&utm_source=chatgpt.com

¹⁸ calcium lactate

https://apps.who.int/food-additives-contaminants-jecfa-database/Home/Chemical/88?utm_source=chatgpt.com

- 23 48 Ultra-processed foods: what they are and how to identify them
https://pmc.ncbi.nlm.nih.gov/articles/PMC10260459/?utm_source=chatgpt.com
- 25 49 Consumption of whole grains and refined ...
https://pubmed.ncbi.nlm.nih.gov/36789934/?utm_source=chatgpt.com
- 28 amending Annex III to Regulation (EC) No 1925 / 2006
https://eur-lex.europa.eu/legal-content/EN/TXT/PDF/?uri=CELEX%3A32019R0649&utm_source=chatgpt.com
- 29 Effect of Dietary Stearic Acid on Plasma Cholesterol and ...
https://www.nejm.org/doi/pdf/10.1056/NEJM198805123181905?utm_source=chatgpt.com
- 30 Stearic acid-rich interesterified fat and trans-rich fat raise ...
https://pubmed.ncbi.nlm.nih.gov/17224066/?utm_source=chatgpt.com
- 32 Nutrition, Health, and Regulatory Aspects of Digestible ...
https://pubmed.ncbi.nlm.nih.gov/25674937/?utm_source=chatgpt.com
- 33 Scientific Opinion on the re-evaluation of carnauba wax (E ...
https://efsa.onlinelibrary.wiley.com/doi/abs/10.2903/j.efsa.2012.2880?utm_source=chatgpt.com
- 34 carnauba wax
https://apps.who.int/food-additives-contaminants-jecfa-database/chemical.aspx?chemID=939&utm_source=chatgpt.com
- 35 sorbitan tristearate
https://apps.who.int/food-additives-contaminants-jecfa-database/chemical.aspx?chemID=3983&utm_source=chatgpt.com
- 36 Re-evaluation of calcium silicate (E 552), magnesium ... - PMC
https://pmc.ncbi.nlm.nih.gov/articles/PMC7009349/?utm_source=chatgpt.com
- 37 TALC
https://apps.who.int/food-additives-contaminants-jecfa-database/chemical.aspx?chemID=2965&utm_source=chatgpt.com
- 38 eCFR :: 21 CFR 184.1631 -- Potassium hydroxide.
<https://www.ecfr.gov/current/title-21/chapter-I/subchapter-B/part-184/subpart-B/section-184.1631>
- 39 eCFR :: 21 CFR 184.1207 -- Calcium lactate.
<https://www.ecfr.gov/current/title-21/chapter-I/subchapter-B/part-184/subpart-B/section-184.1207>
- 41 Viability of *Saccharomyces Cerevisiae* during baking ...
https://europepmc.org/article/med/35944821?utm_source=chatgpt.com
- 42 Questions and Answers on Dietary Fiber
https://www.fda.gov/food/nutrition-food-labeling-and-critical-foods/questions-and-answers-dietary-fiber?utm_source=chatgpt.com
- 43 Re-evaluation of guar gum (E 412) as a food additive - - 2017
https://efsa.onlinelibrary.wiley.com/doi/10.2903/j.efsa.2017.4669?utm_source=chatgpt.com
- 44 Guar Gum and Reduction of Post-Prandial Glycaemia
https://pubmed.ncbi.nlm.nih.gov/465440/?utm_source=chatgpt.com
- 45 Role of Viscous Guar Gums in Lowering the Glycemic ...
https://pubmed.ncbi.nlm.nih.gov/7818627/?utm_source=chatgpt.com
- 46 Differentiating the effects of whey protein and guar gum ...
https://pubmed.ncbi.nlm.nih.gov/30583967/?utm_source=chatgpt.com

50 The Effect of Replacing Refined Grains with Whole ...

https://pubmed.ncbi.nlm.nih.gov/32933853/?utm_source=chatgpt.com

51 Refined grain intake and cardiovascular disease: Meta- ...

https://pubmed.ncbi.nlm.nih.gov/36075506/?utm_source=chatgpt.com