
K = 5
IS asymp.var
TIS asymp.var
PSIS asymp.var
Sample var * S
S × Variance (log−scale)
1e+06
5e+05
1e+05
5e+04
1e+04
5e+03
1e+03
IS
TIS
PSIS
Method
Gelfand
Bronze
Zanella


K = 10
IS asymp.var
TIS asymp.var
PSIS asymp.var
Sample var * S
S × Variance (log−scale)
1e+06
5e+05
1e+05
5e+04
1e+04
5e+03
1e+03
IS
TIS
PSIS
Method
Gelfand
Bronze
Zanella


K = 20
IS asymp.var
TIS asymp.var
PSIS asymp.var
Sample var * S
S × Variance (log−scale)
1e+06
5e+05
1e+05
5e+04
1e+04
5e+03
1e+03
IS
TIS
PSIS
Method
Gelfand
Bronze
Zanella


K = 50
IS asymp.var
TIS asymp.var
PSIS asymp.var
Sample var * S
S × Variance (log−scale)
1e+06
5e+05
1e+05
5e+04
1e+04
5e+03
1e+03
IS
TIS
PSIS
Method
Gelfand
Bronze
Zanella


K = 100
IS asymp.var
TIS asymp.var
PSIS asymp.var
Sample var * S
S × Variance (log−scale)
1e+06
5e+05
1e+05
5e+04
1e+04
5e+03
1e+03
IS
TIS
PSIS
Method
Gelfand
Bronze
Zanella