



Argon Industria HMI 8CS — 8-inch HDMI Display with Enclosure

Product Datasheet

Product Name	Argon Industria HMI 8CS — 8-inch HDMI Display with Enclosure
Product Model	A25-006-AR-HMI-8CS
EAN / UPC	5065019946294
Data Sheet Version	Rev 1 (build v1)
Date	04 August 2026
Argon 40 SKU	ARG-IND-HMI-8CS

Overview

8-inch capacitive touchscreen HDMI display with Industria enclosure. Industrial HMI solution for Raspberry Pi 5, with the full Industria ecosystem compatibility.

1. Application

- Raspberry Pi 5 / Argon Industria Base
- Raspberry Pi 5

Product Features


- Full optical bonding HDMI display
- 10-point capacitive touchscreen
- 1280 × 800 resolution
- Industrial-grade aluminum enclosure
- Passive heatsink with optional active cooling module
- Full port access: USB, Ethernet, HDMI, GPIO
- Supports Raspberry Pi HAT modules via GPIO
- Expandable with Argon Industria Communication modules
- VESA, panel, and desktop mounting options
- M.2 NVMe expansion board compatible

2. Product Specifications

- **Category:** AI HMI
- **Weight (kg):** 0.964
- **Dimensions (cm):** 24.8 x 16 x 7.8 cm
- **accessible_ports:** USB, Ethernet, HDMI, and GPIO ports
- **compatible_board:** Raspberry Pi 5 (with Argon Industria Base)
- **compatible_device:** Raspberry Pi 5 / Argon Industria Base
- **connection:** HDMI
- **cooling:** Full aluminum enclosure serves as passive heatsink with optional active module
- **depth:** 130.47 mm
- **depth_mm:** 130.47
- **dimensions_mm:** 199.47 x 195.00 x 130.47
- **display_connection:** HDMI
- **display_type:** Full Optical Bonding HDMI Display
- **enclosure_material:** Aluminum

- **expansion_modules:** Argon Industria Communication modules
- **finish:** DEBURR AND BREAK SHARP EDGES
- **gpio_header:** 40-pin Raspberry Pi standard GPIO header
- **hat_support:** Supports Cytron Industrial HAT or any Raspberry Pi HAT via GPIO connection
- **height:** 199.47 mm
- **height_mm:** 199.47
- **mounting_compatibility:** VESA, panel, or desktop mounting
- **mounting_options:** VESA, panel, desktop
- **nvme_compatibility:** Single NVMe Board, Dual NVMe Board, NVMe with LAN (sold separately)
- **product_name:** HMI 8
- **raspberrypi_5_bluetooth:** Bluetooth 5.0 / BLE
- **raspberrypi_5_display_outputs:** 2× micro-HDMI (4Kp60 + 4Kp60 simultaneous), MIPI DSI, MIPI CSI
- **raspberrypi_5_ethernet:** Gigabit Ethernet
- **raspberrypi_5_form_factor:** Standard Raspberry Pi form factor; 85mm × 56mm
- **raspberrypi_5_gpu:** VideoCore VII, OpenGL ES 3.1, Vulkan 1.2
- **raspberrypi_5_power_button:** Yes
- **raspberrypi_5_power_input:** USB-C PD; 5V 5A recommended (27W); 5V 3A minimum (15W)
- **raspberrypi_5_processor:** Broadcom BCM2712, 2.4 GHz quad-core 64-bit ARM Cortex-A76
- **raspberrypi_5_ram_options:** 2GB, 4GB, 8GB, 16GB LPDDR4X-4267
- **raspberrypi_5_rtc:** Yes, battery connector onboard
- **raspberrypi_5_storage:** microSD (UHS-I)
- **raspberrypi_5_usb:** 2× USB 3.0 (5Gbps), 2× USB 2.0
- **raspberrypi_5_wifi:** Dual-band 802.11ac
- **resolution:** 1280 × 800
- **scale:** 1:1
- **screen_size:** 8 inches
- **sheets:** 1 of 1
- **sku:** ARG-IND-HMI-8CS
- **touch_capability:** 10-point capacitive touchscreen
- **touch_type:** 10-point capacitive touchscreen
- **width:** 195.00 mm
- **width_mm:** 195.00

3. Mechanical Information and Functional Diagram



Illustration(s) reused from the existing marketing datasheet on file.

4. Reference Design

- (Electronics Schematics)

5. Product Compliance Information

- This part is compliant with EU 2002/95/EC RoHS directive (Restrictions on the Use of Certain Hazardous Substances in Electrical and Electronic Equipment)

6. Contact Information

Website: <https://www.argon40.com>

Email: support@argon40.com

Document Control

Document version	v1
Product revision	rev 1
Generated	2026-08-04 15:25 UTC
Content hash	a684241b2e8a
Revision record	datasheets/ARG-IND-HMI-8CS/version-log.json (document_version = 1)

Full revision history for this datasheet is recorded in **version-log.json** — see the entry where *document_version* = 1.