



Argon PWR 27W UPS for RPi 5 — 5000mAh

Product Datasheet

Product Name	Argon PWR 27W UPS for RPi 5 — 5000mAh
Product Model	A24-012-PWR-UPS-AR-5000
EAN / UPC	5065019946232
Data Sheet Version	Rev 2 (build v2)
Date	18 August 2026
Argon 40 SKU	ARG-PWR-UPS-5K

Overview

27W UPS (Uninterruptible Power Supply) for Raspberry Pi 5 with a 5,000 mAh battery. Compact UPS for shorter runtime needs. USB-C PD 27W output for full RPi 5 performance.

1. Application

- Raspberry Pi 5

Product Features


- Li-ion 5,000 mAh battery
- USB-C Power Delivery input and output
- Secondary USB-A 5V 1A port for accessories
- Onboard MCU for Raspberry Pi power monitoring
- Physical slider on/off switch
- Battery check button with multi-LED indicator
- Included Argon E-marker USB-C to USB-C cable
- FCC and ETL certified
- Smart fuel gauge calibration for accurate runtime estimates

2. Product Specifications

- **Weight (kg):** 0.275
- **Dimensions (cm):** 145 x 108 x 38.5 cm
- **HTS code:** 8504.40.7001
- **also_compatible_with:** Raspberry Pi 4, Argon ONE V3, Argon ONE V5, Argon NEO, Argon NEO 5, Argon POLY+, Argon POLY+5
- **battery_capacity:** 5,000 mAh
- **battery_check_button:** Press to display charge level via LED indicator
- **battery_indicator:** LED with Battery Check button
- **battery_level_indicator:** Multi-LED system; behavior varies by state (charging, charged, discharging)
- **battery_type:** Li-ion
- **charging_behavior:** LEDs blink continuously until fully charged, then remain steadily lit
- **communication_interface:** USB-C data link via included e-marker cable
- **compatible_devices:** ['Raspberry Pi 4', 'Raspberry Pi 5', 'Argon ONE V3', 'Argon ONE V5', 'Argon NEO', 'Argon NEO 5', 'Argon POLY+', 'Argon POLY+5']
- **designed_for:** Raspberry Pi 5
- **dimensions:** 145 × 108 × 38.5 cm

- **discharging_behavior:** LEDs remain off; press Battery Check Button to display charge level
- **etl_certified:** Yes
- **fcc_certified:** Yes
- **hts_code:** 8504.40.7001
- **included_cable:** Argon E-marker USB-C cable
- **max_output_power:** 27W
- **maximum_output_power:** 27W
- **minimum_psu:** 5V 18W
- **minimum_psu_basic:** 5V 18W
- **model_number:** A24-012-PWR-UPS-AR-5000
- **models:** ['5000mAh', '10000mAh']
- **not_supported_on:** Raspberry Pi Zero, Raspberry Pi Zero W, Argon ONE V2
- **on_off_switch:** Physical slider switch
- **onboard_mcu:** Yes
- **optimal_psu:** 45W PD
- **optimized_for:** Argon NEO 5 case
- **power_delivery_support:** USB-C Power Delivery (PD)
- **power_input:** USB-C
- **power_output:** USB-C 5V, USB-A 5V
- **product_name:** Argon PWR UPS 27W PD
- **recommended_psu:** 27W PD
- **secondary_port:** USB-A 5V 1A for accessories
- **sku:** ARG-PWR-UPS-5K
- **upc:** 5065019946232
- **upc_ean:** 5065019946232
- **usb_a_output:** 5V 1A
- **usb_c_input:** 5V 5A for charging
- **usb_c_input_charging:** 5V 5A
- **usb_c_output:** 5V 5A (27W)
- **weight:** 0.275 kg

3. Mechanical Information and Functional Diagram



Illustration(s) reused from the existing marketing datasheet on file.

4. Reference Design

- (Electronics Schematics)

5. Product Compliance Information

- This part is compliant with EU 2002/95/EC RoHS directive (Restrictions on the Use of Certain Hazardous Substances in Electrical and Electronic Equipment)

6. Contact Information

Website: <https://www.argon40.com>

Email: support@argon40.com

Document Control

Document version	v2
Product revision	rev 2
Generated	2026-08-18 08:39 UTC
Content hash	e55da1311f9f
Revision record	datasheets/ARG-PWR-UPS-5K/version-log.json (document_version = 2)

Full revision history for this datasheet is recorded in **version-log.json** — see the entry where *document_version* = 2.