Pruebas con el front:

Login



Sin auth


localhost:5176
Surikat
YouTube
Twitch
Gmail
Gemini
Instant Gaming
Cardmarket
Scryfall
Archidekt
Thingiverse
CAMPUS
Pincel
IsardVDI
Critical Dice API
Base URL:
http://localhost:8000/api/v1
Critical Dice API v1.0
API para gestionar personajes de D&D y Pathfinder
Auth
POST Login (Get Token)
POST Logout (Revoke Token)
Characters CRUD
GET 1. List All Characters
POST 2. Create Character
GET 3. Get Single Character
PATCH 4. Update Character
DELETE 5. Delete Character
Users CRUD
GET 1. List All Users
POST 2. Create User
GET 3. Get Single User
PATCH 4. Update User
DELETE 5. Delete User
Error Cases
GET {{base_url}}/characters
Enviar
Headers:
Accept: application/json
Authorization: Bearer {{api_token}}
401 Unauthorized
Tiempo: 606ms
Tamaño: 0.03 KB
Respuesta:
{
"message": "Unauthenticated"
}
Headers:
cache-control: no-cache, private
Variables (Solo lectura - se actualizan automáticamente):
BASE_URL
URL base de la API
http://localhost:8000/api/v1
API_TOKEN
Token de autenticación (obtenido en Login)
9|M9hVr1tgjpS8cpcjyBLxrKjnqjXsRSrJHAhB2OGpb62ab81e
LAST_CHARACTER_ID
ID del último personaje creado
17
LAST_USER_ID
ID del último usuario creado
12

Critical Dice API Base URL: http://localhost:8000/api/v1

Critical Dice API v1.0
API para gestionar personajes de D&D y Pathfinder

- ▼ **Auth**
  - POST Login (Get Token)
  - POST Logout (Revoke Token)
- ▼ **Characters CRUD**
  - GET 1. List All Characters
  - POST 2. Create Character
  - GET 3. Get Single Character
  - PATCH 4. Update Character
  - DELETE 5. Delete Character
- ▼ **Users CRUD**
  - GET 1. List All Users
  - POST 2. Create User
  - GET 3. Get Single User
  - PATCH 4. Update User
  - DELETE 5. Delete User
- ▶ **Error Cases**

GET {{base_url}}/characters — Enviar

Headers:

Accept: application/json
Authorization: Bearer {{api_token}}

200 OK Tiempo: 619ms Tamaño: 5.43 KB

Respuesta:


```
{
  "data": [
    {
      "id": 16,
      "userId": 1,
      "system": "dnd",
      "playerName": "Test Player",
      "characterName": "Test Character",
      "race": "Human"
```


Variables (Solo lectura - se actualizan automáticamente):

BASE_URL ✓ URL base de la API http://localhost:8000/api/v1	API_TOKEN ✓ Token de autenticación (obtenido en Login) 10|F2vUWUNFwEebAi3suV6brE5BazStSd7GJFboYzZ4a9d137c5
LAST_CHARACTER_ID ✓ ID del último personaje creado 17	LAST_USER_ID ✓ ID del último usuario creado 12

Critical Dice API Base URL: http://localhost:8000/api/v1

Critical Dice API v1.0
API para gestionar personajes de D&D y Pathfinder

- ▼ **Auth**
  - POST Login (Get Token)
  - POST Logout (Revoke Token)
- ▼ **Characters CRUD**
  - GET 1. List All Characters
  - POST 2. Create Character
  - GET 3. Get Single Character
  - PATCH 4. Update Character
  - DELETE 5. Delete Character
- ▼ **Users CRUD**
  - GET 1. List All Users
  - POST 2. Create User
  - GET 3. Get Single User
  - PATCH 4. Update User
  - DELETE 5. Delete User
- ▶ **Error Cases**

POST {{base_url}}/characters — Enviar

Headers:

Content-Type: application/json
Authorization: Bearer {{api_token}}

Body (Editable) - Se enviará en la petición:


```
{
  "system": "dnd",
```


201 Created Tiempo: 635ms Tamaño: 0.36 KB

✅ **Body Enviado (POST):**


```
{
  "system": "dnd",
  "playerName": "Test Player",
  "characterName": "Test Character",
  "race": "Human",
  "class": "Fighter",
  "background": "Soldier",
  "strength": 15,
  "dexterity": 12
```


Variables (Solo lectura - se actualizan automáticamente):

BASE_URL ✓ URL base de la API http://localhost:8000/api/v1	API_TOKEN ✓ Token de autenticación (obtenido en Login) 10|F2vUWUNFwEebAi3suV6brE5BazStSd7GJFboYzZ4a9d137c5
LAST_CHARACTER_ID ✓ ID del último personaje creado 18	LAST_USER_ID ✓ ID del último usuario creado 12

Critical Dice API Base URL: http://localhost:8000/api/v1

Critical Dice API v1.0
API para gestionar personajes de D&D y Pathfinder

- ▼ Auth
  - POST Login (Get Token)
  - POST Logout (Revoke Token)
- ▼ Characters CRUD
  - GET 1. List All Characters
  - POST 2. Create Character
  - GET 3. Get Single Character
  - PATCH 4. Update Character
  - DELETE 5. Delete Character
- ▼ Users CRUD
  - GET 1. List All Users
  - POST 2. Create User
  - GET 3. Get Single User
  - PATCH 4. Update User
  - DELETE 5. Delete User
- ▶ Error Cases

GET `{{base_url}}/characters/{{last_character_id}}` Enviar

Headers:

Accept: application/json
Authorization: Bearer {{api_token}}

200 OK Tiempo: 634ms Tamaño: 0.36 KB

Respuesta:

```
{
  "data": {
    "id": 18,
    "userId": 1,
    "system": "dnd",
    "playerName": "Test Player",
    "characterName": "Test Character",
    "race": "Human",
    "class": "Fighter"
```

Variables (Solo lectura - se actualizan automáticamente):

BASE_URL ✓ URL base de la API http://localhost:8000/api/v1	API_TOKEN ✓ Token de autenticación (obtenido en Login) 10|F2vUWUNFwEebAi3suV6brE5BazStSd7GJFboYzZ4a9d137c5
LAST_CHARACTER_ID ✓ ID del último personaje creado 18	LAST_USER_ID ✓ ID del último usuario creado 12

Critical Dice API Base URL: http://localhost:8000/api/v1

Critical Dice API v1.0
API para gestionar personajes de D&D y Pathfinder

- ▼ Auth
  - POST Login (Get Token)
  - POST Logout (Revoke Token)
- ▼ Characters CRUD
  - GET 1. List All Characters
  - POST 2. Create Character
  - GET 3. Get Single Character
  - PATCH 4. Update Character
  - DELETE 5. Delete Character
- ▼ Users CRUD
  - GET 1. List All Users
  - POST 2. Create User
  - GET 3. Get Single User
  - PATCH 4. Update User
  - DELETE 5. Delete User
- ▶ Error Cases

PATCH `{{base_url}}/characters/{{last_character_id}}` Enviar

Headers:

Content-Type: application/json
Authorization: Bearer {{api_token}}

Body (Editable) - Se enviará en la petición:

```
{
  "characterName": "Updated Character",
```

200 OK Tiempo: 688ms Tamaño: 0.37 KB

✅ Body Enviado (PATCH):

```
{
  "characterName": "Updated Character",
  "strength": 18
}
```

Respuesta:

```
{
```

Variables (Solo lectura - se actualizan automáticamente):

BASE_URL ✓ URL base de la API http://localhost:8000/api/v1	API_TOKEN ✓ Token de autenticación (obtenido en Login) 10|F2vUWUNFwEebAi3suV6brE5BazStSd7GJFboYzZ4a9d137c5
LAST_CHARACTER_ID ✓ ID del último personaje creado 18	LAST_USER_ID ✓ ID del último usuario creado 12

Critical Dice API Base URL: http://localhost:8000/api/v1

Critical Dice API v1.0

API para gestionar personajes de D&D y Pathfinder

- **Auth**
  - POST Login (Get Token)
  - POST Logout (Revoke Token)
- **Characters CRUD**
  - GET 1. List All Characters
  - POST 2. Create Character
  - GET 3. Get Single Character
  - PATCH 4. Update Character
  - DELETE 5. Delete Character
- **Users CRUD**
  - GET 1. List All Users
  - POST 2. Create User
  - GET 3. Get Single User
  - PATCH 4. Update User
  - DELETE 5. Delete User
- **Error Cases**

DELETE `{{base_url}}/characters/{{last_character_id}}` Enviar

Headers:

Authorization: Bearer {{api_token}}

204 No Content Tiempo: 620ms Tamaño: 0.00 KB

Respuesta:

```
""
```

Headers:

cache-control: no-cache, private

Variables (Solo lectura - se actualizan automáticamente):

BASE_URL ✓ URL base de la API `http://localhost:8000/api/v1`	API_TOKEN ✓ Token de autenticación (obtenido en Login) `10|F2vUWUNFwEebAi3suV6brE5BazStSd7GJFboYzZ4a9d137c5`
LAST_CHARACTER_ID ✓ ID del último personaje creado `18`	LAST_USER_ID ✓ ID del último usuario creado `12`

Critical Dice API Base URL: http://localhost:8000/api/v1

Critical Dice API v1.0
API para gestionar personajes de D&D y Pathfinder

- ▼ Auth
  - POST Login (Get Token)
  - POST Logout (Revoke Token)
- ▼ Characters CRUD
  - GET 1. List All Characters
  - POST 2. Create Character
  - GET 3. Get Single Character
  - PATCH 4. Update Character
  - DELETE 5. Delete Character
- ▼ Users CRUD
  - GET 1. List All Users
  - POST 2. Create User
  - GET 3. Get Single User
  - PATCH 4. Update User
  - DELETE 5. Delete User
- ▶ Error Cases

GET {{base_url}}/users — Enviar

Headers:

```
Accept: application/json
Authorization: Bearer {{api_token}}
```

200 OK Tiempo: 640ms Tamaño: 0.79 KB

Respuesta:


```
{
  "data": [
    {
      "id": 1,
      "name": "Administrador",
      "email": "admin@criticaldice.com",
      "isAdmin": true,
      "createdAt": "2026-03-05T16:07:09+00:00",
      "updatedAt": "2026-03-05T16:07:09+00:00"
```


Variables (Solo lectura - se actualizan automáticamente):

BASE_URL ✓ URL base de la API http://localhost:8000/api/v1	API_TOKEN ✓ Token de autenticación (obtenido en Login) 10|F2vUWUNFwEebAi3suV6brE5BazStSd7GJFboYzZ4a9d137c5
LAST_CHARACTER_ID ✓ ID del último personaje creado 18	LAST_USER_ID ✓ ID del último usuario creado 12

Critical Dice API Base URL: http://localhost:8000/api/v1

Critical Dice API v1.0
API para gestionar personajes de D&D y Pathfinder

- ▼ Auth
  - POST Login (Get Token)
  - POST Logout (Revoke Token)
- ▼ Characters CRUD
  - GET 1. List All Characters
  - POST 2. Create Character
  - GET 3. Get Single Character
  - PATCH 4. Update Character
  - DELETE 5. Delete Character
- ▼ Users CRUD
  - GET 1. List All Users
  - POST 2. Create User
  - GET 3. Get Single User
  - PATCH 4. Update User
  - DELETE 5. Delete User
- ▶ Error Cases

POST {{base_url}}/users — Enviar

Headers:

```
Content-Type: application/json
Authorization: Bearer {{api_token}}
```

Body (Editable) - Se enviará en la petición:

```
{
  "name": "New User",
```

201 Created Tiempo: 854ms Tamaño: 0.16 KB

✅ Body Enviado (POST):

```
{
  "name": "New User",
  "email": "new.user@example.com",
  "password": "password123",
  "is_admin": false
}
```

Respuesta:

Variables (Solo lectura - se actualizan automáticamente):

BASE_URL ✓ URL base de la API http://localhost:8000/api/v1	API_TOKEN ✓ Token de autenticación (obtenido en Login) 10|F2vUWUNFwEebAi3suV6brE5BazStSd7GJFboYzZ4a9d137c5
LAST_CHARACTER_ID ✓ ID del último personaje creado 18	LAST_USER_ID ✓ ID del último usuario creado 13

Critical Dice API Base URL: http://localhost:8000/api/v1

Critical Dice API v1.0
API para gestionar personajes de D&D y Pathfinder

- ▼ **Auth**
  - POST Login (Get Token)
  - POST Logout (Revoke Token)
- ▼ **Characters CRUD**
  - GET 1. List All Characters
  - POST 2. Create Character
  - GET 3. Get Single Character
  - PATCH 4. Update Character
  - DELETE 5. Delete Character
- ▼ **Users CRUD**
  - GET 1. List All Users
  - POST 2. Create User
  - GET 3. Get Single User
  - PATCH 4. Update User
  - DELETE 5. Delete User
- ▶ **Error Cases**

GET `{{base_url}}/users/{{last_user_id}}` Enviar

Headers:

Accept: application/json
Authorization: Bearer {{api_token}}

200 OK Tiempo: 632ms Tamaño: 0.16 KB

Respuesta:


```
{
  "data": {
    "id": 13,
    "name": "New User",
    "email": "new.user@example.com",
    "isAdmin": false,
    "createdAt": "2026-03-05T17:25:29+00:00",
    "updatedAt": "2026-03-05T17:25:29+00:00"
  }
```


Variables (Solo lectura - se actualizan automáticamente):

BASE_URL ✓ URL base de la API http://localhost:8000/api/v1	API_TOKEN ✓ Token de autenticación (obtenido en Login) 10|F2vUWUNFwEebAi3suV6brE5BazStSd7GJFboYzZ4a9d137c5
LAST_CHARACTER_ID ✓ ID del último personaje creado 18	LAST_USER_ID ✓ ID del último usuario creado 13

Critical Dice API Base URL: http://localhost:8000/api/v1

Critical Dice API v1.0
API para gestionar personajes de D&D y Pathfinder

- ▼ **Auth**
  - POST Login (Get Token)
  - POST Logout (Revoke Token)
- ▼ **Characters CRUD**
  - GET 1. List All Characters
  - POST 2. Create Character
  - GET 3. Get Single Character
  - PATCH 4. Update Character
  - DELETE 5. Delete Character
- ▼ **Users CRUD**
  - GET 1. List All Users
  - POST 2. Create User
  - GET 3. Get Single User
  - PATCH 4. Update User
  - DELETE 5. Delete User
- ▶ **Error Cases**

PATCH `{{base_url}}/users/{{last_user_id}}` Enviar

Headers:

Content-Type: application/json
Authorization: Bearer {{api_token}}

Body (Editable) - Se enviará en la petición:


```
{
  "name": "Updated User"
```


200 OK Tiempo: 643ms Tamaño: 0.16 KB

✅ **Body Enviado (PATCH):**


```
{
  "name": "Updated User"
}
```


Respuesta:


```
{
  "data": {
```


Variables (Solo lectura - se actualizan automáticamente):

BASE_URL ✓ URL base de la API http://localhost:8000/api/v1	API_TOKEN ✓ Token de autenticación (obtenido en Login) 10|F2vUWUNFwEebAi3suV6brE5BazStSd7GJFboYzZ4a9d137c5
LAST_CHARACTER_ID ✓ ID del último personaje creado 18	LAST_USER_ID ✓ ID del último usuario creado 13

Critical Dice API Base URL: http://localhost:8000/api/v1

Critical Dice API v1.0

API para gestionar personajes de D&D y Pathfinder

- ▼ **Auth**
  - POST Login (Get Token)
  - POST Logout (Revoke Token)
- ▼ **Characters CRUD**
  - GET 1. List All Characters
  - POST 2. Create Character
  - GET 3. Get Single Character
  - PATCH 4. Update Character
  - DELETE 5. Delete Character
- ▼ **Users CRUD**
  - GET 1. List All Users
  - POST 2. Create User
  - GET 3. Get Single User
  - PATCH 4. Update User
  - DELETE 5. Delete User
- ▶ **Error Cases**

DELETE `{{base_url}}/users/{{last_user_id}}` Enviar

Headers:

Authorization: Bearer {{api_token}}

204 No Content Tiempo: 628ms Tamaño: 0.00 KB

Respuesta:

```
""
```

Headers:

cache-control: no-cache, private

Variables (Solo lectura - se actualizan automáticamente):

BASE_URL ✓ URL base de la API `http://localhost:8000/api/v1`	API_TOKEN ✓ Token de autenticación (obtenido en Login) `10|F2vUWUNFwEebAi3suV6brE5BazStSd7GJFboYzZ4a9d137c5`
LAST_CHARACTER_ID ✓ ID del último personaje creado `18`	LAST_USER_ID ✓ ID del último usuario creado `13`