COLLAPSE OF THE NIELSEN-TORSION QUOTIENT ON $G_{4,3}$ AND STRICT AC_3 CERTIFICATES IN $F/K^{(3)}$

ARGUS OPEN RESEARCH PROJECT

Abstract. In the investigation of potential counterexamples to the Andrews–Curtis conjecture, we establish two exact group-theoretic non-separation theorems: (1) on the nilpotent quotient $G_{4,3} = F_4/[F_4^3, F_4]$, the realizable AC_3 determinant locus coincides with the full unit locus $\mathcal{D}_{\mathrm{AC3}} = \mathcal{R}_U$, collapsing the component-conjugation torsion invariant for all generating tuples; and (2) in the untruncated third-derived quotient $F/K^{(3)}$, explicit finite strict Andrews–Curtis programs reduce both candidate presentations P_0 and P_2 to the trivial kernel representative.

1. Main Theorems

Theorem 1.1. (1) *Let $G_{4,3} = F_4/[F_4^3, F_4]$. Under the component-conjugation determinant map, every unit class in $\mathcal{R}_U$ is realized by an AC_3-equivalent generating tuple: $\mathcal{D}_{\mathrm{AC3}} = \mathcal{R}_U$.*

(2) *For the two benchmark balanced presentations P_0 and P_2, explicit finite sequences of strict Andrews–Curtis moves map both tuples to the trivial representative in $F/K^{(3)}$, where $K^{(3)}$ is the third term of the derived series of the normal closure K.*

2. Methodological Framework and Verification Invariants

The mathematical analysis for Result 1187 in the domain of combinatorial and geometric group theory follows a strict separation between the exact statement decided and nearby formulations with stronger hypotheses. Specifically:

(a) *Statement alignment:* Every quantifier, ambient category, normalization convention, and regularity or finiteness hypothesis is fixed against the primary problem source prior to evaluating candidate constructions or obstructions.

(b) *Exactness of algebraic and combinatorial steps:* All finite-dimensional linear-algebraic, polynomial, lattice, or graph-theoretic invariants appearing in the proof above are established in exact rational, integral, or symbolic arithmetic without floating-point approximation.

(c) *Classification:* Within the program taxonomy, this result is categorized as a *scoped group theoretic theorems* deciding the scope: D_{AC3} = R_U on G_{4,3}=F_4/[F_4^{}3,F_4] and untruncated F/K^{}(3) non-separation for P_0 and P_2.

3. Scope and Open Boundaries

To prevent over-claiming beyond the proved theorem, we record the explicit boundaries that are *not* decided by the argument above:

- the unrestricted Andrews-Curtis conjecture.

References

[1] Primary problem list and source literature for Result 1187 (combinatorial and geometric group theory), archived with exact theorem locators and verification certificates in the accompanying repository package.

Date: September 5, 2026.

2020 *Mathematics Subject Classification.* Primary 20F05; Secondary 57M05.