

Generic Technical Course — Exam 1**Student name:** _____**Student ID:** _____**Date:** 2026-07-09**Period:** 2026**Version:** A**Time:** 90 minutes**Instructor:** Instructor Name**Instructions:**

- Read each question and all alternatives before choosing an answer.
- Fill the square corresponding to the selected alternative.
- Each question has exactly one correct answer.
- Use a blue or black pen.

Section 1: Project Organization**Question 1:** What is the main benefit of keeping shared templates outside the exam-specific folder?

- ☐ It forces every assessment to duplicate the same formatting files.
- ☐ It prevents questions from being separated into smaller sections.
- ☐ It makes the generated PDF independent of the LaTeX engine.
- ☒ It allows one template update to affect every compatible assessment.
- ☐ It removes the need to define metadata for each assessment.

Question 2: What role does the exam metadata file play in this project structure?

- ☐ It converts the answer key into a plain text summary automatically.
- ☐ It replaces every question section before rendering the final document.
- ☐ It stores the Lua algorithm that performs the random shuffling step.
- ☒ It defines variable values such as title, date, period, and labels.
- ☐ It contains the generated PDF pages after compilation is complete.

Question 3: Why can question sections be stored as separate files such as `S01.tex` and `S02.tex`?

- ☒ Separate files make the question bank easier to edit and review.

- ☐ Separate files prevent LaTeX from rendering multiple-choice options.
- ☐ Separate files disable the answer-key rendering mode by default.
- ☐ Separate files require every question to use a different template.
- ☐ Separate files allow only one question to appear in each document.

Section 2: Shuffling and Rendering**Question 4:** How is the correct alternative represented inside the source question file?

- ☒ It is marked by using the command `\choice[correct]{...}`.
- ☐ It is written last and detected after the alternatives are shuffled.
- ☐ It is marked by using the command `\choice{...}`.
- ☐ It is marked by writing the answer in uppercase letters only.
- ☐ It is written first and detected by its position in the source file.

Question 5: Why does the project render both a test and an answer key from the same question files?

- ☐ It prevents the build script from compiling more than one PDF file.
- ☐ It requires the instructor to manually reorder every alternative.
- ☐ It makes the test ignore all alternatives marked with `correct`.

- ☐ It avoids maintaining two separate copies of the same question content.
- ☐ It guarantees that the answer key uses unrelated questions for security.

Question 6: What is shuffled by the Lua helper during assessment generation?

- The order of questions and the order of alternatives can be shuffled.

- ☐ Only the output file names are shuffled after compilation finishes.
- ☐ Only the metadata fields are shuffled before the sections load.
- ☐ Only the page headers are shuffled after the PDF is finalized.
- ☐ Only section file names are shuffled before the build script runs.

Generic Technical Course — Exam 1

Student name: _____

Student ID: _____

Date: 2026-07-09

Period: 2026

Version: B

Time: 90 minutes

Instructor: Instructor Name

Instructions:

- Read each question and all alternatives before choosing an answer.
- Fill the square corresponding to the selected alternative.
- Each question has exactly one correct answer.
- Use a blue or black pen.

Section 1: Project Organization

Question 1: Why can question sections be stored as separate files such as `S01.tex` and `S02.tex`?

- Separate files make the question bank easier to edit and review.
- ☐ Separate files require every question to use a different template.
- ☐ Separate files disable the answer-key rendering mode by default.
- ☐ Separate files prevent LaTeX from rendering multiple-choice options.
- ☐ Separate files allow only one question to appear in each document.

Question 2: What role does the exam metadata file play in this project structure?

- It defines variable values such as title, date, period, and labels.
- ☐ It contains the generated PDF pages after compilation is complete.
- ☐ It replaces every question section before rendering the final document.
- ☐ It stores the Lua algorithm that performs the random shuffling step.
- ☐ It converts the answer key into a plain text summary automatically.

Question 3: What is the main benefit of keeping shared templates outside the exam-specific folder?

- ☐ It forces every assessment to duplicate the same formatting files.
- It allows one template update to affect every compatible assessment.
- ☐ It prevents questions from being separated into smaller sections.
- ☐ It removes the need to define metadata for each assessment.
- ☐ It makes the generated PDF independent of the LaTeX engine.

Section 2: Shuffling and Rendering

Question 4: How is the correct alternative represented inside the source question file?

- It is marked by using the command `\choice[correct]{...}`.
- ☐ It is marked by using the command `\choice{...}`.
- ☐ It is written last and detected after the alternatives are shuffled.
- ☐ It is marked by writing the answer in uppercase letters only.
- ☐ It is written first and detected by its position in the source file.

Question 5: Why does the project render both a test and an answer key from the same question files?

- ☐ It makes the test ignore all alternatives marked with `correct`.
- ☐ It guarantees that the answer key uses unrelated questions for security.

- ☐ It avoids maintaining two separate copies of the same question content.
- ☐ It prevents the build script from compiling more than one PDF file.
- ☐ It requires the instructor to manually reorder every alternative.

Question 6: What is shuffled by the Lua helper during assessment generation?

- The order of questions and the order of alternatives can be shuffled.
- ☐ Only the page headers are shuffled after the PDF is finalized.
- ☐ Only the metadata fields are shuffled before the sections load.
- ☐ Only the output file names are shuffled after compilation finishes.
- ☐ Only section file names are shuffled before the build script runs.

Generic Technical Course — Exam 1**Student name:** _____**Student ID:** _____**Date:** 2026-07-09**Period:** 2026**Version:** C**Time:** 90 minutes**Instructor:** Instructor Name**Instructions:**

- Read each question and all alternatives before choosing an answer.
- Fill the square corresponding to the selected alternative.
- Each question has exactly one correct answer.
- Use a blue or black pen.

Section 1: Project Organization**Question 1:** What is the main benefit of keeping shared templates outside the exam-specific folder?

- ☐ It forces every assessment to duplicate the same formatting files.
- ☐ It removes the need to define metadata for each assessment.
- ☒ It allows one template update to affect every compatible assessment.
- ☐ It makes the generated PDF independent of the LaTeX engine.
- ☐ It prevents questions from being separated into smaller sections.

Question 2: Why can question sections be stored as separate files such as `S01.tex` and `S02.tex`?

- ☐ Separate files allow only one question to appear in each document.
- ☐ Separate files require every question to use a different template.
- ☐ Separate files prevent LaTeX from rendering multiple-choice options.
- ☐ Separate files disable the answer-key rendering mode by default.
- ☒ Separate files make the question bank easier to edit and review.

Question 3: What role does the exam metadata file play in this project structure?

- ☐ It converts the answer key into a plain text summary automatically.

- ☐ It replaces every question section before rendering the final document.
- ☐ It stores the Lua algorithm that performs the random shuffling step.
- ☒ It defines variable values such as title, date, period, and labels.
- ☐ It contains the generated PDF pages after compilation is complete.

Section 2: Shuffling and Rendering**Question 4:** Why does the project render both a test and an answer key from the same question files?

- ☐ It requires the instructor to manually reorder every alternative.
- ☐ It avoids maintaining two separate copies of the same question content.
- ☐ It guarantees that the answer key uses unrelated questions for security.
- ☐ It makes the test ignore all alternatives marked with `correct`.
- ☐ It prevents the build script from compiling more than one PDF file.

Question 5: What is shuffled by the Lua helper during assessment generation?

- ☒ The order of questions and the order of alternatives can be shuffled.
- ☐ Only the output file names are shuffled after compilation finishes.
- ☐ Only the metadata fields are shuffled before the sections load.

- ☐ Only section file names are shuffled before the build script runs.
- ☐ Only the page headers are shuffled after the PDF is finalized.

Question 6: How is the correct alternative represented inside the source question file?

- ☐ It is marked by writing the answer in uppercase letters only.
- ☐ It is written first and detected by its position in the source file.
- ☐ It is written last and detected after the alternatives are shuffled.
- ☒ It is marked by using the command `\choice[correct]{...}`.
- ☐ It is marked by using the command `\choice{...}`.

Generic Technical Course — Exam 1**Student name:** _____**Student ID:** _____**Date:** 2026-07-09**Period:** 2026**Version:** D**Time:** 90 minutes**Instructor:** Instructor Name**Instructions:**

- Read each question and all alternatives before choosing an answer.
- Fill the square corresponding to the selected alternative.
- Each question has exactly one correct answer.
- Use a blue or black pen.

Section 1: Project Organization**Question 1:** What is the main benefit of keeping shared templates outside the exam-specific folder?

- ☐ It prevents questions from being separated into smaller sections.
- ☐ It makes the generated PDF independent of the LaTeX engine.
- ☐ It removes the need to define metadata for each assessment.
- ☒ It allows one template update to affect every compatible assessment.
- ☐ It forces every assessment to duplicate the same formatting files.

Question 2: Why can question sections be stored as separate files such as `S01.tex` and `S02.tex`?

- ☐ Separate files allow only one question to appear in each document.
- ☐ Separate files require every question to use a different template.
- ☐ Separate files disable the answer-key rendering mode by default.
- ☒ Separate files make the question bank easier to edit and review.
- ☐ Separate files prevent LaTeX from rendering multiple-choice options.

Question 3: What role does the exam metadata file play in this project structure?

- ☒ It defines variable values such as title, date, period, and labels.

- ☐ It contains the generated PDF pages after compilation is complete.
- ☐ It converts the answer key into a plain text summary automatically.
- ☐ It stores the Lua algorithm that performs the random shuffling step.
- ☐ It replaces every question section before rendering the final document.

Section 2: Shuffling and Rendering**Question 4:** What is shuffled by the Lua helper during assessment generation?

- ☒ The order of questions and the order of alternatives can be shuffled.
- ☐ Only section file names are shuffled before the build script runs.
- ☐ Only the output file names are shuffled after compilation finishes.
- ☐ Only the page headers are shuffled after the PDF is finalized.
- ☐ Only the metadata fields are shuffled before the sections load.

Question 5: Why does the project render both a test and an answer key from the same question files?

- ☐ It avoids maintaining two separate copies of the same question content.
- ☐ It prevents the build script from compiling more than one PDF file.
- ☐ It requires the instructor to manually reorder every alternative.

- ☐ It makes the test ignore all alternatives marked with `correct`.
- ☐ It guarantees that the answer key uses unrelated questions for security.

Question 6: How is the correct alternative represented inside the source question file?

- ☐ It is written first and detected by its position in the source file.

- ☐ It is marked by writing the answer in uppercase letters only.
- ☐ It is written last and detected after the alternatives are shuffled.
- It is marked by using the command `\choice[correct]{...}`.
- ☐ It is marked by using the command `\choice{...}`.