SKYBEES

TACTICAL EQUIPMENT

CATALOGUE

- POLICE
- SPECIAL POLICE UNITS
- SWAT
- COUNTER TERRORISM
- LAW ENFORCEMENT
- EQUIPMENT



2026
EDITION

www.skybees.com.pk

SKYBEES



PRODUCT CLASSIFICATION

Comprehensive Solutions for Police, Special Forces & Government Agencies

01
COUNTER-TERRORISM GREA

02
TECHNICAL EQUIPMENT

03
PROTECTIVE EQUIPMENT

04
ANTI-EXPLOSIVE INSPECTION EQUIPMENT

05
CRIMINAL INVESTIGATION EQUIPMENT

06
TRAFFIC MANAGEMENT EQUIPMENT

07
COMMUNICATION SYSTEMS

08
DRIVERLESS SYSTEMS

09
Drone countermeasure

10
ALARM & DETECTION EQUIPMENT

11
ACOUSTIC SYSTEMS

12
OPTICAL DEVICES

www.skybees.com.pk

SKYBEES

TABLE OF CONTENTS



PREMIUM TACTICAL SOLUTIONS CATALOGUE

I. ANTI-TERRORISM EQUIPMENT 16

CQB Tactical Training House (CQB Simulated Tactical System) 16
VR integrated confrontation, training system 17
A quadruped rescue robot 18
Shoulder type tear accelerator 19
Five-in-one tear-shock catcher 20
Sonic waves disperse the shield 21
Police portable tear dispersator 22
Repeat filling tear dispenser 23
Police officers carry a negative tear-inducing dissipator 24
Super large capacity tear dispenser 25
Single alarm large capacity tear gas jet device 26
Hand drop tear agent 27
Sonic waves dazzle, dispersing the shield 28
Block the net 29
Seal control block network 30
Long batons (common, combined) 31
ABS combination emergency stick 32
Tears long baton 33
Tear-inducing riot police stick 34
Multi-functional engineer shovel 35
Multi-function battaton (T) 36
Combined baton (stab) 37
heel rope 38
Shan Lianfa police arrest network 39
Three consecutive police police arrest network 40
Pneumatic trap net transmitter 41
Police restraint fork 42
The knife 43
Police foot fork (thickened) 44
Portable riot steel fork catcher 45
Anti-riot lock waist fork 46
Police multifunctional catcher 47
Police multifunctional riot control fork 48
Electric shock to catch the gloves 49
Laser dazzling device 50
Laser dazzling gun 51
Defence-spaser I 52
Defence Chaser II 53
The Defense Chaser III 54
Anti-riot launcher 55
Multi-scene storm systems 56
Remote shock gun 57
Intelligent remote electric shock gun 58
Microacoustic drill 59
Mute electric drill I 60
Silent electric drill II 61
Portable cutting device (cutting pen) 62
3 sets of tools 63
Break the lock tool 64
Low-light sight 65
Type 88 5.8 mm sniper rifle low light scope 66
92 pistol under the scope 67
The second generation of infinite endurance tritium optical sight 68

II. EQUIPMENT 32

Intelligent Equipment Cabinet 69
Hand-held radar life detector 70
Detect grenade 71
Japanese multi-functional partition listen 72
Listen to the English wall 73
The new wall listener III 74
Electronic endoscope 75
Fusion night vision 76
Thermal imager 77
Portable lighting 78
Fire reconnaissance drone 79
Explosive disposal robot 80
Bomb suit 81
Bomb disposal blanket 82
X-ray baggage inspection machine 83
Hand-held metal detector 84
Walk-through metal detector 85
Explosive detector 86
Vehicle undercarriage inspection mirror 87
Explosive ordnance disposal suit 88
Police tactical suit 89
Bulletproof helmet 90
Bulletproof shield 91
Ballistic shield (rectangular) 92
Ballistic shield (curved) 93
Police tactical vest 94
Anti-stab suit 95
Anti-stab gloves 96
Anti-stab shoes 97
Riot suit 98
Riot helmet 99
Anti-riot shield 100
Gas mask 101
Protective mask 102
Self-contained breathing apparatus 103
Communication headset 104
Body camera 105
Tactical backpack 106
Duty belt 107
Tactical boot 108
Gloves 109
Flashlight 110
Warning light 111
Portable loudspeaker 112
Megaphone 113
Signal jammer 114
Drone jammer 115
RF detection equipment 116
Explosive disposal tools set 117
Hydraulic expansion tool 118
Hydraulic cutter 119

Continued

SKYBEES

01

COUNTER-TERRORISM GEAR

Advanced Counter-Terrorism Gear for Police, Special Forces & Tactical Operations



www.skybees.com.pk



CQB-RD

Modular Counterterrorism Tactical Training Equipment

Product introduction

The modular CQB tactical training system is composed of scene building module, scene expanding module, Obstacle Removal Training Module, shooting counter measure module and teaching aids, etc. , can be applied to police officers, Special Forces Block Search, house into the bunker cut angle, narrow channel search through, demolition, explosive detection, low-light night-vision lighting equipment use and rapid target identification shooting, hand-to-hand weapons combat shooting to provide real-life confrontation training platform, the actual combat function of the platform also provides a strong support for the military training mission assessment.







VR Integrated Combat Training System

VR Integrated Countermeasures Training System

Product Presentation

The integrated confrontation training system is a kind of intelligent red and Blue Army simulated confrontation evaluation system, which is developed according to the needs of actual combat training of military police. Through virtual reality technology to create a real exercise, the environment, and can judge the results and playback analysis.

major function

1. Map display of personnel positioning and control center
2. Hit indication (VR technology)
3. Real-time display of the situation and playback of both sides
4. Exit control and display of casualties on both sides
5. Analysis and evaluation of the results
6. Data preservation and return performance
7. Individual soldier supports stereo dual HD helmet display
8. 4 multiple soldiers rapid coordination (more than 4 people can be customized)
9. Support 150 ± 50 ㎡ size (20 ~ 1000 ㎡)
10. Training, positioning and restoration accuracy: 0.1mm
11. It can run continuously for 24 hours without shutdown, and is not disturbed by the external environment such as electricity, magnetic, visible light and sound
12. Individual soldiers support 360 ° surround space scene sound effect
13. Support 1 - second loading and switching in multiple scenarios to carry out training
14. Individual virtual weapons can switch between multiple weapons in 1 second
15. Support the TCP / IP LAN remote transmission control of the control center

Support multiple training items 802 . 11 bgn, the remote transmission control

SKYBEES
Technologies Pvt. Ltd.



Yingjing X20

QUADRUPED RESCUE ROBOT

PRODUCT FEATURES

- **All-terrain operation:** easily surmount 20cm obstacles and stairs, 35 ° slope, and move freely on the unstructured pavement such as ruins, mounds, rubble, grass, etc. . Omni-directional flexible movement and small contact area, to avoid changing the scene environment, reduce the probability of secondary accidents.
- **All-weather Operations:** IP66 protection level, in smoke, toxic, heavy rain, low temperature, hail and other harsh environment to complete the reconnaissance mission.
- **Dynamic obstacle avoidance:** dynamic obstacle avoidance is realized by depth camera and multi-line lidar combined with AI intelligent algorithm.
  on-the-spot rescue: with the ability to work under load, carryingmaterials into the disaster site, rescue the trapped people.
- **Intelligent Reconnaissance System:** it presents the comprehensive information of visible light, thermal imaging, 3D terrain, harmful gas, reconnaissance path and so on.
- **The virtual image of panoramic imaging:** Remote Image Transmission, full scene scanning, cloud image reconstruction environment, providing visual information for rescue decision-making, as well as the collection and preservation of field data after disaster.

PRODUCT SPECIFICATIONS

Total Weight	Arise Size	Levels of Protection	Maximum Speed	Operating Temprature
55KG	1000 X 500 X 800 mm	IP66	18KM/HOUR	-20C to 50C

Continious Working Hours	Sensing Capibility	Obstacle Climbing Ability
2 - 4 h	Multi-sensor fusion	20 cm / 35 slope / Stairs

SKYBEES
Technologies Pvt. Ltd.



C6000-RD

Shoulder-Load Cough Dispersal Device (Shoulder tear dispeller)

Core Performance

Large capacity, easy to fill, reusable, electric, overcharge protection, jet and spray mode switching

Product Size	Finished weight	Cough suppressant dosage	Spray mode
Length 390mm, diameter 190mm	4.05kg	6L	jet, spray

Stream Mode	Spray Mode
Effective spray distance S\ge 6$ m, effective spray time S\ge 200$s	Effective spray distance S\ge 4$ m, effective spray time S\ge 200$s

Active ingredient content	Terms of validity	Operative norm
1.5%	Tear gas 3 years	GA884-2010 Police Tear Gas Sprayer

SKYBEES
Technologies Pvt. Ltd.



GAYSC- RDO 4

Five-in-One Tear Gas Stun Gun

Five-in-One Tear Gas Electroshock Device

Product Presentation

Semi-automatic contraction, reducing long-term physical contact between police and suspects, telescopic design, with flashlight, electric shock and other functions, can subdue criminals faster, put an end to criminal acts, non-lethal weapons, and protect the personal safety of police officers. The electric shock catcher can well play a powerful shock and awe effect. The electric shock bucket catcher can quickly subdue the criminal, can quickly stop the criminal act, and reduce the long-term physical contact between the police and the suspect, to protect the personal safety of police officers and improve the efficiency of handling cases in police operations

Material quality	Contractive Size	Prolongation Size	Net weight of the whole product	Lunar Ring Maximum Diameter
alufer	1.30m	2.13m	$2.5 \pm 0.15\text{kg}$	$340 \pm 10 \text{ mm}$

Hand grip outer rod diameter	Hand grip rod inner rod diameter	Operative norm
$35 \pm 1 \text{ mm}$	$28 \pm 1 \text{ mm}$	GA/T 1145-2014 Police Restraining Fork and Q/RD006-2015 Police Multi-Function Capture Device

function

1. **Anti-vandalism fork: features automatic locking mechanism with locking port, anti-pull and anti-retraction.**
2. **Electric shock: configurable as high-voltage or pulse current.**
3. **Bright light, buzzer alarm**
4. **Tear spray: Electronic switch controls the tear spray**
5. **Broken Window Cone: A steel cone designed to break windows**

SKYBEES
Technologies Pvt. Ltd.



SGFBP-BL-RD

Sound Wave Dispersal Shield

functional characteristic

- Attack and defense, combining the dispersing ability of sound wave dispersing device and the defensive ability of shield 2. Human law enforcement, dispersing or warning the gathering crowd innon-contact and non-lethal form, avoiding the conflict between rabbits; 3. Ultra-high sound intensity, single shield can effectively disperse the target within 0-50 meters, the maximum warning distance 200 meters.
- Acoustic wall effect, multi-shield combination, forming invisible defensive acoustic wall effect; 5, persuasion warning, integrated voice function and preset warning audioplayback function 6, optional law enforcement video recording device, support to expand the function of customization.

Material quality	Cell	Quality	Size
2.0 mm aluminum alloy	DC12V4000mA lithium battery	4.79kg	904\500mm

Sound pressure level	Supply voltage	Volume adjustment
155dB (maximum sound pressure at 1m)	27-42V	Infinitely variable control

structure

It consists of a shield, grip, arm strap, cushioning sponge, connecting device, tear spray device, and sound and light dispersal device.

SKYBEES
Technologies Pvt. Ltd.

Police Portable Tear Dispersal Device



Model：C1000-RD / C2000-RD
Size：410mm（1L）/ 530mm（2L）

Rechargeable Tear Disperser



Model：C2000-RD
Size: 150mm diameter × 560mm height

Police Backpack Tear Dispe rser



Model：C3000-RD
Size: 240mm diameter × 540mm height

Ultra Large Capacity Tear Disperser



Model：C6800-RD
Size: 150mm diameter × 545mm height

Single Police Tear Spray



Model：C600-RD
Size: 66mm diameter × 280mm height

Hand Sanitizer




Model：ST-C RD
Size: 35mm diameter × 160mm height

Sound Waves Dazzle and Sc atter Shields



Model：JH-100
Size:900 × 500 × 2 (mm) folded edge

Block



Model：ZJW-RD
Size: 2.5m high × 1.5m wide


Blockade



Model: Three-ring containment barrier /

SKYBEES
Technologies Pvt. Ltd.

Regular Police Baton (Standard & Combo)



Model：G1600(2000)-RD
Size: 1600mm/2000m,30mm diameter

ABS Combo Emergency Stick



Model：ZHG1695-RD
Size: Total length 1695mm / Diameter 31-34mm / Handle diameter 35 mm

Tear-Inducing Long Baton



Model：RD-CJG-QL
Size:Length 1250mm, maximum diameter 500mm

Tear Gas and Riot Control Wolf Tooth Baton



Model：RD-FBG
Size: 1200mm long, 32mm in diameter

Multi-Purpose Utility Shovel



Model: Multi-Use Engineer's Shovel
Size: The total length is 4000mm, with a shovel head thickness of 1.4mm and a blade width of 100mm by length of 125mm. Hammer length 110mm

Multi-Function Riot Police Baton (T-shaped)



Model：ZD-T3 Size：——

Combination Baton (Po lice Spear)



Model: Combination Baton (Police Spear)
Size: 700mm in total length, 275mm for the attack component. Combined length with the attack component is 158cm.

Trap (catch rope)



Model: Whip
Size: 180mm long, 48mm in diameter

Single-Shot Police Arr est Net



Model：WQ-RD-DF Size：3.2m×3.2m、4.0m×4.0m

SKYBEES
Technologies Pvt. Ltd.

Three Consecutive Police Ar rest Nets



Model： ZBW-RD02 Size： 4.0m×4.0m

Pneumatic Capture Net Tra nsmitter



Model: Pneumatic Capture Net Launc her
Size: 73mm diameter, 250mm height
15-gauge woven rope, 3.0 m×3.0 m

Police Restraint Fork



Model： GAYSC—RD01
Size: elongation ≥2m, contraction ≤1.35 m

Blade Snatcher



Model： RD-DDQ01
Size: 1.5m long

Police Fork (Thickened)




Model： ZBQ-RD02
Size: Stretch ≥2m, Contract ≤1.35m

Portable Riot Steel Fork Gra-bber



Model： GC-RD
Size: Stretch ≥2m, Contract ≤1.35m

Anti-Riot Waist Fork




Model： SYC-RD
Size: Stretch ≥2m, Contract ≤1.35m

Police Multi-Function Capture Device



Model： GAYSC-
Size: 2.15m when stretched, 1.35m when contracted Optional features: Bright light, buzzer alarm, tear gas

Police Rioting Fork



Model： GAYSC-RD03
Size: 2.25m when stretched, 1.50m when contracted Optional features: Bright light, buzzer alarm, tear gas

SKYBEES
Technologies Pvt. Ltd.

Electric Shock Capture Gloves



Model: Electric shock capture gloves
Weight: 260g-650g per pair

Laser Dazzler



Model: Laser dazzler
Size: 267mm long × 39mm diameter

Laser Blinding Gun



Model： RD-JGQ-01 Size：
190mm×125mm×40mm

Defensive Electric Shock De vice I



Model： RD-X8
Size： ——

Defensive Electric Shock II



Model： DRD-500Z
Size: 40mm ±1mm in diam eter and
500mm ±10 mm in length

Defensive Electric Shock III



Model： X10
Size: 490mm when stretched, 430mm
when contracted

Anti-Ballistic Launcher



Model： RD-20 Size： ——

Multi-Scenario Riot Control Device



Model： T800
Optional munitions: stun grenades,
rest raint grenades, tear gas grenades

Remote Stun Gun



Model： TX100 Size：
204.5mm×114mm×45mm

SKYBEES
Technologies Pvt. Ltd.

Smart Remote Stun Gun



Model: PRX-6 Size: 178mm×31mm×128mm

Silent Drill



Model: SD310
Dimensions: Main unit 426×330× 174 mm, accessory unit 460× 366×184 mm

Silent Drill I



Model: Silent Drill I
Dimensions: Main unit 410×330× 160 mm, accessory unit 460× 370×180 mm

Silent Drill II



Model: FOZ-16/5
Size: Drill hole diameter 1-14mm (expandable to 25mm). Manual drive unit: Size 20×16×8 cm. Drive rail: Size 59×8×70 cm.

Portable cutting device (cutting pen)



Model: BXQG20-300-RD
Size: ——

3-Piece Breakdown Tool Set



Model: 3-piece demolition tool set
Size: ——

Break Lock Tools



Model: Door and lock breaker Size: 495mm/cm (with extended rod) 485mm/cm (with shovel head)

Unlocker



Model: Dismantler
Size: 13mm diamond chuck

Door Opener



Model: RD-PMQ Size: ——

SKYBEES
Technologies Pvt. Ltd.

Black Eagle Crack Tool (Domestic-Imported)



Model: Black Hawk PDR Tool (Domes tic/Imported) Weight: 11.0kg

Modern Demolition Tools



Model： RD-PCQ02
Weight: 16.4kg

Electric Hydraulic Door Op ener



Model： DP45
Weight: Pump body wei ght: 18.0kg Door opener weight: 35.0 kg

Manual Demolition Tool Set



Model： RD-PCQ03 Size： ——

Climbing Rope



Model： S-P-RD Size： 40.4mm

Climbing Toolkit



Model： GJB-P-RD
Weight: about 9kg (including ba- ckpack)

Stringer



Model： SPIDER-R Size：
60mm×188mm×867mm

Single Soldier Engineering Rescue Kit



Model: Single Soldier Engineering Re scue Kit Size： ——

Automatic Lift



Model： PQ 500-1 Size： ——

SKYBEES
Technologies Pvt. Ltd.

Rescue Frisbee



Model：RD-JSFP
Size: 40m rope

Life Jacket



Model: Lifebuoy Weight: ≤4kg

Emergency Kit



Model: Emergency rescue kit
Size：——

Simple Barricade Nail



Model：ZCD-RD Size：43mm

Flexible Barricades




Model：ZCD02-RD
Size: 5m interception length

Fully Automated Remote Roadblock



Model：LZ-D-RD
Size: 7m interception length

Blockade I



Model：LZ-J-RD
Size: Available in 5m,6m,7m,8m, and 10 m lengths

Blockade II



Model：LZ-J-RD02
Size: Available in 5m,6m,7m,8m, and 10 m lengths

Remote Obstacle for Speed Reducer



Model：LZ-D-RD03
Size: interception length 6 to 15 meters

SKYBEES
Technologies Pvt. Ltd.

Portable Remote-Controlled Smart Barricade



Model：LZ-D-RD06
Size: 6000mm long, 240mm wide, and 30mm thick

Block Bar



Model: Stop bar
Size：620mm

Flexible Stop System



Model：ZARZ-I Size：——

Portable Anti-Terrorism Vehicle Stopper



Model：LZ-J-RD-L2
Size: Standard configuration with a total length of 4.0 (m

Winding Axle Barrier



Model: Winding shaft type stopper
Size: 6 m long and 2.5 m wide

Microwave Vehicle Stop System



Model: Microwave Vehicle Parking System
Effective range: 3 to 15m

Turn Gun



Model：GWQ-RD
Weight: 3.9kg (including pistol)

95 Assault Rifle Rail



Model：XL-95DGG
Size: 155×60×63.5 mm

79 Light Charge Tactic Gu ide



Model：XL-79DGG
Size: 290×56×54 mm

SKYBEES
Technologies Pvt. Ltd.

Type 88 Sniper Rifle Rail



Model： XL-88DG
Size: 164.2 mm × 48.4 mm × 31 mm

Multi-Function Mount



Model： QW1
Size: 520×140×66 mm

Type 95 Holographic Sight



Model： RD-XL-NHD
Size: 94×58×59 mm

Type 951-4x white light sight



Model： RD-95YB
Size: 25cm

Night Vision Scope



Model： RD-RM581
Size: 303×85×84 mm

Micro Light Sight



Model： RD-RM400
Weight: 970g

Type 885.8mm sniper rifle low-visibility scope



Model: Type 885.8mm Sniper Rifle Low-Contrast Scope
Weight: 0.82kg (including battery)

92 Handgun With Scope



Model： XL-211
Size: 80.36×36.58×48.50 mm

Second Generation Infinite Range Tritium Light Sight



Model： Trijicon ACOGTA31 RMR
Weight: 15.1 (oz)

SKYBEES

02

TECHNICAL EQUIPMENT

Advanced Technical Equipment for
Surveillance, Detection, Communication &
Specialized Operations



www.skybees.com.pk

SKYBEES
Technologies Pvt. Ltd.





Smart Cabinet

Intelligent equipment c abinet

Equipments are assigned to individuals and kept independently by them

Equipments are centrally man aged and used properly, and returned in a timely manner

The backend monitors in real-time the inventory and usage status of each person's equipment.

Timely disposal of damaged or obsolete equipment allows po lice officers to use well-maintained equipment

It Can Be Centralized or Decentralized, and There Is No Requirement for the Site

Each smart cabinet is equipped with an independent dedicated controller, independent work, can build a centralized equipment room, can also be distributed; access network RFID card reader, connect the“Public security network ” to achieve the “ Single police equipment iot management” goal.。

Police use simple and complex background automatic completion

Click on the counter button”-“Enter the password” (automatically open the corresponding counter after success) -“Lead/return” three simple steps, single police equipment status information, background automatic completion, police do not need to learn, attention.

RFID applications for IoT enable real-time monitoring of equipment status

Smart cabinet each counter integrated“RFID identification antenna” through the platform, can real-time control“Eac h counter” in the police equipment status.

Full business process and equipment lifecycle mana gement

Realize the business management informatio -nization of the whole process of“ Eq uipment purchasing”, “Purchasing approval decision”, “Goods in stock”, “Loss report -ing/scrap reporting/maintenance”

SKYBEES
Technologies Pvt. Ltd.



RD-HRLD

Handheld Radar Life Detector

Hand held r adar life det ect or

Core Performance

Portable Design: Penetrates ≥ 3 0 0 mm thick ordinary brick wall or non-metallic partition wall. Probe Distance: NC and ≥2 0 m; wireless remote control, handheld button operation, and other modes

Product Presentation

RD-HR LD is an ultra-portable, hand-held radar life detector capable of penetrating non-metallic obstacles such as walls, providing situational awareness and trajectory analysis of the invisible environment behind walls, giving law enforcement and search-and-rescue personnel operational advantages, to help law enforcement and search and rescue personnel make better operational decisions.

Fill capacity	Product weight	View Angle	Display Mode	Operating Temprature
230×100×70 mm,	840g (including battery), ≥100°		Indicate the target's presence, movement status, and distance	3-3.5GHz

Positioning racy	accu-	Power supply mode	Battery life	Acclimation	Levels of protect ion
≤ Built-in 18650 lithium battery with 0.3 m capacity, supports external adapter charging			≥ 4.5 h	Working temperature: -40°C ~ +55°C Storage temperature: -50°C ~ +60°C	IP66

SKYBEES
Technologies Pvt. Ltd.

Scout Grenade



Model: Scout grenade
Size: Reconnaissance ball with a diam eter of 85-90mm Display 227 × 177 × 44 (mm)

Japanese Multi-Function Par ition Wall Listening



Model： F—999R
Dimensions: 64×22×98 mm (amplifier) and 36×30 mm (microphone)

Soundproof Partition Wall



Model： HWCW- II
Size： 105mm×26mm×128mm

New Partition Speaker



Model: Israel FOS-II
Size： ——

Handheld Wall-Penetrating Radar I



Model： CE100
Size: No larger than 31×11×8 (cm)

Handheld Wall Penetrating Radar II



Model： CE100
Size: No larger than 31×11×8 (cm)

Cat Eye Rearview Mirror I



Model： FMY-RD Size： 28×80(mm)

Cat Eye Rearview Mirror II



Model： RD-FS-1
Size: 84mm long, 34mm wide



Model： RD-KJ
Size: 1.4m flexible hose The hose and probe have a diam- eter of 6.0mm

SKYBEES
Technologies Pvt. Ltd.

360° Video with Electric All-Round Steering (Police Use) Electronic Endoscope



Model: VK60C
Size: Working length 1500mm

24-Hour Day and Night Obs ervation System



Model: Day and Night Wireless Obser vation System Size: Main unit dimensions 163×195×95 (mm)

Infrared laser forensics ca mera with night vision



Model: RD-RYSL01
Size: 225×110×155 mm

Merge Thermal Camera



Model: RD-RCX50 Size: 189.4×194.0×172.9 (mm)

Long-Distance Evidence Col lection Telescope



Model: RD-RFT
Size: 216.4×98.0×58.7 (mm)

Type 95 Telescope



Model: YGG7X40 Size: 189×69×140 (mm

Field-Glasses



Model: RD-WYJ Size: 179.0×197.0×62 (mm)

Telescope



Model: Jiaolong 8×30
Size: 115×165×75 (mm)

Digital Night Vision Goggles



Model: AD2V Size: ——

SKYBEES
Technologies Pvt. Ltd.

Night Sight



Model：77560 Size：240×100×68(mm)

Monocular Low-Light Ni Vision



Model：MB-NVS-RD Size：121×67×47（mm）

Low-Light Level Night Vision Device



Model：RG—88 Size：——

Binocular Microscopic Night Vision Device



Model：NVS-RD03
Size：185×65×35（mm）

Thermal Camera



Model：Kelusi 11860 Size：260×100×65（mm）

Dual-Camera Thermal Camera



Model：OHR-75-6 Size：——

Monocular Thermal Camera



Model: Kelusi D101
Size: <190×70×70(mm)

All-Round Automatic Floodlight Working Lamp



Model：BHL630
Dimensions: 1350×500×800 mm tele scopic air rod, 500×470×380 mm lamp tray

Portable Lift Emergency Light



Model：BHL811 Size：220×246×646(mm)

SKYBEES
Technologies Pvt. Ltd.

Portable Emergency Lifting Work Light



Model: RD-BHL637
Size: 3m automatic lifting rod

Mobile Lighting



Model: RD-BHL656 Size: 550×450×290 (mm)

Portable Lift Emergency Light



Model: JG139 144W Size: 670×510×372 (mm)

360° Portable Panoramic Mobile Lighting System



Model: YZH-RD Shield
Size: 1030×175×165 (mm) Height: ≥3.5m

Portable Lighting



Model: GR-SJF-1
Size: Height ≥3.5m, storage length ≤1.4 m

Police Explosion-Proof Searchlight



Model: RD-F901 Size: 134×68×110 (mm)

Manual Charging Inspection Work Light



Model: RD-BHL551 Size: 222×87×127 (mm)

Police Handheld High-Intensity Search Light



Model: Ruidun FD-FBSI-RD
Size: 231×100×136 (mm)

Car Spotlight



Model: Car headlight
Size: ——

SKYBEES
Technologies Pvt. Ltd.

Water Rescue Kit



Model: Ruidun WPR-RD
Size： 1235×195×240(mm)

Long-Range Multi-Purpose Rescue Pole Combination



Model： JHW-17
Size: 17m span

Rescue/infrared audio-video life detector



Model: Rescue/Infrared Audio-Video Life Detector Size: 6m when extended, 0.7m when closed

Gun barrel/rotating gun barrel



Model： YQT-RD Dimensions: Height 760 mm × Depth 665 mm × Wall thick ness 5 mm; Bucket lid diam eter 500 mm The tank diameter is 450 mm

Spring



Model： RD-SDQ02
Size: 100±1 mm (caliber) The outer diameter of the cartridge is Φ149±2 mm.

New Evidence Storage Cabi-net



Model： RD-YS-150L Size： 595×570×865 （mm）

Single Police Equ ipment Cabinet



Model： ZBG-RD01
Size: Customizable

Smart Evidence Mana gement System



Model: Intelligent Evidence Managem ent System Size: Customizable

Police Equipment Rack I



Model: Police Equipment Rack I Size: 70×122 cm

SKYBEES
Technologies Pvt. Ltd.

Police Equipment Rack



Model: Police Equipment Rack II
Size: 1200mm long, 1200mm high, 400 mm deep

Anti-Riot Equipment Rack



Model： RD-FBQCJ
Size: 763×700×33 cm

Shield Bracket



Model： RD-FBP-ZJ Size：
51×27×14.5(cm)

Smart Gun Case



Model： QG/Z-I-JD1600A
Size: 1600mm high × 1000mm wide × 500±5mm deep; Customizable

Long-Range Low-Light Color Day-Night HD Wireless Video Transmission System



Model： INZ-2500
Size： 45×17×17(cm)

A Compact, Low-Light Camera With Built-in Wireless Video Transmission



Model： INZ-300 Size： 130×60×40(mm)

SKYBEES

03

PROTECTIVE EQUIPMENT

Advanced Protective Equipment for Personal Safety, Tactical Response & Mission-Critical Operations



www.skybees.com.pk



New Touchscreen Anti-Cut Gloves

Ne w anti cutting gloves for touch scr een

Core Performance

Portable Design: Penetrates ≥ 3 0 0 mm thick ordinary brick wall or non-metallic partition wall. Probe Distance: NC and ≥2 0 m; wireless remote control, handheld button operation, and other modes

Product Presentation

Theprotectiveperformanceof anti-cutglovesisnotonly limited toknife damage, butalsocan protectalsharp objectsintothe damage, such as“Brokenglass”, “Brokenwinebottle” sharpobjects;becauseofitspittear strengthisextremelyhigh,thisfabricalso“Bite”and“Tear”andotherfunctions,canbeusedtoprotectsuch asAIDSpatients biteand caraccidentaccidentmaybeastrongexternalforceofthetornfingerscantouch the screen, whileworkingcannottakeoffglovescananswerand check mobilephones, policecommunicationand otherelectronicdevices,sothatworke ficiencybecomeshigher

product Size	material quality	pigment	Anti-Cut Factor
Size M, L, XL	The core yarn is woven with ultra high molecular weight polyethylene fiber coated stainless steel wire, and the palm surface is coated with screen adhesive.	black	≥1 . 66



Police Multi-Function Duty Fan

Police multifunctional duty fan

Core Performance

Blade contact-free design\\New turbine fan\\Integrates lighting, mosquito repellent, airflow, and sterilization functions\\New lithium battery\\Portable handheld and belt-worn

functional characteristics

1, multi-function: strong wind cooling, lighting, SOS, mosquito repellent, sterilization (for epidemic prevention has a great help)2, super-long life, the whole machine warranty for 10 years 3, the use of Japanese industrial-grade motor, the battery is powered by LG's lithium-ion battery (PC + Abs) and has a maximum wind pressure of 400 pa and a maximum speed of 6,800 rpm, it is the same kind of fan 8,6, the sterilization function may produce the plasma air curtain around the human body, the effective isolation each kind of bacteria 7, may expand the broadcast function; Application: Traffic Police on duty, airports, docks, stations and other places on duty, epidemic prevention on-site publicity.

Product Size	Battery capacity	Voltage	noise	Product weight
115×45×86 (mm)	3 . 6V/4000mAh	3 . 6V	＜50 dB	230g

Battery Type	End-use temperature	Charging interval	Optional features
Lithium-ion battery	0°C ~45°C	Approx. 2.5 hours (2 A	Mosquito Repellent

SKYBEES
Technologies Pvt. Ltd.

Anti-Riot Suit I



Model：FBF-B-RD01 Size：——

Anti-Ballistic Armor II



Model：FBF-B-RD02 Size：——

Anti-Ballistic Armor III



Model：FBF-B-RD03 Size：——

Fast-Wear Riot Gear



Model：FBF-B-RD28 Size：——

New Cut-Resistant Hoodie



Model：FGY-WY-RD Size：——

New Anti-Cut Gloves I



Model：RD-FGST01 Size：——

Tactical Cut-Resistant Gloves



Model: Ruidun FGST-RD02
Size：——

New Cut-Resistant Gloves III



Model: Ruidun FGST-RD01
Size：——

New Cut-Resistant Gloves IV



Model：RD-FCST02 Size：——

SKYBEES
Technologies Pvt. Ltd.

New Cut-Resistant Gloves V



Model: FGST-RD Size: ——

New Anti-Cut Arm



Model: RD-FGHB09 Size: 325×105mm

New anti-cutting head cover (anti-cutting neck guard)



Model: New Anti-Cut Neck Protector
Material: VUT-TEXPR

Cut-Resistant Pants



Model: Cut-resistant pants
Size: ——

New Non-Cutting Shoes and Socks



Model: New anti-cut shoes and socks
Size: ——

Cuff



Model: FGHJ-RD
Cut resistance: Level 5 (resistant to cutting, slashing, and stabbing)

Stun Armor (Soft)



Model: FCF-F-RD (Soft)
Protection level: ≥24J, strong anti-slope puncture perf -ormance

Sting-Proof (hard)



Model: FCF-J-RD (rigid)
Protection level: ≥24J, strong anti-slope puncture perf -ormance

Breathable Stab-Proof Suit



Change the model to FCF-F-RD02 (Composite) Protection level: GA68-2008 "Police Anti Stab Uni form"

SKYBEES
Technologies Pvt. Ltd.

Amphibian Spikesuit



Model： FDY3R-HX
Model: FCF-FA-RD07 Protection level: GA68-2019 "Police Anti-Stab Armor"Class A, GB4303-2008 "Boat Life Jackets"

Tactical stab-proof suit



Model: FCF-FA-RD01
Protection Level: Class A, GA68-2019 " Police Anti-Stab Uniform"

New Soft Anti-Puncture Suit



Model: Ruidun FCF-FA-RD03
Protection Level: Class A, GA68-2019 "Pol ice Anti-Stab Uniform"

Body Armor III (Level 3)



Model： FDY3R-RD Material: 41 layers of high-performance polyethylene non-woven fabric (four layers of fibers arranged orthogonally) + 1 layer of 5mm thick foam

Tactical Armor



Model: Ruidun FDY3R-RD08
Material: The outer shell is made of high-strength nylon filament, with a PE bullet proof layer.

Full-coverage bulletproof vest II (Level 5)



Model： FDY5R RD
Material: 38-layer aramid UD+0.5mmPC+7.0 mm foam insert plate composed of 6.0 mm alumina and 8.00PE

Tactical Quick-Draw Armor



Model: Tactical Quick-Release Armor Protection level: 1-3
Features: Tactical gear includes high-intensity flashlight, extendable baton, tear spray, handcuffs, water bottle, dagger, tool kit, walkie-talkie, and body camera.

Quick-release bulletproof/ razor shield backpack



Model： JDZB-RD01
Size: 42×45 cm (width×height)

SKYBEES
Technologies Pvt. Ltd.

Floating Bulletproof Vest



Model: FDY3R-GTJH05
Bulletproof level: 3

Soft Stab-Proof Suit



Model: FCF-F-RD02
Protection level: 24J

Ultra-Light Stab-Resistant Suit



Model: FCF-FB-RD01
Protection level: 24J

Ultra-Light Bulletproof



Model: FDY3R-XH09
Bulletproof level: 3 Weight: ≤2.38kg

Bulletproof and Stabproof Suit



Model: FDC-2-RD
Protection level: 24J

Bulletproof Briefcase



Model: FDGWB-R-RD
Fold size: 440×395×90mm unfolding
Size: 830×410mm

Bulletproof Panel



Model: FDY6R-RD\FDB6R-RD
Protection level: 6

FAST Tactical Armor-Piercing Helmet (Mickey)



Model: FDK 02-11 RD
Protection level: Level II

Bulletproof helmet (non-metallic, aramid)



Model: FDK2F-RD-2
Protection level: Level II

SKYBEES
Technologies Pvt. Ltd.

Bulletproof Mask I



Model：FDM02-11RD
Protection level: Level II

Bulletproof Mask II



Model：FDM-RD02 Size：——

Bulletproof Helmet (Metal



Model：FDK2J-RD-1
Protection level: 2

FAST Tactical Riot Shield



Model：FBK-RD02-L
Size: Head circumference adjustment system (56-62cm)

Police Riot Helmet



Model：FBK-RD01-L
(Concave mask, flat mask, flat mask with mesh) Weight: ≤1.6kg

Police Duty Helmet



Model：QWK-L/QWK-L-RD01
Weight: 0.55kg (four eyes) and 0.7kg (eight eyes)

German-Style Service Helmet



Model: QWK-RD01 (Mask compatible)
Weight: 0.8kg

Chinese Armor



Model: Black Diamond
Specifications: Four modular configurations

Police Goggles



Model：HMJ-RD Size：——

SKYBEES
Technologies Pvt. Ltd.

Ride Helmet



Model：TK-C-RD01
Weight: ≤1.5kg

Bulletproof Mask II



Model：FDM-RD02 Size：——

Ride Helmet



Model：TK-C-RD03
Weight: ≤1.5kg

Ride Helmet



Model：TK-X-RD01
Weight: ≤1.5kg

Ride Helmet



Model：TK-D-RD01
Weight: ≤1.5kg

Ride Helmet



Model：DKTX-03
Weight: ≤1.9kg

Desert Locust-Style Goggles



Model：RD-HUJ203 Size：——

Bulletproof Goggles



Model: Ruidun FDHMJ-RD
Size：——

Police Polarized



Model：RD-PGJ01
Weight: 27.7g

SKYBEES
Technologies Pvt. Ltd.

Soft Bulletproof Shield



Model：FDP-3-S-RD Protection level: 3
Size：900×500（mm）

Wheel Shield



Model: Ruidun FDP4JL-RD
Bulletproof rating: Resistant to Type 51 steel-core 79mm light bullet Size 1200×500（mm）

Soft Bulletproof Shield



Model：FDP-3-S-RD02
Protection level: 3
Size：600×480（mm）

Tactical Bulletproof Shield



Model：RD-HZKC02
Protection level: GA-3

Rigid Bulletproof Sh ield



Model：FDP-5-S-RD Protection level: 5
Size：800×450（mm）

Folding Butterfly Shield



Model：FDP3FS-RD
Bulletproof level: 3Size: 820×735 (mm) (820×334 mm when folded)

Round PC Shield



Model：Y-FBP-TL-RD
Protection level: 147J Size: 500mm in diameter and 3.5mm thick

PC a Riot Shield



Model：FBP-TL-RD
Protection level: 147J
Size: 900×500× thickness 3/3.5mm

Combined Shield



Model：ZHP-RD
Size: 1200×500×3 (mm) (small)
1600×500×3 (mm) (large)

SKYBEES
Technologies Pvt. Ltd.

Golden Armor



Model: Black Diamond
Size: 55 × 55cm × thickness 2.0mmPC

Fiberglass Shield



Model：FBP-BL-RD01
Size:900×500×3 (thick) mm

Metal Blast Shield



Model：FBP-JL-RD / FBP-BS-RD02
Size：900×450×2.5（mm）

Multi-Functional Police Arm Shield



Model: FBP-J-RD01
Size: 550×315mm × thickness 3.0mm

Multi-Functional Police Arm Shield



Model：FBP-J-RD
Size: 675×307×2.5 mm (thickness)

Multi-Functional Police Arm Shield



Model：FBP-J-RD07
Size: 450×180×3.0 mm (thickness)

French Police Riot Shi eld



Model：FBP-TL-RD01
Size：900×500×3.5(mm) Model：FBP-TL-RD05 Size：1000×630×4.5(mm)

Multi-Functional Riot Tear Shield With Integrated Attack and Defense



Model：RD-CLDP01 Size：1000×570×3.0(mm)

Circular Electric Shi eld



Model: Round Electric Shield Size：diameter 500mm

SKYBEES
Technologies Pvt. Ltd.

New Standard Police Riot Shield



Model: FBP-TS-RD02
Size: 910×520×4 mm thickn ess, projection width 500 mm

Diamond Shield



Model: L-FBP-TL-RD
Size: 1000.0 × 576.0 (mm) (small)
1600.0 × 576.0 (mm) (large)

Tear/Shock Shield



Model: TBP-TL-C-RD Size: 500×900×3.0/3.5(mm)

Celox Hemostatic King(Arterial Hemorrhage Tre atment Specialist)



Model: Celox Hemostatic King (Arterial Hemorrhage Hemostasis) Wang) Main ingredients: chitosan

Police First Aid Kit



Model: RD-JJX01 Size: 310×205×185 (mm)

Frontline Police Personnel Epidemic Prevention and AIDS Prevention Equipment Box



2 pairs of disposable medical protective suits; 2 pairs of disposable sterilized isolation gowns; 10 disposable medical masks; 1 box of disposable medical protect ive gloves; 2 pairs of reusable medical latex gloves; 2 pairs of medical goggles; 1095% alcohol masks; 1 bottle of hand sanitizer; 1 bottle of medical disinfec tant alcohol; 1 box of disposable disinfectant wipes; 1 box of alcohol-based disinfectant tablets; 1 medical isolation gown; 1 portable UV disinfection device; 1 aluminum alloy container

Bunting



Model: Sleep Bag
Size: (190+30) ×75cm

Solo Tent



Model: Single (top) / Cotton (bottom)
Size: 2×0.7×0.9 m (sin gle) vs. 2×2×1.3 m (cotton)

Air Matting



Model: Air mattress
Size: 185×55×2.5(cm)

SKYBEES
Technologies Pvt. Ltd.

Instant Tent



Model: Quick-opening tent
Size: 230×193×145 cm (outer dimensions)
Internal account 210× 180× 130 (cm)

Police 24 m2 Tent



Model: Single/Cotton
Total volume: 0.34m

Police 12㎡ Tent



Model: Single/Cotton
Total volume: 0.084m³

Command Tent




Model: Command tent
Dimensions: 10m long, 6m wide, 4.14m ceiling height, and 1.8m edge height (m)

Tent



Model: Toilet tent Dimensions: 8m long, 3m wide, 2.56m high at the top, and 1.8m high at the edge.

Aluminum Alloy Stretcher



Model: 2/4 fold (top/bottom)
Size: 190×50×3 cm (2-fold) and 212×55×13 cm (4-fold)

Camp Bed



Model： RD-JYXJC
Size: 196×74×47 cm (expa nded) vs. 95×20×11 cm (folded)

Nylon Soft Ladder



Model: Nylon soft ladder Size: 18mm rope diameter, 35cm spacing between crossbars; 22 mm beam diameter, 35cm beam length. Customizable overall length.

Portable Metal Ladder



Model: Portable Metal Soft Ladder Size: Length is customizable

SKYBEES
Technologies Pvt. Ltd.

Folding Ladder



Model: RD-DLZT
Dimensions: Maximum span 5 79m, mini mum span 1 52m

Folding Ladder



Model: RD-ZDT03
size： -

Portable Stainless Steel Tele scopic Ladder



Model: Portable Stainless Steel Ex tension Ladder Size: Expand 3.8m, shrink 0.758m, beam width 48cm, pedal spa cing 29.5cm

Buoy



Model: RD-5556I Dimensions: Outer diameter 723 mm, inner diameter 456 mm, thickness (height) 95-115mm

Life Jacket Ⅰ



Model: RD-JSY
Size: 58×43 (cm)

Life Jacket Ⅱ



Model: HS-91-I
Dimensions: 560×340×140 (mm)

A Lifeline



Model: Lifeline
Size: Diameter 8mm, length 20m

Life Saving Ring and Floating Rope



Model: FHFS-RD01
Size: Diameter 8mm, length 30m

resuscitation cushion (with inflator)



Model: Rescue cushion (with inflator)
Dimensions: 8×6 meters / 6×4 meters, height 2.2 meters

SKYBEES
Technologies Pvt. Ltd.

Gas Mask I



Model: FDMJ-RD01
size： -

Gas Mask II



Model: HG-800
Weight: 520g

Fire Blanket



Model: RD-MHT Size:≥ 1.5m x 1.5m

Protective Glove



Model: RD-FST04
Weight: approximately 170g

Protective Footwear



Model: Anti-Virus Boots
Size: Large: 260g, Small: 240g

Conjoined Gas Mask



Model: RD-FFY03
Size: Thickness (mm) 0.34±0.05

Fire-Proof Suit



Model: GRF-RD-1000
Material: Aluminum foil composite flame-retardant fabric

Chemical Protective Clothing



Model: FHF-RD01
Weight:≤ 5kg/set

Heavy-Duty Chemical Protective Clothing



Model: Heavy Chemical Protective Suit
Weight: <7kg

SKYBEES

04

ANTI-EXPLOSIVE INSPECTION EQUIPMENT

Advanced Anti-Explosive Inspection Equipment for Threat Detection, Bomb Disposal & Safe Tactical Operations



www.skybees.com.pk

SKYBEES
Technologies Pvt. Ltd.

On-Site Evidence Investigation Box



Model: RD-HL03
Dimensions: 340×280×165 (mm)

Drug Testing Kit I



Model: RD-NJ-I
Size: 420×320×120 (mm)

Drug Testing Kit II



Model: RD-DPJCX
Size: 435×335×110 (mm)

Explosion Scene Investigation Kit



Model: KC-RD05 size： -

Traffic Accident Investigation Ki



Model: RD-JT-I size： -

Fire Scene Investigation Box I



Model: RD-HZKC01
Dimensions: 485 × 325 × 200 (mm)

Fire Scene Investigation Box II



Model: RD-HZKC02
Dimensions: 600×420×210 (mm)

Footprint Extraction Box



Model: RD-ZJ-VI
size： -

DNA Extraction Box I



Model: RD-DNA-IV
Dimensions: 600×420×210 (mm)

SKYBEES
Technologies Pvt. Ltd.

DNA Extraction Box II



Model: RD-WZTQ size： -

Forest Site Inspection Box



Model: KC-RD02 size： -

Urine Test Box



Model: RD-NJ-II
size： -

Portable Eight-Band Light Source

Model: Portable eight-band light source
size： -

Dual-Wavelength Multi-Band Light Sou rce



Model: JTX-T911A
Dimensions: 260×100×135 (mm)

Four-Color Survey Light Source



Model: Four-color survey light source i 灯总head2直1径2 42 mm barrel di ameter 28mm

Uniform Light Source for Surveying



Model: Uniform Light Survey Light Source size: total length 212 mm, lamp dia meter 42mm, body diameter 28mm

Hand-Held Ultra-Wide Beam Uniform Light Sur vey Lamp



Model: HW-HL24D
Dimensions: 215×80×110 (mm)

Hand-Adjusted, Multi-Functional Field Survey Light



Model: HWPD-II
i

SKYBEES
Technologies Pvt. Ltd.

High Power Multi-Function Xenon Light Source



Model: HWDGN-I size： -

Footprint Survey Light I



Model: RD-P01 Dimensions: 225×285×104 (mm)

Footprint Surveying Instrum ent II



Model: RD-P03
Size: 250×70×134 (mm)

Footprint Surveying Instrum ent III



Model: RD-P04
Size: 235×115×100 (mm)

Footprint Surveying Instrum ent IV



Model: RD-P05
Dimensions: 350×95×130 (mm)

Laser Type Evidence Display Instrument



Model: Laser Evidence Display Instru ment
Size: Laser size 560 × 350 × 230 (mm)

Multiband Light Source Meter



Model: Multi-band light source instru-ment Weight: 1kg

Microscope



Model: XWJ-RD
Total magnification: 3.36×-108×

Biological Specimen Finder



Model: Ruidun SW 6060W LED Purple Light Source 60W LED UV light source 60W LED blue light source

SKYBEES
Technologies Pvt. Ltd.

Ultraviolet Observation and Photography System



Model: Basic Utility (IW&3F)
Size: ——

Ultraviolet Observation and Photography System



Model: Digital Professional Enhanced (2 W&3F) Size: ——

Ultraviolet Observation and Photography System



Model: All-in-One Observation & Pho tography System (3W&5F)
Size: ——

Coaxial Light Camera



Model: Coaxial light camera
Size: ——

Full-Spectrum Field Evidence Collection Device



Model: Rui Dun FSFFI-RD01
Size: Main unit (lens included) 19.5×13.8×10.5cm

Portable Paper Fingerprint Instant Photo System



Model: HW-PFII Size: 350×220×80(mm)

On-Site Inspection Box Acc essories



Magnetic finger, fingerprint brush, palm print adhesive, traffic drawing ruler

Indandione and DFO Fingerprint Developing Cabinet



Model: HWXG-III
Dimensions: 655×430×325 mm (outer dimensions); 530×380×300 mm (smoke display area)

Ultrasonic Atomization Refers to the Palm Print and Footprint Display Device



Model: SOSENSE UFA-I
Size: ——


SKYBEES
Technologies Pvt. Ltd.

Microscopic Evidence Aspir-ator



Model: Micro Evidence Suction Device
Size：455×295×175（mm）

Electrostatic Precipitator



Model: Electrostatic adsorber
Size：250×170×50（mm）

Cell Phone Signal Blocker



Model: Phone signal blocker
Size：260w×140d×55HMM

Cell Phone Signal Detector



Model: Phone signal detector
Size：——

Police Vehicle Tracker



Model：RD-DWY02 Size：
130×72×20(mm)

4G Mobile Phone Location Sys tem



Model：4G-LTE Dimensions: The vehicle-mounted positioning host measures 52×40 ×12 cm, while the handheld single-soldier device is 20×25× 10 cm.

Pen Recorder



Model：ML-RD-01
Video resolution: 1280×720 Photo resolution: 1280×720

Flash



Model: Flashlight I
Function: Take photos, record audio and video, lighting, infrared night vision

Car Key Camera



Model：RD-MPYS01
Size: New Audi car key simulation 1:1

SKYBEES
Technologies Pvt. Ltd.

Camouflage Cap



Model： RD-SXM01
Pixel: 2 million CMOS

Watch Secret Recorder



Model： RD-MPSB06
Pixels: 1000W

Eyewear Recorder



Model： RD-MPYJ0
Size:Change various glasses, myopia, and sunglasses

Camouflage Cap



Model： RD-TSL-01/02/03/04
Pixel: 720P HD camera, photo

Portable Covert Reconnaissance Kit



Model： MPB-RD Size： ——

Anti-Abduction Capture Package



Model: Kidnap Arrest Kit
Size： ——

Helmet-Mounted High Single Soldier Communication Sys tem



Model： RD-KSBK-01
Resolution: 1080×720

Tactical Ballistic Reconnaissance Toolkit (Level 3)



Model： FDB3R-RD01 Size： 47×34（cm）

4G Single-Soldier Reconnaissance Sy stem



Model： RD-JQMP05 Size： ——

SKYBEES

05

CRIMINAL INVESTIGATION EQUIPMENT

Advanced Criminal Investigation Equipment for Forensic Analysis, Evidence Collection & Professional Investigations



www.skybees.com.pk

SKYBEES
Technologies Pvt. Ltd.



Portable Trace Explosive/narcotics Detector

Portable trace explosive/ drug det ect or

Product Presentation

» The portable trace explosive/ drug detector is a fluorescent polymer sensing technology, by swabbing or aspirating the sample, when the explosive molecule is detected, the fluorescence emitted by the polymer changes from bright to dark instantly, a product that detects the presence of explosive molecules in the environment by detecting the fluorescence intensity of the polymer.

Fluorescent Polymer Sensing Technology

Data item	Portable explosive/chemical trace detec tor	Domestic and foreign similar pro ducts	Domestic and international products
Core Technology	No radioactive source	No radioactive source	There is a radioactive so urce
Parsing time	3.5S	6S	10S
Detection limit TNT	≤20pg	≤50 pg	≤10 pg
Cooling startup time	≤3.5S	≤3.5min	≤10 min
Battery life per cell	≥8 hours	≥8 hours	≥4 hours
Sample mode	Inhale, wipe	Inhale, wipe	Inhale, wipe
False positive rate	≤0.5%	≤ 1.0 %	≤1.0%
Cleaning method	Self-cleaning	Self-cleaning	Self-cleaning
Verification mode	Voluntarily	Auto or Check Bar	Check bar
Operating ambient tem perature ℃	-20~55	-20~55	-10~55
Weight	0.87kg	≤1kg	≤2kg
Instrument contaminat ion	Low pollution (operator can handle)	Susceptible to pollution (requires professional treatment)	Susceptible to pollution (req uires factory return for resolu tion)

SKYBEES
Technologies Pvt. Ltd.



Portable Multi-Function Metal Detector

Portable multifunctional metal det ect or

Product Presentation

With the continuous outbreak of the new coronavirus epidemic in the world, it is concluded that the virus has the characteristics of human-to-human transmission, medical staff infection and certain range of community transmission, one of the main symptoms of the virus is abnormal body temperature, so temperature detection is particularly important. With the effective control of the epidemic in our country, all walks of life and all walks of life have been stable, large-scale human and personnel flow is coming. In the light of the requirements of the construction of the human body temperature monitoring and early warning management and control service in public health emergencies and the lack of the human body temperature measuring equipment, the hand-held multi-functional metal detector, which has been specially developed by our company, it can effectively solve the problem of body temperature detection in the process of security check, this product has the basic function of metal detection, adding the function of body temperature detection; It is simple, safe, intuitionistic and accurate to judge whether people have abnormal body temperature, take corresponding measures to prevent the flow of people with fever and improve the efficiency of emergency response

	Specifications
Power cons umption, ope rating freque ncy, operating current, opera ting temperat ure, net weig ht, and dimen sions	9 Foltaic cell (6F22
	ND) 270mW
	22 kHz less
	than 50mA
	-5°C-55°C
	450g
pack Size	4 10 mm×8, 0 mm×4, 5 mm, 50cm
	×28cm×4 5 cm (25 pieces per box),
	weight: 12.5 kg/13.5 kg

	Specifications
Measurement mode display, precision, ambient tem perature disp lay, unit cha rge display, backlight, memory group count	Non-contact infrared temperature
	measurement 0.1°C
	10～40 °C / 50～104°F
	The device features a low battery auto alert with three-color backlight, displaying temperature in Celsius (°C) and Fahrenheit (°F).
measuring range	32 sets of human body temperature and object temperature, with human body mode ranging from 32.0°C to 42.9°C and object mode from 0°C to 80°C.

SKYBEES
Technologies Pvt. Ltd.

Portable Security Door



Model： BXTCM-RD
Size: Height ≥2000 mm, Width ≥730 mm, Depth ≤910 mm Extension: Monitor body temp erature in real time

Mobile Security Gate



Model: Mobile security door Dimensions: 2220 mm high, 1000 mm wide, and 650 mm deep

Body Scanner



Model： RD-P03
Dimensions: Cabinet dimensions 2600×62100×62600 mm, access aisle di mensions 2600×6700×6300 mm Operating room 1150×6450×62250 (mm)

Pass-Through Metal Detector Door



Model： TCM-RD
Size: Height ≥2000 mm, Width ≥730 mm, Depth ≤910 mm Extension: Monitor body temp erature in real time

Floor-Standing X-Ray Machine



Model： TH-XS8065 Size： ——

Channel X-Ray Machine



Model： ARSENAL—XR5030
Penetration: 34 mm steel plate or better

Portable X-Ray Machine I



Model: Rui Dun RD-PXSI
Penetration: 30mm steel or 140mm al uminum

Portable X-Ray Machine II



Model： HWXRY-01
Penetration: 12mm steel plate

E-Reader I



Model: Ruidun TC120Probe distance: 1) Mechanical clock dev ice: 20-- 100cm 2) Electronic-mechanical device (H gear): 15-40cm 3） Electronic clock device (E mode): 1-5 cm Electronic remote control (H or E mode):3–10cm

SKYBEES
Technologies Pvt. Ltd.

Electronic Earpiece



Model： ZADT-I Nonlinear Node Detector Model: Nonlinear Node Detector Size: The detection mechanism for mechanical watches should be no less than 1200mm, for electronic clocks no less than 400mm, for LCD electronic watches no less than 400mm, and for cordless phones no less than 100mm.

Fluorescence Explosive Dete ctor



Model: Fluorescence Technology Explosive Detector Size: 266×112×138 mm with external hea ting head, 266×112×104 mm without external heating head

Nonlinear Node Detector



Model: Nonlinear Node Detector
Weight: 9.5kg

Long-range nonlinear node detector



Model： LN-36
Weight: <1.5kg

Nonlinear Node Detector



Model： LN-24 Size： 39×10×4（cm）

Channel X-Ray Machine



Model： ARSENAL—XR5030
Penetration: 34 mm steel plate or better

Hazardous Liquid Detection System



Model： RD-DL130
Size: 425 (width) × 302 (depth) × 187 (height) mm

Desktop Liquid Detector



Model: Kia 1000
Size: 460 (width) × 367 (depth) × 260 (height) mm

Hazardous Liquid Detector



Model： RD-R9 Size： ——

SKYBEES
Technologies Pvt. Ltd.

Portable Biological Warfare Agent Detector



Model: UPT-3A
Size: 32×20×22 cm

Dynamite Detector



Model: HD300
Sensitivity: nanogram level

Dual Probe Liquid Detector



Model: WB-151A Size: ——

Full-Spectrum Food Safety Rapid Detector



Model: FDC-PC Size: ——

Multi-Channel Veterinary Drug Residue Detector



Model: DY-3500 Size: ——

Raman Spectrometer



Model: RD-LMGPY01
Spectral range: 200-3900cm-1

Portable Raman Spectrometer



Model: RD-LMGPY02 Size: 180×95×38(mm)

Desktop explosive/narcotics detector



Model: Desktop explosive/narcotics detector
Size: 67.3×45.7×17.8(cm)

Portable Security Check Box



Model: ZHZ-AJX Size: ——

SKYBEES
Technologies Pvt. Ltd.

Handheld Metal Detector



Model： JTCY-RD
Size: 410mm long, 86mm wide, and 41 mm thick

Ring Metal Detector



Model： TC-J-RD01
Size: 400mm long, 140mm wide, and 30 mm thick

Metal Detector



Model： RD-6350
Size: 28×22cmDD detection disk

Handheld Metal Detector 160



Model： RD-PD140 Size： ——

Telescopic Arm Vehicle Un der Inspection Mirror



Model： CDKS-RD02 Size： 3000 （mm）

View Undercarriage Inspection Mirror



Model： CDKS-RD01
Size: 3.5-inch TFT digital LCD screen

Handheld Retractable Video Inspection Mirror



Model: Ruidun VD50
Size: Stretchable with a minimum length of 5m

Undercarriage Inspection Mirror I



Model: RD-JCY01
Size: Total length 155cm

Undercarriage Inspection Mirror II



Model： RD-HY2918JC
Size: 7-inch LCD display

SKYBEES
Technologies Pvt. Ltd.

Large Channel Vehicle Radiation Monitoring Sys tem



Model: Large-scale channel-type vehicle radiation monitoring system
Size: ——

Zoom Video Check Mirr



Model: RD-JCY01-C
Size: Adjustable from 90 to 360 cm

Mobile Undercarriage Inspec tion System



Model: RD-P05 Size: 350×95×130 (mm)

Fixed Vehicle Undercarriage Inspection Sy stem



Model: Fixed undercarriage inspection sy stem
Size: 1200×350×210 (mm)

Bomb Disposal Rope Hook Set



Model: Ruidun RD-MK4
Size: ——

Non-Magnetic Explosive Disposal Tool Set



Model: Ruidun PBGJZ-RD02
Size: ——

Explosion-Proof Blanket



Model: FBT-RD
Size: 120×120 cm for single fence cover, 160×160 cm for double fence cover

Trolley-type automatic flip cover explosion-proof tank



Model: FBG-RD02
Size: 100 (inner diameter) × 70 (opening diameter) (cm)

Explosion-Proof Can



Model: FBG-G1.5-RD
Size: Net height 800 mm, outer diam eter 665 mm

SKYBEES
Technologies Pvt. Ltd.

Ball Shaped Explosion-Proof Storage Tank With Casters



Model：JBG—750 Size：950×880×950（mm） Inner diameter φ750, outer diam eter φ530 (mm)

Bomb Disposal Suit



Model：RD-MK5
Weight: Blast-resistant suit with protective plates: 30kg; without plates: 17kg. Helmet with face shield: 4.8kg.

Sweep Bot



Model：SBF-RD
Total area: 2.13㎡ (excluding helmet and face mask) Total weight: 11.96kg (excluding helmet and visor)

Non-recoil explosive discharger (water ca nnon)



Model：JQW2007
Size: Total length 360 (mm)
The firing cartridge is 45 mm long.

Bomb Disposal Robot



Model：XBOT510
Weight: 830×550×430mm (claw closed)

Explosive Disposal Robot Arm



Model：HWJXS- II
Size: Total length 4.2m

Explosive Disposal Unit



Model：HW-38A
Size: Total length 450mm

Handheld Video Analyzer



Model: Handheld Video Analyzer
Size：120(W) X 75(D)X 110 (H) mm

Passbook Reader



Model: Passport scanner
Size：230mm×100mm×70mm

SKYBEES

06

TRAFFIC MANAGEMENT EQUIPMENT

Advanced Traffic Management Equipment for Road Safety, Traffic Control & Intelligent Mobility Operations



www.skybees.com.pk



RuiDun JTCY-RD02

Gas Alcohol Detector

GPS positioning alcohol det ect or

Functional Characteristics

- **The measuring results of the wine tester can be stored and the only serial number corresponding to the wine tester can be generated. The storage space of the wine tester can store at least 8000 measuring results, the stored measurement results can not be artificially modified**
- **The wine tester is equipped with a printing device, which prints out the serial number, time and measurement results of the measurement, and the printed test results are consistent with the displayed measurement results, and reserve the location of the test object and the operator's signature**
- **the measurement results of the wine tester can be transmitted to the computer synchronously through the corresponding interface, and has the function of continuous transmission Ethanol gas concentration（mg/L）0 . 080，Maximum allowable error（0~- 0 .040）mg/L Ethanol gas concentration（mg /L）0 .300，Maximum allowable error（0~- 0 .040）mg/L Ethanol gas concentration（mg /L）0 . 800，Maximum allowable error0~ - 10% Ethanol gas concentration （mg /L） 1 . 200， Maximum allowable error0 ~ - 10% Ethanol gas concentration（mg/L）2.200， Maximum allowable error（0~-0.400）mg/L**

display screen Size	Front Camera	Rear Camera
≥ 5 inches	800W pixel, 2448 × 3264 resolution	1300W pixel, 3120 × 4160 resolution

Continuous measurement inspection	preheating time	dedicated space	measuring range
S\ge 200S times (using built-in power)	≤15min	≥8000 items	0.000mg/L~2.000mg/L



JTCY-RD02

Police Portable Alcoholic Meter

Portable alcohol det ect or for police

functional characteristics

- non-contact blowing design, no need to change the nozzle.
- increase spiral dust cover, safety and hygiene.
- Built-in polymer battery, long standby time.
- USB DC 5V/1A input charging, convenient and fast.
- digital screen accurate display, clear and easy to read, easy to operate, and LED color lights color tips plus sound alarm.
- Aluminum alloy material, anti-fall durable.
- small and portable, does not take up space, one hand grasp, ready for use.
- can expand the function of window breaker, hammer head with high hardness tungsten steel, trapped in the car can easily break the window escape.

Wine spirit sensor type	cell	Charge	product Size
High-sensitivity smart sensor	Polymer Battery	USB charge	92×25×25 （mm）



Portable Sound and Light Alarm

Portable sound and light alarm

Product Presentation

» **This product with three side flash red and blue warning lights, at the same time with a button alarm sound, voice playback function. There are three main ways of use, with the use of tripod, fixed pole installation or side hanging on the highway guardrail. It is suitable for accident site, construction section, tunnel entrance, high-speed curve, plays an early warning role, reminds the vehicle and pedestrian to slow down, pay attention to safety.**

Box Size	Product weight	Battery capacity	Warning light color	Charging interval
255×280×490 (mm)	14kg	battery capacity	Red, blue	8-12 hours

Operate time	Working voltage	Working current	Usage mode
8-10 hours	12V	20A MAX	Mounting on guardrails or fixed poles using a tripod or hook

Alarm power	Visual range	Control method
100W	LED strobe warning light visible from 300-500 meters. Features manual light control switch, voice alarm switch, and remote voice content switching.	

SKYBEES
Technologies Pvt. Ltd.

Police Whistle Ⅰ



Model：JD-RD01
Material: Metal

Police Whistle Ⅱ



Model：JD-RD02
Material: Eco-friendly plastic

Electronic Whistle



Model: Ruidun RD-DZS Material: Aluminum alloy

Shoulder light (double row)



Model：JD-RD Size：78×35×31 (mm)

Shoulder Light (gravity Sensor)



Model：RD-JD02 Size： 85×37×32mm

Shoulder Light (gravity Sensor)



Model：RD-JD03 Size：——

360° Flash Warning Light Set



Model: 360° Flashing Warning Light Set Weight: ≤50g, worn around the police cap, lightweight and unobtrusive

Flash Warning Light



Model：RD-JD116
Size: Height 128 mm, Diame ter 116mm

Flash Barricade Warning Light



Model：JTJSD-RD
Size: 300×129 mm lamp body with 550mm folding height Maximum height 1640 mm

SKYBEES
Technologies Pvt. Ltd.

Multi-Function Safety Warn ing Light



Model: Multi-function safety warning li ght Size: Lamp body φ (35mm to 41mm) Height 158mm (178mm with strong magnetic base)

Emergency Alarm Light at the Accident Site



Model： SGBJD-1
Weight: 9kg

Traffic Light Control Bar



Model: Traffic light control bar Size: ¢ (37~41) * 338mm tube body handle ¢ 37*128 (mm) light tube ¢ 40* 160 (mm)

LED Red and Blue Command Stick



Model: LED Red-Blue Command Stick Size: Total length 260mm, rear width 40 mm

New Rechargeable Red and Blue Baton



Model： RD-ZHB01
Size: Length 483.2mm Outer diameter of the illuminated part 31.5mm

Lighting up the Baton



Model: Ruidun ZHB02-RD (window-breaking capab ility)) Size: 550mm length, 38mm handle diameter

Holding a Baton



Model： RD-ZHB003
Material: PC lamp body, ABS handle

Portable sound and light alarm"



Model: Portable Audio-Visual Alarm II Size： 535×285×190 （mm） Model： FYZJ-IIIA Size： 525×280×165 （mm）

Portable LED Traffic Guida nce Display



Model： RD-P10-1
Dimensions: 690×350×60 mm (Display) vs. 730×550×130 mm (Handbag)

SKYBEES
Technologies Pvt. Ltd.

Solar Warning Light



Model: Solar warning light Size: The solar panel measures 290×270 mm.

New Signage



Model： RD-P10-02 Size： 100×100(cm)

Traffic Enforcement on-Site Warning Sign



Model: Traffic enforcement on-site war ning sign Size: Reflective warning panel 660×415 (mm) (2 standard units, optional multi-unit combination) Reflective speed limit plate 390× 390 (mm) (red and white)

Expandable Clinical Inspect ion Warning Sign



Model： RD-YJ02-L
Size: Compact 780×380×12 (mm) Expand 780×380×1350 (mm)

Baton



Model： RD-STOP-1
Size: Total length 332 (mm), panel diam eter 158 (mm)

Rechargeable Flash Parking Sign



Model： RD-TCSYP
Size: Length 340 (mm), Disc diameter 180 (mm)

Intrusion Prevention System at the Accident Site



Model： RD-FC100 Size： 421×302×247(mm)

Alert Belt



Model: Type A/JJD-RD01
Size： 1200×50(mm)/600×75(mm)

Warning Pillar



Model： RD-JJZ01 Size: Total height 900 (mm) Shaft diameter 63 mm, chassis di ameter 320 mm, isolation band width 48 mm, length 3 m

SKYBEES
Technologies Pvt. Ltd.

Reflective Vest I



Material: Base mesh fabricLogo: "Police" and "POLICE" with police badgeFeatures: Resistant to deformation and wrinkling, good permeability, comfortable to wear; beautiful color and a certain visual warning effect Size: This reflective vest features a Velcro adjustment at the bottom reflective strip for easy size customization.

Reflective Vest I



Specialized Split Raincoat Set for Traffic Police



Model： RD-HZKC02
Material: Premium eco-friendly PU-coated Oxford knit fabric

Police Split Raincoat



Model： YY-RD01
Material: Oxford fabric double-coated raincoat

Fluorescent Raincoat



Model： RD-FGZQF01
Material: PU-coated polyester with flu orescent trim, lined with cotton

SKYBEES
Technologies Pvt. Ltd.

Reflective PU GI oves



Model: Reflective PU gloves
High-brightness reflective material with a reflectivity coefficient ≥400cd/(lx·㎡)

Reflective, Glow-in-the-Dark, Anti-Slip Gloves



Model: Reflective, Night-Light, Anti-Slip Gloves with Light-Saving Night-Light Material

Reflective Fluorescent GI oves



Model: Reflective Fluorescent Gloves
Warmth material, ultra-long fiber insulation comfort

SKYBEES
Technologies Pvt. Ltd.

Reflective Thin Gloves



Model: Reflective slim gloves with ultra-elastic fabric for lightweight comfort and breathability

Medical disposable protective clothing



Single-use isolation gown 1422A (Standard Edition)



Rechargeable Flash Parking Sign



33D Commuting Mask



Police mask



LED Light-Emitting Armband



SKYBEES
Technologies Pvt. Ltd.

Warm Ear Loops



Windproof and Cold Hat



Multi-Function Mask



Reflective Thermal Knee Cap (Extended)



Multi-Function Police Megaphone



Model: Rui Dun RD-HHQ-09/RD-HHQ
Size：270×162×220(mm)

Vehicle Inspection Box



Model：RD-SGKCB01 Size：——

Cone Series I



Model：Z-S-RD

SKYBEES
Technologies Pvt. Ltd.

Cone Series



Model：Model：Z-P-RD Size：50(mm)

Good Samaritan Alert Light



Model：GXX-ITG-S Size：——

Alcohol Detector



Model：JTCY-RD
Size:2.8-inch color touch screen

Alcohol Test Stick



Model: Alkohol test stick
Measurement mode: Quick screening, automatic suction

Alcohol rapid screening device



Model：CA2000
Check range: 0.00 to 0.40%BAC
or 0.00∽2.00mg/ml

Vehicle GPS



Model: Ruidun RD-CZDWQ
Size：115×22×57（mm）

Handheld Locator



Model: Ruidun GISAS10
Size: 3.7-inch high-brightness touchs creen

Laser Distance Measuring Instrument



Model: Rui Dun RD-KS850
Zoom: 6x

Portable Two-in-One Radar Speed Detector



Model: Carportable dual-purpose radar speed detector Function: Automatic capture of two-way speeding vehicles It can be carried and placed on a tripod by the roadside

SKYBEES
Technologies Pvt. Ltd.

Illegal Parking Multi-Camera Capture and Evidence System



Model：CS-01-TKY Ⅰ

Road Adhesion Coefficient T



Model：SFZ-1 Size：300×200×200（mm

Metal Flaw Detector



Model：WTS-100B
Scan thickness range: 0 to 50 (mm)

Police Simulator



Model: Simulated Police
Size: 185cm (male)

Mock Police Car



Model: Police car Size: Police car

Police Patrol Bike



Model: Police patrol bike Size: 24 inches

Patrol Balance



Model: Patrol Balance Vehicle Size:
90×58×80–110 cm

Police Patrol Electric Vehicle



Model：RD-JBDDC
Size: 195cm long, 65cm wide, 130cm high

Police Patrol Car



Model：ZY-QC-X02 Size：
3300×1250×1710(mm)

SKYBEES

07

COMMUNICATION SYSTEMS

Advanced Communication Systems for
Secure Connectivity, Tactical Coordination &
Mission-Critical Operations



www.skybees.com.pk

SKYBEES
Technologies Pvt. Ltd.



RuiDun RG210-A

Smart Cloud Mirror

Multifunctional law enfor cement back clip

Core performance

» **Using array optical waveguide display technology, monocular imaging, taking into account both AR display and naked- eye observation, simple and portable, to achieve law enforcement officers free hands of the first visual angle audio, acquisition and intelligent analysis of people and vehicles early warning, built- in high quality noise reduction, microphone, pick- up, high fidelity voice, and support for full voice interaction mode, hands- free, providing front- l ine staff work efficiency**

Processor	Cortex - M4
Camera lens	8 000 megapixel zoom camera
optical de	Array Lightwaveguide
sign, field	≥ 40°
of view,	≥ 85%
light tra	≤ 90g
nsmittance,	nsmittance,
weight	≤ 3 . 0mm
Cable diam	LCoS display technology, 720P resolution, 60fps refresh rate, 480 nits eyefriendly brightness, microphone, speaker, power button, back button, touchpad
eter, mi	USB, Type-C port
cro disp	Touch control, voice control, head control
lay, input/	IP67
output	≥ 3m
interface	- 10°C± 2°C~＋ 50±2°C
interaction	
mode,	
protection	
rating,	
imaging	
range,	
environ	
mental	
adaptabil	
ity	

SKYBEES
Technologies Pvt. Ltd.



XR560

Wireless Duplex Intercom

Wireless duplex int er com

Product Presentation

» **X R560 is based on the police industry to build a professional internal telephone system, can achieve fullduplex communication, with keyless, hands-free function. The commander was able to communicate freely, with the field personnel, and also allowed the personnel, to be divided into groups, according to the departments, and each group could communicate freely in both directions without affecting the other departments.**

Full-duplex multi-party call

It supports 8-way real-time voice calls in the same channel, allowing simultaneous speaking and listening like a phone call. In emergencies, you can interrupt at any time, whether someone is speaking or not.

Keyless call

Within the same channel, eight people's microphones can be kept on in real time. Employees can communicate with members in real time without pressing any buttons, improving convenience and security.

transmission distance

The transmission range is 2000 meters. Common residential buildings, commercial buildings and other non-metallic walls such as cement, gypsum, brick, concrete and adobe are not less than 6 floors.

cell	communication	transmission distance	Call method
Lithium battery 3.7V capacity 5000mAh	Encrypt 32-bit numeric communication password	≥2000m	Keyless call

SKYBEES
Technologies Pvt. Ltd.

Handheld Resident ID Card Reader



Model: CVR-100P Size: 85×18×170 (mm)

ID card reader



Model: CVR-100U Communication distance: ≤ 3m (open, unobstructed area)

Holding a handheld terminal



Model: RD-WVHT Size: 4-inch 480×272 dot matrix TFT touch screen

Single Police Law Enforcement Audio and Video Collec Station



Model: JS-001 (left) / ZCS-ZXAL1-6 (right) Size: 19-inch touchscreen

4G Dashcam



Model: N9 Size: 114g (thin battery) and ≤ 195g (thick battery)

Single Police Law Enforcement Video Recorder



Model: DSJ-ZXAN4A1/DSJ-ZXAN5A1 Size: ——

Information Integration Collector



Model: HA-BICS-V1.0 Size: ——

Law EnTranslate forcement De



Model: Ruidun RD-DST Size: ——

Dual Screen Translator



Model: Ruidun RD-FYJLY Size: ——

SKYBEES

08

DRIVERLESS SYSTEMS

Advanced Driverless Systems for
Autonomous Surveillance, Tactical Mobility
& Mission-Critical Operations



www.skybees.com.pk

SKYBEES
Technologies Pvt. Ltd.

Quadcopter



Model: Rui Dun RD-MX4RU Size: 931mm ±2mm long and 924mm ±2mm wide Folded length 450mm± 2 mm, width 323 mm±2 mm

Unmanned Aerial Vehicle II



Model: A700 Police Patrol Edition MC6
Size：900×730×400（mm）

Unmanned Aerial Vehicle III



Model: A700 Police Patrol Edition X 1550
Size：700×700×300（mm）

Autonomous Lifeboat



Model：SJQ-RSK-180
Size：200×70×15（cm）

Security Bot



Model：ANBOT-2 Size：——

Patrol Bot



Model：APV-S Size：——

On-Site Handling Robot



Model: MD-1000
Size：——

Underwater Detection Robot



Model：RD-AD123 Size：——

Underwater Rescue Robot



Model：RD-ROV Size：1296×481×379（mm）

SKYBEES

09

Drone Countermeasure

Advanced Drone Countermeasure Systems for UAV Detection, Threat Identification & Tactical Protection



www.skybees.com.pk

SKYBEES
Technologies Pvt. Ltd.



RD-MIC-XII

Single Soldier Portable Unmanned Aircraft Countermeasure Device

Individual portable U AV count er control device

Product Presentation

With the rapid development of electronic industry, the field of UAV applications has been expanding in recent years, UAV“ Black flight”, “Attack” and other frequent incidents, causing great security risks. In the face of the occasional “ One Hour Photo ”, ensuring public safety at important occasions is urgent. The US has banned the taking off and landing of drones at important occasions, and a no-fly zone has been imposed on every area. RD-MIC-XII is a man-portable UAV countermeasures device, by cutting off the UAV and remote control communication links, as well as the UAV's GPS signal, to drive away, landing effect, to build “Air barrier ”, effectively ensure the safety of low altitude airspace in the target area

emission	CH1:(2400 - 2483 . 5)MHz CH3:(1575 - 1606)MHz
frequency	CH2:(900 - 930)MHz CH4:(5725 - 5850)MHz
Size We	Length: 435mm, Width: 208mm, Th
ight La	ickness: 75mm, Weight: ≤ 2.0kg (ex
unch An	cluding battery and charger), Mini
gle	mum Angle: 45°
Counter di	GPS interference is not enabled. The signal strength is ≥1100 m.
stance	GPS interference activation mode ≥1300 m
Reaction	≤ 4s
time tra	≤ 8W
nsmission	≥ 50min (do not replace battery)
power	≥ 48h
Battery life Battery standby time Power supply mode adaptation	Built-in 4000mAh battery (with 1 spare), compatible with external DC28V adapter. Operating temperature: (-20 to 55°C).

SKYBEES
Technologies Pvt. Ltd.

Lightweight Drone Counter measure



Model：RD-LR-M Size：320×157×75（mm）

Drone Interceptor (Pistol Type)



Model：RD-LR-3 Size：390×70×200（mm）

Full-band wireless shield (5 G)



Model: Ruidun RD-PBY5G-02
Size：630×500×300（mm）

Portable Drone Interception System



Model：RD-LJXT-01 Size：688×100×212（mm）

Defense-Oriented UAV Jammer



Model：RD-LJXT-UAV
Size：690×30×250（mm）

Multi-band Electronic Lockdown Interference Dev ice (Integrated Bomb Disposal/Interference System)



Model：RD-HZKC01 Size：
498×356×220(mm) 490×228×105(mm)

Vehicle-mounted drone interception system



Model：RD-CJXT-01 Size：
550×550×450(mm)

Drone-controlled electrom agnetic containment (elect romagnetic fence)



Model：RD-AD123 Size：——

Drone Omnidirectional Inter ception System



Model：RD-GRY-01 Size：
630×500×300（mm）

SKYBEES
Technologies Pvt. Ltd.

Drone detection and cou ntermeasure system



Model： RD-ZCFZ-LQI Size： 555×555×441(mm)

Single Soldier Portable UAV Countermeasure Equipment



Model： RD-MIC-X1 Size： 300×230×61（mm）

Drone Laser Blinder



Model: 200-2000MW Power Range with Multiple Options Se- lect size: 150×85×45 (mm)

Low-Altitude Detection Radar Equipment



The low altitude detection radar is an azimuth- scanning, pitch -frequency-scanning, pulse-Dop ler 3-d radar designed primarily for low-altitude aircraft and the ground, moving vehicles, personnel and vessels to detect and locate. The radar can detect the space position of the target accurately, and connect with the photoelectric system. It can be cascaded with countermeasures such as jamming, laser weapon, navigation, decoy and so on. System features (1) Modular design: Modular design is adopted in both the radar telecommunic - ations system and the mechanical structure. Only need to change the antenna and back end signal processing algorithm, update integrated management, software system configuration canbe suit - able for a variety of work mode switching. All-solid, all coherent, portable surveillance radar: Ku-band all-solid-state TD R module, fractional- order Fourier transform digital signal processing techno - logy. 3. Small signal detection in strong clutter background: for radar clutter characteristics and target echo characteristics, adaptive clutter suppression algorithm, adaptive target matching algorithm and tracking algorithm before detection are adopted inthe system design. 4, fully automatic, all-weather work: the radar system can be unattended, reducing the difficulty of work, but alsoto avoid electromagnetic radiation interference on the operator, with, flexible deployment, fully automatic, all-weather features. 5, Strong Adapta -bility: the product uses the integration design, the volume is small, the weight is light, may carry, the tripod erects, the fixed installation, is suitable for the important gathering, the local comprehensive distribution defense, and so on each kind of application scene.

Model： TJR-3K1B Size： ——


Multi-Band UAV Countermeasure System

Interference frequency band S\starS	800M, 900M, 1.2GHz, 1.5GHz, 2.4GHz, 5.8GHz
Interference Mode	Emergency landing, ret urn
Interference radius (m)	≥800m
Transmitting power	≥30dBm in any frequency band
Power output adjustment	Supports transmit power adjustment
Distraction direc tion	Omnidirec tional
Body weight (including a set of batteries)	≤ 30 kg
Maximum body length (excluding antenna)	≤ 100 cm
Battery standby time	≥240h
Standard battery	At least 2 groups
Telecontrol	It can be controlled remotely with a remote control
Levels of protection	≥IP55
Power adaptability	Alternating current can be used to power the device
Interference Adaptation	In addition to GPS frequency bands, it can interfere with BeiDou and GLONASS satellite positioning signals.
Compression distance ratio	≥10
Response time	≤10s

SKYBEES

10 Single Police Equipment

Advanced Police Equipment for Law Enforcement, Personal Protection & Tactical Operations



www.skybees.com.pk



RD-DRB-P

Secondary Constraint Band

Disposable r estraint band

Product Presentation

- The secondary constraint has two wristbands and one leg ring.
- Two hands and one foot can be tied to the back of the body at the same time to restrict the person's ability to move.
- Adjust the size of wrist and leg bands with snap fasteners
- Use a professional rope cutter to cut the disposable binding strap during loosenin

Weight	Body width	Tensile strength	Maximum diameter of unilateral binding
≤ 20g	≥ 8 mm	≥1400N	≥110 mm

Acclimation	Operative norm
- 20℃~50℃	《GA 814 -2009 Police restraint belt



Smart Pledge Electronic Handcuff

Intelligent escort electronic hand cu ffs

Core performance

Real-time accurate positioning/historical track inquiry/ automatic alarm when the distance between the prisoner and the police exceeds the preset value/ electronic fence function/one-button emergency alarm function/directional voice alert functi - on/handcuffs and alarm card low-voltage alarm

System composition



Electronic handcuffs: handcuffs and alarm card



Management Platform: PC side and mobile side



Hand-held terminal

Product Presentation

Based on satellite positioni ng technology and UWB ranging technology, the intelligent escort electronic handcuff management syste m is designed for the process management and security monitori ng, it is mainly embodied in “ Preve nting escape ”, “ Assisting pursu i t ” and “ Be nefiti ng management ”. “ Prevent escape ”is th rough real- t i me positioning, over- distance alarm function, when the distance between the police and prisoners is greater than the preset value, alarm card will automatically voice alarm to alert the police on the scene. “ Assist in pursuit ” means that when the crim inal escapes, the on- site control police can send the alarm signal to the command center management platform th rough the alarm card one- click eme rgency alarm function, and report the alarm information in ti me. “ Manage ment- fr iendly ” means that the intelligent management syste m of out- bou nd escort realizes real- t i me and effective control ove r out- bound prisoners, which greatly improves the security of out-bound escort.

SKYBEES
Technologies Pvt. Ltd.

Extendable baton (stainless steel)



Model： G RD01 Size: Collapsed length 200±5 mm, extended length ≥ 530 mm, grip diameter 28±1 mm

New retractable baton



Model Size: Portable (G1 RD) 192-413 (mm) Model: SSG-A-C-RD Base (G2 RD) 224-508 (mm) Size: Collapsed length 260 (mm) Enhanced (G3 RD) 224-508 (mm) Extended length 600 (mm)

Second-Generation Telescopic ton



Police Standard Tools



Model： D RD Size： ——

Teardrops



Model： C RD01 Size： Φ35×150 （mm）

New Bid Order Tear Spray



Model: Horizontal Injection C1 RD / Vertical Injection C2 RD Size： Φ38×177(mm)

Bright Flashlight



Model: SRD type / SHH Size： ——

New Standard Strong Light Flashlight



Model： S1 RD Size： Φ26×150 （mm）

New Tactical Spotlight Flash light



Model： S2 RD Size： Φ28.5×154.6 （mm


SKYBEES
Technologies Pvt. Ltd.

Police Thermal Water Bottle



Model：HRD Size：Φ70×200(mm)
Volume: 0.5L

Multi-Functional Belt



Model: YD-P-RD (Co- rtical) YD-NL-RD (Nylon) Size：1100～1400（mm）

Multi-Functional Belt



Model：YH RD Size：——

Multifunctional Digital Display Police Emergency Power Supply



Model：DY01-RD
Applicable to: 5V ge neral electronic equipment 12V automotive igni tion

Portable fire extinguisher (aerosol)



Model：RD-QRJMHQ Size：Φ53×242（mm）

Police



Model：RD-JS-04 Size：5(m)/8(m)

Police Equipment Pack



Model：ZBB-RD01 Size：56×39×18(mm)

Police First Aid Kit



Model：JJB-RD01 Composition: Nitroglycerin tablets/ Band-Aid/ Rubber tourniquet/ Sterile gauze, padded emergency bandage, mouth-to-mouth resuscitation mask, alcohol-based disinfectant wipes, antibacterial wet wipes, small scissors, and safety pins

Police Sun Hat



Model：ZYM-RD
New design, can be used with glasses

SKYBEES
Technologies Pvt. Ltd.

Bullet



Model： QG-1T-RD
Load-bearing capacity: ≥25kg

Metal Handcuffs




Model： SK-T-J-RD Material: 65 (mm) high carbon cold gadolinium steel plate

New Standard Police Handcuffs



Model： K1 RD Size: Minimum open size 55 (mm), ring diameter 50-80 (mm), total len gth 240±3 (mm)

One-Time Handcuffs



Model: Disposable handcuffs
Size： ——

Thumb Bracelet



Model: Thumb handcuffs
Size： ——

Board



Model： SK120-B-RD Size：

Chain Handcuffs




Model： SK-T-J-RD02
Size： ——

Multi-Chain Lock



Model: Multi-functional chain lock
Size： ——


Light Leg Irons



Model： JL600-J-H-RD02
Size： ——

SKYBEES
Technologies Pvt. Ltd.

Lightweight Handcuffs



Model: Lightweight handcuffs with in tegrated arm and leg straps
Size： ——

Heavy Handcuffs on Hands and Feet



Model: Heavy-duty handcuffs with int egrated leg and arm restraints
Size： ——

Heavy Ankle Guards



Models: JL590-L-H-2KG-RD and JL-JC-600-RD; Standard: GA/T237-2005 (Metal Leg Iro ns) GA 237-2018 Metal Leg Irongs

Anti-Escape Bracelet



Model: Anti-escape bracelet
Set the range: near, medium, and far (5-20 meters) with high-decibel alarm and flashing warning lights

Smart Electronic Foot Buckle System



Model: Smart Electronic Foot Clasp System Size： 96×58×99(mm)

Police Full-Body Restraint



Model： YSD-L-RD01 Size: 50 to 60.3 mm wide, available in S, M, and L sizes

Cortical Hand and Foot Rest riction Band



Model： RD-YSD06 Dimensions: Main strap measures 1130 mm in length, 40 mm in width, and 2 mm in thickness, with a 2.5 mm wire diameter for the metal fasteners. 47×47 mm metal needle clip

Oxford Hand and Foot Restr aints



Model： RD-YSD02
Size: Standard size

New Beam Arm Constraints



Model： YSD-L-RD02
Size: 151 cm long and 50 cm wide

SKYBEES
Technologies Pvt. Ltd.

New Leg Strap



Model： RD-YSD05
Size: 90cm long and 26cm wide

New Constraint Blanket



Model: Ruidun RD-YST02
Size: 160 cm long and 185 cm wide

Binding Blanket



Model： YST-RD Size： 171.5× 100(cm)

Camisole



Model： YSY-RD
Size: Standard size

Stainless Steel Restraint Bed



Model: Stainless steel restraint bed Size: 200×120 cm Bed height 50 (cm) The height of the head of the bed is 86 cm and the height of the foot of the bed is 66 cm

Wine Rest



Model: Wake-up chair Size: 1800×560×1020 mm

Interrogation Chair I



Model: Interrogation chair
Size: 560 mm wide, 1020 mm high, and 680 mm front-to-back length

Interrogation Chair II



Model: Ruidun XWY-RD
Size: 560 mm wide, 1020 mm high, 680 mm front-to-back

Interrogation Chair III



Model： RD-SXY04
Size: 560 mm wide, 1020 mm high, and 680 mm front-to-back length

SKYBEES
Technologies Pvt. Ltd.

Interrogation Chair (metal)



Model： RD-SXY03
Size: 560 mm wide, 1020 mm high, and 680 mm front-to-back length

Interrogation Chair (stainless Steel)



Model： RD-SXY01
Size: 560 mm wide, 1020 mm high, and 680 mm front-to-back length

Inquest Chair (imitation Rosewood)



Model： RD-DP-I Size: 560 mm wide, 1020 mm high, 680 mm front-to-back

Steel Fang (Bank-Only)



Model： G RD05 Size: 28 mm in diameter, 45/50 cm in length

Wolga Rubber Baton



Model： RD-001
Size: 470 mm (handle diameter 30 mm) and 490 mm (handle dia meter 33 mm) 500 mm long, 35 mm handle diameter

T-Shaped Telescopic Steel Rod



Model： TSS-RD Size: 605 mm (expanded) to 330 mm (contracted)

Special Police Steel Rod Rubber Baton




Model： RD-011
Size: 28 mm in diameter, 63 cm in length

Rubber Long Baton



Model： RD-021
Size: 75,85,95 (cm)

Anti-Terrorism Steel Rod Rubber Baton



Model： RD-018
Size: 30 mm in diameter, 546 mm in length

SKYBEES
Technologies Pvt. Ltd.

Straight Rubber Baton



Model：RD-004
Size:diameter 30 (mm), length 500 (mm)

Cantonese Rubber Baton



Model：JG-RD009
Size:28 (mm) in diameter, 510 (mm) in length

PU American-Style Baton



Model：RD-022 Size：——

T-Shaped Rubber Baton



Model: TJG-RD/TJG600-RD
Size: 30mm diameter (610mm long) and 31mm diameter (560mm long)

ABS riot baton



Model：RD-023 Size：
45/50/535/550/600/850/120(cm)

Lipstick-Style Defense Spray I



Model：RD-SD-S1/RD-SD-S2
Size：Φ22.3×86.5mm（3.8mL）

Lipstick Defense Spray II



Model: C RD Mist/Spot/Con-tinuous

Key-Activated Tear Spray



Model：C RD Size：Φ35×99(mm)

Police Tear Spray Series



Model：C RD Size：Φ35×95mm（40mL）
Φ35×118mm（60mL） Φ35×132mm
（90mL） Φ35×150mm（110mL）

SKYBEES
Technologies Pvt. Ltd.

Export Tear Spray Series



Model: Export Tear Spray Series
Size: ——

99 Special Police Combat Training Vest



Model: RDZ03 Size: ——

99-Style Special Police Mesh Combat Training Vest



Model: RDZ04 Size: ——

Tactical Vest



Model: RD-TJBX04 Size: ——

Tactical Vest (with bulletproof insert)



Model: RD-ZSBX05 Size: ——

New-Style Jungle Camouflage for Armed Police



Model: RD-ZSBX06 Size: ——

New-Style Jungle Camouflage for Armed Police



Model: Modern Armed Police Jungle Camouflage
Size: ——

Tiger Camouflage Tactical Vest



Model: RD-ZSBX07
Size: ——

Tiger Camouflage Tactical Vest



Model: Tiger Camouflage Tactical Vest
Size: ——

SKYBEES
Technologies Pvt. Ltd.

Police Belt



Model：YD-RD Size：——

Triangular Band



Model：RDZ03 Size：——

Police Outer Belt



Model：JYD-RD01 Size：——

Weave Waistband



Model：RD-NYD02 Size：110-140(cm)

99 Special Police Combat Training Belt



Model：RD-YD02 Size：——

99 Special Police Combat Boots



Model: Type 99 Special Police Combat Boots
Size：——

99 Special Police Combat Cotton Boots



Model: Type 99 Special Police Combat Cotton Boots
Size：——

07 Combat Boots



Model: 07 combat boots
Size：——

999 Training Shoes



Model：ZXX-RD01 Size：——

SKYBEES
Technologies Pvt. Ltd.

Training Boot



Model：RD-ZSX02 Size：——

Type 07 Combat Boots



Model：RD-X03 Size：——

Combat Gloves



Model：RD-ST03 Size：——

Combat Gloves



Model：RD-ST01 Size：——

Black Hawk Combat Gloves (Full Fing



Model：RD-ST05 Size：——

Black Hawk Combat Gaiters (Half Finger)



Model: Black Hawk Combat Gloves (Half-Finger)
Size：——

Super Tech Tactical Gloves



Model: MECHANIXM-PACT half finger
Material: 0.5mm ultra-thin wear-resistant suede fabric

Super Tech Tactical Gloves



Model: MECHANIXM-PACT Full Name
Material: 0.5mm ultra-thin wear-resistant suede fabric

OJ Combat Gloves (Half-Finger, Full-Finger)



Model：RD-OJ007 Size：——

SKYBEES
Technologies Pvt. Ltd.

Special Police Anti-Terrorism Headgear



Model： T-RD Material: Pure cotton fabric, milk silk fabric

99-Style Special Police Elbow and Knee Guards



Model: Type 99 Special Police Arm and Knee Protectors Material: Polyurethane protective shell with high-elasticity EVA lining

Hard Elbow and Knee Guards



Model： RD-HYHJ01
Material: Reinforced Oxford nylon

Diamond Elbow and Knee Pads



Model： HZHX-RT Size: Elbow protector 17×14×7 cm 护膝19.5×16×8.5(cm)

92 Holster



Model： RD-KBQT92-01/RD-KBQT92-02
Material: Plastic steel

92/92G Quick-Release Universal Cartridge Case



Model： RD-KBQT92G01
Material: Plastic steel

92G Quick-Release Cartridge



Model： RD-KQT92Y/RD-KQT92X
Material: Plastic steel

77 Plastic Gun Case



Model: 77 PVC Steel Gun Case
Material: Plastic steel

Plastic Gun Stock



Model: Plastic Steel Revolver Cartridge Case Material: Plastic steel

SKYBEES
Technologies Pvt. Ltd.

92G Quick-Release Cartridge Case (Waist-Leg Interchangeable Design)




Model： RD-KQT92YT02
Material: Plastic steel

92G Quick-Release Leg Gun Case (with mag azine insert)



Model： RD-KQT92T
Material: Plastic steel

92 Plastic Leg Cover



Model: 92 Plastic Steel Leg Cover
Material: Plastic steel

92 Single Row Magazine Sle eve



Model： RD-DXT92D01 RD-DXT92D02 RD-DXT92D03 (from left to right)
Material: Plastic Steel

92/92G Universal Magazine Sleeve (Single Row)



Model: RD-DXT92T01 (top) RD-DXT92T02 (Lower) Material: Plastic St eel

Plastic Steel 64 Clip-on Sleeve



Model: Plastic Steel 64-Piece Clip-on Sleeve
Material: Plastic steel

64 Plastic Gun Case



Model: 64 Plastic Steel Gun Case
Material: Plastic steel

Extendable Baton Sleeve



Model: Extendable Police Ba ton Cover
Material: Plastic steel

Plastic Tear Sleeve



Model: Plastic Steel Tear-Off Cover
Material: Plastic steel

SKYBEES
Technologies Pvt. Ltd.

Plastic-Steel Flashlight Cover



Model: Plastic Steel Light Handle Cover
Material: Plastic steel

ESP Stab



Model: ESP Stab
Material: Plastic steel

Keret Police Briefcase



Model: Cortical Police Briefcase
Size: ——

Special Forces Assault



Model: RD-TJGJB
Size: 50cm high, 36cm wide, 20cm thick

Bike Equipment Box



Model: ZZB-RD04
Material: Oxford cloth

Special Forces Multi-Function Backpack



Model: RD—ZMB0 Material: 1800D waterproof breathable fabric

Police Suitcase



Model: RD-DGNB01 Size: 30×21×25 (cm) 38×25×40 (cm) Color: Black

Special Police Combat Training Gas Mask Pack



Model: RD-MJB01 Material: Waterproof nylon canvas

Portable Equipment Pack



Model: ZZB-RD06 Size: 230×250×80 (mm)

SKYBEES
Technologies Pvt. Ltd.

Training equipment (handlebars, footr-ests)



Model：XL-RD-2M/N Size：——

Boxing Glove



Model：XL-RD01 Size：——

Sanda Gear



Model：SHJ-RD Size：——

Celebrity Training Suit



Model: Instructor uniform/Trainee uniform
Size：——

Solid Sandbag



Model：ZZB-RD04
Material: Oxford cloth

Training Set (Stick/Shield/Combat Mat)



Model: Stick/Shield/Combat mat Size: Stick-62 cm long with a diameter of 5 cm Shield-75×55×10 cm Sanda mat-200 × 100 × 5 cm

Rubber Training Model Gun



Models: Type 81, Type 95, Type 79

Rubber Training Model Gun



Models: Type 77, Type 64, Type 54, Type 92

Rubber Training Equipment



Model: shovel, grenade, axe, kitchen knife, brick

SKYBEES

11 OPTICAL DEVICES



Advanced Optical Devices for Surveillance, Target Observation, Night Vision & Precision Operations



www.skybees.com.pk

SKYBEES
Technologies Pvt. Ltd.

Ship-Mounted Photoelectric Tracker



Model: HEOT-500 Size: Φ408×570 (mm)

Shipborne Photoelectric Reconnaissance and Evidence Collect ion System



Model: HEOS-410 Size: Φ408×570 (mm)

Shipborne Photoelectric Reconnaissance System



Model: HEOS-600 Size: Φ600×900 (mm)

Airborne Photoelectric Reconnaissance Sys tem I



Model: FEOS-140 Size: Φ140×190 (mm)

Airborne Photoelectric Reconnaissance System II



Model: FEOS-220 Size: Φ220×295 (mm)

Airborne Photoelectric Reconnaissance System III



Model: FEOS-410 Size: Φ408×570 (mm)

Anti-Drone Electro-Optical Tracking System



Model: Anti-drone electro-optical tracking system Size: Φ408×570 (mm)

High resolution photoelectric reconnaissance system with wide field of view



Model: Wide Field High-Resolution Photoelectric Reconnaissance Sys tem Total pixel resolution: 40 to 100 million

Remote optical monitoring system



Model: Remote photoelectric monitoring sys tem Size: 760×590×800 (mm)

SKYBEES
Technologies Pvt. Ltd.

Infrared Search and Tracking System



Model: Infrared Search and Tracking System Size：550×430×620（mm）

Weapon Station Sight Unit



Model: Weapon Station Sight Unit Size：200×260×310（mm）

Precision Tracking Video Tr acker



Model: Precision Tracking Video Trac ker Resolution: 1280×1024

Targeted loudspeaker sy stem

Model：FEOS-140 Size：Φ140×190（mm）

Self-Propelled Reconnaissance Vehicle



recon naissance vehicle Size: Closed 135mm×115mm, Working 165mm×115 mm Sphere weight: 1.25kg

Full HD Ultra Long Distance Color Starlight Night Vision Camera



Model：RD-JK67D-300 Recognition distance: 700 m during the day and 200m at night in total darkness 300M strong ba cklight at night

Full HD Ultra-Long-Range All Environment Panoramic Laser Night Vision Multi-Purpose Deployment System



Model：RD-4GQ-222RM Recognition distance: 6000m du ring the day and 2000m at night

Handheld Directional Sound Wave Disperser



Model：RD-DXQS Coverage: 1 km

Model：RD-4GJK-70Q Recognition distance: 2000 m during the day and 200m in low light at night

SKYBEES

12 ACOUSTIC SYSTEMS

Advanced Acoustic Systems for Sound Detection, Direction Finding, Surveillance & Mission-Critical Operations



www.skybees.com.pk

SKYBEES
Technologies Pvt. Ltd.

Portable Partition Listening



Model: Portable partition wall listening
Size：165×120×35 （mm）

Digital Microphone Receiver



Model: Digital Microphone Receiver
Probe distance：≥350m

Handheld Digital Microphone Receiver



Model: Handheld Digital Microphone Re-ceiver Probe distance：≥100m

Targeted Loudspeaker I



Model：CETC3QS-7RC
Size：Φ840×250 （mm）

Targeted Loudspeaker II



Model：CETC3QS-12R
Size：1050×625×250 （mm）

Portable Sniper Sound Det ection System



Model: Portable Sniper Sound De tection System Probe distance: Class S ≥300 m, Class M ≥600m Class L ≥ 1000m

Portable Sniper Sound De tector



Model: Portable sniper sound detector Probe distance: Class S ≥300m Class M ≥600m, Class L ≥1000m

Portable Helicopter Sound Detector



Model: Portable Helicopter So und Detector Probe distance: Maximum probe distance ≥12km

Low-Altitude Target Sound Detector



Model：GAYSC-RD03
Size: 2.25m when stretched, 1.50m when contracted Optional features: Bright light, buzzer alarm, tear gas

SKYBEES
Technologies Pvt. Ltd.

Low-Altitude Sound and Light Blind Spot Correction Device



Model: Low-altitude acoustic and optical blind-spot correction device Detection range: 200m Positioning accuracy: ≤3°

Important Economic Objectives Perimeter Threat Protection System



Model: Critical Economic Object Protect ion System Probe distance：10km Positioning accuracy: ≤40m

Airport Low-Altitude UAV Intrusion Alert Sys tem



Model: Airport Low-altitude Drone Int rusion Alert System Size： Φ600×900（mm）

Low Altitude Integrated Det ection System



Model: Low-altitude Integrated Detection System Probe distance： 10km Reconnaissance accuracy: ≤10m

Regional Digital Perimeter Protection System



Model: Regional Digital Perimeter Protection System Probe distance: 50m for personnel, 150 m for wheeled vehicles, and 250m for trac ked vehicles

Networked Fiber Optic Perimeter Protection Sys tem



Model: Fiber Optic Perimeter Protection System with Hanging Mesh Monitoring length: ≥60 km Positioning accuracy: 20 meters

System Scheme of Buried Node Type Fiber Optic Vibra tion Sensor



Model: Ground-Mounted Node-Type Fi ber Optic Vibration Sensor System Continuous monitoring range: ≥20km

Sound Detection Weather Radar



Model: Weather radar with sound detection Detection height: 10m to 500m

Pass-Through Inspection and Strike Integrated Counterme asure Device



Model： RD-ATF-02
Effective countermeasure distance: ≥2 km