
[UnLock2020] Starter Program in Machine Learning|Flat 70% OFF - Limited Period Offer

(https://courses.analyticsvidhya.com/bundles/machine-learning-starter-program/?



(https://courses.analyticsvidhya.com/bundles/machine-



(https://datahack.analyticsvidhya.com/contest/webinar-

going-beyond-your-first-machine-learning-p/?

ரந்தை (Jurge – Sticky_banner2&utm_medium = display&utm_campaign = webinar)

- How do you split a decision tree? What are the different splitting criteria when working with decision trees?
- Learn all about decision tree splitting methods here and master a popular machine learning algorithm

Introduction

Decision trees are simple to implement and equally easy to interpret. I often lean on decision trees as my go-tomachine learning algorithm, whether I'm starting a new project or competing in a hackathon.

And decision trees are idea for machine learning newcomers as well! But the questions you should ask (and should know the answer to) are:



Information Gain?

stions, you've come to the right place! Decision Tree is a powerful is the building block for other widely used and complicated est (https://www.analyticsvidhya.com/blog/2018/12/building-aal-world-data-products-ml-for-programmers-part-3/), XGBoost /09/an-end-to-end-guide-to-understand-the-math-behind-xgboost/), com/blog/2020/02/4-boosting-algorithms-machine-learning/). You this topic!

(https://courses.analyticsvidhya.com/bundles/machine-




utm_source=Sticky_banner2&utm_medium=display&utm_campaign=webinar)
Modern-day programming libraries have made using any machine learning algorithm easy, but this comes at the cost of hidden implementation, which is a must-know for fully understanding an algorithm. Another reason for this infinite struggle is the availability of multiple ways to split decision tree nodes adding to further confusion.

Have you ever encountered this struggle? Failed to find a solution? In this article, I will explain 4 simple methods for splitting a node in a decision tree.

I assume familiarity with the basic concepts in regression and decision trees. Here are two free and popular courses to quickly learn or brush up on the key concepts:

 <u>Fundamentals of Regression Analysis (https://courses.analyticsvidhya.com/courses/Fundamentals-of-</u> Regression-Analysis?utm_source=blog&utm_medium=4-ways-split-decision-tree)



(https://databaek.aoalyticsvidityNeges/cantest/Nochiosin be divided into multiple sub-nodes, therefore a node

utm_sRuciqq&tiekyheanner2&utmodeestiurdedisplaxeetimtdaespaign=webinarbarent node. It represents the entire population or sample

• Leaf / Terminal Nodes: Nodes that do not have any child node are known as Terminal/Leaf Nodes

What is Node Splitting in a Decision Tree & Why is it Done?

Before learning any topic, I believe it is essential to understand why you're learning it. That helps in understanding the goal of learning a concept. So let's understand why to learn about node splitting in decision trees.

Since you all know how extensively decision trees are used, there is no denying the fact that learning about decision trees is a must. A decision tree makes decisions by splitting nodes into sub-nodes. This process is

parformed multiple times during the training process until only homogenous nodes are left. And it is the only Analytics Vidhya

Build a Dream Career in Machine Learning

 Starter Program in Machine Learning

4+ Real-World Projects

learning-stallteformoutiem@ain

Limited Seats

Flat 70% OFF

#UnLock2020

Register Here

ell. Therefore, node splitting is a key concept that everyone should

ss of dividing a node into multiple sub-nodes to create relatively this, which can be broadly divided into two categories based on the

(https://courGiersi.lamplyrtiitaysvidhya.com/bundles/machine-



isplay&utm_campaign=unlock_2020)

plitting method in detail. Let's start with the first method of splitting

Reduction in Variance

g the node used when the target variable is continuous, i.e., t uses variance as a measure for deciding the feature on which

made is split into kehild modes dhy a.com/contest/webinar-

going-beyond-your-first-machine-learning-p/?

$$variance = \frac{Variance}{V} = \frac{Variance$$

Variance is used for calculating the homogeneity of a node. If a node is entirely homogeneous, then the variance is zero.

Here are the steps to split a decision tree using reduction in variance:

- 1. For each split, individually calculate the variance of each child node
- 2. Calculate the variance of each split as the weighted average variance of child nodes
- 3. Select the split with the lowest variance

4. Perform steps 1-3 until completely homogeneous nodes are achieved



Dream Career in Machine Learning

- Starter Program in Machine Learning
- 4+ Real-World Projects
- Limited Seats

Flat 70% OFF

#UnLock2020

Reduction in Varianc...

https://courses.analyticsvidhya.com/bundles/machine-

learning-starter-program/?

2nd July, 2020

Register Here



Information Gain

able? Reduction in variation won't quite cut it.

nformation Gain is used for splitting the nodes when the target ot of the entropy and is given by:

(https://datahack.analytids/Nd/fy@?om/.coffte@MeDinein=1-Entropygoing-beyond-your-first-machine-learning-p/?

Entrospycioces Sticky describet 2 Souther prediction and impose the maker of the purity of the node.


The entropy of a homogeneous node is zero. Since we subtract entropy from 1, the Information Gain is higher for the purer nodes with a maximum value of 1. Now, let's take a look at the formula for calculating the entropy:

$$Entropy = -\sum_{i=1}^{n} p_i \log_2 p_i$$

Steps to split a decision tree using Information Gain:

1. For each split, individually calculate the entropy of each child node

- 2. Calculate the entropy of each split as the weighted average entropy of child nodes
- 3. Select the split with the lowest entropy or highest information gain



(https://datahack.analyticsvidhy \mathbf{c} con \mathbf{t} eor \mathbf{t} going-beyond-your-first-machine-learning-p/?

Wait_sowheat=iSt@iki/_banner2&utm_medium=display&utm_campaign=webinar)

Gini is the probability of correctly labeling a randomly chosen element if it was randomly labeled according to the distribution of labels in the node. The formula for Gini is:

$$Gini = \sum_{i=1}^{n} p_i^2$$

And Gini Impurity is:

End Notes

Analytics Vidhya Build a Dream Career in Machine Learning

 Starter Program in Machine Learning

4+ Real-World Projects

Limited Seats

Flat 70% OFF

#UnLock2020

litting a decision tree. In the next steps, you can watch our <u>e (https://www.youtube.com/playlist?list=PLdKd-</u> can take our free course on decision trees here

s/getting-started-with-decision-trees?

-decision-tree).

cles on decision trees below:

orial from Scratch (in R & Python)

/2016/04/tree-based-algorithms-complete-tutorial-scratch-in-

<u>m=4-ways-split-decision-tree)</u>

<u> Weka (No Coding Required!)</u>

(https://https://sera.htmid/strictswid/byomponochromodesoff) are bis fon-tree-weka-no-coding/?

<u>learningrata:nerpreplantwiftm_medium=4-wavs-split-decision-tree)</u>

Analytics Vidhya

WEBINAR

Going Beyond Your First Machine Learning Project

2nd July, 2020

Register Here

<u>| lapalay&ruthna.cstropalgnot.unleed</u>k_2020)

/2020/05/decision-tree-vs-random-forest-algorithm/?

<u>s-split-decision-tree)</u>

Tree-Based Algorithms (Decision tree, Random Forests, XGBoost) /2016/12/detailed-solutions-for-skilltest-tree-based-algorithms/? s-split-decision-tree)

se share it with your friends and comment below with your gueries

(https://datahack.analyticsvidhya.com/contest/we You can also read this article on our Mobile APP going-beyond-your-first-machine-learning-p/?



utm_source=Sticky_banner2&utm_medium=display&utm_campaign=webinar)

(//play.google.com/store/apps/details?


id=com.analyticsvidhya.android&utm_source=blog_article&utm_campaign=blog&pcampaignid=MKT-Other-

global-all-co-prtnr-py-PartBadge-Mar2515-1)



(https://apps.apple.com/us/app/analytics-vidhya/id1470025572)

Related Articles



Analytics Vidhya

Build a Dream Career in Machine Learning

- Starter Program in Machine Learning
- 4+ Real-World Projects
- Limited Seats

Flat 70% OFF


#UnLock2020

Register Here

neity of the node. The Gini Impurity of a pure node is zero. Now, you rmation Gain then, why do we need Gini Impurity?

o Information Gain because it does not contain utationally intensive.

there are sespantaly applies a complement being in a minimum of the complement of th



hisplage each sahitpindiyidum kicaloobate the Gini Impurity of each

as the weighted average Gini Impurity of child nodes Gini Impurity

repeat steps 1-3

. How to Select the B...

(https://datahack.analyticsvidhya.com/contest/webinargoing-beyond-your-first-machine-learning-p/?

utm_source=Sticky_banner2&utm_medium=display&utm_campaign=webinar)

Decision Tree Splitting Method #4: Chi-Square

Chi-square is another method of splitting nodes in a decision tree for datasets having categorical target values. It can make two or more than two splits. It works on the statistical significance of differences between the parent


nada and ahild nadaa Analytics Vidhya

Build a **Dream Career in** Machine Learning

- Starter Program in Machine Learning
- 4+ Real-World Projects
- Limited Seats

Flat 70% OFF

#UnLock2020



class in a child node based on the distribution of classes in the a class in a child node.

quare for a class. Take the sum of Chi-Square values for all the for that node. Higher the value, higher will be the differences (https://courses.analyticsvidhya.com/bundles/machine-between parent and child nodes, i.e., higher will be the homogeneity.

earning-starter-program/?



WEBINAR

Going Beyond Your First Machine Learning Project

2nd July, 2020

Register Here

lisplay&utm_campaign=unlock_2020)

Chi-Square value of each child node by taking the sum of Chi-

split as the sum of Chi-Square values for all the child nodes 'alue

repeat steps 1-3

re in the context of a decision tree:

(https://d**abeloaskoanallyeiesviulhy@oxors&o**p##**5stOknek&oquare to Select...**

going-beyond-your-first-machine-learning-p/?

utm_source=Sticky_banner2&utm_medium=display&utm_campaign=webinar)



#UnLock2020





<u>//0.89/rdeexisilynticsvidhya.com/blo@//210\$6//0.49/trreemalyticsvidhya.com/blog</u>

algorithms-complete--scratch-in-python/) sed Algorithms: A Complete from Scratch (in R & Python) /www.analyticsvidhya.com/bl 6/04/tree-based-algorithmste-tutorial-scratch-in-python/)

tree-vs-random-forest-algorithm/) Decision Tree vs. Random Forest -Which Algorithm Should you Use? (https://www.analyticsvidhya.com/bl og/2020/05/decision-tree-vs-randomforest-algorithm/)

(https://courses.analyticsvidhya.com/bundles/machine-



isplay&utm_campaign=unlock_2020)

IYA.COM/BLOG/TAG/CHI-SQUARE/), DECISION TREES

DECISION-TREES/), GINI IMPURITY

GINI-IMPURITY/), INFORMATION GAIN

NFORMATION-GAIN/), REDUCTION IN VARIANCE

REDUCTION-IN-VARIANCE/), SPLIT DECISION TREE

(HTTPS://WYYWANALYTIGSYLOHYAHOOMBHOGJANGSP/UT-DEGISION-TREE/)

going-beyond-your-first-machine-learning-p/?

utm_source=Sticky_banner2&utm_medium=display&utm_campaign=webinar)

NEXT ARTICLE

8 SQL Techniques to Perform Data Analysis for Analytics and Data Science

(https://www.analyticsvidhya.com/blog/2020/07/8-sql-techniques-data-analysis-analytics-data-science/)

PREVIOUS ARTICLE

Hands-on NLP Project: A Comprehensive Guide to Information Extraction using Python

(https://www.analyticsvidhya.com/blog/2020/06/nlp-project-information-extraction/)



Build a Dream Career in Machine Learning

 Starter Program in Machine Learning

4+ Real-World Projects

Limited Seats

Flat 70% OFF

#UnLock2020



(https://www.analyticsvidhya.com/blog/author/abhishek-

shrm/)

Vww.Analyticsvidhya.Com/Blog/Author/Abhishek-Shrm/)

s diving into data and generating insights from it. He is inspired self every day. He is always ready for making machines to learn ode and writing technical blogs.

(https://courses.analyticsvidhya.com/bundles/machine-





Register Here

isplay&utm_campaign=unlock_2020)

llyticsvidhya.com/blog/2020/06/4-ways-split-decision-tree/#comment-162096)

Method #3: Gini Impurity. You mension there Gini Impurity is a et variable is continuous.

(https://datahack.analyticsvidhya.com/contest/webinar-

uning beau below blugton achine dearsing in Ali.

Https://www.shiskyidandrya.cutm/brod/2017/isu/accutased algoign the binablete-tutorial-scratch-in-python/ (https://www.analyticsvidhya.com/blog/2016/04/tree-based-algorithms-complete-tutorial-scratch-in-python/)



ABHISHEK SHARMA

Reply

Reply

June 30, 2020 at 2:08 pm (https://www.analyticsvidhya.com/blog/2020/06/4-ways-split-decision-tree/#comment-162097)

Hi Maneesh, Thank you for pointing it out. I have made the necessary improvements.

LEAVE A REPLY






(https://datahack.analyticsvidhya.com/contest/webinargoing-beyond-your-first-machine-learning-p/? utm_source=Sticky_banner2&utm_medium=display&utm_campaign=webinar)



(https://courses.analyticsvidhya.com/bundles/machine-



(https://datahack.analyticsvidhya.com/contest/webinargoing-beyond-your-first-machine-learning-p/? utm_source=Sticky_banner2&utm_medium=display&utm_campaign=webinar)

POPULAR POSTS

6 Open Source Data Science Projects to Impress your Interviewer (https://www.analyticsvidhya.com/blog/2020/06/6-open-source-data-science-projects-interviewer/)

22 Widely Used Data Science and Machine Learning Tools in 2020 (https://www.analyticsvidhya.com/blog/2020/06/22-tools-data-science-machine-learning/)

5 Powerful Python IDEs for Writing Analytics and Data Science Code (https://www.analyticsvidhya.com/blog/2020/06/5-python-ide-analytics-data-science-programming/)

Hands-on NLP Project: A Comprehensive Guide to Information Extraction using Python (https://www.analyticsvidhya.com/blog/2020/06/nlp-project-information-extraction/)



ers' Library Version (v0.8.0) 20/06/hugging-face-tokenizers-nlp-library/)

(https://courses.analyticsvidhya.com/bundles/machine-




isplay&utm_campaign=unlock_2020)

(https://datahack.analyticsvidhya.com/contest/webinargoing-beyond-your-first-machine-learning-p/? utm_source=Sticky_ballnr __lutm_me_it_n=dinnlnr&utm_nam_ainn=viet_nar}

(https://www.analyticsvidhya.com/)







5 Powerful Excel Dashboards for Analytics Professionals (https://www.analyticsvidhya.com/blog/2020/06/5excel-dashboards-analytics/)



Professional Should Try

D20/06/3-advanced-excel-charts-every-analytics-professional-

achine Learning [Solution: SkillPower – Machine Learning, DataFest log/2017/04/40-questions-test-data-scientist-machine-learningfest-2017/)

hms (with Python and R Codes)

D17/09/common-machine-learning-algorithms/)

ustering Techniques (Skill test Solution)

017/02/test-data-scientist-clustering/)

(https://courses.analyticsvidhya.com/bundles/machine-



isplay&utm_campaign=unlock_2020)

(https://datahack.analyticsvidhya.com/contest/webinargoing-beyond-your-first-machine-learning-p/?

http://www.campaign=webinar)

8 SQL Techniques to Perform Data Analysis for Analytics and Data Science (https://www.analyticsvidhya.com/blog/2020/07/8-sql-techniques-data-analysis-analytics-data-science/) **JULY 1, 2020**

4 Simple Ways to Split a Decision Tree in Machine Learning (https://www.analyticsvidhya.com/blog/2020/06/4-ways-split-decision-tree/)

JUNE 30, 2020

id=com.analyticsvidhya.android)

vidhya/id1470025572)



Data Science

Blog (https://www.analyticsvidhya.com/blog/)

Hackathon (https://datahack.analyticsvidhya.com/)

reer-analytics-Discussions (https://discuss.analyticsvidhya.com/)

Apply Jobs (https://www.analyticsvidhya.com/jobs/)

Companies

Post Jobs (https://www.analyticsvidhya.com/corporate/)

Trainings (https://courses.analyticsvidhya.com/)

(https://courses.analyticsvidhya.com/bundles/machine-Hiring Hackathons (https://datahack.analyticsvidhya.com/)



Privacy Policy Terms of Use Refund Policy

Register Here

(https://datahack.analyticsvidhya.com/contest/webinargoing-beyond-your-first-machine-learning-p/? utm_source=Sticky_banner2&utm_medium=display&utm_campaign=webinar)