





































## === HASIL INDEXING OTOMATIS ===

### 1. Metode TF-IDF:

- annif (Halaman: 1, 2, 3, 4, 5, 7, 8, 9, 10, 12, 13, 14, 15, 16)
- indexing (Halaman: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16)
- subject (Halaman: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16)
- ev (Halaman: 1, 2, 3, 4, 5, 6, 7, 8, 9, 12, 13, 14, 15, 16)
- alg (Halaman: 1, 2, 3, 4, 5, 6, 7, 8, 13, 14, 16)
- ser (Halaman: 1, 2, 4, 5, 6, 7, 8, 9, 10, 12, 13, 14)
- ha (Halaman: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16)
- 2020 (Halaman: 1, 2, 3, 4, 5, 6, 8, 9, 10, 12, 13, 15, 16)
- er (Halaman: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16)
- orithms (Halaman: 1, 2, 3, 4, 5, 6, 7, 8, 13, 14, 16)
- sug (Halaman: 1, 3, 4, 5, 6, 7, 8, 9, 10, 14)
- automated (Halaman: 1, 2, 5, 6, 8, 9, 10, 12, 13, 14, 16)
- es (Halaman: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16)
- vice (Halaman: 1, 2, 5, 6, 7, 8, 9, 10, 12, 13, 14)
- used (Halaman: 1, 2, 5, 6, 7, 8, 10, 11, 12, 13, 14)
- documents (Halaman: 1, 4, 5, 6, 7, 8, 13, 14)
- api (Halaman: 1, 2, 5, 6, 7, 9, 10, 11, 12, 14)
- finnish (Halaman: 1, 2, 5, 6, 8, 10, 11, 12, 13, 14, 15)
- national (Halaman: 1, 2, 4, 6, 8, 10, 11, 12, 13, 16)
- ai (Halaman: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15)
- also (Halaman: 1, 2, 3, 4, 7, 8, 9, 10, 12, 13, 14)
- librar (Halaman: 1, 2, 6, 7, 8, 10, 11, 12, 13, 14, 16)
- finto (Halaman: 1, 2, 5, 9, 10, 11, 12, 13, 14)
- based (Halaman: 1, 2, 3, 4, 5, 9, 10, 12, 13, 15)
- org (Halaman: 1, 7, 9, 13, 14, 15, 16)
- dev (Halaman: 1, 2, 3, 5, 6, 8, 9, 12, 13, 14)
- subjects (Halaman: 1, 3, 4, 5, 6, 7, 9, 10, 14)
- estions (Halaman: 1, 3, 5, 6, 7, 8, 9, 10, 14)
- text (Halaman: 1, 2, 3, 4, 5, 8, 9, 11, 12, 13, 14, 15)
- metadata (Halaman: 1, 2, 4, 5, 8, 9, 10, 11, 15)
- ed (Halaman: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16)
- many (Halaman: 1, 2, 3, 4, 5, 6, 9, 10, 13, 15)
- integ (Halaman: 1, 2, 4, 9, 10, 11, 13, 14)
- document (Halaman: 1, 3, 4, 5, 6, 7, 8, 9, 10, 13, 14, 15)
- quality (Halaman: 1, 2, 5, 6, 7, 8, 9, 12, 13, 14)
- ocabular (Halaman: 1, 2, 3, 4, 5, 9, 12, 13, 14)
- classification (Halaman: 1, 2, 3, 4, 8, 12, 13, 14, 15)
- whic (Halaman: 1, 3, 4, 5, 6, 7, 9, 10, 11, 13)
- finland (Halaman: 1, 2, 6, 10, 11, 12, 13)
- man (Halaman: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 12, 13, 15, 16)
- use (Halaman: 1, 2, 3, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14)
- using (Halaman: 1, 3, 4, 5, 8, 10, 11, 12, 13, 14, 15, 16)
- ork (Halaman: 1, 2, 3, 4, 5, 6, 7, 9, 10, 12, 13, 14, 15, 16)
- languag (Halaman: 2, 3, 5, 7, 8, 9, 12, 14)
- systems (Halaman: 2, 5, 9, 11, 13, 14)
- figure (Halaman: 2, 3, 7, 8, 9, 10, 11)
- bac (Halaman: 3, 4, 5, 11, 14)
- ends (Halaman: 3, 5)
- aluation (Halaman: 3, 5, 6, 7, 8, 13, 14, 16)
- ensemble (Halaman: 5, 6, 7, 8, 13)

## 2. Metode RAKE:

- several reasons (Halaman: 1)
- automated subject indexing (Halaman: 1, 2, 5, 16)
- junction (Halaman: 1)
- semi automated methods (Halaman: 1)
- article accepted (Halaman: 1)
- indexing work (Halaman: 1)
- perspective (Halaman: 1)
- give (Halaman: 1)
- subject indexing processes (Halaman: 1, 5)
- traditionally subject indexing (Halaman: 1)
- expand subject indexing (Halaman: 1)
- data subject indexing (Halaman: 1)
- future work (Halaman: 1)
- assigning documents (Halaman: 1)
- indexing vocabulary (Halaman: 1, 2, 3, 9)
- algorithms (Halaman: 1)
- open source software (Halaman: 2)
- vocabulary (Halaman: 2)
- have (Halaman: 2, 5, 6, 8, 12, 14)
- command line interface (Halaman: 2)
- commercial services (Halaman: 2)
- transparency goals (Halaman: 2)
- available metadata (Halaman: 2)
- general openness (Halaman: 2)
- available solutions (Halaman: 2)
- new version (Halaman: 2)
- developing annif (Halaman: 2)
- backends (Halaman: 3)
- modular architecture (Halaman: 3)
- many different ways (Halaman: 3)
- stacked (Halaman: 3)
- suggestion (Halaman: 3)
- vertical (Halaman: 3)
- join (Halaman: 3)
- suggestions (Halaman: 3, 8, 9)
- algorithms implemented (Halaman: 3)
- report (Halaman: 3, 10)
- also made (Halaman: 3)
- either skips (Halaman: 3)
- annif currently (Halaman: 3)
- approaches (Halaman: 3)
- f score annif (Halaman: 3)
- available (Halaman: 3)
- handled by (Halaman: 3)
- file (Halaman: 3)
- simple text (Halaman: 3)
- document text (Halaman: 3)
- yes (Halaman: 3)
- query (Halaman: 3)
- configuration module (Halaman: 3)
- binary (Halaman: 3)
- lexical approaches (Halaman: 4)

- lexical alg orithm (Halaman: 4)
- maui alg orithm (Halaman: 4)
- text classification created (Halaman: 4)
- documents index ed (Halaman: 4)
- gi v en (Halaman: 4)
- perspecti v es (Halaman: 5)
- v er documents (Halaman: 6)
- different alg orithms (Halaman: 6)
- g old standard (Halaman: 6)
- many exper ts (Halaman: 6)
- w e extracted (Halaman: 6)
- w orks w (Halaman: 6)
- uni v ersity (Halaman: 6, 9, 10, 15)
- answ er pairs (Halaman: 6)
- index ed (Halaman: 6)
- document n (Halaman: 6)
- many kinds (Halaman: 6)
- f ennica ask (Halaman: 6)
- ev aluation (Halaman: 6)
- finnish sw edish (Halaman: 6)
- documents w (Halaman: 6)
- subject indexing (Halaman: 6, 11)
- recall betw een (Halaman: 7)
- v erag e (Halaman: 7)
- figure f scores (Halaman: 7)
- best f scores (Halaman: 7)
- collections w e (Halaman: 7)
- w e split (Halaman: 7)
- figure w e (Halaman: 7)
- train v alidate (Halaman: 7)
- ar ticle w (Halaman: 7)
- par ticipants used (Halaman: 7)
- test collections b (Halaman: 7)
- eac h document (Halaman: 7)
- three view points (Halaman: 7)
- small n umber (Halaman: 7)
- f metric (Halaman: 7)
- created either b (Halaman: 7)
- g eneral (Halaman: 7)
- configuration w (Halaman: 7)
- also ev aluated (Halaman: 8)
- ev aluated annif (Halaman: 8)
- cur rent solution (Halaman: 8)
- differences betw een (Halaman: 8)
- automated indexing highton (Halaman: 8)
- results annif w (Halaman: 8)
- perfor med b (Halaman: 8)
- qualitati v ely (Halaman: 8)
- professionals perfor ming (Halaman: 8)
- uc h better (Halaman: 8)
- sev eral years (Halaman: 8)
- languag es suominen (Halaman: 8)
- vir tanen nikkarinen (Halaman: 8)

- w ell comparing (Halaman: 8)
- similar comparison w (Halaman: 8)
- kf lo w (Halaman: 8)
- difference w asn (Halaman: 8)
- indexing w (Halaman: 8)
- v er (Halaman: 8, 10)
- nine annif (Halaman: 8)
- v eldhoen (Halaman: 8)
- used annif (Halaman: 8)
- national librar (Halaman: 8, 11)
- lehtinen inkinen (Halaman: 8)
- api ser vice (Halaman: 9)
- e r v (Halaman: 9)
- ser vice offers (Halaman: 9)
- student selected (Halaman: 9)
- sug gest method (Halaman: 9)
- ho w many (Halaman: 9)
- figure generally (Halaman: 9)
- languag e suppor (Halaman: 9)
- finto ai (Halaman: 9, 11)
- systems integ rated (Halaman: 9)
- mark ed increase (Halaman: 9)
- final subjects (Halaman: 9)
- c hosen based (Halaman: 9)
- finto ai w (Halaman: 10)
- w w w (Halaman: 10)
- positories maintained b (Halaman: 10)
- v arsta system (Halaman: 10)
- pipeline whic h (Halaman: 10)
- heseus used b (Halaman: 10)
- annif prototype system (Halaman: 10)
- uploading ser vice (Halaman: 10)
- uploading pipeline osuv (Halaman: 10)
- first institutional user (Halaman: 10)
- k e k (Halaman: 10)
- student selected subjects (Halaman: 10)
- also add subjects (Halaman: 10)
- jyx r epositor (Halaman: 10)
- r j (Halaman: 10, 11)
- dspace softw (Halaman: 10)
- used b (Halaman: 10)
- annif w (Halaman: 10)
- v arsta (Halaman: 10)
- v u (Halaman: 10)
- u v (Halaman: 10)
- e u (Halaman: 10)
- finland maintains (Halaman: 10)
- v alidating (Halaman: 10)
- v aasa (Halaman: 10)
- h e (Halaman: 10)
- finnish book distributor (Halaman: 11)
- finland see figure (Halaman: 11)
- v er view (Halaman: 11)

- melinda union catalogue (Halaman: 11)
- produce metadata used (Halaman: 11)
- e n h (Halaman: 11)
- v aria (Halaman: 11)
- finto ai figure (Halaman: 11)
- bro wsed using (Halaman: 11)
- whic h (Halaman: 11)
- non fiction books (Halaman: 11)
- publication files (Halaman: 11)
- hey use (Halaman: 11)
- upcoming titles (Halaman: 11)
- libraries booksellers (Halaman: 11)
- integ rated (Halaman: 11)
- computers within (Halaman: 11)
- publishers enhances (Halaman: 11)
- audio visual material (Halaman: 12)
- dutc h libraries (Halaman: 12)
- ser v es (Halaman: 12)
- indexing e g (Halaman: 12)
- audio content based (Halaman: 12)
- online ser vice (Halaman: 12)
- w e present (Halaman: 12)
- subject based access (Halaman: 13)
- automatic subject indexing (Halaman: 13)
- c halleng es (Halaman: 14)
- indexing v ocabularies (Halaman: 14)
- subject indexing upload (Halaman: 14)
- positi v e (Halaman: 14)
- w ould also (Halaman: 14)
- w e thank (Halaman: 14)
- offer w e (Halaman: 14)
- api ser vices (Halaman: 14)
- w eb site (Halaman: 14)
- w l e (Halaman: 14)
- n g g (Halaman: 14)
- manik v ar (Halaman: 15)
- j uha piukkula (Halaman: 15)
- conf er ence (Halaman: 15)
- yso case j (Halaman: 15)
- infor mation science (Halaman: 15)
- f ramew ork (Halaman: 15)
- v erse (Halaman: 15)
- shallo w (Halaman: 15)
- echnolo g (Halaman: 15)
- osma suominen (Halaman: 15)
- extreme classification (Halaman: 15)
- tek oalykumppan uus (Halaman: 15)
- empirical r esults (Halaman: 16)
- utomatic subject indexing (Halaman: 16)
- elizabeth automatic indexing (Halaman: 16)
- uhlmann sandro (Halaman: 16)
- fusion arc hitectures (Halaman: 16)
- v ember (Halaman: 16)

- open source tool (Halaman: 16)
- open source (Halaman: 16)
- christin seifer (Halaman: 16)

### 3. Metode Word2Vec:

- Kata kunci: finto  
Tidak ada kata mirip yang ditemukan di dokumen.
- Kata kunci: ai
  - > j (0.53, Halaman: 1, 3, 4, 5, 6, 9, 10, 11, 15, 16)
  - > u (0.52, Halaman: 1, 3, 4, 5, 9, 10, 12, 13, 14, 16)
  - > gi (0.52, Halaman: 1, 4, 7, 8, 14)
- Kata kunci: developing  
Tidak ada kata mirip yang ditemukan di dokumen.
- Kata kunci: implementing
  - > implemented (0.69, Halaman: 3, 4, 14)
  - > implementation (0.68, Halaman: 4)