=== HASIL INDEXING OTOMATIS ===

1. Metode TF-IDF:
- annif (Halaman: 1, 2, 3, 4, 5, 7, 8, 9, 10, 12, 13, 14, 15, 16)
- indexing (Halaman: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16)
- subject (Halaman: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16)
- ev (Halaman: 1, 2, 3, 4, 5, 6, 7, 8, 9, 12, 13, 14, 15, 16)
- alg (Halaman: 1, 2, 3, 4, 5, 6, 7, 8, 13, 14, 16)
- ser (Halaman: 1, 2, 4, 5, 6, 7, 8, 9, 10, 12, 13, 14)
- ha (Halaman: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16)
- 2020 (Halaman: 1, 2, 3, 4, 5, 6, 8, 9, 10, 12, 13, 15, 16)
- er (Halaman: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16)
- orithms (Halaman: 1, 2, 3, 4, 5, 6, 7, 8, 13, 14, 16)
- sug (Halaman: 1, 3, 4, 5, 6, 7, 8, 9, 10, 14)
- automated (Halaman: 1, 2, 5, 6, 8, 9, 10, 12, 13, 14, 16)
- es (Halaman: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16)
- vice (Halaman: 1, 2, 5, 6, 7, 8, 9, 10, 12, 13, 14)
- used (Halaman: 1, 2, 5, 6, 7, 8, 10, 11, 12, 13, 14)
- documents (Halaman: 1, 4, 5, 6, 7, 8, 13, 14)
- api (Halaman: 1, 2, 5, 6, 7, 9, 10, 11, 12, 14)
- finnish (Halaman: 1, 2, 5, 6, 8, 10, 11, 12, 13, 14, 15)
- national (Halaman: 1, 2, 4, 6, 8, 10, 11, 12, 13, 16)
- ai (Halaman: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15)
- also (Halaman: 1, 2, 3, 4, 7, 8, 9, 10, 12, 13, 14)
- librar (Halaman: 1, 2, 6, 7, 8, 10, 11, 12, 13, 14, 16)
- finto (Halaman: 1, 2, 5, 9, 10, 11, 12, 13, 14)
- based (Halaman: 1, 2, 3, 4, 5, 9, 10, 12, 13, 15)
- org (Halaman: 1, 7, 9, 13, 14, 15, 16)
- dev (Halaman: 1, 2, 3, 5, 6, 8, 9, 12, 13, 14)
- subjects (Halaman: 1, 3, 4, 5, 6, 7, 9, 10, 14)
- estions (Halaman: 1, 3, 5, 6, 7, 8, 9, 10, 14)
- text (Halaman: 1, 2, 3, 4, 5, 8, 9, 11, 12, 13, 14, 15)
- metadata (Halaman: 1, 2, 4, 5, 8, 9, 10, 11, 15)
- ed (Halaman: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16)
- many (Halaman: 1, 2, 3, 4, 5, 6, 9, 10, 13, 15)
- integ (Halaman: 1, 2, 4, 9, 10, 11, 13, 14)
- document (Halaman: 1, 3, 4, 5, 6, 7, 8, 9, 10, 13, 14, 15)
- quality (Halaman: 1, 2, 5, 6, 7, 8, 9, 12, 13, 14)
- ocabular (Halaman: 1, 2, 3, 4, 5, 9, 12, 13, 14)
- classification (Halaman: 1, 2, 3, 4, 8, 12, 13, 14, 15)
- whic (Halaman: 1, 3, 4, 5, 6, 7, 9, 10, 11, 13)
- finland (Halaman: 1, 2, 6, 10, 11, 12, 13)
- man (Halaman: 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 12, 13, 15, 16)
- use (Halaman: 1, 2, 3, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14)
- using (Halaman: 1, 3, 4, 5, 8, 10, 11, 12, 13, 14, 15, 16)
- ork (Halaman: 1, 2, 3, 4, 5, 6, 7, 9, 10, 12, 13, 14, 15, 16)
- languag (Halaman: 2, 3, 5, 7, 8, 9, 12, 14)
- systems (Halaman: 2, 5, 9, 11, 13, 14)
- figure (Halaman: 2, 3, 7, 8, 9, 10, 11)
- bac (Halaman: 3, 4, 5, 11, 14)
- ends (Halaman: 3, 5)
- aluation (Halaman: 3, 5, 6, 7, 8, 13, 14, 16)
- ensemble (Halaman: 5, 6, 7, 8, 13)

2. Metode RAKE:
- metadata w orkf lo ws (Halaman: 1)
- subject indexing ha v e (Halaman: 1)
- labour intensi v e process (Halaman: 1, 13)
- paper arc hi v es (Halaman: 1)
- rest api many document (Halaman: 1)
- index ed documents whic h (Halaman: 1)
- automated using ai tec hnolog (Halaman: 1)
- obtaining subject sug g estions (Halaman: 1)
- neural netw ork model based (Halaman: 1)
- n extensi v e digitization (Halaman: 1)
- feasible ho w ev er (Halaman: 1)
- integ rate finto ai (Halaman: 1)
- creating g ro wing collections (Halaman: 1)
- automated subject indexing suffer (Halaman: 1)
- automated subject indexing based (Halaman: 1, 9)
- sev eral reasons (Halaman: 1)
- traditional man ual indexing (Halaman: 1)
- since man ual indexing (Halaman: 1)
- man ually indexing documents (Halaman: 1, 13)
- finto ai dev eloping (Halaman: 1)
- automated subject indexing (Halaman: 1, 2, 5, 16)
- ensorflo w best results (Halaman: 1)
- existing bibliog raphic databases (Halaman: 1)
- ev aluating annif finding (Halaman: 1)
- j une f (Halaman: 1)
- semi automated methods (Halaman: 1)
- ar ticle accepted (Halaman: 1)
- indexing w ork (Halaman: 1)
- perspecti v e (Halaman: 1)
- gi v e (Halaman: 1)
- subject indexing processes (Halaman: 1, 5)
- raditionally subject indexing (Halaman: 1)
- expand subject indexing (Halaman: 1)
- data subject indexing (Halaman: 1)
- future w e (Halaman: 1)
- finland finland pr eprint (Halaman: 1)
- e assigning documents (Halaman: 1)
- indexing v ocabular (Halaman: 1, 2, 3, 9)
- alg orithms (Halaman: 1)
- embedded w eb user interface (Halaman: 2)
- different subject indexing alg orithms (Halaman: 2)
- dew ey based public librar (Halaman: 2)
- special pur pose v ocabularies (Halaman: 2)
- accommodate different alg orithms w (Halaman: 2)
- interacti v e testing h (Halaman: 2)
- w eb user interface (Halaman: 2)
- w ell suppor ted b (Halaman: 2)
- e v e l (Halaman: 2)
- paper w e explain (Halaman: 2)
- text classification alg orithms (Halaman: 2)
- finnish subject v ocabularies (Halaman: 2)
- w e star ted (Halaman: 2)

- yso niininen nyk yri (Halaman: 2)
- v endor loc k (Halaman: 2)
- solid tec hnical foundation (Halaman: 2)
- least three languag es (Halaman: 2)
- finna disco v er (Halaman: 2, 5)
- command line interface cli (Halaman: 2)
- wn open source tool (Halaman: 2)
- sk osmos v ocabular (Halaman: 2)
- g eneral framew ork (Halaman: 2)
- annif figure user interaction (Halaman: 2)
- national languag es finnish (Halaman: 2)
- commonly used v ocabular (Halaman: 2)
- metadata manag ement systems (Halaman: 2)
- open source softw (Halaman: 2)
- wn v ocabular (Halaman: 2)
- ha v e (Halaman: 2, 5, 6, 8, 12, 14)
- command line interface (Halaman: 2)
- commercial ser vices (Halaman: 2)
- transparency g oals (Halaman: 2)
- v ailable metadata (Halaman: 2)
- g eneral openness (Halaman: 2)
- v ailable solutions (Halaman: 2)
- new v ersion (Halaman: 2)
- dev eloping annif (Halaman: 2)
- doc k er imag es (Halaman: 3)
- regular bac k ends (Halaman: 3)
- bac k ends (Halaman: 3)
- e v aluation module handles (Halaman: 3)
- modular arc hitecture (Halaman: 3)
- subject indexing alg orithms (Halaman: 3)
- python pac kag e (Halaman: 3)
- analyz er modules suppor (Halaman: 3)
- pr oject whic h (Halaman: 3)
- many different w (Halaman: 3)
- r g p r (Halaman: 3)
- stac k ed (Halaman: 3)
- f annif includes suppor (Halaman: 3)
- sug g estion (Halaman: 3)
- h u b c (Halaman: 3, 4, 14)
- configuration file handled b (Halaman: 3)
- v er time (Halaman: 3)
- j e c (Halaman: 3)
- sug g estions (Halaman: 3, 8, 9)
- alg orithms implemented (Halaman: 3)
- r e p (Halaman: 3, 10)
- also made (Halaman: 3)
- either sk os (Halaman: 3)
- annif cur rently (Halaman: 3)
- appr oaches (Halaman: 3)
- f score annif (Halaman: 3)
- v ailable (Halaman: 3)
- handled b (Halaman: 3)
- f h (Halaman: 3)

- simple text (Halaman: 3)
- document text (Halaman: 3)
- ys h (Halaman: 3)
- q u (Halaman: 3)
- configuration module (Halaman: 3)
- b f (Halaman: 3)
- mac hine lear ning model (Halaman: 4)
- associati v e approac h (Halaman: 4)
- e r v e r (Halaman: 4)
- different string matc hing method (Halaman: 4)
- man ually index ed documents (Halaman: 4, 5)
- previously mentioned lexical alg orithms (Halaman: 4)
- maui ser v er stwfsa (Halaman: 4)
- ulti label classification whic h (Halaman: 4)
- gr oss national pr oduct (Halaman: 4)
- baseline method annif pro vides (Halaman: 4)
- f acebook r esearc h (Halaman: 4)
- g enerally best suited (Halaman: 4)
- lexical appr oaches (Halaman: 4)
- lexical alg orithm (Halaman: 4)
- maui alg orithm (Halaman: 4)
- c k e n (Halaman: 4)
- text classification created (Halaman: 4)
- eac h subject based (Halaman: 4)
- documents index ed (Halaman: 4)
- subject ev en though (Halaman: 4)
- typically implemented using heuristics (Halaman: 4)
- maxim um infor mation (Halaman: 4)
- bonsai khandag ale xiao (Halaman: 4)
- model sug g ests (Halaman: 4)
- gi v en (Halaman: 4)
- par ticular subjects f (Halaman: 4)
- bac k end alg orithms (Halaman: 5)
- new options ha v e (Halaman: 5)
- automated subject indexing alg orithms (Halaman: 5)
- automated subject indexing process along (Halaman: 5)
- ensorflo w based neural netw (Halaman: 5)
- v erall sug g estion (Halaman: 5)
- quite far remo v ed (Halaman: 5)
- v erall perfor mance (Halaman: 5)
- effecti v e w (Halaman: 5)
- retriev al systems affected b (Halaman: 5)
- english w e set (Halaman: 5)
- three different alg orithms (Halaman: 5)
- first public api ser vice (Halaman: 5)
- eac h languag e (Halaman: 5)
- new er v ersions (Halaman: 5)
- indi vidual alg orithms (Halaman: 5)
- u b j e c (Halaman: 5)
- e combining different kinds (Halaman: 5)
- lear ns ho w (Halaman: 5)
- combined sug g estions (Halaman: 5)
- perspecti v es (Halaman: 5)

- ensemble project combining results (Halaman: 5)
- sug g esting subjects (Halaman: 5)
- non fiction books n collected (Halaman: 6)
- satakunnan k ansa regional newspaper (Halaman: 6)
- arc hi v es consist (Halaman: 6)
- man ually index ed b (Halaman: 6)
- v er unindex ed documents (Halaman: 6)
- measuring ho w w ell (Halaman: 6)
- cor rect golub et al (Halaman: 6)
- whic h eac h document (Halaman: 6)
- f ennica book descriptions titles (Halaman: 6)
- v er documents (Halaman: 6)
- first three include documents (Halaman: 6)
- mark eting pur poses (Halaman: 6)
- different alg orithms (Halaman: 6)
- g old standard (Halaman: 6)
- de pth academic documents (Halaman: 6)
- finnish jyu theses master (Halaman: 6)
- many exper ts (Halaman: 6)
- w e extracted (Halaman: 6)
- w orks w (Halaman: 6)
- uni v ersity (Halaman: 6, 9, 10, 15)
- answ er pairs (Halaman: 6)
- index ed (Halaman: 6)
- document n (Halaman: 6)
- many kinds (Halaman: 6)
- f ennica ask (Halaman: 6)
- ev aluation (Halaman: 6)
- finnish sw edish (Halaman: 6)
- documents w (Halaman: 6)
- subject indexing (Halaman: 6, 11)
- sw edish languag e documents (Halaman: 7, 8)
- sw edish languag e collections (Halaman: 7)
- neural netw ork ensemble models (Halaman: 7)
- yet de plo yed b (Halaman: 7)
- v erall quality meaningfulness (Halaman: 7)
- test subsets w ere used (Halaman: 7)
- co v erag e (Halaman: 7)
- recall betw een (Halaman: 7)
- kno w whic h w (Halaman: 7)
- w e org anized (Halaman: 7)
- w e ex clude (Halaman: 7)
- around w ere obtained (Halaman: 7)
- top sug g estions (Halaman: 7)
- sug g ested subjects (Halaman: 7)
- recent n umeric scores (Halaman: 7)
- api ser vice configuration (Halaman: 7)
- v erag e (Halaman: 7)
- figure f scores (Halaman: 7)
- best f scores (Halaman: 7)
- g old standard sets (Halaman: 7)
- different annif alg orithms (Halaman: 7)
- man ually assigned subjects (Halaman: 7)

- least reliable since due (Halaman: 7)
- collections w e (Halaman: 7)
- par ticipants mainly librarians (Halaman: 7)
- w e split (Halaman: 7)
- figure w e (Halaman: 7)
- train v alidate (Halaman: 7)
- ar ticle w (Halaman: 7)
- par ticipants used (Halaman: 7)
- test collections b (Halaman: 7)
- eac h document (Halaman: 7)
- three view points (Halaman: 7)
- small n umber (Halaman: 7)
- f metric (Halaman: 7)
- created either b (Halaman: 7)
- g eneral (Halaman: 7)
- configuration w (Halaman: 7)
- finnish public broadcasting company yle (Halaman: 8)
- larg e figure sho ws (Halaman: 8)
- cur rent automated indexing system (Halaman: 8)
- best perfor ming annif p (Halaman: 8)
- annif produced subject indices data (Halaman: 8)
- ev aluation results indexing b (Halaman: 8)
- quantitati v ely sev en (Halaman: 8)
- suominen figure quality ev aluation (Halaman: 8)
- finnish languag e documents (Halaman: 8)
- intellectually gi v en (Halaman: 8)
- training annif might explain (Halaman: 8)
- wn larg er tool (Halaman: 8)
- alg orithms outperfor med (Halaman: 8)
- betw een lehtinen inkinen (Halaman: 8)
- ger man national librar (Halaman: 8)
- also ev aluated (Halaman: 8)
- ev aluated annif (Halaman: 8)
- cur rent solution (Halaman: 8)
- differences betw een (Halaman: 8)
- automated indexing haighton (Halaman: 8)
- results annif w (Halaman: 8)
- perfor med b (Halaman: 8)
- qualitati v ely (Halaman: 8)
- professionals perfor ming (Halaman: 8)
- uc h better (Halaman: 8)
- sev eral years (Halaman: 8)
- languag es suominen (Halaman: 8)
- vir tanen nikkarinen (Halaman: 8)
- w ell comparing (Halaman: 8)
- similar comparison w (Halaman: 8)
- kf lo w (Halaman: 8)
- difference w asn (Halaman: 8)
- indexing w (Halaman: 8)
- v er (Halaman: 8, 10)
- nine annif (Halaman: 8)
- v eldhoen (Halaman: 8)
- used annif (Halaman: 8)

- national librar (Halaman: 8, 11)
- lehtinen inkinen (Halaman: 8)
- f score similarities betw een (Halaman: 9)
- original annif sug g estions (Halaman: 9)
- final subjects sug g esting (Halaman: 9)
- original sug g estions b (Halaman: 9)
- process infor maticians v alidate (Halaman: 9)
- infor mation systems pro vided (Halaman: 9)
- wn k eyw ords later (Halaman: 9)
- li v ed configuration u (Halaman: 9)
- indexing w orkf lo w (Halaman: 9, 14)
- k ee p trac k (Halaman: 9)
- automated sug g estions (Halaman: 9)
- annif sug g estions (Halaman: 9)
- annif jyx integ rates annif (Halaman: 9)
- api ser vice configurations (Halaman: 9)
- system sa v es (Halaman: 9)
- mak e cor rections (Halaman: 9)
- annif org w ebsite (Halaman: 9)
- introducing automatic subject indexing (Halaman: 9)
- already kno wn send (Halaman: 9)
- api ser vice (Halaman: 9)
- e r v (Halaman: 9)
- ser vice offers (Halaman: 9)
- student selected (Halaman: 9)
- sug gest method (Halaman: 9)
- ho w many (Halaman: 9)
- figure generally (Halaman: 9)
- languag e suppor (Halaman: 9)
- finto ai (Halaman: 9, 11)
- systems integ rated (Halaman: 9)
- mark ed increase (Halaman: 9)
- final subjects (Halaman: 9)
- c hosen based (Halaman: 9)
- semi automated subject indexing b (Halaman: 10)
- many finnish uni v ersities (Halaman: 10)
- finto ai institutional r epositories (Halaman: 10)
- heir w orkf lo w (Halaman: 10)
- r epo uni v ersity (Halaman: 10)
- metadata w orkf lo w (Halaman: 10)
- subject sug g estions (Halaman: 10)
- sug g ested b (Halaman: 10)
- aju uni v ersity (Halaman: 10)
- inter nal de posit (Halaman: 10)
- indi vidual de posits (Halaman: 10)
- explained abo v e (Halaman: 10)
- electr onic deposit system (Halaman: 10)
- annif figure institutional users (Halaman: 10)
- finto ai w (Halaman: 10)
- j u u n (Halaman: 10)
- w w w (Halaman: 10)
- positories maintained b (Halaman: 10)
- v arsta system (Halaman: 10)

- also acti v ely contribute (Halaman: 12)
- finnish br oadcasting compan (Halaman: 12)
- semi automatic subject indexing (Halaman: 12)
- dutc h e books (Halaman: 12)
- n g w e aim (Halaman: 12)
- audio visual material (Halaman: 12)
- e la w texts (Halaman: 12)
- interacti v e demo (Halaman: 12)
- thorough tec hnical description (Halaman: 12)
- parate computing en vironments (Halaman: 12)
- de gr uijter dissemin (Halaman: 12)
- categ orize academic pre (Halaman: 12)
- online news ar ticles (Halaman: 12)
- ha v e set (Halaman: 12)
- publications dissemin uses annif (Halaman: 12)
- comm unity around annif (Halaman: 12)
- ev olv es rapidly (Halaman: 12)
- early moder n ordinances (Halaman: 12)
- annif models ev er (Halaman: 12)
- tv prog rams using (Halaman: 12)
- mation centr e f (Halaman: 12)
- dutc h libraries (Halaman: 12)
- ser v es (Halaman: 12)
- indexing e g (Halaman: 12)
- audio content based (Halaman: 12)
- online ser vice (Halaman: 12)
- w e present (Halaman: 12)
- ha v e v er (Halaman: 13)
- cultural heritag e org anization (Halaman: 13)
- inde pendent automated subject indexing (Halaman: 13)
- en sev eral years (Halaman: 13)
- opinion ho w ev er (Halaman: 13)
- understandable w hen alg orithms (Halaman: 13)
- national arc hi v es (Halaman: 13)
- w ere later integ rated (Halaman: 13)
- highly efficient omikuji alg orithms (Halaman: 13)
- finto ai ser vice annif (Halaman: 13)
- w w w c (Halaman: 13)
- solutions using github issues (Halaman: 13)
- human perspecti v e (Halaman: 13)
- production ser vice used (Halaman: 13)
- w eb pag e (Halaman: 13)
- w e tur ned (Halaman: 13)
- w e de plo (Halaman: 13)
- different perspecti v es (Halaman: 13)
- collaboration whic h resulted (Halaman: 13)
- swib conference w hen (Halaman: 13)
- subject based access (Halaman: 13)
- human ev aluation effor (Halaman: 13)
- first tutorial session w (Halaman: 13)
- automatic subject indexing (Halaman: 13)
- find intellig ent solutions (Halaman: 13)
- co vid pandemic hit (Halaman: 13)

- far users ha v e (Halaman: 14)
- new text classification alg orithms (Halaman: 14)
- making extensi v e tests (Halaman: 14)
- v estig ate ho w (Halaman: 14)
- future w e contin ue (Halaman: 14)
- finto ai w e hope (Halaman: 14)
- automated subject indexing methods (Halaman: 14)
- automated indexing affects users (Halaman: 14)
- ser vices pro vided b (Halaman: 14)
- initial sug g estion (Halaman: 14)
- maintaining g ood quality (Halaman: 14)
- trac k ho w (Halaman: 14)
- tec hnical exper tise (Halaman: 14)
- house exper tise required (Halaman: 14)
- languag es w e (Halaman: 14)
- collecting suitable training data (Halaman: 14)
- uni v ersity librar (Halaman: 14)
- con v er ting (Halaman: 14)
- c halleng es (Halaman: 14)
- tec hnical documentation set (Halaman: 14)
- finto ai ser vice (Halaman: 14)
- indexing v ocabularies (Halaman: 14)
- subject indexing upload (Halaman: 14)
- positi v e (Halaman: 14)
- w ould also (Halaman: 14)
- w e thank (Halaman: 14)
- offer w e (Halaman: 14)
- api ser vices (Halaman: 14)
- w eb site (Halaman: 14)
- w l e (Halaman: 14)
- n g g (Halaman: 14)
- https doi org asi haighton (Halaman: 15)
- golub k oraljka dag ober (Halaman: 15)
- ext classification arxi v cs (Halaman: 15)
- r etriev al j (Halaman: 15)
- omas mik olo v bag (Halaman: 15)
- manik v ar (Halaman: 15)
- j uha piukkula (Halaman: 15)
- mic hel de gr uijter (Halaman: 15)
- udhope marianne lykk e (Halaman: 15)
- conf er ence (Halaman: 15)
- r ohit babbar bonsai (Halaman: 15)
- metadata open link ed (Halaman: 15)
- yso case j (Halaman: 15)
- infor mation science (Halaman: 15)
- dorien haagsma exploration possibilities (Halaman: 15)
- f ramew ork (Halaman: 15)
- v erse (Halaman: 15)
- shallo w (Halaman: 15)
- echnolo g (Halaman: 15)
- osma suominen (Halaman: 15)
- extreme classification (Halaman: 15)
- tek oalykumppan uus (Halaman: 15)

- digital libraries https doi org (Halaman: 16)
- utomated subject indexing presented (Halaman: 16)
- nbs monog raph w ashington (Halaman: 16)
- v erg abe v (Halaman: 16)
- exts inter national j (Halaman: 16)
- kim stoc hastic gradient descent (Halaman: 16)
- oe pfer mar tin (Halaman: 16)
- ool kit annif preview (Halaman: 16)
- empirical r esults (Halaman: 16)
- conce pt drift analysis (Halaman: 16)
- utomatic subject indexing (Halaman: 16)
- elizabeth automatic indexing (Halaman: 16)
- uhlmann sandro (Halaman: 16)
- fusion arc hitectures (Halaman: 16)
- v ember (Halaman: 16)
- open source tool (Halaman: 16)
- open source (Halaman: 16)
- christin seifer (Halaman: 16)

3. Metode Word2Vec:
- Kata kunci: finto
  Tidak ada kata mirip yang ditemukan di dokumen.
- Kata kunci: ai
  > j (0.53, Halaman: 1, 3, 4, 5, 6, 9, 10, 11, 15, 16)
  > u (0.52, Halaman: 1, 3, 4, 5, 9, 10, 12, 13, 14, 16)
  > gi (0.52, Halaman: 1, 4, 7, 8, 14)
- Kata kunci: developing
  Tidak ada kata mirip yang ditemukan di dokumen.
- Kata kunci: implementing
  > implemented (0.69, Halaman: 3, 4, 14)
  > implementation (0.68, Halaman: 4)