# MATERIAL REQUIREMENTS REPORT

## MECH. IMPORT SYSTEM THROUGH BERTH BB-6 WITH IMWLS

## BELT CONV. BCU-107

Drawing No.: ES00225-7544040101-FAB-0003

Project ID: ES-00225 | Element ID: 75-44-04-01-01

Revision: | Date: 10.10.2025 | Scale: 1:30

Client: ADANI THE DHAMRA PORT COMPANY LIMITED

Consultant: ADANI INFRA (INDIA) LTD.

| 40 | 7 | 3 | 1 |
|---|---|---|---|
| BoM Items | Grouped Materials | Hardware Items | Ref. Drawings |

*Report generated on 07 October 2026 at 22:45 | Total estimated weight: 185.50 kg*

# 1. Drawing Information

| | | | |
|---|---|---|---|
| Document ID | **ES00225-7544040101-FAB-0003** | Project ID | **ES-00225** |
| Title | **MECH. IMPORT SYSTEM THROUGH BERTH BB-6 WITH IMWLS** | Element ID | **75-44-04-01-01** |
| Revision | **—** | Date | **10.10.2025** |
| Scale | **1:30** | Sheet Size | **A1** |
| Drawn By | **MAS** | Checked By | **GPB** |
| Approved By | **DVK** | Total Weight | **185.50 kg** |
| Client | **ADANI THE DHAMRA PORT COMPANY LIMITED** | Consultant | **ADANI INFRA (INDIA) LTD.** |
| Service | **MECHANICAL** | Year | **2025** |

## Revision History

| Rev | Date | Revised By | Approved By | Description |
|---|---|---|---|---|
| 01 | 19.01.2026 | DVK | TSP | DRAWING REVISED AS PER MARKED GPB |
| 02 | 23.07.2026 | DVK | TAA | DRAWING REVISED AS PER MARKED GPB MECH. IMPORT SYSTEM THROUGH BERTH BB |

## Reference Drawings

| Document ID | Description |
|---|---|
| **ES00225-7544040101-FAB-0002** | DETAIL OF TAIL FRAME MACHINING ITEM FOR CONV. BCU-107 |

# 2. Material Requirements & Section Summary

## SUMMARY (Drawing Format)

Section weight breakdown as formatted in drawing title blocks:

| SR. NO. | SECTION | TOTAL (kg) |
|---|---|---|
| 1 | **L 40x40x5** | 54.96 |
| 2 | **FLAT 40x5** | 51.09 |
| 3 | **PIPE 20 NB (M)** | 0.40 |
| 4 | **PLT. 6 THK.** | 0.58 |
| 5 | **PLT. 5 THK.** | 1.64 |
| 6 | **ISMC 75** | 23.56 |
| | **Grand Total** | **132.23** |

## Grouped Material Requirements Breakdown

Total of **7** unique material types (from 40 raw BoM entries). Combined total weight: **132.23 kg**. Items highlighted in **blue** had their dimensions combined from multiple parts with the same part number.

| # | Description | Specification | Combined Dimension | Total Qty | Total Wt (kg) | Purchase Code | Parts Combined |
|---|---|---|---|---|---|---|---|
| 1 | **FLAT 40x5** | IS:2062 | **32534 LG. (combined)** | 26 | 51.09 | INFR03040050000 | 15 |
| 2 | **ISMC 75** | IS:2062 | **3300 LG. (combined)** | 8 | 23.56 | INCR01075040070 | 4 |
| 3 | **L 40x40x5** | IS:2062 | **18494 LG. (combined)** | 16 | 54.96 | INAR01040040050 | 14 |
| 4 | **PIPE 20 NB (M)** | IS:2062 | **200 LG. (combined)** | 4 | 0.40 | INDC01002690260 | 2 |
| 5 | **PLATE** | IS:2062 | **480 x 70 x 5THK** | 12 | 1.32 | IPPR01000500000 | 1 |
| 6 | **PLATE** | IS:2062 | **80 x 106 x 5THK** | 2 | 0.32 | IPPR01000500000 | 2 |
| 7 | **PLATE** | IS:2062 | **140 x 100 x 6THK** | 2 | 0.58 | IPPR01000600000 | 2 |

## Dimension Combination Details

The following table shows how dimensions were combined for each grouped material:

### FLAT 40x5 — INFR03040050000

| Part No. | Original Size | Qty | Wt/pc (kg) | Contrib. Wt (kg) |
|---|---|---|---|---|
| 3 | 1545 LG. | 1 | 2.430 | 2.43 |
| 3 | 1545 LG. | 1 | 2.430 | 2.43 |
| 4 | 400 LG. | 1 | 0.630 | 0.63 |
| 4 | 400 LG. | 1 | 0.630 | 0.63 |
| 5 | 1375 LG. | 2 | 4.320 | 8.64 |
| 5 | 1375 LG. | 2 | 4.320 | 8.64 |
| 6 | 400 LG. | 1 | 0.630 | 0.63 |
| 6 | 400 LG. | 1 | 0.630 | 0.63 |
| 13 | 1545 LG. | 4 | 9.700 | 38.80 |
| 14 | 771 LG. | 4 | 4.840 | 19.36 |
| 15 | 1460 LG. | 2 | 4.580 | 9.16 |
| 19 | 3160 LG. | 1 | 4.960 | 4.96 |
| 20 | 3160 LG. | 1 | 4.960 | 4.96 |
| 21 | 920 LG. | 2 | 2.890 | 5.78 |
| 22 | 1000 LG. | 2 | 3.140 | 6.28 |
| **TOTAL** | → **Combined: 32534 LG. (combined)** | **26** | | **51.09** |

## ISMC 75 — INCR01075040070

| Part No. | Original Size | Qty | Wt/pc (kg) | Contrib. Wt (kg) |
|---|---|---|---|---|
| 31 | 445 LG. | 2 | 6.350 | 12.70 |
| 31 | 445 LG. | 2 | 6.350 | 12.70 |
| 32 | 380 LG. | 2 | 5.430 | 10.86 |
| 32 | 380 LG. | 2 | 5.430 | 10.86 |
| **TOTAL** | → **Combined: 3300 LG. (combined)** | **8** | | **23.56** |

## L 40x40x5 — INAR01040040050

| Part No. | Original Size | Qty | Wt/pc (kg) | Contrib. Wt (kg) |
|---|---|---|---|---|
| 1 | 1460 LG. | 1 | 4.340 | 4.34 |
| 1 | 1460 LG. | 1 | 4.340 | 4.34 |
| 2 | 1460 LG. | 1 | 4.340 | 4.34 |
| 2 | 1460 LG. | 1 | 4.340 | 4.34 |
| 7 | 1625 LG. | 1 | 4.830 | 4.83 |
| 7 | 1625 LG. | 1 | 4.830 | 4.83 |
| 11 | 3162 LG. | 1 | 9.390 | 9.39 |
| 12 | 3162 LG. | 1 | 9.390 | 9.39 |
| 24 | 380 LG. | 2 | 2.260 | 4.52 |
| 24 | 380 LG. | 2 | 2.260 | 4.52 |
| 25 | 390 LG. | 1 | 1.160 | 1.16 |
| 25 | 390 LG. | 1 | 1.160 | 1.16 |
| 26 | 390 LG. | 1 | 1.160 | 1.16 |
| 26 | 390 LG. | 1 | 1.160 | 1.16 |
| **TOTAL** | **→ Combined: 18494 LG. (combined)** | **16** | | **54.96** |

## PIPE 20 NB (M) — INDC01002690260

| Part No. | Original Size | Qty | Wt/pc (kg) | Contrib. Wt (kg) |
|---|---|---|---|---|
| 9 | 50 LG. | 2 | 0.200 | 0.40 |
| 9 | 50 LG. | 2 | 0.200 | 0.40 |
| **TOTAL** | **→ Combined: 200 LG. (combined)** | **4** | | **0.40** |

## PLATE — IPPR01000500000

| Part No. | Original Size | Qty | Wt/pc (kg) | Contrib. Wt (kg) |
|---|---|---|---|---|
| 28 | 40 x 106 x 5THK | 1 | 0.160 | 0.16 |
| 28 | 40 x 106 x 5THK | 1 | 0.160 | 0.16 |
| **TOTAL** | **→ Combined: 80 x 106 x 5THK** | **2** | | **0.32** |

## PLATE — IPPR01000600000

| Part No. | Original Size | Qty | Wt/pc (kg) | Contrib. Wt (kg) |
|---|---|---|---|---|
| 10 | 70 x 100 x 6THK | 1 | 0.290 | 0.29 |
| 10 | 70 x 100 x 6THK | 1 | 0.290 | 0.29 |
| **TOTAL** | **→ Combined: 140 x 100 x 6THK** | **2** | | **0.58** |

## 3. Hardware & Fastener Requirements

**3** hardware item type(s) required. All hardware shall be Hot Dip Galvanized (HDG) unless otherwise specified.

| Purchase Code | Description | Mark | Quantity | Unit Wt (kg) | Total Wt (kg) | UOM |
|---|---|---|---|---|---|---|
| FNTP0812B00000G | Hex. Nut M12,IS:1364,P8,HDG | **F1** | 39 | 0.610 | 23.79 | EA |
| FHS12045E00000G | Hex. Screw M12x45Lg,IS:1364,P8.8,HDG | **F1** | 39 | 2.010 | 78.39 | EA |
| FWAPAA12A00000G | Plain Washer A13,IS:2016,Type-A,HDG | **F1** | 39 | 0.230 | 8.97 | EA |

## 4. Raw Bill of Materials (BoM)

**40** items from the original BoM table.

| # | Description | Specification | Size / Length | Qty | Wt/unit (kg) | Purchase Code |
|---|---|---|---|---|---|---|
| 1 | **L 40x40x5** | IS:2062 | 1460 LG. | 1 | 4.34 | INAR01040040050 |
| 1 | **L 40x40x5** | IS:2062 | 1460 LG. | 1 | 4.34 | INAR01040040050 |
| 2 | **L 40x40x5** | IS:2062 | 1460 LG. | 1 | 4.34 | INAR01040040050 |
| 2 | **L 40x40x5** | IS:2062 | 1460 LG. | 1 | 4.34 | INAR01040040050 |
| 3 | **FLAT 40x5** | IS:2062 | 1545 LG. | 1 | 2.43 | INFR03040050000 |
| 3 | **FLAT 40x5** | IS:2062 | 1545 LG. | 1 | 2.43 | INFR03040050000 |
| 4 | **FLAT 40x5** | IS:2062 | 400 LG. | 1 | 0.63 | INFR03040050000 |
| 4 | **FLAT 40x5** | IS:2062 | 400 LG. | 1 | 0.63 | INFR03040050000 |
| 5 | **FLAT 40x5** | IS:2062 | 1375 LG. | 2 | 4.32 | INFR03040050000 |
| 5 | **FLAT 40x5** | IS:2062 | 1375 LG. | 2 | 4.32 | INFR03040050000 |
| 6 | **FLAT 40x5** | IS:2062 | 400 LG. | 1 | 0.63 | INFR03040050000 |
| 6 | **FLAT 40x5** | IS:2062 | 400 LG. | 1 | 0.63 | INFR03040050000 |
| 7 | **L 40x40x5** | IS:2062 | 1625 LG. | 1 | 4.83 | INAR01040040050 |
| 7 | **L 40x40x5** | IS:2062 | 1625 LG. | 1 | 4.83 | INAR01040040050 |
| 9 | **PIPE 20 NB (M)** | IS:2062 | 50 LG. | 2 | 0.20 | INDC01002690260 |
| 9 | **PIPE 20 NB (M)** | IS:2062 | 50 LG. | 2 | 0.20 | INDC01002690260 |
| 10 | **PLATE** | IS:2062 | 70 x 100 x 6THK | 1 | 0.29 | IPPR01000600000 |
| 10 | **PLATE** | IS:2062 | 70 x 100 x 6THK | 1 | 0.29 | IPPR01000600000 |
| 11 | **L 40x40x5** | IS:2062 | 3162 LG. | 1 | 9.39 | INAR01040040050 |
| 12 | **L 40x40x5** | IS:2062 | 3162 LG. | 1 | 9.39 | INAR01040040050 |
| 13 | **FLAT 40x5** | IS:2062 | 1545 LG. | 4 | 9.70 | INFR03040050000 |
| 14 | **FLAT 40x5** | IS:2062 | 771 LG. | 4 | 4.84 | INFR03040050000 |
| 15 | **FLAT 40x5** | IS:2062 | 1460 LG. | 2 | 4.58 | INFR03040050000 |
| 17 | **PLATE** | IS:2062 | 40 x 70 x 5THK | 12 | 1.32 | IPPR01000500000 |
| 19 | **FLAT 40x5** | IS:2062 | 3160 LG. | 1 | 4.96 | INFR03040050000 |
| 20 | **FLAT 40x5** | IS:2062 | 3160 LG. | 1 | 4.96 | INFR03040050000 |
| 21 | **FLAT 40x5** | IS:2062 | 920 LG. | 2 | 2.89 | INFR03040050000 |
| 22 | **FLAT 40x5** | IS:2062 | 1000 LG. | 2 | 3.14 | INFR03040050000 |

| # | Description | Specification | Size / Length | Qty | Wt/unit (kg) | Purchase Code |
|---|---|---|---|---|---|---|
| 24 | **L 40x40x5** | IS:2062 | 380 LG. | 2 | 2.26 | INAR01040040050 |
| 24 | **L 40x40x5** | IS:2062 | 380 LG. | 2 | 2.26 | INAR01040040050 |
| 25 | **L 40x40x5** | IS:2062 | 390 LG. | 1 | 1.16 | INAR01040040050 |
| 25 | **L 40x40x5** | IS:2062 | 390 LG. | 1 | 1.16 | INAR01040040050 |
| 26 | **L 40x40x5** | IS:2062 | 390 LG. | 1 | 1.16 | INAR01040040050 |
| 26 | **L 40x40x5** | IS:2062 | 390 LG. | 1 | 1.16 | INAR01040040050 |
| 28 | **PLATE** | IS:2062 | 40 x 106 x 5THK | 1 | 0.16 | IPPR01000500000 |
| 28 | **PLATE** | IS:2062 | 40 x 106 x 5THK | 1 | 0.16 | IPPR01000500000 |
| 31 | **ISMC 75** | IS:2062 | 445 LG. | 2 | 6.35 | INCR01075040070 |
| 31 | **ISMC 75** | IS:2062 | 445 LG. | 2 | 6.35 | INCR01075040070 |
| 32 | **ISMC 75** | IS:2062 | 380 LG. | 2 | 5.43 | INCR01075040070 |
| 32 | **ISMC 75** | IS:2062 | 380 LG. | 2 | 5.43 | INCR01075040070 |

## 5. Dispatch Units (Shipping Packages)

**6** dispatch package(s) identified for fabrication delivery.

| DU No. | Description | Type | Weight (kg) | UOM | Purchase Code |
|---|---|---|---|---|---|
| BCU7TG01 | TAIL PULLEY MESH GUARD FOR BCU-107 | F | 42.51 | KG | 7223TSSMPOTH |
| BCU7TG1X | TAIL PULLEY MESH GUARD FOR BCU-107 | F | 42.51 | KG | 7223TSSMPOTH |
| BCU7TG02 | TAIL PULLEY MESH GUARD FOR BCU-107 | F | 58.94 | KG | 7223TSSMPOTH |
| BCU7TG03 | TAIL PULLEY MESH GUARD FOR BCU-107 | F | 28.03 | KG | 7223TSSMPOTH |
| BCU7TG04 | TAIL PULLEY MESH GUARD FOR BCU-107 | F | 5.33 | KG | 7223TSSMPOTH |
| BCU7TG4X | TAIL PULLEY MESH GUARD FOR BCU-107 | F | 5.33 | KG | 7223TSSMPOTH |