# MATERIAL REQUIREMENTS REPORT

## MECH. IMPORT SYSTEM THROUGH BERTH BB-6 WITH IMWLS

## FRAME FOR BELT CONV. BCU-108

Drawing No.: ES00225-7544040201-FAB-0001

Project ID: ES-00225 | Element ID: 75-44-04-02-01

Revision: | Date: 12.10.2025 | Scale: 1:3

Client: ADANI THE DHAMRA PORT COMPANY LIMITED

Consultant: ADANI INFRA (INDIA) LTD.

| 30 | 10 | 8 | 2 |
|---|---|---|---|
| BoM Items | Grouped Materials | Hardware Items | Ref. Drawings |

*Report generated on 18 September 2026 at 23:16 | Total estimated weight: 1962.30 kg*

# 1. Drawing Information

| | | | |
|---|---|---|---|
| Document ID | **ES00225-7544040201-FAB-0001** | Project ID | **ES-00225** |
| Title | **MECH. IMPORT SYSTEM THROUGH BERTH BB-6 WITH IMWLS** | Element ID | **75-44-04-02-01** |
| Revision | **—** | Date | **12.10.2025** |
| Scale | **1:3** | Sheet Size | **A1** |
| Drawn By | **MDN** | Checked By | **GPB** |
| Approved By | **DVK** | Total Weight | **1962.30 kg** |
| Client | **ADANI THE DHAMRA PORT COMPANY LIMITED** | Consultant | **ADANI INFRA (INDIA) LTD.** |
| Service | **MECHANICAL** | Year | **2026** |

## Revision History

| Rev | Date | Revised By | Approved By | Description |
|---|---|---|---|---|
| 1 | 19.01.2026 | DVK | TSP | DRAWING REVISED AS PER MARKED GPB |
| 2 | 02.04.2026 | DVK | VDK | DRAWING REVISED AS PER MARKED GPB |
| 3 | 30.04.2026 | DVK | TAA | DRAWING REVISED AS PER MARKED GPB |
| 4 | 06.05.2026 | DVK | JSS | DRAWING REVISED AS PER MARKED GPB |
| 5 | 23.07.2026 | DVK | TAA | DRAWING REVISED AS PER MARKED GPB MECH. IMPORT SYSTEM THROUGH BERTH BB |

## Reference Drawings

| Document ID | Description |
|---|---|
| **ES00225-75440100-ASY-0008** | G.A. AND LOAD DATA FOR CONVEYOR BCU-108 |
| **ES00225-7544040201-FAB-0002** | DETAIL OF TAIL FRAME MACHINING ITEM FOR CONV. BCU-108 |

# 2. Grouped Material Requirements

Total of **10** unique material types (from 30 raw BoM entries). Combined total weight: **3969.58 kg**. Items highlighted in **blue** had their dimensions combined from multiple parts with the same part number.

| # | Description | Specification | Combined Dimension | Total Qty | Total Wt (kg) | Purchase Code | Parts Combined |
|---|---|---|---|---|---|---|---|
| 1 | **PLATE** | IS:2062 | **2080 x 200 x 10THK** | 26 | 364.20 | IPPR01001000000 | 4 |
| 2 | **PLATE** | IS:2062 | **380 x 195 x 10THK** | 4 | 11.64 | IPPR01001000000 | 2 |
| 3 | **PLATE** | IS:2062 | **1256 x 75 x 10THK** | 4 | 11.80 | IPPR01001000000 | 2 |
| 4 | **PLATE** | IS:2062 | **1716 x 220 x 10THK** | 4 | 118.56 | IPPR01001000000 | 1 |
| 5 | **PLATE** | IS:2062 | **600 x 324 x 12THK** | 4 | 36.64 | IPPR01001200000 | 2 |
| 6 | **PLATE** | IS:2062 | **1152 x 200 x 12THK** | 12 | 64.20 | IPPR01001200000 | 4 |
| 7 | **PLATE** | IS:2062 | **3120 x 395 x 16THK** | 20 | 1201.60 | IPPR01001600000 | 2 |
| 8 | **PLATE** | IS:2062 | **680 x 980 x 20THK** | 2 | 104.62 | IPPR01002000000 | 2 |
| 9 | **PLATE** | IS:2062 | **1000 x 600 x 25THK** | 4 | 235.52 | IPPR03002500000 | 2 |
| 10 | **UB 406x178x67** | IS:2062 | **22034 LG. (combined)** | 10 | 1820.80 | INBR03406178067 | 9 |

## Dimension Combination Details

The following table shows how dimensions were combined for each grouped material:

### PLATE — IPPR01001000000

| Part No. | Original Size | Qty | Wt/pc (kg) | Contrib. Wt (kg) |
|---|---|---|---|---|
| 6 | 80 x 200 x 10THK | 1 | 1.260 | 1.26 |
| 6 | 80 x 200 x 10THK | 1 | 1.260 | 1.26 |
| 7 | 80 x 200 x 10THK | 12 | 15.070 | 180.84 |
| 7 | 80 x 200 x 10THK | 12 | 15.070 | 180.84 |
| **TOTAL** | → **Combined: 2080 x 200 x 10THK** | **26** | | **364.20** |

### PLATE — IPPR01001000000

| Part No. | Original Size | Qty | Wt/pc (kg) | Contrib. Wt (kg) |
|---|---|---|---|---|
| 8 | 95 x 195 x 10THK | 2 | 2.910 | 5.82 |
| 8 | 95 x 195 x 10THK | 2 | 2.910 | 5.82 |
| **TOTAL** | → **Combined: 380 x 195 x 10THK** | **4** | | **11.64** |

### PLATE — IPPR01001000000

| Part No. | Original Size | Qty | Wt/pc (kg) | Contrib. Wt (kg) |
|---|---|---|---|---|
| 12 | 314 x 75 x 10THK | 2 | 2.950 | 5.90 |
| 12 | 314 x 75 x 10THK | 2 | 2.950 | 5.90 |
| **TOTAL** | → **Combined: 1256 x 75 x 10THK** | **4** | | **11.80** |

### PLATE — IPPR01001200000

| Part No. | Original Size | Qty | Wt/pc (kg) | Contrib. Wt (kg) |
|---|---|---|---|---|
| 11 | 150 x 324 x 12THK | 2 | 9.160 | 18.32 |
| 11 | 150 x 324 x 12THK | 2 | 9.160 | 18.32 |
| **TOTAL** | → **Combined: 600 x 324 x 12THK** | **4** | | **36.64** |

## PLATE — IPPR01001200000

| Part No. | Original Size | Qty | Wt/pc (kg) | Contrib. Wt (kg) |
|---|---|---|---|---|
| 13 | 69 x 200 x 12THK | 4 | 5.200 | 20.80 |
| 13 | 69 x 200 x 12THK | 4 | 5.200 | 20.80 |
| 14 | 150 x 200 x 12THK | 2 | 5.650 | 11.30 |
| 14 | 150 x 200 x 12THK | 2 | 5.650 | 11.30 |
| **TOTAL** | → **Combined: 1152 x 200 x 12THK** | **12** | | **64.20** |

## PLATE — IPPR01001600000

| Part No. | Original Size | Qty | Wt/pc (kg) | Contrib. Wt (kg) |
|---|---|---|---|---|
| 10 | 156 x 395 x 16THK | 10 | 60.080 | 600.80 |
| 10 | 156 x 395 x 16THK | 10 | 60.080 | 600.80 |
| **TOTAL** | → **Combined: 3120 x 395 x 16THK** | **20** | | **1201.60** |

## PLATE — IPPR01002000000

| Part No. | Original Size | Qty | Wt/pc (kg) | Contrib. Wt (kg) |
|---|---|---|---|---|
| 9 | 340 x 980 x 20THK | 1 | 52.310 | 52.31 |
| 9 | 340 x 980 x 20THK | 1 | 52.310 | 52.31 |
| **TOTAL** | → **Combined: 680 x 980 x 20THK** | **2** | | **104.62** |

## PLATE — IPPR03002500000

| Part No. | Original Size | Qty | Wt/pc (kg) | Contrib. Wt (kg) |
|---|---|---|---|---|
| 5 | 250 x 600 x 25THK | 2 | 58.880 | 117.76 |
| 5 | 250 x 600 x 25THK | 2 | 58.880 | 117.76 |
| **TOTAL** | → **Combined: 1000 x 600 x 25THK** | **4** | | **235.52** |

## UB 406x178x67 — INBR03406178067

| Part No. | Original Size | Qty | Wt/pc (kg) | Contrib. Wt (kg) |
|---|---|---|---|---|
| 1 | 3089 LG. | 1 | 206.960 | 206.96 |
| 1 | 3089 LG. | 1 | 206.960 | 206.96 |
| 2 | 2828 LG. | 1 | 189.480 | 189.48 |
| 2 | 2828 LG. | 1 | 189.480 | 189.48 |
| 3 | 938 LG. | 1 | 62.850 | 62.85 |
| 3 | 938 LG. | 1 | 62.850 | 62.85 |
| 4 | 1591 LG. | 1 | 106.600 | 106.60 |
| 4 | 1591 LG. | 1 | 106.600 | 106.60 |
| 16 | 2571 LG. | 2 | 344.510 | 689.02 |
| **TOTAL** | → **Combined: 22034 LG. (combined)** | **10** | | **1820.80** |

## 3. Hardware & Fastener Requirements

**8** hardware item type(s) required. All hardware shall be Hot Dip Galvanized (HDG) unless otherwise specified.

| Purchase Code | Description | Mark | Quantity | Unit Wt (kg) | Total Wt (kg) | UOM |
|---|---|---|---|---|---|---|
| FWAHSA16H00000G | HSS Plain Washer M16,IS:6649,HDG | **F1** | 18 | 0.371 | 6.68 | EA |
| FNTP0816B00000G | Hex. Nut M16,IS:1364,P8,HDG | **F1** | 18 | 0.680 | 12.25 | EA |
| FHS16050E00000G | Hex. Screw M16x50Lg,IS:1364,P8.8,HDG | **F1** | 18 | 1.975 | 35.54 | EA |
| FNTP0836E00000G | Hex. Lock Nut M36,IS:1364,P8,HDG | **F2** | 8 | 1.937 | 15.49 | EA |
| FNTP0836B00000G | Hex. Nut M36,IS:1364,P8,HDG | **F2** | 8 | 3.364 | 26.91 | EA |
| FHB36260G00000G | Hex. Bolt M36x260Lg,IS:1364,P8.8,HDG | **F2** | 8 | 19.745 | 157.96 | EA |
| FWAHSA36H00000G | HSS Plain Washer M36,IS:6649,HDG | **F2** | 8 | 0.770 | 6.16 | EA |
| FWASPA36C00000G | Spring Washer A36,IS:3063,HDG | **F2** | 8 | 0.586 | 4.69 | EA |

## 4. Raw Bill of Materials (BoM)

**30** items from the original BoM table.

| # | Description | Specification | Size / Length | Qty | Wt/unit (kg) | Purchase Code |
|---|---|---|---|---|---|---|
| 1 | **UB 406x178x67** | IS:2062 | 3089 LG. | 1 | 206.96 | INBR03406178067 |
| 1 | **UB 406x178x67** | IS:2062 | 3089 LG. | 1 | 206.96 | INBR03406178067 |
| 2 | **UB 406x178x67** | IS:2062 | 2828 LG. | 1 | 189.48 | INBR03406178067 |
| 2 | **UB 406x178x67** | IS:2062 | 2828 LG. | 1 | 189.48 | INBR03406178067 |
| 3 | **UB 406x178x67** | IS:2062 | 938 LG. | 1 | 62.85 | INBR03406178067 |
| 3 | **UB 406x178x67** | IS:2062 | 938 LG. | 1 | 62.85 | INBR03406178067 |
| 4 | **UB 406x178x67** | IS:2062 | 1591 LG. | 1 | 106.60 | INBR03406178067 |
| 4 | **UB 406x178x67** | IS:2062 | 1591 LG. | 1 | 106.60 | INBR03406178067 |
| 5 | **PLATE** | IS:2062 | 250 x 600 x 25THK | 2 | 58.88 | IPPR03002500000 |
| 5 | **PLATE** | IS:2062 | 250 x 600 x 25THK | 2 | 58.88 | IPPR03002500000 |
| 6 | **PLATE** | IS:2062 | 80 x 200 x 10THK | 1 | 1.26 | IPPR01001000000 |
| 6 | **PLATE** | IS:2062 | 80 x 200 x 10THK | 1 | 1.26 | IPPR01001000000 |
| 7 | **PLATE** | IS:2062 | 80 x 200 x 10THK | 12 | 15.07 | IPPR01001000000 |
| 7 | **PLATE** | IS:2062 | 80 x 200 x 10THK | 12 | 15.07 | IPPR01001000000 |
| 8 | **PLATE** | IS:2062 | 95 x 195 x 10THK | 2 | 2.91 | IPPR01001000000 |
| 8 | **PLATE** | IS:2062 | 95 x 195 x 10THK | 2 | 2.91 | IPPR01001000000 |
| 9 | **PLATE** | IS:2062 | 340 x 980 x 20THK | 1 | 52.31 | IPPR01002000000 |
| 9 | **PLATE** | IS:2062 | 340 x 980 x 20THK | 1 | 52.31 | IPPR01002000000 |
| 10 | **PLATE** | IS:2062 | 156 x 395 x 16THK | 10 | 60.08 | IPPR01001600000 |
| 10 | **PLATE** | IS:2062 | 156 x 395 x 16THK | 10 | 60.08 | IPPR01001600000 |
| 11 | **PLATE** | IS:2062 | 150 x 324 x 12THK | 2 | 9.16 | IPPR01001200000 |
| 11 | **PLATE** | IS:2062 | 150 x 324 x 12THK | 2 | 9.16 | IPPR01001200000 |
| 12 | **PLATE** | IS:2062 | 314 x 75 x 10THK | 2 | 2.95 | IPPR01001000000 |

| # | Description | Specification | Size / Length | Qty | Wt/unit (kg) | Purchase Code |
|---|---|---|---|---|---|---|
| 12 | **PLATE** | IS:2062 | 314 x 75 x 10THK | 2 | 2.95 | IPPR01001000000 |
| 13 | **PLATE** | IS:2062 | 69 x 200 x 12THK | 4 | 5.20 | IPPR01001200000 |
| 13 | **PLATE** | IS:2062 | 69 x 200 x 12THK | 4 | 5.20 | IPPR01001200000 |
| 14 | **PLATE** | IS:2062 | 150 x 200 x 12THK | 2 | 5.65 | IPPR01001200000 |
| 14 | **PLATE** | IS:2062 | 150 x 200 x 12THK | 2 | 5.65 | IPPR01001200000 |
| 15 | **PLATE** | IS:2062 | 429 x 220 x 10THK | 4 | 29.64 | IPPR01001000000 |
| 16 | **UB 406x178x67** | IS:2062 | 2571 LG. | 2 | 344.51 | INBR03406178067 |

## 5. Dispatch Units (Shipping Packages)

**3** dispatch package(s) identified for fabrication delivery.

| DU No. | Description | Type | Weight (kg) | UOM | Purchase Code |
|---|---|---|---|---|---|
| B108TF01 | TAIL FRAME BCU-108 | F | 779.36 | KG | 7223TSTFPOTH |
| B108TF02 | TAIL FRAME BCU-108 | F | 374.15 | KG | 7223TSTFPOTH |
| B108TF1X | TAIL FRAME BCU-108 | F | 779.36 | KG | 7223TSTFPOTH |