



Course Content Tests Review Test Submission: Test 1 - The Web, HTML and CSS

Review Test Submission: Test 1 - The Web, HTML and **CSS**

User 4	
Course	18W_CST8238_350 Web Programming
Test	Test 1 - The Web, HTML and CSS
Started	2/27/18 6:00 PM
Submitted	2/27/18 6:50 PM
Due Date	2/27/18 8:00 PM
Status	Completed
Attempt Score	72 out of 90 points
Time Elapsed	50 minutes out of 2 hours
Instructions	Instructions
	d Submitted Answers, Correct Answers, Feedback

Question 1 1 out of 1 points

Which is the default port for the HTTP protocol to establish a TCP connection?

Selected Answer: 🚫 80

Correct Answer: 🚫 80

Question 2 0 out of 1 points

XHTML 2.0 specification includes backwards compatibility with HTML and XHTML 1.0

Selected Answer: 🔕 True

Correct Answer: 👩 False

Question 4 2 out of 2 points

The following is the source code of Test8.html:

<!DOCTYPE html> <html> <body> <h2>Category</h2> Soft drink Coffee Tea Black tea Green tea Milk Hard drink Wine Beer Molson Dry Labatt Blue Coors Light Whisky </body> </html>

What will be the output of Test8.html?

Category

- Soft drink
 - Coffee
 - Tea
 - Black tea
 - Green tea
 - o Milk
- Hard drink
 - Wine
 - Beer
 - Molson Dry
 - Labatt Blue
 - Coors Light
 - Whisky

Correct Answer:

Category

- Soft drink
 - Coffee
 - Tea
 - Black tea
 - Green tea
 - o Milk
- Hard drink
 - Wine
 - Beer
 - Molson Dry
 - Labatt Blue
 - Coors Light

Whisky

Question 5 2 out of 2 points

The following is the source code of Test3.html:

<html>

<html lang="en">

<head>

<title>Test3</title>

<charset="utf-8">

</head>

<body>

CST⁸²³⁸

</body>

</html>

What text will be printed when Test3.html is displayed in any web browser?

Selected Answer:	🥿 CST8238
------------------	-----------

Correct Answer: CST⁸²³⁸

Question 6 1 out of 1 points

Which attribute specifies text that is available to browsers and other user agents that do not support graphics?

Selected Answer: alt



Correct Answer: alt



Question 7 0 out of 1 points

Which XHTML atribute specifies the distance between the cell text and the cell border?

Selected Answer: 🗯 cellspacing

Correct Answer: cellpadding



Question 8 1 out of 1 points

XML stands for ______.

Selected Answer: 👩 extensible markup language

Correct Answer:

Evaluation Method	Correct Answer	Case Sensitivity
Sexact Match	extensible markup language	
Sexact Match	Extensible markup language	

Question 9 1 out of 1 points

	Evaluation Method	Correct Answer	Case Sensitivity
н			

Question 10 0 out of 1 points

Which type of CSS is coded in the body of the Web page as an attribute of an XHTML tag?

Selected Answer: 😢 external

Correct Answer: inline

Ø

Question 11 1 out of 1 points

Which of the following is used to change the location of an element slightly to the relation to where it would otherwise appear on the page?

Selected Answer: relative positioning

Ø

Correct Answer: relative positioning

Ø

Question 12 1 out of 1 points

Which tag configures the next test or element to display on a new line?

Selected Answer:

Ø

Correct Answer:

Ø

Question 13 1 out of 1 points

	Evaluation Method	Correct Answer	Case Sensitivity
	Correct Answer:		
	Selected Answer: 🚫 attribute		
	In CSS rules, selectors presence of an element attribute o	•	
Questi	on 17		1 out of 1 points
	Correct Answer: 🚫 True		
	Selected Answer: 🚫 True		
	Markup languages contain sets of manage a Web document.	directions that tell the bro	wser software how to display and
Questi	on 16		1 out of 1 points
	Correct Answer: 👩 Generic to	p-level domain names	
	Selected Answer: 😢 DNS		
	com and .org are examples of _	·	
Questi	on 15		0 out of 1 points
	Correct Answer: 🤡 True		
	Selected Answer: 🤡 True		
	discover a numeric IP addre resolution .	ss through a process	referred to as address
	The Domain Name System ([ONS) provides a mech	nanism for software to
Questi	on 14		1 out of 1 points
	Correct Answer: 🞸 <tfoot><th>foot></th><th></th></tfoot>	foot>	
	Selected Answer: 🕜 <tfoot><th>foot></th><th></th></tfoot>	foot>	

attribute

Exact Match

Which XHTML tag pair is used to group rows in the footer of a table?

Question 18 1 out of 1 points HTML stands for _____ Selected Answer: 🕜 hypertext markup language Correct Answer: **Evaluation Method Correct Answer Case Sensitivity** hypertext markup Exact Match language Hypertext markup Exact Match language **Question 19** 1 out of 1 points FTP stands for _____ Selected Answer: 🚫 file transfer protocol Correct Answer: **Evaluation Method Correct Answer Case Sensitivity** 🕜 Exact Match file transfer protocol Question 20 2 out of 2 points What will be the output of the following HTML5 code? <!DOCTYPE html> <html> <body> > My Bonnie lies over the ocean. My Bonnie lies over the sea. My Bonnie lies over the ocean. </body>

</html>

My Bonnie lies over the ocean. My Bonnie lies over the sea. My Bonnie lies over the ocean.

Correct



Answer: My Bonnie lies over the ocean. My Bonnie lies over the sea. My Bonnie lies over the ocean.

Question 21 0 out of 1 points

In fred.htm (see below), how would we relatively reference pants.htm?





Selected Answer: web/products/pants.htm



Correct Answer: ../products/pants.htm



Question 22 1 out of 1 points

What tag pair is used to create the largest heading?

Selected Answer: <h1> </h1>

Ø

Correct Answer: <h1> </h1>

Ø

Question 23 0 out of 1 points

	In the following CSS code	e, em is the		
	em { color: red; }			
	Selected Answer: style o	declaration r		
	Correct Allswer. Sciente	1		
Quest	ion 24		0 out of 1 points	
	In CSS rules, selecto	rs select all instances of a give	en HTML element.	
	Selected Answer: 🔇 id Correct Answer:			
	Evaluation Method	Correct Answer	Case Sensitivity	
	Sexual Match	element		
Quest	ion 25		0 out of 1 points	
	A single web page can refrequests and responses.	ference dozens of files an	d require many HTTP	
	Selected Answer: 😢 False			
	Correct Answer: 🕢 True			
Quest	ion 26		2 out of 2 points	
	The following is the source cod	e of Test2.html:		
	<html> <html> <html lang="en"> <head> <title>Test2</title> <charset="utf-8"> </charset="utf-8"></head> <body> CST₈₂₃₈ </body> </html></html></html>			
	What text will be printed when	Test2 html is displayed in any	veb browser?	

Selected Answer: O CST8238

Question 27 1 out of 1 points

If you want to style multiple web pages on a web site in the same way, it is best to use:

Selected Answer: 👩 an external stylesheet

Correct Answer: on external stylesheet

Question 28 2 out of 2 points

What will be the output of following HTML5 code?

<!DOCTYPE html>

<html>

<body>

<h2>Category</h2>

<dl>

<dt> Soft drink

<dd>Coffee</dd>

<dd>Tea</dd>

<dd>Black tea</dd>

<dd>Green tea</dd>

<dd>Milk</dd>

</dt>

<dt> Hard drink

<dd>Wine</dd>

<dd>Beer </dd>

<dd>Molson Dry</dd>

<dd>Labatt Blue</dd>

<dd>Coors Light</dd>

<dd>Whisky</dd>

</dt>

</dl>

</body>

</html>

Category

Soft drink Coffee

Tea

Black tea

Green tea

Milk

Hard drink

Wine

Beer

Molson Dry

Labatt Blue

Coors Light

Whisky



Correct Answer:

Category

Soft drink

Coffee

Tea

Black tea

Green tea

Milk

Hard drink

Wine

Beer

Molson Dry

Labatt Blue

Coors Light

Whisky



Question 29 1 out of 1 points

Keeping in mind that it is easy to copy files from other's Web sites, which of the following is true?

Selected Answer: 🚫 you should obtain permission before using files created by others

Question 30 1 out of 1 points

Which of the following is true if a Web page contains both a link to an external style sheet and embedded styles?



external styles will be applied first, and then embedded styles will be applied Answer:

Correct Answer: 🚫



external styles will be applied first, and then embedded styles will be applied

Question 31 1 out of 1 points

Which tag pair contains the items in an ordered or unordered list?

Selected Answer:



Correct Answer:



Question 32 1 out of 1 points

Which XHTML attribute specifies the background color of a table?

Selected Answer: bgcolor



bgcolor Correct Answer:



Question 33 1 out of 1 points

Which tag pair contains text that is indented from both the left and right margins?

Selected Answer: 🚫 <blockquote></blockquote>

Correct Answer: <a>
 <b

Question 34 1 out of 1 points

In HTML5, all HTML element names and attribute names are not case-sensitive.

Selected Answer: ✓ True Correct Answer: ✓ True

Question 35 1 out of 1 points

Which of the following is the CSS property used to set the background color of a Web page?

Selected Answer: background-color

ਂ

Correct Answer: background-color

€

Question 36 1 out of 1 points

Which of the following associates a Web page with an external style sheet?

Selected Answer: k rel="stylesheet" type="text/css" href="style.css" />

Ø

Correct Answer: k rel="stylesheet" type="text/css" href="style.css" />

Ø

Question 37 0 out of 1 points

Which CSS property specifies the background color of a table?

Selected Answer: 🔞 bgcolor

Correct Answer: 👩 background-color

Question 38 1 out of 1 points

Which code provides a hyperlink to an audio file called hello.wav?

Selected Answer: Hello (Audio File)

€

Correct Answer:



Question 39 0 out of 1 points

Which XHTML element uses a border attribute to display a table with a border?

Selected Answer: 😢 <tableborder>

Correct Answer:



Question 40 1 out of 1 points

For the list shown below which of the following is the proper HTML code for the list.

- 1. A
- 2. B
- 3. C

Selected Answer: $\langle ol \rangle$

Correct Answer: \bigcirc A B C

Question 41 1 out of 1 points

The following URL is an example of absolute link:

Home

Selected Answer: False Correct Answer: False

Question 42 1 out of 1 points

Which of the following is correct syntax?

Selected Answer: \bigcirc <body><h1>Hello></h1></body>

Question 43 1 out of 1 points

Which of the following is the default value of the border and padding properties for an element?

Selected Answer: 👩 0 pixels

Correct Answer: O pixels

Question 44 1 out of 1 points

Which XHTML tag pair is used to begin and end a table row?

Selected Answer: 🚫

Correct Answer: <a>

Question 45 0 out of 1 points

In CSS rules, id selectors should be used when referencing several related elements.

Selected Answer: 🗯 True

Correct Answer: 🚫 False

Question 46 0 out of 1 points

Which XHTML attribute specifies the distance between the edges of each cell?

Selected Answer: (3) cellpadding

Correct Answer: cellspacing

Question 47 1 out of 1 points


TLD stands for _____

Selected Answer: 🚫 top-level domain

Correct Answer:

Evaluation Method Correct Answer Case Sensitivity

Exact Match top level domain



Question 48 1 out of 1 points

A Uniform Resource Locator (URL) allows a client to request a resource from a server. Of the following, which are the minimum required components of a URL?

Selected Answer: Protocol and domain (or IP address)

Ø

Correct Answer: Protocol and domain (or IP address)

Ø

Question 49 2 out of 2 points

The following is the source code of Test1.html:

<html>

<html lang="en">

<head>

<title>Test1</title>

<charset="utf-8">

</head>

<body>

CST8238

</body>

</html>

What text will be displayed when Test1.html is displayed in any web browser?

Selected Answer: 🚫 CST8238

Correct Answer: CST8238

Question 50 0 out of 1 points

Document Type Definition (DTD)

Selected Answer: (3) defines the document type of the HTML file

Correct Answer: oidentifies the version of HTML contained in your document

Question 51

Which of the following, from outermost to innermost, are components of the box model?

Selected Answer: margin, border, padding, content

 \bigcirc

Correct Answer: margin, border, padding, content

Ø

Question 52 1 out of 1 points

HTML5 strictly requires the use of html, head, and <b dots="head">body elements.

Selected Answer: False Correct Answer: False

Question 53 1 out of 1 points

HTML *inline* elements do not disrupt the flow of text (i.e., cause a line break). Which of the following tags is **NOT** an *inline* element?

Selected Answer: <div>

 $oldsymbol{arphi}$

Correct Answer: <div>

₹

Question 54 1 out of 1 points

When do you need to use a fully qualified, absolute URL in a hyperlink?

Selected Answer: • When linking to a page on an external web site.

Question 55 1 out of 1 points

Which of the following uses an absolute link?

Selected Answer: ABC

Correct Answer: ABC

Question 56 1 out of 1 points

The <nav> element in HTML5 is

Selected Answer: Used for identifying key blocks of navigation on a website

Correct Answer: Used for identifying key blocks of navigation on a website

Question 57 0 out of 1 points

Which of the following markup languages listed below is intended to extend the power of HTML by seperating data from presentation?

Selected Answer: 😢 XHTML

Correct Answer: XML

Ø

Question 58 1 out of 1 points

The text contained between the <title>...</title> tags is:

Selected Answer: Displayed in the title bar of the browser window or tab

Correct Answer: Displayed in the title bar of the browser window or tab

Question 59 2 out of 2 points

What will be the output of the following HTML5 code?

<!DOCTYPE html>

<html>

<body>

	CST8238 is	an online Web Programming course	
	Selected Answer:	CST8238 is	
		an online Web Programming	
	•	course	
	Correct Answer:	CST8238 is	
		an online	
		Web Programming	
	•	course	
Question	n 60		0 out of 1 points
_			o out of 1 points
	Which one of the follo	owing is the valid HTML5 DTD?	
	Selected Answer: 🧯	html5	
	Correct Answer:	html	
	•		
Question	າ 61		1 out of 1 points
	A URL is a type of UR	I	
	Selected Answer: 🤡	True	
	Correct Answer: 📀	True	
Question	າ 62		2 out of 2 points
	The following is the s	ource code for Test5.html:	
	html		
	<html> <body></body></html>		
		CCT0220 is to: /g>/h>Dronara the students for th	io joh markotz/h> z/a>
		CST8238 is to: <q>Prepare the students for the</q>	ie Jon IIIai ker 4

What text will be printed when Test5.html is displayed in any web browser?

Selected	
Answer:	The objective of CST8238 is to: "Prepare the students for the job

market."

Correct **C**

Answer: The objective of CST8238 is to: "Prepare the students for the job

market."

Question 63 1 out of 1 points

Which of these elements are all elements?

Selected Answer: 👩

Question 64 1 out of 1 points

IP stands for ______.

Selected Answer: 🚫 internet protocol

Correct Answer:

Question 65 1 out of 1 points

Which tag is used to link Web pages to each other?

Selected Answer: <a>

Ø

Correct Answer: <a>

Ø

Question 66 1 out of 1 points

Which of the following do you configure to apply a style to only one area of a Web page?



Correct Answer: id



Question 67 1 out of 1 points

HTML5 aims to be backwards compatible with the existing web.

Selected Answer: True

Correct Answer: True

Question 68 0 out of 1 points

Using relative referencing, what syntax would you use to reference a file called image.gif which is in the same folder (named pass2) as the file you are currently working on?

Selected Answer:



Correct Answer:



Question 69 0 out of 1 points

In CSS rules, a ______ selector allows you to select elements based on their ancestors, descendants, or siblings.

Selected Answer: 🗯 parent

Correct Answer:

Evaluation Method Correct Answer Case Sensitivity

Separate Match Contextual

Question 70 2 out of 2 points

The following is the source code of Test4.html:

<html>

<html lang="en">

<head>
<title>Test4</title>
<charset="utf-8">
</head>
<body>
CST₈₂₃₈ <sup><i>Call for a free quote for your web development needs:
888.555.5555 </i></body>
</html>

What text will be printed when Test4.html is displayed in any web browser?

Selected

Answer: CST₈₂₃₈ Call for a free quote for your web development needs:

888.555.5555

Correct

Answer: CST₈₂₃₈ Call for a free quote for your web development needs:

888.555.5555

Question 71 1 out of 1 points

Which of the following will configure padding that is 15 pixels on the top, 0 pixels on the left and right, and 5 pixels on the bottom?

Selected Answer: padding: 15px 0 5px 0;

 \bigcirc

Correct Answer: padding: 15px 0 5px 0;

 $oldsymbol{arphi}$

Question 72 1 out of 1 points

What type of files are .wav, .aiff, .mid, and .au?

Selected Answer: 🤡 audio files

Correct Answer: 👩 audio files

Question 73 1 out of 1 points

What does an e-mail link do?

Selected

 \bigcirc

Answer:

Launches the default e-mail application for the visitor's browser with your email

address as the recipient

Correct

Ø

Answer:

Launches the default e-mail application for the visitor's browser with your email

address as the recipient

Question 74 1 out of 1 points

Which of the following is known as white space?

Selected Answer: The empty screen area around blocks of text and images

€

Correct Answer: The empty screen area around blocks of text and images

€

Question 75 1 out of 1 points

A domain name that ends in .net indicates that the Web site is used for a networking company.

Selected Answer: False Correct Answer: False

Question 76 0 out of 1 points

When users visit a URL, the entire web page is returned to the browser in a single HTTP response from the server.

Selected Answer: True Correct Answer: False

Question 77 1 out of 1 points

Which of the following will insert a comment in CSS?

Selected Answer: 🕜 /* comment */

Question 78 2 out of 2 points

The following is the source code of Test7.html:

```
<!DOCTYPE html>
```

<html>

<body>

<h2>Category</h2>

Soft drink

Coffee

Tea

Black tea

Green tea

Milk < /li>

Hard drink

Wine

Beer

Molson Dry

Labatt Blue

Coors Light

Whisky

.

</body>

</html>

What will be the output of Test7.html?