STAT 451 - Visualizing Data - Autumn 2025

Ariane Ducellier

11/20/2025

```
Load R packages.
library(igraph)
```

```
##
## Attaching package: 'igraph'
## The following objects are masked from 'package:stats':
##
## decompose, spectrum
## The following object is masked from 'package:base':
##
## union
library(tidyverse)
```

```
## -- Attaching core tidyverse packages ------ tidyverse 2.0.0 --
## v dplyr
           1.1.4 v readr
                                    2.1.5
## v forcats 1.0.0
                        v stringr 1.5.1
## v ggplot2 3.5.2
                       v tibble
                                    3.3.0
## v lubridate 1.9.4
                        v tidyr
                                    1.3.1
## v purrr
              1.1.0
## -- Conflicts -----
                                            masks igraph::%--%()
## x lubridate::%--%()
## x dplyr::as_data_frame() masks tibble::as_data_frame(), igraph::as_data_frame()
                       masks igraph::compose()
masks igraph::crossing()
masks stats::filter()
## x purrr::compose()
## x tidyr::crossing()
## x dplyr::filter()
## x dplyr::lag()
                           masks stats::lag()
## x purrr::simplify()
                           masks igraph::simplify()
## i Use the conflicted package (<a href="http://conflicted.r-lib.org/">http://conflicted.r-lib.org/</a>) to force all conflicts to become error
```

Simple synthetic graph

```
gd <- graph(c(1,2, 2,3, 2,4, 1,4, 5,5, 3,6))

## Warning: `graph()` was deprecated in igraph 2.1.0.


## i Please use `make_graph()` instead.

## This warning is displayed once every 8 hours.


## Call `lifecycle::last_lifecycle_warnings()` to see where this warning was

## generated.</pre>
```

plot(gd)



```
gu <- graph(c(1,2, 2,3, 2,4, 1,4, 5,5, 3,6), directed=FALSE)
plot(gu, vertex.label=NA)
```



A more complex graph dataset

```
rename("from"="ISO_A3_origin",
         "to"="ISO A3 residence".
         "weight"="Total_refugees") %>%
  slice_max(n=15, order_by=weight)
nodesFrom <- edges %>%
  select("from") %>%
  distinct() %>%
  rename("country"="from")
nodesTo <- edges %>%
  select("to") %>%
  distinct() %>%
  rename("country"="to")
nodes <- bind_rows(nodesFrom, nodesTo) %>%
  distinct()
# Generate ID's for all nodes
nodes$ID <- seq.int(nrow(nodes))</pre>
# Create the network object
net <- graph_from_data_frame(d=edges, vertices=nodes, directed=TRUE)</pre>
par(mar=c(0, 0, 1, 0))
V(net)$size <- log(strength(net)) + 4</pre>
E(net)$width <- log(edges$weight / 350)</pre>
edgesSSD <- incident(net, V(net)[name=="SSD"], mode="out")</pre>
edgesSDN <- incident(net, V(net)[name=="SDN"], mode="out")</pre>
ecol <- rep("gray", ecount(net))</pre>
ecol[edgesSSD] <- "orange"</pre>
ecol[edgesSDN] <- "gold"</pre>
vcol <- rep("gray", vcount(net))</pre>
vcol[V(net)$name=="SSD"] <- "orange"</pre>
vcol[V(net)$name=="SDN"] <- "gold"</pre>
1 <- layout_with_lgl(net, maxiter=93)</pre>
plot(net,
     main="Major flows of refugees to and from Sudan and South Sudan in 2016",
     sub="Source: UNHCR, 2016",
     layout=1,
     edge.color=ecol,
     edge.curved=.25,
     edge.arrow.size=log(E(net)$weight)/6,
     edge.label=E(net)$weight,
     edge.label.color="black",
     edge.label.cex=.7,
     vertex.color=vcol,
     vertex.label.color="black",
     vertex.label.cex=log(strength(net))/12)
```

Major flows of refugees to and from Sudan and South Sudan in 2016

