

Untitled

2023-10-10

```
library(tidyverse)
```


```
## -- Attaching core tidyverse packages ----- tidyverse 2.0.0 --  
## v dplyr      1.1.3      v readr      2.1.4  
## v forcats    1.0.0      v stringr    1.5.0  
## v ggplot2    3.4.3      v tibble     3.2.1  
## v lubridate  1.9.3      v tidyr      1.3.0  
## v purrr      1.0.2
```

```
## -- Conflicts ----- tidyverse_conflicts() --  
## x dplyr::filter() masks stats::filter()  
## x dplyr::lag()     masks stats::lag()  
## i Use the conflicted package (<http://conflicted.r-lib.org/>) to force all conflicts to become errors
```

```
library(Lock5Data)
```

```
hist(airquality$Temp)
```

Histogram of airquality\$Temp




```
qplot(airquality$Temp)
```

```
## Warning: `qplot()` was deprecated in ggplot2 3.4.0.  
## This warning is displayed once every 8 hours.  
## Call `lifecycle::last_lifecycle_warnings()` to see where this warning was
```


```
## generated.
```

```
## `stat_bin()` using `bins = 30`. Pick better value with `binwidth`.
```



```
ggplot(airquality, aes(x=Temp)) +  
geom_histogram()
```


```
## `stat_bin()` using `bins = 30`. Pick better value with `binwidth`.
```




```
df_desc <- read_csv("../data/historical-hourly-weather-data/weather_description.csv")
```

```
## New names:
## Rows: 44459 Columns: 4
## -- Column specification
## ----- Delimiter: "," chr
## (3): Vancouver, Seattle, San.Francisco dbl (1): ...1
## i Use `spec()` to retrieve the full column specification for this data. i
## Specify the column types or set `show_col_types = FALSE` to quiet this message.
## * `` -> `...1`
```

```
ggplot(df_desc, aes(x=Vancouver)) +
  geom_bar()
```




```
df <- na.omit(RetailSales)
months_of_the_year <- c("Jan", "Feb", "Mar", "Apr", "May", "June", "July", "Aug", "Sep", "Oct", "Nov", "Dec")
ggplot(df) +
  geom_bar(aes(x=factor(Month, months_of_the_year), y=Sales), stat="identity") +
  xlab("Month")
```




```
df_hum <- read_csv("../data/historical-hourly-weather-data/humidity.csv")

## Rows: 45253 Columns: 37
## -- Column specification -----
## Delimiter: ","
## dbl (36): Vancouver, Portland, San Francisco, Seattle, Los Angeles, San Die...
## dtm (1): datetime
##
## i Use `spec()` to retrieve the full column specification for this data.
## i Specify the column types or set `show_col_types = FALSE` to quiet this message.
df_hum$datetime <- as.character(df_hum$datetime)
df_hum$Month <- substr(df_hum$datetime, 6, 7)
ggplot(df_hum, aes(x=Month, y=Vancouver)) +
  geom_boxplot()


## Warning: Removed 1826 rows containing non-finite values (`stat_boxplot()`).
```



```
a = 3.4
v0 = 27
time <- runif(50, min=0, max=200)
distance <- sapply(time, function(x) v0 * x + 0.5 * a * x^2)
df <- data.frame(time, distance)
ggplot(df, aes(x=time, y=distance)) +
  geom_point()
```



```
ggplot(df, aes(x=time, y=distance)) +  
geom_line()
```




```
df_hum <- read_csv("../data/historical-hourly-weather-data/humidity.csv")

## Rows: 45253 Columns: 37
## -- Column specification -----
## Delimiter: ","
## dbl  (36): Vancouver, Portland, San Francisco, Seattle, Los Angeles, San Die...
## dtm   (1): datetime
##
## i Use `spec()` to retrieve the full column specification for this data.
## i Specify the column types or set `show_col_types = FALSE` to quiet this message.

ggplot(df_hum, aes(x=Vancouver)) +
  geom_histogram(bins=15, fill="white", color=1) +
  ggtitle("Humidity in Vancouver") +
  xlab("Humidity") +
  theme(axis.text.x=element_text(size=12),
        axis.text.y=element_text(size=12))

## Warning: Removed 1826 rows containing non-finite values (`stat_bin()`).
```


Humidity in Vancouver



```
df_hum <- read_csv("../data/historical-hourly-weather-data/humidity.csv")

## Rows: 45253 Columns: 37
## -- Column specification -----
## Delimiter: ","
## dbl  (36): Vancouver, Portland, San Francisco, Seattle, Los Angeles, San Die...
## dtm   (1): datetime
##
## i Use `spec()` to retrieve the full column specification for this data.
## i Specify the column types or set `show_col_types = FALSE` to quiet this message.

df_hum$datetime <- as.character(df_hum$datetime)
df_hum$Month <- substr(df_hum$datetime, 6, 7)
ggplot(df_hum, aes(x=Month, y=Vancouver)) +
  geom_boxplot(color="gray20", fill="cadetblue2") +
  ylab("Humidity") +
  theme(axis.text.x=element_text(size=15),
        axis.text.y=element_text(size=15),
        axis.title.x=element_text(size=15, color="gray20"),
        axis.title.y=element_text(size=15, color="gray20"))

## Warning: Removed 1826 rows containing non-finite values (`stat_boxplot()`).
```

