

01:50:16

CLOSE SESSION

Instances



+ ADD NEW INSTANCE

192.168.0.28
node1

GIVE FEEDBACK

d1hcpi0l_d1hcpj8l2o9000eg5jd0

IP

192.168.0.28

OPEN PORT

8080

Memory

50.10% (1.957GiB / 3.906GiB)

CPU

1.69%

SSH

ssh ip172-18-0-42-d1hcpi0l2o9000eg5jcg@direct.labs.play



DELETE



EDITOR

```
#####
#                               WARNING!!!!                               #
# This is a sandbox environment. Using personal credentials             #
# is HIGHLY! discouraged. Any consequences of doing so are              #
# completely the user's responsibilites.                                #
#                               #                                         #
# The PWD team.                                                         #
#####
[node1] (local) root@192.168.0.28 ~
$ docker network create minha-rede
8e66ed07caa554139f22df1cb7595123445bd38f2807ef68c6ed0855e5b09303
[node1] (local) root@192.168.0.28 ~
$ docker run -d \
  --name meu-mysql \
  --network minha-rede \
  -e MYSQL_ROOT_PASSWORD=senha123 \
  -e MYSQL_DATABASE=meubanco \
  mysql:8
Unable to find image 'mysql:8' locally
8: Pulling from library/mysql
ed0a8990cecb: Pull complete
177b61316434: Pull complete
d890323c58d0: Pull complete
8a4fe53bcd92: Pull complete
34b4cbb089b9: Pull complete
aeb01df52669: Pull complete
4c679c6396f2: Pull complete
88aac31a742e: Pull complete
8b94fc39e147: Pull complete
c6c84c738e0a: Pull complete
Digest: sha256:cf80c8de37d2b90e2b8b81db0953c0b0d18cbd2ff17ee82b642dac018d38e8a4
Status: Downloaded newer image for mysql:8
11b2f94e9f9361af82622c862429ec0db2c532b7d7acc25baf7c4893f5dff651
[node1] (local) root@192.168.0.28 ~
$ docker run -d \
  --name meu-phpmyadmin \
```

```
Status: Downloaded newer image for mysql:8
11b2f94e9f9361af82622c862429ec0db2c532b7d7acc25baf7c4893f5dff651
```

```
[node1] (local) root@192.168.0.28 ~
```

```
$ docker run -d \
  --name meu-phpmyadmin \
  --network minha-rede \
  -e PMA_HOST=meu-mysql \
  -p 8080:80 \
  phpmyadmin/phpmyadmin
```

```
Unable to find image 'phpmyadmin/phpmyadmin:latest' locally
```

```
latest: Pulling from phpmyadmin/phpmyadmin
```

```
af302e5c37e9: Pull complete
```

```
71a74ed03dab: Pull complete
```

```
3ef8d0774deb: Pull complete
```

```
11d17388a3b8: Pull complete
```

```
0814cbbf72a2: Pull complete
```

```
3a28acedadf8: Pull complete
```

```
2ab7ef40feaf: Pull complete
```

```
88324ccb20a1: Pull complete
```

```
ad5f2fca9132: Pull complete
```

```
9df2a6231627: Pull complete
```

```
b3207e60ff9a: Pull complete
```

```
d18c9f420b35: Pull complete
```

```
673faad72ba8: Pull complete
```

```
4f4fb700ef54: Pull complete
```

```
a5c74661bb9e: Pull complete
```

```
1cf5cbfd971f: Pull complete
```

```
e92d8472eb26: Pull complete
```

```
7755344c0dda: Pull complete
```

```
b0f9dd503cef: Pull complete
```

```
2ee0fe041682: Pull complete
```

```
Digest: sha256:95e01f723b5e55fabf16d0473f1df2354c4c6352b35902b51d6a6245e074aee4
```

```
Status: Downloaded newer image for phpmyadmin/phpmyadmin:latest
```

```
e2e008cba5ee38b24b7ef84c53cbc4c1050aeffd011a8db3db5f74890756376f
```

```
[node1] (local) root@192.168.0.28 ~
```

```
$
```



Bem-vindo ao phpMyAdmin

Idioma (*Language*)

Português (Brasil) - Portuguese (Brazil)



Entrar



Usuário:

root

Senha:

Entrar

Configurações gerais

Alterar a senha

Collation de conexão do servidor MySQL: utf8mb4_unicode_ci

Mais configurações

Configurações do Tema

Idioma (Language) Português (Brasil) - Portuguese (Brazil)

Tema pmahomme Ver todos

Servidor de banco de dados

- Servidor: meu-mysql via TCP/IP
- Tipo de servidor: MySQL
- Conexão do servidor: O SSL não está sendo usado
- Versão do servidor: 8.4.5 - MySQL Community Server - GPL
- Versão de protocolo: 10
- Usuário: root@172.20.0.3
- Charset do servidor: UTF-8 Unicode (utf8mb4)

Servidor web

- Apache/2.4.62 (Debian)
- Versão do cliente de banco de dados: libmysql - mysqlnd 8.2.27
- Extensão do PHP: mysqli curl mbstring sodium
- Versão do PHP: 8.2.27

phpMyAdmin

- Informações da versão: 5.2.2 (atualizado(a))
- Documentação
- Página Oficial do phpMyAdmin
- Contribuir
- Obter suporte
- Lista de mudanças
- Licença

O armazenamento de configurações do phpMyAdmin não está completamente configurado, algumas funções avançadas foram desativadas. Descubra porque.
Ou, alternativamente, vá à aba 'Operações' de qualquer banco de dados para configurá-lo lá.