

Totally Integrated Automation Portal

Transfer_DB [DB101]

Transfer_DB Properties

General

Name	Transfer_DB	Number	101	Type	DB	Language	DB
Numbering	Manual						

Information

Title		Author		Comment		Family	
Version	0.1	User-defined ID					

Name	Data type	Start value	Retain	Accessible from HMI/OPC UA/Web API	Writ-able from HMI/OPC UA/ Web API	Visible in HMI engi-neering	Setpoint	Supervi-sion	Comment
▼ Static									
▼ Tab1	"InTransferTa-ble"		False	True	True	True	False		
FLAG_Feeding	Bool	false	False	True	True	True	False		Status ready for receiving transition.
FLAG_Waiting	Bool	false	False	True	True	True	False		Status waiting for the next free sta-tion.
FLAG_PassingNext	Bool	false	False	True	True	True	False		Status transport state between sta-tions.
FLAG_Discharge	Bool	false	False	True	True	True	False		Status ready for discharge transfer.
FLAG_MotorElevation	Bool	false	False	True	True	True	False		Status level change condition be-tween state transitions.
FLAG_Alarm	Bool	false	False	True	True	True	False		
ACT_MotorForward	Bool	false	False	True	True	True	False		
ACT_MotorBackward	Bool	false	False	True	True	True	False		
ACT_MotorLevel	Bool	false	False	True	True	True	False		
SNS_Presence1	Bool	false	False	True	True	True	False		
SNS_Presence2	Bool	false	False	True	True	True	False		
SNS_TableTop	Bool	false	False	True	True	True	False		
SNS_TableMiddle	Bool	false	False	True	True	True	False		
SNS_TableDown	Bool	false	False	True	True	True	False		
SNS_TermicShoutdownEle- vation	Bool	false	False	True	True	True	False		
SNS_TermicShoutdown- Transport	Bool	false	False	True	True	True	False		
ALM_Presence	Bool	false	False	True	True	True	False		
ALM_TimeOutChangeTable- Level	Bool	false	False	True	True	True	False		
ALM_TimeOutForward	Bool	false	False	True	True	True	False		
ALM_TimeOutBackard	Bool	false	False	True	True	True	False		
ALM_TermicShoutdownEle- vation	Bool	false	False	True	True	True	False		
ALM_TermicShoutdown- Transport	Bool	false	False	True	True	True	False		
ALM_OverlapSNS	Bool	false	False	True	True	True	False		Overlap of sensors creating incompat- ible conditions.
ALM_OverlapSTS	Bool	false	False	True	True	True	False		Overlap of stats creating incompatible conditions.
CMD_Fordward	Bool	false	False	True	True	True	False		
CMD_Backward	Bool	false	False	True	True	True	False		
CMD_ChangeLevel	Bool	false	False	True	True	True	False		
▼ Tab2	"InTransferTa-ble"		False	True	True	True	False		
FLAG_Feeding	Bool	false	False	True	True	True	False		Status ready for receiving transition.
FLAG_Waiting	Bool	false	False	True	True	True	False		Status waiting for the next free sta-tion.
FLAG_PassingNext	Bool	false	False	True	True	True	False		Status transport state between sta-tions.
FLAG_Discharge	Bool	false	False	True	True	True	False		Status ready for discharge transfer.
FLAG_MotorElevation	Bool	false	False	True	True	True	False		Status level change condition be-tween state transitions.
FLAG_Alarm	Bool	false	False	True	True	True	False		
ACT_MotorForward	Bool	false	False	True	True	True	False		
ACT_MotorBackward	Bool	false	False	True	True	True	False		
ACT_MotorLevel	Bool	false	False	True	True	True	False		
SNS_Presence1	Bool	false	False	True	True	True	False		
SNS_Presence2	Bool	false	False	True	True	True	False		
SNS_TableTop	Bool	false	False	True	True	True	False		
SNS_TableMiddle	Bool	false	False	True	True	True	False		
SNS_TableDown	Bool	false	False	True	True	True	False		
SNS_TermicShoutdownEle- vation	Bool	false	False	True	True	True	False		
SNS_TermicShoutdown- Transport	Bool	false	False	True	True	True	False		
ALM_Presence	Bool	false	False	True	True	True	False		
ALM_TimeOutChangeTable- Level	Bool	false	False	True	True	True	False		

Totally Integrated Automation Portal										
Name	Data type	Start value	Retain	Accessible from HMI/OPC UA/Web API	Writ-able from HMI/ OPC UA/ Web API	Visible in HMI engi-neering	Setpoint	Supervi-sion	Comment	
ALM_TimeOutFordward	Bool	false	False	True	True	True	False			
ALM_TimeOutBackard	Bool	false	False	True	True	True	False			
ALM_TermicShoutdownElevation	Bool	false	False	True	True	True	False			
ALM_TermicShoutdown-Transport	Bool	false	False	True	True	True	False			
ALM_OverlapSNS	Bool	false	False	True	True	True	False		Overlap of sensors creating incompatible conditions.	
ALM_OverlapSTS	Bool	false	False	True	True	True	False		Overlap of stats creating incompatible conditions.	
CMD_Fordward	Bool	false	False	True	True	True	False			
CMD_Backward	Bool	false	False	True	True	True	False			
CMD_ChangeLevel	Bool	false	False	True	True	True	False			
▼ Tab3	"InTransferTable"		False	True	True	True	False			
FLAG_Feeding	Bool	false	False	True	True	True	False		Status ready for receiving transition.	
FLAG_Waiting	Bool	false	False	True	True	True	False		Status waiting for the next free station.	
FLAG_PassingNext	Bool	false	False	True	True	True	False		Status transport state between stations.	
FLAG_Discharge	Bool	false	False	True	True	True	False		Status ready for discharge transfer.	
FLAG_MotorElevation	Bool	false	False	True	True	True	False		Status level change condition between state transitions.	
FLAG_Alarm	Bool	false	False	True	True	True	False			
ACT_MotorFordward	Bool	false	False	True	True	True	False			
ACT_MotorBackward	Bool	false	False	True	True	True	False			
ACT_MotorLevel	Bool	false	False	True	True	True	False			
SNS_Presence1	Bool	false	False	True	True	True	False			
SNS_Presence2	Bool	false	False	True	True	True	False			
SNS_TableTop	Bool	false	False	True	True	True	False			
SNS_TableMiddle	Bool	false	False	True	True	True	False			
SNS_TableDown	Bool	false	False	True	True	True	False			
SNS_TermicShoutdownElevation	Bool	false	False	True	True	True	False			
SNS_TermicShoutdown-Transport	Bool	false	False	True	True	True	False			
ALM_Presence	Bool	false	False	True	True	True	False			
ALM_TimeOutChangeTable-Level	Bool	false	False	True	True	True	False			
ALM_TimeOutFordward	Bool	false	False	True	True	True	False			
ALM_TimeOutBackard	Bool	false	False	True	True	True	False			
ALM_TermicShoutdownElevation	Bool	false	False	True	True	True	False			
ALM_TermicShoutdown-Transport	Bool	false	False	True	True	True	False			
ALM_OverlapSNS	Bool	false	False	True	True	True	False		Overlap of sensors creating incompatible conditions.	
ALM_OverlapSTS	Bool	false	False	True	True	True	False		Overlap of stats creating incompatible conditions.	
CMD_Fordward	Bool	false	False	True	True	True	False			
CMD_Backward	Bool	false	False	True	True	True	False			
CMD_ChangeLevel	Bool	false	False	True	True	True	False			
▼ Tab4	"InTransferTable"		False	True	True	True	False			
FLAG_Feeding	Bool	false	False	True	True	True	False		Status ready for receiving transition.	
FLAG_Waiting	Bool	false	False	True	True	True	False		Status waiting for the next free station.	
FLAG_PassingNext	Bool	false	False	True	True	True	False		Status transport state between stations.	
FLAG_Discharge	Bool	false	False	True	True	True	False		Status ready for discharge transfer.	
FLAG_MotorElevation	Bool	false	False	True	True	True	False		Status level change condition between state transitions.	
FLAG_Alarm	Bool	false	False	True	True	True	False			
ACT_MotorFordward	Bool	false	False	True	True	True	False			
ACT_MotorBackward	Bool	false	False	True	True	True	False			
ACT_MotorLevel	Bool	false	False	True	True	True	False			
SNS_Presence1	Bool	false	False	True	True	True	False			
SNS_Presence2	Bool	false	False	True	True	True	False			
SNS_TableTop	Bool	false	False	True	True	True	False			
SNS_TableMiddle	Bool	false	False	True	True	True	False			
SNS_TableDown	Bool	false	False	True	True	True	False			
SNS_TermicShoutdownElevation	Bool	false	False	True	True	True	False			
SNS_TermicShoutdown-Transport	Bool	false	False	True	True	True	False			
ALM_Presence	Bool	false	False	True	True	True	False			
ALM_TimeOutChangeTable-Level	Bool	false	False	True	True	True	False			

--	--	--

Totally Integrated Automation Portal										
Name	Data type	Start value	Retain	Accessible from HMI/OPC UA/Web API	Writ-able from HMI/ OPC UA/ Web API	Visible in HMI engi-neering	Setpoint	Supervi-sion	Comment	
FallingEdge1	Bool	false	False	True	True	True	False			
FallingEdge2	Bool	false	False	True	True	True	False			
FallingEdge3	Bool	false	False	True	True	True	False			
FallingEdge4	Bool	false	False	True	True	True	False			
FallingEdge5	Bool	false	False	True	True	True	False			
FallingEdge6	Bool	false	False	True	True	True	False			
PositiveEdge1	Bool	false	False	True	True	True	False			
PositiveEdge2	Bool	false	False	True	True	True	False			
PositiveEdge3	Bool	false	False	True	True	True	False			
PositiveEdge4	Bool	false	False	True	True	True	False			
PositiveEdge5	Bool	false	False	True	True	True	False			
PositiveEdge6	Bool	false	False	True	True	True	False			
PositiveEdge7	Bool	false	False	True	True	True	False			
PositiveEdge8	Bool	false	False	True	True	True	False			
PositiveEdge9	Bool	false	False	True	True	True	False			
PositiveEdge10	Bool	false	False	True	True	True	False			
PositiveEdge11	Bool	false	False	True	True	True	False			
PositiveEdge12	Bool	false	False	True	True	True	False			
PositiveEdge13	Bool	false	False	True	True	True	False			
PositiveEdge14	Bool	false	False	True	True	True	False			
PositiveEdge15	Bool	false	False	True	True	True	False			
PositiveEdge16	Bool	false	False	True	True	True	False			
PositiveEdge17	Bool	false	False	True	True	True	False			
▼ Comands	Struct		False	True	True	True	False			
▼ Lights	Struct		False	True	True	True	False			
Manuale	Bool	false	False	True	True	True	False			
Warning	Bool	false	False	True	True	True	False			
Automatic	Bool	false	False	True	True	True	False			
Fault	Bool	false	False	True	True	True	False			
Siren	Bool	false	False	True	True	True	False			
ManualQ1	Bool	false	False	True	True	True	False			
ManualMaintenance	Bool	false	False	True	True	True	False			
Automatic	Bool	false	False	True	True	True	False			
ConfirmAuto	Bool	false	False	True	True	True	False			
ResetFault	Bool	false	False	True	True	True	False			
ACK	Bool	false	False	True	True	True	False			
Deposit1On	Bool	false	False	True	True	True	False		Deposit 1 enable selector	
Deposit2On	Bool	false	False	True	True	True	False		Deposit 2 enable selector	
Deposit3On	Bool	false	False	True	True	True	False		Deposit 3 enable selector	
▼ Faults	Struct		False	True	True	True	False			
▼ TimeOuts	Struct		False	True	True	True	False			
▼ TO_Tab1_Transport	TON_TIME		False	True	True	True	False			
PT	Time	T#0ms	False	True	True	True	False			
ET	Time	T#0ms	False	True	False	True	False			
IN	Bool	false	False	True	True	True	False			
Q	Bool	false	False	True	False	True	False			
▼ TO_Tab1_Elevation	TON_TIME		False	True	True	True	True			
PT	Time	T#0ms	False	True	True	True	False			
ET	Time	T#0ms	False	True	False	True	False			
IN	Bool	false	False	True	True	True	False			
Q	Bool	false	False	True	False	True	False			
▼ TO_Tab2_Transport	TON_TIME		False	True	True	True	True			
PT	Time	T#0ms	False	True	True	True	False			
ET	Time	T#0ms	False	True	False	True	False			
IN	Bool	false	False	True	True	True	False			
Q	Bool	false	False	True	False	True	False			
▼ TO_Tab2_Elevation	TON_TIME		False	True	True	True	True			
PT	Time	T#0ms	False	True	True	True	False			
ET	Time	T#0ms	False	True	False	True	False			
IN	Bool	false	False	True	True	True	False			
Q	Bool	false	False	True	False	True	False			
▼ TO_Tab3_Transport	TON_TIME		False	True	True	True	True			
PT	Time	T#0ms	False	True	True	True	False			
ET	Time	T#0ms	False	True	False	True	False			
IN	Bool	false	False	True	True	True	False			
Q	Bool	false	False	True	False	True	False			
▼ TO_Tab3_Elevation	TON_TIME		False	True	True	True	True			
PT	Time	T#0ms	False	True	True	True	False			
ET	Time	T#0ms	False	True	False	True	False			
IN	Bool	false	False	True	True	True	False			

Totally Integrated Automation Portal										
Name	Data type	Start value	Retain	Accessible from HMI/OPC UA/Web API	Writ-able from HMI/ OPC UA/ Web API	Visible in HMI engi-neering	Setpoint	Supervi-sion	Comment	
Q	Bool	false	False	True	False	True	False			
▼ TO_Tab4_Transport	TON_TIME		False	True	True	True	True			
PT	Time	T#0ms	False	True	True	True	False			
ET	Time	T#0ms	False	True	False	True	False			
IN	Bool	false	False	True	True	True	False			
Q	Bool	false	False	True	False	True	False			
▼ TO_Tab4_Elevation	TON_TIME		False	True	True	True	True			
PT	Time	T#0ms	False	True	True	True	False			
ET	Time	T#0ms	False	True	False	True	False			
IN	Bool	false	False	True	True	True	False			
Q	Bool	false	False	True	False	True	False			
▼ TO_Tab5_Transport	TON_TIME		False	True	True	True	True			
PT	Time	T#0ms	False	True	True	True	False			
ET	Time	T#0ms	False	True	False	True	False			
IN	Bool	false	False	True	True	True	False			
Q	Bool	false	False	True	False	True	False			
▼ TO_Tab5_Elevation	TON_TIME		False	True	True	True	True			
PT	Time	T#0ms	False	True	True	True	False			
ET	Time	T#0ms	False	True	False	True	False			
IN	Bool	false	False	True	True	True	False			
Q	Bool	false	False	True	False	True	False			
▼ TO_ChainTAB5	TON_TIME		False	True	True	True	True			
PT	Time	T#0ms	False	True	True	True	False			
ET	Time	T#0ms	False	True	False	True	False			
IN	Bool	false	False	True	True	True	False			
Q	Bool	false	False	True	False	True	False			
▼ TO_ChainTAB4	TON_TIME		False	True	True	True	True			
PT	Time	T#0ms	False	True	True	True	False			
ET	Time	T#0ms	False	True	False	True	False			
IN	Bool	false	False	True	True	True	False			
Q	Bool	false	False	True	False	True	False			
▼ TO_ChainTAB3	TON_TIME		False	True	True	True	True			
PT	Time	T#0ms	False	True	True	True	False			
ET	Time	T#0ms	False	True	False	True	False			
IN	Bool	false	False	True	True	True	False			
Q	Bool	false	False	True	False	True	False			
▼ TO_ChainTAB2	TON_TIME		False	True	True	True	True			
PT	Time	T#0ms	False	True	True	True	False			
ET	Time	T#0ms	False	True	False	True	False			
IN	Bool	false	False	True	True	True	False			
Q	Bool	false	False	True	False	True	False			
▼ PesnceFaults	Struct		False	True	True	True	False			
▼ PrescenseTAB1	TON_TIME		False	True	True	True	False			
PT	Time	T#0ms	False	True	True	True	False			
ET	Time	T#0ms	False	True	False	True	False			
IN	Bool	false	False	True	True	True	False			
Q	Bool	false	False	True	False	True	False			
▼ PrescenseTAB2	TON_TIME		False	True	True	True	False			
PT	Time	T#0ms	False	True	True	True	False			
ET	Time	T#0ms	False	True	False	True	False			
IN	Bool	false	False	True	True	True	False			
Q	Bool	false	False	True	False	True	False			
▼ PrescenseTAB3	TON_TIME		False	True	True	True	False			
PT	Time	T#0ms	False	True	True	True	False			
ET	Time	T#0ms	False	True	False	True	False			
IN	Bool	false	False	True	True	True	False			
Q	Bool	false	False	True	False	True	False			
▼ PrescenseTAB4	TON_TIME		False	True	True	True	False			
PT	Time	T#0ms	False	True	True	True	False			
ET	Time	T#0ms	False	True	False	True	False			
IN	Bool	false	False	True	True	True	False			
Q	Bool	false	False	True	False	True	False			
▼ PrescenseTAB5	TON_TIME		False	True	True	True	False			
PT	Time	T#0ms	False	True	True	True	False			
ET	Time	T#0ms	False	True	False	True	False			
IN	Bool	false	False	True	True	True	False			
Q	Bool	false	False	True	False	True	False			
NOK_Ready	Bool	false	False	True	True	True	False			
OK_OvelapSNS	Bool	false	False	True	True	True	False			

Totally Integrated Automation Portal										
Name		Data type	Start value	Retain	Accessible from HMI/OPC UA/Web API	Writ-able from HMI/ OPC UA/ Web API	Visible in HMI engi-neering	Setpoint	Supervi-sion	Comment
OK_OverlapSTS		Bool	false	False	True	True	True	False		
OK_TimeOut		Bool	false	False	True	True	True	False		
OK_Prescenses		Bool	false	False	True	True	True	False		
OK_Breakers		Bool	false	False	True	True	True	False		
OK_Ready		Bool	false	False	True	True	True	False		
STS_Fault		Bool	false	False	True	True	True	False		
STS_FreezeSystem		Bool	false	False	True	True	True	False		Variable to freeze actuators.
▼ Safety		Struct		False	True	True	True	False		
SafetyOk		Bool	false	False	True	True	True	False		
Door1		Bool	false	False	True	True	True	False		
Door2		Bool	false	False	True	True	True	False		
Emergency		Bool	false	False	True	True	True	False		
Barrier1		Bool	false	False	True	True	True	False		
Barrier2		Bool	false	False	True	True	True	False		