Core Flight Executive Users Guide

Generated by Doxygen 1.8.13

CONTENTS

## **Contents**

1	Core	Flight Executive Documentation	2
2	Back	kground	3
3	Appl	licable Documents	4
4	Depe	endencies	4
5	Acro	onyms	5
6	Glos	ssary of Terms	6
7	Vers	ion Numbers	7
8	cFE .	Application Programmer's Interface (API) Reference	9
9	cFE	Executive Services Overview	15
	9.1	Terminology	17
		9.1.1 "Application" and "cFE Application"	17
		9.1.2 "Task"	18
		9.1.3 "Startup Script"	18
	9.2	Software Reset	19
	9.3	Reset Types and Subtypes	19
	9.4	Exception and Reset (ER) Log	20
	9.5	Application and Child Task Management	20
	9.6	Starting an Application	20
	9.7	Stopping an Application	21
	9.8	Restarting an Application	21
	9.9	Reloading an Application	21
	9.10	Listing Current Applications	22
	9.11	Listing Current Tasks	23

ii CONTENTS

	9.12 Loading Common Libraries	. 23
	9.13 Basic File System	. 23
	9.14 Performance Data Collection	. 24
	9.14.1 Performance Data Collection Trigger Masks	. 24
	9.14.2 Starting to Collect Performance Data	. 24
	9.14.3 Stopping the Collection of Performance Data	. 25
	9.14.4 Viewing the Collection of Performance Data	. 25
	9.15 Critical Data Store	. 25
	9.16 Memory Pool	. 26
	9.17 System Log	. 28
	9.18 Version Identification	. 28
	9.19 Executive Services Frequently Asked Questions	. 29
10	cFE Executive Services Commands	29
		_0
	cFE Executive Services Telemetry	30
11	CI L'Accutive Services reienieury	50
	cFE Executive Services Configuration Parameters	31
12		
12	cFE Executive Services Configuration Parameters	31
12	cFE Executive Services Configuration Parameters  cFE Event Services Overview	<b>31 34</b> . 35
12	cFE Executive Services Configuration Parameters  cFE Event Services Overview  13.1 Event Message Format	<b>31 34</b> . 35
12	cFE Executive Services Configuration Parameters  cFE Event Services Overview  13.1 Event Message Format	<b>31 34</b> . 35 . 36
12	cFE Executive Services Configuration Parameters  cFE Event Services Overview  13.1 Event Message Format	<b>31 34</b> . 35 . 36 . 36
12	cFE Event Services Configuration Parameters  cFE Event Services Overview  13.1 Event Message Format	<b>31 34</b> . 35 . 36 . 36 . 38
12	cFE Event Services Configuration Parameters  cFE Event Services Overview  13.1 Event Message Format	<b>31 34</b> . 35 . 36 . 36 . 38 . 38
12	cFE Event Services Configuration Parameters  cFE Event Services Overview  13.1 Event Message Format	31 34 35 36 36 38 38 39
12	cFE Event Services Configuration Parameters  cFE Event Services Overview  13.1 Event Message Format  13.2 Local Event Log  13.3 Event Message Control  13.4 Event Message Filtering  13.5 EVS Registry  13.6 EVS Counters  13.7 Resetting EVS Counters	31 34 35 36 36 38 38 40
12	cFE Event Services Configuration Parameters  cFE Event Services Overview  13.1 Event Message Format  13.2 Local Event Log  13.3 Event Message Control  13.4 Event Message Filtering  13.5 EVS Registry  13.6 EVS Counters  13.7 Resetting EVS Counters  13.8 Effects of a Processor Reset on EVS	31 34 35 36 36 38 38 40

CONTENTS

15	cFE Event Services Telemetry	43
16	cFE Event Services Configuration Parameters	43
17	cFE Software Bus Overview	44
	17.1 Software Bus Terminology	44
	17.1.1 Messages	45
	17.1.2 Pipes	45
	17.1.3 Subscriptions	46
	17.1.4 Memory	46
	17.2 Autonomous Actions	47
	17.3 Operation of the SB Software	47
	17.3.1 Initialization	48
	17.3.2 All Resets	48
	17.3.3 Message Routing	48
	17.3.4 Packet Sequence Values	49
	17.3.5 Message Limit Error	49
	17.3.6 Pipe Overflow Error	50
	17.3.7 SB Event Filtering	50
	17.3.8 Diagnostic Data	50
	17.3.9 Control of Packet Routing	51
	17.3.10 Quality of Service	51
	17.3.11 Known Problem	51
	17.4 Frequently Asked Questions about Software Bus	51
18	cFE Software Bus Commands	53
19	cFE Software Bus Telemetry	54
20	cFE Software Bus Configuration Parameters	54

iv CONTENTS

21	cFE	Table Services Overview	55
	21.1	Managing Tables	56
	21.2	cFE Table Types and Table Options	57
		21.2.1 Single Buffered Tables	57
		21.2.2 Double Buffered Tables	58
		21.2.3 Tables with Validation Functions	58
		21.2.4 Critical Tables	58
		21.2.5 User Defined Address Tables	59
		21.2.6 Dump Only Tables	59
	21.3	Table Registry	59
	21.4	Table Services Telemetry	60
	21.5	Effects of Processor Reset on Tables	60
	21.6	Frequently Asked Questions about Table Services	61
22	cFF	Table Services Commands	62
	UI L	Table Services Commands	02
23	cFE	Table Services Telemetry	63
24	cFE	Table Services Configuration Parameters	63
25		Time Services Overview	64
		Time Components	
		Time Structure	
	25.3	Time Formats	67
	25.4	Time Configuration	68
		25.4.1 Time Format Selection	69
		25.4.2 Enabling Fake Tone Signal	69
		25.4.3 Selecting Tone and Data Ordering	70
		25.4.4 Specifying Tone and Data Window	70

CONTENTS

25.4.6 Specifying Time Tone Byte Order
25.4.7 Virtual MET
25.4.8 Specifying Time Source
25.4.9 Specifying Time Signal
25.5 Time Format Selection
25.6 Enabling Fake Tone Signal
25.7 Selecting Tone and Data Ordering
25.8 Specifying Tone and Data Window
25.9 Specifying Time Server/Client
25.10Specifying Time Tone Byte Order
25.11 Virtual MET
25.12Specifying Time Source
25.13Specifying Time Signal
25.14Time Services Paradigm(s)
25.15Flywheeling
25.16Time State
25.17Initialization
25.17.1 Power-On Reset
25.17.2 Processor Reset
25.18 Power-On Reset
25.19Processor Reset
25.20Initialization
25.20.1 Power-On Reset
25.20.2 Processor Reset
25.21 Power-On Reset
25.22 Processor Reset
25.23Normal Operation
25.23.1 Client
25.23.2 Server
25.24Client
25.25Server
25.26Setting Time
25.27 Adjusting Time
25.28 Setting MET
25.29Frequently Asked Questions

vi CONTENTS

26	cFE Time Services Commands	89
27	cFE Time Services Telemetry	90
28	cFE Time Services Configuration Parameters	90
29	cFE Event Message Cross Reference	91
30	cFE Command Mnemonic Cross Reference	91
31	cFE Telemetry Mnemonic Cross Reference	96
32	cFE Mission Configuration Parameters	106
33	Module Index	107
	33.1 Modules	. 107
34	Data Structure Index	109
	34.1 Data Structures	. 109
35	File Index	117
	35.1 File List	. 117
36	Module Documentation	120
	36.1 cFE Return Code Defines	. 120
	36.1.1 Detailed Description	. 125
	36.1.2 Macro Definition Documentation	. 125
	36.2 cFE Resource ID APIs	. 157
	36.2.1 Detailed Description	. 157
	36.2.2 Function Documentation	. 157
	36.3 cFE Entry/Exit APIs	. 161
	36.3.1 Detailed Description	. 161
	36.3.2 Function Documentation	. 161
	36.4 cFE Application Control APIs	. 163

CONTENTS vii

36.4.1 Detailed Description
36.4.2 Function Documentation
36.5 cFE Application Behavior APIs
36.5.1 Detailed Description
36.5.2 Function Documentation
36.6 cFE Information APIs
36.6.1 Detailed Description
36.6.2 Function Documentation
36.7 cFE Child Task APIs
36.7.1 Detailed Description
36.7.2 Function Documentation
36.8 cFE Miscellaneous APIs
36.8.1 Detailed Description
36.8.2 Function Documentation
36.9 cFE Critical Data Store APIs
36.9.1 Detailed Description
36.9.2 Function Documentation
36.10cFE Memory Manager APIs
36.10.1 Detailed Description
36.10.2 Function Documentation
36.11cFE Performance Monitor APIs
36.11.1 Detailed Description
36.11.2 Macro Definition Documentation
36.11.3 Function Documentation
36.12cFE Generic Counter APIs
36.12.1 Detailed Description
36.12.2 Function Documentation
36.13cFE Registration APIs

VIII CONTENTS

36.13.1 Detailed Description
36.13.2 Function Documentation
36.14cFE Send Event APIs
36.14.1 Detailed Description
36.14.2 Function Documentation
36.15cFE Reset Event Filter APIs
36.15.1 Detailed Description
36.15.2 Function Documentation
36.16cFE File Header Management APIs
36.16.1 Detailed Description
36.16.2 Function Documentation
36.17cFE File Utility APIs
36.17.1 Detailed Description
36.17.2 Function Documentation
36.18cFE Generic Message APIs
36.18.1 Detailed Description
36.18.2 Function Documentation
36.19cFE Message Primary Header APIs
36.19.1 Detailed Description
36.19.2 Function Documentation
36.20cFE Message Extended Header APIs
36.20.1 Detailed Description
36.20.2 Function Documentation
36.21cFE Message Secondary Header APIs
36.21.1 Detailed Description
36.21.2 Function Documentation
36.22cFE Message Id APIs
36.22.1 Detailed Description

CONTENTS ix

36.22.2 Function Documentation
36.23cFE Pipe Management APIs
36.23.1 Detailed Description
36.23.2 Function Documentation
36.24cFE Message Subscription Control APIs
36.24.1 Detailed Description
36.24.2 Function Documentation
36.25cFE Send/Receive Message APIs
36.25.1 Detailed Description
36.25.2 Function Documentation
36.26cFE Zero Copy APIs
36.26.1 Detailed Description
36.26.2 Function Documentation
36.27cFE Message Characteristics APIs
36.27.1 Detailed Description
36.27.2 Function Documentation
36.28cFE Message ID APIs
36.28.1 Detailed Description
36.28.2 Function Documentation
36.29cFE SB Pipe options
36.29.1 Detailed Description
36.29.2 Macro Definition Documentation
36.30cFE Registration APIs
36.30.1 Detailed Description
36.30.2 Function Documentation
36.31cFE Manage Table Content APIs
36.31.1 Detailed Description
36.31.2 Function Documentation

X CONTENTS

36.32cFE Access Table Content APIs
36.32.1 Detailed Description
36.32.2 Function Documentation
36.33cFE Get Table Information APIs
36.33.1 Detailed Description
36.33.2 Function Documentation
36.34cFE Table Type Defines
36.34.1 Detailed Description
36.34.2 Macro Definition Documentation
36.35cFE Get Current Time APIs
36.35.1 Detailed Description
36.35.2 Function Documentation
36.36cFE Get Time Information APIs
36.36.1 Detailed Description
36.36.2 Function Documentation
36.37cFE Time Arithmetic APIs
36.37.1 Detailed Description
36.37.2 Function Documentation
36.38cFE Time Conversion APIs
36.38.1 Detailed Description
36.38.2 Function Documentation
36.39cFE External Time Source APIs
36.39.1 Detailed Description
36.39.2 Function Documentation
36.40cFE Miscellaneous Time APIs
36.40.1 Detailed Description
36.40.2 Function Documentation
36.41cFE Resource ID base values

CONTENTS xi

36.41.1 Detailed Description
36.41.2 Enumeration Type Documentation
36.42cFE Clock State Flag Defines
36.42.1 Detailed Description
36.42.2 Macro Definition Documentation
36.43OSAL Semaphore State Defines
36.43.1 Detailed Description
36.43.2 Macro Definition Documentation
36.44OSAL Binary Semaphore APIs
36.44.1 Detailed Description
36.44.2 Function Documentation
36.45OSAL BSP low level access APIs
36.45.1 Detailed Description
36.45.2 Function Documentation
36.46OSAL Real Time Clock APIs
36.46.1 Detailed Description
36.46.2 Function Documentation
36.47OSAL Core Operation APIs
36.47.1 Detailed Description
36.47.2 Function Documentation
36.48OSAL Counting Semaphore APIs
36.48.1 Detailed Description
36.48.2 Function Documentation
36.49OSAL Directory APIs
36.49.1 Detailed Description
36.49.2 Function Documentation
36.50OSAL Return Code Defines
36.50.1 Detailed Description

xii CONTENTS

36.50.2 Macro Definition Documentation
36.51OSAL Error Info APIs
36.51.1 Detailed Description
36.51.2 Function Documentation
36.52OSAL File Access Option Defines
36.52.1 Detailed Description
36.52.2 Macro Definition Documentation
36.53OSAL Reference Point For Seek Offset Defines
36.53.1 Detailed Description
36.53.2 Macro Definition Documentation
36.54OSAL Standard File APIs
36.54.1 Detailed Description
36.54.2 Function Documentation
36.55OSAL File System Level APIs
36.55.1 Detailed Description
36.55.2 Function Documentation
36.56OSAL Heap APIs
36.56.1 Detailed Description
36.56.2 Function Documentation
36.57OSAL Object Type Defines
36.57.1 Detailed Description
36.57.2 Macro Definition Documentation
36.58OSAL Object ID Utility APIs
36.58.1 Detailed Description
36.58.2 Function Documentation
36.59OSAL Dynamic Loader and Symbol APIs
36.59.1 Detailed Description
36.59.2 Function Documentation

CONTENTS xiii

36.60OSAL Mutex APIs
36.60.1 Detailed Description
36.60.2 Function Documentation
36.61 OSAL Network ID APIs
36.61.1 Detailed Description
36.61.2 Function Documentation
36.62OSAL Printf APIs
36.62.1 Detailed Description
36.62.2 Function Documentation
36.63OSAL Message Queue APIs
36.63.1 Detailed Description
36.63.2 Function Documentation
36.64OSAL Select APIs
36.64.1 Detailed Description
36.64.2 Function Documentation
36.65OSAL Shell APIs
36.65.1 Detailed Description
36.65.2 Function Documentation
36.66OSAL Socket Address APIs
36.66.1 Detailed Description
36.66.2 Function Documentation
36.67OSAL Socket Management APIs
36.67.1 Detailed Description
36.67.2 Function Documentation
36.68OSAL Task APIs
36.68.1 Detailed Description
36.68.2 Function Documentation
36.69OSAL Time Base APIs
36.69.1 Detailed Description
36.69.2 Function Documentation
36.70OSAL Timer APIs
36.70.1 Detailed Description
36.70.2 Function Documentation

xiv CONTENTS

37	Data	Structure Documentation	481
	37.1	CCSDS_ExtendedHeader Struct Reference	481
		37.1.1 Detailed Description	481
		37.1.2 Field Documentation	481
	37.2	CCSDS_PrimaryHeader Struct Reference	482
		37.2.1 Detailed Description	482
		37.2.2 Field Documentation	482
	37.3	CFE_ES_AppInfo Struct Reference	483
		37.3.1 Detailed Description	484
		37.3.2 Field Documentation	484
	37.4	CFE_ES_AppNameCmd Struct Reference	488
		37.4.1 Detailed Description	488
		37.4.2 Field Documentation	489
	37.5	CFE_ES_AppNameCmd_Payload Struct Reference	489
		37.5.1 Detailed Description	489
		37.5.2 Field Documentation	490
	37.6	CFE_ES_AppReloadCmd_Payload Struct Reference	490
		37.6.1 Detailed Description	490
		37.6.2 Field Documentation	490
	37.7	CFE_ES_BlockStats Struct Reference	491
		37.7.1 Detailed Description	491
		37.7.2 Field Documentation	492
	37.8	CFE_ES_CDSRegDumpRec Struct Reference	492
		37.8.1 Detailed Description	493
		37.8.2 Field Documentation	493
	37.9	CFE_ES_DeleteCDSCmd Struct Reference	494
		37.9.1 Detailed Description	495
		37.9.2 Field Documentation	495

CONTENTS xv

37.10CFE_ES_DeleteCDSCmd_Payload Struct Reference
37.10.1 Detailed Description
37.10.2 Field Documentation
37.11CFE_ES_DumpCDSRegistryCmd Struct Reference
37.11.1 Detailed Description
37.11.2 Field Documentation
37.12CFE_ES_DumpCDSRegistryCmd_Payload Struct Reference
37.12.1 Detailed Description
37.12.2 Field Documentation
37.13CFE_ES_FileNameCmd Struct Reference
37.13.1 Detailed Description
37.13.2 Field Documentation
37.14CFE_ES_FileNameCmd_Payload Struct Reference
37.14.1 Detailed Description
37.14.2 Field Documentation
37.15CFE_ES_HousekeepingTlm Struct Reference
37.15.1 Detailed Description
37.15.2 Field Documentation
37.16CFE_ES_HousekeepingTlm_Payload Struct Reference
37.16.1 Detailed Description
37.16.2 Field Documentation
37.17CFE_ES_MemAddOff Struct Reference
37.17.1 Detailed Description
37.17.2 Field Documentation
37.18CFE_ES_MemPoolStats Struct Reference
37.18.1 Detailed Description
37.18.2 Field Documentation
37.19CFE_ES_MemStatsTlm Struct Reference

xvi CONTENTS

37.19.1 Detailed Description
37.19.2 Field Documentation
37.20CFE_ES_NoArgsCmd Struct Reference
37.20.1 Detailed Description
37.20.2 Field Documentation
37.21CFE_ES_OneAppTlm Struct Reference
37.21.1 Detailed Description
37.21.2 Field Documentation
37.22CFE_ES_OneAppTlm_Payload Struct Reference
37.22.1 Detailed Description
37.22.2 Field Documentation
37.23CFE_ES_OverWriteSysLogCmd Struct Reference
37.23.1 Detailed Description
37.23.2 Field Documentation
37.24CFE_ES_OverWriteSysLogCmd_Payload Struct Reference
37.24.1 Detailed Description
37.24.2 Field Documentation
37.25CFE_ES_PoolAlign Union Reference
37.25.1 Detailed Description
37.25.2 Field Documentation
37.26CFE_ES_PoolStatsTlm_Payload Struct Reference
37.26.1 Detailed Description
37.26.2 Field Documentation
37.27CFE_ES_ReloadAppCmd Struct Reference
37.27.1 Detailed Description
37.27.2 Field Documentation
37.28CFE_ES_RestartCmd Struct Reference
37.28.1 Detailed Description

CONTENTS xvii

37.28.2 Field Documentation
37.29CFE_ES_RestartCmd_Payload Struct Reference
37.29.1 Detailed Description
37.29.2 Field Documentation
37.30CFE_ES_SendMemPoolStatsCmd Struct Reference
37.30.1 Detailed Description
37.30.2 Field Documentation
37.31CFE_ES_SendMemPoolStatsCmd_Payload Struct Reference
37.31.1 Detailed Description
37.31.2 Field Documentation
37.32CFE_ES_SetMaxPRCountCmd Struct Reference
37.32.1 Detailed Description
37.32.2 Field Documentation
37.33CFE_ES_SetMaxPRCountCmd_Payload Struct Reference
37.33.1 Detailed Description
37.33.2 Field Documentation
37.34CFE_ES_SetPerfFilterMaskCmd Struct Reference
37.34.1 Detailed Description
37.34.2 Field Documentation
37.35CFE_ES_SetPerfFilterMaskCmd_Payload Struct Reference
37.35.1 Detailed Description
37.35.2 Field Documentation
37.36CFE_ES_SetPerfTriggerMaskCmd Struct Reference
37.36.1 Detailed Description
37.36.2 Field Documentation
37.37CFE_ES_SetPerfTrigMaskCmd_Payload Struct Reference
37.37.1 Detailed Description
37.37.2 Field Documentation

xviii CONTENTS

37.38CFE_ES_StartApp Struct Reference
37.38.1 Detailed Description
37.38.2 Field Documentation
37.39CFE_ES_StartAppCmd_Payload Struct Reference
37.39.1 Detailed Description
37.39.2 Field Documentation
37.40CFE_ES_StartPerfCmd_Payload Struct Reference
37.40.1 Detailed Description
37.40.2 Field Documentation
37.41CFE_ES_StartPerfDataCmd Struct Reference
37.41.1 Detailed Description
37.41.2 Field Documentation
37.42CFE_ES_StopPerfCmd_Payload Struct Reference
37.42.1 Detailed Description
37.42.2 Field Documentation
37.43CFE_ES_StopPerfDataCmd Struct Reference
37.43.1 Detailed Description
37.43.2 Field Documentation
37.44CFE_ES_TaskInfo Struct Reference
37.44.1 Detailed Description
37.44.2 Field Documentation
37.45CFE_EVS_AppDataCmd_Payload Struct Reference
37.45.1 Detailed Description
37.45.2 Field Documentation
37.46CFE_EVS_AppNameBitMaskCmd Struct Reference
37.46.1 Detailed Description
37.46.2 Field Documentation
37.47CFE_EVS_AppNameBitMaskCmd_Payload Struct Reference

CONTENTS xix

37.47.1 Detailed Description
37.47.2 Field Documentation
37.48CFE_EVS_AppNameCmd Struct Reference
37.48.1 Detailed Description
37.48.2 Field Documentation
37.49CFE_EVS_AppNameCmd_Payload Struct Reference
37.49.1 Detailed Description
37.49.2 Field Documentation
37.50CFE_EVS_AppNameEventIDCmd Struct Reference
37.50.1 Detailed Description
37.50.2 Field Documentation
37.51CFE_EVS_AppNameEventIDCmd_Payload Struct Reference
37.51.1 Detailed Description
37.51.2 Field Documentation
37.52CFE_EVS_AppNameEventIDMaskCmd Struct Reference
37.52.1 Detailed Description
37.52.2 Field Documentation
37.53CFE_EVS_AppNameEventIDMaskCmd_Payload Struct Reference
37.53.1 Detailed Description
37.53.2 Field Documentation
37.54CFE_EVS_AppTImData Struct Reference
37.54.1 Detailed Description
37.54.1 Detailed Description
37.54.2 Field Documentation
37.54.2 Field Documentation
37.54.2 Field Documentation

XX CONTENTS

37.56.2 Field Documentation
37.57CFE_EVS_BitMaskCmd_Payload Struct Reference
37.57.1 Detailed Description
37.57.2 Field Documentation
37.58CFE_EVS_HousekeepingTlm Struct Reference
37.58.1 Detailed Description
37.58.2 Field Documentation
37.59CFE_EVS_HousekeepingTlm_Payload Struct Reference
37.59.1 Detailed Description
37.59.2 Field Documentation
37.60CFE_EVS_LogFileCmd_Payload Struct Reference
37.60.1 Detailed Description
37.60.2 Field Documentation
37.61CFE_EVS_LongEventTlm Struct Reference
37.61.1 Detailed Description
37.61.2 Field Documentation
37.62CFE_EVS_LongEventTIm_Payload Struct Reference
37.62.1 Detailed Description
37.62.2 Field Documentation
37.63CFE_EVS_NoArgsCmd Struct Reference
37.63.1 Detailed Description
37.63.2 Field Documentation
37.64CFE_EVS_PacketID Struct Reference
37.64.1 Detailed Description
37.64.2 Field Documentation
37.65CFE_EVS_SetEventFormatCode_Payload Struct Reference
37.65.1 Detailed Description
37.65.2 Field Documentation

CONTENTS xxi

37.66CFE_EVS_SetEventFormatModeCmd Struct Reference
37.66.1 Detailed Description
37.66.2 Field Documentation
37.67CFE_EVS_SetLogMode_Payload Struct Reference
37.67.1 Detailed Description
37.67.2 Field Documentation
37.68CFE_EVS_SetLogModeCmd Struct Reference
37.68.1 Detailed Description
37.68.2 Field Documentation
37.69CFE_EVS_ShortEventTlm Struct Reference
37.69.1 Detailed Description
37.69.2 Field Documentation
37.70CFE_EVS_ShortEventTlm_Payload Struct Reference
37.70.1 Detailed Description
37.70.2 Field Documentation
37.71CFE_EVS_WriteAppDataFileCmd Struct Reference
37.71.1 Detailed Description
37.71.2 Field Documentation
37.72CFE_EVS_WriteLogDataFileCmd Struct Reference
37.72.1 Detailed Description
37.72.2 Field Documentation
37.73CFE_FS_FileWriteMetaData Struct Reference
37.73.1 Detailed Description
37.73.2 Field Documentation
37.74CFE_FS_Header Struct Reference
37.74.1 Detailed Description
37.74.2 Field Documentation
37.75CFE_SB_AllSubscriptionsTlm Struct Reference

xxii CONTENTS

37.75.1 Detailed Description
37.75.2 Field Documentation
37.76CFE_SB_AllSubscriptionsTlm_Payload Struct Reference
37.76.1 Detailed Description
37.76.2 Field Documentation
37.77CFE_SB_HousekeepingTlm Struct Reference
37.77.1 Detailed Description
37.77.2 Field Documentation
37.78CFE_SB_HousekeepingTlm_Payload Struct Reference
37.78.1 Detailed Description
37.78.2 Field Documentation
37.79CFE_SB_Msg Union Reference
37.79.1 Detailed Description
37.79.2 Field Documentation
37.80CFE_SB_Msgld_t Struct Reference
37.80.1 Detailed Description
37.80.2 Field Documentation
37.81CFE_SB_MsgMapFileEntry Struct Reference
37.81.1 Detailed Description
37.81.2 Field Documentation
37.82CFE_SB_PipeDepthStats Struct Reference
37.82.1 Detailed Description
37.82.2 Field Documentation
37.83CFE_SB_PipeInfoEntry Struct Reference
37.83.1 Detailed Description
37.83.2 Field Documentation
37.84CFE_SB_Qos_t Struct Reference
37.84.1 Detailed Description

CONTENTS xxiii

37.84.2 Field Documentation
37.85CFE_SB_RouteCmd Struct Reference
37.85.1 Detailed Description
37.85.2 Field Documentation
37.86CFE_SB_RouteCmd_Payload Struct Reference
37.86.1 Detailed Description
37.86.2 Field Documentation
37.87CFE_SB_RoutingFileEntry Struct Reference
37.87.1 Detailed Description
37.87.2 Field Documentation
37.88CFE_SB_SingleSubscriptionTlm Struct Reference
37.88.1 Detailed Description
37.88.2 Field Documentation
37.89CFE_SB_SingleSubscriptionTlm_Payload Struct Reference
37.89.1 Detailed Description
37.89.2 Field Documentation
37.90CFE_SB_StatsTlm Struct Reference
37.90.1 Detailed Description
37.90.2 Field Documentation
37.91CFE_SB_StatsTlm_Payload Struct Reference
37.91.1 Detailed Description
37.91.2 Field Documentation
37.92CFE_SB_SubEntries Struct Reference
37.92.1 Detailed Description
37.92.2 Field Documentation
37.93CFE_SB_WriteFileInfoCmd Struct Reference
37.93.1 Detailed Description
37.93.2 Field Documentation

xxiv CONTENTS

37.94CFE_SB_WriteFileInfoCmd_Payload Struct Reference
37.94.1 Detailed Description
37.94.2 Field Documentation
37.95CFE_TBL_AbortLoadCmd Struct Reference
37.95.1 Detailed Description
37.95.2 Field Documentation
37.96CFE_TBL_AbortLoadCmd_Payload Struct Reference
37.96.1 Detailed Description
37.96.2 Field Documentation
37.97CFE_TBL_ActivateCmd Struct Reference
37.97.1 Detailed Description
37.97.2 Field Documentation
37.98CFE_TBL_ActivateCmd_Payload Struct Reference
37.98.1 Detailed Description
37.98.2 Field Documentation
37.99CFE_TBL_DelCDSCmd_Payload Struct Reference
37.99.1 Detailed Description
37.99.2 Field Documentation
37.10 <b>©</b> FE_TBL_DeleteCDSCmd Struct Reference
37.100. Detailed Description
37.100. Field Documentation
37.10 CFE_TBL_DumpCmd Struct Reference
37.101. Detailed Description
37.101. Field Documentation
37.102FE_TBL_DumpCmd_Payload Struct Reference
37.102. Detailed Description
37.102. Field Documentation
37.10 <b>©</b> FE_TBL_DumpRegistryCmd Struct Reference

CONTENTS XXV

37.103. Detailed Description	24
37.103. Field Documentation	24
37.10&FE_TBL_DumpRegistryCmd_Payload Struct Reference	24
37.104. Detailed Description	25
37.104. Field Documentation	25
37.10©FE_TBL_File_Hdr Struct Reference	25
37.105. Detailed Description	26
37.105. Field Documentation	26
37.106FE_TBL_FileDef Struct Reference	27
37.106. Detailed Description	27
37.106. Field Documentation	27
37.10©FE_TBL_HousekeepingTlm Struct Reference	28
37.107. Detailed Description	28
37.107. Field Documentation	29
37.10&FE_TBL_HousekeepingTlm_Payload Struct Reference	29
37.108. Detailed Description	30
37.108. Detailed Description          37.108. Field Documentation	
	30
37.108. Field Documentation	30 35
37.108. Field Documentation       .6         37.10 FE_TBL_Info Struct Reference       .6	30 35 36
37.108.2Field Documentation       .6         37.109.FE_TBL_Info Struct Reference       .6         37.109. Detailed Description       .6	30 35 36
37.108. Field Documentation       .6         37.109 FE_TBL_Info Struct Reference       .6         37.109. Detailed Description       .6         37.109. Field Documentation       .6	30 35 36 36
37.108. Field Documentation       .6         37.109. FE_TBL_Info Struct Reference       .6         37.109. Detailed Description       .6         37.109. Field Documentation       .6         37.110 FE_TBL_LoadCmd Struct Reference       .6	30 35 36 39
37.108. Field Documentation       6         37.109. FE_TBL_Info Struct Reference       6         37.109. Detailed Description       6         37.109. Field Documentation       6         37.110 FE_TBL_LoadCmd Struct Reference       6         37.110. Detailed Description       6	30 35 36 39 39
37.108. Field Documentation       6         37.10 FE_TBL_Info Struct Reference       6         37.109. Detailed Description       6         37.109. Field Documentation       6         37.11 FE_TBL_Load Cmd Struct Reference       6         37.110. Detailed Description       6         37.110. Field Documentation       6	30 35 36 39 39
37.108. Field Documentation       .6         37.109. FE_TBL_Info Struct Reference       .6         37.109. Detailed Description       .6         37.109. Field Documentation       .6         37.110 FE_TBL_LoadCmd Struct Reference       .6         37.110. Detailed Description       .6         37.110. Field Documentation       .6         37.110 FE_TBL_LoadCmd_Payload Struct Reference       .6	30 35 36 39 39 40 40
37.108. Field Documentation       6         37.109. FE_TBL_Info Struct Reference       6         37.109. Detailed Description       6         37.109. Field Documentation       6         37.110 FE_TBL_LoadCmd Struct Reference       6         37.110. Detailed Description       6         37.110. Field Documentation       6         37.110 FE_TBL_LoadCmd_Payload Struct Reference       6         37.111 CFE_TBL_LoadCmd_Payload Struct Reference       6         37.111. Detailed Description       6	30 35 36 39 39 40 40

XXVI CONTENTS

37.112. Field Documentation
37.118 FE_TBL_NotifyCmd Struct Reference
37.113. Detailed Description
37.113. Field Documentation
37.11 CFE_TBL_NotifyCmd_Payload Struct Reference
37.114. Detailed Description
37.114. Field Documentation
37.116FE_TBL_SendRegistryCmd Struct Reference
37.115. Detailed Description
37.115. Field Documentation
37.11 <b>6</b> FE_TBL_SendRegistryCmd_Payload Struct Reference
37.116. Detailed Description
37.116. Field Documentation
37.11©FE_TBL_TableRegistryTlm Struct Reference
37.117. Detailed Description
37.117. Field Documentation
37.118 FE_TBL_TblRegPacket_Payload Struct Reference
37.118. Detailed Description
37.118. Field Documentation
37.11 <b>©</b> FE_TBL_ValidateCmd Struct Reference
37.119. Detailed Description
37.119. Field Documentation
37.12 <b>©</b> FE_TBL_ValidateCmd_Payload Struct Reference
37.120. Detailed Description
37.120. Field Documentation
37.12CFE_TIME_DiagnosticTlm Struct Reference
37.121. Detailed Description
37.121. Field Documentation

CONTENTS xxvii

37.12©FE_TIME_DiagnosticTIm_Payload Struct Reference
37.122. Detailed Description
37.122. Field Documentation
37.12 <b>S</b> FE_TIME_HousekeepingTlm Struct Reference
37.123. Detailed Description
37.123. Field Documentation
37.12 <b>©</b> FE_TIME_HousekeepingTlm_Payload Struct Reference
37.124. Detailed Description
37.124. Field Documentation
37.126FE_TIME_LeapsCmd_Payload Struct Reference
37.125. Detailed Description
37.125. Field Documentation
37.12 <b>6</b> FE_TIME_NoArgsCmd Struct Reference
37.126. Detailed Description
37.126. Field Documentation
37.12©FE_TIME_OneHzAdjustmentCmd Struct Reference
37.127. Detailed Description
37.127. Field Documentation
37.12 <b>&amp;</b> FE_TIME_OneHzAdjustmentCmd_Payload Struct Reference
37.128. Detailed Description
37.128. Field Documentation
37.12 <b>©</b> FE_TIME_SetLeapSecondsCmd Struct Reference
37.129. Detailed Description
37.129. Field Documentation
37.13 <b>©</b> FE_TIME_SetSignalCmd Struct Reference
37.130. Detailed Description
37.130. Field Documentation
37.13CFE_TIME_SetSourceCmd Struct Reference

xxviii CONTENTS

37.131. Detailed Description
37.131. Field Documentation
37.132FE_TIME_SetStateCmd Struct Reference
37.132. Detailed Description
37.132. Field Documentation
37.13&FE_TIME_SignalCmd_Payload Struct Reference
37.133. Detailed Description
37.133. Field Documentation
37.13 FE_TIME_SourceCmd_Payload Struct Reference
37.134. Detailed Description
37.134. Field Documentation
37.136FE_TIME_StateCmd_Payload Struct Reference
37.135. Detailed Description
37.135. Field Documentation
37.136FE_TIME_SysTime Struct Reference
37.136. Detailed Description
37.136. Field Documentation
37.13©FE_TIME_TimeCmd Struct Reference
37.137. Detailed Description
37.137. Field Documentation
37.138FE_TIME_TimeCmd_Payload Struct Reference
37.138. Detailed Description
37.138. Field Documentation
37.139FE_TIME_ToneDataCmd Struct Reference
37.139. Detailed Description
37.139. Field Documentation
37.14 <b>C</b> FE_TIME_ToneDataCmd_Payload Struct Reference
37.140. Detailed Description

CONTENTS xxix

37.140. Field Documentation
37.14 <b>©</b> S_bin_sem_prop_t Struct Reference
37.141. Detailed Description
37.141. Field Documentation
37.14DS_count_sem_prop_t Struct Reference
37.142. Detailed Description
37.142. Field Documentation
37.148s_dirent_t Struct Reference
37.143. Detailed Description
37.143. Field Documentation
37.14 <b>©</b> S_FdSet Struct Reference
37.144. Detailed Description
37.144. Field Documentation
37.14 <b>5</b> S_file_prop_t Struct Reference
37.145. Detailed Description
37.145. Field Documentation
37.146s_fsinfo_t Struct Reference
37.146. Detailed Description
37.146. Field Documentation
37.14@s_fstat_t Struct Reference
37.147. Detailed Description
37.147. Field Documentation
37.1480S_heap_prop_t Struct Reference
37.148. Detailed Description
37.148. Field Documentation
37.14 <b>9</b> S_module_address_t Struct Reference
37.149. Detailed Description
37.149. Field Documentation

CONTENTS

37.15 <b>0</b> S_module_prop_t Struct Reference
37.150. Detailed Description
37.150. Field Documentation
37.15@S_mut_sem_prop_t Struct Reference
37.151. Detailed Description
37.151. Field Documentation
37.15 <b>D</b> S_queue_prop_t Struct Reference
37.152. Detailed Description
37.152. Field Documentation
37.15 <b>©</b> S_SockAddr_t Struct Reference
37.153. Detailed Description
37.153. Field Documentation
37.15 <b>©</b> S_SockAddrData_t Union Reference
37.154. Detailed Description
37.154. Field Documentation
37.15 <b>5</b> S_socket_prop_t Struct Reference
37.155. Detailed Description
37.155. Field Documentation
37.15 <b>6</b> S_static_symbol_record_t Struct Reference
37.156. Detailed Description
37.156. Field Documentation
37.15ØS_statvfs_t Struct Reference
37.157. Detailed Description
37.157. Field Documentation
37.15 <b>8</b> S_task_prop_t Struct Reference
37.158. Detailed Description
37.158. Field Documentation
37.15 <b>9</b> S_time_t Struct Reference
37.159. Detailed Description
37.159. Field Documentation
37.16 <b>0</b> S_timebase_prop_t Struct Reference
37.160. Detailed Description
37.160. Field Documentation
37.16@S_timer_prop_t Struct Reference
37.161. Detailed Description
37.161. Field Documentation

CONTENTS xxxi

38	File I	Documentation	712
	38.1	build/docs/osconfig-example.h File Reference	. 712
		38.1.1 Macro Definition Documentation	. 713
	38.2	cpu1_msgids.h File Reference	. 721
		38.2.1 Detailed Description	. 722
		38.2.2 Macro Definition Documentation	. 722
	38.3	cpu1_platform_cfg.h File Reference	. 729
		38.3.1 Detailed Description	. 732
		38.3.2 Macro Definition Documentation	. 732
	38.4	sample_mission_cfg.h File Reference	. 786
		38.4.1 Detailed Description	. 788
		38.4.2 Macro Definition Documentation	. 788
	38.5	sample_perfids.h File Reference	. 807
		38.5.1 Detailed Description	. 807
		38.5.2 Macro Definition Documentation	. 807
	38.6	cfe/docs/src/cfe_api.dox File Reference	. 810
	38.7	cfe/docs/src/cfe_es.dox File Reference	. 810
	38.8	cfe/docs/src/cfe_evs.dox File Reference	. 810
	38.9	cfe/docs/src/cfe_glossary.dox File Reference	. 810
	38.10	Ocfe/docs/src/cfe_sb.dox File Reference	. 810
	38.1	1 cfe/docs/src/cfe_tbl.dox File Reference	. 810
	38.12	2cfe/docs/src/cfe_time.dox File Reference	. 810
	38.13	Scfe/docs/src/cfe_xref.dox File Reference	. 810
	38.14	4cfe/docs/src/cfs_versions.dox File Reference	. 810
	38.15	5cfe/docs/src/main.dox File Reference	. 811
	38.16	6cfe/modules/core_api/fsw/inc/cfe.h File Reference	. 811
		38.16.1 Detailed Description	. 811
	38.17	7cfe/modules/core_api/fsw/inc/cfe_config.h File Reference	. 811

xxxii CONTENTS

38.17.1 Detailed Description
38.17.2 Function Documentation
38.18cfe/modules/core_api/fsw/inc/cfe_config_api_typedefs.h File Reference
38.18.1 Detailed Description
38.18.2 Macro Definition Documentation
38.18.3 Typedef Documentation
38.19cfe/modules/core_api/fsw/inc/cfe_endian.h File Reference
38.19.1 Detailed Description
38.19.2 Macro Definition Documentation
38.20cfe/modules/core_api/fsw/inc/cfe_error.h File Reference
38.20.1 Detailed Description
38.20.2 Macro Definition Documentation
38.20.3 Typedef Documentation
38.21cfe/modules/core_api/fsw/inc/cfe_es.h File Reference
38.21.1 Detailed Description
38.21.2 Macro Definition Documentation
38.22cfe/modules/core_api/fsw/inc/cfe_es_api_typedefs.h File Reference
38.22.1 Detailed Description
38.22.2 Macro Definition Documentation
38.22.3 Typedef Documentation
38.23cfe/modules/core_api/fsw/inc/cfe_es_extern_typedefs.h File Reference
38.23.1 Detailed Description
38.23.2 Macro Definition Documentation
38.23.3 Typedef Documentation
38.23.4 Enumeration Type Documentation
38.24cfe/modules/core_api/fsw/inc/cfe_evs.h File Reference
38.24.1 Detailed Description
38.24.2 Macro Definition Documentation

CONTENTS xxxiii

38.25cfe/modules/core_api/fsw/inc/cfe_evs_api_typedefs.h File Reference
38.25.1 Detailed Description
38.25.2 Macro Definition Documentation
38.25.3 Typedef Documentation
38.26cfe/modules/core_api/fsw/inc/cfe_evs_extern_typedefs.h File Reference
38.26.1 Detailed Description
38.26.2 Typedef Documentation
38.26.3 Enumeration Type Documentation
38.27cfe/modules/core_api/fsw/inc/cfe_fs.h File Reference
38.27.1 Detailed Description
38.28cfe/modules/core_api/fsw/inc/cfe_fs_api_typedefs.h File Reference
38.28.1 Detailed Description
38.28.2 Typedef Documentation
38.28.3 Enumeration Type Documentation
38.29cfe/modules/core_api/fsw/inc/cfe_fs_extern_typedefs.h File Reference
38.29.1 Detailed Description
38.29.2 Macro Definition Documentation
38.29.3 Typedef Documentation
38.29.4 Enumeration Type Documentation
38.30cfe/modules/core_api/fsw/inc/cfe_msg.h File Reference
38.30.1 Detailed Description
38.31cfe/modules/core_api/fsw/inc/cfe_msg_api_typedefs.h File Reference
38.31.1 Detailed Description
38.31.2 Macro Definition Documentation
38.31.3 Typedef Documentation
38.31.4 Enumeration Type Documentation
38.32cfe/modules/core_api/fsw/inc/cfe_resourceid.h File Reference
38.32.1 Detailed Description

XXXIV CONTENTS

38.32.2 Macro Definition Documentation
38.32.3 Function Documentation
38.33cfe/modules/core_api/fsw/inc/cfe_resourceid_api_typedefs.h File Reference
38.33.1 Detailed Description
38.33.2 Macro Definition Documentation
38.34cfe/modules/core_api/fsw/inc/cfe_sb.h File Reference
38.34.1 Detailed Description
38.34.2 Macro Definition Documentation
38.35cfe/modules/core_api/fsw/inc/cfe_sb_api_typedefs.h File Reference
38.35.1 Detailed Description
38.35.2 Macro Definition Documentation
38.35.3 Typedef Documentation
38.36cfe/modules/core_api/fsw/inc/cfe_sb_extern_typedefs.h File Reference
38.36.1 Detailed Description
38.36.2 Macro Definition Documentation
38.36.3 Typedef Documentation
38.36.4 Enumeration Type Documentation
38.37cfe/modules/core_api/fsw/inc/cfe_tbl.h File Reference
38.37.1 Detailed Description
38.38cfe/modules/core_api/fsw/inc/cfe_tbl_api_typedefs.h File Reference
38.38.1 Detailed Description
38.38.2 Macro Definition Documentation
38.38.3 Typedef Documentation
38.38.4 Enumeration Type Documentation
38.39cfe/modules/core_api/fsw/inc/cfe_tbl_extern_typedefs.h File Reference
38.39.1 Detailed Description
38.39.2 Typedef Documentation
38.39.3 Enumeration Type Documentation

CONTENTS XXXV

38.40cfe/modules/core_api/fsw/inc/cfe_tbl_filedef.h File Reference
38.40.1 Detailed Description
38.40.2 Macro Definition Documentation
38.40.3 Typedef Documentation
38.41cfe/modules/core_api/fsw/inc/cfe_time.h File Reference
38.41.1 Detailed Description
38.41.2 Macro Definition Documentation
38.42cfe/modules/core_api/fsw/inc/cfe_time_api_typedefs.h File Reference
38.42.1 Detailed Description
38.42.2 Macro Definition Documentation
38.42.3 Typedef Documentation
38.42.4 Enumeration Type Documentation
38.43cfe/modules/core_api/fsw/inc/cfe_time_extern_typedefs.h File Reference
38.43.1 Detailed Description
38.43.2 Typedef Documentation
38.43.3 Enumeration Type Documentation
38.44cfe/modules/core_api/fsw/inc/cfe_version.h File Reference
38.44.1 Detailed Description
38.44.2 Macro Definition Documentation
38.45cfe/modules/es/fsw/inc/cfe_es_events.h File Reference
38.45.1 Detailed Description
38.45.2 Macro Definition Documentation
38.46cfe/modules/es/fsw/inc/cfe_es_msg.h File Reference
38.46.1 Detailed Description
38.46.2 Macro Definition Documentation
38.46.3 Typedef Documentation
38.47cfe/modules/evs/fsw/inc/cfe_evs_events.h File Reference
38.47.1 Detailed Description

XXXVI

38.47.2 Macro Definition Documentation
38.48cfe/modules/evs/fsw/inc/cfe_evs_msg.h File Reference
38.48.1 Detailed Description
38.48.2 Macro Definition Documentation
38.48.3 Typedef Documentation
38.49cfe/modules/msg/fsw/inc/ccsds_hdr.h File Reference
38.49.1 Detailed Description
38.49.2 Typedef Documentation
38.50cfe/modules/resourceid/fsw/inc/cfe_core_resourceid_basevalues.h File Reference
38.50.1 Detailed Description
38.51cfe/modules/resourceid/fsw/inc/cfe_resourceid_basevalue.h File Reference
38.51.1 Detailed Description
38.51.2 Macro Definition Documentation
38.52cfe/modules/sb/fsw/inc/cfe_sb_events.h File Reference
38.52.1 Detailed Description
38.52.2 Macro Definition Documentation
38.53cfe/modules/sb/fsw/inc/cfe_sb_msg.h File Reference
38.53.1 Detailed Description
38.53.2 Macro Definition Documentation
38.53.3 Typedef Documentation
38.54cfe/modules/tbl/fsw/inc/cfe_tbl_events.h File Reference
38.54.1 Detailed Description
38.54.2 Macro Definition Documentation
38.55cfe/modules/tbl/fsw/inc/cfe_tbl_msg.h File Reference
38.55.1 Detailed Description
38.55.2 Macro Definition Documentation
38.55.3 Typedef Documentation
38.56cfe/modules/time/fsw/inc/cfe_time_events.h File Reference

CONTENTS xxxviii

38.56.1 Detailed Description
38.56.2 Macro Definition Documentation
38.57cfe/modules/time/fsw/inc/cfe_time_msg.h File Reference
38.57.1 Detailed Description
38.57.2 Macro Definition Documentation
38.57.3 Typedef Documentation
38.58osal/src/os/inc/common_types.h File Reference
38.58.1 Detailed Description
38.58.2 Macro Definition Documentation
38.58.3 Typedef Documentation
38.58.4 Function Documentation
38.59osal/src/os/inc/osapi-binsem.h File Reference
38.59.1 Detailed Description
38.60osal/src/os/inc/osapi-bsp.h File Reference
38.60.1 Detailed Description
38.61 osal/src/os/inc/osapi-clock.h File Reference
38.61.1 Detailed Description
38.61.2 Enumeration Type Documentation
38.62osal/src/os/inc/osapi-common.h File Reference
38.62.1 Detailed Description
38.62.2 Typedef Documentation
38.62.3 Enumeration Type Documentation
38.63osal/src/os/inc/osapi-constants.h File Reference
38.63.1 Detailed Description
38.63.2 Macro Definition Documentation
38.64osal/src/os/inc/osapi-countsem.h File Reference
38.64.1 Detailed Description
38.65osal/src/os/inc/osapi-dir.h File Reference

xxxviii CONTENTS

38.65.1 Detailed Description
38.65.2 Macro Definition Documentation
38.66osal/src/os/inc/osapi-error.h File Reference
38.66.1 Detailed Description
38.66.2 Macro Definition Documentation
38.66.3 Typedef Documentation
38.67osal/src/os/inc/osapi-file.h File Reference
38.67.1 Detailed Description
38.67.2 Macro Definition Documentation
38.67.3 Enumeration Type Documentation
38.68osal/src/os/inc/osapi-filesys.h File Reference
38.68.1 Detailed Description
38.68.2 Macro Definition Documentation
38.69osal/src/os/inc/osapi-heap.h File Reference
38.69.1 Detailed Description
38.70osal/src/os/inc/osapi-idmap.h File Reference
38.70.1 Detailed Description
38.70.2 Macro Definition Documentation
38.71osal/src/os/inc/osapi-macros.h File Reference
38.71.1 Detailed Description
38.71.2 Macro Definition Documentation
38.72osal/src/os/inc/osapi-module.h File Reference
38.72.1 Detailed Description
38.72.2 Macro Definition Documentation
38.73osal/src/os/inc/osapi-mutex.h File Reference
38.73.1 Detailed Description
38.74osal/src/os/inc/osapi-network.h File Reference
38.74.1 Detailed Description

38.75osal/src/os/inc/osapi-printf.h File Reference
38.75.1 Detailed Description
38.76osal/src/os/inc/osapi-queue.h File Reference
38.76.1 Detailed Description
38.77osal/src/os/inc/osapi-select.h File Reference
38.77.1 Detailed Description
38.77.2 Enumeration Type Documentation
38.78osal/src/os/inc/osapi-shell.h File Reference
38.78.1 Detailed Description
38.79osal/src/os/inc/osapi-sockets.h File Reference
38.79.1 Detailed Description
38.79.2 Macro Definition Documentation
38.79.3 Enumeration Type Documentation
38.80osal/src/os/inc/osapi-task.h File Reference
38.80.1 Detailed Description
38.80.2 Macro Definition Documentation
38.80.3 Typedef Documentation
38.80.4 Function Documentation
38.81 osal/src/os/inc/osapi-timebase.h File Reference
38.81.1 Detailed Description
38.81.2 Typedef Documentation
38.82osal/src/os/inc/osapi-timer.h File Reference
38.82.1 Detailed Description
38.82.2 Typedef Documentation
38.83osal/src/os/inc/osapi-version.h File Reference
38.83.1 Detailed Description
38.83.2 Macro Definition Documentation
38.83.3 Function Documentation
38.84osal/src/os/inc/osapi.h File Reference
38.84.1 Detailed Description
38.85psp/fsw/inc/cfe_psp.h File Reference
38.85.1 Macro Definition Documentation
38.85.2 Function Documentation

Index 1237

## 1 Core Flight Executive Documentation

- · General Information and Concepts
  - Background
  - Applicable Documents
  - Version Numbers
  - Dependencies
  - Acronyms
  - Glossary of Terms
- Executive Services (ES)
  - cFE Executive Services Overview
  - cFE Executive Services Commands
  - cFE Executive Services Telemetry
  - ES Event Message Reference
  - cFE Executive Services Configuration Parameters
- Events Services (EVS)
  - cFE Event Services Overview
  - cFE Event Services Commands
  - cFE Event Services Telemetry
  - EVS Event Message Reference
  - cFE Event Services Configuration Parameters
- Software Bus Services (SB)
  - cFE Software Bus Overview
  - cFE Software Bus Commands
  - cFE Software Bus Telemetry
  - SB Event Message Reference
  - cFE Software Bus Configuration Parameters
- Table Services (TBL)
  - cFE Table Services Overview
  - cFE Table Services Commands
  - cFE Table Services Telemetry
  - TBL Event Message Reference
  - cFE Table Services Configuration Parameters
- Time Services (TIME)
  - cFE Time Services Overview
  - cFE Time Services Commands

2 Background 3

- cFE Time Services Telemetry
- TIME Event Message Reference
- cFE Time Services Configuration Parameters
- · cFE Event Message Cross Reference
- · cFE Command Mnemonic Cross Reference
- cFE Telemetry Mnemonic Cross Reference
- · cFE Application Programmer's Interface (API) Reference

## 2 Background

The Core Flight Executive (cFE) is an application development and run-time environment. The cFE provides a set of core services including Software Bus (messaging), Time, Event (Alerts), Executive (startup and runtime), and Table services. The cFE defines an application programming interface (API) for each service which serves as the basis for application development.

The cFE Software Bus service provides a publish and subscribe messaging system that allows applications to easily plug and play into the system. Applications subscribe to cFE services at runtime, making system modifications easy. Facilitating rapid prototyping, new applications can be compiled, linked, loaded, and started without requiring the entire system to be rebuilt.

Each service comes complete with a built in application that allows users to interface with each service. To support reuse and project independence, the cFE contains a configurable set of requirements and code. The configurable parameters allow the cFE to be tailored for each environment including desk-top and closed loop simulation environments. This provides the ability to run and test software applications on a developer's desktop and then deploy that same software without changes to the embedded system. In addition the cFE includes the following software development tools:

- · Unit Test Framework (UTF) for unit testing applications developed via the cFE
- Software Timing Analyzer that provides visibility into the real-time performance of embedded systems software
- · Table Builder
- · Command and Telemetry utilities

The cFE is one of the components of the Core Flight System (cFS), a platform and project independent reusable software framework and set of reusable software applications. There are three key aspects to the cFS architecture: a dynamic run-time environment, layered software, and a component based design. The combination of these key aspects along with an implementation targeted to the embedded software domain makes it suitable for reuse on any number of NASA flight projects and/or embedded software systems.

The pivotal design feature, abstracting the software architecture from the hardware and forming the basis of reuse, is component layering. Each layer of the architecture "hides" its implementation and technology details from the other layers by defining and using standard Application Programming Interfaces (APIs). The internals of a layer can be changed without affecting other layers' internals and components.

The layers include an OS Abstraction Layer (OSAL), Platform Support Package (PSP) layer, core Flight Executive (cFE) layer, and an Application layer. The cFE layer runs on top of the PSP and OSAL layers. The cFE comes complete with a build environment, deployment guide, API reference guide, and provides a sample PSP. The OSAL is available open source and once integrated into the cFE build environment, developers will be ready to build and run the system and start developing their mission/project specific applications that easily plug and play into the system.

Core Flight Executive (cFE) Goals

The main long term goal of the cFE is to form the basis for a platform and project independent reusable software framework. The cFE with the OSAL allow the development of portable embedded system software that is independent of a particular Real Time Operating System and hardware platform. A secondary long term goal is to create a standardized, product-line approach for development of embedded aerospace flight software.

#### **Functional and Community Goals**

The cFE allows embedded system software to be developed and tested on desktop workstations and ported to the target platform without changing a single line of code, providing a shorter development and debug time. The cFE is an enabler of software collaboration amongst all users promoting the growth of the application and library layers where new applications, libraries, tools, and lessons learned can be contributed and shared.

It is important for application developers to realize the long term and functional goals of the cFE. With a standard set of services providing a standard API, all applications developed with the cFE have an opportunity to become useful on future missions through code reuse. In order to achieve this goal, applications must be written with care to ensure that their code does not have dependencies on specific hardware, software or compilers. The cFE and the underlying generic operating system API (OS API) have been designed to insulate the cFE Application developer from hardware and software dependencies. The developer, however, must make the effort to identify the proper methods through the cFE and OS API to satisfy their software requirements and not be tempted to take a "short-cut" and accomplish their goal with a direct hardware or operating system software interface.

## 3 Applicable Documents

Document Title	Link
cFE System (L4) Requirements Document	cfe/docs/'cfe requirements.docx'
cFE Functional (L5) Requirements Document	cfe/docs/cFE_FunctionalRequirements.csv
cFE Application Developers Guide	cfe/docs/'cFE Application Developers Guide.md'
cFE User's Guide (includes API)	Autogenerated from code, provided with releases in cFE repository
OS Abstraction Layer (OSAL) API	Autogenerated from code, provided with releases in OSAL repository

## 4 Dependencies

The Core Flight Executive (cFE) is required to be built with the Operating System Abstraction Layer (OSAL) and Platform Support Package (PSP) components of the Core Flight System (cFS). It is always recommended to build with the latest versions of each of the components as backward compatibility may not be supported.

Several internal data structures within the cFE use the "char" data type. This data type is typically 1 byte in storage size with a value range -128 to 127 or 0 to 255. The size of the "char" data type and whether or not the type is signed or unsigned can change across platforms. The cFE assumes use of the "char" data type as an **8-bit type**.

5 Acronyms 5

5 Acronyms

Acronym	Description	
AC	Attitude Control	
ACE	Attitude Control Electronics	
ACS	Attitude Control System	
API	Application Programming Interface	
APID	CCSDS Application ID	
Арр	Application	
CCSDS	Consultative Committee for Space Data Systems	
CDH, C&DH	Command and Data Handling	
cFE	core Flight Executive	
cFS	core Flight System	
СМ	Configuration Management	
CMD	Command	
CPU	Central Processing Unit	
EDAC	Error Detection and Correction	
EEPROM	Electrically Erasable Programmable Read-Only Memory	
ES	Executive Services	
EVS	Event Services	
FC	Function Code	
FDC	Failure Detection and Correction	
FSW	Flight Software	
HW, H/W	Hardware	
ICD	Interface Control Document	
MET	Mission Elapsed Time	
MID	Message ID	
OS	Operating System	
OSAL	Operating System Abstraction Layer	
PID	Pipeline ID	
PKT	Packet	
PSP	Platform Support Package	
RAM	Random-Access Memory	
SB	Software Bus	
SDO	Solar Dynamics Observatory	
ST5	Space Technology Five	
STCF	Spacecraft Time Correlation Factor	
SW, S/W	Software	
TAI	International Atomic Time	
TBD	To Be Determined	
TBL	Table Services	
TID	Task ID	
TIME	Time Services	
TLM	Telemetry	
UTC	Coordinated Universal Time	

# 6 Glossary of Terms

7 Version Numbers 7

Term	Definition
Application (or App)	A set of data and functions that is treated as a single entity by the cFE. cFE resources are allocated on a per-Application basis. Applications are made up of a Main Task and zero or more Child Tasks.
Application ID	A processor unique reference to an Application.  NOTE: This is different from a CCSDS Application ID which is referred to as an "APID."
Application Programmer's Interface (API)	A set of routines, protocols, and tools for building software applications
Platform Support Package (PSP)	A collection of user-provided facilities that interface an OS and the cFE with a specific hardware platform. The PSP is responsible for hardware initialization.
Child Task	A separate thread of execution that is spawned by an Application's Main Task.
Command	A Software Bus Message defined by the receiving Application. Commands can originate from other onboard Applications or from the ground.
Core Flight Executive (cFE)	A runtime environment and a set of services for hosting FSW Applications
Critical Data Store (CDS)	A collection of data that is not modified by the OS or cFE following a Processor Reset.
Cyclic Redundancy Check	A polynomial based method for checking that a data set has remained unchanged from one time period to another.
Developer	Anyone who is coding a cFE Application.
Event Data	Data describing an Event that is supplied to the cFE Event Service. The cFE includes this data in an Event Message.
Event Filter	A numeric value (bit mask) used to determine how frequently to output an application Event Message defined by its Event ID.
Event Format Mode	Defines the Event Message Format downlink option: short or long. The short format is used when there is limited telemetry bandwidth and is binary. The long format is in ASCII and is used for logging to a Local Event Log and to an Event Message Port.
Event ID	A numeric literal used to uniquely name an Application event.
Event Type	A numeric literal used to identify the type of an Application event. An event type may be CFE_EVS_EventType_DEBUG, CFE_EVS_Event ← Type_INFORMATION, CFE_EVS_EventType_ERROR, or CFE_EVS ← LeventType_CRITICAL.
Event Message	A data item used to notify the user and/or an external Application of a significant event. Event Messages include a time-stamp of when the message was generated, a processor unique identifier, an Application ID, the Event Type (DEBUG,INFO,ERROR or CRITICAL), and Event Data. An Event Message can either be real-time or playback from a Local Event Log.

## 7 Version Numbers

#### **Version Number Semantics**

The version number is a sequence of four numbers, generally separated by dots when written. These are, in order, the Major number, the Minor number, the Revision number, and the Mission Revision number.

It is important to note that version numbers are only updated upon official releases of tagged versions, **NOT** on development builds. We aim to follow the Semantic Versioning v2.0 specification with our versioning.

The MAJOR number is incremented on release to indicate when there is a change to an API that may cause existing, correctly-written cFS components to stop working. It may also be incremented for a release that contains changes deemed to be of similar impact, even if there are no actual changes to the API.

The MINOR number is incremented on release to indicate the addition of features to the API which do not break the existing code. It may also be incremented for a release that contains changes deemed to be of similar impact, even if there are no actual updates to the API.

The REVISION number shall be incremented on changes that benefit from unique identification such as bug fixes or major documentation updates. The Revision number may also be updated if there are other changes contained within a release that make it desirable for applications to distinguish one release from another. WARNING: The revision number is set to the number 99 in development builds. To distinguish between development builds refer to the BUILD\_NUMBER and BUILD\_BASELINE detailed in the section "Identifying Development Builds".

The Mission Version number is set to zero in all official releases, and is reserved for the mission use.

**How and Where Defined** 

The version numbers are provided as simple macros defined in the cfe\_version.h header file as part of the API definition; these macros must expand to simple integer values, so that they can be used in simple if directives by the macro preprocessor.

Note the Mission Version number is provided for missions to be able to identify unique changes they have made to the released software (via clone and own).

**Identifying Development Builds** 

In order to distinguish between development versions, we also provide a BUILD\_NUMBER.

The BUILD\_NUMBER reflects the number of commits since the BUILD\_BASELINE, a baseline git tag, for each particular component. The BUILD\_NUMBER integer monotonically increases for a given baseline. The BUILD\_BASELINE identifies the current development cycle and is a git tag with format vX.Y.Z. The Codename used in the version string also refers to the current development cycle. When a new baseline tag and codename are created, the BUILD\_NUMBER resets to zero and begins increasing from a new baseline.

Templates for the short and long version string

See cfe\_version.h for the standard layout and definition of version information. The apps and repositories follow the same pattern by replacing the CFE\_ prefix with the appropriate name; for example, osal uses  $OS_{-}$ , psp uses  $CFE_{-}P \leftarrow SP_{-}IMPL$ , and so on.

Suggested pattern for development:

• XXX\_SRC\_VERSION: REFERENCE\_GIT\_TAG"+dev"BUILD\_NUMBER

Example: "v6.8.0-rc1+dev123"

- XXX\_VERSION\_STRING: "XXX DEVELOPMENT BUILD "XXX\_SRC\_VERSION" (Codename: YYY), Last Official Release: ZZZ"
  - Example: "cFE DEVELOPMENT BUILD v6.8.0-rc1+dev123 (Codename: Bootes), Last Official Release: cfe v6.7.0"

#### Suggested pattern for official releases:

- · XXX SRC VERSION: OFFICIAL GIT TAG
  - Example: "v7.0.0"
- XXX\_VERSION\_STRING: "XXX OFFICIAL RELEASE "XXX\_SRC\_VERSION" (Codename: YYY)"
  - Example: "cFE OFFICIAL RELEASE v7.0.0 (Codename: Caelum)"

## 8 cFE Application Programmer's Interface (API) Reference

#### **Executive Services API**

- cFE Entry/Exit APIs
  - CFE ES Main cFE Main Entry Point used by Board Support Package to start cFE
  - CFE ES ResetCFE Reset the cFE Core and all cFE Applications.
- · cFE Application Control APIs
  - CFE\_ES\_RestartApp Restart a single cFE Application.
  - CFE ES ReloadApp Reload a single cFE Application.
  - CFE ES DeleteApp Delete a cFE Application.
- · cFE Application Behavior APIs
  - CFE\_ES\_RunLoop Check for Exit, Restart, or Reload commands.
  - CFE\_ES\_WaitForStartupSync Allow an Application to Wait for the "OPERATIONAL" global system state.
  - CFE\_ES\_WaitForSystemState Allow an Application to Wait for a minimum global system state.
  - CFE ES IncrementTaskCounter Increments the execution counter for the calling task.
  - CFE\_ES\_ExitApp Exit a cFE Application.
- · cFE Information APIs
  - CFE ES GetResetType Return the most recent Reset Type.
  - CFE\_ES\_GetAppID Get an Application ID for the calling Application.
  - CFE\_ES\_GetTaskID Get the task ID of the calling context.
  - CFE\_ES\_GetAppIDByName Get an Application ID associated with a specified Application name.
  - CFE\_ES\_GetLibIDByName Get a Library ID associated with a specified Library name.
  - CFE\_ES\_GetAppName Get an Application name for a specified Application ID.
  - CFE\_ES\_GetLibName Get a Library name for a specified Library ID.
  - CFE ES GetAppInfo Get Application Information given a specified App ID.
  - CFE ES GetTaskInfo Get Task Information given a specified Task ID.

- CFE\_ES\_GetLibInfo Get Library Information given a specified Resource ID.
- CFE\_ES\_GetModuleInfo Get Information given a specified Resource ID.

#### cFE Child Task APIs

- CFE ES CreateChildTask Creates a new task under an existing Application.
- CFE\_ES\_GetTaskIDByName Get a Task ID associated with a specified Task name.
- CFE ES GetTaskName Get a Task name for a specified Task ID.
- CFE ES DeleteChildTask Deletes a task under an existing Application.
- CFE\_ES\_ExitChildTask Exits a child task.

#### cFE Critical Data Store APIs

- CFE\_ES\_RegisterCDS Reserve space (or re-obtain previously reserved space) in the Critical Data Store (CDS)
- CFE\_ES\_GetCDSBlockIDByName Get a CDS Block ID associated with a specified CDS Block name.
- CFE ES GetCDSBlockName Get a Block name for a specified Block ID.
- CFE\_ES\_CopyToCDS Save a block of data in the Critical Data Store (CDS)
- CFE\_ES\_RestoreFromCDS Recover a block of data from the Critical Data Store (CDS)

#### cFE Memory Manager APIs

- CFE\_ES\_PoolCreate Initializes a memory pool created by an application while using a semaphore during processing.
- CFE\_ES\_PoolCreateEx Initializes a memory pool created by an application with application specified block sizes.
- CFE\_ES\_PoolCreateNoSem Initializes a memory pool created by an application without using a semaphore during processing.
- CFE\_ES\_PoolDelete Deletes a memory pool that was previously created.
- CFE\_ES\_GetPoolBuf Gets a buffer from the memory pool created by CFE\_ES\_PoolCreate or CFE\_ES
   \_PoolCreateNoSem.
- CFE\_ES\_PutPoolBuf Releases a buffer from the memory pool that was previously allocated via CFE\_E
   S GetPoolBuf.
- CFE\_ES\_GetMemPoolStats Extracts the statistics maintained by the memory pool software.
- CFE ES GetPoolBufInfo Gets info on a buffer previously allocated via CFE ES GetPoolBuf.

#### · cFE Performance Monitor APIs

- CFE\_ES\_PerfLogEntry Entry marker for use with Software Performance Analysis Tool.
- CFE\_ES\_PerfLogExit Exit marker for use with Software Performance Analysis Tool.
- CFE\_ES\_PerfLogAdd Adds a new entry to the data buffer.

### · cFE Generic Counter APIs

- CFE\_ES\_RegisterGenCounter Register a generic counter.
- CFE\_ES\_DeleteGenCounter Delete a generic counter.
- CFE\_ES\_IncrementGenCounter Increments the specified generic counter.
- CFE\_ES\_SetGenCount Set the specified generic counter.
- CFE\_ES\_GetGenCount Get the specified generic counter count.
- CFE ES GetGenCounterIDByName Get the Id associated with a generic counter name.

- CFE\_ES\_GetGenCounterName Get a Counter name for a specified Counter ID.
- · cFE Miscellaneous APIs
  - CFE\_ES\_BackgroundWakeup Wakes up the CFE background task.
  - CFE\_ES\_CalculateCRC Calculate a CRC on a block of memory.
  - CFE ES WriteToSysLog Write a string to the cFE System Log.
  - CFE\_ES\_ProcessAsyncEvent Notification that an asynchronous event was detected by the underlying OS/PSP.
- cFE Resource ID APIs
  - CFE\_ES\_AppID\_ToIndex Obtain an index value correlating to an ES Application ID.
  - CFE\_ES\_LibID\_ToIndex Obtain an index value correlating to an ES Library ID.
  - CFE ES TaskID ToIndex Obtain an index value correlating to an ES Task ID.
  - CFE\_ES\_CounterID\_ToIndex Obtain an index value correlating to an ES Counter ID.

#### **Events Services API**

- · cFE Registration APIs
  - CFE EVS Register Register an application for receiving event services.
- · cFE Send Event APIs
  - CFE EVS SendEvent Generate a software event.
  - CFE\_EVS\_SendEventWithAppID Generate a software event given the specified Application ID.
  - CFE\_EVS\_SendTimedEvent Generate a software event with a specific time tag.
- · cFE Reset Event Filter APIs
  - CFE EVS ResetFilter Resets the calling application's event filter for a single event ID.
  - CFE EVS\_ResetAllFilters Resets all of the calling application's event filters.

#### File Services API

- cFE File Header Management APIs
  - CFE FS ReadHeader Read the contents of the Standard cFE File Header.
  - CFE\_FS\_InitHeader Initializes the contents of the Standard cFE File Header.
  - CFE FS WriteHeader Write the specified Standard cFE File Header to the specified file.
  - CFE\_FS\_SetTimestamp Modifies the Time Stamp field in the Standard cFE File Header for the specified file.
- cFE File Utility APIs
  - CFE FS GetDefaultMountPoint Get the default virtual mount point for a file category.
  - CFE FS GetDefaultExtension Get the default filename extension for a file category.
  - CFE FS ParseInputFileNameEx Parse a filename input from an input buffer into a local buffer.
  - CFE\_FS\_ParseInputFileName Parse a filename string from the user into a local buffer.
  - CFE FS ExtractFilenameFromPath Extracts the filename from a unix style path and filename string.
  - CFE\_FS\_BackgroundFileDumpRequest Register a background file dump request.
  - CFE FS BackgroundFileDumpIsPending Query if a background file write request is currently pending.

#### Message API

- · cFE Generic Message APIs
  - CFE MSG Init Initialize a message.
- · cFE Message Primary Header APIs
  - CFE MSG GetSize Gets the total size of a message.
  - CFE\_MSG\_SetSize Sets the total size of a message.
  - CFE MSG GetType Gets the message type.
  - CFE MSG SetType Sets the message type.
  - CFE\_MSG\_GetHeaderVersion Gets the message header version.
  - CFE\_MSG\_SetHeaderVersion Sets the message header version.
  - CFE MSG GetHasSecondaryHeader Gets the message secondary header boolean.
  - CFE MSG SetHasSecondaryHeader Sets the message secondary header boolean.
  - CFE\_MSG\_GetApId Gets the message application ID.
  - CFE MSG SetApId Sets the message application ID.
  - CFE\_MSG\_GetSegmentationFlag Gets the message segmentation flag.
  - CFE\_MSG\_SetSegmentationFlag Sets the message segmentation flag.
  - CFE MSG GetSequenceCount Gets the message sequence count.
  - CFE\_MSG\_SetSequenceCount Sets the message sequence count.
  - CFE\_MSG\_GetNextSequenceCount Gets the next sequence count value (rolls over if appropriate)
- cFE Message Extended Header APIs
  - CFE MSG GetEDSVersion Gets the message EDS version.
  - CFE\_MSG\_SetEDSVersion Sets the message EDS version.
  - CFE\_MSG\_GetEndian Gets the message endian.
  - CFE\_MSG\_SetEndian Sets the message endian.
  - CFE\_MSG\_GetPlaybackFlag Gets the message playback flag.
  - CFE MSG SetPlaybackFlag Sets the message playback flag.
  - CFE\_MSG\_GetSubsystem Gets the message subsystem.
  - CFE MSG SetSubsystem Sets the message subsystem.
  - CFE MSG GetSystem Gets the message system.
  - CFE\_MSG\_SetSystem Sets the message system.
- · cFE Message Secondary Header APIs
  - CFE MSG GenerateChecksum Calculates and sets the checksum of a message.
  - CFE\_MSG\_ValidateChecksum Validates the checksum of a message.
  - CFE\_MSG\_SetFcnCode Sets the function code field in a message.
  - CFE MSG GetFcnCode Gets the function code field from a message.
  - CFE MSG GetMsgTime Gets the time field from a message.
  - CFE MSG SetMsgTime Sets the time field in a message.
- · cFE Message Id APIs
  - CFE\_MSG\_GetMsgld Gets the message id from a message.
  - CFE\_MSG\_SetMsgld Sets the message id bits in a message.
  - CFE MSG GetTypeFromMsgld Gets message type using message ID.

#### Resource ID API

- · cFE Resource Misc APIs
  - CFE\_ResourceId\_ToInteger Convert a resource ID to an integer.
  - CFE\_ResourceId\_FromInteger Convert an integer to a resource ID.
  - CFE\_ResourceId\_Equal Compare two Resource ID values for equality.
  - CFE Resourceld IsDefined Check if a resource ID value is defined.
  - CFE\_ResourceId\_GetBase Get the Base value (type/category) from a resource ID value.
  - CFE\_ResourceId\_GetSerial Get the Serial Number (sequential ID) from a resource ID value.
  - CFE\_ResourceId\_FindNext Locate the next resource ID which does not map to an in-use table entry.
  - CFE\_ResourceId\_ToIndex Internal routine to aid in converting an ES resource ID to an array index.

#### Software Bus Services API

- cFE Pipe Management APIs
  - CFE SB CreatePipe Creates a new software bus pipe.
  - CFE SB DeletePipe Delete a software bus pipe.
  - CFE\_SB\_PipeId\_ToIndex Obtain an index value correlating to an SB Pipe ID.
  - CFE SB SetPipeOpts Set options on a pipe.
  - CFE SB GetPipeOpts Get options on a pipe.
  - CFE SB GetPipeName Get the pipe name for a given id.
  - CFE SB GetPipeIdByName Get pipe id by pipe name.
- cFE Message Subscription Control APIs
  - CFE SB Subscribe Subscribe to a message on the software bus with default parameters.
  - CFE SB SubscribeEx Subscribe to a message on the software bus.
  - CFE\_SB\_SubscribeLocal Subscribe to a message while keeping the request local to a cpu.
  - CFE\_SB\_Unsubscribe Remove a subscription to a message on the software bus.
  - CFE\_SB\_UnsubscribeLocal Remove a subscription to a message on the software bus on the current CPU.
- cFE Send/Receive Message APIs
  - CFE\_SB\_TransmitMsg Transmit a message.
  - CFE SB ReceiveBuffer Receive a message from a software bus pipe.
- cFE Zero Copy APIs
  - CFE\_SB\_AllocateMessageBuffer Get a buffer pointer to use for "zero copy" SB sends.
  - CFE\_SB\_ReleaseMessageBuffer Release an unused "zero copy" buffer pointer.
  - CFE SB TransmitBuffer Transmit a buffer.
- · cFE Message Characteristics APIs
  - CFE\_SB\_SetUserDataLength Sets the length of user data in a software bus message.
  - CFE SB TimeStampMsg Sets the time field in a software bus message with the current spacecraft time.
  - CFE SB MessageStringSet Copies a string into a software bus message.
  - CFE SB GetUserData Get a pointer to the user data portion of a software bus message.

- CFE\_SB\_GetUserDataLength Gets the length of user data in a software bus message.
- CFE\_SB\_MessageStringGet Copies a string out of a software bus message.

## cFE Message ID APIs

- CFE SB IsValidMsgld Identifies whether a given CFE SB Msgld t is valid.
- CFE\_SB\_Msgld\_Equal Identifies whether two CFE\_SB\_Msgld\_t values are equal.
- CFE\_SB\_MsgldToValue Converts a CFE\_SB\_Msgld\_t to a normal integer.
- CFE\_SB\_ValueToMsgld Converts a normal integer into a CFE\_SB\_Msgld\_t.

#### **Table Services API**

- cFE Registration APIs
  - CFE\_TBL\_Register Register a table with cFE to obtain Table Management Services.
  - CFE\_TBL\_Share Obtain handle of table registered by another application.
  - CFE\_TBL\_Unregister Unregister a table.
- · cFE Manage Table Content APIs
  - CFE TBL Load Load a specified table with data from specified source.
  - CFE\_TBL\_Update Update contents of a specified table, if an update is pending.
  - CFE\_TBL\_Validate Perform steps to validate the contents of a table image.
  - CFE TBL Manage Perform standard operations to maintain a table.
  - CFE TBL DumpToBuffer Copies the contents of a Dump Only Table to a shared buffer.
  - CFE\_TBL\_Modified Notify cFE Table Services that table contents have been modified by the Application.
- · cFE Access Table Content APIs
  - CFE TBL GetAddress Obtain the current address of the contents of the specified table.
  - CFE\_TBL\_GetAddresses Obtain the current addresses of an array of specified tables.
  - CFE\_TBL\_ReleaseAddress Release previously obtained pointer to the contents of the specified table.
  - CFE\_TBL\_ReleaseAddresses Release the addresses of an array of specified tables.
- cFE Get Table Information APIs
  - CFE\_TBL\_GetStatus Obtain current status of pending actions for a table.
  - CFE\_TBL\_GetInfo Obtain characteristics/information of/about a specified table.
  - CFE\_TBL\_NotifyByMessage Instruct cFE Table Services to notify Application via message when table requires management.

#### **Time Services API**

- · cFE Get Current Time APIs
  - CFE\_TIME\_GetTime Get the current spacecraft time.
  - CFE\_TIME\_GetTAI Get the current TAI (MET + SCTF) time.
  - CFE TIME GetUTC Get the current UTC (MET + SCTF Leap Seconds) time.
  - CFE TIME GetMET Get the current value of the Mission Elapsed Time (MET).
  - CFE TIME GetMETseconds Get the current seconds count of the mission-elapsed time.

- CFE\_TIME\_GetMETsubsecs Get the current sub-seconds count of the mission-elapsed time.
- cFE Get Time Information APIs
  - CFE\_TIME\_GetSTCF Get the current value of the spacecraft time correction factor (STCF).
  - CFE TIME GetLeapSeconds Get the current value of the leap seconds counter.
  - CFE TIME GetClockState Get the current state of the spacecraft clock.
  - CFE\_TIME\_GetClockInfo Provides information about the spacecraft clock.
- · cFE Time Arithmetic APIs
  - CFE TIME Add Adds two time values.
  - CFE TIME Subtract Subtracts two time values.
  - CFE\_TIME\_Compare Compares two time values.
- cFE Time Conversion APIs
  - CFE TIME MET2SCTime Convert specified MET into Spacecraft Time.
  - CFE\_TIME\_Sub2MicroSecs Converts a sub-seconds count to an equivalent number of microseconds.
  - CFE TIME Micro2SubSecs Converts a number of microseconds to an equivalent sub-seconds count.
- cFE External Time Source APIs
  - CFE\_TIME\_ExternalTone Provides the 1 Hz signal from an external source.
  - CFE TIME ExternalMET Provides the Mission Elapsed Time from an external source.
  - CFE\_TIME\_ExternalGPS Provide the time from an external source that has data common to GPS receivers.
  - CFE\_TIME\_ExternalTime Provide the time from an external source that measures time relative to a known epoch.
  - CFE\_TIME\_RegisterSynchCallback Registers a callback function that is called whenever time synchronization occurs.
  - CFE\_TIME\_UnregisterSynchCallback Unregisters a callback function that is called whenever time synchronization occurs.
- · cFE Miscellaneous Time APIs
  - CFE\_TIME\_Print Print a time value as a string.
  - CFE\_TIME\_Local1HzISR This function is called via a timer callback set up at initialization of the TIME service.

## 9 cFE Executive Services Overview

Executive Services (ES) is one of the five core Flight Executive components. ES is the primary interface to the underlying Operating System, providing a high level interface to system control facilities. The ES component is responsible for starting up and restarting the cFE, starting up, shutting down, and restarting cFE Applications, logging errors and performance data, and providing a persistent memory store for cFE Applications.

The interfaces to the ES task include the Ground Interface (commands and telemetry) and the Application Programmer Interfaces (APIs). The ES task interfaces to the OS through the OS Abstraction Layer (OSAL) and platform through the Platform Support Package (PSP).

The functionality provided by the ES task include Software Reset, Application and Child Task Management, Basic File System, Performance Data Collection, Critical Data Store, Memory Pool, System Log, Shell Command.

For additional detail on Executive Services, see the following sections:

• Terminology
Software Reset
<ul> <li>Reset Types and Subtypes</li> </ul>
- Exception and Reset (ER) Log
Application and Child Task Management
- Starting an Application
- Stopping an Application
- Restarting an Application
- Reloading an Application
- Listing Current Applications
- Listing Current Tasks
- Loading Common Libraries
Basic File System
Performance Data Collection
Critical Data Store
Memory Pool
System Log
Version Identification
Executive Services Frequently Asked Questions

9.1 Terminology 17

## 9.1 Terminology

The following sections describe terminology that is very relevant to understanding the Executive Services:

- · "Application" and "cFE Application"
- · "Task"
- "Startup Script"

Next: "Application" and "cFE Application" Up To: cFE Executive Services Overview

9.1.1 "Application" and "cFE Application"

#### **Application**

The term 'Application' as defined in the Glossary of Terms is a set of data and functions that is treated as a single entity by the cFE. cFE resources are allocated on a per-Application basis. Applications are made up of a Main Task and zero or more Child Tasks.

#### cFE Application

A 'cFE Application' is an application that is external to the cFE and designed to interface to the cFE through the APIs. It is created through an entry in the "Startup Script" (with the 'Object Type' field set to CFE\_APP) or by way of the CFE\_ES\_START\_APP\_CC ground command.

When referring to one of the five applications internal to the cFE (ES, EVS, SB, TIME or TBL), the term 'Service' or 'Core Application' is typically used.

A listing of cFE applications can be acquired by using the CFE\_ES\_QUERY\_ALL\_CC ground command. This listing will include the cFE internal applications as well as cFE applications that are loaded and running.

Next: "Task"
Up To: Terminology

#### 9.1.2 "Task"

A Task is a thread of execution in the operating system, often associated with a cFE Application. Each cFE Application has a Main task providing its CPU context, stack and other OS resources. In addition, each cFE Application can create multiple Child Tasks which are closely associated with the Parent Task and cFE Application.

In a traditional Real Time Operating System such as vxWorks, the cFE Application Main task and child tasks end up being mapped to these OS tasks in the same shared memory space. For example, a Stored Command cFE Application that consists of a cFE Main Task and 10 Relative Time Sequence Child Tasks would have 11 tasks on a vxWorks system. The only association between these tasks exists in the cFE.

In a memory protected process oriented Operating System, the intention is to have a cFE Application implemented as a memory protected process with its own virtual address space. In this Process Model, each cFE Child Task would be a thread in the parent Process, much like a Unix process with multiple threads. In this model, the Stored Command example with a cFE Main Task and 10 Relative Time Sequence Child Tasks would consist of a Unix Process and 10 pthreads, all under the same virtual address space.

Next: "Startup Script"

Prev: "Application" and "cFE Application"

Up To: Terminology

#### 9.1.3 "Startup Script"

The startup script is a text file, written by the user that contains a list of entries (one entry for each application) and is used by the ES application for automating the startup of applications. For a processor reset, ES checks for the CFE\_← PLATFORM\_ES\_VOLATILE\_STARTUP\_FILE first, and if it doesn't exist or for a power on reset ES uses the file passed in to CFE\_ES\_Main (typically CFE\_PLATFORM\_ES\_NONVOL\_STARTUP\_FILE but dependent on the PSP).

The fields in a single entry include:

Object Type	CFE_APP for an Application, or CFE_LIB for a library.	
Path/Filename	This is a cFE Virtual filename, not a vxWorks device/pathname	
Entry Point	This is the name of the "main" function for App.	
CFE Name	The cFE name for the APP or Library	
Priority	This is the Priority of the App, not used for a Library	
Stack Size	This is the Stack size for the App, not used for a Library	
Load Address	This is the Optional Load Address for the App or Library. It is currently not implemented so it should always be 0x0.	
Exception Action	This is the Action the cFE should take if the Application has an exception.	
	0 = Do a cFE Processor Reset	
	Non-Zero = Just restart the Application	

Immediately after the cFE completes its initialization, the ES Application first looks for the volatile startup script. The location in the file system is defined by the cFE platform configuration parameter named CFE\_PLATFORM\_ES\_V COLATILE\_STARTUP\_FILE. This configuration parameter contains a path as well as a filename. If the file is found,

9.2 Software Reset 19

ES begins to startup the applications that are listed in the file. If ES does not find the file, it attempts to open the CFE\_PLATFORM\_ES\_NONVOL\_STARTUP\_FILE.

If ES finds the volatile startup script, the attempt to open the nonvolatile startup script is bypassed.

Any errors encountered in the startup script processing are written to the System Log. The System Log may also contain positive acknowledge messages regarding the startup script processing.

The startup script delivered with the cFE (cfe\_es\_startup.scr) also has some detailed information about the fields and the settings.

Next: Software Reset Prev: Starting an Application

Up To: Terminology

#### 9.2 Software Reset

The ES Software Reset provides a command to reset the cFE as well as resetting individual applications. Because applications are dependent on the cFE services, it is not possible to reset the cFE without affecting the applications. Therefore, a command to reset the cFE will also reset every application that is running at the time the command is received.

Also include is the Exception and Reset (ER) Log, which has a command for dumping or clearing the log and telemetry to show the number of entries in the log. In addition to the ER log, the user may find information about the most recent reset in the ES task housekeeping telemetry.

The ES Software Reset also provides a command to set the maximum number of processor resets before ES issues a power-on reset. There is a corresponding 'processor resets' counter in ES housekeeping telemetry that may be reset through another ES command.

Next: Reset Types and Subtypes

Prev: Terminology

Up To: cFE Executive Services Overview

#### 9.3 Reset Types and Subtypes

The Reset Type is sent to the ground in the ES housekeeping packet and tells how the current running version of the cFE was invoked. The possible Reset Types expected in the telemetry field are CFE\_PSP\_RST\_TYPE\_POWERON and CFE\_PSP\_RST\_TYPE\_PROCESSOR. There is a third Reset Type defined in the ES code as CFE\_ES\_APP\_ $\leftarrow$  RESTART which applies only to restarting an individual application and is covered in more detail in the section titled Application and Child Task.

The Reset Subtype is also sent in the ES housekeeping packet and gives more detail about the type of reset that started the execution of the current running version of the cFE. The possible Reset Subtypes are CFE\_PSP\_RST\_ SUBTYPE\_PUSH\_BUTTON, CFE\_PSP\_RST\_SUBTYPE\_HW\_SPE\_CIAL\_COMMAND, CFE\_PSP\_RST\_SUBTYPE\_HW\_WATCHDOG, CFE\_PSP\_RST\_SUBTYPE\_RESET\_COMMAND, CFE\_PSP\_RST\_SUBTYPE\_EXCEPTION, CFE\_PSP\_RST\_SUBTYPE\_UNDEFINED\_RESET, CFE\_PSP\_RST\_SUBTYPE\_HWDEBUG\_RESET, CFE\_PSP\_RST\_SUBTYPE\_BANKSWITCH\_RESET.

Next: Exception and Reset (ER) Log

Prev: Software Reset

Up To: cFE Executive Services Overview

## 9.4 Exception and Reset (ER) Log

The Exception and Reset Log contains detailed information about past resets and exceptions. To view the information the CFE\_ES\_WRITE\_ER\_LOG\_CC command must be sent. This command will write the log to a binary file. The path and filename may be specified in the command. If the filename command field contains an empty string, the configuration parameter CFE\_PLATFORM\_ES\_DEFAULT\_ER\_LOG\_FILE is used to specify the path and filename. Use the ground system to get the file and display the contents. There is also a command to clear the ER log, CFE\_E⇔ S CLEAR ER LOG CC.

The size of the ER log is defined by the platform configuration parameter CFE\_PLATFORM\_ES\_ER\_LOG\_ENTRIES This log is preserved after a processor reset and held in the ES reset area.

A count of the number of entries in the log is present in the ES housekeeping telemetry. This count can be used with the configuration parameter CFE\_PLATFORM\_ES\_ER\_LOG\_ENTRIES to calculate the fullness of the log.

The information contained in a single log entry is defined by the structure CFE ES ERLog t.

Next: Application and Child Task Management

Prev: Reset Types and Subtypes

Up To: cFE Executive Services Overview

### 9.5 Application and Child Task Management

The ES Application and Child Task Management provides the user with full control over starting and stopping applications as well as querying information regarding applications, tasks and library routines.

There is no command to start or stop a child task. Child tasks can be controlled (started, stopped or deleted) only by the parent application through an API call.

This provides a way for the user to load a set of library routines, (via the startup script) without starting a corresponding task. See the section related to library routines for more detail.

The ES task maintains a counter for the number of registered applications, number of registered child tasks and the number of registered libraries in the ES housekeeping data.

Next: Starting an Application Prev: Software Reset

Up To: cFE Executive Services Overview

## 9.6 Starting an Application

There are two ways to start an application, through the ground command CFE\_ES\_START\_APP\_CC or through the startup script. In either case, the object file must be loaded on board before the command is sent or before the startup script is executed. The startup script contains a list of applications and library routines to load and start immediately after the cFE finishes its startup sequence. The parameters in the command, match the elements of an entry in the startup script.

The format of the Start Application command, is defined in the structure CFE\_ES\_StartAppCmd\_t. The members of the structure include, application name, entry point, filename, stack size, load address, exception action and priority.

If the command fails for any reason, an error event will be sent stating the reason for the failure. There may be additional information in the system log that can be viewed by sending the ES command to dump the system log.

After starting an application, the ES task sends an informational event message displaying the application name, filename of the object and the application ID. The new application will then show up in the query list downloaded in response to the CFE ES QUERY ALL CC command.

Next: Stopping an Application

## 9.7 Stopping an Application

Stopping an application can be done through the ground command CFE\_ES\_STOP\_APP\_CC. This command will terminate the application execution and all child tasks created by the application, free the system resources that it allocated and delete the corresponding object file.

The process of stopping an application is done in a controlled manner when the application is properly using the return code from the call to the CFE\_ES\_RunLoop. When the application properly uses this function, the ES task starts a timer and (via the return code) tells the application to exit at its own convenience. This gives the application time to free its own resources and do any cleanup that may be required before terminating itself by calling CFE\_ES\_ExitApp. If the timer expires and the application still exists, then ES must 'kill' the application. When the application is killed, ES attempts to cleanup the applications resources as best it could. In this case there is no guarantee that all the system resources are properly released.

The format of the Stop Application command, is defined in the structure CFE\_ES\_AppNameCmd\_t. The only parameter in the command is an application name.

If the command fails for any reason, an error event will be sent stating the reason for the failure. There may be additional information in the system log that can be viewed by sending the ES command to dump the system log.

After stopping an application, the ES task sends a debug message stating the name of the application. After executing the command, the application (or any resources it allocated) should no longer be listed in any cFE tables or files.

Next: Restarting an Application Prev: Starting an Application

Up To: Application and Child Task Management

## 9.8 Restarting an Application

The CFE\_ES\_RESTART\_APP\_CC command is used to restart an application using the same file name as the last start.

This command checks for file existence, the application is running, and the application is not a core app. If valid, the application restart is requested.

When requested, ES stops the application, unloads the object file, loads the object file using the previous file name, and restarts an application using the parameters defined when the application was previously started, either through the startup script or by way of the CFE\_ES\_START\_APP\_CC command.

Next: Reloading an Application Prev: Stopping an Application

Up To: Application and Child Task Management

#### 9.9 Reloading an Application

The CFE ES RELOAD APP CC command is used to reload an application using a new file name.

This command performs the same actions as CFE\_ES\_RESTART\_APP\_CC only using the new file.

Next: Listing Current Applications Prev: Restarting an Application

## 9.10 Listing Current Applications

There are two options for receiving information about applications, the CFE\_ES\_QUERY\_ONE\_CC command can be used to get details about a single application. This command takes an application name as its only parameter and the application information is sent as a software bus packet that can be telemetered to the ground.

Or the CFE\_ES\_QUERY\_ALL\_CC command can be used to get information about all the applications that are currently registered with ES. This command writes the application data to a file and has a one parameter which specifies the path and filename of the output file.

For either command, the following Application information is made available:

- Application ID The Application ID assigned by the cFE to the Application
- Type Identifier Identifies whether the Application is a CORE App or an EXTERNAL App
- · Name The Application Name
- Entry Point The symbolic name for the entry point into the Application
- Filename The name of the file the Application was loaded from
- Stack Size The number of bytes allocated for the Application's stack
- · Load Address The starting address of memory where the Application was loaded
- · Load Size The size, in bytes, of the Application when loaded into memory
- · Start Address The physical address that maps to the Entry Point
- Exception Action A flag that identifies whether the Processor should undergo a Restart or whether just the Application should restart upon an exception condition within the Application
- · Priority The assigned priority for the Application
- Main Task ID The Task ID assigned to the main task associated with the Application
- Main Task Name The name of the main task associated with the Application
- · Number of Child Tasks The number of child tasks spawned by the main task

For a description of the format in which this data is dumped, see CFE\_ES\_AppInfo\_t.

Next: Listing Current Tasks
Prev: Reloading an Application

## 9.11 Listing Current Tasks

The CFE\_ES\_QUERY\_ALL\_TASKS\_CC command is used to get a list of child tasks that are currently registered with ES. The following information is provided for each registered task:

- · Task ID The Task ID associated with the specified task
- · Task Name The name of the Task
- · Application ID The ID for the Application the Task is associated with
- · Application Name The name of the Application the Task is associated with

Next: Loading Common Libraries Prev: Listing Current Applications

Up To: Application and Child Task Management

## 9.12 Loading Common Libraries

Library routines may be loaded only through the startup script. There is an option that allows a library routine initialization function to be executed after the library is loaded. Refer to the cFE Application Developers Guide for more information regarding Library Routines and startup scripts. The startup script delivered with the cFE (cfe\_es\_startup.scr) also has some detailed information about library routines.

Next: Basic File System
Prev: Listing Current Tasks

Up To: Application and Child Task Management

### 9.13 Basic File System

ES provides minimal functionality to initialize, read, and write cfe File headers.

Next: Performance Data Collection Prev: Loading Common Libraries

#### 9.14 Performance Data Collection

The Performance Data Collection provides precise timing information for each software application similar to how a logic analyzer can trigger and filter data.

API calls are inserted by the development team at key points in the code. The basic operation is to start the data collection, wait some amount of time, then send the command to stop the data collection. When the stop command is received, the ES task writes all the data from the buffer to a file. The file can then be imported to analysis tools for viewing. The size of the buffer is configurable through the CFE\_PLATFORM\_ES\_PERF\_DATA\_BUFFER\_SIZE platform configuration parameter.

Additional information follows:

- Performance Data Collection Trigger Masks
- Starting to Collect Performance Data
- Stopping the Collection of Performance Data
- Viewing the Collection of Performance Data

Next: Performance Data Collection Trigger Masks

Prev: Basic File System

Up To: cFE Executive Services Overview

#### 9.14.1 Performance Data Collection Trigger Masks

The trigger mask is used to control precisely when to start collecting the data. There is a bit in the trigger mask for every marker used in the code. After a start command is received, the trigger mask is read and dictates when to begin storing data in the buffer.

If the trigger mask is set to all zeros, then the collection will begin immediately after the start command and continue until a stop command is received. In this case the buffer behaves in a 'circular' manner.

Next: Starting to Collect Performance Data

Prev: Performance Data Collection
Up To: Performance Data Collection

#### 9.14.2 Starting to Collect Performance Data

The CFE\_ES\_START\_PERF\_DATA\_CC command is used to start the data collection process. The ES task sends a debug event when the command is received. It is not possible to start a collection if the buffer-to-file write is in process from an earlier collection. There is an ES telemetry point that can be used to ensure there is not a buffer-to-file write in progress. This ES telemetry point is called 'Perf Data to Write' and begins counting down from 'Data Count' to zero. If this counter is zero, it is ok to send the start command. If any errors are encountered when the start command is received, the details will be displayed in an error event message.

Next: Stopping the Collection of Performance Data Prev: Performance Data Collection Trigger Masks

Up To: Performance Data Collection

9.15 Critical Data Store 25

#### 9.14.3 Stopping the Collection of Performance Data

The CFE\_ES\_STOP\_PERF\_DATA\_CC command is used to stop the data collection process and write the buffer data to a file. The path and filename may be specified in the command. If the filename command field contains an empty string, the configuration parameter CFE\_PLATFORM\_ES\_DEFAULT\_PERF\_DUMP\_FILENAME is used to specify the path and filename. The number of entries written to the file is determined by the 'data count' variable, which is sent in the ES housekeeping telemetry packet. To ensure cpu hogging does not occur during the write process, ES creates a low priority child task to perform the file write operation. This child task will write a number of entries, then sleep for a short time to give tasks of lower priority a chance to run. The number of entries between delays, and the delay time is displayed in the debug event at the time the stop command is received.

Next: Viewing the Collection of Performance Data
Prev: Starting to Collect Performance Data
Lip To: Performance Data Collection

Up To: Performance Data Collection

#### 9.14.4 Viewing the Collection of Performance Data

To view the performance data, the file created as a result of the stop command must be transferred to the ground and imported into a viewing tool. See <a href="https://github.com/nasa/perfutils-java">https://github.com/nasa/perfutils-java</a> as an example.

**Next: Critical Data Store** 

Prev: Stopping the Collection of Performance Data

Up To: Performance Data Collection

#### 9.15 Critical Data Store

Some missions are required, for health, safety and mission success criteria, to survive Processor Resets. These mission requirements frequently flow down to Attitude Control and/or Command and Data Handling requirements that force an Application developer to design a mechanism for retaining software state information through a Processor Reset. The cFE provides the Critical Data Store to assist the developer in meeting these requirements.

The Critical Data Store is an area of memory that is not cleared during a Processor Reset. In addition, the contents of memory are validated when accessed with a Data Integrity Value that helps to ensure the contents have not been corrupted. Each processor platform, through the design of its Board Support Package, can implement this area of memory in a number of ways to ensure the contents survive a Processor Reset. Applications can allocate a section of this memory for their use in a way similar to the cFE Table Services Overview.

When an Application registers a Critical Data Store (CDS), the Executive Services allocates a section of the Critical Data Store memory for the application's use and assigns the Application specified name to the memory area. The operator can find and learn the characteristics of these Critical Data Stores by using the Dump CDS Registry Command. This command will dump the contents of the CDS Registry maintained by the Executive Services into a file that can be downlinked and examined by the operator.

The CDS Registry dump will identify the following information for each registered CDS:

- Handle the numeric identifier used by an Application to access the contents of the CDS
- · Size the number of bytes allocated to the specified CDS

• Table Flag - a flag that indicates whether the CDS is associated with a Critical Tables (when non-zero) or not (when equal to zero).

• Name - a processor specific name that uniquely identifies the CDS. The name comes in two parts, "AppName. ← CDSName". AppName identifies which Application registered the CDS. CDSName is the name the Application assigned to the CDS.

The format of the CDS Registry Dump File is a cFE Standard File header (see CFE\_FS\_Header\_t) followed by one or more CDS Registry Dump File Records (see CFE\_ES\_CDSRegDumpRec\_t).

**Next: Memory Pool** 

Prev: Performance Data Collection
Up To: cFE Executive Services Overview

#### 9.16 Memory Pool

Refer to the cFE Application Developers Guide for additional information.

Applications that are designed for generic missions, frequently have to wait until run-time before allocating memory for buffers, data records, etc.

The cFE provides a memory allocation algorithm that may be used by an application to manage its block of memory. The user provides a pointer to its memory block and a list of block sizes and the cFE provides 'get' and 'put' API's to the user for managing its memory pool.

Run-time memory allocation in an embedded system can be risky because of the potential problem of memory fragmentation. Memory fragmentation is also referred to as External Fragmentation and is defined in the wikipedia as:

External fragmentation is the phenomenon in which free storage becomes divided into many small pieces over time. It is a weakness of certain storage allocation algorithms, occurring when an application allocates and deallocates ("frees") regions of storage of varying sizes, and the allocation algorithm responds by leaving the allocated and deallocated regions interspersed. The result is that, although free storage is available, it is effectively unusable because it is divided into pieces that are too small to satisfy the demands of the application. The term "external" refers to the fact that the unusable storage is outside the allocated regions.

To help prevent this from happening, the cFE has integrated a memory allocation algorithm that is designed to create blocks at run-time, based on the size of the blocks requested. After a reset, there are no blocks created, the memory pool is said to be unconfigured. As requests for memory blocks are made, the memory pool first tries to use blocks that have been created but are no longer in use. If it cannot find an available block, it will create a new one. The created blocks remain until a reset occurs.

This algorithm is recommended when the size of the requests and the peak rate of requests can be pre-determined. It is highly recommended that adequate margin is designed into the pool size. The memory pool should never get close to being fully configured (i.e. not enough memory to create a new block). If the memory does become fully configured, requests for new size blocks will fail, regardless of whether the created blocks are in-use or not. The margin on the memory pool can be monitored by viewing the 'free bytes' member of the memory pool statistics. The memory pool statistics are dumped only when commanded by way of the ES command CFE ES SEND MEM POOL STATS CC.

A user of the ES memory pool begins by tailoring the memory pool for the particular use, by defining a list of block sizes and allocating a block of memory. These block size definitions simply give the memory pool a set of sizes to choose

9.16 Memory Pool 27

from. They do not configure the memory pool in any way and they do not affect the size of the pool. The cFE defines a default set of block sizes in the cfe platform cfg.h file.

If the default block sizes are used, the application will create the pool using the simpler CFE\_ES\_PoolCreate API. This API takes a pointer to the first byte of the memory pool (allocated by the application) and a size parameter. The API returns a handle to be used for the get and put requests.

If the defaults are not sufficient, the user must define the block sizes and use the CFE ES PoolCreateEx API.

After receiving a positive response from the PoolCreate API, the memory pool is ready to accept requests, but at this point it is completely unconfigured (meaning there are no blocks created). The first valid request (via CFE\_ES\_Get PoolBuf API) after creating the pool will always cause the memory pool to create a block and return a pointer to the new block. The size of the block depends on the size definitions mentioned earlier. If there is not an exact match between the requested and defined sizes, then the memory pool will create and return the smallest block that meets the following criteria: is a defined size and large enough to hold the request.

If another request for that size comes in before the first block was released through the CFE\_ES\_PutPoolBuf API, then the memory pool will create a second block of that size and return a pointer to the second block. If both blocks were then released through the CFE\_ES\_PutPoolBuf API and the memory pool statistics were dumped via the CFE\_ES\_\circ
SEND\_MEM\_POOL\_STATS\_CC command, the number of blocks created would be two. The number of 'free bytes' in the pool would be the size of the pool minus the sum of the following items:

- the size of the two blocks created (even though they are not 'in-use').
- a buffer descriptor for each of the two blocks created (2 \* 12 bytes)
- a 168 byte pool descriptor Refer to the cFE Applications Developers Guide for more details.

This allocation algorithm does have its limits. There are certain conditions that can place the memory pool in an undesired state. For instance, if a burst of get requests were received for the same block size, the memory pool may create a large number of blocks of that size. If this is a one-time burst, the memory pool would be configured with this large number of blocks that may no longer be needed. This scenario would use up the 'free bytes' margin in an undesired way. It should be noted that once the blocks are created, they cannot be deleted by any means other than a processor or power-on reset. It is highly recommended that the memory pool statistics be carefully monitored to ensure that the 'free-bytes' margin is sufficient (which is typically dictated by mission requirements).

An operator can obtain information about an Application's Memory Pool by using the Telemeter Memory Pool Statistics Command.

This command will cause Executive Services to extract pertinent statistics from the data used to manage the Memory Pool and telemeter them to the ground in the Memory Pool Statistics Telemetry Packet.

In order to obtain the statistics associated with a memory pool, the operator **MUST** have the correct Memory Handle as reported by the Application who owns the Memory Pool. **It should be noted that an inappropriate Memory Pool Handle can** *(and likely will)* **cause the system software to crash!** Within the cFE itself, there are three cFE Core Applications that make use of the Executive Services Memory Pool API. These are Software Bus (SB), Event Services (EVS) and Table Services (TBL). Each of these cFE Core Applications report their memory pool handles in telemetry.

The Memory Pool Statistics Telemetry Packet contains the following information:

• **Memory Pool Handle** - the handle, as provided by the operator in the Telemeter Memory Pool Statistics Command. This repeating of the handle in telemetry ensures the operator knows which Memory Pool Statistics are being viewed

- Pool Size The total size of the memory pool (in bytes)
- Number Blocks Requested The total number of memory blocks requested for allocation
- Number of Errors The total number of errors encountered when a block was released
- Number of Free Bytes The total number of bytes in the Memory Pool that have never been allocated to a Memory Block
- Block Statistics For each specified size of memory block (of which there are CFE\_MISSION\_ES\_POOL\_M
   — AX\_BUCKETS), the following statistics are kept
  - Block Size The size, in bytes, of all blocks of this type
  - Number of Blocks Allocated The number of this sized block which are currently allocated and in use
  - Number of Blocks Free The number of this size block which have been in use previously but are no longer being used

Next: System Log Prev: Critical Data Store

Up To: cFE Executive Services Overview

## 9.17 System Log

The System Log is an array of bytes that contains back-to-back printf type messages from applications. The cFE internal applications use this log when errors are encountered during initialization before the Event Manager is fully initialized. To view the information the CFE\_ES\_WRITE\_SYSLOG\_CC command must be sent. This command will write the log to a binary file. The path and filename may be specified in the command. If the filename command field contains an empty string, the configuration parameter CFE\_PLATFORM\_ES\_DEFAULT\_SYSLOG\_FILE is used to specify the path and filename. Use the ground system to get the file and display the contents. The CFE\_ES\_CLEAR\_SYSLOG\_CC is used to clear the System log.

The size of the System log is defined by the platform configuration parameter CFE\_PLATFORM\_ES\_SYSTEM\_LOG← SIZE. This log is preserved after a processor reset and held in the ES reset area.

A count of the number of entries in the log is present in the ES housekeeping telemetry.

Next: Version Identification Prev: Memory Pool

Up To: cFE Executive Services Overview

#### 9.18 Version Identification

Version information is reported at startup, and upon receipt of a No-op command

Next: Executive Services Frequently Asked Questions

Prev: System Log

Up To: cFE Executive Services Overview

## 9.19 Executive Services Frequently Asked Questions

Prev: Version Identification

Up To: cFE Executive Services Overview

### 10 cFE Executive Services Commands

Upon receipt of any command, the Executive Services application will confirm that the message length embedded within the header (from CFE\_MSG\_GetSize()) matches the expected length of that message, based on the size of the C structure defining that command. If there is any discrepancy between the expected and actual message size, ES will generate the CFE\_ES\_LEN\_ERR\_EID event, increment the command error counter (\$sc\_\$cpu\_ES\_CMDEC), and the command will *not* be accepted for processing.

The following is a list of commands that are processed by the cFE Executive Services Task.

#### Global CFE ES CLEAR ER LOG CC

Clears the contents of the Exception and Reset Log

#### Global CFE ES CLEAR SYSLOG CC

Clear Executive Services System Log

### Global CFE ES DELETE CDS CC

Delete Critical Data Store

## Global CFE\_ES\_DUMP\_CDS\_REGISTRY\_CC

Dump Critical Data Store Registry to a File

### Global CFE\_ES\_NOOP\_CC

Executive Services No-Op

#### Global CFE ES OVER WRITE SYSLOG CC

Set Executive Services System Log Mode to Discard/Overwrite

### Global CFE\_ES\_QUERY\_ALL\_CC

Writes all Executive Services Information on all loaded modules to a File

#### Global CFE\_ES\_QUERY\_ALL\_TASKS\_CC

Writes a list of All Executive Services Tasks to a File

## Global CFE\_ES\_QUERY\_ONE\_CC

Request Executive Services Information on a specified module

#### Global CFE ES RELOAD APP CC

Stops, Unloads, Loads from the command specified File and Restarts an Application

## Global CFE\_ES\_RESET\_COUNTERS\_CC

**Executive Services Reset Counters** 

## Global CFE\_ES\_RESET\_PR\_COUNT\_CC

Resets the Processor Reset Counter to Zero

### Global CFE ES RESTART APP CC

Stops, Unloads, Loads using the previous File name, and Restarts an Application

#### Global CFE\_ES\_RESTART\_CC

Executive Services Processor / Power-On Reset

#### Global CFE ES SEND MEM POOL STATS CC

Telemeter Memory Pool Statistics

#### Global CFE\_ES\_SET\_MAX\_PR\_COUNT\_CC

Configure the Maximum Number of Processor Resets before a Power-On Reset

#### Global CFE ES SET PERF FILTER MASK CC

Set Performance Analyzer's Filter Masks

#### Global CFE\_ES\_SET\_PERF\_TRIGGER\_MASK\_CC

Set Performance Analyzer's Trigger Masks

### Global CFE ES START APP CC

Load and Start an Application

### Global CFE ES START PERF DATA CC

Start Performance Analyzer

#### Global CFE ES STOP APP CC

Stop and Unload Application

#### Global CFE ES STOP PERF DATA CC

Stop Performance Analyzer and write data file

#### Global CFE ES WRITE ER LOG CC

Writes Exception and Reset Log to a File

#### Global CFE ES WRITE SYSLOG CC

Writes contents of Executive Services System Log to a File

## 11 cFE Executive Services Telemetry

The following are telemetry packets generated by the cFE Executive Services Task.

## Global CFE\_ES\_HousekeepingTlm\_Payload\_t

**Executive Services Housekeeping Packet** 

#### Global CFE ES HousekeepingTlm Payload t

**Executive Services Housekeeping Packet** 

## Global CFE\_ES\_OneAppTIm\_Payload\_t

Single Application Information Packet

## Global CFE\_ES\_OneAppTIm\_Payload\_t

Single Application Information Packet

### Global CFE\_ES\_PoolStatsTIm\_Payload\_t

Memory Pool Statistics Packet

## Global CFE\_ES\_PoolStatsTlm\_Payload\_t

Memory Pool Statistics Packet

## 12 cFE Executive Services Configuration Parameters

The following are configuration parameters used to configure the cFE Executive Services either for each platform or for a mission as a whole.

## Global CFE\_MISSION\_ES\_CDS\_MAX\_FULL\_NAME\_LEN

Maximum Length of Full CDS Name in messages

#### Global CFE MISSION ES CDS MAX NAME LENGTH

Maximum Length of CDS Name

#### Global CFE MISSION ES DEFAULT CRC

Mission Default CRC algorithm

#### Global CFE MISSION ES MAX APPLICATIONS

Mission Max Apps in a message

#### Global CFE MISSION ES PERF MAX IDS

Define Max Number of Performance IDs for messages

#### Global CFE MISSION ES POOL MAX BUCKETS

Maximum number of block sizes in pool structures

### Global CFE PLATFORM CORE MAX STARTUP MSEC

CFE core application startup timeout

#### Global CFE\_PLATFORM\_ES\_APP\_KILL\_TIMEOUT

Define ES Application Kill Timeout

#### Global CFE PLATFORM ES APP SCAN RATE

Define ES Application Control Scan Rate

## Global CFE\_PLATFORM\_ES\_CDS\_MAX\_NUM\_ENTRIES

Define Maximum Number of Registered CDS Blocks

#### Global CFE PLATFORM ES CDS MEM BLOCK SIZE 01

Define ES Critical Data Store Memory Pool Block Sizes

#### Global CFE PLATFORM ES CDS SIZE

Define Critical Data Store Size

### Global CFE\_PLATFORM\_ES\_DEFAULT\_APP\_LOG\_FILE

**Default Application Information Filename** 

#### Global CFE PLATFORM ES DEFAULT CDS REG DUMP FILE

Default Critical Data Store Registry Filename

## Global CFE\_PLATFORM\_ES\_DEFAULT\_ER\_LOG\_FILE

Default Exception and Reset (ER) Log Filename

## Global CFE\_PLATFORM\_ES\_DEFAULT\_PERF\_DUMP\_FILENAME

Default Performance Data Filename

## ${\bf Global\ CFE\_PLATFORM\_ES\_DEFAULT\_POR\_SYSLOG\_MODE}$

Define Default System Log Mode following Power On Reset

## Global CFE\_PLATFORM\_ES\_DEFAULT\_PR\_SYSLOG\_MODE

Define Default System Log Mode following Processor Reset

#### Global CFE PLATFORM ES DEFAULT STACK SIZE

Define Default Stack Size for an Application

#### Global CFE PLATFORM ES DEFAULT SYSLOG FILE

Default System Log Filename

### Global CFE\_PLATFORM\_ES\_DEFAULT\_TASK\_LOG\_FILE

**Default Application Information Filename** 

### Global CFE PLATFORM ES ER LOG ENTRIES

Define Max Number of ER (Exception and Reset) log entries

## Global CFE\_PLATFORM\_ES\_ER\_LOG\_MAX\_CONTEXT\_SIZE

Maximum size of CPU Context in ES Error Log

## Global CFE\_PLATFORM\_ES\_MAX\_APPLICATIONS

Define Max Number of Applications

#### Global CFE PLATFORM ES MAX GEN COUNTERS

**Define Max Number of Generic Counters** 

#### Global CFE PLATFORM ES MAX LIBRARIES

Define Max Number of Shared libraries

#### Global CFE PLATFORM ES MAX MEMORY POOLS

Maximum number of memory pools

#### Global CFE\_PLATFORM\_ES\_MAX\_PROCESSOR\_RESETS

Define Number of Processor Resets Before a Power On Reset

### Global CFE PLATFORM ES MEM BLOCK SIZE 01

Define Default ES Memory Pool Block Sizes

#### Global CFE PLATFORM ES MEMPOOL ALIGN SIZE MIN

Define Memory Pool Alignment Size

#### Global CFE PLATFORM ES NONVOL DISK MOUNT STRING

Default virtual path for persistent storage

## Global CFE\_PLATFORM\_ES\_NONVOL\_STARTUP\_FILE

ES Nonvolatile Startup Filename

## Global CFE\_PLATFORM\_ES\_OBJECT\_TABLE\_SIZE

Define Number of entries in the ES Object table

## Global CFE\_PLATFORM\_ES\_PERF\_CHILD\_MS\_DELAY

Define Performance Analyzer Child Task Delay

#### Global CFE\_PLATFORM\_ES\_PERF\_CHILD\_PRIORITY

Define Performance Analyzer Child Task Priority

#### Global CFE PLATFORM ES PERF CHILD STACK SIZE

Define Performance Analyzer Child Task Stack Size

## Global CFE\_PLATFORM\_ES\_PERF\_DATA\_BUFFER\_SIZE

Define Max Size of Performance Data Buffer

## Global CFE\_PLATFORM\_ES\_PERF\_ENTRIES\_BTWN\_DLYS

Define Performance Analyzer Child Task Number of Entries Between Delay

### Global CFE PLATFORM ES PERF FILTMASK ALL

Define Filter Mask Setting for Enabling All Performance Entries

#### Global CFE PLATFORM ES PERF FILTMASK INIT

Define Default Filter Mask Setting for Performance Data Buffer

#### Global CFE PLATFORM ES PERF FILTMASK NONE

Define Filter Mask Setting for Disabling All Performance Entries

#### Global CFE PLATFORM ES PERF TRIGMASK ALL

Define Filter Trigger Setting for Enabling All Performance Entries

### Global CFE\_PLATFORM\_ES\_PERF\_TRIGMASK\_INIT

Define Default Filter Trigger Setting for Performance Data Buffer

#### Global CFE\_PLATFORM\_ES\_PERF\_TRIGMASK\_NONE

Define Default Filter Trigger Setting for Disabling All Performance Entries

#### Global CFE PLATFORM ES POOL MAX BUCKETS

Maximum number of block sizes in pool structures

### Global CFE\_PLATFORM\_ES\_RAM\_DISK\_MOUNT\_STRING

Default virtual path for volatile storage

#### Global CFE PLATFORM ES RAM DISK NUM SECTORS

ES Ram Disk Number of Sectors

#### Global CFE PLATFORM ES RAM DISK PERCENT RESERVED

Percentage of Ram Disk Reserved for Decompressing Apps

#### Global CFE\_PLATFORM\_ES\_RAM\_DISK\_SECTOR\_SIZE

ES Ram Disk Sector Size

## Global CFE\_PLATFORM\_ES\_RESET\_AREA\_SIZE

Define ES Reset Area Size

## Global CFE\_PLATFORM\_ES\_START\_TASK\_PRIORITY

Define ES Task Priority

#### Global CFE PLATFORM ES START TASK STACK SIZE

Define ES Task Stack Size

## Global CFE\_PLATFORM\_ES\_STARTUP\_SCRIPT\_TIMEOUT\_MSEC

Startup script timeout

### Global CFE\_PLATFORM\_ES\_STARTUP\_SYNC\_POLL\_MSEC

Poll timer for startup sync delay

### Global CFE\_PLATFORM\_ES\_SYSTEM\_LOG\_SIZE

Define Size of the cFE System Log.

#### Global CFE\_PLATFORM\_ES\_USER\_RESERVED\_SIZE

Define User Reserved Memory Size

#### Global CFE PLATFORM ES VOLATILE STARTUP FILE

ES Volatile Startup Filename

#### Global CFE PLATFORM EVS START TASK PRIORITY

Define EVS Task Priority

#### Global CFE PLATFORM EVS START TASK STACK SIZE

Define EVS Task Stack Size

## Global CFE\_PLATFORM\_SB\_MEM\_BLOCK\_SIZE\_01

Define SB Memory Pool Block Sizes

## Global CFE\_PLATFORM\_SB\_START\_TASK\_PRIORITY

Define SB Task Priority

## Global CFE\_PLATFORM\_SB\_START\_TASK\_STACK\_SIZE

Define SB Task Stack Size

## Global CFE\_PLATFORM\_TBL\_START\_TASK\_PRIORITY

Define TBL Task Priority

## Global CFE\_PLATFORM\_TBL\_START\_TASK\_STACK\_SIZE

Define TBL Task Stack Size

## 13 cFE Event Services Overview

Event Services (EVS) provides centralized control for the processing of event messages originating from the EVS task itself, other cFE core applications (ES, SB, TIME, and TBL), and from cFE applications. Event messages are asynchronous messages that are used to inform the operator of a significant event from within the context of a registered application or core service. EVS provides various ways to filter event messages in order to manage event message generation.

Note for messages outside the context of a registered application (for example early in app initialization or if registration fails) CFE\_ES\_WriteToSysLog can be used for reporting.

For more information on cFE Event Services, see the following sections:

- Event Message Format
- · Local Event Log
- Event Message Control
- · Event Message Filtering
- EVS Registry
- EVS Counters
- Resetting EVS Counters
- · Effects of a Processor Reset on EVS
- · Frequently Asked Questions about Event Services

## 13.1 Event Message Format

Event messages are software bus messages that contain the following fields:

- Timestamp
- Event Type
- Spacecraft ID
- · Processor ID
- Application Name
- · Event ID
- Message

The *Timestamp* corresponds to when the event was generated, in spacecraft time. The *Event Type* is one of the following: DEBUG, INFO, ERROR or CRITICAL. The *Spacecraft ID* and *Processor ID* identify the spacecraft and processor from which the event was generated. Note that the *Spacecraft ID* is defined in the cfe\_mission\_cfg.h file; The *Processor ID* is defined in the appropriate cfe\_platform\_cfg.h file. The *Application Name* refers to the Application that issued the event message as specified on application startup (either startup script or app start command). The *Event ID* is an Application unique number that identifies the event. The *Message* is an ASCII text string describing the event. Event messages may have parameters associated with the event message. EVS formats the parameters such that they are part of the ASCII text string that make up the event message.

In order to accommodate missions that have limited telemetry bandwidth, EVS can be configured such that the ASCII text string part of the event message is omitted, thus reducing the size of each event message. This is referred to as *Short Format*; Event messages including the ASCII text string are referred to as *Long Format*. The default setting is specified in the cfe\_platform\_cfg.h file. EVS also provides commands in order to set the mode (short or long).

Since the design of the cFE's Software Bus is based on run-time registration, no predetermined message routing is defined, hence it is not truly correct to say that events are generated as telemetry. Technically, EVS generates events in the form of software bus messages. Applications such as Telemetry Output and Data Storage can then subscribe to these messages making them telemetry. For the purposes of this document, any references to telemetry assumes that a telemetry application subscribes to the EVS event software bus message and routes it to the ground as telemetry. Note that short format event messages on the Software Bus have different message lengths than long form messages and do not include any part of the long format message string.

The EVS can be configured via ground command to send event messages out one or more message ports. These message ports may include ports such as debug, console, and UART. Messages sent out of the message ports will be in ASCII text format. This is generally used for lab purposes. Note that the event mode (short or long) does affect the event message content sent out these message ports.

**Next: Local Event Log** 

Up To: cFE Event Services Overview

## 13.2 Local Event Log

In addition to generating a software bus message, EVS logs the event message to a Local Event Log. Note that this is an optional feature that must be enabled via the cfe\_platform\_cfg.h file. The Local Event Log resides on the same processor as the EVS which is used to store events without relying on an external bus. In multi-processor cFE configurations the Local Event Buffer preserves event messages during non-deterministic processor initialization sequences and during failure scenarios. In order to obtain the contents of the Local Event Log, a command must be sent to write the contents of the buffer to a file which can then be sent to the ground via a file transfer mechanism. Note that event messages stored in the EVS Local Event Log are always long format messages and are not affected by the event mode (short or long).

EVS provides a command in order to clear the Local Event Log.

**Local Event Log Mode** 

EVS can be configured to control the Local Event Log to either discard or overwrite the contents of the log when it becomes full. If the mode is set to overwrite, the log is treated like a circular buffer, overwriting the oldest event message contained in the log first. This control is configured by default in the cfe\_platform\_cfg.h file but can be modified by a command.

Next: Event Message Control Prev: Event Message Format

Up To: cFE Event Services Overview

#### 13.3 Event Message Control

In order for an application to be serviced by EVS, it must be registered with EVS. EVS provides various commands in order to control the event messages that are generated as software bus messages.

**Event Message Control - By Type** 

The highest level of event message control that EVS provides is the ability to enable and disable event message types. As mentioned above, there are four event types. They are:

- 1. DEBUG
- 2. INFORMATION
- 3. ERROR
- 4. CRITICAL

When commands are sent to enable or disable a particular type of event message, ALL event messages of the specified type are affected. Typically, event messages of type DEBUG are disabled on-orbit. Note that EVS provides the capability to affect multiple types within one command using a bit mask. Note also that the configuration parameter CFE\_PLATFORM\_EVS\_DEFAULT\_TYPE\_FLAG in the cfe\_platform\_cfg.h file specifies which event message types are enabled/disabled by default.

**Event Message Control - By Application** 

Commands are available to enable and disable the generation of event messages for a particular application. The result is that ALL event messages for the specified Application are affected (i.e. enabled or disabled).

**Event Message Control - By Event Type for an Application** 

EVS also provides the capability to enable / disable an event type for a particular application. Note that EVS provides the capability to affect multiple event types within one command using a bit mask.

**Event Message Control - Individual Events** 

There are two ways to control the generation of individual events depending on whether the application's event message has been registered with EVS or not.

Modifying a registered event message filter

When an application registers with EVS, the application has the option of specifying the events that it wants to register for filtering along with the Event Message Filtering (only the Binary Filtering Scheme exists currently). Note that applications are limited in the number of events that they can register for filtering (see CFE\_PLATFORM\_EVS\_MAX\_EVENT\_FIL TERS in cfe\_platform\_cfg.h for the mission defined limit). The filtering method uses a mask to determine if the message is forwarded to the software bus, making it available in telemetry (see Event Message Filtering for a description on filtering). Commands are available to modify the filter mask for any registered event.

An on-orbit mission, for example, might be experiencing a problem resulting in an application's event message being repeatedly issued, flooding the downlink. If the event message for the application is registered with EVS, then a command can be issued to set the event message filter to the specified value in order to prevent flooding of the downlink.

Adding/Removing an event message for filtering

Commands are also available to add filtering for those events that are not registered for filtering. Once an event is registered for filtering, the filter can be modified (see above) or removed.

An on-orbit mission, for example, might be experiencing a problem resulting in an event message being repeatedly issued, flooding the downlink. If the event message was not registered with EVS for filtering then the ground can add (i.e. register) the offending application's event for filtering (much like an application registers the event during initialization).

EVS also supports the ability to remove (i.e. unregister) an application's event message. Once it is removed, the event will no longer be filtered. Note that commands issued to disable events by event type, by application or by event type for an application are still valid and could affect this particular event.

Next: Event Message Filtering Prev: Local Event Log

Up To: cFE Event Services Overview

## 13.4 Event Message Filtering

EVS uses a hexadecimal bit mask that controls how often a message is filtered. An event's filter mask is bit-wise ANDed with the event's event counter. There is one event counter for each event ID. If the result of the ANDing is zero then the message is sent.

Filter masks can be set so that one out of 1, 2, 4, 8 events are sent. Some examples of masks that use this pattern are: (0x0000, Every one), (0x0001, One of every 2), (0x0003, One of every 4), and (0x0007, One of every 8.

Filter masks can also be set so that only the first n events are sent. For example, the mask 0xFFFF generates one event message and then stops. Note that when the filter counter is reset to zero by command, this will restart the counting and enable n more events to be sent.

Event messages will be filtered until CFE\_EVS\_MAX\_FILTER\_COUNT events of the filtered event ID from the application have been received. After this, the filtering will become locked (no more of that event will be received by the ground) until the filter is either reset or deleted by ground command. This is to prevent the counter from rolling over, which would cause some filters to behave improperly. An event message will be sent when this maximum count is reached.

The following shows an example of how filtering works using a filter mask of x'0001', resulting in sending every other event:

	packet x	packet X+1	packet X+2	packet X+3	packet X+4	
Event ID counter	x'0000'	x'0001'	x'0002'	x'0003'	x'0004'	
Event Filter mask	x'0001'	x'0001'	x'0001'	x'0001'	x'0001'	
Bitwise AND results	x'0000'	x'0001'	x'0000'	x'0001'	x'0000'	
Send event?	Yes	No	Yes	No	Yes	

In this example, the ground uses a filter mask of x'FFFE' resulting in the first two events being sent and then no more.

	packet x	packet X+1	packet X+2	packet X+3	packet X+4	
Event ID counter	x'0000'	x'0001'	x'0002'	x'0003'	x'0004'	
Event Filter mask	x'FFFE'	x'FFFE'	x'FFFE'	x'FFFE'	x'FFFE'	
Bitwise AND results	x'0000'	x'0000'	x'0002'	x'0002'	x'0004'	
Send event?	Yes	Yes	No	No	No	

See cfe evs.h for predefined macro values which can be used for masks.

**Next: EVS Registry** 

Prev: Event Message Control

Up To: cFE Event Services Overview

#### 13.5 EVS Registry

EVS maintains information on each registered application and all events registered for an application.

The registry contains the following information for each Registered Application:

· Active Flag - If equal to FALSE (0), all events from this Application are Filtered

13.6 EVS Counters 39

• Event Count - Total number of events issued by this Application. Note that this value stop incrementing at 65535.

The following information for each Filtered Event (up to CFE\_PLATFORM\_EVS\_MAX\_EVENT\_FILTERS).

:

- · Event ID Event ID for event whose filter has been defined
- Mask Binary Filter mask value (see Event Message Filtering for an explanation)
- Count Current number of times this Event ID has been issued by this Application

**Next: EVS Counters** 

Prev: Event Message Filtering
Up To: cFE Event Services Overview

#### 13.6 EVS Counters

There are 2 types of counters in EVS housekeeping telemetry:

- · Total events sent counter
- · Number of events sent for each Application

The difference is that the first one is the sum of all of the event messages sent. Both of these represent events that are actually sent (by EVS to the software bus). If an event message is filtered or disabled, neither counter is incremented.

There are other counters available that show how many event messages were generated by an App, however, these are only available for those events that are registered for filtering hence if you have a message that is not registered for filtering and the message type (e.g. DEBUG) is disabled then you won't know if the event was ever issued by an application. These counters are available by sending a command to write the EVS Application Data and transferring the file to the ground.

**Next: Resetting EVS Counters** 

Prev: EVS Registry

Up To: cFE Event Services Overview

## 13.7 Resetting EVS Counters

As far as reset commands, there are 4 commands available:

- 1. Reset the total events sent counter
- 2. Reset the events sent counter for a particular Application e.g. reset the LC application events counter
- 3. Reset all of the event counters for a particular registered event for a particular Application e.g. Reset event counter for Event ID 5 for the LC Application.
- 4. Reset all of the event counters for ALL registered events for a particular App e.g. Reset all registered event counters for LC.

Note that there is currently no way to reset ALL of the events sent counters for all of the Apps with one command.

Next: Effects of a Processor Reset on EVS

**Prev: EVS Counters** 

Up To: cFE Event Services Overview

#### 13.8 Effects of a Processor Reset on EVS

On a processor reset, the EVS Registry is cleared such that applications must re-register with EVS in order to use EVS services. All counters are also cleared with the exceptions of those listed below.

On a processor reset, the following EVS data is preserved (if the cFE is configured to include an Local Event Log):

- Local Event Log if the Local Event Log Mode is configured to Discard (1). If the Local Event Log Mode is configured to Overwrite (0), the contents of the log may be overwritten depending on the size and contents of the log prior to the reset.
- Local Event Log Full Flag
- · Local Event Log overflow counter

The Local Event Log Mode (overwrite/discard) is set to the configured value specified in the cfe\_platform\_cfg.h file. The default value is Discard (1). Discard mode will guarantee the contents of the event log are preserved over a processor restart.

This provides the ground with the capability to write the Local Event Log to a file and transfer it to the ground in order to help debug a reset.

Next: Frequently Asked Questions about Event Services

Prev: Resetting EVS Counters
Up To: cFE Event Services Overview

## 13.9 Frequently Asked Questions about Event Services

#### (Q) My telemetry stream is being flooded with the same event message. How do I make it stop?

The most direct way to stop an event message from flooding your downlink stream is to send a command to EVS to filter the offending event (see Event Message Control or \$sc\_\$cpu\_EVS\_SetBinFltrMask). In order to stop the event message from being sent, a bit mask of '0xFFFF' should be used. If the event is not currently registered for filtering, the event message must be added using the command \$sc\_\$cpu\_EVS\_AddEvtFltr.

# (Q) I filtered an event message and would now like to see it again. What do I do in order to see those events again?

If the event message that you are interested is registered with EVS for filtering, then you have 2 options:

1. You can use the \$sc\_\$cpu\_EVS\_SetBinFltrMask command using a bit mask of '0x0000' which will result in getting all of the events for that Event Id

or

You can remove the registration of that event with EVS (see \$sc\_\$cpu\_EVS\_DelEvtFltr).
 Note that option (1) is the preferred method.

## (Q) What is the purpose of DEBUG event messages?

Event message of type "DEBUG" are primarily used during flight software development in order to provide information that is most likely not needed on orbit. Some commands send debug event messages as verification that a command request was received. When writing the EVS local event log to a file, for example, an event message of type DEBUG is issued. On orbit, this event message is probably not needed. Instead, the command counter is used for command verification.

#### (Q) How do I find out which events are registered for filtering?

EVS provides a command (\$sc\_\$cpu\_EVS\_WriteAppData2File) which generates a file containing all of the applications that have registered with EVS and all of the filters that are registered for each application. Note that EVS merely generates the file. The file must be transferred to the ground in order to view it.

#### (Q) Why do I see event messages in my console window?

By default, the events are configured to transmit out a "port" that shows event messages in the console

#### (Q) What is the difference between event services and the ES System Log

Events are within the context of an App or cFE Service (requires registration with ES). The system log can be written to outside of the Application or cFE Service context, for example during application startup to report errors before registration.

Prev: Effects of a Processor Reset on EVS Up To: cFE Event Services Overview

# 14 cFE Event Services Commands

Upon receipt of any command, the Event Services application will confirm that the message length embedded within the header (from CFE\_MSG\_GetSize()) matches the expected length of that message, based on the size of the C structure defining that command. If there is any discrepancy between the expected and actual message size, EVS will generate the CFE\_EVS\_LEN\_ERR\_EID event, increment the command error counter (\$sc\_\$cpu\_EVS\_CMDEC), and the command will *not* be accepted for processing.

The following is a list of commands that are processed by the cFE Event Services Task.

# Global CFE\_EVS\_ADD\_EVENT\_FILTER\_CC Add Application Event Filter Global CFE EVS CLEAR LOG CC Clear Event Log Global CFE EVS DELETE EVENT FILTER CC Delete Application Event Filter Global CFE\_EVS\_DISABLE\_APP\_EVENT\_TYPE\_CC Disable Application Event Type Global CFE EVS DISABLE APP EVENTS CC Disable Event Services for an Application Global CFE EVS DISABLE EVENT TYPE CC Disable Event Type Global CFE EVS DISABLE PORTS CC Disable Event Services Output Ports Global CFE EVS ENABLE APP EVENT TYPE CC **Enable Application Event Type** Global CFE EVS ENABLE APP EVENTS CC Enable Event Services for an Application Global CFE\_EVS\_ENABLE\_EVENT\_TYPE\_CC **Enable Event Type** Global CFE\_EVS\_ENABLE\_PORTS\_CC **Enable Event Services Output Ports** Global CFE EVS NOOP CC **Event Services No-Op** Global CFE EVS RESET ALL FILTERS CC Reset All Event Filters for an Application Global CFE\_EVS\_RESET\_APP\_COUNTER\_CC Reset Application Event Counters Global CFE\_EVS\_RESET\_COUNTERS\_CC **Event Services Reset Counters** Global CFE EVS RESET FILTER CC Reset an Event Filter for an Application Global CFE\_EVS\_SET\_EVENT\_FORMAT\_MODE\_CC Set Event Format Mode Global CFE EVS SET FILTER CC Set Application Event Filter Global CFE EVS SET LOG MODE CC Set Logging Mode Global CFE EVS WRITE APP DATA FILE CC Write Event Services Application Information to File Global CFE EVS WRITE LOG DATA FILE CC

Write Event Log to File

# 15 cFE Event Services Telemetry

The following are telemetry packets generated by the cFE Event Services Task.

#### Global CFE EVS HousekeepingTlm Payload t

Event Services Housekeeping Telemetry Packet

#### Global CFE EVS HousekeepingTlm Payload t

Event Services Housekeeping Telemetry Packet

## Global CFE\_EVS\_LongEventTlm\_Payload\_t

Event Message Telemetry Packet (Long format)

#### Global CFE EVS LongEventTlm Payload t

Event Message Telemetry Packet (Long format)

## Global CFE\_EVS\_ShortEventTIm\_Payload\_t

Event Message Telemetry Packet (Short format)

## Global CFE\_EVS\_ShortEventTlm\_Payload\_t

Event Message Telemetry Packet (Short format)

# 16 cFE Event Services Configuration Parameters

The following are configuration parameters used to configure the cFE Event Services either for each platform or for a mission as a whole.

#### Global CFE MISSION EVS MAX MESSAGE LENGTH

Maximum Event Message Length

#### Global CFE PLATFORM EVS DEFAULT APP DATA FILE

Default EVS Application Data Filename

## Global CFE\_PLATFORM\_EVS\_DEFAULT\_LOG\_FILE

Default Event Log Filename

## Global CFE\_PLATFORM\_EVS\_DEFAULT\_LOG\_MODE

Default EVS Local Event Log Mode

## Global CFE\_PLATFORM\_EVS\_DEFAULT\_MSG\_FORMAT\_MODE

Default EVS Message Format Mode

## Global CFE\_PLATFORM\_EVS\_DEFAULT\_TYPE\_FLAG

Default EVS Event Type Filter Mask

## Global CFE\_PLATFORM\_EVS\_LOG\_MAX

Maximum Number of Events in EVS Local Event Log

#### Global CFE\_PLATFORM\_EVS\_MAX\_EVENT\_FILTERS

Define Maximum Number of Event Filters per Application

## Global CFE PLATFORM EVS PORT DEFAULT

Default EVS Output Port State

## 17 cFE Software Bus Overview

The Software Bus (SB) handles communication between software tasks on a processor. All tasks communicate with each other, with hardware devices, and with the ground by sending command and telemetry messages. The software bus provides an application programming interface (API) to other tasks for sending and receiving messages. This API is independent of the underlying operating system so that tasks can use the same interface regardless of which processor they reside on. Refer to the cFE Application Programmer's Interface (API) Reference for detailed information about the API functions.

The software bus is used internally by the flight software, and normally does not require attention from the ground. However, because of the scalability and the dynamic nature of the software bus, it is strongly recommended that each project carefully review the SB statistics and SB memory pool to be sure adequate margin is met on the configurable items.

The cFE software bus uses a dynamic protocol and builds its routing table at run-time through the SB subscribe API's. Also the cFE software bus pipes are created at run-time through the CFE\_SB\_CreatePipe API. Because the routing is established, and pipes are created at run-time, it is necessary to have a clear view of the routing details on command. The cFE software bus allows the user to dump the routing table, the pipe table, the message map and the statistics packet. Each of these items are described in detail in the corresponding section of this document.

- Software Bus Terminology
- Autonomous Actions
- · Operation of the SB Software
- · Frequently Asked Questions about Software Bus

## 17.1 Software Bus Terminology

In order to fully understand the Software Bus, it is imperative that the basic terms used to describe its features are also understood. Below are the critical terms that help identify what the Software Bus accomplishes for each Application:

- Messages
- Pipes
- Subscriptions
- Memory

Next: Messages

Up To: cFE Software Bus Overview

## 17.1.1 Messages

The sole purpose of the software bus is to provide applications a way to send messages to each other. The term message and the term packet are used interchangeably throughout this document. A message is a combined set of bytes with a predefined format that is used as the basis of communication on a spacecraft. All commands, telemetry, and other data that are passed between the ground and the spacecraft, and between subsystems of the spacecraft, are considered to be messages. The most common message format is CCSDS (Consultative Committee for Space Data Systems) in CCSDS Space Packet Protocol, but can be customized by replacing the message module.

There are two general types of messages - commands (or command packets) and telemetry (or telemetry packets). Command packets are sent to a particular software task from the ground (or another task). Telemetry packets are sent from a particular software task to the ground (or other tasks).

The concept of a message identifier is utilized to provide abstraction from header implementation, often abbreviated as message ID, MsgId, or MID. Header and message identifier values should not be accessed directly to avoid implementation specific dependencies.

Telemetry packets typically contain a timestamp that indicates when the packet was produced. Command packets typically contain a command code that identifies the particular type of command.

The message module provides APIs for 'setting' and 'getting' the fields in the header of the message. The message module was separated from software bus to enable users to customize message headers without requiring clone and own of the entire cfe repository. To customize, remove the built in msg module from the build and replace with custom implementation. See sample target definitions folder for examples.

Following the header is the user defined message data.

Next: Pipes

Up To: Software Bus Terminology

17.1.2 Pipes

The destinations to which messages are sent are called pipes. These are queues that can hold messages until they are read out and processed by a task. Each pipe is created at run-time through the CFE\_SB\_CreatePipe API. The pipe name and the pipe depth are given as arguments in the API. The pipe identifier (or Pipeld) is given back to the caller after the API is executed. Each pipe can be read by only one task, but a task may read more than one pipe. Only the pipe owner is allowed to subscribe to messages on the pipe.

The Pipe IDs are specific to a particular processor (that is, the same ID number may refer to a different pipe on each processor). The pipe information for all pipes that have been created, may be requested at anytime by sending the 'Write Pipe Info' SB command . The software bus also provides a set of figures regarding capacity, current utilization and high water marks relevant to pipes. This information may be requested by sending the command to dump the SB statistics packet .

Next: Subscriptions Prev: Messages

Up To: Software Bus Terminology

#### 17.1.3 Subscriptions

A subscription is a run-time request for a particular message to be sent to a particular pipe. If the caller of the subscribe API is not the owner of the pipe, the request is rejected and an error event is sent. The application that creates the pipe is considered the owner of the pipe. The pipe specified in the subscription is sometimes referred to as the destination of the message. There are a maximum number of destinations for a particular message. This value is specified by the platform configuration parameter CFE\_PLATFORM\_SB\_MAX\_DEST\_PER\_PKT.

As subscriptions are received, the destinations are added to the head of a linked list. During the sending of a message, the list is traversed beginning at the head of the list. Therefore the message will first be sent to the last subscriber. If an application has timing constraints and needs to receive a message in the shortest possible time, the developer may consider holding off its subscription until other applications have subscribed to the message.

The message limit specifies the maximum number of messages (with the specified Message ID) that are allowed on the specified pipe at any time. This limit is specified by the application at the time of the subscription. If the application uses the CFE\_SB\_Subscribe API, a message limit default value of four is used. If this default value is not sufficient, the caller would use the CFE\_SB\_SubscribeEx\_API that allows the message limit to be specified.

The software bus also provides the user with an option to unsubscribe to a message. The unsubscribe API takes two parameters, Message ID and Pipe ID. Only the owner of a pipe may unsubscribe to messages on that pipe.

Next: Memory Prev: Pipes

Up To: Software Bus Terminology

## 17.1.4 Memory

The software bus statically allocates a block of memory for message buffers and subscription blocks. The size of this memory block is defined by the platform configuration parameter CFE\_PLATFORM\_SB\_BUF\_MEMORY\_BYTES. The memory is managed by the cFE ES memory pool and is used only by the software bus. The ES memory pool allows an application to define the block sizes for the pool at compile time. These sizes are defined by the platform configuration parameters prefixed with CFE\_SB\_MEM\_BLOCK\_SIZE (for example, CFE\_PLATFORM\_SB\_MEM\_BLOCK\_SIZE\_01). It is recommended that a project tailor these values for the mission, based on the software bus packet sizes.

At the time a message is sent, two buffers are allocated from the pool. One for a buffer descriptor (CFE\_SB\_BufferD\_t) and one for the size of the packet. Both buffers are returned to the pool when the message has been received by all recipients. More precisely, if there is one recipient for a message, the message buffers will be released on the following call to CFE\_SB\_ReceiveBuffer for the pipe that received the buffer.

Also when subscriptions are received through the subscribe API's, the software bus allocates a subscription block ( $C \leftarrow FE\_SB\_DestinationD\_t$ ) from the pool. The subscription blocks are returned to the pool if and when the subscription is nullified through a  $CFE\_SB\_Unsubscribe$  call.

The software bus provides a set of figures regarding memory capacity, current memory utilization and high water marks relevant to the SB memory pool. This information may be requested by sending the command to dump the SB statistics packet. In addition, the current memory utilization value and the 'unmarked memory' value (CFE\_PLATFORM\_SB\_ BUF\_MEMORY\_BYTES minus peak memory in use) are sent in software bus housekeeping telemetry. The unmarked memory value should be monitored regularly to ensure that the value (in bytes) does not continue to decline or approach zero. If this value were to approach zero, there is a possibility that memory requests would fail which may inhibit the sending of a message. The current memory utilization value should also be monitored to ensure the system contains no memory leaks. The value (in bytes) should remain stable under nominal conditions. Refer to the ES users guide for more information regarding the ES Memory Pool.

Next: Autonomous Actions
Prev: Subscriptions

Up To: Software Bus Terminology

17.2 Autonomous Actions 47

#### 17.2 Autonomous Actions

The software bus is primarily a set of library routines that are called by other software tasks to send and receive packets. The software bus does not perform any operations autonomously, except for sending event messages if errors are detected during the transfer of packets.

As do other tasks, the SB task sends out housekeeping telemetry when requested through the 'Send Housekeeping Data' command.

Next: Operation of the SB Software Prev: Software Bus Terminology Up To: cFE Software Bus Overview

## 17.3 Operation of the SB Software

- Initialization
- All Resets
- · Message Routing
- Packet Sequence Values
- Message Limit Error
- Pipe Overflow Error
- · SB Event Filtering
- Diagnostic Data
- · Control of Packet Routing
- · Quality of Service
- Known Problem

**Next: Initialization** 

**Prev: Autonomous Actions** 

Up To: cFE Software Bus Overview

#### 17.3.1 Initialization

No action is required by the ground to initialize the software bus. The software bus initializes internal data structures and tables the same way regardless of the type of reset.

**Next: All Resets** 

Up To: Operation of the SB Software

#### 17.3.2 All Resets

The software bus does not preserve any information across a reset of any kind. The software bus initializes internal data structures and tables the same way regardless of the type of reset. The routing is reestablished as the system initializes. It is normal procedure for each task of the system to create the pipe or pipes it needs and do all of its subscriptions during task initialization.

After any reset the following statements are true:

- The routing table is cleared and does not contain any routes.
- All subscriptions are lost and must be regenerated.
- The pipe table contains no data, all pipes must be recreated.
- · Any packets in transit at the time of the reset are lost.
- The sequence counters for telemetry packets will begin again with a value of one.

Next: Message Routing Prev: Initialization

Up To: Operation of the SB Software

#### 17.3.3 Message Routing

In the software bus, all messages are processed in a similar way. The software bus uses the Message ID and the packet length fields (contained in the header) for routing the message to the destination pipe. If either of these two fields do not pass validation, the software bus generates an error event and aborts the delivery process. The software bus performs some validation checks by simply checking message header values against mission or platform configuration parameters. Messages originating from various tasks or instruments are routed to one or more pipes, where they wait until read by a task. The routing configuration for each message is established when applications call one of the SB subscribe APIs. The subscribe APIs take a Message ID and a Pipe ID as parameters. The routing for each packet is stored in SB memory and may be requested at any time by sending the 'Send Routing Info' command. The software bus also provides a set of figures regarding capacity, current utilization and high water marks relevant to the routing. This information may be requested by sending the command to dump the SB statistics packet.

**Next: Packet Sequence Values** 

Prev: All Resets

Up To: Operation of the SB Software

#### 17.3.4 Packet Sequence Values

The sequence count behavior depends on if the message is a command type or telemetry type.

The sequence counter for command messages is not altered by the software bus.

For a telemetry message, the behavior is controlled via API input parameters when sending. When enabled, the software bus will populate the packet sequence counter using an internal counter that gets initialized upon the first subscription to the message (first message will have a packet sequence counter value of 1). From that point on each send request will increment the counter by one, regardless of the number of destinations or if there is an active subscription.

After a rollover condition the sequence counter will be a value of zero for one instance. The sequence counter is incremented after all the checks have passed prior to the actual sending of the message. This includes the parameter checks and the memory allocation check.

When disabled, the original message will not be altered. This method of message delivery is recommended for situations where the sender did not generate the packet, such as a network interface application passing a packet from a remote system to the local software bus.

Next: Message Limit Error Prev: Message Routing

Up To: Operation of the SB Software

#### 17.3.5 Message Limit Error

Before placing a message on a pipe, the software bus checks the message limit to ensure the maximum number of packets in transit to the destination is not exceeded. If placing the message on the pipe would exceed the message limit, then the action of sending to that pipe is aborted and the 'Message Limit Error' event is sent. This condition will typically occur when an application that receives the packets does not respond quickly enough, or if the sender of the packets produces them too quickly.

This condition occurs often during development and during integration, for example when a remote processor gets reset or a 1553 cable becomes disconnected. Because of the common occurrences, the event may have filtering associated with it. Any filtering for this event would be performed by the cFE Event Services (EVS). Filtering for SB events may be specified in the cFE platform configuration file or may be commanded after the system initializes.

A related failure is the pipe overflow condition, which can occur if the total number of packets (of all kinds) sent to a particular pipe is too large.

Next: Pipe Overflow Error Prev: Packet Sequence Values Up To: Operation of the SB Software

#### 17.3.6 Pipe Overflow Error

Another common error that occurs during the send process is the pipe overflow error. This condition occurs if the total number of packets (of all kinds) sent to a particular pipe is too large. If this error occurs too frequently, it may be an indication that the pipe depth is not set correctly. The pipe depth is given at the time the pipe is created as a parameter in the CFE\_SB\_CreatePipe API.

Next: SB Event Filtering Prev: Message Limit Error

Up To: Operation of the SB Software

#### 17.3.7 SB Event Filtering

Most filtering for SB events is performed by the cFE Event Services (EVS). Filtering for SB events may be specified in the cFE platform configuration file or may be commanded after the system initializes. There is no SB event log that limits the number of events based on the capacity of the log, as in the heritage software bus.

There is one case in which events are filtered by the software bus instead of event services. This occurs when the software bus needs to suppress events so that a fatal recursive event condition does not transpire. Because error cases encountered when sending a message generate an event, and events cause a message to be sent a calling sequence could cause a stack overflow if the recursion is not properly terminated. The cFE software bus detects this condition and properly terminates the recursion. This is done by using a set of flags (one flag per event in the Send API) which determine whether an API has relinquished its stack. If the software bus needs to send an event that may cause recursion, the flag is set and the event is sent. If sending the event would cause the same event again, the event call will be bypassed, terminating the recursion. The result is that the user will see only one event instead of the many events that would normally occur without the protection. The heritage software bus did not have this condition because it stored events in the software bus event log and another thread would read them out at a later time.

Next: Diagnostic Data Prev: Pipe Overflow Error

Up To: Operation of the SB Software

#### 17.3.8 Diagnostic Data

The cFE software bus provides a set of commands to dump SB diagnostic data to help troubleshoot problems or check configuration settings. These commands allow the user to view the routing table, the pipe table or the message map. The message map is a lookup table used during a send operation to give fast access to the routing table index that corresponds to the message being sent.

The software bus also provides a statistics packet that can be used to tune the configuration parameters. This information is sent to the ground in the form of an SB packet when the corresponding command is received. The cFE limits the number of system pipes, unique Message IDs, buffer memory, messages on a pipe and subscriptions per Message ID. These limits are configurable through cFE platform and mission configuration parameters. The statistics packet was designed to let the project verify that these user settings provide the necessary margin to meet requirements.

The SB statistics information shows 'Currently In Use' figures, 'High Water Mark' figures and 'Max Allowed' figures for the following: buffer memory, messages on each pipe (pipe depth stats), System Pipes, Unique Message IDs and total subscriptions.

Depending on the task-scheduling implementation details of the operating system, it is possible to see the peak messages on a pipe occasionally exceed the depth of the pipe. The "Peak Messages In Use" parameter is included in the SB statistics packet under the pipe depth stats.

Next: Control of Packet Routing Prev: SB Event Filtering

Up To: Operation of the SB Software

#### 17.3.9 Control of Packet Routing

The software bus allows the ground to disable and enable the sending of packets of a specified Message ID to a specified pipe. All destinations that are needed for normal operation are enabled by default. Modifying the routing of packets may be required for the following reasons:

- In flight, one can enable diagnostic packets to see them on the ground.
- · During testing, one can disable a destination to simulate an anomaly.

Next: Quality of Service Prev: Diagnostic Data

Up To: Operation of the SB Software

#### 17.3.10 Quality of Service

The software bus has a parameter in the CFE\_SB\_SubscribeEx API named Quality, which means Quality of Service (QOS) for off-board routing and is of the type CFE\_SB\_Qos\_t. This structure has two members named priority and reliability. The Quality parameter is currently unused by the software bus. It is a placeholder to be used with the future software bus capability of inter-processor communication. Although currently the software bus does not implement quality of service.

A default quality of services is provided via the CFE SB DEFAULT QOS macro.

Next: Known Problem

Prev: Control of Packet Routing Up To: Operation of the SB Software

#### 17.3.11 Known Problem

The software bus may perform unexpectedly under an unlikely corner-case scenario. This scenario was revealed in a stress test. The stress test was designed to deplete the Software Bus memory pool by having a high priority application continuously send 1000 byte packets to a lower priority application until the memory pool code returned an error code and sent the following event. "CFE\_ES:getPoolBuf err:Request won't fit in remaining memory" At this point the higher priority sending application would stop executing. This would allow the lower priority receiving application to begin receiving the 1000 byte packets. After the receiving app processed all of the packets, the memory was restored to the memory pool as expected. The SB memory-in-use telemetry was zero because there were no software bus packets in transit. At this point any attempt to send a new-sized packet on the software bus was be rejected. The ES memory pool stated that the "... Request won't fit in remaining memory" even though there was currently no memory in use.

The simplest way to prevent this behavior is to ensure that there is margin when sizing the SB memory pool. To check the margin, monitor the "Peak Memory in Use" vs. the configuration parameter CFE\_PLATFORM\_SB\_BUF\_MEMO← RY BYTES which indicates the amount allocated.

Next: Frequently Asked Questions about Software Bus

Prev: Quality of Service

Up To: Operation of the SB Software

#### 17.4 Frequently Asked Questions about Software Bus

#### (Q) How is the memory pool handle (sent in SB housekeeping telemetry) intended to be used?

The memory pool handle is used to analyze the SB memory pool statistics. The cFE ES command (CFE\_E← S\_SEND\_MEM\_POOL\_STATS\_CC) to dump the memory pool statistics takes the pool handle as a parameter. These statistics tell how the SB memory pool is configured and gives details on margin. An improperly configured SB memory pool may inhibit communication. This may occur if there is not enough margin to create a block of the size needed for a transfer. Refer to the ES memory pool users guide for more details. Memory Pool

#### (Q) When sending a message, what message header fields are critical for routing the message?

To route the message properly, the software bus uses only the Message ID and packet length fields from the header of the message. If the packet length field is incorrect, then the buffer allocation for the message will also be incorrect. This may appear to the receiver as a truncated message or a message with unknown data added to the end of the message.

## (Q) How many copies of the message are performed in a typical message delivery?

There is a single copy of the message performed when sending a message (from the callers memory space) using CFE\_SB\_TransmitMsg. When transmitting the message, the software bus copies the message from the callers memory space into a buffer in the software bus memory space. There is also the option to request a buffer from SB, write directly to the buffer and send via CFE\_SB\_TransmitBuffer. This is equivalent to the previous zero copy implementation. The CFE\_SB\_ReceiveBuffer API gives the user back a pointer to the buffer. When working with the buffers, the additional complexity to be aware of is the buffer is only available to the app from the request to send (on the sending side), or from the receive until the next receive on the same pipe on the receiving side. If the data is required outside that scope, the app needs a local copy.

# (Q) When does the software bus free the buffer during a typical message delivery process? Or how long is the message, and the pointer to the buffer in the CFE SB ReceiveBuffer valid?

After receiving a buffer by calling CFE\_SB\_ReceiveBuffer, the buffer received is valid until the next call to CFE 
\_SB\_ReceiveBuffer with the same Pipe Id. If the caller needs the message longer than the next call to CFE\_S

B\_ReceiveBuffer, the caller must copy the message to its memory space.

# (Q) The first parameter in the CFE\_SB\_ReceiveBuffer API is a pointer to a pointer which can get confusing. How can I be sure that the correct address is given for this parameter.

Typically a caller declares a ptr of type CFE\_SB\_Buffer\_t (i.e. CFE\_SB\_Buffer\_t \*Ptr) then gives the address of that pointer (&Ptr) as this parameter. After a successful call to CFE\_SB\_ReceiveBuffer, Ptr will point to the first byte of the software bus buffer. This should be used as a read-only pointer. In systems with an MMU, writes to this pointer may cause a memory protection fault.

## (Q) Why am I not seeing expected Message Limit error events or Pipe Overflow events?

It is possible the events are being filtered by cFE Event Services. The filtering for this event may be specified in the platform configuration file or it may have been commanded after the system initializes.

There is a corresponding counter for each of these conditions. First verify that the condition is happening by viewing the counter in SB HK telemetry. If the condition is happening, you can view the SB filter information through the EVS App Data Main page by clicking the 'go to' button for SB. The event Id for these events can be learned through a previous event or from the cfe sb events.h file.

## (Q) Why does the SB provide event filtering through the platform configuration file?

To give the user the ability to filter events before an EVS command can be sent. During system initialization, there are many conditions occurring that can cause a flood of SB events such as No Subscribers, Pipe Overflow and Msgld to Pipe errors. This gives the user a way to limit these events.

#### (Q) Why does SB have so many debug event messages?

The SB debug messages are positive acknowledgments that an action (like receiving a cmd, creating a pipe or subscribing to a message) has occurred. They are intended to help isolate system problems. For instance, if an expected response to a command is not happening, it may be possible to repeat the scenario with the debug event turned on to verify that the command was successfully received.

## (Q) How is the QOS parameter in the CFE\_SB\_SubscribeEx used by the software bus?

The QOS parameter is currently unused by the software bus. It is a placeholder to be used with the future software bus capability of inter-processor communication. Setting the QOS as CFE\_SB\_DEFAULT\_QOS will ensure seamless integration when the software bus is expanded to support inter-processor communication.

## (Q) Can I confirm my software bus buffer was delivered?

There is no built in mechanism for confirming delivery (it could span systems). This could be accomplished by generating a response message from the receiver.

Prev: Operation of the SB Software Up To: cFE Software Bus Overview

## 18 cFE Software Bus Commands

Upon receipt of any command, the Software Bus application will confirm that the message length embedded within the header (from CFE\_MSG\_GetSize()) matches the expected length of that message, based on the size of the C structure defining that command. If there is any discrepancy between the expected and actual message size, SB will generate the CFE\_SB\_LEN\_ERR\_EID event, increment the command error counter (\$sc\_\$cpu\_SB\_CMDEC), and the command will *not* be accepted for processing.

The following is a list of commands that are processed by the cFE Software Bus Task.

```
Global CFE_SB_DISABLE_ROUTE_CC
```

Disable Software Bus Route

#### Global CFE SB DISABLE SUB REPORTING CC

Disable Subscription Reporting Command

## Global CFE\_SB\_ENABLE\_ROUTE\_CC

Enable Software Bus Route

#### Global CFE SB ENABLE SUB REPORTING CC

**Enable Subscription Reporting Command** 

#### Global CFE SB NOOP CC

Software Bus No-Op

## Global CFE\_SB\_RESET\_COUNTERS\_CC

Software Bus Reset Counters

#### Global CFE SB SEND PREV SUBS CC

Send Previous Subscriptions Command

## Global CFE\_SB\_SEND\_SB\_STATS\_CC

Send Software Bus Statistics

#### Global CFE\_SB\_WRITE\_MAP\_INFO\_CC

Write Map Info to a File

#### Global CFE\_SB\_WRITE\_PIPE\_INFO\_CC

Write Pipe Info to a File

# Global CFE\_SB\_WRITE\_ROUTING\_INFO\_CC

Write Software Bus Routing Info to a File

# 19 cFE Software Bus Telemetry

The following are telemetry packets generated by the cFE Software Bus Task.

```
Global CFE_SB_AllSubscriptionsTlm_Payload_t
   SB Previous Subscriptions Packet
Global CFE SB AllSubscriptionsTlm Payload t
   SB Previous Subscriptions Packet
Global CFE SB HousekeepingTlm Payload t
   Software Bus task housekeeping Packet
Global CFE_SB_HousekeepingTlm_Payload_t
   Software Bus task housekeeping Packet
Global CFE_SB_SingleSubscriptionTIm_Payload_t
   SB Subscription Report Packet
Global CFE SB SingleSubscriptionTlm Payload t
   SB Subscription Report Packet
Global CFE SB StatsTlm Payload t
   SB Statistics Telemetry Packet
Global CFE SB StatsTlm Payload t
   SB Statistics Telemetry Packet
```

# 20 cFE Software Bus Configuration Parameters

Default Pipe Information Filename

The following are configuration parameters used to configure the cFE Software Bus either for each platform or for a mission as a whole.

```
Global CFE_MISSION_SB_MAX_PIPES

Maximum Number of pipes that SB command/telemetry messages may hold

Global CFE_MISSION_SB_MAX_SB_MSG_SIZE

Maximum SB Message Size

Global CFE_PLATFORM_ENDIAN

Platform Endian Indicator

Global CFE_PLATFORM_SB_BUF_MEMORY_BYTES

Size of the SB buffer memory pool

Global CFE_PLATFORM_SB_DEFAULT_MAP_FILENAME

Default Message Map Filename

Global CFE_PLATFORM_SB_DEFAULT_MSG_LIMIT

Default Subscription Message Limit

Global CFE_PLATFORM_SB_DEFAULT_PIPE_FILENAME
```

### Global CFE\_PLATFORM\_SB\_DEFAULT\_ROUTING\_FILENAME

Default Routing Information Filename

## Global CFE\_PLATFORM\_SB\_FILTERED\_EVENT1

SB Event Filtering

## Global CFE\_PLATFORM\_SB\_HIGHEST\_VALID\_MSGID

Highest Valid Message Id

#### Global CFE PLATFORM SB MAX DEST PER PKT

Maximum Number of unique local destinations a single Msgld can have

## Global CFE PLATFORM SB MAX MSG IDS

Maximum Number of Unique Message IDs SB Routing Table can hold

#### Global CFE PLATFORM SB MAX PIPES

Maximum Number of Unique Pipes SB Routing Table can hold

## 21 cFE Table Services Overview

Applications often organize sets of their parameters into logical units called tables. These are typically constant parameters that can change the behavior of a flight software algorithm and are only intended to be modified by operations personnel. Examples of this would be attitude control gains, sensor scalefactors, telemetry filter settings, etc.

Table Services (TBL) provides a centralized control of flight software tables. Operations personnel would interact with TBL in order to dump the contents of current tables, load new table images, verify the contents of a table image and manage Critical tables.

None of the cFE core applications (EVS, SB, ES, TIME, or TBL) use tables, and it is possible to build cFE without Table Services if not needed or an alternative parameter management mechanism is to be utilized.

For additional detail on Tables and how to manage them, see the following sections:

- · Managing Tables
- · cFE Table Types and Table Options
- Table Registry
- · Table Services Telemetry
- · Effects of Processor Reset on Tables
- Frequently Asked Questions about Table Services

## 21.1 Managing Tables

In order to effectively manage tables, an operator needs to understand how cFE Applications manage tables from their end. There are a number of methods that cFE Applications typically use to manage their tables. Each method is appropriate based upon the nature of the contents of the table.

cFE Applications are required to periodically check to see if their table is to be validated, updated (or in the case of dump-only tables, dumped). Most Applications perform this periodic management at the same time as housekeeping requests are processed. This table management is performed by the cFE Application that "owns" a table (ie - the cFE Application that registered the table with cFE Table Services). It is possible for cFE Applications to "share" a table with other cFE Applications. An Application that shares a table does not typically perform any of the management duties associated with that table.

A table can have one of two different types and a number of different options. These are discussed further in later sections. An operator should understand the chosen type and selected options for a particular table before attempting to modify a table's contents.

To understand the methods of maintaining a table, it is important that the terminology be clear. A table has two images: "Active" and "Inactive". The Active table is the one that a cFE Application is currently accessing when it executes. The Inactive table is a copy of the Active table that an operator (or on-board process such as a stored command processor) can manipulate and change to have a newly desired set of data.

To create an Inactive table image on board, the operator would be required to perform a "Load" to the table. Loads are table images stored in on-board files. The Load can contain either a complete table image or just a part of a table image. If the Load contains just a portion, the Inactive image is first initialized with the contents of the Active image and then the portion identified in the Load file is written on top of the Active image. After the initial Load, an operator can continue to manipulate the Inactive table image with additional partial table load images. This allows the operator to reconfigure the contents of multiple portions of the table before deciding to "Validate" and/or "Activate" it.

Some cFE Applications provide special functions that will examine a table image to determine if the contents are logically sound. This function is referred to as the "Validation Function." When a cFE Application assigns a Validation Function to a table during the table registration process, it is then requiring that a Validation be performed before the table can be Activated. When an operator requests a Validation of a table image, they are sending a request to the owning Application to execute the associated Validation Function on that image. The results of this function are then reported in telemetry. If the Validation is successful, the operator is free to perform a table Activation. If the Validation fails, the operator would be required to make additional changes to the Inactive table image and attempt another Validation before commanding an Activation.

To change an Inactive table image into the Active table image, an operator must Activate a table. When an operator sends the table Activation command, they are notifying the table's owning Application that a new table image is available. It is then up to the Application to determine when is the best time to perform the "Update" of the table. When an Application performs an Update, the contents of the Inactive table image become the Active table image.

Next: cFE Table Types and Table Options
Up To: cFE Table Services Overview

## 21.2 cFE Table Types and Table Options

A cFE Application Developer has several choices when creating a cFE Application. There are two basic types of tables: single buffered and double buffered. In addition to these two basic types there are a small variety of options possible with each table. These options control special characteristics of the table such as whether it is dump-only, critical or whether it has an application defined location in memory.

Each choice has its advantages and disadvantages. The developer chooses the appropriate type based upon the requirements of the application. Anyone operating a particular cFE Application must understand the nature of the type and options selected for a particular table before they can successfully understand how to perform updates, validations, etc.

For more information on the different types of tables available, see the following sections:

- · Table Types
  - Single Buffered Tables
  - Double Buffered Tables
- · Table Options
  - Tables with Validation Functions
  - Critical Tables
  - User Defined Address Tables
  - Dump Only Tables

Next: Single Buffered Tables Prev: Managing Tables

Up To: cFE Table Services Overview

## 21.2.1 Single Buffered Tables

The default table type for a cFE Application to use is a single buffered table. The principle advantage of a single buffered table is that it can share one of several shared table buffers for uploaded and pending table images. Since many cFE Applications have relatively small tables that are not changed at time critical moments or are not changed very often during a mission, single buffered tables represent the most memory resource efficient method of being managed.

The number of single buffered tables that can have inactive table images being manipulated at one time is specified by a TBL Services configuration parameter (CFE\_PLATFORM\_TBL\_MAX\_SIMULTANEOUS\_LOADS) found in the cfe← \_\_platform\_cfg.h file associated with the processor in question. This parameter identifies the number of shared table buffers that are available.

Since inactive single buffered table images share a common resource, it may not be prudent for an operator to load an image and then delay on the image's activation for an extended period of time.

Single buffered tables are allowed to be critical (see Critical Tables), dump-only (see Dump Only Tables) and/or have a user-defined address (see User Defined Address Tables).

**Next: Double Buffered Tables** 

Up To: cFE Table Types and Table Options

#### 21.2.2 Double Buffered Tables

Under certain conditions, a cFE Application Developer may choose to use a double buffered table type within their application. Double buffered tables retain a dedicated inactive image of the table data. With a dedicated inactive table image available, double buffered tables are then capable of efficiently swapping table contents and/or delaying the activation of a table's contents for an indeterminate amount of time.

Some cFE Applications prefer to delay the Activation of a table until a specified time (e.g. - a Spacecraft Ephemeris). These tables are typically defined as double buffered tables so that the Inactive image can be left sitting untouched for an extended period of time without interfering with shared resources for other tables. Then the Application can perform the Update when the time is right.

Applications which have unusually large tables may decide to conserve memory resources by making them double buffered. This is because the shared buffers used by single buffered tables must be sized to match the largest table. If there is one table that is unusually large, there is little reason to allocate up to CFE\_PLATFORM\_TBL\_MAX\_SIM ULTANEOUS\_LOADS number of buffers that size. A double buffered table will only allocate ONE extra buffer of that size.

Performance minded Applications that are required to perform processing with tight timing deadlines may choose to use double buffered tables because the Update for a double buffered table is deterministic and quick.

Next: Tables with Validation Functions

Prev: Single Buffered Tables

Up To: cFE Table Types and Table Options

#### 21.2.3 Tables with Validation Functions

Applications that associate Validation Functions with their tables when the tables are registered are effectively requiring that the contents of a table be logically Validated before it is Activated. The cFE will refuse to let a table with an associated Validation Function be Activated until a successful Validation on the Inactive table image has occurred.

Tables that are NOT assigned a Validation Function are assumed to be valid regardless of the contents of the table image. These tables do not require a Validation Command prior to Activation.

**Next: Critical Tables** 

Prev: Double Buffered Tables

Up To: cFE Table Types and Table Options

#### 21.2.4 Critical Tables

Applications that must be able to recover quickly from a Processor Reset may select the "Critical" table option when registering their table. Table Services automatically creates a Critical Data Store for the table and ensures that the contents of the Critical Data Store are updated whenever a Table Activation occurs.

If a Processor Reset happens, when the Application attempts to Register the table again, Table Services automatically locates the associated Critical Data Store and initializes the Table with the saved contents.

Next: User Defined Address Tables
Prev: Tables with Validation Functions
Up To: cFE Table Types and Table Options

21.3 Table Registry 59

#### 21.2.5 User Defined Address Tables

In order to provide a mechanism for Flight Software Maintenance teams to quickly create a table image for dumping contents of memory that isn't normally loaded by the ground, there is an option to create User-Defined Address tables. These tables, when they are first registered, provide a memory address where the Active image of the table is to be maintained. Normally, the address is specified by Table Services from its memory pool.

By specifying the address, the Flight Software Maintenance team can create a Dump-Only table that contains the contents of a data structure that is not normally accessible via telemetry or table dumps. Then, on command, the Flight Software Maintenance team can periodically dump the data structure's contents to an on-board file(s) that can then be transferred to the ground for later analysis.

Next: Dump Only Tables
Prev: Critical Tables

Up To: cFE Table Types and Table Options

#### 21.2.6 Dump Only Tables

On occasion, cFE Applications require a segment of memory in which the Application writes data. The typical cFE Table is not normally modified directly by an Application but only via Load and Activate commands from either the Ground or Stored Command Processor. However, for those situations where an Application wishes to modify the contents of a data structure and the Application is limited in its telemetry bandwidth so that the modified data cannot be telemetered, the Application can create a Dump-Only table.

Dump-Only tables are not allowed to be modified via the Load/Validate/Activate process most other tables are. They are only supposed to be modified by onboard Applications. The Operator can still command a Dump which will be processed by the table's owning Application when it manages its tables. By letting the Application perform the dump, the Operator can feel confident that the table contents are a complete snapshot in time and not corrupted by taking a snapshot while the Application was in the process of modifying its contents.

**Next: Table Registry** 

Prev: User Defined Address Tables

Up To: cFE Table Types and Table Options

## 21.3 Table Registry

When Applications register tables, Table Services retains pertinent information on the table in the Table Registry. The following information (along with other information that is less important for an operator) is kept for each table:

- The Application ID of the Application that Registered the table
- · The full name of the table
- The size, in bytes, of the table
- Pointers to the start addresses of the Table's image buffers, Active and Inactive (if appropriate)
- · A pointer to the start address of a Validation Function
- · A flag indicating whether a table image has been loaded into an Inactive buffer

- · A flag indicating whether the table is Critical and its associated CDS Handle if it is
- A flag indicating whether the table has ever been loaded (initialized)
- · A flag indicating whether the table is Dump Only
- A flag indicating whether the table has an Update Pending
- A flag indicating whether the table is double buffered or not
- · The System Time when the Table was last Updated
- . The filename of the last file loaded into the table
- The File Creation Time for the last file used to load the contents of the table

This information can be obtained by either sending the Dump Registry command which will put all of the information from the Table Registry into an onboard file for later downlink or the operator can send a command to Telemeter the Registry Entry for a single table. This will cause the pertinent registry entry for a single table to be sent via a telemetry packet.

The API function CFE\_TBL\_Register() returns either CFE\_SUCCESS or CFE\_TBL\_INFO\_RECOVERED\_TBL to indicate that the table was successfully registered. The difference is whether the table data was recovered from CDS as part of the registration. There are several error return values that describe why the function failed to register the table but nothing related to why the restoration from CDS might have failed. There is, however, a message written to the System Error Log by Table Services that can be dumped by the ground to get this information. Note that failure to restore a table from CDS is not an expected error and requires some sort of data corruption to occur.

**Next: Table Services Telemetry** 

Prev: cFE Table Types and Table Options Up To: cFE Table Services Overview

#### 21.4 Table Services Telemetry

Table Services produces two different telemetry packets. The first packet, referred to as the Table Services Housekeeping Packet, is routinely produced by Table Services upon receipt of the Housekeeping Request message that is typically sent to all Applications by an on board scheduler. The contents and format of this packet are described in detail at CFE\_TBL\_HousekeepingTlm\_t.

Next: Effects of Processor Reset on Tables

Prev: Table Registry

Up To: cFE Table Services Overview

## 21.5 Effects of Processor Reset on Tables

When a processor resets, the Table Registry is re-initialized. All Applications must, therefore, re-register and re-initialize their tables. The one exception, however, is if the Application has previously tagged a table as "Critical" during Table Registration, then Table Services will attempt to locate a table image for that table stored in the Critical Data Store. Table Services also attempts to locate the Critical Table Registry which is also maintained in the Critical Data Store.

If Table Services is able to find a valid table image for a Critical table in the Critical Data Store, the contents of the table are automatically loaded into the table and the Application is notified that the table does not require additional initialization.

Next: Frequently Asked Questions about Table Services

Prev: Table Services Telemetry
Up To: cFE Table Services Overview

## 21.6 Frequently Asked Questions about Table Services

#### (Q) Is it an error to load a table image that is smaller than the registered size?

Table images that are smaller than the declared size of a table fall into one of two categories.

If the starting offset of the table image (as specified in the Table Image secondary file header) is not equal to zero, then the table image is considered to be a "partial" table load. Partial loads are valid as long as a table has been previously loaded with a non-"partial" table image.

If the starting offset of the table image is zero and the size is less than the declared size of the table, the image is considered "short" but valid. This feature allows application developers to use variable length tables.

### (Q) I tried to validate a table and received the following event message that said the event failed:

"MyApp validation failed for Inactive 'MyApp.MyTable', Status=0x####"

## What happened?

The event message indicates the application who owns the table has discovered a problem with the contents of the image. The code number following the 'Status' keyword is defined by the Application. The documentation for the specified Application should be referred to in order to identify the exact nature of the problem.

#### (Q) What commands do I use to load a table with a new image?

There are a number of steps required to load a table.

- 1. The operator needs to create a cFE Table Services compatible table image file with the desired data contained in it. This can be accomplished by creating a 'C' source file, compiling it with the appropriate cross compiler for the onboard platform and then running the elf2cfetbl utility on the resultant object file.
- 2. The file needs to be loaded into the onboard processor's filesystem using whichever file transfer protocol is used for that mission.
- 3. The Load Command is sent next to tell Table Services to load the table image file into the Inactive Table Image Buffer for the table identified in the file.
- 4. The Validate Command is then sent to validate the contents of the inactive table image. This will ensure the file was not corrupted or improperly defined. The results of the validation are reported in Table Services Housekeeping Telemetry. If a table does not have a validation function associated with it, the operator may wish to compare the computed CRC to verify the table contents match what was intended.
- 5. Upon successful validation, the operator then sends the Activate Command. The application owning the table should, within a reasonable amount of time, perform a table update and send an event message.

## (Q) What causes cFE Table Services to generate the following sys log message:

## CFE\_TBL:GetAddressInternal-App(%d) attempt to access unowned Tbl Handle=%d

When an application sharing its table(s) with one or more applications is reloaded, the reloaded application's table handle(s) are released. cFE Table Services sees that the table(s) are shared and keeps a 'shadow' version of the table in the Table Services registry. The registry will show the released, shared tables with no name. When the applications sharing the table attempt to access the table via the 'old', released handle, Table Services will return an error code to the applications and generate the sys log message. The applications may then unregister the 'old' handle(s) in order to remove the released, shared table(s) from the Table Services registry and share the newly loaded application table(s).

### (Q) When does the Table Services Abort Table Load command need to be issued?

The Abort command should be used whenever a table image has been loaded but the application has not yet activated it and the operator no longer wants the table to be loaded.

The purpose of the Abort command is to free a previously allocated table buffer. It should be noted, however, that multiple table loads to the SAME table without an intervening activation or abort, will simply OVERWRITE the previous table load using the SAME buffer.

Therefore, the most likely scenarios that would lead to a needed abort are as follows:

- 1. Operator loads a table and realizes immediately that the load is not wanted.
- 2. Operator loads a table and performs a validation on it. Regardless of whether the table passes or fails the validation, if the operator no longer wants to activate the table, the abort command should be issued.
  - It should be noted that a table image that fails activation is retained in the inactive buffer for diagnosis, if necessary. It is NOT released until it is aborted or overwritten and successfully validated and activated.
- 3. A table image was loaded; the image was successfully validated; the command for activation was sent; but the application fails to perform the activation.

The Abort command will free the table buffer and clear the activation request.

This situation can occur when either the application is improperly designed and fails to adequately manage its tables (sometimes seen in the lab during development) or the application is "hung" and not performing as it should.

Prev: Effects of Processor Reset on Tables Up To: cFE Table Services Overview

## 22 cFE Table Services Commands

Upon receipt of any command, the Table Services application will confirm that the message length embedded within the header (from CFE\_MSG\_GetSize()) matches the expected length of that message, based on the size of the C structure defining that command. If there is any discrepancy between the expected and actual message size, TBL will generate the CFE\_TBL\_LEN\_ERR\_EID event, increment the command error counter (\$sc\_\$cpu\_TBL\_CMDEC), and the command will *not* be accepted for processing.

The following is a list of commands that are processed by the cFE Table Services Task.

```
Global CFE_TBL_ABORT_LOAD_CC
Abort Table Load

Global CFE_TBL_ACTIVATE_CC
Activate Table

Global CFE_TBL_DELETE_CDS_CC
Delete Critical Table from Critical Data Store

Global CFE_TBL_DUMP_CC
Dump Table

Global CFE_TBL_DUMP_REGISTRY_CC
Dump Table Registry

Global CFE_TBL_LOAD_CC
Load Table
```

```
Global CFE_TBL_NOOP_CC
Table No-Op

Global CFE_TBL_RESET_COUNTERS_CC
Table Reset Counters

Global CFE_TBL_SEND_REGISTRY_CC
Telemeter One Table Registry Entry

Global CFE_TBL_VALIDATE_CC
Validate Table
```

# 23 cFE Table Services Telemetry

The following are telemetry packets generated by the cFE Table Services Task.

```
Global CFE_TBL_HousekeepingTlm_Payload_t
Table Services Housekeeping Packet

Global CFE_TBL_HousekeepingTlm_Payload_t
Table Services Housekeeping Packet

Global CFE_TBL_TblRegPacket_Payload_t
Table Registry Info Packet

Global CFE_TBL_TblRegPacket_Payload_t
Table Registry Info Packet
```

# 24 cFE Table Services Configuration Parameters

The following are configuration parameters used to configure the cFE Table Services either for each platform or for a mission as a whole.

```
Global CFE_MISSION_TBL_MAX_FULL_NAME_LEN
Maximum Length of Full Table Name in messages

Global CFE_MISSION_TBL_MAX_NAME_LENGTH
Maximum Table Name Length

Global CFE_PLATFORM_TBL_BUF_MEMORY_BYTES
Size of Table Services Table Memory Pool

Global CFE_PLATFORM_TBL_DEFAULT_REG_DUMP_FILE
Default Filename for a Table Registry Dump

Global CFE_PLATFORM_TBL_MAX_CRITICAL_TABLES
Maximum Number of Critical Tables that can be Registered

Global CFE_PLATFORM_TBL_MAX_DBL_TABLE_SIZE
```

Maximum Size Allowed for a Double Buffered Table

#### Global CFE PLATFORM TBL MAX NUM HANDLES

Maximum Number of Table Handles

#### Global CFE PLATFORM TBL MAX NUM TABLES

Maximum Number of Tables Allowed to be Registered

#### Global CFE PLATFORM TBL MAX NUM VALIDATIONS

Maximum Number of Simultaneous Table Validations

#### Global CFE PLATFORM TBL MAX SIMULTANEOUS LOADS

Maximum Number of Simultaneous Loads to Support

#### Global CFE PLATFORM TBL MAX SNGL TABLE SIZE

Maximum Size Allowed for a Single Buffered Table

### Global CFE PLATFORM TBL VALID PRID 1

Processor ID values used for table load validation

#### Global CFE\_PLATFORM\_TBL\_VALID\_PRID\_COUNT

Number of Processor ID's specified for validation

## Global CFE\_PLATFORM\_TBL\_VALID\_SCID\_1

Spacecraft ID values used for table load validation

## Global CFE\_PLATFORM\_TBL\_VALID\_SCID\_COUNT

Number of Spacecraft ID's specified for validation

## 25 cFE Time Services Overview

The cFE Time Service (TIME) is one of the cFE core services. TIME provides time correlation, distribution and synchronization services. TIME exists in two varieties: a Time Server responsible for maintaining the master time reference for all remote systems, and a Time Client responsible for synchronizing to that master time reference.

Since TIME is a generic implementation aimed to meet the needs of a variety of mission configurations, there are numerous configuration parameters, which dictate the behavior of TIME (see cfe\_mission\_cfg.h and cfe\_platform\_cfg.h for the specific mission configuration).

With the exception of those sections specific to Time Clients and Servers, this document assumes the most common physical environment - one instantiation of cFE installed on a single processor. Therefore, TIME represents cFE Time Services configured as a Time Server.

For additional detail on Time Services and how to manage it, see the following sections:

- Time Components
- Time Structure
- Time Formats
- Time Configuration

- Time Format Selection
- Enabling Fake Tone Signal
- Selecting Tone and Data Ordering
- Specifying Tone and Data Window
- Specifying Time Server/Client
- Specifying Time Tone Byte Order
- Virtual MET
- Specifying Time Source
- Specifying Time Signal
- Time Services Paradigm(s)
- Flywheeling
- Time State
- Initialization
  - Power-On Reset
  - Processor Reset
- Initialization
  - Power-On Reset
  - Processor Reset
- Normal Operation
  - Client
  - Server
    - \* Setting Time

- \* Adjusting Time
- \* Setting MET

· Frequently Asked Questions

## 25.1 Time Components

Time knowledge is stored in several pieces, so that the time information can more easily be manipulated and utilized. These components include:

The **Ground Epoch** is an arbitrary date and time that establishes the zero point for spacecraft time calculations. The selection of the epoch is mission specific, although in the past, it was common to select the same epoch as defined for the Operating System used by the computers hosting the ground system software. Recent mission epoch selections have also included using zero seconds after midnight, Jan 1, 2001.

**Spacecraft Time** is the number of seconds (and fraction of a second) since the ground epoch. Spacecraft time is the sum of **Mission Elapsed Time** (MET) and the **Spacecraft Time Correlation Factor** (STCF). By definition, MET is a measure of time since launch or separation. However, for most missions the MET actually represents the amount of time since powering on the hardware containing the MET timer. The STCF correlates the MET to the ground epoch.

The **Tone** is the signal that MET seconds have incremented. In most hardware configurations, the tone is synonymous with the **1 PPS** signal. The tone signal may be generated by a local hardware timer, or by an external event (G← PS receiver, spacewire time tick, 1553 bus signal, etc). TIME may also be configured to simulate the tone for lab environments that do not have the necessary hardware to provide a tone signal. Note that MET sub-seconds will be zero at the instant of the tone.

**Time at the Tone** is the spacecraft time at the most recent "valid" tone.

**Time since the Tone** is the amount of time since the tone (usually less than one second). This value is often measured using the local processor clock. Upon detecting the tone signal, TIME stores the contents of the local processor clock to facilitate this measurement.

Thus, Current Spacecraft Time is the sum of "time at the tone" and "time since the tone".

**Leap Seconds** occur to keep clocks correlated to astronomical observations. The modern definition of a second (9,192,631,770 oscillations of a cesium-133 atom) is constant while the earth's rotation has been slow by a small fraction of a second per day. The **International Earth Rotation and Reference System Service** (IERS) maintains the count of leap seconds as a signed whole number that is subject to update twice a year. Although it is possible to have a negative leap second count if the earth rotates too fast, it is highly unlikely. The initial count of leap seconds (10) was established in January of 1972 and the first leap second was added to the initial count in June of 1972. The most recent leap seconds are announced by the International Earth Rotation Service (IERS): https://www.iers.org in IERS Bulletin C (leap second announcements). Search the IERS site for "Bulletin C" to obtain the latest issue/announcement.

**Next: Time Structure** 

Up To: cFE Time Services Overview

25.2 Time Structure 67

#### 25.2 Time Structure

The cFE implementation of the **System Time Structure** is a modified version of the CCSDS Unsegmented Time Code (CUC) which includes 4 bytes of seconds, and 4 bytes of subseconds, where a subsecond is equivalent to  $1/(2^32)$  seconds. The system time structure is used by TIME to store current time, time at the tone, time since the tone, the MET, the STCF and command arguments for time adjustments. Note that typically the 32 bits of seconds and the upper 16 bits of subseconds are used for time stamping Software bus messages, but this is dependent on the underlying definition.

The system time structure is defined as follows:

Next: Time Formats
Prev: Time Components

Up To: cFE Time Services Overview

#### 25.3 Time Formats

**International Atomic Time** (TAI) is one of two time formats supported by cFE TIME. TAI is the number of seconds and sub-seconds elapsed since the ground epoch as measured with the atomic clock previously described. TAI has no reference to leap seconds and is calculated using the following equation:

```
TAI = MET + STCF
```

It should be noted that TAI is only "true" TAI when the selected ground epoch is the same as the TAI epoch (zero seconds after midnight, January 1, 1958). However, nothing precludes configuring cFE TIME to calculate time in the TAI format and setting the STCF to correlate to any other epoch definition.

**Coordinated Universal Time** (UTC) is the other time format supported by cFE TIME. UTC differs from TAI in the fact that UTC includes a leap seconds adjustment. TIME computes UTC using the following equation:

```
UTC = TAI - Leap Seconds.
```

The preceding UTC equation might seem to imply that TAI includes leap seconds and UTC does not - which is not the case. In fact, the UTC calculation includes a leap seconds adjustment that subtracts leap seconds from the same time components used to create TAI. Alternatively, it might be less confusing to express the UTC equation as follows:

```
UTC = MET + STCF - Leap Seconds
```

Next: Time Configuration Prev: Time Components

Up To: cFE Time Services Overview

## 25.4 Time Configuration

All configurations of TIME require a local processor source for a 1Hz interrupt and access to a local clock with a resolution fine enough that it can be used to measure short periods of elapsed time. The local interrupt is used to wake-up TIME at a regular interval for the purpose of verifying that the tone is being received. The local clock is used to measure time since the tone and to provide coarse verification that the tone is occurring at approximately one second intervals. The presumption is that the tone is the most accurate timer in the system and, within reason, is to be trusted. Note that nothing precludes the use of the MET as the local clock, assuming the MET is both local and provides sub-second data. However, the tone must not be used as the source for the local 1Hz interrupt.

Consider the following brief description of three hypothetical hardware configurations. These sample systems may be used as reference examples to help clarify the descriptions of the various TIME configuration selections.

In the first system, there is no MET timer and therefore no tone signal. The MET is a count of the number of "fake" tones generated by TIME software. There is no validation performed regarding the quality of time data. This hardware configuration is a common lab environment using COTS equipment.

In the second system, the MET timer is a hardware register that is directly accessible by TIME. When MET seconds increment, a processor interrupt signals the tone. Upon detecting the tone, TIME can read the MET to establish the time at the tone. To verify that the tone is valid, TIME need only validate that this tone signal occurred approximately one second after the previous tone signal (as measured with the local clock).

In the third system, the MET is located on hardware connected via spacewire. When MET seconds increment, a spacewire time tick triggers a local processor interrupt to signal the tone. Shortly after announcing the tone, the hardware containing the MET also generates a spacewire data packet containing the MET value corresponding to the tone. The IME must wait until both the tone and data packet have been received before validating the tone. The tone must have occurred approximately one second after the previous tone signal and the data packet must have been received within a specified window in time following the tone.

The hardware design choice for how the tone signal is distributed is not material to TIME configuration. The software detecting the tone need only call the cFE API function announcing the arrival of the tone. This function is designed to be called from interrupt handlers.

For detail on each of the individual configuration settings for cFE Time Services, see the following sections:

- Time Format Selection
- Enabling Fake Tone Signal
- Selecting Tone and Data Ordering
- Specifying Tone and Data Window
- · Specifying Time Server/Client
- Specifying Time Tone Byte Order
- Virtual MET

- · Specifying Time Source
- Specifying Time Signal

Next: Time Services Paradigm(s)

**Prev: Time Formats** 

Up To: cFE Time Services Overview

#### 25.4.1 Time Format Selection

Time format is defined in the mission configuration header file.

This selection defines the default time format as TAI or UTC. The API functions to get time in either specific format are still enabled, but the API function to get time in the default format will follow this selection. Enable one, and **only one**, of the following time format definitions:

```
#define CFE_MISSION_TIME_CFG_DEFAULT_TAI TRUE
#define CFE_MISSION_TIME_CFG_DEFAULT_UTC FALSE

Or
```

#define CFE\_MISSION\_TIME\_CFG\_DEFAULT\_TAI FALSE #define CFE\_MISSION\_TIME\_CFG\_DEFAULT\_UTC TRUE

The choice of time format is a mission specific decision and is not directly affected by the hardware configuration.

See also

CFE\_MISSION\_TIME\_CFG\_DEFAULT\_TAI, CFE\_MISSION\_TIME\_CFG\_DEFAULT\_UTC

Next: Enabling Fake Tone Signal Up To: Time Configuration

#### 25.4.2 Enabling Fake Tone Signal

The fake tone is defined in the mission configuration header file.

If this selection is set to TRUE, TIME will generate a "fake" tone signal by calling the same API function as would be called upon detection of the "real" tone signal. Enable the fake tone only for hardware configurations that do not provide a tone signal.

```
#define CFE_MISSION_TIME_CFG_FAKE_TONE TRUE
```

Hypothetical hardware configuration number one (described above) would enable the fake tone signal.

See also

#### CFE\_MISSION\_TIME\_CFG\_FAKE\_TONE

Next: Selecting Tone and Data Ordering

Prev: Time Format Selection Up To: Time Configuration

#### 25.4.3 Selecting Tone and Data Ordering

Tone and data order is defined in the mission configuration header file.

This selection defines which comes first - the tone or the time at the tone data. Does the time data describe the tone that already occurred, or the tone that has not yet occurred? This decision may be driven by the hardware design but can also be arbitrary. Enable one, and only one, of the following:

```
#define CFE_MISSION_TIME_AT_TONE_WAS #define CFE_MISSION_TIME_AT_TONE_WILL_BE
```

Hypothetical hardware configuration number three (described Time Configuration above) would enable "time at the tone was".

See also

```
CFE MISSION TIME AT TONE WAS, CFE MISSION TIME AT TONE WILL BE
```

Next: Specifying Tone and Data Window Prev: Enabling Fake Tone Signal Up To: Time Configuration

25.4.4 Specifying Tone and Data Window

The tone and data window is defined in the mission configuration header file.

In concert with the definition of tone and data order, this selection defines the valid window in time for the second of the pair to follow the first. Both must be defined, units are micro-seconds.

```
#define CFE_MISSION_TIME_MIN_ELAPSED 0
#define CFE_MISSION_TIME_MAX_ELAPSED 100000
```

Hypothetical hardware configuration number three (described above) might use these values which describe a window that begins immediately after the tone and lasts for one tenth of a second.

See also

CFE\_MISSION\_TIME\_MIN\_ELAPSED, CFE\_MISSION\_TIME\_MAX\_ELAPSED

Next: Specifying Time Server/Client Prev: Selecting Tone and Data Ordering

#### 25.4.5 Specifying Time Server/Client

Configure TIME as a client only when the target system has multiple processors running separate instantiations of the cFE. One instantiation must be configured as the server and the remainder configured as clients. If the target system has only one processor running the cFE, then TIME must be configured as a server.

Enable one, and only one, of the following definitions in the platform configuration header file:

```
#define CFE_PLATFORM_TIME_CFG_SERVER TRUE
#define CFE_PLATFORM_TIME_CFG_CLIENT FALSE

Or

#define CFE_PLATFORM_TIME_CFG_SERVER FALSE
#define CFE_PLATFORM_TIME_CFG_CLIENT TRUE
```

#### See also

## CFE\_PLATFORM\_TIME\_CFG\_SERVER, CFE\_PLATFORM\_TIME\_CFG\_CLIENT

Next: Specifying Time Tone Byte Order Prev: Specifying Tone and Data Window

Up To: Time Configuration

#### 25.4.6 Specifying Time Tone Byte Order

By default, the CFE time tone message is a payload of integers in platform-endian order (containing the tone's timestamp, the leap seconds, and state information.) In some configurations, it may be better to have the payload produced in big-endian order—particularly in mixed-endian environments.

In order to force the tone message to be in big-endian order, you must define the following:

```
#define CFE_PLATFORM_TIME_CFG_BIGENDIAN
```

**Next: Virtual MET** 

Prev: Specifying Time Server/Client

Up To: Time Configuration

#### 25.4.7 Virtual MET

This configuration option refers to whether the MET is local to this instantiation of TIME. If the MET is not local then TIME must be configured as using a virtual MET.

Therefore, all TIME clients must be configured as using a virtual MET. If the MET was local to any TIME client, then that instantiation of TIME would have to be the server.

TIME servers must be configured as using a virtual MET

**Next: Specifying Time Source** 

Prev: Specifying Time Tone Byte Order

#### 25.4.8 Specifying Time Source

TIME configuration provides the ability to specify where the source for time data is originating - either internal or external. In hypothetical system one, the MET is internal. In system two, TIME cannot directly read the MET, therefore time data must be received from an external source.

This selection also enables a command interface to switch between internal and external input. When commanded to use internal time data, TIME will ignore the external data. However, TIME will continue to use the API function as the trigger to generate a "time at the tone" command packet regardless of the internal/external command selection.

Set the following definition to TRUE only for TIME servers using an external time data source.

```
#define CFE_PLATFORM_TIME_CFG_SOURCE TRUE
```

The remainder of this section pertains only to TIME servers configured to accept external time data.

When configured to accept external time data, TIME requires an additional definition for the type of external data (GPS, MET, spacecraft time, etc.). This selection will enable an API function specific to the selected data type. Regardless of how the time data is received, the receiver need only pass the data to the appropriate API function.

TIME servers using an external time data source must set one, and only one, of the following to TRUE, for example:

```
#define CFE_PLATFORM_TIME_CFG_SRC_MET TRUE
#define CFE_PLATFORM_TIME_CFG_SRC_GPS FALSE
#define CFE_PLATFORM_TIME_CFG_SRC_TIME FALSE
```

configuration definitions for the particular source.

If the cfe\_platform\_cfg.h file contains "#define CFE\_PLATFORM\_TIME\_CFG\_SOURCE TRUE" then time is configured to allow switching between internal and external time sources (see CFE\_TIME\_SET\_SOURCE\_CC). If this configuration parameter is set to FALSE then the command to set the source will be rejected.

If this configuration parameter is set to TRUE then ONE and ONLY ONE of the following configuration parameters must also be set TRUE in order to specify the external time source, for example:

```
#define CFE_PLATFORM_TIME_CFG_SRC_MET TRUE
#define CFE_PLATFORM_TIME_CFG_SRC_GPS FALSE
#define CFE_PLATFORM_TIME_CFG_SRC_TIME FALSE
```

Note that Internal MET source depends on available hardware. It may be the local count of tone signals, the contents of a hardware register or an OS specific time function.

Note also that when configured to use an external time source, commands to set the time will be overwritten.

#### See also

CFE\_PLATFORM\_TIME\_CFG\_SRC\_MET, CFE\_PLATFORM\_TIME\_CFG\_SRC\_GPS, CFE\_PLATFORM\_TI

ME CFG\_SRC\_TIME

Next: Specifying Time Signal

Prev: Virtual MET

#### 25.4.9 Specifying Time Signal

Some hardware configurations support a primary and redundant tone signal selection. Setting the following configuration definition to TRUE will result in enabling a TIME command to select the active tone signal.

```
#define CFE_PLATFORM_TIME_CFG_SIGNAL TRUE
```

Note: this feature requires additional custom software to make the physical signal switch.

#### See also

CFE\_PLATFORM\_TIME\_CFG\_SIGNAL

Next: Time Services Paradigm(s)
Prev: Specifying Time Source
Up To: Time Configuration

#### 25.5 Time Format Selection

Time format is defined in the mission configuration header file.

This selection defines the default time format as TAI or UTC. The API functions to get time in either specific format are still enabled, but the API function to get time in the default format will follow this selection. Enable one, and **only one**, of the following time format definitions:

```
#define CFE_MISSION_TIME_CFG_DEFAULT_TAI TRUE
#define CFE_MISSION_TIME_CFG_DEFAULT_UTC FALSE
```

or

```
#define CFE_MISSION_TIME_CFG_DEFAULT_TAI FALSE
#define CFE_MISSION_TIME_CFG_DEFAULT_UTC TRUE
```

The choice of time format is a mission specific decision and is not directly affected by the hardware configuration.

#### See also

CFE\_MISSION\_TIME\_CFG\_DEFAULT\_TAI, CFE\_MISSION\_TIME\_CFG\_DEFAULT\_UTC

Next: Enabling Fake Tone Signal Up To: Time Configuration

## 25.6 Enabling Fake Tone Signal

The fake tone is defined in the mission configuration header file.

If this selection is set to TRUE, TIME will generate a "fake" tone signal by calling the same API function as would be called upon detection of the "real" tone signal. Enable the fake tone only for hardware configurations that do not provide a tone signal.

```
#define CFE_MISSION_TIME_CFG_FAKE_TONE TRUE
```

Hypothetical hardware configuration number one (described above) would enable the fake tone signal.

See also

CFE\_MISSION\_TIME\_CFG\_FAKE\_TONE

Next: Selecting Tone and Data Ordering

Prev: Time Format Selection Up To: Time Configuration

## 25.7 Selecting Tone and Data Ordering

Tone and data order is defined in the mission configuration header file.

This selection defines which comes first - the tone or the time at the tone data. Does the time data describe the tone that already occurred, or the tone that has not yet occurred? This decision may be driven by the hardware design but can also be arbitrary. Enable one, and only one, of the following:

```
#define CFE_MISSION_TIME_AT_TONE_WAS
#define CFE_MISSION_TIME_AT_TONE_WILL_BE
```

Hypothetical hardware configuration number three (described Time Configuration above) would enable "time at the tone was".

See also

CFE\_MISSION\_TIME\_AT\_TONE\_WAS, CFE\_MISSION\_TIME\_AT\_TONE\_WILL\_BE

Next: Specifying Tone and Data Window

Prev: Enabling Fake Tone Signal Up To: Time Configuration

## 25.8 Specifying Tone and Data Window

The tone and data window is defined in the mission configuration header file.

In concert with the definition of tone and data order, this selection defines the valid window in time for the second of the pair to follow the first. Both must be defined, units are micro-seconds.

```
#define CFE_MISSION_TIME_MIN_ELAPSED 0
#define CFE_MISSION_TIME_MAX_ELAPSED 100000
```

Hypothetical hardware configuration number three (described above) might use these values which describe a window that begins immediately after the tone and lasts for one tenth of a second.

#### See also

```
CFE MISSION TIME MIN ELAPSED, CFE MISSION TIME MAX ELAPSED
```

Next: Specifying Time Server/Client
Prev: Selecting Tone and Data Ordering

Up To: Time Configuration

## 25.9 Specifying Time Server/Client

Configure TIME as a client only when the target system has multiple processors running separate instantiations of the cFE. One instantiation must be configured as the server and the remainder configured as clients. If the target system has only one processor running the cFE, then TIME must be configured as a server.

Enable one, and only one, of the following definitions in the platform configuration header file:

```
#define CFE_PLATFORM_TIME_CFG_SERVER TRUE
#define CFE_PLATFORM_TIME_CFG_CLIENT FALSE

Or

#define CFE_PLATFORM_TIME_CFG_SERVER FALSE
#define CFE_PLATFORM_TIME_CFG_CLIENT TRUE
```

## See also

## CFE\_PLATFORM\_TIME\_CFG\_SERVER, CFE\_PLATFORM\_TIME\_CFG\_CLIENT

Next: Specifying Time Tone Byte Order Prev: Specifying Tone and Data Window

## 25.10 Specifying Time Tone Byte Order

By default, the CFE time tone message is a payload of integers in platform-endian order (containing the tone's timestamp, the leap seconds, and state information.) In some configurations, it may be better to have the payload produced in big-endian order—particularly in mixed-endian environments.

In order to force the tone message to be in big-endian order, you must define the following:

#define CFE\_PLATFORM\_TIME\_CFG\_BIGENDIAN

**Next: Virtual MET** 

Prev: Specifying Time Server/Client

Up To: Time Configuration

#### 25.11 Virtual MET

This configuration option refers to whether the MET is local to this instantiation of TIME. If the MET is not local then TIME must be configured as using a virtual MET.

Therefore, all TIME clients must be configured as using a virtual MET. If the MET was local to any TIME client, then that instantiation of TIME would have to be the server.

TIME servers must be configured as using a virtual MET

**Next: Specifying Time Source** 

Prev: Specifying Time Tone Byte Order

Up To: Time Configuration

#### 25.12 Specifying Time Source

TIME configuration provides the ability to specify where the source for time data is originating - either internal or external. In hypothetical system one, the MET is internal. In system two, TIME cannot directly read the MET, therefore time data must be received from an external source.

This selection also enables a command interface to switch between internal and external input. When commanded to use internal time data, TIME will ignore the external data. However, TIME will continue to use the API function as the trigger to generate a "time at the tone" command packet regardless of the internal/external command selection.

Set the following definition to TRUE only for TIME servers using an external time data source.

#define CFE\_PLATFORM\_TIME\_CFG\_SOURCE TRUE

The remainder of this section pertains only to TIME servers configured to accept external time data.

When configured to accept external time data, TIME requires an additional definition for the type of external data (GPS, MET, spacecraft time, etc.). This selection will enable an API function specific to the selected data type. Regardless of how the time data is received, the receiver need only pass the data to the appropriate API function.

TIME servers using an external time data source must set one, and only one, of the following to TRUE, for example:

```
#define CFE_PLATFORM_TIME_CFG_SRC_MET TRUE
#define CFE_PLATFORM_TIME_CFG_SRC_GPS FALSE
#define CFE_PLATFORM_TIME_CFG_SRC_TIME FALSE
```

configuration definitions for the particular source.

If the cfe\_platform\_cfg.h file contains "#define CFE\_PLATFORM\_TIME\_CFG\_SOURCE TRUE" then time is configured to allow switching between internal and external time sources (see CFE\_TIME\_SET\_SOURCE\_CC). If this configuration parameter is set to FALSE then the command to set the source will be rejected.

If this configuration parameter is set to TRUE then ONE and ONLY ONE of the following configuration parameters must also be set TRUE in order to specify the external time source, for example:

```
#define CFE_PLATFORM_TIME_CFG_SRC_MET TRUE
#define CFE_PLATFORM_TIME_CFG_SRC_GPS FALSE
#define CFE_PLATFORM_TIME_CFG_SRC_TIME FALSE
```

Note that Internal MET source depends on available hardware. It may be the local count of tone signals, the contents of a hardware register or an OS specific time function.

Note also that when configured to use an external time source, commands to set the time will be overwritten.

#### See also

```
CFE_PLATFORM_TIME_CFG_SRC_MET, CFE_PLATFORM_TIME_CFG_SRC_GPS, CFE_PLATFORM_TI

ME_CFG_SRC_TIME
```

Next: Specifying Time Signal

Prev: Virtual MET

Up To: Time Configuration

## 25.13 Specifying Time Signal

Some hardware configurations support a primary and redundant tone signal selection. Setting the following configuration definition to TRUE will result in enabling a TIME command to select the active tone signal.

```
#define CFE_PLATFORM_TIME_CFG_SIGNAL TRUE
```

Note: this feature requires additional custom software to make the physical signal switch.

#### See also

```
CFE_PLATFORM_TIME_CFG_SIGNAL
```

Next: Time Services Paradigm(s)
Prev: Specifying Time Source
Up To: Time Configuration

## 25.14 Time Services Paradigm(s)

In order for the cFE Time Services to work for a particular mission, the methods of obtaining time, distributing time and translating time must follow some standard paradigms used in previous missions. The following describes this expected context:

Mission dependent hardware provides the Tone. When this Tone message is received, TIME latches the local time based on the local clock. Note that in lab environments, a simulated Tone capability exists which uses an SB message. Mission dependent hardware also provides the "time at the tone" message based on the hardware latched time and the reference times stored by TIME Server. The TIME Client then updates its local reference time based on the local hardware latched time at the Tone and the provided Time-at-Tone message packet when certain checks (such as the Validity bit being set) pass.

When used in an environment that includes multiple processors, each running a separate instantiation of cFE software, the presumption is that TIME will be distributed in a client/server relationship. In this model, one processor will have TIME configured as the server and the other processors as clients. The TIME server will maintain the various time components and publish a "time at the tone" message to provide synchronized time to the TIME clients. Environments that have only a single instance of TIME must be configured as a TIME server.

In all configurations, the final step in calculating the time "right now" for any instantiation of TIME is to use a local processor clock to measure the "time since the tone".

The specific MET hardware properties will determine whether the MET value can be modified. However, the cFE design is such that there should never be a need to purposefully change or reset the MET.

Regardless of the physical hardware implementation for the MET (elapsed seconds, elapsed ticks, etc.), cFE TIME will convert the hardware MET value into a System Time Format structure for time calculations and will report the converted value in telemetry. cFE TIME will also maintain and report the STCF in a System Time Format structure.

cFE TIME has no knowledge of the current epoch; it is up to the user to keep time on the spacecraft correlated to an epoch. An exception might appear to be the epoch definition required in the cFE mission configuration definition file. However, this definition is for use only by the API functions that convert spacecraft time and file system time, and the API function that prints spacecraft time as a date and time text string. The cFE "get time" functions are independent of the ground epoch.

The mission configuration parameters, CFE\_MISSION\_TIME\_CFG\_DEFAULT\_TAI and CFE\_MISSION\_TIME\_CFG.

\_DEFAULT\_UTC specify the default time format. Applications are encouraged to use the CFE\_TIME\_GetTime API, which returns time in the format specified by this configuration parameter.

Next: Flywheeling Prev: Time Components

Up To: cFE Time Services Overview

#### 25.15 Flywheeling

Flywheeling occurs when TIME is not getting a valid tone signal or external "time at the tone" message. While this has minimal impact on internal operations, it can result in the drifting apart of times being stored by different spacecraft systems.

Flywheeling occurs when at least one of the following conditions is true:

25.16 Time State 79

- · loss of tone signal
- · loss of "time at the tone" data packet
- · signal and packet not within valid window
- · commanded into fly-wheel mode

If the TIME server is in Flywheel mode then the TIME client is also in flywheel mode.

**Next: Time State** 

Prev: Time Services Paradigm(s)
Up To: cFE Time Services Overview

#### 25.16 Time State

Clock state is a combination of factors, most significantly whether the spacecraft time has been accurately set and whether Time Service is operating in FLYWHEEL mode. A ground command is provided to set the state to reflect when the ground has determined the spacecraft time is now correct, or that time is no longer correct. This information will be distributed to Time Clients, and in turn, to any interested sub-systems. If time has not been set then TIME services reports the state of time as invalid, regardless of whether time is flywheeling or not. Also, this command may be used to force a Time Server or Time Client into FLYWHEEL mode. Use of FLYWHEEL mode is mainly for debug purposes although, in extreme circumstances, it may be of value to force Time Service not to rely on normal time updates. Note that when commanded into FLYWHEEL mode, the Time Service will remain so until receipt of another "set state" command setting the state into a mode other than FLYWHEEL. Note also that setting the clock state to VALID or INV  $\leftarrow$  ALID on a Time Client that is currently getting time updates from the Time Server will have very limited effect. As soon as the Time Client receives the next time update, the VALID/INVALID selection will be set to that of the Time Server. However, setting a Time Client to FLYWHEEL cannot be overridden by the Time Server since the Time Client will ignore time updates from the Time Server while in FLYWHEEL mode.

Next: Initialization Prev: Flywheeling

Up To: cFE Time Services Overview

#### 25.17 Initialization

No action is required by the ground to initialize the TIME software; however, time variables in the TIME Server must be set by command to allow correct time to propagate.

For a description of what happens during each type of reset, see below:

- Power-On Reset
- Processor Reset

Next: Power-On Reset Prev: Time State

Up To: cFE Time Services Overview

#### 25.17.1 Power-On Reset

TIME initializes all counters in housekeeping telemetry, sets the Validity state to Invalid, and initializes the STCF, Leap Seconds, and 1 Hz Adjustment to zero.

Next: Processor Reset Up To: Initialization

#### 25.17.2 Processor Reset

In the event of a processor reset, the following time values are preserved:

- MET
- STCF
- · Leap Seconds
- · Clock Signal Selection
- · Current Time Client Delay (if applicable)

Note that since it is virtually impossible for TIME services to validate the actual data that is saved across a processor reset, a signature pattern is written to the preserved area. On a processor reset, TIME queries that signature to make sure that it matches what is expected. If the signature does not match, then TIME is initialized as if a cFE power-on reset occurred.

Next: Normal Operation Prev: Power-On Reset Up To: Initialization

## 25.18 Power-On Reset

TIME initializes all counters in housekeeping telemetry, sets the Validity state to Invalid, and initializes the STCF, Leap Seconds, and 1 Hz Adjustment to zero.

Next: Processor Reset Up To: Initialization

25.19 Processor Reset 81

#### 25.19 Processor Reset

In the event of a processor reset, the following time values are preserved:

- MET
- STCF
- · Leap Seconds
- · Clock Signal Selection
- Current Time Client Delay (if applicable)

Note that since it is virtually impossible for TIME services to validate the actual data that is saved across a processor reset, a signature pattern is written to the preserved area. On a processor reset, TIME queries that signature to make sure that it matches what is expected. If the signature does not match, then TIME is initialized as if a cFE power-on reset occurred.

Next: Normal Operation Prev: Power-On Reset Up To: Initialization

#### 25.20 Initialization

No action is required by the ground to initialize the TIME software; however, time variables in the TIME Server must be set by command to allow correct time to propagate.

For a description of what happens during each type of reset, see below:

- · Power-On Reset
- Processor Reset

Next: Power-On Reset Prev: Time State

Up To: cFE Time Services Overview

#### 25.20.1 Power-On Reset

TIME initializes all counters in housekeeping telemetry, sets the Validity state to Invalid, and initializes the STCF, Leap Seconds, and 1 Hz Adjustment to zero.

Next: Processor Reset Up To: Initialization

#### 25.20.2 Processor Reset

In the event of a processor reset, the following time values are preserved:

- MET
- STCF
- · Leap Seconds
- · Clock Signal Selection
- Current Time Client Delay (if applicable)

Note that since it is virtually impossible for TIME services to validate the actual data that is saved across a processor reset, a signature pattern is written to the preserved area. On a processor reset, TIME queries that signature to make sure that it matches what is expected. If the signature does not match, then TIME is initialized as if a cFE power-on reset occurred.

Next: Normal Operation Prev: Power-On Reset Up To: Initialization

## 25.21 Power-On Reset

TIME initializes all counters in housekeeping telemetry, sets the Validity state to Invalid, and initializes the STCF, Leap Seconds, and 1 Hz Adjustment to zero.

Next: Processor Reset Up To: Initialization

25.22 Processor Reset 83

#### 25.22 Processor Reset

In the event of a processor reset, the following time values are preserved:

- MET
- STCF
- · Leap Seconds
- · Clock Signal Selection
- Current Time Client Delay (if applicable)

Note that since it is virtually impossible for TIME services to validate the actual data that is saved across a processor reset, a signature pattern is written to the preserved area. On a processor reset, TIME queries that signature to make sure that it matches what is expected. If the signature does not match, then TIME is initialized as if a cFE power-on reset occurred.

Next: Normal Operation Prev: Power-On Reset Up To: Initialization

## 25.23 Normal Operation

The following sections describe the operator's responsibilities for maintaining time under nominal conditions:

- Client
- Server

Next: Client Prev: Initialization

Up To: cFE Time Services Overview

#### 25.23.1 Client

Under normal operation, TIME Client systems do not require any attention from the ground, however TIME clients do provide commands to set the persistent latency between the server and client. Latency can be either added or subtracted to the current TIME client time calculation to account for the latency.

Next: Server

**Up To: Normal Operation** 

25.23.2 Server

TIME Servers require maintenance by the operations team to ensure the spacecraft is maintaining a time that can be successfully correlated to other entities. The following sections describe the commands that the operations team can use to help maintain a proper time reference:

- · Setting Time
- · Adjusting Time
- Setting MET

Next: Setting Time Prev: Client

Up To: Normal Operation

25.23.2.1 Setting Time

The Time Server provides commands to set time. The new time value represents the desired offset from mission-defined time epoch and takes effect immediately upon execution of this command. Time Service will calculate a new STCF value based on the current MET and the desired new time using one of the following:

If Time Service is configured to compute current time as TAI:

```
STCF = new time - current MET current time = current MET + STCF
```

If Time Service is configured to compute current time as UTC:

See also

CFE\_TIME\_SET\_TIME\_CC

Next: Adjusting Time Up To: Server

25.24 Client 85

#### 25.23.2.2 Adjusting Time

The TIME Server includes commands to set the STCF, Leap Seconds, and Validity state. The STCF should be set implicitly using the CFE\_TIME\_SET\_TIME\_CC or explicitly using CFE\_TIME\_SET\_STCF\_CC. TIME provides the ability to command a one time adjustment (CFE\_TIME\_ADD\_ADJUST\_CC and CFE\_TIME\_SUB\_ADJUST\_CC) to the current STCF. In addition there is a 1Hz adjustment (CFE\_TIME\_ADD\_1HZ\_ADJUSTMENT\_CC and CFE\_TIME\_SUB\_1HZ\_\Leftarrow ADJUSTMENT\_CC) that can be made to the STCF to compensate for oscillator drift. Mission specific ground correlation should be used to assist in determining the proper values to use. The Leap Seconds should be set to the current TA\Leftarrow I-UTC. Note that the International Earth Rotation and Reference Systems Service Bulletin C, which defines the current difference, reports it as UTC-TAI, and thus that value must be negated. The Leap Seconds value will always be a positive number. The Validity state does not have to be set to invalid to change the STCF or Leap Seconds, and should be set to valid at any time that the TIME Server time reference should be synchronized to by the other systems.

#### See also

CFE\_TIME\_ADD\_ADJUST\_CC, CFE\_TIME\_SUB\_ADJUST\_CC, CFE\_TIME\_SET\_STCF\_CC, CFE\_TIME\_A  $\leftarrow$  DD\_1HZ\_ADJUSTMENT\_CC, CFE\_TIME\_SUB\_1HZ\_ADJUSTMENT\_CC, CFE\_TIME\_SET\_LEAP\_SECOND  $\leftarrow$  S\_CC

Next: Setting MET Prev: Setting Time Up To: Server

25.23.2.3 Setting MET

The TIME Server provides the capability to set the MET. Note that the MET (as implemented for cFE Time Service) is a logical representation and not a physical timer. Thus, setting the MET is not dependent on whether the hardware supports a MET register that can be written to. Note also that Time Service "assumes" that during normal operation, the MET is synchronized to the tone signal. Therefore, unless operating in FLYWHEEL mode, the sub-seconds portion of the MET will be set to zero at the next tone signal interrupt. The new MET takes effect immediately upon execution of this command.

#### See also

CFE\_TIME\_SET\_MET\_CC

**Next: Frequently Asked Questions** 

Prev: Adjusting Time Up To: Server

25.24 Client

Under normal operation, TIME Client systems do not require any attention from the ground, however TIME clients do provide commands to set the persistent latency between the server and client. Latency can be either added or subtracted to the current TIME client time calculation to account for the latency.

Next: Server

**Up To: Normal Operation** 

## 25.25 Server

TIME Servers require maintenance by the operations team to ensure the spacecraft is maintaining a time that can be successfully correlated to other entities. The following sections describe the commands that the operations team can use to help maintain a proper time reference:

- · Setting Time
- · Adjusting Time
- Setting MET

Next: Setting Time Prev: Client

Up To: Normal Operation

25.25.0.1 Setting Time

The Time Server provides commands to set time. The new time value represents the desired offset from mission-defined time epoch and takes effect immediately upon execution of this command. Time Service will calculate a new STCF value based on the current MET and the desired new time using one of the following:

If Time Service is configured to compute current time as TAI:

```
STCF = new time - current MET current time = current MET + STCF
```

If Time Service is configured to compute current time as UTC:

#### See also

CFE\_TIME\_SET\_TIME\_CC

Next: Adjusting Time Up To: Server

25.26 Setting Time 87

#### 25.25.0.2 Adjusting Time

The TIME Server includes commands to set the STCF, Leap Seconds, and Validity state. The STCF should be set implicitly using the CFE\_TIME\_SET\_TIME\_CC or explicitly using CFE\_TIME\_SET\_STCF\_CC. TIME provides the ability to command a one time adjustment (CFE\_TIME\_ADD\_ADJUST\_CC and CFE\_TIME\_SUB\_ADJUST\_CC) to the current STCF. In addition there is a 1Hz adjustment (CFE\_TIME\_ADD\_1HZ\_ADJUSTMENT\_CC and CFE\_TIME\_SUB\_1HZ\_\Leftarrow ADJUSTMENT\_CC) that can be made to the STCF to compensate for oscillator drift. Mission specific ground correlation should be used to assist in determining the proper values to use. The Leap Seconds should be set to the current TA\Leftarrow I-UTC. Note that the International Earth Rotation and Reference Systems Service Bulletin C, which defines the current difference, reports it as UTC-TAI, and thus that value must be negated. The Leap Seconds value will always be a positive number. The Validity state does not have to be set to invalid to change the STCF or Leap Seconds, and should be set to valid at any time that the TIME Server time reference should be synchronized to by the other systems.

#### See also

Next: Setting MET Prev: Setting Time Up To: Server

25.25.0.3 Setting MET

The TIME Server provides the capability to set the MET. Note that the MET (as implemented for cFE Time Service) is a logical representation and not a physical timer. Thus, setting the MET is not dependent on whether the hardware supports a MET register that can be written to. Note also that Time Service "assumes" that during normal operation, the MET is synchronized to the tone signal. Therefore, unless operating in FLYWHEEL mode, the sub-seconds portion of the MET will be set to zero at the next tone signal interrupt. The new MET takes effect immediately upon execution of this command.

#### See also

```
CFE_TIME_SET_MET_CC
```

**Next: Frequently Asked Questions** 

Prev: Adjusting Time Up To: Server

25.26 Setting Time

# The Time Server provides commands to set time. The new time value represents the desired offset from mission-defined time epoch and takes effect immediately upon execution of this command. Time Service will calculate a new STCF value

If Time Service is configured to compute current time as TAI:

based on the current MET and the desired new time using one of the following:

```
STCF = new time - current MET current time = current MET + STCF
```

If Time Service is configured to compute current time as UTC:

See also

CFE TIME SET TIME CC

Next: Adjusting Time Up To: Server

## 25.27 Adjusting Time

The TIME Server includes commands to set the STCF, Leap Seconds, and Validity state. The STCF should be set implicitly using the CFE\_TIME\_SET\_TIME\_CC or explicitly using CFE\_TIME\_SET\_STCF\_CC. TIME provides the ability to command a one time adjustment (CFE\_TIME\_ADD\_ADJUST\_CC and CFE\_TIME\_SUB\_ADJUST\_CC) to the current STCF. In addition there is a 1Hz adjustment (CFE\_TIME\_ADD\_1HZ\_ADJUSTMENT\_CC and CFE\_TIME\_SUB\_1HZ\_\Leftharpoonup ADJUSTMENT\_CC) that can be made to the STCF to compensate for oscillator drift. Mission specific ground correlation should be used to assist in determining the proper values to use. The Leap Seconds should be set to the current TA\Leftharpoonup I-UTC. Note that the International Earth Rotation and Reference Systems Service Bulletin C, which defines the current difference, reports it as UTC-TAI, and thus that value must be negated. The Leap Seconds value will always be a positive number. The Validity state does not have to be set to invalid to change the STCF or Leap Seconds, and should be set to valid at any time that the TIME Server time reference should be synchronized to by the other systems.

See also

CFE\_TIME\_ADD\_ADJUST\_CC, CFE\_TIME\_SUB\_ADJUST\_CC, CFE\_TIME\_SET\_STCF\_CC, CFE\_TIME\_A  $\leftarrow$  DD\_1HZ\_ADJUSTMENT\_CC, CFE\_TIME\_SUB\_1HZ\_ADJUSTMENT\_CC, CFE\_TIME\_SET\_LEAP\_SECOND  $\leftarrow$  S\_CC

Next: Setting MET Prev: Setting Time Up To: Server

## 25.28 Setting MET

The TIME Server provides the capability to set the MET. Note that the MET (as implemented for cFE Time Service) is a logical representation and not a physical timer. Thus, setting the MET is not dependent on whether the hardware supports a MET register that can be written to. Note also that Time Service "assumes" that during normal operation, the MET is synchronized to the tone signal. Therefore, unless operating in FLYWHEEL mode, the sub-seconds portion of the MET will be set to zero at the next tone signal interrupt. The new MET takes effect immediately upon execution of this command.

See also

CFE\_TIME\_SET\_MET\_CC

**Next: Frequently Asked Questions** 

Prev: Adjusting Time Up To: Server

## 25.29 Frequently Asked Questions



**Prev: Normal Operation** 

Up To: cFE Time Services Overview

## 26 cFE Time Services Commands

Upon receipt of any command, the Time Services application will confirm that the message length embedded within the header (from CFE\_MSG\_GetSize()) matches the expected length of that message, based on the size of the C structure defining that command. If there is any discrepancy between the expected and actual message size, TIME will generate the CFE\_TIME\_LEN\_ERR\_EID event, increment the command error counter (\$sc\_\$cpu\_TIME\_CMDEC), and the command will *not* be accepted for processing.

The following is a list of commands that are processed by the cFE Time Services Task.

```
Global CFE TIME ADD 1HZ ADJUSTMENT CC
   Add Delta to Spacecraft Time Correlation Factor each 1Hz
Global CFE TIME ADD ADJUST CC
   Add Delta to Spacecraft Time Correlation Factor
Global CFE TIME ADD DELAY CC
   Add Time to Tone Time Delay
Global CFE TIME NOOP CC
   Time No-Op
Global CFE_TIME_RESET_COUNTERS_CC
   Time Reset Counters
Global CFE_TIME_SEND_DIAGNOSTIC_TLM_CC
   Request TIME Diagnostic Telemetry
Global CFE_TIME_SET_LEAP_SECONDS_CC
   Set Leap Seconds
Global CFE TIME SET MET CC
   Set Mission Elapsed Time
Global CFE TIME SET SIGNAL CC
   Set Tone Signal Source
Global CFE TIME SET SOURCE CC
   Set Time Source
Global CFE_TIME_SET_STATE_CC
   Set Time State
Global CFE TIME SET STCF CC
```

Set Spacecraft Time Correlation Factor

## Global CFE\_TIME\_SET\_TIME\_CC

Set Spacecraft Time

#### Global CFE\_TIME\_SUB\_1HZ\_ADJUSTMENT\_CC

Subtract Delta from Spacecraft Time Correlation Factor each 1Hz

#### Global CFE TIME SUB ADJUST CC

Subtract Delta from Spacecraft Time Correlation Factor

#### Global CFE TIME SUB DELAY CC

Subtract Time from Tone Time Delay

## 27 cFE Time Services Telemetry

The following are telemetry packets generated by the cFE Time Services Task.

## Global CFE\_TIME\_DiagnosticTIm\_Payload\_t

Time Services Diagnostics Packet

## Global CFE\_TIME\_DiagnosticTIm\_Payload\_t

Time Services Diagnostics Packet

## Global CFE\_TIME\_HousekeepingTIm\_Payload\_t

Time Services Housekeeping Packet

## Global CFE\_TIME\_HousekeepingTlm\_Payload\_t

Time Services Housekeeping Packet

## 28 cFE Time Services Configuration Parameters

The following are configuration parameters used to configure the cFE Time Services either for each platform or for a mission as a whole.

## Global CFE MISSION TIME AT TONE WAS

Default Time and Tone Order

## Global CFE\_MISSION\_TIME\_CFG\_DEFAULT\_TAI

Default Time Format

## Global CFE\_MISSION\_TIME\_CFG\_FAKE\_TONE

**Default Time Format** 

## Global CFE\_MISSION\_TIME\_DEF\_MET\_SECS

**Default Time Values** 

## Global CFE\_MISSION\_TIME\_EPOCH\_YEAR

Default EPOCH Values

## Global CFE\_MISSION\_TIME\_FS\_FACTOR

Time File System Factor

#### Global CFE\_MISSION\_TIME\_MIN\_ELAPSED

Min and Max Time Elapsed

#### Global CFE PLATFORM TIME CFG LATCH FLY

Define Periodic Time to Update Local Clock Tone Latch

#### Global CFE PLATFORM TIME CFG SERVER

Time Server or Time Client Selection

#### Global CFE PLATFORM TIME CFG SIGNAL

Include or Exclude the Primary/Redundant Tone Selection Cmd

## Global CFE PLATFORM TIME CFG SOURCE

Include or Exclude the Internal/External Time Source Selection Cmd

#### Global CFE PLATFORM TIME CFG SRC MET

Choose the External Time Source for Server only

#### Global CFE PLATFORM TIME CFG START FLY

Define Time to Start Flywheel Since Last Tone

#### Global CFE PLATFORM TIME CFG TONE LIMIT

Define Timing Limits From One Tone To The Next

#### Global CFE PLATFORM TIME CFG VIRTUAL

Time Tone In Big-Endian Order

Local MET or Virtual MET Selection for Time Servers

## Global CFE PLATFORM TIME MAX DELTA SECS

Define the Max Delta Limits for Time Servers using an Ext Time Source

#### Global CFE PLATFORM TIME MAX LOCAL SECS

Define the Local Clock Rollover Value in seconds and subseconds

#### Global CFE PLATFORM TIME START TASK PRIORITY

Define TIME Task Priorities

## Global CFE\_PLATFORM\_TIME\_START\_TASK\_STACK\_SIZE

Define TIME Task Stack Sizes

## 29 cFE Event Message Cross Reference

The following cross reference maps the text associated with each cFE Event Message to its Event Message Identifier. A user can search this page for the text of the message they wish to learn more about and then click on the associated Event Message Identifier to obtain more information.

## 30 cFE Command Mnemonic Cross Reference

The following cross reference maps the cFE command codes to Command Mnemonics. To learn about the details of a particular command, click on its associated command code.

#### Global CFE ES CLEAR ER LOG CC

\$sc \$cpu ES ClearERLog

```
Global CFE_ES_CLEAR_SYSLOG_CC
  $sc $cpu ES ClearSysLog
Global CFE ES DELETE CDS CC
  $sc_$cpu_ES_DeleteCDS
Global CFE ES DUMP CDS REGISTRY CC
   $sc $cpu ES WriteCDS2File
Global CFE_ES_NOOP_CC
  $sc $cpu ES NOOP
Global CFE_ES_OVER_WRITE_SYSLOG_CC
   $sc $cpu ES OverwriteSysLogMode
Global CFE ES QUERY ALL CC
  $sc_$cpu_ES_WriteAppInfo2File
Global CFE_ES_QUERY_ALL_TASKS_CC
  $sc_$cpu_ES_WriteTaskInfo2File
Global CFE ES QUERY ONE CC
  $sc_$cpu_ES_QueryApp
Global CFE ES RELOAD APP CC
  $sc_$cpu_ES_ReloadApp
Global CFE_ES_RESET_COUNTERS_CC
  $sc_$cpu_ES_ResetCtrs
Global CFE_ES_RESET_PR_COUNT_CC
  $sc $cpu ES ResetPRCnt
Global CFE ES RESTART APP CC
  $sc $cpu ES ResetApp
Global CFE ES RESTART CC
  $sc_$cpu_ES_ProcessorReset, $sc_$cpu_ES_PowerOnReset
Global CFE_ES_SEND_MEM_POOL_STATS_CC
  $sc $cpu ES PoolStats
Global CFE_ES_SET_MAX_PR_COUNT_CC
  $sc_$cpu_ES_SetMaxPRCnt
Global CFE ES SET PERF FILTER MASK CC
  $sc_$cpu_ES_LAFilterMask
Global CFE_ES_SET_PERF_TRIGGER_MASK_CC
  $sc_$cpu_ES_LATriggerMask
Global CFE ES START APP CC
  $sc_$cpu_ES_StartApp
Global CFE ES START PERF DATA CC
  $sc_$cpu_ES_StartLAData
Global CFE ES STOP APP CC
  $sc_$cpu_ES_StopApp
Global CFE_ES_STOP_PERF_DATA_CC
```

\$sc\_\$cpu\_ES\_StopLAData

```
Global CFE_ES_WRITE_ER_LOG_CC
   $sc $cpu ES WriteERLog2File
Global CFE ES WRITE SYSLOG CC
  $sc_$cpu_ES_WriteSysLog2File
Global CFE EVS ADD EVENT FILTER CC
  $sc $cpu EVS AddEvtFltr
Global CFE_EVS_CLEAR_LOG_CC
   $sc $cpu EVS ClrLog
Global CFE_EVS_DELETE_EVENT_FILTER_CC
  $sc $cpu EVS DelEvtFltr
Global CFE EVS DISABLE APP EVENT TYPE CC
  $sc_$cpu_EVS_DisAppEvtType, $sc_$cpu_EVS_DisAppEvtTypeMask
Global CFE EVS DISABLE APP EVENTS CC
  $sc_$cpu_EVS_DisAppEvGen
Global CFE EVS DISABLE EVENT TYPE CC
  $sc_$cpu_EVS_DisEventType, $sc_$cpu_EVS_DisEventTypeMask
Global CFE EVS DISABLE PORTS CC
  $sc_$cpu_EVS_DisPort, $sc_$cpu_EVS_DisPortMask
Global CFE_EVS_ENABLE_APP_EVENT_TYPE_CC
   $sc_$cpu_EVS_EnaAppEvtType, $sc_$cpu_EVS_EnaAppEvtTypeMask
Global CFE_EVS_ENABLE_APP_EVENTS_CC
  $sc_$cpu_EVS_EnaAppEvGen
Global CFE EVS ENABLE EVENT TYPE CC
  $sc $cpu EVS EnaEventType, $sc $cpu EVS EnaEventTypeMask
Global CFE EVS ENABLE PORTS CC
  $sc_$cpu_EVS_EnaPort, $sc_$cpu_EVS_EnaPortMask
Global CFE_EVS_NOOP_CC
  $sc $cpu EVS NOOP
Global CFE_EVS_RESET_ALL_FILTERS_CC
  $sc_$cpu_EVS_RstAllFltrs
Global CFE EVS RESET APP COUNTER CC
  $sc_$cpu_EVS_RstAppCtrs
Global CFE_EVS_RESET_COUNTERS_CC
  $sc_$cpu_EVS_ResetCtrs
Global CFE EVS RESET FILTER CC
  $sc_$cpu_EVS_RstBinFltrCtr
Global CFE EVS SET EVENT FORMAT MODE CC
  $sc_$cpu_EVS_SetEvtFmt
Global CFE EVS SET FILTER CC
  $sc_$cpu_EVS_SetBinFltrMask
Global CFE EVS SET LOG MODE CC
  $sc_$cpu_EVS_SetLogMode
```

```
Global CFE_EVS_WRITE_APP_DATA_FILE_CC
  $sc $cpu EVS WriteAppData2File
Global CFE EVS WRITE LOG DATA FILE CC
  $sc_$cpu_EVS_WriteLog2File
Global CFE SB DISABLE ROUTE CC
   $sc $cpu SB DisRoute
Global CFE_SB_DISABLE_SUB_REPORTING_CC
   $sc $cpu SB DisSubRptg
Global CFE_SB_ENABLE_ROUTE_CC
   $sc $cpu SB EnaRoute
Global CFE SB ENABLE SUB REPORTING CC
  $sc_$cpu_SB_EnaSubRptg
Global CFE SB NOOP CC
  $sc_$cpu_SB_NOOP
Global CFE SB RESET COUNTERS CC
  $sc_$cpu_SB_ResetCtrs
Global CFE SB SEND PREV SUBS CC
  $sc_$cpu_SB_SendPrevSubs
Global CFE_SB_SEND_SB_STATS_CC
  $sc_$cpu_SB_DumpStats
Global CFE_SB_WRITE_MAP_INFO_CC
  $sc_$cpu_SB_WriteMap2File
Global CFE SB WRITE PIPE INFO CC
  $sc $cpu SB WritePipe2File
Global CFE SB WRITE ROUTING INFO CC
  $sc_$cpu_SB_WriteRouting2File
Global CFE_TBL_ABORT_LOAD_CC
  $sc_$cpu_TBL_LOADABORT
Global CFE_TBL_ACTIVATE_CC
  $sc_$cpu_TBL_ACTIVATE
Global CFE TBL DELETE CDS CC
  $sc_$cpu_TBL_DeleteCDS
Global CFE_TBL_DUMP_CC
  $sc_$cpu_TBL_DUMP
Global CFE TBL DUMP REGISTRY CC
  $sc_$cpu_TBL_WriteReg2File
Global CFE TBL LOAD CC
  $sc_$cpu_TBL_Load
Global CFE TBL NOOP CC
  $sc_$cpu_TBL_NOOP
Global CFE TBL RESET COUNTERS CC
```

\$sc\_\$cpu\_TBL\_ResetCtrs

## Global CFE\_TBL\_SEND\_REGISTRY\_CC \$sc \$cpu TBL TLMReg Global CFE\_TBL\_VALIDATE\_CC \$sc\_\$cpu\_TBL\_VALIDATE Global CFE TIME ADD 1HZ ADJUSTMENT CC \$sc\_\$cpu\_TIME\_Add1HzSTCF Global CFE\_TIME\_ADD\_ADJUST\_CC \$sc\_\$cpu\_TIME\_AddSTCFAdj Global CFE\_TIME\_ADD\_DELAY\_CC \$sc \$cpu TIME AddClockLat Global CFE TIME NOOP CC \$sc\_\$cpu\_TIME\_NOOP Global CFE\_TIME\_RESET\_COUNTERS\_CC \$sc\_\$cpu\_TIME\_ResetCtrs Global CFE\_TIME\_SEND\_DIAGNOSTIC\_TLM\_CC \$sc \$cpu TIME RequestDiag Global CFE\_TIME\_SET\_LEAP\_SECONDS\_CC \$sc\_\$cpu\_TIME\_SetClockLeap Global CFE TIME SET MET CC \$sc\_\$cpu\_TIME\_SetClockMET Global CFE\_TIME\_SET\_SIGNAL\_CC \$sc\_\$cpu\_TIME\_SetSignal Global CFE\_TIME\_SET\_SOURCE\_CC \$sc\_\$cpu\_TIME\_SetSource Global CFE TIME SET STATE CC \$sc\_\$cpu\_TIME\_SetState Global CFE\_TIME\_SET\_STCF\_CC \$sc\_\$cpu\_TIME\_SetClockSTCF Global CFE\_TIME\_SET\_TIME\_CC \$sc\_\$cpu\_TIME\_SetClock Global CFE\_TIME\_SUB\_1HZ\_ADJUSTMENT\_CC \$sc\_\$cpu\_TIME\_Sub1HzSTCF Global CFE TIME SUB ADJUST CC \$sc\_\$cpu\_TIME\_SubSTCFAdj Global CFE\_TIME\_SUB\_DELAY\_CC \$sc\_\$cpu\_TIME\_SubClockLat

## 31 cFE Telemetry Mnemonic Cross Reference

The following cross reference maps the cFE telemetry packet members to their associated ground system telemetry mnemonics.

```
Global CFE ES AppInfo::AddressesAreValid
   $sc_$cpu_ES_AddrsValid
Global CFE ES Applnfo::EntryPoint [CFE MISSION MAX API LEN]
   $sc $cpu ES AppEntryPt[OS MAX API NAME]
Global CFE_ES_AppInfo::ExceptionAction
   $sc $cpu ES ExceptnActn
Global CFE ES Applnfo::ExecutionCounter
   $sc_$cpu_ES_ExecutionCtr
Global CFE ES Applnfo::FileName [CFE MISSION MAX PATH LEN]
   $sc_$cpu_ES_AppFilename[OS_MAX_PATH_LEN]
Global CFE_ES_AppInfo::MainTaskId
   $sc_$cpu_ES_MainTaskId
Global CFE ES AppInfo::MainTaskName [CFE MISSION MAX API LEN]
   $sc $cpu ES MainTaskName[OS MAX API NAME]
Global CFE ES Appinfo::Name [CFE MISSION MAX API LEN]
   $sc_$cpu_ES_AppName[OS_MAX_API_NAME]
Global CFE ES Applnfo::NumOfChildTasks
   $sc_$cpu_ES_ChildTasks
Global CFE ES AppInfo::Priority
   $sc_$cpu_ES_Priority
Global CFE_ES_AppInfo::ResourceId
   $sc_$cpu_ES_AppID
Global CFE ES AppInfo::StackSize
   $sc_$cpu_ES_StackSize
Global CFE ES AppInfo::StartAddress
   $sc_$cpu_ES_StartAddr
Global CFE ES Applnfo::Type
   $sc_$cpu_ES_AppType
Global CFE ES HousekeepingTlm Payload::BootSource
   $sc_$cpu_ES_BootSource
Global CFE ES HousekeepingTlm Payload::CFECoreChecksum
   $sc_$cpu_ES_CKSUM
Global CFE_ES_HousekeepingTlm_Payload::CFEMajorVersion
   $sc $cpu ES CFEMAJORVER
Global CFE_ES_HousekeepingTlm_Payload::CFEMinorVersion
   $sc $cpu ES CFEMINORVER
```

```
Global CFE ES HousekeepingTlm Payload::CFEMissionRevision
   $sc $cpu ES CFEMISSIONREV
Global CFE ES HousekeepingTlm Payload::CFERevision
   $sc $cpu ES CFEREVISION
Global CFE_ES_HousekeepingTIm_Payload::CommandCounter
   $sc $cpu ES CMDPC
Global CFE_ES_HousekeepingTIm_Payload::CommandErrorCounter
   $sc $cpu ES CMDEC
Global CFE ES HousekeepingTlm Payload::ERLogEntries
   $sc $cpu ES ERLOGENTRIES
Global CFE ES HousekeepingTlm Payload::ERLogIndex
   $sc_$cpu_ES_ERLOGINDEX
Global CFE ES HousekeepingTlm Payload::HeapBlocksFree
   $sc_$cpu_ES_HeapBlocksFree
Global CFE ES HousekeepingTlm Payload::HeapBytesFree
   $sc_$cpu_ES_HeapBytesFree
Global CFE ES HousekeepingTlm Payload::HeapMaxBlockSize
   $sc_$cpu_ES_HeapMaxBlkSize
Global CFE_ES_HousekeepingTlm_Payload::MaxProcessorResets
   $sc $cpu ES MaxProcResets
Global CFE_ES_HousekeepingTlm_Payload::OSALMajorVersion
   $sc $cpu ES OSMAJORVER
Global CFE_ES_HousekeepingTIm_Payload::OSALMinorVersion
   $sc $cpu ES OSMINORVER
Global CFE_ES_HousekeepingTIm_Payload::OSALMissionRevision
   $sc $cpu ES OSMISSIONREV
Global CFE_ES_HousekeepingTlm_Payload::OSALRevision
   $sc $cpu ES OSREVISION
Global CFE_ES_HousekeepingTlm_Payload::PerfDataCount
   $sc $cpu ES PerfDataCnt
Global CFE ES HousekeepingTlm Payload::PerfDataEnd
   $sc_$cpu_ES_PerfDataEnd
Global CFE ES HousekeepingTlm Payload::PerfDataStart
   $sc_$cpu_ES_PerfDataStart
Global CFE ES HousekeepingTlm Payload::PerfDataToWrite
   $sc $cpu ES PerfData2Write
Global CFE ES HousekeepingTlm Payload::PerfFilterMask [CFE MISSION ES PERF MAX IDS/32]
   $sc_$cpu_ES_PerfFltrMask[MaskCnt]
Global CFE_ES_HousekeepingTIm_Payload::PerfMode
   $sc $cpu ES PerfMode
Global CFE_ES_HousekeepingTIm_Payload::PerfState
   $sc $cpu ES PerfState
```

```
Global CFE ES HousekeepingTlm Payload::PerfTriggerCount
   $sc $cpu ES PerfTrigCnt
Global CFE ES HousekeepingTlm Payload::PerfTriggerMask [CFE MISSION ES PERF MAX IDS/32]
   $sc $cpu ES PerfTrigMask[MaskCnt]
Global CFE_ES_HousekeepingTlm_Payload::ProcessorResets
   $sc $cpu ES ProcResetCnt
Global CFE_ES_HousekeepingTlm_Payload::PSPMajorVersion
   $sc $cpu ES PSPMAJORVER
Global CFE ES HousekeepingTlm Payload::PSPMinorVersion
   $sc $cpu ES PSPMINORVER
Global CFE ES HousekeepingTlm Payload::PSPMissionRevision
   $sc_$cpu_ES_PSPMISSIONREV
Global CFE ES HousekeepingTlm Payload::PSPRevision
   $sc_$cpu_ES_PSPREVISION
Global CFE ES HousekeepingTlm Payload::RegisteredCoreApps
   $sc_$cpu_ES_RegCoreApps
Global CFE ES HousekeepingTlm Payload::RegisteredExternalApps
   $sc_$cpu_ES_RegExtApps
Global CFE ES HousekeepingTlm Payload::RegisteredLibs
   $sc $cpu ES RegLibs
Global CFE_ES_HousekeepingTIm_Payload::RegisteredTasks
   $sc $cpu ES RegTasks
Global CFE_ES_HousekeepingTlm_Payload::ResetSubtype
   $sc $cpu ES ResetSubtype
Global CFE ES HousekeepingTlm Payload::ResetType
   $sc $cpu ES ResetType
Global CFE_ES_HousekeepingTIm_Payload::SysLogBytesUsed
   $sc $cpu ES SYSLOGBYTEUSED
Global CFE_ES_HousekeepingTIm_Payload::SysLogEntries
   $sc $cpu ES SYSLOGENTRIES
Global CFE ES HousekeepingTlm Payload::SysLogMode
   $sc_$cpu_ES_SYSLOGMODE
Global CFE ES HousekeepingTlm Payload::SysLogSize
   $sc_$cpu_ES_SYSLOGSIZE
Global CFE ES MemPoolStats::BlockStats [CFE MISSION ES POOL MAX BUCKETS]
   $sc_$cpu_ES_BlkStats[BLK_SIZES]
Global CFE ES MemPoolStats::CheckErrCtr
   $sc_$cpu_ES_BlkErrCTR
Global CFE ES MemPoolStats::NumBlocksRequested
   $sc $cpu ES BlksREQ
Global CFE_ES_MemPoolStats::NumFreeBytes
   $sc $cpu ES FreeBytes
```

```
Global CFE ES MemPoolStats::PoolSize
   $sc $cpu ES PoolSize
Global CFE ES PoolStatsTlm Payload::PoolHandle
   $sc $cpu ES PoolHandle
Global CFE_EVS_AppTImData::AppEnableStatus
   $sc $cpu EVS APP[CFE PLATFORM ES MAX APPLICATIONS].APPENASTAT
Global CFE EVS AppTImData::AppID
   $sc $cpu EVS APP[CFE PLATFORM ES MAX APPLICATIONS].APPID
Global CFE EVS AppTImData::AppMessageSentCounter
   $sc $cpu EVS APP[CFE PLATFORM ES MAX APPLICATIONS].APPMSGSENTC
Global CFE EVS AppTImData::Padding
  $sc_$cpu_EVS_APP[CFE_PLATFORM_ES_MAX_APPLICATIONS].SPARE2ALIGN3
Global CFE EVS HousekeepingTim Payload::AppData [CFE MISSION ES MAX APPLICATIONS]
  $sc_$cpu_EVS_APP[CFE_PLATFORM_ES_MAX_APPLICATIONS]
Global CFE EVS HousekeepingTlm Payload::CommandCounter
  $sc_$cpu_EVS_CMDPC
Global CFE EVS HousekeepingTlm Payload::CommandErrorCounter
  $sc_$cpu_EVS_CMDEC
Global CFE EVS HousekeepingTlm Payload::LogEnabled
   $sc $cpu EVS LOGENABLED
Global CFE_EVS_HousekeepingTlm_Payload::LogFullFlag
  $sc $cpu EVS LOGFULL
Global CFE_EVS_HousekeepingTlm_Payload::LogMode
  $sc $cpu EVS LOGMODE
Global CFE EVS HousekeepingTlm Payload::LogOverflowCounter
  $sc $cpu EVS LOGOVERFLOWC
Global CFE_EVS_HousekeepingTlm_Payload::MessageFormatMode
  $sc $cpu EVS MSGFMTMODE
Global CFE_EVS_HousekeepingTIm_Payload::MessageSendCounter
  $sc $cpu EVS MSGSENTC
Global CFE EVS HousekeepingTlm Payload::MessageTruncCounter
  $sc_$cpu_EVS_MSGTRUNC
Global CFE EVS HousekeepingTlm Payload::OutputPort
  $sc_$cpu_EVS_OUTPUTPORT
Global CFE EVS HousekeepingTlm Payload::Spare1
  $sc_$cpu_EVS_HK_SPARE1
Global CFE EVS HousekeepingTlm Payload::Spare2
  $sc_$cpu_EVS_HK_SPARE2
Global CFE_EVS_HousekeepingTlm_Payload::Spare3
  $sc $cpu EVS HK SPARE3
Global CFE_EVS_HousekeepingTlm_Payload::UnregisteredAppCounter
   $sc $cpu EVS UNREGAPPC
```

```
Global CFE EVS LongEventTim Payload::Message [CFE MISSION EVS MAX MESSAGE LENGTH]
   $sc $cpu EVS EVENT[CFE MISSION EVS MAX MESSAGE LENGTH]
Global CFE EVS LongEventTlm Payload::Spare1
   $sc $cpu EVS SPARE1
Global CFE_EVS_LongEventTIm_Payload::Spare2
   $sc $cpu EVS SPARE2
Global CFE EVS PacketID::AppName [CFE MISSION MAX API LEN]
   $sc $cpu EVS APPNAME[OS MAX API NAME]
Global CFE_EVS_PacketID::EventID
   $sc $cpu EVS EVENTID
Global CFE EVS PacketID::EventType
   $sc_$cpu_EVS_EVENTTYPE
Global CFE EVS PacketID::ProcessorID
   $sc_$cpu_EVS_PROCESSORID
Global CFE EVS PacketID::SpacecraftID
   $sc $cpu EVS SCID
Global CFE SB HousekeepingTlm Payload::CommandCounter
   $sc_$cpu_SB_CMDPC
Global CFE SB HousekeepingTlm Payload::CommandErrorCounter
   $sc $cpu SB CMDEC
Global CFE_SB_HousekeepingTlm_Payload::CreatePipeErrorCounter
   $sc $cpu SB NewPipeEC
Global CFE_SB_HousekeepingTlm_Payload::DuplicateSubscriptionsCounter
   $sc $cpu SB DupSubCnt
Global CFE SB HousekeepingTlm Payload::GetPipeldByNameErrorCounter
   $sc $cpu SB GetPipeIDByNameEC
Global CFE_SB_HousekeepingTlm_Payload::InternalErrorCounter
   $sc $cpu SB InternalEC
Global CFE_SB_HousekeepingTlm_Payload::MemInUse
   $sc $cpu SB MemInUse
Global CFE SB HousekeepingTlm Payload::MemPoolHandle
   $sc_$cpu_SB_MemPoolHdl
Global CFE SB HousekeepingTlm Payload::MsgLimitErrorCounter
   $sc_$cpu_SB_MsgLimEC
Global CFE SB HousekeepingTlm Payload::MsgReceiveErrorCounter
   $sc $cpu SB MsgRecEC
Global CFE SB HousekeepingTlm Payload::MsgSendErrorCounter
   $sc_$cpu_SB_MsgSndEC
Global CFE_SB_HousekeepingTlm_Payload::NoSubscribersCounter
   $sc $cpu SB NoSubEC
Global CFE_SB_HousekeepingTlm_Payload::PipeOptsErrorCounter
   $sc $cpu SB PipeOptsEC
```

```
Global CFE SB HousekeepingTlm Payload::PipeOverflowErrorCounter
   $sc $cpu SB PipeOvrEC
Global CFE SB HousekeepingTlm Payload::Spare2Align [1]
   $sc $cpu SB Spare2Align[2]
Global CFE_SB_HousekeepingTlm_Payload::SubscribeErrorCounter
   $sc $cpu SB SubscrEC
Global CFE_SB_HousekeepingTlm_Payload::UnmarkedMem
   $sc $cpu SB UnMarkedMem
Global CFE SB PipeDepthStats::CurrentQueueDepth
   $sc $cpu SB Stat.SB SMPDS[CFE PLATFORM SB MAX PIPES].SB PDINUSE
Global CFE SB PipeDepthStats::MaxQueueDepth
   $sc_$cpu_SB_Stat.SB_SMPDS[CFE_PLATFORM_SB_MAX_PIPES].SB_PDDEPTH
Global CFE SB PipeDepthStats::PeakQueueDepth
   $sc_$cpu_SB_Stat.SB_SMPDS[CFE_PLATFORM_SB_MAX_PIPES].SB_PDPKINUSE
Global CFE SB PipeDepthStats::PipeId
   $sc_$cpu_SB_Stat.SB_SMPDS[CFE_PLATFORM_SB_MAX_PIPES].SB_PDPIPEID
Global CFE_SB_PipeDepthStats::Spare
   $sc_$cpu_SB_Stat.SB_SMPDS[CFE_PLATFORM_SB_MAX_PIPES].SB_PDSPARE
Global CFE SB StatsTlm Payload::MaxMemAllowed
   $sc_$cpu_SB_Stat.SB_SMMBMALW
Global CFE_SB_StatsTIm_Payload::MaxMsgldsAllowed
   $sc $cpu SB Stat.SB SMMMIDALW
Global CFE_SB_StatsTIm_Payload::MaxPipeDepthAllowed
   $sc $cpu SB Stat.SB SMMPDALW
Global CFE SB StatsTlm Payload::MaxPipesAllowed
   $sc $cpu SB Stat.SB SMMPALW
Global CFE_SB_StatsTIm_Payload::MaxSubscriptionsAllowed
   $sc $cpu SB Stat.SB SMMSALW
Global CFE SB StatsTlm Payload::MemInUse
   $sc_$cpu_SB_Stat.SB_SMBMIU
Global CFE SB StatsTlm Payload::MsgldsInUse
   $sc_$cpu_SB_Stat.SB_SMMIDIU
Global CFE SB StatsTlm Payload::PeakMemInUse
   $sc_$cpu_SB_Stat.SB_SMPBMIU
Global CFE SB StatsTlm Payload::PeakMsgldsInUse
   $sc_$cpu_SB_Stat.SB_SMPMIDIU
Global CFE SB StatsTlm Payload::PeakPipesInUse
   $sc_$cpu_SB_Stat.SB_SMPPIU
Global CFE SB StatsTlm Payload::PeakSBBuffersInUse
   $sc_$cpu_SB_Stat.SB_SMPSBBIU
Global CFE_SB_StatsTIm_Payload::PeakSubscriptionsInUse
   $sc $cpu SB Stat.SB SMPSIU
```

```
Global CFE SB StatsTIm Payload::PipeDepthStats [CFE MISSION SB MAX PIPES]
   $sc $cpu SB Stat.SB SMPDS[CFE PLATFORM SB MAX PIPES]
Global CFE SB StatsTlm Payload::PipesInUse
   $sc_$cpu_SB_Stat.SB_SMPIU
Global CFE SB StatsTlm Payload::SBBuffersInUse
   $sc $cpu SB Stat.SB SMSBBIU
Global CFE SB StatsTlm Payload::SubscriptionsInUse
   $sc_$cpu_SB_Stat.SB_SMSIU
Global CFE_TBL_HousekeepingTlm_Payload::ActiveBuffer
   $sc $cpu TBL LastValBuf
Global CFE TBL HousekeepingTlm Payload::ByteAlignPad1
   $sc_$cpu_TBL_ByteAlignPad1
Global CFE TBL HousekeepingTlm Payload::CommandCounter
   $sc_$cpu_TBL_CMDPC
Global CFE TBL HousekeepingTlm Payload::CommandErrorCounter
   $sc_$cpu_TBL_CMDEC
Global CFE TBL HousekeepingTlm Payload::FailedValCounter
   $sc_$cpu_TBL_ValFailedCtr
Global CFE TBL HousekeepingTlm Payload::LastFileDumped [CFE MISSION MAX PATH LEN]
   $sc $cpu TBL LastFileDumped[OS MAX PATH LEN]
Global CFE TBL HousekeepingTlm Payload::LastFileLoaded [CFE MISSION MAX PATH LEN]
   $sc_$cpu_TBL_LastFileLoaded[OS_MAX_PATH_LEN]
Global CFE TBL HousekeepingTlm Payload::LastTableLoaded [CFE MISSION TBL MAX FULL NAME LEN]
   $sc_$cpu_TBL_LastTableLoaded[CFE_TBL_MAX_FULL_NAME_LEN]
Global CFE TBL HousekeepingTlm Payload::LastUpdatedTable [CFE MISSION TBL MAX FULL NAME L↔
   EN1
   $sc $cpu TBL LastUpdTblName[CFE TB MAX FULL NAME LEN]
Global CFE TBL HousekeepingTlm Payload::LastUpdateTime
   $sc $cpu TBL LastUpdTime, $sc $cpu TBL SECONDS, $sc $cpu TBL SUBSECONDS
Global CFE TBL HousekeepingTlm Payload::LastValCrc
   $sc_$cpu_TBL_LastValCRC
Global CFE_TBL_HousekeepingTlm_Payload::LastValStatus
   $sc $cpu TBI LastValS
Global CFE TBL HousekeepingTlm Payload::LastValTableName [CFE MISSION TBL MAX FULL NAME L←
   EN]
   $sc_$cpu_TBL_LastValTblName[CFE_TB_MAX_FULL_NAME_LEN]
Global CFE TBL HousekeepingTlm Payload::MemPoolHandle
   $sc $cpu TBL MemPoolHandle
Global CFE_TBL_HousekeepingTlm_Payload::NumFreeSharedBufs
   $sc $cpu TBL NumFreeShrBuf
Global CFE_TBL_HousekeepingTlm_Payload::NumLoadPending
   $sc $cpu TBL NumUpdatesPend
```

```
Global CFE TBL HousekeepingTlm Payload::NumTables
   $sc $cpu TBL NumTables
Global CFE TBL HousekeepingTlm Payload::NumValRequests
   $sc $cpu TBL ValReqCtr
Global CFE_TBL_HousekeepingTlm_Payload::SuccessValCounter
   $sc $cpu TBL ValSuccessCtr
Global CFE_TBL_HousekeepingTlm_Payload::ValidationCounter
   $sc $cpu TBL ValCompltdCtr
Global CFE TBL TblRegPacket Payload::ActiveBufferAddr
   $sc $cpu TBL ActBufAdd
Global CFE TBL TblRegPacket Payload::ByteAlign4
   $sc_$cpu_TBL_Spare4
Global CFE TBL TblRegPacket Payload::Crc
   $sc_$cpu_TBL_CRC
Global CFE TBL TblRegPacket Payload::Critical
   $sc_$cpu_TBL_Spare3
Global CFE TBL TblRegPacket Payload::DoubleBuffered
   $sc_$cpu_TBL_DblBuffered
Global CFE_TBL_TblRegPacket_Payload::DumpOnly
   $sc_$cpu_TBL_DumpOnly
Global CFE_TBL_TblRegPacket_Payload::FileCreateTimeSecs
   $sc $cpu TBL FILECSECONDS
Global CFE TBL TblRegPacket Payload::FileCreateTimeSubSecs
   $sc $cpu TBL FILECSUBSECONDS
Global CFE TBL TblRegPacket Payload::InactiveBufferAddr
   $sc $cpu TBL IActBufAdd
Global CFE_TBL_TblRegPacket_Payload::LastFileLoaded [CFE_MISSION_MAX_PATH_LEN]
   $sc $cpu TBL LastFileUpd[OS MAX PATH LEN]
Global CFE TBL TblRegPacket Payload::LoadPending
   $sc_$cpu_TBL_UpdatePndng
Global CFE TBL TblRegPacket Payload::Name [CFE MISSION TBL MAX FULL NAME LEN]
   $sc_$cpu_TBL_Name[CFE_TB_MAX_FULL_NAME_LEN]
Global CFE TBL TblRegPacket Payload::OwnerAppName [CFE MISSION MAX API LEN]
   $sc_$cpu_TBL_OwnerApp[OS_MAX_API_NAME]
Global CFE TBL TblRegPacket Payload::Size
   $sc_$cpu_TBL_SIZE
Global CFE TBL TblRegPacket Payload::TableLoadedOnce
   $sc_$cpu_TBL_LoadedOnce
Global CFE_TBL_TblRegPacket_Payload::TimeOfLastUpdate
   $sc_$cpu_TBL_TimeLastUpd, $sc_$cpu_TBL_TLUSECONDS, $sc_$cpu_TBL_TLUSUBSECONDS
Global CFE_TBL_TblRegPacket_Payload::ValidationFuncPtr
   $sc_$cpu_TBL_ValFuncPtr
```

```
Global CFE_TIME_DiagnosticTIm_Payload::AtToneDelay
   $sc $cpu TIME DLatentS, $sc $cpu TIME DLatentSs
Global CFE TIME DiagnosticTlm Payload::AtToneLatch
   $sc $cpu TIME DTValidS, $sc $cpu TIME DTValidSs
Global CFE_TIME_DiagnosticTIm_Payload::AtToneLeapSeconds
   $sc $cpu TIME DLeapS
Global CFE TIME DiagnosticTlm Payload::AtToneMET
   $sc $cpu TIME DTMETS, $sc $cpu TIME DTMETSs
Global CFE_TIME_DiagnosticTIm_Payload::AtToneSTCF
   $sc $cpu TIME DSTCFS, $sc $cpu TIME DSTCFSS
Global CFE TIME DiagnosticTIm Payload::ClockFlyState
   $sc_$cpu_TIME_DFlywheel
Global CFE TIME DiagnosticTlm Payload::ClockSetState
   $sc $cpu TIME DValid
Global CFE TIME DiagnosticTlm Payload::ClockSignal
   $sc $cpu TIME DSignal
Global CFE_TIME_DiagnosticTIm_Payload::ClockSource
   $sc $cpu TIME DSource
Global CFE TIME DiagnosticTlm Payload::ClockStateAPI
   $sc $cpu TIME DAPIState
Global CFE TIME DiagnosticTlm Payload::ClockStateFlags
   $sc_$cpu_TIME_DStateFlags, $sc_$cpu_TIME_DFlagSet, $sc_$cpu_TIME_DFlagFly, $sc_$cpu_TIME_DFlagSrc,
   $sc $cpu TIME DFlagPri, $sc $cpu TIME DFlagSfly, $sc $cpu TIME DFlagCfly, $sc $cpu TIME DFlagAdjd,
   $sc $cpu TIME DFlag1Hzd, $sc $cpu TIME DFlagClat, $sc $cpu TIME DFlagSorC, $sc $cpu TIME DFlag↔
Global CFE_TIME_DiagnosticTIm_Payload::CurrentLatch
   $sc $cpu TIME DLocalS, $sc $cpu TIME DLocalSs
Global CFE_TIME_DiagnosticTIm_Payload::CurrentMET
   $sc_$cpu_TIME_DMETS, $sc_$cpu_TIME_DMETSs
Global CFE TIME DiagnosticTlm Payload::CurrentTAI
   $sc_$cpu_TIME_DTAIS, $sc_$cpu_TIME_DTAISS
Global CFE TIME DiagnosticTIm Payload::CurrentUTC
   $sc_$cpu_TIME_DUTCS, $sc_$cpu_TIME_DUTCSS
Global CFE_TIME_DiagnosticTIm_Payload::DataStoreStatus
   $sc $cpu TIME DataStStat
Global CFE TIME DiagnosticTIm Payload::DelayDirection
   $sc $cpu TIME DLatentDir
Global CFE TIME DiagnosticTlm Payload::Forced2Fly
   $sc $cpu TIME DCMD2Fly
Global CFE_TIME_DiagnosticTIm_Payload::LocalIntCounter
   $sc $cpu TIME D1HzISRCNT
```

```
Global CFE TIME DiagnosticTlm Payload::LocalTaskCounter
   $sc $cpu TIME D1HzTaskCNT
Global CFE TIME DiagnosticTlm Payload::MaxElapsed
   $sc_$cpu_TIME_DMaxWindow
Global CFE_TIME_DiagnosticTIm_Payload::MaxLocalClock
   $sc $cpu TIME DWrapS, $sc $cpu TIME DWrapSs
Global CFE TIME DiagnosticTIm Payload::MinElapsed
   $sc $cpu TIME DMinWindow
Global CFE TIME DiagnosticTlm Payload::OneHzAdjust
   $sc $cpu TIME D1HzAdjS, $sc $cpu TIME D1HzAdjSs
Global CFE TIME DiagnosticTIm Payload::OneHzDirection
   $sc_$cpu_TIME_D1HzAdjDir
Global CFE TIME DiagnosticTIm Payload::OneTimeAdjust
   $sc_$cpu_TIME_DAdjustS, $sc_$cpu_TIME_DAdjustSs
Global CFE TIME DiagnosticTlm Payload::OneTimeDirection
   $sc_$cpu_TIME_DAdjustDir
Global CFE TIME DiagnosticTlm Payload::ServerFlyState
   $sc_$cpu_TIME_DSrvFly
Global CFE TIME DiagnosticTIm Payload::TimeSinceTone
   $sc_$cpu_TIME_DElapsedS, $sc_$cpu_TIME_DElapsedSs
Global CFE_TIME_DiagnosticTIm_Payload::ToneDataCounter
   $sc $cpu TIME DTatTCNT
Global CFE_TIME_DiagnosticTIm_Payload::ToneDataLatch
   $sc $cpu TIME DTDS, $sc $cpu TIME DTDSs
Global CFE TIME DiagnosticTIm Payload::ToneIntCounter
   $sc $cpu TIME DTsISRCNT
Global CFE_TIME_DiagnosticTIm_Payload::ToneIntErrorCounter
   $sc $cpu TIME DTsISRERR
Global CFE_TIME_DiagnosticTIm_Payload::ToneMatchCounter
   $sc_$cpu_TIME_DVerifyCNT
Global CFE TIME DiagnosticTlm Payload::ToneMatchErrorCounter
   $sc_$cpu_TIME_DVerifyER
Global CFE TIME DiagnosticTlm Payload::ToneOverLimit
   $sc_$cpu_TIME_DMaxSs
Global CFE TIME DiagnosticTIm Payload::ToneSignalCounter
   $sc_$cpu_TIME_DTSDetCNT
Global CFE TIME DiagnosticTIm Payload::ToneSignalLatch
   $sc_$cpu_TIME_DTTS, $sc_$cpu_TIME_DTTSs
Global CFE_TIME_DiagnosticTIm_Payload::ToneTaskCounter
   $sc_$cpu_TIME_DTsTaskCNT
Global CFE_TIME_DiagnosticTIm_Payload::ToneUnderLimit
   $sc $cpu TIME DMinSs
```

```
Global CFE TIME DiagnosticTIm Payload::VersionCounter
   $sc $cpu TIME DVersionCNT
Global CFE TIME DiagnosticTlm Payload::VirtualMET
   $sc_$cpu_TIME_DLogicalMET
Global CFE TIME HousekeepingTlm Payload::ClockStateAPI
   $sc $cpu TIME DAPIState
Global CFE_TIME_HousekeepingTIm_Payload::ClockStateFlags
   $sc_$cpu_TIME_StateFlg, $sc_$cpu_TIME_FlagSet, $sc_$cpu_TIME_FlagFly, $sc_$cpu_TIME_FlagSrc, $sc_↔
   $cpu_TIME_FlagPri, $sc_$cpu_TIME_FlagSfly, $sc_$cpu_TIME_FlagCfly, $sc_$cpu_TIME_FlagAdjd, $sc_$cpu
   _TIME_Flag1Hzd, $sc_$cpu_TIME_FlagClat, $sc_$cpu_TIME_FlagSorC, $sc_$cpu_TIME_FlagNIU
Global CFE TIME HousekeepingTlm Payload::CommandCounter
   $sc $cpu TIME CMDPC
Global CFE TIME HousekeepingTlm Payload::CommandErrorCounter
   $sc_$cpu_TIME_CMDEC
Global CFE TIME HousekeepingTlm Payload::LeapSeconds
   $sc $cpu TIME LeapSecs
Global CFE TIME HousekeepingTlm Payload::Seconds1HzAdj
   $sc $cpu TIME 1HzAdjSecs
Global CFE TIME HousekeepingTlm Payload::SecondsDelay
   $sc_$cpu_TIME_1HzAdjSecs
Global CFE_TIME_HousekeepingTIm_Payload::SecondsMET
   $sc_$cpu_TIME_METSecs
Global CFE_TIME_HousekeepingTIm_Payload::SecondsSTCF
   $sc $cpu TIME STCFSecs
Global CFE TIME HousekeepingTlm Payload::Subsecs1HzAdj
   $sc $cpu TIME 1HzAdjSSecs
Global CFE TIME HousekeepingTlm Payload::SubsecsDelay
   $sc $cpu TIME 1HzAdjSSecs
Global CFE TIME HousekeepingTlm Payload::SubsecsMET
   $sc_$cpu_TIME_METSubsecs
Global CFE_TIME_HousekeepingTIm_Payload::SubsecsSTCF
   $sc $cpu TIME STCFSubsecs
    cFE Mission Configuration Parameters
Global CFE MISSION ES HK TLM MSG
   cFE Portable Message Numbers for Telemetry
Global CFE_MISSION_EVS_CMD_MSG
   cFE Portable Message Numbers for Commands
Global CFE MISSION MAX API LEN
```

cFE Maximum length for API names within data exchange structures

33 Module Index

## Global CFE\_MISSION\_MAX\_FILE\_LEN

cFE Maximum length for filenames within data exchange structures

## Global CFE\_MISSION\_MAX\_PATH\_LEN

cFE Maximum length for pathnames within data exchange structures

## Global CFE\_MISSION\_TIME\_DATA\_CMD\_MSG

cFE Portable Message Numbers for Global Messages

# 33 Module Index

#### 33.1 Modules

Here is a list of all modules:

cFE Return Code Defines	120
cFE Resource ID APIs	157
cFE Entry/Exit APIs	161
cFE Application Control APIs	163
cFE Application Behavior APIs	166
cFE Information APIs	171
cFE Child Task APIs	181
cFE Miscellaneous APIs	186
cFE Critical Data Store APIs	190
cFE Memory Manager APIs	195
cFE Performance Monitor APIs	203
cFE Generic Counter APIs	206
cFE Registration APIs	214
cFE Send Event APIs	216
cFE Reset Event Filter APIs	221
cFE File Header Management APIs	223
cFE File Utility APIs	228
cFE Generic Message APIs	234
cFE Message Primary Header APIs	235
cFE Message Extended Header APIs	245

cFE Message Secondary Header APIs	252
cFE Message Id APIs	258
cFE Pipe Management APIs	261
cFE Message Subscription Control APIs	268
cFE Send/Receive Message APIs	274
cFE Zero Copy APIs	277
cFE Message Characteristics APIs	280
cFE Message ID APIs	285
cFE SB Pipe options	288
cFE Registration APIs	289
cFE Manage Table Content APIs	295
cFE Access Table Content APIs	303
cFE Get Table Information APIs	308
cFE Table Type Defines	312
cFE Get Current Time APIs	315
cFE Get Time Information APIs	319
cFE Time Arithmetic APIs	322
cFE Time Conversion APIs	325
cFE External Time Source APIs	328
cFE Miscellaneous Time APIs	333
cFE Resource ID base values	335
cFE Clock State Flag Defines	337
OSAL Semaphore State Defines	340
OSAL Binary Semaphore APIs	341
OSAL BSP low level access APIs	347
OSAL Real Time Clock APIs	348
OSAL Core Operation APIs	360
OSAL Counting Semaphore APIs	364
OSAL Directory APIs	370
OSAL Return Code Defines	375

34 Data Structure Index	109
-------------------------	-----

OSAL Error Info APIs	386
OSAL File Access Option Defines	388
OSAL Reference Point For Seek Offset Defines	389
OSAL Standard File APIs	390
OSAL File System Level APIs	403
OSAL Heap APIs	412
OSAL Object Type Defines	413
OSAL Object ID Utility APIs	417
OSAL Dynamic Loader and Symbol APIs	424
OSAL Mutex APIs	429
OSAL Network ID APIs	434
OSAL Printf APIs	436
OSAL Message Queue APIs	438
OSAL Select APIs	443
OSAL Shell APIs	448
OSAL Socket Address APIs	449
OSAL Socket Management APIs	453
OSAL Task APIs	461
OSAL Time Base APIs	468
OSAL Timer APIs	474
34 Data Structure Index	
34.1 Data Structures	
Here are the data structures with brief descriptions:	
CCSDS_ExtendedHeader CCSDS packet extended header	481
CCSDS_PrimaryHeader	
CCSDS packet primary header	482
CFE_ES_AppInfo Application Information	483

CFE_ES_AppNameCmd Generic application name command	488
CFE_ES_AppNameCmd_Payload  Generic application name command payload	489
CFE_ES_AppReloadCmd_Payload Reload Application Command Payload	490
CFE_ES_BlockStats Block statistics	491
CFE_ES_CDSRegDumpRec CDS Register Dump Record	492
CFE_ES_DeleteCDSCmd Delete Critical Data Store Command	494
CFE_ES_DeleteCDSCmd_Payload  Delete Critical Data Store Command Payload	495
CFE_ES_DumpCDSRegistryCmd Dump CDS Registry Command	496
CFE_ES_DumpCDSRegistryCmd_Payload Dump CDS Registry Command Payload	497
CFE_ES_FileNameCmd Generic file name command	498
CFE_ES_FileNameCmd_Payload Generic file name command payload	499
CFE_ES_HousekeepingTlm	500
CFE_ES_HousekeepingTlm_Payload	500
CFE_ES_MemAddOff	513
CFE_ES_MemPoolStats Memory Pool Statistics	514
CFE_ES_MemStatsTlm	516
CFE_ES_NoArgsCmd Generic "no arguments" command	517
CFE_ES_OneAppTIm	518
CFE_ES_OneAppTIm_Payload	519
CFE_ES_OverWriteSysLogCmd Overwrite/Discard System Log Configuration Command Payload	520
CFE_ES_OverWriteSysLogCmd_Payload Overwrite/Discard System Log Configuration Command Payload	521

34.1 Data Structures 111

CFE_ES_PoolAlign Pool Alignment	522
CFE_ES_PoolStatsTIm_Payload	523
CFE_ES_ReloadAppCmd Reload Application Command	524
CFE_ES_RestartCmd Restart cFE Command	525
CFE_ES_RestartCmd_Payload Restart cFE Command Payload	526
CFE_ES_SendMemPoolStatsCmd Send Memory Pool Statistics Command	527
CFE_ES_SendMemPoolStatsCmd_Payload Send Memory Pool Statistics Command Payload	528
CFE_ES_SetMaxPRCountCmd Set Maximum Processor Reset Count Command	529
CFE_ES_SetMaxPRCountCmd_Payload Set Maximum Processor Reset Count Command Payload	530
CFE_ES_SetPerfFilterMaskCmd Set Performance Analyzer Filter Mask Command	530
CFE_ES_SetPerfFilterMaskCmd_Payload Set Performance Analyzer Filter Mask Command Payload	531
CFE_ES_SetPerfTriggerMaskCmd Set Performance Analyzer Trigger Mask Command	532
CFE_ES_SetPerfTrigMaskCmd_Payload Set Performance Analyzer Trigger Mask Command Payload	533
CFE_ES_StartApp Start Application Command	534
CFE_ES_StartAppCmd_Payload Start Application Command Payload	535
CFE_ES_StartPerfCmd_Payload Start Performance Analyzer Command Payload	537
CFE_ES_StartPerfDataCmd Start Performance Analyzer Command	538
CFE_ES_StopPerfCmd_Payload Stop Performance Analyzer Command Payload	539
CFE_ES_StopPerfDataCmd Stop Performance Analyzer Command	540

CFE_ES_TaskInfo Task Information	<b>54</b> 1
CFE_EVS_AppDataCmd_Payload Write Event Services Application Information to File Command Payload	544
CFE_EVS_AppNameBitMaskCmd Generic App Name and Bitmask Command	544
CFE_EVS_AppNameBitMaskCmd_Payload Generic App Name and Bitmask Command Payload	545
CFE_EVS_AppNameCmd Generic App Name Command	547
CFE_EVS_AppNameCmd_Payload Generic App Name Command Payload	548
CFE_EVS_AppNameEventIDCmd Generic App Name and Event ID Command	549
CFE_EVS_AppNameEventIDCmd_Payload Generic App Name and Event ID Command Payload	550
CFE_EVS_AppNameEventIDMaskCmd Generic App Name, Event ID, Mask Command	<b>55</b> 1
CFE_EVS_AppNameEventIDMaskCmd_Payload Generic App Name, Event ID, Mask Command Payload	552
CFE_EVS_AppTImData	553
CFE_EVS_BinFilter Event message filter definition structure	554
CFE_EVS_BitMaskCmd Generic Bitmask Command	555
CFE_EVS_BitMaskCmd_Payload Generic Bitmask Command Payload	556
CFE_EVS_HousekeepingTlm	557
CFE_EVS_HousekeepingTlm_Payload	558
CFE_EVS_LogFileCmd_Payload Write Event Log to File Command Payload	563
CFE_EVS_LongEventTlm	564
CFE_EVS_LongEventTim_Payload	565
CFE_EVS_NoArgsCmd Command with no additional arguments	567
CFE_EVS_PacketID	567

34.1 Data Structures 113

CFE_EVS_SetEventFormatCode_Payload Set Event Format Mode Command Payload	569
CFE_EVS_SetEventFormatModeCmd Set Event Format Mode Command	570
CFE_EVS_SetLogMode_Payload Set Log Mode Command Payload	571
CFE_EVS_SetLogModeCmd Set Log Mode Command	572
CFE_EVS_ShortEventTIm	573
CFE_EVS_ShortEventTIm_Payload	574
CFE_EVS_WriteAppDataFileCmd Write Event Services Application Information to File Command	575
CFE_EVS_WriteLogDataFileCmd Write Event Log to File Command	576
CFE_FS_FileWriteMetaData External Metadata/State object associated with background file writes	577
CFE_FS_Header Standard cFE File header structure definition	579
CFE_SB_AllSubscriptionsTlm	581
CFE_SB_AllSubscriptionsTlm_Payload	582
CFE_SB_HousekeepingTlm	584
CFE_SB_HousekeepingTlm_Payload	585
CFE_SB_Msg Software Bus generic message	590
CFE_SB_Msgld_t CFE_SB_Msgld_t type definition	591
CFE_SB_MsgMapFileEntry SB Map File Entry	592
CFE_SB_PipeDepthStats SB Pipe Depth Statistics	593
CFE_SB_PipeInfoEntry SB Pipe Information File Entry	595
CFE_SB_Qos_t Quality Of Service Type Definition	598
CFE_SB_RouteCmd Enable/Disable Route Command	599

CFE_SB_RouteCmd_Payload Enable/Disable Route Command Payload	600
CFE_SB_RoutingFileEntry	
SB Routing File Entry	602
CFE_SB_SingleSubscriptionTlm	604
CFE_SB_SingleSubscriptionTlm_Payload	604
CFE_SB_StatsTlm	606
CFE_SB_StatsTlm_Payload	607
CFE_SB_SubEntries SB Previous Subscriptions Entry	612
CFE_SB_WriteFileInfoCmd Write File Info Command	614
CFE_SB_WriteFileInfoCmd_Payload Write File Info Command Payload	615
CFE_TBL_AbortLoadCmd Abort Load Command	615
CFE_TBL_AbortLoadCmd_Payload Abort Load Command Payload	616
CFE_TBL_ActivateCmd Activate Table Command	617
CFE_TBL_ActivateCmd_Payload Activate Table Command Payload	618
CFE_TBL_DelCDSCmd_Payload  Delete Critical Table CDS Command Payload	619
CFE_TBL_DeleteCDSCmd  Delete Critical Table CDS Command	620
CFE_TBL_DumpCmd	621
CFE_TBL_DumpCmd_Payload  Dump Table Command Payload	622
CFE_TBL_DumpRegistryCmd Dump Registry Command	623
CFE_TBL_DumpRegistryCmd_Payload Dump Registry Command Payload	624
CFE_TBL_File_Hdr The definition of the header fields that are included in CFE Table Data files	625
CFE_TBL_FileDef	627

34.1 Data Structures 115

CFE_TBL_HousekeepingTlm	628
CFE_TBL_HousekeepingTlm_Payload	629
CFE_TBL_Info Table Info	635
CFE_TBL_LoadCmd Load Table Command	639
CFE_TBL_LoadCmd_Payload  Load Table Command Payload	640
CFE_TBL_NoArgsCmd Generic "no arguments" command	641
CFE_TBL_NotifyCmd	641
CFE_TBL_NotifyCmd_Payload Table Management Notification Command Payload	642
CFE_TBL_SendRegistryCmd Send Table Registry Command	643
CFE_TBL_SendRegistryCmd_Payload Send Table Registry Command Payload	644
CFE_TBL_TableRegistryTIm	645
CFE_TBL_TblRegPacket_Payload	646
CFE_TBL_ValidateCmd Validate Table Command	652
CFE_TBL_ValidateCmd_Payload  Validate Table Command Payload	653
CFE_TIME_DiagnosticTIm	654
CFE_TIME_DiagnosticTIm_Payload	654
CFE_TIME_HousekeepingTlm	667
CFE_TIME_HousekeepingTlm_Payload	668
CFE_TIME_LeapsCmd_Payload Set leap seconds command payload	672
CFE_TIME_NoArgsCmd Generic no argument command	673
CFE_TIME_OneHzAdjustmentCmd Generic seconds, subseconds adjustment command	674
CFE_TIME_OneHzAdjustmentCmd_Payload Generic seconds, subseconds command payload	675

CFE_TIME_SetLeapSecondsCmd	
Set leap seconds command	676
CFE_TIME_SetSignalCmd	
Set tone signal source command	677
CFE_TIME_SetSourceCmd	
Set time data source command	678
CFE_TIME_SetStateCmd	
Set clock state command	679
CFE_TIME_SignalCmd_Payload	
Set tone signal source command payload	680
CFE_TIME_SourceCmd_Payload	
Set time data source command payload	681
CFE_TIME_StateCmd_Payload	
Set clock state command payload	681
CFE_TIME_SysTime	
Data structure used to hold system time values	682
CFE_TIME_TimeCmd	
Generic seconds, microseconds argument command	683
CFE_TIME_TimeCmd_Payload	
Generic seconds, microseconds command payload	684
CFE_TIME_ToneDataCmd	
Time at tone data command	685
CFE_TIME_ToneDataCmd_Payload	
Time at tone data command payload	686
OS_bin_sem_prop_t	
OSAL binary semaphore properties	688
OS_count_sem_prop_t	
OSAL counting semaphore properties	689
os_dirent_t	
Directory entry	690
OS_FdSet	
An abstract structure capable of holding several OSAL IDs	690
OS_file_prop_t	CO4
OSAL file properties	691
os_fsinfo_t	
OSAL file system info	692
os_fstat_t	004
File system status	694

35 File Index 117

OS_heap_prop_t OSAL heap properties	695
OS_module_address_t OSAL module address properties	696
OS_module_prop_t OSAL module properties	698
OS_mut_sem_prop_t OSAL mutex properties	699
OS_queue_prop_t OSAL queue properties	700
OS_SockAddr_t Encapsulates a generic network address	701
OS_SockAddrData_t Storage buffer for generic network address	702
OS_socket_prop_t Encapsulates socket properties	704
OS_static_symbol_record_t Associates a single symbol name with a memory address	705
OS_statvfs_t	706
OS_task_prop_t OSAL task properties	707
OS_time_t OSAL time interval structure	708
OS_timebase_prop_t Time base properties	709
OS_timer_prop_t Timer properties	710
35 File Index	
35.1 File List	
Here is a list of all files with brief descriptions:	
build/docs/osconfig-example.h	712
cpu1_msgids.h	721
cpu1_platform_cfg.h	729

sample_mission_cfg.h	786
sample_perfids.h	807
cfe/modules/core_api/fsw/inc/cfe.h	811
cfe/modules/core_api/fsw/inc/cfe_config.h	811
cfe/modules/core_api/fsw/inc/cfe_config_api_typedefs.h	815
cfe/modules/core_api/fsw/inc/cfe_endian.h	816
cfe/modules/core_api/fsw/inc/cfe_error.h	817
cfe/modules/core_api/fsw/inc/cfe_es.h	826
cfe/modules/core_api/fsw/inc/cfe_es_api_typedefs.h	830
cfe/modules/core_api/fsw/inc/cfe_es_extern_typedefs.h	837
cfe/modules/core_api/fsw/inc/cfe_evs.h	849
cfe/modules/core_api/fsw/inc/cfe_evs_api_typedefs.h	851
cfe/modules/core_api/fsw/inc/cfe_evs_extern_typedefs.h	<b>85</b> 4
cfe/modules/core_api/fsw/inc/cfe_fs.h	859
cfe/modules/core_api/fsw/inc/cfe_fs_api_typedefs.h	860
cfe/modules/core_api/fsw/inc/cfe_fs_extern_typedefs.h	863
cfe/modules/core_api/fsw/inc/cfe_msg.h	866
cfe/modules/core_api/fsw/inc/cfe_msg_api_typedefs.h	868
cfe/modules/core_api/fsw/inc/cfe_resourceid.h	876
cfe/modules/core_api/fsw/inc/cfe_resourceid_api_typedefs.h	883
cfe/modules/core_api/fsw/inc/cfe_sb.h	885
cfe/modules/core_api/fsw/inc/cfe_sb_api_typedefs.h	887
cfe/modules/core_api/fsw/inc/cfe_sb_extern_typedefs.h	892
cfe/modules/core_api/fsw/inc/cfe_tbl.h	896
cfe/modules/core_api/fsw/inc/cfe_tbl_api_typedefs.h	897
cfe/modules/core_api/fsw/inc/cfe_tbl_extern_typedefs.h	900
cfe/modules/core_api/fsw/inc/cfe_tbl_filedef.h	902
cfe/modules/core_api/fsw/inc/cfe_time.h	904
cfe/modules/core_api/fsw/inc/cfe_time_api_typedefs.h	906
cfe/modules/core_api/fsw/inc/cfe_time_extern_typedefs.h	908

35.1 File List 119

cfe/modules/core_api/fsw/inc/cfe_version.h	914
cfe/modules/es/fsw/inc/cfe_es_events.h	917
cfe/modules/es/fsw/inc/cfe_es_msg.h	950
cfe/modules/evs/fsw/inc/cfe_evs_events.h	986
cfe/modules/evs/fsw/inc/cfe_evs_msg.h	1000
cfe/modules/msg/fsw/inc/ccsds_hdr.h	1032
cfe/modules/resourceid/fsw/inc/cfe_core_resourceid_basevalues.h	1033
cfe/modules/resourceid/fsw/inc/cfe_resourceid_basevalue.h	1034
cfe/modules/sb/fsw/inc/cfe_sb_events.h	1036
cfe/modules/sb/fsw/inc/cfe_sb_msg.h	1060
cfe/modules/tbl/fsw/inc/cfe_tbl_events.h	1078
cfe/modules/tbl/fsw/inc/cfe_tbl_msg.h	1104
cfe/modules/time/fsw/inc/cfe_time_events.h	112
cfe/modules/time/fsw/inc/cfe_time_msg.h	113
osal/src/os/inc/common_types.h	116
osal/src/os/inc/osapi-binsem.h	1169
osal/src/os/inc/osapi-bsp.h	1170
osal/src/os/inc/osapi-clock.h	117
osal/src/os/inc/osapi-common.h	1172
osal/src/os/inc/osapi-constants.h	1179
osal/src/os/inc/osapi-countsem.h	1170
osal/src/os/inc/osapi-dir.h	1177
osal/src/os/inc/osapi-error.h	1178
osal/src/os/inc/osapi-file.h	118
osal/src/os/inc/osapi-filesys.h	1189
osal/src/os/inc/osapi-heap.h	1187
osal/src/os/inc/osapi-idmap.h	118
osal/src/os/inc/osapi-macros.h	1189
osal/src/os/inc/osapi-module.h	119
osal/src/os/inc/osapi-mutex.h	1193

osal/src/os/inc/osapi-network.h	1194
osal/src/os/inc/osapi-printf.h	1194
osal/src/os/inc/osapi-queue.h	1195
osal/src/os/inc/osapi-select.h	1195
osal/src/os/inc/osapi-shell.h	1197
osal/src/os/inc/osapi-sockets.h	1197
osal/src/os/inc/osapi-task.h	1200
osal/src/os/inc/osapi-timebase.h	1203
osal/src/os/inc/osapi-timer.h	1204
osal/src/os/inc/osapi-version.h	1205
osal/src/os/inc/osapi.h	1211
psp/fsw/inc/cfe_psp.h	1211

# 36 Module Documentation

#### 36.1 cFE Return Code Defines

#### Macros

• #define CFE\_SUCCESS ((CFE\_Status\_t)0)

Successful execution.

#define CFE\_STATUS\_NO\_COUNTER\_INCREMENT ((CFE\_Status\_t)0x48000001)

No Counter Increment.

#define CFE\_STATUS\_WRONG\_MSG\_LENGTH ((CFE\_Status\_t)0xc8000002)

Wrong Message Length.

• #define CFE\_STATUS\_UNKNOWN\_MSG\_ID ((CFE\_Status\_t)0xc8000003)

Unknown Message ID.

• #define CFE\_STATUS\_BAD\_COMMAND\_CODE ((CFE\_Status\_t)0xc8000004)

Bad Command Code.

• #define CFE\_STATUS\_EXTERNAL\_RESOURCE\_FAIL ((CFE\_Status\_t)0xc8000005)

External failure.

• #define CFE\_STATUS\_REQUEST\_ALREADY\_PENDING ((int32)0xc8000006)

Request already pending.

• #define CFE\_STATUS\_NOT\_IMPLEMENTED ((CFE\_Status\_t)0xc800ffff)

Not Implemented.

#define CFE\_EVS\_UNKNOWN\_FILTER ((CFE\_Status\_t)0xc2000001)

Unknown Filter.

• #define CFE\_EVS\_APP\_NOT\_REGISTERED ((CFE\_Status\_t)0xc2000002)

Application Not Registered.

```
    #define CFE_EVS_APP_ILLEGAL_APP_ID ((CFE_Status_t)0xc2000003)
    Illegal Application ID.
```

#define CFE\_EVS\_APP\_FILTER\_OVERLOAD ((CFE\_Status\_t)0xc2000004)

Application Filter Overload.

#define CFE\_EVS\_RESET\_AREA\_POINTER ((CFE\_Status\_t)0xc2000005)

Reset Area Pointer Failure.

#define CFE\_EVS\_EVT\_NOT\_REGISTERED ((CFE\_Status\_t)0xc2000006)
 Event Not Registered.

• #define CFE\_EVS\_FILE\_WRITE\_ERROR ((CFE\_Status\_t)0xc2000007)

File Write Error.

#define CFE\_EVS\_INVALID\_PARAMETER ((CFE\_Status\_t)0xc2000008)

Invalid Pointer.

#define CFE\_EVS\_NOT\_IMPLEMENTED ((CFE\_Status\_t)0xc200ffff)
 Not Implemented.

#define CFE\_ES\_ERR\_RESOURCEID\_NOT\_VALID ((CFE\_Status\_t)0xc4000001)

Resource ID is not valid.

#define CFE\_ES\_ERR\_NAME\_NOT\_FOUND ((CFE\_Status\_t)0xc4000002)

Resource Name Error.

#define CFE\_ES\_ERR\_APP\_CREATE ((CFE\_Status\_t)0xc4000004)

Application Create Error.

#define CFE\_ES\_ERR\_CHILD\_TASK\_CREATE ((CFE\_Status\_t)0xc4000005)

Child Task Create Error.

#define CFE\_ES\_ERR\_SYS\_LOG\_FULL ((CFE\_Status\_t)0xc4000006)

System Log Full.

#define CFE\_ES\_ERR\_MEM\_BLOCK\_SIZE ((CFE\_Status\_t)0xc4000008)

Memory Block Size Error.

#define CFE\_ES\_ERR\_LOAD\_LIB ((CFE\_Status\_t)0xc4000009)

Load Library Error.

#define CFE\_ES\_BAD\_ARGUMENT ((CFE\_Status\_t)0xc400000a)

Bad Argument.

#define CFE\_ES\_ERR\_CHILD\_TASK\_REGISTER ((CFE\_Status\_t)0xc400000b)

Child Task Register Error.

#define CFE\_ES\_CDS\_ALREADY\_EXISTS ((CFE\_Status\_t)0x4400000d)

CDS Already Exists.

#define CFE ES CDS INSUFFICIENT MEMORY ((CFE Status t)0xc400000e)

CDS Insufficient Memory.

#define CFE\_ES\_CDS\_INVALID\_NAME ((CFE\_Status\_t)0xc400000f)

CDS Invalid Name.

#define CFE ES CDS INVALID SIZE ((CFE Status t)0xc4000010)

CDS Invalid Size.

• #define CFE\_ES\_CDS\_INVALID ((CFE\_Status\_t)0xc4000012)

CDS Invalid.

#define CFE ES CDS ACCESS ERROR ((CFE Status t)0xc4000013)

CDS Access Error.

#define CFE ES FILE IO ERR ((CFE Status t)0xc4000014)

File IO Error.

#define CFE ES RST ACCESS ERR ((CFE Status t)0xc4000015)

Reset Area Access Error. • #define CFE\_ES\_ERR\_APP\_REGISTER ((CFE\_Status\_t)0xc4000017) Application Register Error. #define CFE ES ERR CHILD TASK DELETE ((CFE Status t)0xc4000018) Child Task Delete Error. #define CFE\_ES\_ERR\_CHILD\_TASK\_DELETE\_MAIN\_TASK ((CFE\_Status\_t)0xc4000019) Child Task Delete Passed Main Task. #define CFE ES CDS BLOCK CRC ERR ((CFE Status t)0xc400001A) CDS Block CRC Error. #define CFE\_ES\_MUT\_SEM\_DELETE\_ERR ((CFE\_Status\_t)0xc400001B) Mutex Semaphore Delete Error. #define CFE ES BIN SEM DELETE ERR ((CFE Status t)0xc400001C) Binary Semaphore Delete Error. #define CFE\_ES\_COUNT\_SEM\_DELETE\_ERR ((CFE\_Status\_t)0xc400001D) Counting Semaphore Delete Error. #define CFE\_ES\_QUEUE\_DELETE\_ERR ((CFE\_Status\_t)0xc400001E) Queue Delete Error. #define CFE\_ES\_FILE\_CLOSE\_ERR ((CFE\_Status\_t)0xc400001F) File Close Error. #define CFE\_ES\_CDS\_WRONG\_TYPE\_ERR ((CFE\_Status\_t)0xc4000020) CDS Wrong Type Error. #define CFE\_ES\_CDS\_OWNER\_ACTIVE\_ERR ((CFE\_Status\_t)0xc4000022) CDS Owner Active Error. #define CFE\_ES\_APP\_CLEANUP\_ERR ((CFE\_Status\_t)0xc4000023) Application Cleanup Error. #define CFE\_ES\_TIMER\_DELETE\_ERR ((CFE\_Status\_t)0xc4000024) Timer Delete Error. #define CFE\_ES\_BUFFER\_NOT\_IN\_POOL ((CFE\_Status\_t)0xc4000025) Buffer Not In Pool. • #define CFE\_ES\_TASK\_DELETE\_ERR ((CFE\_Status\_t)0xc4000026) Task Delete Error. #define CFE ES OPERATION TIMED OUT ((CFE Status t)0xc4000027) Operation Timed Out. #define CFE ES LIB ALREADY LOADED ((CFE Status t)0x44000028) Library Already Loaded. #define CFE ES ERR SYS LOG TRUNCATED ((CFE Status t)0x44000029) System Log Message Truncated. #define CFE ES NO RESOURCE IDS AVAILABLE ((CFE Status t)0xc400002B) Resource ID is not available. #define CFE ES POOL BLOCK INVALID ((CFE Status t)0xc400002C) Invalid pool block. #define CFE ES ERR DUPLICATE NAME ((CFE Status t)0xc400002E) Duplicate Name Error. #define CFE ES NOT IMPLEMENTED ((CFE Status t)0xc400ffff) Not Implemented.

#define CFE FS BAD ARGUMENT ((CFE Status t)0xc6000001)

Bad Argument.

Generated by Doxygen

- #define CFE\_FS\_INVALID\_PATH ((CFE\_Status\_t)0xc6000002)
   Invalid Path.
- #define CFE\_FS\_FNAME\_TOO\_LONG ((CFE\_Status\_t)0xc6000003)
   Filename Too Long.
- #define CFE\_FS\_NOT\_IMPLEMENTED ((CFE\_Status\_t)0xc600ffff)
   Not Implemented.
- #define CFE\_SB\_TIME\_OUT ((CFE\_Status\_t)0xca000001)
   Time Out.
- #define CFE\_SB\_NO\_MESSAGE ((CFE\_Status\_t)0xca000002)
   No Message.
- #define CFE\_SB\_BAD\_ARGUMENT ((CFE\_Status\_t)0xca000003)
   Bad Argument.
- #define CFE\_SB\_MAX\_PIPES\_MET ((CFE\_Status\_t)0xca000004)
   Max Pipes Met.
- #define CFE\_SB\_PIPE\_CR\_ERR ((CFE\_Status\_t)0xca000005)
   Pipe Create Error.
- #define CFE\_SB\_PIPE\_RD\_ERR ((CFE\_Status\_t)0xca000006)
   Pipe Read Error.
- #define CFE\_SB\_MSG\_TOO\_BIG ((CFE\_Status\_t)0xca000007)
   Message Too Big.
- #define CFE\_SB\_BUF\_ALOC\_ERR ((CFE\_Status\_t)0xca000008)
   Buffer Allocation Error.
- #define CFE\_SB\_MAX\_MSGS\_MET ((CFE\_Status\_t)0xca000009)
   Max Messages Met.
- #define CFE\_SB\_MAX\_DESTS\_MET ((CFE\_Status\_t)0xca00000a)
   Max Destinations Met.
- #define CFE\_SB\_INTERNAL\_ERR ((CFE\_Status\_t)0xca00000c)
   Internal Error.
- #define CFE\_SB\_WRONG\_MSG\_TYPE ((CFE\_Status\_t)0xca00000d)
   Wrong Message Type.
- #define CFE\_SB\_BUFFER\_INVALID ((CFE\_Status\_t)0xca00000e)
   Buffer Invalid.
- #define CFE\_SB\_NOT\_IMPLEMENTED ((CFE\_Status\_t)0xca00ffff)
   Not Implemented.
- #define CFE\_TBL\_ERR\_INVALID\_HANDLE ((CFE\_Status\_t)0xcc000001)

  Invalid Handle.
- #define CFE\_TBL\_ERR\_INVALID\_NAME ((CFE\_Status\_t)0xcc000002)
   Invalid Name.
- #define CFE\_TBL\_ERR\_INVALID\_SIZE ((CFE\_Status\_t)0xcc000003)
   Invalid Size.
- #define CFE\_TBL\_INFO\_UPDATE\_PENDING ((CFE\_Status\_t)0x4c000004)
   Update Pending.
- #define CFE\_TBL\_ERR\_NEVER\_LOADED ((CFE\_Status\_t)0xcc000005)
   Never Loaded.
- #define CFE\_TBL\_ERR\_REGISTRY\_FULL ((CFE\_Status\_t)0xcc000006)
   Registry Full.
- #define CFE TBL WARN DUPLICATE ((CFE Status t)0x4c000007)

```
Duplicate Warning.
```

#define CFE\_TBL\_ERR\_NO\_ACCESS ((CFE\_Status\_t)0xcc000008)

No Access.

Updated.

#define CFE\_TBL\_ERR\_UNREGISTERED ((CFE\_Status\_t)0xcc000009)
 Unregistered.

#define CFE\_TBL\_ERR\_HANDLES\_FULL ((CFE\_Status\_t)0xcc00000B)
 Handles Full.

• #define CFE\_TBL\_ERR\_DUPLICATE\_DIFF\_SIZE ((CFE\_Status\_t)0xcc00000C)

Duplicate Table With Different Size.
 #define CFE TBL ERR DUPLICATE NOT OWNED ((CFE Status t)0xcc00000D)

Duplicate Table And Not Owned.

#define CFE\_TBL\_INFO\_UPDATED ((CFE\_Status\_t)0x4c00000E)

#define CFE\_TBL\_ERR\_NO\_BUFFER\_AVAIL ((CFE\_Status\_t)0xcc00000F)
 No Buffer Available.

#define CFE\_TBL\_ERR\_DUMP\_ONLY ((CFE\_Status\_t)0xcc000010)
 Dump Only Error.

• #define CFE\_TBL\_ERR\_ILLEGAL\_SRC\_TYPE ((CFE\_Status\_t)0xcc000011)

Illegal Source Type.

#define CFE\_TBL\_ERR\_LOAD\_IN\_PROGRESS ((CFE\_Status\_t)0xcc000012)
 Load In Progress.

#define CFE\_TBL\_ERR\_FILE\_TOO\_LARGE ((CFE\_Status\_t)0xcc000014)
 File Too Large.

#define CFE\_TBL\_WARN\_SHORT\_FILE ((CFE\_Status\_t)0x4c000015)
 Short File Warning.

#define CFE\_TBL\_ERR\_BAD\_CONTENT\_ID ((CFE\_Status\_t)0xcc000016)
 Bad Content ID.

#define CFE\_TBL\_INFO\_NO\_UPDATE\_PENDING ((CFE\_Status\_t)0x4c000017)
 No Update Pending.

#define CFE\_TBL\_INFO\_TABLE\_LOCKED ((CFE\_Status\_t)0x4c000018)
 Table Locked.

- #define CFE TBL INFO VALIDATION PENDING ((CFE Status t)0x4c000019)
- #define CFE\_TBL\_INFO\_NO\_VALIDATION\_PENDING ((CFE\_Status\_t)0x4c00001A)
- #define CFE\_TBL\_ERR\_BAD\_SUBTYPE\_ID ((CFE\_Status\_t)0xcc00001B)
   Bad Subtype ID.

#define CFE\_TBL\_ERR\_FILE\_SIZE\_INCONSISTENT ((CFE\_Status\_t)0xcc00001C)
 File Size Inconsistent.

#define CFE\_TBL\_ERR\_NO\_STD\_HEADER ((CFE\_Status\_t)0xcc00001D)
 No Standard Header.

#define CFE\_TBL\_ERR\_NO\_TBL\_HEADER ((CFE\_Status\_t)0xcc00001E)
 No Table Header.

#define CFE\_TBL\_ERR\_FILENAME\_TOO\_LONG ((CFE\_Status\_t)0xcc00001F)
 Filename Too Long.

• #define CFE\_TBL\_ERR\_FILE\_FOR\_WRONG\_TABLE ((CFE\_Status\_t)0xcc000020)

File For Wrong Table.

#define CFE\_TBL\_ERR\_LOAD\_INCOMPLETE ((CFE\_Status\_t)0xcc000021)
 Load Incomplete.

```
    #define CFE_TBL_WARN_PARTIAL_LOAD ((CFE_Status_t)0x4c000022)
    Partial Load Warning.
```

- #define CFE\_TBL\_ERR\_PARTIAL\_LOAD ((CFE\_Status\_t)0xcc000023)
   Partial Load Error.
- #define CFE\_TBL\_INFO\_DUMP\_PENDING ((CFE\_Status\_t)0x4c000024)
   Dump Pending.
- #define CFE\_TBL\_ERR\_INVALID\_OPTIONS ((CFE\_Status\_t)0xcc000025)
   Invalid Options.
- #define CFE\_TBL\_WARN\_NOT\_CRITICAL ((CFE\_Status\_t)0x4c000026)
   Not Critical Warning.
- #define CFE\_TBL\_INFO\_RECOVERED\_TBL ((CFE\_Status\_t)0x4c000027)

  \*\*Recovered Table.\*
- #define CFE\_TBL\_ERR\_BAD\_SPACECRAFT\_ID ((CFE\_Status\_t)0xcc000028)
   Bad Spacecraft ID.
- #define CFE\_TBL\_ERR\_BAD\_PROCESSOR\_ID ((CFE\_Status\_t)0xcc000029)

  \*\*Bad Processor ID.\*\*
- #define CFE\_TBL\_MESSAGE\_ERROR ((CFE\_Status\_t)0xcc00002a)
   Message Error.
- #define CFE\_TBL\_ERR\_SHORT\_FILE ((CFE\_Status\_t)0xcc00002b)
- #define CFE\_TBL\_ERR\_ACCESS ((CFE\_Status\_t)0xcc00002c)
- #define CFE\_TBL\_BAD\_ARGUMENT ((CFE\_Status\_t)0xcc00002d)
   Bad Argument.
- #define CFE\_TBL\_NOT\_IMPLEMENTED ((CFE\_Status\_t)0xcc00ffff)
   Not Implemented.
- #define CFE\_TIME\_NOT\_IMPLEMENTED ((CFE\_Status\_t)0xce00ffff)

  Not Implemented.
- #define CFE\_TIME\_INTERNAL\_ONLY ((CFE\_Status\_t)0xce000001)
   Internal Only.
- #define CFE\_TIME\_OUT\_OF\_RANGE ((CFE\_Status\_t)0xce000002)
   Out Of Range.
- #define CFE\_TIME\_TOO\_MANY\_SYNCH\_CALLBACKS ((CFE\_Status\_t)0xce0000003)

  Too Many Sync Callbacks.
- #define CFE\_TIME\_CALLBACK\_NOT\_REGISTERED ((CFE\_Status\_t)0xce000004)
   Callback Not Registered.
- #define CFE\_TIME\_BAD\_ARGUMENT ((CFE\_Status\_t)0xce000005)
   Bad Argument.
- 36.1.1 Detailed Description
- 36.1.2 Macro Definition Documentation

## 36.1.2.1 CFE\_ES\_APP\_CLEANUP\_ERR

```
#define CFE_ES_APP_CLEANUP_ERR ((CFE_Status_t)0xc4000023)
```

Application Cleanup Error.

Occurs when an attempt was made to Clean Up an application which involves calling Table, EVS, and SB cleanup functions, then deleting all ES resources, child tasks, and unloading the object module. The approach here is to keep going even though one of these steps had an error. There will be syslog messages detailing each problem.

Definition at line 529 of file cfe\_error.h.

#### 36.1.2.2 CFE\_ES\_BAD\_ARGUMENT

```
#define CFE_ES_BAD_ARGUMENT ((CFE_Status_t)0xc400000a)
```

Bad Argument.

Bad parameter passed into an ES API.

Definition at line 340 of file cfe error.h.

#### 36.1.2.3 CFE\_ES\_BIN\_SEM\_DELETE\_ERR

```
#define CFE_ES_BIN_SEM_DELETE_ERR ((CFE_Status_t)0xc400001C)
```

Binary Semaphore Delete Error.

Occurs when trying to delete a Binary Semaphore that belongs to a task that ES is cleaning up.

Definition at line 468 of file cfe\_error.h.

## 36.1.2.4 CFE\_ES\_BUFFER\_NOT\_IN\_POOL

```
#define CFE_ES_BUFFER_NOT_IN_POOL ((CFE_Status_t)0xc4000025)
```

Buffer Not In Pool.

The specified address is not in the memory pool.

Definition at line 546 of file cfe\_error.h.

## 36.1.2.5 CFE\_ES\_CDS\_ACCESS\_ERROR

```
#define CFE_ES_CDS_ACCESS_ERROR ((CFE_Status_t)0xc4000013)
```

CDS Access Error.

The CDS was inaccessible

Definition at line 399 of file cfe\_error.h.

#### 36.1.2.6 CFE\_ES\_CDS\_ALREADY\_EXISTS

```
#define CFE_ES_CDS_ALREADY_EXISTS ((CFE_Status_t)0x4400000d)
```

CDS Already Exists.

The Application is receiving the pointer to a CDS that was already present.

Definition at line 356 of file cfe\_error.h.

# 36.1.2.7 CFE\_ES\_CDS\_BLOCK\_CRC\_ERR

```
#define CFE_ES_CDS_BLOCK_CRC_ERR ((CFE_Status_t)0xc400001A)
```

CDS Block CRC Error.

Occurs when trying to read a CDS Data block and the CRC of the current data does not match the stored CRC for the data. Either the contents of the CDS Data Block are corrupted or the CDS Control Block is corrupted.

Definition at line 450 of file cfe\_error.h.

## 36.1.2.8 CFE\_ES\_CDS\_INSUFFICIENT\_MEMORY

```
#define CFE_ES_CDS_INSUFFICIENT_MEMORY ((CFE_Status_t)0xc400000e)
```

CDS Insufficient Memory.

The Application is requesting a CDS Block that is larger than the remaining CDS memory.

Definition at line 365 of file cfe\_error.h.

## 36.1.2.9 CFE\_ES\_CDS\_INVALID

```
#define CFE_ES_CDS_INVALID ((CFE_Status_t)0xc4000012)
```

CDS Invalid.

The CDS contents are invalid.

Definition at line 391 of file cfe error.h.

## 36.1.2.10 CFE\_ES\_CDS\_INVALID\_NAME

```
#define CFE_ES_CDS_INVALID_NAME ((CFE_Status_t)0xc400000f)
```

CDS Invalid Name.

The Application is requesting a CDS Block with an invalid ASCII string name. Either the name is too long (> CFE\_MI ← SSION\_ES\_CDS\_MAX\_NAME\_LENGTH) or was an empty string.

Definition at line 374 of file cfe\_error.h.

### 36.1.2.11 CFE\_ES\_CDS\_INVALID\_SIZE

```
#define CFE_ES_CDS_INVALID_SIZE ((CFE_Status_t)0xc4000010)
```

CDS Invalid Size.

The Application is requesting a CDS Block or Pool with a size beyond the applicable limits, either too large or too small/zero.

Definition at line 383 of file cfe\_error.h.

## 36.1.2.12 CFE\_ES\_CDS\_OWNER\_ACTIVE\_ERR

```
#define CFE_ES_CDS_OWNER_ACTIVE_ERR ((CFE_Status_t)0xc4000022)
```

CDS Owner Active Error.

Occurs when an attempt was made to delete a CDS when an application with the same name associated with the CDS is still present. CDSs can ONLY be deleted when Applications that created them are not present in the system.

Definition at line 516 of file cfe\_error.h.

## 36.1.2.13 CFE\_ES\_CDS\_WRONG\_TYPE\_ERR

```
#define CFE_ES_CDS_WRONG_TYPE_ERR ((CFE_Status_t)0xc4000020)
```

CDS Wrong Type Error.

Occurs when Table Services is trying to delete a Critical Data Store that is not a Critical Table Image or when Executive Services is trying to delete a Critical Table Image.

Definition at line 505 of file cfe\_error.h.

#### 36.1.2.14 CFE\_ES\_COUNT\_SEM\_DELETE\_ERR

```
#define CFE_ES_COUNT_SEM_DELETE_ERR ((CFE_Status_t)0xc400001D)
```

Counting Semaphore Delete Error.

Occurs when trying to delete a Counting Semaphore that belongs to a task that ES is cleaning up.

Definition at line 477 of file cfe\_error.h.

#### 36.1.2.15 CFE ES ERR APP CREATE

```
#define CFE_ES_ERR_APP_CREATE ((CFE_Status_t)0xc4000004)
```

Application Create Error.

There was an error loading or creating the App.

Definition at line 299 of file cfe\_error.h.

## 36.1.2.16 CFE\_ES\_ERR\_APP\_REGISTER

```
#define CFE_ES_ERR_APP_REGISTER ((CFE_Status_t)0xc4000017)
```

Application Register Error.

Occurs when a task cannot be registered in ES global tables

Definition at line 423 of file cfe\_error.h.

## 36.1.2.17 CFE\_ES\_ERR\_CHILD\_TASK\_CREATE

```
#define CFE_ES_ERR_CHILD_TASK_CREATE ((CFE_Status_t)0xc4000005)
```

Child Task Create Error.

There was an error creating a child task.

Definition at line 307 of file cfe\_error.h.

#### 36.1.2.18 CFE\_ES\_ERR\_CHILD\_TASK\_DELETE

```
#define CFE_ES_ERR_CHILD_TASK_DELETE ((CFE_Status_t)0xc4000018)
```

Child Task Delete Error.

There was an error deleting a child task.

Definition at line 431 of file cfe\_error.h.

## 36.1.2.19 CFE\_ES\_ERR\_CHILD\_TASK\_DELETE\_MAIN\_TASK

```
#define CFE_ES_ERR_CHILD_TASK_DELETE_MAIN_TASK ((CFE_Status_t)0xc4000019)
```

Child Task Delete Passed Main Task.

There was an attempt to delete a cFE App Main Task with the CFE\_ES\_DeleteChildTask API.

Definition at line 440 of file cfe\_error.h.

### 36.1.2.20 CFE\_ES\_ERR\_CHILD\_TASK\_REGISTER

```
#define CFE_ES_ERR_CHILD_TASK_REGISTER ((CFE_Status_t)0xc400000b)
```

Child Task Register Error.

Errors occurred when trying to register a child task.

Definition at line 348 of file cfe\_error.h.

## 36.1.2.21 CFE\_ES\_ERR\_DUPLICATE\_NAME

```
#define CFE_ES_ERR_DUPLICATE_NAME ((CFE_Status_t)0xc400002E)
```

Duplicate Name Error.

Resource creation failed due to the name already existing in the system.

Definition at line 609 of file cfe\_error.h.

#### 36.1.2.22 CFE\_ES\_ERR\_LOAD\_LIB

```
#define CFE_ES_ERR_LOAD_LIB ((CFE_Status_t)0xc4000009)
```

Load Library Error.

Could not load the shared library.

Definition at line 332 of file cfe\_error.h.

## 36.1.2.23 CFE\_ES\_ERR\_MEM\_BLOCK\_SIZE

```
#define CFE_ES_ERR_MEM_BLOCK_SIZE ((CFE_Status_t)0xc4000008)
```

Memory Block Size Error.

The block size requested is invalid.

Definition at line 324 of file cfe\_error.h.

### 36.1.2.24 CFE\_ES\_ERR\_NAME\_NOT\_FOUND

```
#define CFE_ES_ERR_NAME_NOT_FOUND ((CFE_Status_t)0xc4000002)
```

Resource Name Error.

There is no match in the system for the given name.

Definition at line 291 of file cfe\_error.h.

## 36.1.2.25 CFE\_ES\_ERR\_RESOURCEID\_NOT\_VALID

```
#define CFE_ES_ERR_RESOURCEID_NOT_VALID ((CFE_Status_t)0xc4000001)
```

Resource ID is not valid.

This error indicates that the passed in resource identifier (App ID, Lib ID, Counter ID, etc) did not validate.

Definition at line 283 of file cfe\_error.h.

#### 36.1.2.26 CFE\_ES\_ERR\_SYS\_LOG\_FULL

```
#define CFE_ES_ERR_SYS_LOG_FULL ((CFE_Status_t)0xc4000006)
```

System Log Full.

The cFE system Log is full. This error means the message was not logged at all

Definition at line 316 of file cfe\_error.h.

## 36.1.2.27 CFE\_ES\_ERR\_SYS\_LOG\_TRUNCATED

```
#define CFE_ES_ERR_SYS_LOG_TRUNCATED ((CFE_Status_t)0x44000029)
```

System Log Message Truncated.

This information code means the last syslog message was truncated due to insufficient space in the log buffer.

Definition at line 581 of file cfe error.h.

### 36.1.2.28 CFE\_ES\_FILE\_CLOSE\_ERR

```
#define CFE_ES_FILE_CLOSE_ERR ((CFE_Status_t)0xc400001F)
```

File Close Error.

Occurs when trying to close a file that belongs to a task that ES is cleaning up.

Definition at line 495 of file cfe\_error.h.

36.1.2.29 CFE\_ES\_FILE\_IO\_ERR

```
#define CFE_ES_FILE_IO_ERR ((CFE_Status_t)0xc4000014)
```

File IO Error.

Occurs when a file operation fails

Definition at line 407 of file cfe\_error.h.

36.1.2.30 CFE\_ES\_LIB\_ALREADY\_LOADED

```
#define CFE_ES_LIB_ALREADY_LOADED ((CFE_Status_t)0x44000028)
```

Library Already Loaded.

Occurs if CFE\_ES\_LoadLibrary detects that the requested library name is already loaded.

Definition at line 572 of file cfe\_error.h.

36.1.2.31 CFE\_ES\_MUT\_SEM\_DELETE\_ERR

```
#define CFE_ES_MUT_SEM_DELETE_ERR ((CFE_Status_t)0xc400001B)
```

Mutex Semaphore Delete Error.

Occurs when trying to delete a Mutex that belongs to a task that ES is cleaning up.

Definition at line 459 of file cfe\_error.h.

36.1.2.32 CFE\_ES\_NO\_RESOURCE\_IDS\_AVAILABLE

```
#define CFE_ES_NO_RESOURCE_IDS_AVAILABLE ((CFE_Status_t)0xc400002B)
```

Resource ID is not available.

This error indicates that the maximum resource identifiers (App ID, Lib ID, Counter ID, etc) has already been reached and a new ID cannot be allocated.

Definition at line 591 of file cfe\_error.h.

## 36.1.2.33 CFE\_ES\_NOT\_IMPLEMENTED

```
#define CFE_ES_NOT_IMPLEMENTED ((CFE_Status_t)0xc400ffff)
```

Not Implemented.

Current version of cFE does not have the function or the feature of the function implemented. This could be due to either an early build of the cFE for this platform or the platform does not support the specified feature.

Definition at line 620 of file cfe\_error.h.

#### 36.1.2.34 CFE\_ES\_OPERATION\_TIMED\_OUT

```
#define CFE_ES_OPERATION_TIMED_OUT ((CFE_Status_t)0xc4000027)
```

Operation Timed Out.

Occurs if the timeout for a given operation was exceeded

Definition at line 563 of file cfe\_error.h.

## 36.1.2.35 CFE\_ES\_POOL\_BLOCK\_INVALID

```
#define CFE_ES_POOL_BLOCK_INVALID ((CFE_Status_t)0xc400002C)
```

Invalid pool block.

Software attempted to "put" a block back into a pool which does not appear to belong to that pool. This may mean the pool has become unusable due to memory corruption.

Definition at line 601 of file cfe\_error.h.

### 36.1.2.36 CFE ES QUEUE DELETE ERR

```
#define CFE_ES_QUEUE_DELETE_ERR ((CFE_Status_t)0xc400001E)
```

Queue Delete Error.

Occurs when trying to delete a Queue that belongs to a task that ES is cleaning up.

Definition at line 486 of file cfe\_error.h.

36.1.2.37 CFE\_ES\_RST\_ACCESS\_ERR

```
#define CFE_ES_RST_ACCESS_ERR ((CFE_Status_t)0xc4000015)
```

Reset Area Access Error.

Occurs when the BSP is not successful in returning the reset area address.

Definition at line 415 of file cfe\_error.h.

36.1.2.38 CFE\_ES\_TASK\_DELETE\_ERR

```
#define CFE_ES_TASK_DELETE_ERR ((CFE_Status_t)0xc4000026)
```

Task Delete Error.

Occurs when trying to delete a task that ES is cleaning up.

Definition at line 555 of file cfe\_error.h.

36.1.2.39 CFE\_ES\_TIMER\_DELETE\_ERR

```
#define CFE_ES_TIMER_DELETE_ERR ((CFE_Status_t)0xc4000024)
```

Timer Delete Error.

Occurs when trying to delete a Timer that belongs to a task that ES is cleaning up.

Definition at line 538 of file cfe\_error.h.

36.1.2.40 CFE\_EVS\_APP\_FILTER\_OVERLOAD

```
#define CFE_EVS_APP_FILTER_OVERLOAD ((CFE_Status_t)0xc2000004)
```

Application Filter Overload.

Number of Application event filters input upon registration is greater than CFE\_PLATFORM\_EVS\_MAX\_EVENT\_FIL← TERS

Definition at line 225 of file cfe\_error.h.

```
36.1.2.41 CFE_EVS_APP_ILLEGAL_APP_ID
```

```
#define CFE_EVS_APP_ILLEGAL_APP_ID ((CFE_Status_t)0xc2000003)
```

Illegal Application ID.

Application ID returned by CFE\_ES\_GetAppIDByName is greater than CFE\_PLATFORM\_ES\_MAX\_APPLICATIONS

Definition at line 216 of file cfe\_error.h.

#### 36.1.2.42 CFE\_EVS\_APP\_NOT\_REGISTERED

```
#define CFE_EVS_APP_NOT_REGISTERED ((CFE_Status_t)0xc2000002)
```

Application Not Registered.

Calling application never previously called CFE\_EVS\_Register

Definition at line 207 of file cfe\_error.h.

## 36.1.2.43 CFE\_EVS\_EVT\_NOT\_REGISTERED

```
#define CFE_EVS_EVT_NOT_REGISTERED ((CFE_Status_t)0xc2000006)
```

Event Not Registered.

CFE\_EVS\_ResetFilter EventID argument was not found in any event filter registered by the calling application.

Definition at line 243 of file cfe error.h.

### 36.1.2.44 CFE\_EVS\_FILE\_WRITE\_ERROR

```
#define CFE_EVS_FILE_WRITE_ERROR ((CFE_Status_t)0xc2000007)
```

File Write Error.

A file write error occurred while processing an EVS command

Definition at line 251 of file cfe\_error.h.

## 36.1.2.45 CFE\_EVS\_INVALID\_PARAMETER

```
#define CFE_EVS_INVALID_PARAMETER ((CFE_Status_t)0xc2000008)
```

Invalid Pointer.

Invalid parameter supplied to EVS command

Definition at line 259 of file cfe\_error.h.

#### 36.1.2.46 CFE\_EVS\_NOT\_IMPLEMENTED

```
#define CFE_EVS_NOT_IMPLEMENTED ((CFE_Status_t)0xc200ffff)
```

Not Implemented.

Current version of cFE does not have the function or the feature of the function implemented. This could be due to either an early build of the cFE for this platform or the platform does not support the specified feature.

Definition at line 270 of file cfe\_error.h.

#### 36.1.2.47 CFE\_EVS\_RESET\_AREA\_POINTER

```
#define CFE_EVS_RESET_AREA_POINTER ((CFE_Status_t)0xc2000005)
```

Reset Area Pointer Failure.

Could not get pointer to the ES Reset area, so we could not get the pointer to the EVS Log.

Definition at line 234 of file cfe\_error.h.

## 36.1.2.48 CFE\_EVS\_UNKNOWN\_FILTER

```
#define CFE_EVS_UNKNOWN_FILTER ((CFE_Status_t)0xc2000001)
```

Unknown Filter.

CFE\_EVS\_Register FilterScheme parameter was illegal

Definition at line 199 of file cfe\_error.h.

## 36.1.2.49 CFE\_FS\_BAD\_ARGUMENT

```
#define CFE_FS_BAD_ARGUMENT ((CFE_Status_t)0xc6000001)
```

Bad Argument.

A parameter given by a caller to a File Services API did not pass validation checks.

Definition at line 633 of file cfe\_error.h.

#### 36.1.2.50 CFE\_FS\_FNAME\_TOO\_LONG

```
#define CFE_FS_FNAME_TOO_LONG ((CFE_Status_t)0xc6000003)
```

Filename Too Long.

FS filename string is too long

Definition at line 649 of file cfe\_error.h.

## 36.1.2.51 CFE\_FS\_INVALID\_PATH

```
#define CFE_FS_INVALID_PATH ((CFE_Status_t)0xc6000002)
```

Invalid Path.

FS was unable to extract a filename from a path string

Definition at line 641 of file cfe\_error.h.

## 36.1.2.52 CFE\_FS\_NOT\_IMPLEMENTED

```
#define CFE_FS_NOT_IMPLEMENTED ((CFE_Status_t)0xc600ffff)
```

Not Implemented.

Current version of cFE does not have the function or the feature of the function implemented. This could be due to either an early build of the cFE for this platform or the platform does not support the specified feature.

Definition at line 660 of file cfe\_error.h.

#### 36.1.2.53 CFE\_SB\_BAD\_ARGUMENT

```
#define CFE_SB_BAD_ARGUMENT ((CFE_Status_t)0xca000003)
```

Bad Argument.

A parameter given by a caller to a Software Bus API did not pass validation checks.

Definition at line 691 of file cfe\_error.h.

#### 36.1.2.54 CFE\_SB\_BUF\_ALOC\_ERR

```
#define CFE_SB_BUF_ALOC_ERR ((CFE_Status_t)0xca000008)
```

Buffer Allocation Error.

Returned when the memory in the SB message buffer pool has been depleted. The amount of memory in the pool is dictated by the configuration parameter CFE\_PLATFORM\_SB\_BUF\_MEMORY\_BYTES specified in the cfe\_platform cfg.h file. Also the memory statistics, including current utilization figures and high water marks for the SB Buffer memory pool can be monitored by sending a Software Bus command to send the SB statistics packet.

Definition at line 749 of file cfe\_error.h.

#### 36.1.2.55 CFE\_SB\_BUFFER\_INVALID

```
#define CFE_SB_BUFFER_INVALID ((CFE_Status_t)0xca00000e)
```

Buffer Invalid.

This error code will be returned when a request to release or send a zero copy buffer is invalid, such as if the handle or buffer is not correct or the buffer was previously released.

Definition at line 800 of file cfe error.h.

## 36.1.2.56 CFE\_SB\_INTERNAL\_ERR

```
#define CFE_SB_INTERNAL_ERR ((CFE_Status_t)0xca00000c)
```

Internal Error.

This error code will be returned by the CFE\_SB\_Subscribe API if the code detects an internal index is out of range. The most likely cause would be a Single Event Upset.

Definition at line 781 of file cfe error.h.

#### 36.1.2.57 CFE\_SB\_MAX\_DESTS\_MET

```
#define CFE_SB_MAX_DESTS_MET ((CFE_Status_t)0xca00000a)
```

Max Destinations Met.

Will be returned when calling one of the SB subscription API's if the SB routing table cannot accommodate another destination for a particular the given message ID. This occurs when the number of destinations in use meets the platform configuration parameter CFE\_PLATFORM\_SB\_MAX\_DEST\_PER\_PKT.

Definition at line 771 of file cfe error.h.

#### 36.1.2.58 CFE\_SB\_MAX\_MSGS\_MET

```
#define CFE_SB_MAX_MSGS_MET ((CFE_Status_t)0xca000009)
```

Max Messages Met.

Will be returned when calling one of the SB subscription API's if the SB routing table cannot accommodate another unique message ID because the platform configuration parameter CFE\_PLATFORM\_SB\_MAX\_MSG\_IDS has been met.

Definition at line 759 of file cfe\_error.h.

#### 36.1.2.59 CFE\_SB\_MAX\_PIPES\_MET

```
#define CFE_SB_MAX_PIPES_MET ((CFE_Status_t)0xca000004)
```

Max Pipes Met.

This error code will be returned from CFE\_SB\_CreatePipe when the SB cannot accommodate the request to create a pipe because the maximum number of pipes (CFE\_PLATFORM\_SB\_MAX\_PIPES) are in use. This configuration parameter is defined in the cfe platform cfg.h file.

Definition at line 702 of file cfe\_error.h.

# 36.1.2.60 CFE\_SB\_MSG\_TOO\_BIG

```
#define CFE_SB_MSG_TOO_BIG ((CFE_Status_t)0xca000007)
```

Message Too Big.

The size field in the message header indicates the message exceeds the max Software Bus message size. The max size is defined by configuration parameter CFE MISSION SB MAX SB MSG SIZE in cfe mission cfg.h

Definition at line 736 of file cfe\_error.h.

#### 36.1.2.61 CFE\_SB\_NO\_MESSAGE

```
#define CFE_SB_NO_MESSAGE ((CFE_Status_t)0xca000002)
```

No Message.

When "Polling" a pipe for a message in CFE\_SB\_ReceiveBuffer, this return value indicates that there was not a message on the pipe.

Definition at line 682 of file cfe\_error.h.

## 36.1.2.62 CFE\_SB\_NOT\_IMPLEMENTED

```
#define CFE_SB_NOT_IMPLEMENTED ((CFE_Status_t)0xca00ffff)
```

Not Implemented.

Current version of cFE does not have the function or the feature of the function implemented. This could be due to either an early build of the cFE for this platform or the platform does not support the specified feature.

Definition at line 811 of file cfe error.h.

#### 36.1.2.63 CFE\_SB\_PIPE\_CR\_ERR

```
#define CFE_SB_PIPE_CR_ERR ((CFE_Status_t)0xca000005)
```

Pipe Create Error.

The maximum number of queues(OS\_MAX\_QUEUES) are in use. Or possibly a lower level problem with creating the underlying queue has occurred such as a lack of memory. If the latter is the problem, the status code displayed in the event must be tracked.

Definition at line 713 of file cfe error.h.

#### 36.1.2.64 CFE\_SB\_PIPE\_RD\_ERR

```
#define CFE_SB_PIPE_RD_ERR ((CFE_Status_t)0xca000006)
```

Pipe Read Error.

This return value indicates an error at the Queue read level. This error typically cannot be corrected by the caller. Some possible causes are: queue was not properly initialized or created, the number of bytes read from the queue was not the number of bytes requested in the read. The queue id is invalid. Similar errors regarding the pipe will be caught by higher level code in the Software Bus.

Definition at line 726 of file cfe\_error.h.

# 36.1.2.65 CFE\_SB\_TIME\_OUT

```
#define CFE_SB_TIME_OUT ((CFE_Status_t)0xca000001)
```

Time Out.

In CFE\_SB\_ReceiveBuffer, this return value indicates that a packet has not been received in the time given in the "timeout" parameter.

Definition at line 673 of file cfe error.h.

### 36.1.2.66 CFE\_SB\_WRONG\_MSG\_TYPE

```
#define CFE_SB_WRONG_MSG_TYPE ((CFE_Status_t)0xca00000d)
```

Wrong Message Type.

This error code will be returned when a request such as CFE\_MSG\_SetMsgTime is made on a packet that does not include a field for msg time.

Definition at line 790 of file cfe error.h.

## 36.1.2.67 CFE\_STATUS\_BAD\_COMMAND\_CODE

```
#define CFE_STATUS_BAD_COMMAND_CODE ((CFE_Status_t)0xc8000004)
```

Bad Command Code.

This error code will be returned when a message identification process determined that the command code is does not correspond to any known value

Definition at line 155 of file cfe\_error.h.

# 36.1.2.68 CFE\_STATUS\_EXTERNAL\_RESOURCE\_FAIL

```
#define CFE_STATUS_EXTERNAL_RESOURCE_FAIL ((CFE_Status_t)0xc8000005)
```

External failure.

This error indicates that the operation failed for some reason outside the scope of CFE. The real failure may have been in OSAL, PSP, or another dependent library.

Details of the original failure should be written to syslog and/or a system event before returning this error.

Definition at line 167 of file cfe\_error.h.

# 36.1.2.69 CFE\_STATUS\_NO\_COUNTER\_INCREMENT

```
#define CFE_STATUS_NO_COUNTER_INCREMENT ((CFE_Status_t)0x48000001)
```

No Counter Increment.

Informational code indicating that a command was processed successfully but that the command counter should *not* be incremented.

Definition at line 128 of file cfe\_error.h.

#### 36.1.2.70 CFE\_STATUS\_NOT\_IMPLEMENTED

```
#define CFE_STATUS_NOT_IMPLEMENTED ((CFE_Status_t)0xc800ffff)
```

Not Implemented.

Current version does not have the function or the feature of the function implemented. This could be due to either an early build for this platform or the platform does not support the specified feature.

Definition at line 187 of file cfe error.h.

### 36.1.2.71 CFE\_STATUS\_REQUEST\_ALREADY\_PENDING

```
#define CFE_STATUS_REQUEST_ALREADY_PENDING ((int32)0xc8000006)
```

Request already pending.

Commands or requests are already pending or the pending request limit has been reached. No more requests can be made until the current request(s) complete.

Definition at line 176 of file cfe\_error.h.

## 36.1.2.72 CFE\_STATUS\_UNKNOWN\_MSG\_ID

```
#define CFE_STATUS_UNKNOWN_MSG_ID ((CFE_Status_t)0xc8000003)
```

Unknown Message ID.

This error code will be returned when a message identification process determined that the message ID does not correspond to a known value

Definition at line 146 of file cfe\_error.h.

# 36.1.2.73 CFE\_STATUS\_WRONG\_MSG\_LENGTH

```
#define CFE_STATUS_WRONG_MSG_LENGTH ((CFE_Status_t)0xc8000002)
```

Wrong Message Length.

This error code will be returned when a message validation process determined that the message length is incorrect

Definition at line 137 of file cfe\_error.h.

# 36.1.2.74 CFE\_SUCCESS

```
#define CFE_SUCCESS ((CFE_Status_t)0)
```

Successful execution.

Operation was performed successfully

Definition at line 120 of file cfe\_error.h.

# 36.1.2.75 CFE\_TBL\_BAD\_ARGUMENT

```
#define CFE_TBL_BAD_ARGUMENT ((CFE_Status_t)0xcc00002d)
```

Bad Argument.

A parameter given by a caller to a Table API did not pass validation checks.

Definition at line 1222 of file cfe\_error.h.

### 36.1.2.76 CFE\_TBL\_ERR\_ACCESS

```
#define CFE_TBL_ERR_ACCESS ((CFE_Status_t)0xcc00002c)
```

Error code indicating that the TBL file could not be opened by the OS.

Definition at line 1213 of file cfe\_error.h.

#### 36.1.2.77 CFE\_TBL\_ERR\_BAD\_CONTENT\_ID

```
#define CFE_TBL_ERR_BAD_CONTENT_ID ((CFE_Status_t)0xcc000016)
```

Bad Content ID.

The calling Application called CFE\_TBL\_Load with a filename that specified a file whose content ID was not that of a table image.

Definition at line 1005 of file cfe\_error.h.

#### 36.1.2.78 CFE\_TBL\_ERR\_BAD\_PROCESSOR\_ID

```
#define CFE_TBL_ERR_BAD_PROCESSOR_ID ((CFE_Status_t)0xcc000029)
```

Bad Processor ID.

The selected table file failed validation for Processor ID. The platform configuration file has verification of table files enabled for Processor ID and an attempt was made to load a table with an invalid Processor ID in the table file header.

Definition at line 1193 of file cfe error.h.

#### 36.1.2.79 CFE\_TBL\_ERR\_BAD\_SPACECRAFT\_ID

```
#define CFE_TBL_ERR_BAD_SPACECRAFT_ID ((CFE_Status_t)0xcc000028)
```

Bad Spacecraft ID.

The selected table file failed validation for Spacecraft ID. The platform configuration file has verification of table files enabled for Spacecraft ID and an attempt was made to load a table with an invalid Spacecraft ID in the table file header.

Definition at line 1182 of file cfe\_error.h.

#### 36.1.2.80 CFE\_TBL\_ERR\_BAD\_SUBTYPE\_ID

```
#define CFE_TBL_ERR_BAD_SUBTYPE_ID ((CFE_Status_t)0xcc00001B)
```

Bad Subtype ID.

The calling Application tried to access a table file whose Subtype identifier indicated it was not a table image file.

Definition at line 1046 of file cfe\_error.h.

# 36.1.2.81 CFE\_TBL\_ERR\_DUMP\_ONLY

```
#define CFE_TBL_ERR_DUMP_ONLY ((CFE_Status_t)0xcc000010)
```

Dump Only Error.

The calling Application has attempted to perform a load on a table that was created with "Dump Only" attributes.

Definition at line 957 of file cfe error.h.

#### 36.1.2.82 CFE\_TBL\_ERR\_DUPLICATE\_DIFF\_SIZE

```
#define CFE_TBL_ERR_DUPLICATE_DIFF_SIZE ((CFE_Status_t)0xcc00000C)
```

Duplicate Table With Different Size.

An application attempted to register a table with the same name as a table that is already in the registry. The size of the new table is different from the size already in the registry.

Definition at line 918 of file cfe\_error.h.

# 36.1.2.83 CFE\_TBL\_ERR\_DUPLICATE\_NOT\_OWNED

```
#define CFE_TBL_ERR_DUPLICATE_NOT_OWNED ((CFE_Status_t)0xcc00000D)
```

Duplicate Table And Not Owned.

An application attempted to register a table with the same name as a table that is already in the registry. The previously registered table is owned by a different application.

Definition at line 928 of file cfe\_error.h.

### 36.1.2.84 CFE\_TBL\_ERR\_FILE\_FOR\_WRONG\_TABLE

```
#define CFE_TBL_ERR_FILE_FOR_WRONG_TABLE ((CFE_Status_t)0xcc000020)
```

File For Wrong Table.

The calling Application tried to load a table using a file whose header indicated that it was for a different table.

Definition at line 1090 of file cfe\_error.h.

### 36.1.2.85 CFE\_TBL\_ERR\_FILE\_SIZE\_INCONSISTENT

```
#define CFE_TBL_ERR_FILE_SIZE_INCONSISTENT ((CFE_Status_t)0xcc00001C)
```

File Size Inconsistent.

The calling Application tried to access a table file whose Subtype identifier indicated it was not a table image file.

Definition at line 1055 of file cfe error.h.

#### 36.1.2.86 CFE\_TBL\_ERR\_FILE\_TOO\_LARGE

```
#define CFE_TBL_ERR_FILE_TOO_LARGE ((CFE_Status_t)0xcc000014)
```

File Too Large.

The calling Application called CFE\_TBL\_Load with a filename that specified a file that contained more data than the size of the table OR which contained more data than specified in the table header.

Definition at line 985 of file cfe\_error.h.

# 36.1.2.87 CFE\_TBL\_ERR\_FILENAME\_TOO\_LONG

```
#define CFE_TBL_ERR_FILENAME_TOO_LONG ((CFE_Status_t)0xcc00001F)
```

Filename Too Long.

The calling Application tried to load a table using a filename that was too long.

Definition at line 1081 of file cfe\_error.h.

# 36.1.2.88 CFE\_TBL\_ERR\_HANDLES\_FULL

```
#define CFE_TBL_ERR_HANDLES_FULL ((CFE_Status_t)0xcc00000B)
```

Handles Full.

An application attempted to create a table and the Table Handle Array already used all CFE\_PLATFORM\_TBL\_MAX — \_NUM\_HANDLES in it.

Definition at line 908 of file cfe\_error.h.

```
36.1.2.89 CFE_TBL_ERR_ILLEGAL_SRC_TYPE
```

```
#define CFE_TBL_ERR_ILLEGAL_SRC_TYPE ((CFE_Status_t)0xcc000011)
```

Illegal Source Type.

The calling Application called CFE TBL Load with an illegal value for the second parameter.

Definition at line 966 of file cfe\_error.h.

#### 36.1.2.90 CFE\_TBL\_ERR\_INVALID\_HANDLE

```
#define CFE_TBL_ERR_INVALID_HANDLE ((CFE_Status_t)0xcc000001)
```

Invalid Handle.

The calling Application attempted to pass a Table handle that represented too large an index or identified a Table Access Descriptor that was not used.

Definition at line 825 of file cfe\_error.h.

#### 36.1.2.91 CFE\_TBL\_ERR\_INVALID\_NAME

```
#define CFE_TBL_ERR_INVALID_NAME ((CFE_Status_t)0xcc000002)
```

Invalid Name.

The calling Application attempted to register a table whose name length exceeded the platform configuration value of CFE MISSION TBL MAX NAME LENGTH or was zero characters long.

Definition at line 835 of file cfe error.h.

#### 36.1.2.92 CFE\_TBL\_ERR\_INVALID\_OPTIONS

```
#define CFE_TBL_ERR_INVALID_OPTIONS ((CFE_Status_t) 0xcc000025)
```

Invalid Options.

The calling Application has used an illegal combination of table options. A summary of the illegal combinations are as follows:

#CFE\_TBL\_OPT\_USR\_DEF\_ADDR cannot be combined with any of the following:

- 1. CFE\_TBL\_OPT\_DBL\_BUFFER
- 2. CFE TBL OPT LOAD DUMP
- 3. CFE\_TBL\_OPT\_CRITICAL

#CFE\_TBL\_OPT\_DBL\_BUFFER cannot be combined with the following:

- 1. CFE\_TBL\_OPT\_USR\_DEF\_ADDR
- 2. CFE\_TBL\_OPT\_DUMP\_ONLY

Definition at line 1147 of file cfe\_error.h.

# 36.1.2.93 CFE\_TBL\_ERR\_INVALID\_SIZE

```
#define CFE_TBL_ERR_INVALID_SIZE ((CFE_Status_t) 0xcc000003)
```

Invalid Size.

The calling Application attempted to register a table: a) that was a double buffered table with size greater than CFE\_← PLATFORM\_TBL\_MAX\_DBL\_TABLE\_SIZE b) that was a single buffered table with size greater than CFE\_PLATFO← RM\_TBL\_MAX\_SNGL\_TABLE\_SIZE c) that had a size of zero

Definition at line 846 of file cfe error.h.

#### 36.1.2.94 CFE\_TBL\_ERR\_LOAD\_IN\_PROGRESS

```
#define CFE_TBL_ERR_LOAD_IN_PROGRESS ((CFE_Status_t)0xcc000012)
```

Load In Progress.

The calling Application called CFE\_TBL\_Load when another Application was trying to load the table.

Definition at line 975 of file cfe\_error.h.

#### 36.1.2.95 CFE\_TBL\_ERR\_LOAD\_INCOMPLETE

```
#define CFE_TBL_ERR_LOAD_INCOMPLETE ((CFE_Status_t)0xcc000021)
```

Load Incomplete.

The calling Application tried to load a table file whose header claimed the load was larger than what was actually read from the file.

Definition at line 1099 of file cfe\_error.h.

#### 36.1.2.96 CFE\_TBL\_ERR\_NEVER\_LOADED

```
#define CFE_TBL_ERR_NEVER_LOADED ((CFE_Status_t) 0xcc000005)
```

Never Loaded.

Table has not been loaded with data.

Definition at line 862 of file cfe\_error.h.

```
36.1.2.97 CFE_TBL_ERR_NO_ACCESS
```

```
#define CFE_TBL_ERR_NO_ACCESS ((CFE_Status_t)0xcc000008)
```

No Access.

The calling application either failed when calling CFE\_TBL\_Register, failed when calling CFE\_TBL\_Share or forgot to call either one.

Definition at line 890 of file cfe\_error.h.

```
36.1.2.98 CFE_TBL_ERR_NO_BUFFER_AVAIL
```

```
#define CFE_TBL_ERR_NO_BUFFER_AVAIL ((CFE_Status_t)0xcc00000F)
```

No Buffer Available.

The calling Application has tried to allocate a working buffer but none were available.

Definition at line 948 of file cfe\_error.h.

```
36.1.2.99 CFE_TBL_ERR_NO_STD_HEADER
```

```
#define CFE_TBL_ERR_NO_STD_HEADER ((CFE_Status_t)0xcc00001D)
```

No Standard Header.

The calling Application tried to access a table file whose standard cFE File Header was the wrong size, etc.

Definition at line 1063 of file cfe\_error.h.

```
36.1.2.100 CFE_TBL_ERR_NO_TBL_HEADER
```

```
#define CFE_TBL_ERR_NO_TBL_HEADER ((CFE_Status_t)0xcc00001E)
```

No Table Header.

The calling Application tried to access a table file whose standard cFE Table File Header was the wrong size, etc.

Definition at line 1072 of file cfe\_error.h.

#### 36.1.2.101 CFE\_TBL\_ERR\_PARTIAL\_LOAD

```
#define CFE_TBL_ERR_PARTIAL_LOAD ((CFE_Status_t)0xcc000023)
```

Partial Load Error.

The calling Application tried to load a table file whose header claimed the load did not start with the first byte and the table image had NEVER been loaded before. Partial loads are not allowed on uninitialized tables. It should be noted that CFE\_TBL\_WARN\_SHORT\_FILE also indicates a partial load.

Definition at line 1121 of file cfe error.h.

#### 36.1.2.102 CFE\_TBL\_ERR\_REGISTRY\_FULL

```
#define CFE_TBL_ERR_REGISTRY_FULL ((CFE_Status_t)0xcc000006)
```

Registry Full.

An application attempted to create a table and the Table registry already contained CFE\_PLATFORM\_TBL\_MAX\_N ← UM\_TABLES in it.

Definition at line 871 of file cfe error.h.

# 36.1.2.103 CFE\_TBL\_ERR\_SHORT\_FILE

```
#define CFE_TBL_ERR_SHORT_FILE ((CFE_Status_t)0xcc00002b)
```

Error code indicating that the TBL file is shorter than indicated in the file header.

Definition at line 1207 of file cfe\_error.h.

# 36.1.2.104 CFE\_TBL\_ERR\_UNREGISTERED

```
#define CFE_TBL_ERR_UNREGISTERED ((CFE_Status_t) 0xcc000009)
```

Unregistered.

The calling application is trying to access a table that has been unregistered.

Definition at line 899 of file cfe\_error.h.

# 36.1.2.105 CFE\_TBL\_INFO\_DUMP\_PENDING

```
#define CFE_TBL_INFO_DUMP_PENDING ((CFE_Status_t)0x4c000024)
```

Dump Pending.

The calling Application should call CFE\_TBL\_Manage for the specified table. The ground has requested a dump of the Dump-Only table and needs to synchronize with the owning application.

Definition at line 1131 of file cfe\_error.h.

#### 36.1.2.106 CFE\_TBL\_INFO\_NO\_UPDATE\_PENDING

```
#define CFE_TBL_INFO_NO_UPDATE_PENDING ((CFE_Status_t)0x4c000017)
```

No Update Pending.

The calling Application has attempted to update a table without a pending load.

Definition at line 1013 of file cfe\_error.h.

## 36.1.2.107 CFE\_TBL\_INFO\_NO\_VALIDATION\_PENDING

```
#define CFE_TBL_INFO_NO_VALIDATION_PENDING ((CFE_Status_t)0x4c00001A)
```

No Validation Pending

The calling Application tried to validate a table that did not have a validation request pending.

Definition at line 1037 of file cfe\_error.h.

## 36.1.2.108 CFE\_TBL\_INFO\_RECOVERED\_TBL

```
#define CFE_TBL_INFO_RECOVERED_TBL ((CFE_Status_t)0x4c000027)
```

Recovered Table.

The calling Application registered a critical table whose previous contents were discovered in the Critical Data Store. The discovered contents were copied back into the newly registered table as the table's initial contents.

NOTE: In this situation, the contents of the table are NOT validated using the table's validation function.

Definition at line 1171 of file cfe\_error.h.

# 36.1.2.109 CFE\_TBL\_INFO\_TABLE\_LOCKED

```
#define CFE_TBL_INFO_TABLE_LOCKED ((CFE_Status_t)0x4c000018)
```

Table Locked.

The calling Application tried to update a table that is locked by another user.

Definition at line 1021 of file cfe error.h.

#### 36.1.2.110 CFE\_TBL\_INFO\_UPDATE\_PENDING

```
#define CFE_TBL_INFO_UPDATE_PENDING ((CFE_Status_t)0x4c000004)
```

Update Pending.

The calling Application has identified a table that has a load pending.

Definition at line 854 of file cfe error.h.

## 36.1.2.111 CFE\_TBL\_INFO\_UPDATED

```
#define CFE_TBL_INFO_UPDATED ((CFE_Status_t) 0x4c00000E)
```

Updated.

The calling Application has identified a table that has been updated.

**NOTE:** This is a nominal return code informing the calling application that the table identified in the call has had its contents updated since the last time the application obtained its address or status.

Definition at line 939 of file cfe\_error.h.

# 36.1.2.112 CFE\_TBL\_INFO\_VALIDATION\_PENDING

```
#define CFE_TBL_INFO_VALIDATION_PENDING ((CFE_Status_t)0x4c000019)
```

Validation Pending

The calling Application should call CFE\_TBL\_Validate for the specified table.

Definition at line 1029 of file cfe\_error.h.

# 36.1.2.113 CFE\_TBL\_MESSAGE\_ERROR

```
#define CFE_TBL_MESSAGE_ERROR ((CFE_Status_t)0xcc00002a)
```

Message Error.

Error code indicating that the TBL command was not processed successfully and that the error counter should be incremented.

Definition at line 1201 of file cfe error.h.

#### 36.1.2.114 CFE\_TBL\_NOT\_IMPLEMENTED

```
#define CFE_TBL_NOT_IMPLEMENTED ((CFE_Status_t)0xcc00ffff)
```

Not Implemented.

Current version of cFE does not have the function or the feature of the function implemented. This could be due to either an early build of the cFE for this platform or the platform does not support the specified feature.

Definition at line 1233 of file cfe error.h.

#### 36.1.2.115 CFE\_TBL\_WARN\_DUPLICATE

```
#define CFE_TBL_WARN_DUPLICATE ((CFE_Status_t)0x4c000007)
```

Duplicate Warning.

This is an error that the registration is trying to replace an existing table with the same name. The previous table stays in place and the new table is rejected.

Definition at line 881 of file cfe\_error.h.

#### 36.1.2.116 CFE\_TBL\_WARN\_NOT\_CRITICAL

```
#define CFE_TBL_WARN_NOT_CRITICAL ((CFE_Status_t)0x4c000026)
```

Not Critical Warning.

The calling Application attempted to register a table as "Critical". Table Services failed to create an appropriate Critical Data Store (See System Log for reason) to save the table contents. The table will be treated as a normal table from now on

Definition at line 1158 of file cfe error.h.

#### 36.1.2.117 CFE\_TBL\_WARN\_PARTIAL\_LOAD

```
#define CFE_TBL_WARN_PARTIAL_LOAD ((CFE_Status_t)0x4c000022)
```

Partial Load Warning.

The calling Application tried to load a table file whose header claimed the load did not start with the first byte. It should be noted that CFE\_TBL\_WARN\_SHORT\_FILE also indicates a partial load.

Definition at line 1109 of file cfe\_error.h.

#### 36.1.2.118 CFE\_TBL\_WARN\_SHORT\_FILE

```
#define CFE_TBL_WARN_SHORT_FILE ((CFE_Status_t)0x4c000015)
```

Short File Warning.

The calling Application called CFE\_TBL\_Load with a filename that specified a file that started with the first byte of the table but contained less data than the size of the table. It should be noted that CFE\_TBL\_WARN\_PARTIAL\_LOAD also indicates a partial load (one that starts at a non-zero offset).

Definition at line 996 of file cfe\_error.h.

#### 36.1.2.119 CFE\_TIME\_BAD\_ARGUMENT

```
#define CFE_TIME_BAD_ARGUMENT ((CFE_Status_t)0xce000005)
```

Bad Argument.

A parameter given by a caller to a TIME Services API did not pass validation checks.

Definition at line 1305 of file cfe\_error.h.

# 36.1.2.120 CFE\_TIME\_CALLBACK\_NOT\_REGISTERED

```
#define CFE_TIME_CALLBACK_NOT_REGISTERED ((CFE_Status_t)0xce000004)
```

Callback Not Registered.

An attempt to unregister a cFE Time Services Synchronization callback has failed because the specified callback function was not located in the Synchronization Callback Registry.

Definition at line 1296 of file cfe\_error.h.

#### 36.1.2.121 CFE\_TIME\_INTERNAL\_ONLY

```
#define CFE_TIME_INTERNAL_ONLY ((CFE_Status_t)0xce000001)
```

Internal Only.

One of the TIME Services API functions to set the time with data from an external time source has been called, but TIME Services has been commanded to not accept external time data. However, the command is still a signal for the Time Server to generate a "time at the tone" command packet using internal data.

Definition at line 1260 of file cfe error.h.

#### 36.1.2.122 CFE\_TIME\_NOT\_IMPLEMENTED

```
#define CFE_TIME_NOT_IMPLEMENTED ((CFE_Status_t) 0xce00ffff)
```

Not Implemented.

Current version of cFE does not have the function or the feature of the function implemented. This could be due to either an early build of the cFE for this platform or the platform does not support the specified feature.

Definition at line 1248 of file cfe\_error.h.

#### 36.1.2.123 CFE\_TIME\_OUT\_OF\_RANGE

```
#define CFE_TIME_OUT_OF_RANGE ((CFE_Status_t)0xce000002)
```

Out Of Range.

One of the TIME Services API functions to set the time with data from an external time source has been called, but TIME Services has determined that the new time data is invalid. However, the command is still a signal for the Time Server to generate a "time at the tone" command packet using internal data.

Note that the test for invalid time update data only occurs if TIME Services has previously been commanded to set the clock state to "valid".

Definition at line 1275 of file cfe error.h.

#### 36.1.2.124 CFE\_TIME\_TOO\_MANY\_SYNCH\_CALLBACKS

```
#define CFE_TIME_TOO_MANY_SYNCH_CALLBACKS ((CFE_Status_t)0xce000003)
```

Too Many Sync Callbacks.

An attempt to register too many cFE Time Services Synchronization callbacks has been made. Only one callback function is allowed per application. It is expected that the application itself will distribute the single callback to child threads as needed.

Definition at line 1286 of file cfe error.h.

#### 36.2 cFE Resource ID APIs

#### **Functions**

```
    CFE_Status_t CFE_ES_AppID_ToIndex (CFE_ES_AppId_t AppID, uint32 *Idx)
```

Obtain an index value correlating to an ES Application ID.

• int32 CFE\_ES\_LibID\_ToIndex (CFE\_ES\_LibId\_t LibId, uint32 \*Idx)

Obtain an index value correlating to an ES Library ID.

CFE\_Status\_t CFE\_ES\_TaskID\_ToIndex (CFE\_ES\_TaskId\_t TaskID, uint32 \*Idx)

Obtain an index value correlating to an ES Task ID.

CFE\_Status\_t CFE\_ES\_CounterID\_ToIndex (CFE\_ES\_CounterId\_t CounterId, uint32 \*Idx)

Obtain an index value correlating to an ES Counter ID.

#### 36.2.1 Detailed Description

#### 36.2.2 Function Documentation

# 36.2.2.1 CFE\_ES\_AppID\_ToIndex()

Obtain an index value correlating to an ES Application ID.

This calculates a zero based integer value that may be used for indexing into a local resource table/array.

Index values are only guaranteed to be unique for resources of the same type. For instance, the indices corresponding to two [valid] application IDs will never overlap, but the index of an application and a library ID may be the same. Furthermore, indices may be reused if a resource is deleted and re-created.

#### Note

There is no inverse of this function - indices cannot be converted back to the original AppID value. The caller should retain the original ID for future use.

#### **Parameters**

in	AppID	Application ID to convert
out	ldx	Buffer where the calculated index will be stored (must not be null)

#### Returns

Execution status, see cFE Return Code Defines

#### Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.

## 36.2.2.2 CFE\_ES\_CounterID\_ToIndex()

Obtain an index value correlating to an ES Counter ID.

This calculates a zero based integer value that may be used for indexing into a local resource table/array.

Index values are only guaranteed to be unique for resources of the same type. For instance, the indices corresponding to two [valid] Counter IDs will never overlap, but the index of a Counter and a library ID may be the same. Furthermore, indices may be reused if a resource is deleted and re-created.

#### Note

There is no inverse of this function - indices cannot be converted back to the original CounterID value. The caller should retain the original ID for future use.

# **Parameters**

in	Counter←	Counter ID to convert
	ld	
out	ldx	Buffer where the calculated index will be stored (must not be null)

# Returns

Execution status, see cFE Return Code Defines

### **Return values**

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.

# 36.2.2.3 CFE\_ES\_LibID\_ToIndex()

Obtain an index value correlating to an ES Library ID.

This calculates a zero based integer value that may be used for indexing into a local resource table/array.

Index values are only guaranteed to be unique for resources of the same type. For instance, the indices corresponding to two [valid] Library IDs will never overlap, but the index of an Library and a library ID may be the same. Furthermore, indices may be reused if a resource is deleted and re-created.

#### Note

There is no inverse of this function - indices cannot be converted back to the original LibID value. The caller should retain the original ID for future use.

#### **Parameters**

in	Lib⊷	Library ID to convert
	ld	
out	ldx	Buffer where the calculated index will be stored (must not be null)

#### Returns

Execution status, see cFE Return Code Defines

#### Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.

#### 36.2.2.4 CFE\_ES\_TaskID\_ToIndex()

Obtain an index value correlating to an ES Task ID.

This calculates a zero based integer value that may be used for indexing into a local resource table/array.

Index values are only guaranteed to be unique for resources of the same type. For instance, the indices corresponding to two [valid] Task IDs will never overlap, but the index of a Task and a library ID may be the same. Furthermore, indices may be reused if a resource is deleted and re-created.

# Note

There is no inverse of this function - indices cannot be converted back to the original TaskID value. The caller should retain the original ID for future use.

# **Parameters**

in	TaskID	Task ID to convert
out	ldx	Buffer where the calculated index will be stored (must not be null)

# Returns

Execution status, see cFE Return Code Defines

# **Return values**

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_ES_BAD_ARGUMENT	Bad Argument.

# 36.3 cFE Entry/Exit APIs

#### **Functions**

• void CFE\_ES\_Main (uint32 StartType, uint32 StartSubtype, uint32 Modeld, const char \*StartFilePath)

cFE Main Entry Point used by Board Support Package to start cFE

CFE\_Status\_t CFE\_ES\_ResetCFE (uint32 ResetType)

Reset the cFE Core and all cFE Applications.

- 36.3.1 Detailed Description
- 36.3.2 Function Documentation

#### 36.3.2.1 CFE\_ES\_Main()

cFE Main Entry Point used by Board Support Package to start cFE

# Description

cFE main entry point. This is the entry point into the cFE software. It is called only by the Board Support Package software.

Assumptions, External Events, and Notes:

None

#### **Parameters**

in	StartType	Identifies whether this was a CFE_PSP_RST_TYPE_POWERON or CFE_PSP_RST_TYPE_PROCESSOR.
in	StartSubtype	Specifies, in more detail, what caused the StartType identified above. See CFE_PSP_RST_SUBTYPE_POWER_CYCLE for possible examples.
in	Modeld	Identifies the source of the Boot as determined by the BSP.
in	StartFilePath	Identifies the startup file to use to initialize the cFE apps.

#### See also

CFE ES ResetCFE

# 36.3.2.2 CFE\_ES\_ResetCFE()

Reset the cFE Core and all cFE Applications.

#### Description

This API causes an immediate reset of the cFE Kernel and all cFE Applications. The caller can specify whether the reset should clear all memory (CFE\_PSP\_RST\_TYPE\_POWERON) or try to retain volatile memory areas (CFE← \_PSP\_RST\_TYPE\_PROCESSOR).

Assumptions, External Events, and Notes:

None

#### **Parameters**

in	ResetType	Identifies the type of reset desired. Allowable settings are:	
		CFE_PSP_RST_TYPE_POWERON - Causes all memory to be cleared	
		<ul> <li>CFE_PSP_RST_TYPE_PROCESSOR - Attempts to retain volatile disk, critical data store and user reserved memory.</li> </ul>	

# Returns

Execution status, see cFE Return Code Defines

# **Return values**

CFE_SUCCESS	Successful execution.
CFE_ES_BAD_ARGUMENT	Bad Argument.
CFE_ES_NOT_IMPLEMENTED	Not Implemented.

#### See also

CFE\_ES\_Main

# 36.4 cFE Application Control APIs

#### **Functions**

CFE\_Status\_t CFE\_ES\_RestartApp (CFE\_ES\_Appld\_t ApplD)

Restart a single cFE Application.

• CFE\_Status\_t CFE\_ES\_ReloadApp (CFE\_ES\_AppId\_t AppID, const char \*AppFileName)

Reload a single cFE Application.

CFE\_Status\_t CFE\_ES\_DeleteApp (CFE\_ES\_Appld\_t ApplD)

Delete a cFE Application.

- 36.4.1 Detailed Description
- 36.4.2 Function Documentation

# 36.4.2.1 CFE\_ES\_DeleteApp()

Delete a cFE Application.

#### Description

This API causes a cFE Application to be stopped deleted.

Assumptions, External Events, and Notes:

None

#### **Parameters**

in	AppID	Identifies the application to be reset.

### Returns

Execution status, see cFE Return Code Defines

## **Return values**

CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_SUCCESS	Successful execution.

#### See also

```
CFE_ES_RestartApp, CFE_ES_ReloadApp
```

#### 36.4.2.2 CFE\_ES\_ReloadApp()

Reload a single cFE Application.

#### Description

This API causes a cFE Application to be stopped and restarted from the specified file.

Assumptions, External Events, and Notes:

The filename is checked for existence prior to load. A missing file will be reported and the reload operation will be aborted prior to unloading the app.

Goes through the standard CFE ES CleanUpApp which unloads, then attempts a load using the specified file name.

In the event that an application cannot be reloaded due to a corrupt file, the application may no longer be reloaded when given a valid load file (it has been deleted and no longer exists). To recover, the application may be started by loading the application via the ES\_STARTAPP command (CFE\_ES\_START\_APP\_CC).

## **Parameters**

j	in	AppID	Identifies the application to be reset.
i	in	AppFileName	Identifies the new file to start (must not be null)

#### Returns

Execution status, see cFE Return Code Defines

#### **Return values**

CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_SUCCESS	Successful execution.
CFE_ES_FILE_IO_ERR	File IO Error.

## See also

CFE\_ES\_RestartApp, CFE\_ES\_DeleteApp, CFE\_ES\_START\_APP\_CC

# 36.4.2.3 CFE\_ES\_RestartApp()

Restart a single cFE Application.

#### Description

This API causes a cFE Application to be unloaded and restarted from the same file name as the last start.

## Assumptions, External Events, and Notes:

The filename is checked for existence prior to load. A missing file will be reported and the reload operation will be aborted prior to unloading the app.

Goes through the standard CFE ES CleanUpApp which unloads, then attempts a load using the original file name.

In the event that an application cannot be reloaded due to a missing file or any other load issue, the application may no longer be restarted or reloaded when given a valid load file (the app has been deleted and no longer exists). To recover, the application may be started by loading the application via the ES\_STARTAPP command (CFE\_ES\_START\_APP CCC).

#### **Parameters**

in	AppID	Identifies the application to be reset.
----	-------	---

#### Returns

Execution status, see cFE Return Code Defines

# **Return values**

CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_ES_FILE_IO_ERR	File IO Error.
CFE_SUCCESS	Successful execution.

## See also

CFE\_ES\_ReloadApp, CFE\_ES\_DeleteApp

# 36.5 cFE Application Behavior APIs

#### **Functions**

• void CFE\_ES\_ExitApp (uint32 ExitStatus)

Exit a cFE Application.

• bool CFE\_ES\_RunLoop (uint32 \*RunStatus)

Check for Exit, Restart, or Reload commands.

CFE\_Status\_t CFE\_ES\_WaitForSystemState (uint32 MinSystemState, uint32 TimeOutMilliseconds)

Allow an Application to Wait for a minimum global system state.

void CFE\_ES\_WaitForStartupSync (uint32 TimeOutMilliseconds)

Allow an Application to Wait for the "OPERATIONAL" global system state.

void CFE\_ES\_IncrementTaskCounter (void)

Increments the execution counter for the calling task.

- 36.5.1 Detailed Description
- 36.5.2 Function Documentation

## 36.5.2.1 CFE\_ES\_ExitApp()

Exit a cFE Application.

# Description

This API is the "Exit Point" for the cFE application

Assumptions, External Events, and Notes:

None

#### **Parameters**

in	ExitStatus	Acceptable values are:
		CFE_ES_RunStatus_APP_EXIT - Indicates that the Application wants to exit normally.
		<ul> <li>CFE_ES_RunStatus_APP_ERROR - Indicates that the Application is quitting with an error.</li> </ul>
		CFE_ES_RunStatus_CORE_APP_INIT_ERROR - Indicates that the Core Application could not Init.
		CFE_ES_RunStatus_CORE_APP_RUNTIME_ERROR - Indicates that the Core Application had a runtime failure.

#### See also

CFE\_ES\_RunLoop

# 36.5.2.2 CFE\_ES\_IncrementTaskCounter()

Increments the execution counter for the calling task.

## Description

This routine increments the execution counter that is stored for the calling task. It can be called from cFE Application main tasks, child tasks, or cFE Core application main tasks. Normally, the call is not necessary from a cFE Application, since the CFE\_ES\_RunLoop call increments the counter for the Application.

**Assumptions, External Events, and Notes:** 

NOTE: This API is not needed for Applications that call the CFE\_ES\_RunLoop call.

#### See also

CFE\_ES\_RunLoop

# 36.5.2.3 CFE\_ES\_RunLoop()

Check for Exit, Restart, or Reload commands.

#### Description

This is the API that allows an app to check for exit requests from the system, or request shutdown from the system.

Assumptions, External Events, and Notes:

This API updates the internal task counter tracked by ES for the calling task. For ES to report application counters correctly this API should be called from the main app task as part of it's main processing loop.

In the event of a externally initiated app shutdown request (such as the APP\_STOP, APP\_RELOAD, and APP\_RES TART commands) or if a system error occurs requiring the app to be shut down administratively, this function returns "false" and optionally sets the "RunStatus" output to further indicate the specific application state.

If "RunStatus" is passed as non-NULL, it should point to a local status variable containing the requested status to ES. Normally, this should be initialized to CFE\_ES\_RunStatus\_APP\_RUN during application start up, and should remain as this value during normal operation.

If "RunStatus" is set to CFE\_ES\_RunStatus\_APP\_EXIT or CFE\_ES\_RunStatus\_APP\_ERROR on input, this acts as a shutdown request - CFE\_ES\_RunLoop() function will return "false", and a shutdown will be initiated similar to if ES had been externally commanded to shut down the app.

If "RunStatus" is not used, it should be passed as NULL. In this mode, only the boolean return value is relevant, which will indicate if an externally-initiated shutdown request is pending.

#### **Parameters**

in,out	RunStatus	Optional pointer to a variable containing the desired run status

#### Returns

Boolean indicating application should continue running

#### Return values

true	Application should continue running
false	Application should not continue running

#### See also

CFE\_ES\_ExitApp

#### 36.5.2.4 CFE\_ES\_WaitForStartupSync()

Allow an Application to Wait for the "OPERATIONAL" global system state.

#### Description

This is the API that allows an app to wait for the rest of the apps to complete their entire initialization before continuing. It is most useful for applications such as Health and Safety or the Scheduler that need to wait until applications exist and are running before sending out packets to them.

This is a specialized wrapper for CFE\_ES\_WaitForSystemState for compatibility with applications using this API.

#### Assumptions, External Events, and Notes:

This API should only be called as the last item of an Apps initialization. In addition, this API should only be called by an App that is started from the ES Startup file. It should not be used by an App that is started after the system is running. ( Although it will cause no harm )

#### **Parameters**

in	TimeOutMilliseconds	The timeout value in Milliseconds. This parameter must be at least 1000. Lower
		values will be rounded up. There is not an option to wait indefinitely to avoid hanging
		a critical application because a non-critical app did not start.

## See also

CFE\_ES\_RunLoop

## 36.5.2.5 CFE\_ES\_WaitForSystemState()

Allow an Application to Wait for a minimum global system state.

#### Description

This is the API that allows an app to wait for the rest of the apps to complete a given stage of initialization before continuing.

This gives finer grained control than CFE\_ES\_WaitForStartupSync

## Assumptions, External Events, and Notes:

This API assumes that the caller has also been initialized sufficiently to satisfy the global system state it is waiting for, and the apps own state will be updated accordingly.

# **Parameters**

	in	MinSystemState	Determine the state of the App
ſ	in	TimeOutMilliseconds	The timeout value in Milliseconds. There is not an option to wait indefinitely to avoid
		hanging a critical application because a non-critical app did not start.	

# Returns

Execution status, see cFE Return Code Defines

# Return values

CFE_SUCCESS	State successfully achieved
CFE_ES_OPERATION_TIMED_OUT	(return value only verified in coverage test) Timeout was reached

# See also

CFE\_ES\_RunLoop

36.6 cFE Information APIs 171

### 36.6 cFE Information APIs

#### **Functions**

int32 CFE ES GetResetType (uint32 \*ResetSubtypePtr)

Return the most recent Reset Type.

CFE\_Status\_t CFE\_ES\_GetAppID (CFE\_ES\_AppId\_t \*AppIdPtr)

Get an Application ID for the calling Application.

CFE Status t CFE ES GetTaskID (CFE ES TaskId t \*TaskIdPtr)

Get the task ID of the calling context.

• CFE\_Status\_t CFE\_ES\_GetAppIDByName (CFE\_ES\_AppId\_t \*AppIdPtr, const char \*AppName)

Get an Application ID associated with a specified Application name.

CFE\_Status\_t CFE\_ES\_GetLibIDByName (CFE\_ES\_LibId\_t \*LibIdPtr, const char \*LibName)

Get a Library ID associated with a specified Library name.

- CFE\_Status\_t CFE\_ES\_GetAppName (char \*AppName, CFE\_ES\_AppId\_t AppId, size\_t BufferLength)

  Get an Application name for a specified Application ID.
- CFE\_Status\_t CFE\_ES\_GetLibName (char \*LibName, CFE\_ES\_LibId\_t LibId, size\_t BufferLength)

  Get a Library name for a specified Library ID.
- CFE\_Status\_t CFE\_ES\_GetAppInfo (CFE\_ES\_AppInfo\_t \*AppInfo, CFE\_ES\_AppId\_t AppId)

Get Application Information given a specified App ID.

CFE\_Status\_t CFE\_ES\_GetTaskInfo (CFE\_ES\_TaskInfo\_t \*TaskInfo, CFE\_ES\_TaskId\_t TaskId)

Get Task Information given a specified Task ID.

int32 CFE\_ES\_GetLibInfo (CFE\_ES\_AppInfo\_t \*LibInfo, CFE\_ES\_LibId\_t LibId)

Get Library Information given a specified Resource ID.

- int32 CFE\_ES\_GetModuleInfo (CFE\_ES\_AppInfo\_t \*ModuleInfo, CFE\_ResourceId\_t ResourceId)

  Get Information given a specified Resource ID.
- 36.6.1 Detailed Description
- 36.6.2 Function Documentation

# 36.6.2.1 CFE\_ES\_GetAppID()

Get an Application ID for the calling Application.

#### Description

This routine retrieves the cFE Application ID for the calling Application.

Assumptions, External Events, and Notes:

NOTE: All tasks associated with the Application would return the same Application ID.

#### **Parameters**

out	<i>AppldPtr</i>	Pointer to variable that is to receive the Application's ID (must not be null). *AppldPtr will be set
		to the application ID of the calling Application.

# Returns

Execution status, see cFE Return Code Defines

#### **Return values**

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_ES_BAD_ARGUMENT	Bad Argument.

#### See also

 ${\sf CFE\_ES\_GetAppIDByName, CFE\_ES\_GetAppIDByName, CFE\_ES\_GetAppName, CFE\_ES\_GetTaskInfo}$ 

# 36.6.2.2 CFE\_ES\_GetAppIDByName()

Get an Application ID associated with a specified Application name.

# Description

This routine retrieves the cFE Application ID associated with a specified Application name.

Assumptions, External Events, and Notes:

None

## **Parameters**

	out	<i>AppIdPtr</i>	Pointer to variable that is to receive the Application's ID (must not be null).
Ī	in	AppName	Pointer to null terminated character string containing an Application name (must not be null).

#### Returns

Execution status, see cFE Return Code Defines

36.6 cFE Information APIs 173

#### Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_NAME_NOT_FOUND	Resource Name Error.
CFE_ES_BAD_ARGUMENT	Bad Argument.

#### See also

```
CFE_ES_GetAppID, CFE_ES_GetAppName, CFE_ES_GetAppInfo
```

# 36.6.2.3 CFE\_ES\_GetAppInfo()

Get Application Information given a specified App ID.

# Description

This routine retrieves the information about an App associated with a specified App ID. The information includes all of the information ES maintains for an application (documented in the CFE\_ES\_AppInfo\_t type)

Assumptions, External Events, and Notes:

None

#### **Parameters**

out	AppInfo	Pointer to a structure (must not be null) that will be filled with resource name and memory addresses information.
in	Appld	ID of application to obtain information about

## Returns

Execution status, see cFE Return Code Defines

## **Return values**

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_ES_BAD_ARGUMENT	Bad Argument.

#### See also

 ${\sf CFE\_ES\_GetAppID}, {\sf CFE\_ES\_GetAppIDByName}, {\sf CFE\_ES\_GetAppName}$ 

# 36.6.2.4 CFE\_ES\_GetAppName()

Get an Application name for a specified Application ID.

# Description

This routine retrieves the cFE Application name associated with a specified Application ID.

Assumptions, External Events, and Notes:

In the case of a failure (CFE\_ES\_ERR\_RESOURCEID\_NOT\_VALID), an empty string is returned.

#### **Parameters**

out	AppName	Pointer to a character array (must not be null) of at least BufferLength in size that will be filled with the appropriate Application name.	
in	Appld	Application ID of Application whose name is being requested.	
in	BufferLength	The maximum number of characters, including the null terminator, that can be put into the AppName buffer. This routine will truncate the name to this length, if necessary.	

#### Returns

Execution status, see cFE Return Code Defines

# Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_ES_BAD_ARGUMENT	Bad Argument.

# See also

CFE\_ES\_GetAppID, CFE\_ES\_GetAppIDByName, CFE\_ES\_GetAppInfo

36.6 cFE Information APIs 175

# 36.6.2.5 CFE\_ES\_GetLibIDByName()

Get a Library ID associated with a specified Library name.

# Description

This routine retrieves the cFE Library ID associated with a specified Library name.

Assumptions, External Events, and Notes:

None

#### **Parameters**

	out	LibldPtr	Pointer to variable that is to receive the Library's ID (must not be null).
Ī	in	LibName	Pointer to null terminated character string containing a Library name (must not be null).

#### Returns

Execution status, see cFE Return Code Defines

#### Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_NAME_NOT_FOUND	Resource Name Error.
CFE_ES_BAD_ARGUMENT	Bad Argument.

#### See also

```
CFE_ES_GetLibName
```

# 36.6.2.6 CFE\_ES\_GetLibInfo()

Get Library Information given a specified Resource ID.

## Description

This routine retrieves the information about a Library associated with a specified ID. The information includes all of the information ES maintains for this resource type ( documented in the CFE\_ES\_AppInfo\_t type ).

This shares the same output structure as CFE\_ES\_GetAppInfo, such that informational commands can be executed against either applications or libraries. When applied to a library, the task information in the structure will be omitted, as libraries do not have tasks associated.

Assumptions, External Events, and Notes:

None

#### **Parameters**

out	LibInfo	Pointer to a structure (must not be null) that will be filled with resource name and memory
		addresses information.
in	Libld	ID of application to obtain information about

#### Returns

Execution status, see cFE Return Code Defines

#### **Return values**

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_ES_BAD_ARGUMENT	Bad Argument.

# See also

 ${\sf CFE\_ES\_GetLibIDByName,\,CFE\_ES\_GetLibName}$ 

# 36.6.2.7 CFE\_ES\_GetLibName()

Get a Library name for a specified Library ID.

#### Description

This routine retrieves the cFE Library name associated with a specified Library ID.

#### Assumptions, External Events, and Notes:

In the case of a failure (CFE\_ES\_ERR\_RESOURCEID\_NOT\_VALID), an empty string is returned.

36.6 cFE Information APIs 177

#### **Parameters**

out	LibName	Pointer to a character array (must not be null) of at least BufferLength in size that will be filled with the Library name.
in	Libld	Library ID of Library whose name is being requested.
in	BufferLength	The maximum number of characters (must not be zero), including the null terminator, that can be put into the LibName buffer. This routine will truncate the name to this length, if necessary.

#### Returns

Execution status, see cFE Return Code Defines

#### **Return values**

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_ES_BAD_ARGUMENT	Bad Argument.

#### See also

CFE\_ES\_GetLibIDByName

#### 36.6.2.8 CFE\_ES\_GetModuleInfo()

Get Information given a specified Resource ID.

## Description

This routine retrieves the information about an Application or Library associated with a specified ID.

This is a wrapper API that in turn calls either CFE\_ES\_GetAppInfo or CFE\_ES\_GetLibInfo if passed an AppId or LibId, respectively.

This allows commands originally targeted to operate on ApplDs to be easily ported to operate on either Libraries or Applications, where relevant.

Assumptions, External Events, and Notes:

None

#### **Parameters**

out	ModuleInfo	Pointer to a structure (must not be null) that will be filled with resource name and memory
		addresses information.
in	Resource←	ID of application or library to obtain information about
	ld	

## Returns

Execution status, see cFE Return Code Defines

## **Return values**

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_ES_BAD_ARGUMENT	Bad Argument.

#### See also

CFE\_ES\_GetLibInfo, CFE\_ES\_GetAppInfo

## 36.6.2.9 CFE\_ES\_GetResetType()

Return the most recent Reset Type.

## Description

Provides the caller with codes that identifies the type of Reset the processor most recently underwent. The caller can also obtain information on what caused the reset by supplying a pointer to a variable that will be filled with the Reset Sub-Type.

**Assumptions, External Events, and Notes:** 

None

## **Parameters**

in,out	ResetSubtypePtr	Pointer to uint32 type variable in which the Reset Sub-Type will be stored. The
		caller can set this pointer to NULL if the Sub-Type is of no interest.
		ResetSubtypePtr If the provided pointer was not NULL, the Reset Sub-Type is
		stored at the given address. For a list of possible Sub-Type values, see "Reset
		Sub-Types".

36.6 cFE Information APIs 179

### Returns

Processor reset type

#### Return values

```
CFE_PSP_RST_TYPE_POWERON

CFE_PSP_RST_TYPE_PROCESSOR
```

## See also

CFE\_ES\_GetAppID, CFE\_ES\_GetAppIDByName, CFE\_ES\_GetAppName, CFE\_ES\_GetTaskInfo

## 36.6.2.10 CFE\_ES\_GetTaskID()

Get the task ID of the calling context.

## Description

This retrieves the current task context from OSAL

# Assumptions, External Events, and Notes:

Applications which desire to call other CFE ES services such as CFE\_ES\_TaskGetInfo() should use this API rather than getting the ID from OSAL directly via OS\_TaskGetId().

## **Parameters**

out	TaskldPtr	Pointer to variable that is to receive the ID (must not be null). Will be set to the ID of the calling	
		task.	

## Returns

Execution status, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_ES_BAD_ARGUMENT	Bad Argument.

## 36.6.2.11 CFE\_ES\_GetTaskInfo()

Get Task Information given a specified Task ID.

# Description

This routine retrieves the information about a Task associated with a specified Task ID. The information includes Task Name, and Parent/Creator Application ID.

**Assumptions, External Events, and Notes:** 

None

#### **Parameters**

out	TaskInfo	Pointer to a CFE_ES_TaskInfo_t structure (must not be null) that holds the specific task	
		information. *TaskInfo is the filled out CFE_ES_TaskInfo_t structure containing the Task	
		Name, Parent App Name, Parent App ID among other fields.	
in	Taskld	Application ID of Application whose name is being requested.	

## Returns

Execution status, see cFE Return Code Defines

### **Return values**

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_ES_BAD_ARGUMENT	Bad Argument.

#### See also

CFE\_ES\_GetTaskID, CFE\_ES\_GetTaskIDByName, CFE\_ES\_GetTaskName

36.7 cFE Child Task APIs 181

## 36.7 cFE Child Task APIs

#### **Functions**

CFE\_Status\_t CFE\_ES\_CreateChildTask (CFE\_ES\_TaskId\_t \*TaskIdPtr, const char \*TaskName, CFE\_ES
 — ChildTaskMainFuncPtr\_t FunctionPtr, CFE\_ES\_StackPointer\_t StackPtr, size\_t StackSize, CFE\_ES\_Task
 — Priority\_Atom\_t Priority, uint32 Flags)

Creates a new task under an existing Application.

CFE\_Status\_t CFE\_ES\_GetTaskIDByName (CFE\_ES\_TaskId\_t \*TaskIdPtr, const char \*TaskName)

Get a Task ID associated with a specified Task name.

• CFE\_Status\_t CFE\_ES\_GetTaskName (char \*TaskName, CFE\_ES\_TaskId\_t TaskId, size\_t BufferLength)

Get a Task name for a specified Task ID.

CFE\_Status\_t CFE\_ES\_DeleteChildTask (CFE\_ES\_TaskId\_t TaskId)

Deletes a task under an existing Application.

void CFE\_ES\_ExitChildTask (void)

Exits a child task.

- 36.7.1 Detailed Description
- 36.7.2 Function Documentation

## 36.7.2.1 CFE\_ES\_CreateChildTask()

Creates a new task under an existing Application.

#### Description

This routine creates a new task (a separate execution thread) owned by the calling Application.

Assumptions, External Events, and Notes:

None

## **Parameters**

out	TaskldPtr	A pointer to a variable that will be filled in with the new task's ID (must not be null). TaskIdPtr is the Task ID of the newly created child task.
in	TaskName	A pointer to a string containing the desired name of the new task (must not be null). This can be up to OS_MAX_API_NAME characters, including the trailing null.
in	FunctionPtr	A pointer to the function that will be spawned as a new task (must not be null).
in	StackPtr	A pointer to the location where the child task's stack pointer should start. NOTE: Not all underlying operating systems support this parameter. The CFE_ES_TASK_STACK_ALLOCATE constant may be passed to indicate that the stack should be dynamically allocated.
in	StackSize	The number of bytes to allocate for the new task's stack (must not be zero).
in	Priority	The priority for the new task. Lower numbers are higher priority, with 0 being the highest priority.
in	Flags	Reserved for future expansion.

## Returns

Execution status, see cFE Return Code Defines

## Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_CHILD_TASK_CREATE	Child Task Create Error.
CFE_ES_BAD_ARGUMENT	Bad Argument.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.

## See also

CFE\_ES\_DeleteChildTask, CFE\_ES\_ExitChildTask

## 36.7.2.2 CFE\_ES\_DeleteChildTask()

Deletes a task under an existing Application.

# Description

This routine deletes a task under an Application specified by the TaskId obtained when the child task was created using the CFE\_ES\_CreateChildTask API.

**Assumptions, External Events, and Notes:** 

None

36.7 cFE Child Task APIs 183

#### **Parameters**

in	Task⊷	The task ID previously obtained when the Child Task was created with the
	ld	CFE_ES_CreateChildTask API.

## Returns

Execution status, see cFE Return Code Defines

#### **Return values**

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_CHILD_TASK_DELETE	(return value only verified in coverage test) Child Task
	Delete Error.
CFE_ES_ERR_CHILD_TASK_DELETE_MAIN_TASK	Child Task Delete Passed Main Task.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.

#### See also

CFE\_ES\_CreateChildTask, CFE\_ES\_ExitChildTask

## 36.7.2.3 CFE\_ES\_ExitChildTask()

Exits a child task.

# Description

This routine allows the current executing child task to exit and be deleted by ES.

# Assumptions, External Events, and Notes:

This function cannot be called from an Application's Main Task.

## Note

This function does not return a value, but if it does return at all, it is assumed that the Task was either unregistered or this function was called from a cFE Application's main task.

### See also

 $CFE\_ES\_CreateChildTask, CFE\_ES\_DeleteChildTask$ 

# 36.7.2.4 CFE\_ES\_GetTaskIDByName()

Get a Task ID associated with a specified Task name.

## Description

This routine retrieves the cFE Task ID associated with a specified Task name.

Assumptions, External Events, and Notes:

None

## **Parameters**

out	TaskldPtr	Pointer to variable that is to receive the Task's ID (must not be null).	
in	TaskName	Pointer to null terminated character string containing a Task name (must not be null).	

#### Returns

Execution status, see cFE Return Code Defines

## **Return values**

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_NAME_NOT_FOUND	Resource Name Error.
CFE_ES_BAD_ARGUMENT	Bad Argument.

### See also

CFE\_ES\_GetTaskName

# 36.7.2.5 CFE\_ES\_GetTaskName()

Get a Task name for a specified Task ID.

36.7 cFE Child Task APIs 185

# Description

This routine retrieves the cFE Task name associated with a specified Task ID.

# Assumptions, External Events, and Notes:

In the case of a failure (CFE\_ES\_ERR\_RESOURCEID\_NOT\_VALID), an empty string is returned.

## **Parameters**

out	TaskName	Pointer to a character array (must not be null) of at least BufferLength in size that will	
		be filled with the Task name.	
in	Taskld	Task ID of Task whose name is being requested.	
in	BufferLength	The maximum number of characters, including the null terminator, that can be put into the	
		TaskName buffer. This routine will truncate the name to this length, if necessary.	

## Returns

Execution status, see cFE Return Code Defines

## **Return values**

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_ES_BAD_ARGUMENT	Bad Argument.

## See also

CFE\_ES\_GetTaskIDByName

## 36.8 cFE Miscellaneous APIs

#### **Functions**

void CFE\_ES\_BackgroundWakeup (void)

Wakes up the CFE background task.

• CFE\_Status\_t CFE\_ES\_WriteToSysLog (const char \*SpecStringPtr,...) OS\_PRINTF(1

Write a string to the cFE System Log.

CFE\_Status\_t uint32 CFE\_ES\_CalculateCRC (const void \*DataPtr, size\_t DataLength, uint32 InputCRC, uint32 TypeCRC)

Calculate a CRC on a block of memory.

void CFE ES ProcessAsyncEvent (void)

Notification that an asynchronous event was detected by the underlying OS/PSP.

- 36.8.1 Detailed Description
- 36.8.2 Function Documentation

# 36.8.2.1 CFE\_ES\_BackgroundWakeup()

Wakes up the CFE background task.

## Description

Normally the ES background task wakes up at a periodic interval. Whenever new background work is added, this can be used to wake the task early, which may reduce the delay between adding the job and the job getting processed.

## Assumptions, External Events, and Notes:

Note the amount of work that the background task will perform is pro-rated based on the amount of time elapsed since the last wakeup. Waking the task early will not cause the background task to do more work than it otherwise would - it just reduces the delay before work starts initially.

# 36.8.2.2 CFE\_ES\_CalculateCRC()

Calculate a CRC on a block of memory.

# Description

This routine calculates a cyclic redundancy check (CRC) on a block of memory. The CRC algorithm used is determined by the last parameter.

Assumptions, External Events, and Notes:

None

#### **Parameters**

in	DataPtr	Pointer to the base of the memory block.	
in	DataLength	The number of bytes in the memory block.	
in	InputCRC	A starting value for use in the CRC calculation. This parameter allows the user to calculate the CRC of non-contiguous blocks as a single value. Nominally, the user should set this value to zero.	
in	TypeCRC	One of the following CRC algorithm selections:  • CFE_MISSION_ES_CRC_8 - (Not currently implemented)  • CFE_MISSION_ES_CRC_16 - CRC-16/ARC Polynomial: 0x8005 Initialization: 0x0000 Reflect Input/Output: true XorOut: 0x0000  • CFE_MISSION_ES_CRC_32 - (not currently implemented)	

## Returns

The result of the CRC calculation on the specified memory block. If the TypeCRC is unimplemented will return 0. If DataPtr is null or DataLength is 0, will return InputCRC

## 36.8.2.3 CFE\_ES\_ProcessAsyncEvent()

Notification that an asynchronous event was detected by the underlying OS/PSP.

## Description

This hook routine is called from the PSP when an exception or other asynchronous system event occurs

## Assumptions, External Events, and Notes:

The PSP must guarantee that this function is only invoked from a context which may use OSAL primitives. In general this means that it shouldn't be *directly* invoked from an ISR/signal context.

## 36.8.2.4 CFE\_ES\_WriteToSysLog()

Write a string to the cFE System Log.

## Description

This routine writes a formatted string to the cFE system log. This can be used to record very low-level errors that can't be reported using the Event Services. This function is used in place of printf for flight software. It should be used for significant startup events, critical errors, and conditionally compiled debug software.

Assumptions, External Events, and Notes:

None

#### **Parameters**

in	SpecStringPtr	The format string for the log message (must not be null). This is similar to the format string	
		for a printf() call.	

## Returns

Execution status, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_SYS_LOG_FULL	System Log Full.
CFE_ES_BAD_ARGUMENT	Bad Argument.

### 36.9 cFE Critical Data Store APIs

#### **Functions**

CFE\_Status\_t CFE\_ES\_RegisterCDS (CFE\_ES\_CDSHandle\_t \*CDSHandlePtr, size\_t BlockSize, const char \*Name)

Reserve space (or re-obtain previously reserved space) in the Critical Data Store (CDS)

- CFE\_Status\_t CFE\_ES\_GetCDSBlockIDByName (CFE\_ES\_CDSHandle\_t \*BlockIdPtr, const char \*BlockName)

  Get a CDS Block ID associated with a specified CDS Block name.
- CFE\_Status\_t CFE\_ES\_GetCDSBlockName (char \*BlockName, CFE\_ES\_CDSHandle\_t BlockId, size\_t Buffer
   Length)

Get a Block name for a specified Block ID.

- CFE\_Status\_t CFE\_ES\_CopyToCDS (CFE\_ES\_CDSHandle\_t Handle, const void \*DataToCopy)
  - Save a block of data in the Critical Data Store (CDS)
- CFE\_Status\_t CFE\_ES\_RestoreFromCDS (void \*RestoreToMemory, CFE\_ES\_CDSHandle\_t Handle)

Recover a block of data from the Critical Data Store (CDS)

- 36.9.1 Detailed Description
- 36.9.2 Function Documentation

## 36.9.2.1 CFE\_ES\_CopyToCDS()

Save a block of data in the Critical Data Store (CDS)

## Description

This routine copies a specified block of memory into the Critical Data Store that had been previously registered via CFE\_ES\_RegisterCDS. The block of memory to be copied must be at least as big as the size specified when registering the CDS.

Assumptions, External Events, and Notes:

None

## Parameters

in	Handle	The handle of the CDS block that was previously obtained from CFE_ES_RegisterCDS.
in	DataToCopy	A Pointer to the block of memory to be copied into the CDS (must not be null).

#### **Returns**

Execution status, see cFE Return Code Defines

#### **Return values**

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_ES_BAD_ARGUMENT	Bad Argument.

#### See also

CFE\_ES\_RegisterCDS, CFE\_ES\_RestoreFromCDS

## 36.9.2.2 CFE\_ES\_GetCDSBlockIDByName()

Get a CDS Block ID associated with a specified CDS Block name.

# Description

This routine retrieves the CDS Block ID associated with a specified CDS Block name.

Assumptions, External Events, and Notes:

None

### **Parameters**

out	BlockldPtr	Pointer to variable that is to receive the CDS Block ID (must not be null).
in	BlockName	Pointer to null terminated character string containing a CDS Block name (must not be null).

## Returns

Execution status, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_NAME_NOT_FOUND	Resource Name Error.
CFE_ES_BAD_ARGUMENT	Bad Argument.
CFE_ES_NOT_IMPLEMENTED	The processor does not support a Critical Data Store.

### See also

CFE\_ES\_GetCDSBlockName

## 36.9.2.3 CFE\_ES\_GetCDSBlockName()

Get a Block name for a specified Block ID.

## Description

This routine retrieves the cFE Block name associated with a specified Block ID.

Assumptions, External Events, and Notes:

In the case of a failure (CFE\_ES\_ERR\_RESOURCEID\_NOT\_VALID), an empty string is returned.

### **Parameters**

out	BlockName	Pointer to a character array (must not be null) of at least BufferLength in size that will be filled with the CDS Block name.	
in	Blockld	Block ID/Handle of CDS registry entry whose name is being requested.	
in	BufferLength	The maximum number of characters, including the null terminator, that can be put into the	
		BlockName buffer. This routine will truncate the name to this length, if necessary.	

## Returns

Execution status, see cFE Return Code Defines

### **Return values**

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_ES_BAD_ARGUMENT	Bad Argument.
CFE_ES_NOT_IMPLEMENTED	The processor does not support a Critical Data Store.

### See also

CFE\_ES\_GetCDSBlockIDByName

## 36.9.2.4 CFE\_ES\_RegisterCDS()

Reserve space (or re-obtain previously reserved space) in the Critical Data Store (CDS)

#### Description

This routine allocates a block of memory in the Critical Data Store and associates it with the calling Application. The memory can survive an Application restart as well as a Processor Reset.

## Assumptions, External Events, and Notes:

This function does *not* clear or otherwise initialize/modify the data within the CDS block. If this function returns CFE\_ES\_CDS\_ALREADY\_EXISTS the block may already have valid data in it.

If a new CDS block is reserved (either because the name did not exist, or existed as a different size) it is the responsibility of the calling application to fill the CDS block with valid data. This is indicated by a CFE\_SUCCESS return code, and in this case the calling application should ensure that it also calls CFE\_ES\_CopyToCDS() to fill the block with valid data.

#### **Parameters**

out	CDSHandlePtr	Pointer Application's variable that will contain the CDS Memory Block Handle (must not be null). HandlePtr is the handle of the CDS block that can be used in CFE_ES_CopyToCDS	
		and CFE_ES_RestoreFromCDS.	
in	BlockSize	The number of bytes needed in the CDS (must not be zero).	
in	Name	A pointer to a character string (must not be null) containing an application unique name of	
		CFE_MISSION_ES_CDS_MAX_NAME_LENGTH characters or less.	

## Returns

Execution status, see cFE Return Code Defines

CFE_SUCCESS	The memory block was successfully created in the CDS.
CFE_ES_NOT_IMPLEMENTED	The processor does not support a Critical Data Store.
CFE_ES_CDS_ALREADY_EXISTS	CDS Already Exists.
CFE_ES_CDS_INVALID_SIZE	CDS Invalid Size.
CFE_ES_CDS_INVALID_NAME	CDS Invalid Name.
CFE_ES_BAD_ARGUMENT	Bad Argument.
CFE_ES_CDS_INVALID	(return value only verified in coverage test) CDS Invalid.

#### See also

CFE\_ES\_CopyToCDS, CFE\_ES\_RestoreFromCDS

## 36.9.2.5 CFE\_ES\_RestoreFromCDS()

Recover a block of data from the Critical Data Store (CDS)

## Description

This routine copies data from the Critical Data Store identified with the <code>Handle</code> into the area of memory pointed to by the <code>RestoreToMemory</code> pointer. The area of memory to be copied into must be at least as big as the size specified when registering the CDS. The recovery will indicate an error if the data integrity check maintained by the CDS indicates the contents of the CDS have changed. However, the contents will still be copied into the specified area of memory.

Assumptions, External Events, and Notes:

None

### **Parameters**

in	Handle	The handle of the CDS block that was previously obtained from CFE_ES_RegisterCDS.	
out	RestoreToMemory	A Pointer to the block of memory (must not be null) that is to be restored with the contents of the CDS. *RestoreToMemory is the contents of the specified CDS.	

## Returns

Execution status, see cFE Return Code Defines

## **Return values**

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_ES_CDS_BLOCK_CRC_ERR	(return value only verified in coverage test) CDS Block CRC Error.
CFE_ES_BAD_ARGUMENT	Bad Argument.

#### See also

CFE\_ES\_RegisterCDS, CFE\_ES\_CopyToCDS

## 36.10 cFE Memory Manager APIs

#### **Functions**

- CFE\_Status\_t CFE\_ES\_PoolCreateNoSem (CFE\_ES\_MemHandle\_t \*PoolID, void \*MemPtr, size\_t Size)

  Initializes a memory pool created by an application without using a semaphore during processing.
- CFE Status t CFE ES PoolCreate (CFE ES MemHandle t \*PoolID, void \*MemPtr, size t Size)

Initializes a memory pool created by an application while using a semaphore during processing.

• CFE\_Status\_t CFE\_ES\_PoolCreateEx (CFE\_ES\_MemHandle\_t \*PoolID, void \*MemPtr, size\_t Size, uint16 NumBlockSizes, const size t \*BlockSizes, bool UseMutex)

Initializes a memory pool created by an application with application specified block sizes.

int32 CFE\_ES\_PoolDelete (CFE\_ES\_MemHandle\_t PoolID)

Deletes a memory pool that was previously created.

• int32 CFE\_ES\_GetPoolBuf (CFE\_ES\_MemPoolBuf\_t \*BufPtr, CFE\_ES\_MemHandle\_t Handle, size\_t Size)

Gets a buffer from the memory pool created by CFE\_ES\_PoolCreate or CFE\_ES\_PoolCreateNoSem.

- CFE\_Status\_t CFE\_ES\_GetPoolBufInfo (CFE\_ES\_MemHandle\_t Handle, CFE\_ES\_MemPoolBuf\_t BufPtr)
   Gets info on a buffer previously allocated via CFE\_ES\_GetPoolBuf.
- int32 CFE\_ES\_PutPoolBuf (CFE\_ES\_MemHandle\_t Handle, CFE\_ES\_MemPoolBuf\_t BufPtr)

Releases a buffer from the memory pool that was previously allocated via CFE\_ES\_GetPoolBuf.

• CFE\_Status\_t CFE\_ES\_GetMemPoolStats (CFE\_ES\_MemPoolStats\_t \*BufPtr, CFE\_ES\_MemHandle\_t Handle)

Extracts the statistics maintained by the memory pool software.

- 36.10.1 Detailed Description
- 36.10.2 Function Documentation

## 36.10.2.1 CFE\_ES\_GetMemPoolStats()

Extracts the statistics maintained by the memory pool software.

## Description

This routine fills the CFE\_ES\_MemPoolStats\_t data structure with the statistics maintained by the memory pool software. These statistics can then be telemetered by the calling Application.

Assumptions, External Events, and Notes:

None

#### **Parameters**

	out	BufPtr	Pointer to CFE_ES_MemPoolStats_t data structure (must not be null) to be filled with memory	
			statistics. *BufPtr is the Memory Pool Statistics stored in given data structure.	
Ī	in	Handle	The handle to the memory pool whose statistics are desired.	

#### Returns

Execution status, see cFE Return Code Defines

## **Return values**

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_ES_BAD_ARGUMENT	Bad Argument.

## See also

 $CFE\_ES\_PoolCreate, CFE\_ES\_PoolCreateNoSem, CFE\_ES\_PoolCreateEx, CFE\_ES\_GetPoolBuf, CFE\_ES\_C$ 

## 36.10.2.2 CFE\_ES\_GetPoolBuf()

Gets a buffer from the memory pool created by CFE\_ES\_PoolCreate or CFE\_ES\_PoolCreateNoSem.

## Description

This routine obtains a block of memory from the memory pool supplied by the calling application.

Assumptions, External Events, and Notes:

1. The size allocated from the memory pool is, at a minimum, 12 bytes more than requested.

## **Parameters**

out	BufPtr	A pointer to the Application's pointer (must not be null) in which will be stored the address of the allocated memory buffer. *BufPtr is the address of the requested buffer.
in	Handle	The handle to the memory pool as returned by CFE_ES_PoolCreate or CFE_ES_PoolCreateNoSem.
in	Size	The size of the buffer requested. NOTE: The size allocated may be larger.

#### Returns

Bytes Allocated, or error code cFE Return Code Defines

#### Return values

CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_ES_ERR_MEM_BLOCK_SIZE	Memory Block Size Error.
CFE_ES_BAD_ARGUMENT	Bad Argument.

## See also

 $\label{lem:cfe_es_polCreate} CFE\_ES\_PoolCreateNoSem, CFE\_ES\_PoolCreateEx, CFE\_ES\_PutPoolBuf, CFE\_ES\_GetMemPoolStats, CFE\_ES\_GetPoolBufInfo$ 

## 36.10.2.3 CFE\_ES\_GetPoolBufInfo()

Gets info on a buffer previously allocated via CFE\_ES\_GetPoolBuf.

## Description

This routine gets info on a buffer in the memory pool.

Assumptions, External Events, and Notes:

None

## **Parameters**

in	Handle	The handle to the memory pool as returned by CFE_ES_PoolCreate or CFE_ES_PoolCreateNoSem.	
in	BufPtr	A pointer to the memory buffer to provide status for (must not be null).	

## Returns

Size of the buffer if successful, or status code if not successful, see cFE Return Code Defines

CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_ES_BUFFER_NOT_IN_POOL	Buffer Not In Pool.
CFE_ES_BAD_ARGUMENT	Bad Argument.

#### See also

 $\label{lem:cfe_es_pool} CFE\_ES\_PoolCreateNoSem, CFE\_ES\_PoolCreateEx, CFE\_ES\_GetPoolBuf, CFE\_ES\_\longleftrightarrow GetMemPoolStats, CFE\_ES\_PutPoolBuf$ 

#### 36.10.2.4 CFE\_ES\_PoolCreate()

Initializes a memory pool created by an application while using a semaphore during processing.

# Description

This routine initializes a pool of memory supplied by the calling application. When a memory pool created by this routine is processed, mutex handling will be performed.

Assumptions, External Events, and Notes:

- 1. The size of the pool must be an integral number of 32-bit words
- 2. The start address of the pool must be 32-bit aligned
- 3. 168 bytes are used for internal bookkeeping, therefore, they will not be available for allocation.

#### **Parameters**

out	PooIID	A pointer to the variable the caller wishes to have the memory pool handle kept in (must not be	
		null). PooIID is the memory pool handle.	
in	MemPtr	A Pointer to the pool of memory created by the calling application (must not be null). This address must be aligned suitably for the processor architecture. The CFE_ES_STATIC_POOL_TYPE macro may be used to assist in creating properly aligned memory pools.	
in	Size	The size of the pool of memory (must not be zero). Note that this must be an integral multiple of the memory alignment of the processor architecture.	

# Returns

Execution status, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.
CFE_ES_BAD_ARGUMENT	Bad Argument.

#### See also

 ${\tt CFE\_ES\_PoolCreateEx, CFE\_ES\_GetPoolBuf, CFE\_ES\_PutPoolBuf, CFE\_ES\_} \\ GetMemPoolStats$ 

## 36.10.2.5 CFE\_ES\_PoolCreateEx()

Initializes a memory pool created by an application with application specified block sizes.

## Description

This routine initializes a pool of memory supplied by the calling application.

Assumptions, External Events, and Notes:

- 1. The size of the pool must be an integral number of 32-bit words
- 2. The start address of the pool must be 32-bit aligned
- 3. 168 bytes are used for internal bookkeeping, therefore, they will not be available for allocation.

## Parameters

out	PoolID	A pointer to the variable the caller wishes to have the memory pool handle kept in (must not be null). PoolID is the memory pool handle.
in	MemPtr	A Pointer to the pool of memory created by the calling application (must not be null). This address must be aligned suitably for the processor architecture. The CFE_ES_STATIC_POOL_TYPE macro may be used to assist in creating properly aligned memory pools.
in	Size	The size of the pool of memory (must not be zero). Note that this must be an integral multiple of the memory alignment of the processor architecture.
in	NumBlockSizes	The number of different block sizes specified in the BlockSizes array. If set larger than CFE_PLATFORM_ES_POOL_MAX_BUCKETS, CFE_ES_BAD_ARGUMENT will be returned. If BlockSizes is null and NumBlockSizes is 0, NubBlockSizes will be set to CFE_PLATFORM_ES_POOL_MAX_BUCKETS.
in	BlockSizes	Pointer to an array of sizes to be used instead of the default block sizes specified by CFE_PLATFORM_ES_MEM_BLOCK_SIZE_01 through CFE_PLATFORM_ES_MAX_BLOCK_SIZE. If the pointer is equal to NULL, the default block sizes are used.
in	UseMutex	Flag indicating whether the new memory pool will be processing with mutex handling or not. Valid parameter values are CFE_ES_USE_MUTEX and CFE_ES_NO_MUTEX

#### Returns

Execution status, see cFE Return Code Defines

#### **Return values**

CFE_SUCCESS	Successful execution.
CFE_ES_BAD_ARGUMENT	Bad Argument.
CFE_ES_NO_RESOURCE_IDS_AVAILABLE	Resource ID is not available.
CFE_STATUS_EXTERNAL_RESOURCE_F↔	(return value only verified in coverage test) External failure.
AIL	

## See also

 $\label{lem:cfe_es_pol} \mbox{CFE\_ES\_PoolCreateNoSem, CFE\_ES\_GetPoolBuf, CFE\_ES\_PutPoolBuf, CFE\_ES\_} \\ \mbox{GetMemPoolStats} \\ \mbox{CFE\_ES\_PoolCreateNoSem, CFE\_ES\_GetPoolBuf, CFE\_ES\_PutPoolBuf, CFE\_ES\_} \\ \mbox{CFE\_ES\_PoolCreateNoSem, CFE\_ES\_GetPoolBuf, CFE\_ES\_PutPoolBuf, CFE\_ES\_} \\ \mbox{CFE\_ES\_PoolCreateNoSem, CFE\_ES\_} \\ \mbox{CFE\_ES\_PoolCreateNoSem, CFE\_ES\_} \\ \mbox{CFE\_ES\_PoolCreateNoSem, CFE\_ES\_} \\ \mbox{CFE\_ES\_} \\ \mbo$ 

#### 36.10.2.6 CFE\_ES\_PoolCreateNoSem()

Initializes a memory pool created by an application without using a semaphore during processing.

## Description

This routine initializes a pool of memory supplied by the calling application. When a memory pool created by this routine is processed, no mutex handling is performed.

Assumptions, External Events, and Notes:

- 1. The size of the pool must be an integral number of 32-bit words
- 2. The start address of the pool must be 32-bit aligned
- 3. 168 bytes are used for internal bookkeeping, therefore, they will not be available for allocation.

## **Parameters**

out	PooIID	A pointer to the variable the caller wishes to have the memory pool handle kept in (must not be
		null). PoolID is the memory pool handle.
in	MemPtr	A Pointer to the pool of memory created by the calling application (must not be null). This address must be aligned suitably for the processor architecture. The CFE_ES_STATIC_POOL_TYPE macro may be used to assist in creating properly aligned memory pools.
in	Size	The size of the pool of memory (must not be zero). Note that this must be an integral multiple of the memory alignment of the processor architecture.

#### Returns

Execution status, see cFE Return Code Defines

#### Return values

CFE_SUCCESS	Successful execution.
CFE_ES_BAD_ARGUMENT	Bad Argument.

## See also

 $CFE\_ES\_PoolCreateEx, \ CFE\_ES\_GetPoolBuf, \ CFE\_ES\_PutPoolBuf, \ CFE\_ES\_GetPoolBuf, \ CFE\_E$ 

## 36.10.2.7 CFE\_ES\_PoolDelete()

Deletes a memory pool that was previously created.

## Description

This routine removes the pool ID and frees the global table entry for future re-use.

## Assumptions, External Events, and Notes:

All buffers associated with the pool become invalid after this call. The application should ensure that buffers/references to the pool are returned before deleting the pool.

### **Parameters**

in	PooIID	The ID of the pool to delete

#### Returns

Execution status, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.

#### See also

 ${\sf CFE\_ES\_PoolCreate}, \ {\sf CFE\_ES\_PoolCreate}, \ {\sf CFE\_ES\_PoolBuf}, \ {\sf CFE\_ES\_PutPoolBuf}, \ {\sf CFE\_ES\_PutPoolBuf}, \ {\sf CFE\_ES\_PoolCreate}, \ {\sf CFE\_ES\_PoolCreate},$ 

36.10.2.8 CFE\_ES\_PutPoolBuf()

Releases a buffer from the memory pool that was previously allocated via CFE\_ES\_GetPoolBuf.

## Description

This routine releases a buffer back into the memory pool.

Assumptions, External Events, and Notes:

None

### **Parameters**

in	Handle	The handle to the memory pool as returned by CFE_ES_PoolCreate or CFE_ES_PoolCreateNoSem.	
in	BufPtr	A pointer to the memory buffer to be released (must not be null).	

## Returns

Bytes released, or error code cFE Return Code Defines

### Return values

CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_ES_BAD_ARGUMENT	Bad Argument.
CFE_ES_BUFFER_NOT_IN_POOL	Buffer Not In Pool.
CFE_ES_POOL_BLOCK_INVALID	Invalid pool block.

## See also

 $\label{lem:cfe_es_pool} CFE\_ES\_PoolCreate No Sem, \ CFE\_ES\_PoolCreate Ex, \ CFE\_ES\_Get PoolBuf, \ CFE\_ES\_Get PoolBuf, \ CFE\_ES\_Get PoolBuf Info$ 

## 36.11 cFE Performance Monitor APIs

#### Macros

#define CFE\_ES\_PerfLogEntry(id) (CFE\_ES\_PerfLogAdd(id, 0))

Entry marker for use with Software Performance Analysis Tool.

• #define CFE\_ES\_PerfLogExit(id) (CFE\_ES\_PerfLogAdd(id, 1))

Exit marker for use with Software Performance Analysis Tool.

#### **Functions**

• void CFE\_ES\_PerfLogAdd (uint32 Marker, uint32 EntryExit)

Adds a new entry to the data buffer.

## 36.11.1 Detailed Description

## 36.11.2 Macro Definition Documentation

# 36.11.2.1 CFE\_ES\_PerfLogEntry

Entry marker for use with Software Performance Analysis Tool.

## Description

This macro logs the entry or start event/marker for the specified entry id. This macro, in conjunction with the CFE\_ES\_PerfLogExit, is used by the Software Performance Analysis tool (see section 5.15).

Assumptions, External Events, and Notes:

None

### **Parameters**

in	id	Identifier of the specific event or marker.
----	----	---

#### See also

```
CFE_ES_PerfLogExit, CFE_ES_PerfLogAdd
```

Definition at line 1473 of file cfe\_es.h.

## 36.11.2.2 CFE\_ES\_PerfLogExit

Exit marker for use with Software Performance Analysis Tool.

## Description

This macro logs the exit or end event/marker for the specified entry id. This macro, in conjunction with the CFE← \_ES\_PerfLogEntry, is used by the Software Performance Analysis tool (see section 5.15).

Assumptions, External Events, and Notes:

None

#### **Parameters**

in	id	Identifier of the specific event or marker.
----	----	---

#### See also

```
CFE_ES_PerfLogEntry, CFE_ES_PerfLogAdd
```

Definition at line 1492 of file cfe\_es.h.

36.11.3 Function Documentation

## 36.11.3.1 CFE\_ES\_PerfLogAdd()

Adds a new entry to the data buffer.

Function called by CFE\_ES\_PerfLogEntry and CFE\_ES\_PerfLogExit macros

### Description

This function logs the entry and exit marker for the specified id. This function is used by the Software Performance Analysis tool (see section 5.15).

Assumptions, External Events, and Notes:

This function implements a circular buffer using an array. DataStart points to first stored entry DataEnd points to next available entry if DataStart == DataEnd then the buffer is either empty or full depending on the value of the DataCount

Time is stored as 2 32 bit integers, (TimerLower32, TimerUpper32): TimerLower32 is the current value of the hardware timer register. TimerUpper32 is the number of times the timer has rolled over.

## **Parameters**

in	Marker	Identifier of the specific event or marker.
in	EntryExit	Used to specify Entry(0) or Exit(1)

# See also

 ${\sf CFE\_ES\_PerfLogEntry}, {\sf CFE\_ES\_PerfLogExit}$ 

## 36.12 cFE Generic Counter APIs

## **Functions**

CFE\_Status\_t CFE\_ES\_RegisterGenCounter (CFE\_ES\_CounterId\_t \*CounterIdPtr, const char \*CounterName)
 Register a generic counter.

• CFE\_Status\_t CFE\_ES\_DeleteGenCounter (CFE\_ES\_CounterId\_t CounterId)

Delete a generic counter.

CFE Status t CFE ES IncrementGenCounter (CFE ES Counterld t Counterld)

Increments the specified generic counter.

CFE\_Status\_t CFE\_ES\_SetGenCount (CFE\_ES\_CounterId\_t CounterId, uint32 Count)

Set the specified generic counter.

• CFE\_Status\_t CFE\_ES\_GetGenCount (CFE\_ES\_CounterId\_t CounterId, uint32 \*Count)

Get the specified generic counter count.

 CFE\_Status\_t CFE\_ES\_GetGenCounterIDByName (CFE\_ES\_CounterId\_t \*CounterIdPtr, const cha \*CounterName)

Get the Id associated with a generic counter name.

CFE\_Status\_t CFE\_ES\_GetGenCounterName (char \*CounterName, CFE\_ES\_CounterId\_t CounterId, size\_
 t BufferLength)

Get a Counter name for a specified Counter ID.

## 36.12.1 Detailed Description

### 36.12.2 Function Documentation

## 36.12.2.1 CFE\_ES\_DeleteGenCounter()

Delete a generic counter.

#### Description

This routine deletes a previously registered generic counter.

Assumptions, External Events, and Notes:

None.

### **Parameters**

in	Counter←	The Counter Id of the newly created counter.
	ld	

#### Returns

Execution status, see cFE Return Code Defines

#### **Return values**

CFE_SUCCESS	Successful execution.
CFE_ES_BAD_ARGUMENT	Bad Argument.

## See also

 $\label{lem:cfe_es_encounter} CFE\_ES\_IncrementGenCounter, \ CFE\_ES\_IncrementGenCounter, \ CFE\_ES\_SetGenCount, \ CFE\_ES\_GetGenCounter, \ CFE\_ES\_GetGen$ 

## 36.12.2.2 CFE\_ES\_GetGenCount()

Get the specified generic counter count.

## Description

This routine gets the value of a generic counter.

**Assumptions, External Events, and Notes:** 

None.

#### **Parameters**

in	Counter← Id	The Counter to get the value from.
out	Count	Buffer to store value of the Counter (must not be null).

## Returns

Execution status, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.
CFE_ES_BAD_ARGUMENT	Bad Argument.

#### See also

 $\label{lem:cfe_es_register} CFE\_ES\_RegisterGenCounter, \ \ CFE\_ES\_SetGenCount, \ \ CFE\_ES\_Increment \leftarrow GenCounter, \ \ CFE\_ES\_GetGenCounterIDByName$ 

## 36.12.2.3 CFE\_ES\_GetGenCounterIDByName()

Get the Id associated with a generic counter name.

## Description

This routine gets the Counter Id for a generic counter specified by name.

**Assumptions, External Events, and Notes:** 

None.

### **Parameters**

out	CounterIdPtr	Pointer to variable that is to receive the Counter's ID (must not be null).	
in	CounterName Pointer to null terminated character string containing a Counter name (must not be n		

## Returns

Execution status, see cFE Return Code Defines

### Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_NAME_NOT_FOUND	Resource Name Error.
CFE_ES_BAD_ARGUMENT	Bad Argument.

## See also

CFE\_ES\_GetGenCounterName

## 36.12.2.4 CFE\_ES\_GetGenCounterName()

```
CFE_ES_CounterId_t CounterId,
size_t BufferLength )
```

Get a Counter name for a specified Counter ID.

## Description

This routine retrieves the cFE Counter name associated with a specified Counter ID.

**Assumptions, External Events, and Notes:** 

In the case of a failure (CFE\_ES\_ERR\_RESOURCEID\_NOT\_VALID), an empty string is returned.

#### **Parameters**

out	CounterName	Pointer to a character array (must not be null) of at least BufferLength in size that will	
		be filled with the Counter name.	
in	CounterId	ID of Counter whose name is being requested.	
in	BufferLength	The maximum number of characters, including the null terminator (must not be zero), that can be put into the CounterName buffer. This routine will truncate the name to this length, if necessary.	

## Returns

Execution status, see cFE Return Code Defines

### **Return values**

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_ES_BAD_ARGUMENT	Bad Argument.

## See also

CFE\_ES\_GetGenCounterIDByName

## 36.12.2.5 CFE\_ES\_IncrementGenCounter()

Increments the specified generic counter.

# Description

This routine increments the specified generic counter.

Assumptions, External Events, and Notes:

None.

#### **Parameters**

in	Counter⊷	The Counter to be incremented.
	ld	

## Returns

Execution status, see cFE Return Code Defines

#### **Return values**

CFE_SUCCESS	Successful execution.
CFE_ES_BAD_ARGUMENT	Bad Argument.

#### See also

 ${\tt CFE\_ES\_Register} GenCounter, \ {\tt CFE\_ES\_Delete} GenCounter, \ {\tt CFE\_ES\_Set} GenCount, \ {\tt CFE\_ES\_Get} GenCounter, \ {\tt CFE\_E$ 

## 36.12.2.6 CFE\_ES\_RegisterGenCounter()

Register a generic counter.

### Description

This routine registers a generic thread-safe counter which can be used for inter-task management.

Assumptions, External Events, and Notes:

The initial value of all newly registered counters is 0.

### **Parameters**

out	CounterIdPtr	Buffer to store the Counter Id of the newly created counter (must not be null).
in	CounterName	The Name of the generic counter (must not be null).

## Returns

Execution status, see cFE Return Code Defines

## Return values

CFE_SUCCESS	Successful execution.
CFE_ES_BAD_ARGUMENT	Bad Argument.
CFE_ES_ERR_DUPLICATE_NAME	Duplicate Name Error.
CFE_ES_NO_RESOURCE_IDS_AVAILABLE	Resource ID is not available.

## See also

 $\label{lem:cfe_es_def} \mbox{CFE\_ES\_IncrementGenCounter}, \ \ \mbox{CFE\_ES\_DeleteGenCounter}, \ \ \mbox{CFE\_ES\_SetGenCount}, \ \ \mbox{CFE\_ES\_GetGenCounter} \ \mbox{Count}, \ \mbox{CFE\_ES\_GetGenCounter} \ \mbox{DByName}$ 

## 36.12.2.7 CFE\_ES\_SetGenCount()

Set the specified generic counter.

# Description

This routine sets the specified generic counter to the specified value.

Assumptions, External Events, and Notes:

None.

#### **Parameters**

	in	Counter⊷	The Counter to be set.
		ld	
Ī	in	Count	The new value of the Counter.

# Returns

Execution status, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.
CFE_ES_BAD_ARGUMENT	Bad Argument.

See also

 $\label{lem:cfe_es_register} CFE\_ES\_DeleteGenCounter, \ CFE\_ES\_IncrementGenCounter, \ CFE\_ES\_Get \\ GenCount, \ CFE\_ES\_GetGenCounterIDByName$ 

# 36.13 cFE Registration APIs

#### **Functions**

• CFE\_Status\_t CFE\_EVS\_Register (const void \*Filters, uint16 NumEventFilters, uint16 FilterScheme)

Register an application for receiving event services.

36.13.1 Detailed Description

36.13.2 Function Documentation

36.13.2.1 CFE\_EVS\_Register()

Register an application for receiving event services.

## Description

This routine registers an application with event services and allocates/initializes the internal data structures used to support this application's events. An application may not send events unless it has called this routine. The routine also accepts a filter array structure for applications requiring event filtering. In the current implementation of the EVS, only the binary filtering scheme is supported. See section TBD of the cFE Application Programmer's Guide for a description of the behavior of binary filters. Applications may call CFE\_EVS\_Register more than once, but each call will wipe out all filters registered by previous calls (filter registration is NOT cumulative).

Assumptions, External Events, and Notes:

Note: Event filters can be added, deleted or modified by ground commands. All filtering schemes include a default setting that results in no filtering (such as CFE\_EVS\_NO\_FILTER for binary filters).

Filter Scheme: Binary

Code: CFE\_EVS\_EventFilter\_BINARY

Filter Structure:

```
typedef struct CFE_EVS_BinFilter {
    uint16    EventID,
    uint16    Mask;
} CFE_EVS_BinFilter_t;
```

# **Parameters**

in	Filters	Pointer to an array of event message filters, or NULL if no filtering is desired. The structure of an event message filter depends on the FilterScheme selected. (see Filter Schemes mentioned above)
in	NumEventFilters	The number of event message filters included in this call. This must be less than or equal to the maximum number of events allowed per application (CFE_PLATFORM_EVS_MAX_EVENT_FILTERS).
in	FilterScheme	The event filtering scheme that this application will use. For the first implementation of the event services, only filter type CFE_EVS_EventFilter_BINARY will be supported.

# Returns

Execution status below or from CFE\_ES\_GetAppID, see cFE Return Code Defines

# **Return values**

CFE_SUCCESS	Successful execution.
CFE_EVS_APP_FILTER_OVERLOAD	Application Filter Overload.
CFE_EVS_UNKNOWN_FILTER	Unknown Filter.
CFE_EVS_APP_ILLEGAL_APP_ID	Illegal Application ID.
CFE_ES_BAD_ARGUMENT	Bad Argument.

## 36.14 cFE Send Event APIs

#### **Functions**

 CFE\_Status\_t CFE\_EVS\_SendEvent (uint16 EventID, uint16 EventType, const char \*Spec,...) OS\_PRINTF(3
 Generate a software event.

CFE\_Status\_t CFE\_Status\_t CFE\_EVS\_SendEventWithAppID (uint16 EventID, uint16 EventType, CFE\_ES\_
 — AppId t AppID, const char \*Spec,...) OS PRINTF(4

Generate a software event given the specified Application ID.

 CFE\_Status\_t CFE\_Status\_t CFE\_EVS\_SendTimedEvent (CFE\_TIME\_SysTime\_t Time, uint16 EventID, uint16 EventType, const char \*Spec,...) OS\_PRINTF(4

Generate a software event with a specific time tag.

- 36.14.1 Detailed Description
- 36.14.2 Function Documentation

## 36.14.2.1 CFE\_EVS\_SendEvent()

Generate a software event.

## Description

This routine generates a software event message. If the EventID is not filtered, the event will be sent as a software bus message, optionally logged in the local event log, and optionally sent as an ASCII text string out the enabled output port(s).

## Assumptions, External Events, and Notes:

This API only works within the context of a registered application or core service. For messages outside the context of a registered application (for example early in app initialization or if registration fails) CFE\_ES\_WriteToSysLog can be used for reporting.

#### **Parameters**

in	EventID	A numeric literal used to uniquely identify an application event. The EventID is defined and	
		supplied by the application sending the event.	

## **Parameters**

in	EventType	A numeric literal used to classify an event, one of:
		CFE_EVS_EventType_DEBUG
		CFE_EVS_EventType_INFORMATION
		CFE_EVS_EventType_ERROR
		CFE_EVS_EventType_CRITICAL
in	Spec	A pointer to a null terminated text string (must not be null) describing the output format for the event. This is the same type of format string used for the ANSI printf function. Nominally the post-conversion string is limited to 80 characters, but this limit is configurable through the parameter CFE_MISSION_EVS_MAX_MESSAGE_LENGTH. Characters beyond the limit will be truncated. Do not use floating point conversions (f, e, E, g, and G) in the format string unless your application will be running in a system that supports floating point arithmetic. Do not use non-printable characters (\tau, \n, etc.) in the format string; they will mess up the formatting when the events are displayed on the ground system.

## Returns

Execution status, see cFE Return Code Defines

#### **Return values**

CFE_SUCCESS	Successful execution.
CFE_EVS_APP_NOT_REGISTERED	Application Not Registered.
CFE_EVS_APP_ILLEGAL_APP_ID	Illegal Application ID.
CFE_EVS_INVALID_PARAMETER	Invalid Pointer.

#### See also

CFE\_EVS\_SendEventWithAppID, CFE\_EVS\_SendTimedEvent

# 36.14.2.2 CFE\_EVS\_SendEventWithAppID()

Generate a software event given the specified Application ID.

#### Description

This routine generates a software event message. If the EventID is not filtered, the event will be sent as a software bus message, optionally logged in the local event log, and optionally sent as an ASCII text string out the enabled output port(s). Note that this function should really only be used from within an API in order to preserve the context of an Application's event. In general, CFE\_EVS\_SendEvent should be used.

## Assumptions, External Events, and Notes:

The Application ID must correspond to a registered application or core service. For messages outside the context of a registered application (for example early in app initialization or if registration fails) CFE\_ES\_WriteToSysLog can be used for reporting.

#### **Parameters**

in	EventID	A numeric literal used to uniquely identify an application event. The EventID is defined and supplied by the application sending the event.
in	EventType	A numeric literal used to classify an event, one of:
in	AppID	The Application ID from which the event message should appear.
in	Spec	A pointer to a null terminated text string (must not be null) describing the output format for the event. This is the same type of format string used for the ANSI printf function. Nominally the post-conversion string is limited to 80 characters, but this limit is configurable through the parameter CFE_MISSION_EVS_MAX_MESSAGE_LENGTH. Characters beyond the limit will be truncated. Do not use floating point conversions (f, e, E, g, and G) in the format string unless your application will be running in a system that supports floating point arithmetic. Do not use non-printable characters (\tau, \n, etc.) in the format string; they will mess up the formatting when the events are displayed on the ground system.

#### Returns

Execution status, see cFE Return Code Defines

# Return values

CFE_SUCCESS	Successful execution.
CFE_EVS_APP_NOT_REGISTERED	Application Not Registered.
CFE_EVS_APP_ILLEGAL_APP_ID	Illegal Application ID.
CFE_EVS_INVALID_PARAMETER	Invalid Pointer.

#### See also

CFE EVS SendEvent, CFE EVS SendTimedEvent

## 36.14.2.3 CFE\_EVS\_SendTimedEvent()

Generate a software event with a specific time tag.

## Description

This routine is the same as CFE\_EVS\_SendEvent except that the caller specifies the event time instead of having the EVS use the current spacecraft time. This routine should be used in situations where an error condition is detected at one time, but the event message is reported at a later time.

## Assumptions, External Events, and Notes:

This API only works within the context of a registered application or core service. For messages outside the context of a registered application (for example early in app initialization or if registration fails) CFE\_ES\_WriteToSysLog can be used for reporting.

#### **Parameters**

in	Time	The time to include in the event. This will usually be a time returned by the function CFE_TIME_GetTime.	
in	EventID	A numeric literal used to uniquely identify an application event. The EventID is defined and supplied by the application sending the event.	
in	EventType	A numeric literal used to classify an event, one of:  • CFE EVS EventType DEBUG	
		CFE_EVS_EventType_INFORMATION	
		CFE_EVS_EventType_ERROR	
		CFE_EVS_EventType_CRITICAL	
in	Spec	A pointer to a null terminated text string (must not be null) describing the output format for the event. This is the same type of format string used for the ANSI printf function. Nominally the post-conversion string is limited to 80 characters, but this limit is configurable through the parameter CFE_MISSION_EVS_MAX_MESSAGE_LENGTH. Characters beyond the limit will be truncated. Do not use floating point conversions (f, e, E, g, and G) in the format string unless your application will be running in a system that supports floating point arithmetic. Do not use non-printable characters (\tau, \n, etc.) in the format string; they will mess up the formatting when the events are displayed on the ground system.	

## Returns

Execution status, see cFE Return Code Defines

## Return values

CFE_SUCCESS	Successful execution.
CFE_EVS_APP_NOT_REGISTERED	Application Not Registered.
CFE_EVS_APP_ILLEGAL_APP_ID	Illegal Application ID.
CFE_EVS_INVALID_PARAMETER	Invalid Pointer.

## See also

 ${\sf CFE\_EVS\_SendEventWithAppID}$ 

## 36.15 cFE Reset Event Filter APIs

#### **Functions**

CFE\_Status\_t CFE\_EVS\_ResetFilter (uint16 EventID)

Resets the calling application's event filter for a single event ID.

CFE\_Status\_t CFE\_EVS\_ResetAllFilters (void)

Resets all of the calling application's event filters.

## 36.15.1 Detailed Description

#### 36.15.2 Function Documentation

## 36.15.2.1 CFE\_EVS\_ResetAllFilters()

Resets all of the calling application's event filters.

## Description

This routine resets all the calling application's event filter counters to zero, providing a quick and convenient method for resetting event filters.

Assumptions, External Events, and Notes:

None

## Returns

Execution status below or from CFE ES GetAppID, see cFE Return Code Defines

# Return values

CFE_SUCCESS	Successful execution.
CFE_EVS_APP_NOT_REGISTERED	Application Not Registered.
CFE_EVS_APP_ILLEGAL_APP_ID	Illegal Application ID.

### See also

CFE\_EVS\_ResetFilter

# 36.15.2.2 CFE\_EVS\_ResetFilter()

Resets the calling application's event filter for a single event ID.

# Description

Resets the filter such that the next event is treated like the first. For example, if the filter was set to only send the first event, the next event following the reset would be sent.

Assumptions, External Events, and Notes:

None

## **Parameters**

in	EventID	A numeric literal used to uniquely identify an application event. The EventID is defined and
		supplied by the application sending the event.

## Returns

Execution status below or from CFE\_ES\_GetAppID, see cFE Return Code Defines

### Return values

CFE_SUCCESS	Successful execution.
CFE_EVS_APP_NOT_REGISTERED	Application Not Registered.
CFE_EVS_APP_ILLEGAL_APP_ID	Illegal Application ID.
CFE_EVS_EVT_NOT_REGISTERED	Event Not Registered.

## See also

CFE\_EVS\_ResetAllFilters

# 36.16 cFE File Header Management APIs

#### **Functions**

CFE\_Status\_t CFE\_FS\_ReadHeader (CFE\_FS\_Header\_t \*Hdr, osal\_id\_t FileDes)

Read the contents of the Standard cFE File Header.

• void CFE\_FS\_InitHeader (CFE\_FS\_Header\_t \*Hdr, const char \*Description, uint32 SubType)

Initializes the contents of the Standard cFE File Header.

• CFE\_Status\_t CFE\_FS\_WriteHeader (osal\_id\_t FileDes, CFE\_FS\_Header\_t \*Hdr)

Write the specified Standard cFE File Header to the specified file.

CFE\_Status\_t CFE\_FS\_SetTimestamp (osal\_id\_t FileDes, CFE\_TIME\_SysTime\_t NewTimestamp)

Modifies the Time Stamp field in the Standard cFE File Header for the specified file.

#### 36.16.1 Detailed Description

36.16.2 Function Documentation

#### 36.16.2.1 CFE\_FS\_InitHeader()

Initializes the contents of the Standard cFE File Header.

## Description

This API will clear the specified CFE\_FS\_Header\_t variable and initialize the description field with the specified value

## **Parameters**

in	Hdr	Pointer to a variable of type CFE_FS_Header_t that will be cleared and initialized	
in	Description	Initializes Header's Description (must not be null)	
in	SubType	Initializes Header's SubType	

# See also

CFE\_FS\_WriteHeader

## 36.16.2.2 CFE\_FS\_ReadHeader()

Read the contents of the Standard cFE File Header.

## Description

This API will fill the specified CFE\_FS\_Header\_t variable with the contents of the Standard cFE File Header of the file identified by the given File Descriptor.

#### Assumptions, External Events, and Notes:

- The File has already been successfully opened using OS\_OpenCreate and the caller has a legitimate File Descriptor.
- 2. File offset behavior: Agnostic on entry since it will move the offset to the start of the file, on success the offset will be at the end of the header, undefined offset behavior for error cases.

#### **Parameters**

C	out	Hdr	Pointer to a variable of type CFE_FS_Header_t (must not be null) that will be filled with the contents of the Standard cFE File Header. *Hdr is the contents of the Standard cFE File Header for the specified file.	
i	n	FileDes	File Descriptor obtained from a previous call to OS_OpenCreate that is associated with the file whose header is to be read.	

#### Returns

Bytes read or error status from OSAL

## Return values

CFE_FS_BAD_ARGUMENT	Bad Argument.
---------------------	---------------

## Note

This function invokes OSAL API routines and the current implementation may return OSAL error codes to the caller if failure occurs. In a future version of CFE, the status codes will be converted to a value in cFE Return Code Defines.

### See also

CFE\_FS\_WriteHeader

# 36.16.2.3 CFE\_FS\_SetTimestamp()

Modifies the Time Stamp field in the Standard cFE File Header for the specified file.

## Description

This API will modify the timestamp found in the Standard cFE File Header of the specified file. The timestamp will be replaced with the time specified by the caller.

## Assumptions, External Events, and Notes:

- The File has already been successfully opened using OS\_OpenCreate and the caller has a legitimate File Descriptor.
- 2. The NewTimestamp field has been filled appropriately by the Application.
- 3. File offset behavior: Agnostic on entry since it will move the offset, on success the offset will be at the end of the time stamp, undefined offset behavior for error cases.

#### **Parameters**

in	FileDes	File Descriptor obtained from a previous call to OS_OpenCreate that is associated with the
		file whose header is to be read.
in	NewTimestamp	A CFE_TIME_SysTime_t data structure containing the desired time to be put into the file's
		Standard cFE File Header.

### Returns

Execution status, see cFE Return Code Defines, or OSAL status

#### Return values

CFE_STATUS_EXTERNAL_RESOURCE_F↔	(return value only verified in coverage test) External failure.
AIL	
CFE_SUCCESS	Successful execution.

#### Note

This function invokes OSAL API routines and the current implementation may return OSAL error codes to the caller if failure occurs. In a future version of CFE, the status codes will be converted to a value in cFE Return Code Defines.

## 36.16.2.4 CFE\_FS\_WriteHeader()

Write the specified Standard cFE File Header to the specified file.

## Description

This API will output the specified CFE\_FS\_Header\_t variable, with some fields automatically updated, to the specified file as the Standard cFE File Header. This API will automatically populate the following fields in the specified CFE\_FS\_Header\_t:

- 1. ContentType Filled with 0x63464531 ('cFE1')
- 2. Length Filled with the sizeof(CFE FS Header t)
- 3. Spacecraft ID Filled with the Spacecraft ID
- 4. ProcessorID Filled with the Processor ID
- 5. ApplicationID Filled with the Application ID
- 6. TimeSeconds Filled with the Time, in seconds, as obtained by CFE TIME GetTime
- 7. TimeSubSeconds Filled with the Time, subseconds, as obtained by CFE\_TIME\_GetTime

## Assumptions, External Events, and Notes:

- 1. The File has already been successfully opened using OS\_OpenCreate and the caller has a legitimate File Descriptor.
- 2. The SubType field has been filled appropriately by the Application.
- 3. The Description field has been filled appropriately by the Application.
- 4. File offset behavior: Agnostic on entry since it will move the offset to the start of the file, on success the offset will be at the end of the header, undefined offset behavior for error cases.

#### **Parameters**

in	FileDes	File Descriptor obtained from a previous call to OS_OpenCreate that is associated with the file	
		whose header is to be read.	
out	Hdr	Pointer to a variable of type CFE_FS_Header_t (must not be null) that will be filled with the contents of the Standard cFE File Header. *Hdr is the contents of the Standard cFE File Header for the specified file.	

#### Returns

Bytes read or error status from OSAL

## **Return values**

CFE\_FS\_BAD\_ARGUMENT | Bad Argument.

## Note

This function invokes OSAL API routines and the current implementation may return OSAL error codes to the caller if failure occurs. In a future version of CFE, the status codes will be converted to a value in cFE Return Code Defines.

# See also

CFE\_FS\_ReadHeader

# 36.17 cFE File Utility APIs

#### **Functions**

const char \* CFE FS GetDefaultMountPoint (CFE FS FileCategory t FileCategory)

Get the default virtual mount point for a file category.

const char \* CFE\_FS\_GetDefaultExtension (CFE\_FS\_FileCategory\_t FileCategory)

Get the default filename extension for a file category.

int32 CFE\_FS\_ParseInputFileNameEx (char \*OutputBuffer, const char \*InputBuffer, size\_t OutputBufSize, size
 \_t InputBufSize, const char \*DefaultInput, const char \*DefaultPath, const char \*DefaultExtension)

Parse a filename input from an input buffer into a local buffer.

int32 CFE\_FS\_ParseInputFileName (char \*OutputBuffer, const char \*InputName, size\_t OutputBufSize, CFE\_←
FS\_FileCategory\_t FileCategory)

Parse a filename string from the user into a local buffer.

CFE\_Status\_t CFE\_FS\_ExtractFilenameFromPath (const char \*OriginalPath, char \*FileNameOnly)

Extracts the filename from a unix style path and filename string.

int32 CFE\_FS\_BackgroundFileDumpRequest (CFE\_FS\_FileWriteMetaData\_t \*Meta)

Register a background file dump request.

bool CFE FS BackgroundFileDumpIsPending (const CFE FS FileWriteMetaData t \*Meta)

Query if a background file write request is currently pending.

## 36.17.1 Detailed Description

#### 36.17.2 Function Documentation

## 36.17.2.1 CFE\_FS\_BackgroundFileDumplsPending()

Query if a background file write request is currently pending.

#### Description

This returns "true" while the request is on the background work queue This returns "false" once the request is complete and removed from the queue.

Assumptions, External Events, and Notes:

None

#### **Parameters**

in,out	Meta	The background file write persistent state object (must not be null)	
--------	------	--	--

#### Returns

boolean value indicating if request is already pending

#### **Return values**

true	if request is pending
false	if request is not pending

## 36.17.2.2 CFE\_FS\_BackgroundFileDumpRequest()

Register a background file dump request.

## Description

Puts the previously-initialized metadata into the pending request queue

## Assumptions, External Events, and Notes:

Metadata structure should be stored in a persistent memory area (not on stack) as it must remain accessible by the file writer task throughout the asynchronous job operation.

# **Parameters**

in,out	Meta	The background file write persistent state object (must not be null)	
--------	------	--	--

### Returns

Execution status, see cFE Return Code Defines

#### Return values

CFE_FS_BAD_ARGUMENT	Bad Argument.
CFE_FS_INVALID_PATH	Invalid Path.
CFE_STATUS_REQUEST_ALREADY_PENDING	Request already pending.
CFE_SUCCESS	Successful execution.

# 36.17.2.3 CFE\_FS\_ExtractFilenameFromPath()

```
CFE_Status_t CFE_FS_ExtractFilenameFromPath (
```

```
const char * OriginalPath,
char * FileNameOnly )
```

Extracts the filename from a unix style path and filename string.

## Description

This API will take the original unix path/filename combination and extract the base filename. Example: Given the path/filename: "/cf/apps/myapp.o.gz" this function will return the filename: "myapp.o.gz".

Assumptions, External Events, and Notes:

- 1. The paths and filenames used here are the standard unix style filenames separated by "/" characters.
- 2. The extracted filename (including terminator) is no longer than OS\_MAX\_PATH\_LEN

#### **Parameters**

in	OriginalPath	The original path (must not be null)
out	FileNameOnly	The filename that is extracted from the path (must not be null)

#### Returns

Execution status, see cFE Return Code Defines

#### **Return values**

CFE_FS_BAD_ARGUMENT	Bad Argument.
CFE_FS_FNAME_TOO_LONG	Filename Too Long.
CFE_FS_INVALID_PATH	Invalid Path.
CFE_SUCCESS	Successful execution.

## 36.17.2.4 CFE\_FS\_GetDefaultExtension()

Get the default filename extension for a file category.

Certain file types may have an extension that varies from system to system. This is primarily an issue for application modules which are ".so" on Linux systems, ".dll" on Windows, ".o" on VxWorks, ".obj" on RTEMS, and so on.

This uses a combination of compile-time configuration and hints from the build environment to get the default/expected extension for a given file category.

#### Returns

String containing the extension

#### Return values

NULL if no default extension is known for the given file category

### 36.17.2.5 CFE\_FS\_GetDefaultMountPoint()

Get the default virtual mount point for a file category.

Certain classes of files generally reside in a common directory, mainly either the persistent storage (/cf typically) or ram disk (/ram typically).

Ephemeral status files are generally in the ram disk while application modules and scripts are generally in the persistent storage.

This returns the expected directory for a given class of files in the form of a virtual OSAL mount point string.

#### Returns

String containing the mount point

### **Return values**

NULL | if no mount point is known for the given file category

## 36.17.2.6 CFE\_FS\_ParseInputFileName()

Parse a filename string from the user into a local buffer.

## Description

Simplified API for CFE\_FS\_ParseInputFileNameEx() where input is always known to be a non-empty, null terminated string and the fixed-length input buffer not needed. For instance this may be used where the input is a fixed string from cfe\_platform\_cfg.h or similar.

#### Assumptions, External Events, and Notes:

The parameters are organized such that this is basically like strncpy() with an extra argument, and existing file name accesses which use a direct copy can easily change to use this instead.

#### See also

## CFE FS ParseInputFileNameEx()

#### **Parameters**

out	OutputBuffer Buffer to store result (must not be null).	
in	n InputName A null terminated input string (must not be null).	
in	OutputBufSize Maximum Size of output buffer (must not be zero).	
in FileCategory The generalized category of file (in		The generalized category of file (implies default path/extension)

#### Returns

Execution status, see cFE Return Code Defines

#### 36.17.2.7 CFE\_FS\_ParseInputFileNameEx()

Parse a filename input from an input buffer into a local buffer.

### Description

This provides a more user friendly way to specify file names, using default values for the path and extension, which can vary from system to system.

If InputBuffer is null or its length is zero, then DefaultInput is used as if it was the content of the input buffer.

If either the pathname or extension is missing from the input, it will be added from defaults, with the complete fully-qualified filename stored in the output buffer.

Assumptions, External Events, and Notes:

- 1. The paths and filenames used here are the standard unix style filenames separated by "/" (path) and "." (extension) characters.
- 2. Input Buffer has a fixed max length. Parsing will not exceed InputBufSize, and does not need to be null terminated. However parsing will stop at the first null char, when the input is shorter than the maximum.

# **Parameters**

out	OutputBuffer	Buffer to store result (must not be null).	
in	InputBuffer	A input buffer that may contain a file name (e.g. from command) (must not be null).	
in	OutputBufSize	Maximum Size of output buffer (must not be zero).	
in	InputBufSize	fSize Maximum Size of input buffer.	
in	DefaultInput	Default value to use for input if InputBffer is empty	
in	DefaultPath Default value to use for pathname if omitted from input		
in	DefaultExtension Default value to use for extension if omitted from input		

# Returns

Execution status, see cFE Return Code Defines

# **Return values**

CFE_FS_BAD_ARGUMENT	Bad Argument.
CFE_FS_FNAME_TOO_LONG	Filename Too Long.
CFE_FS_INVALID_PATH	Invalid Path.
CFE_SUCCESS	Successful execution.

# 36.18 cFE Generic Message APIs

#### **Functions**

CFE\_Status\_t CFE\_MSG\_Init (CFE\_MSG\_Message\_t \*MsgPtr, CFE\_SB\_MsgId\_t MsgId, CFE\_MSG\_Size\_
 t Size)

Initialize a message.

## 36.18.1 Detailed Description

36.18.2 Function Documentation

## 36.18.2.1 CFE\_MSG\_Init()

Initialize a message.

## Description

This routine initialize a message. The entire message is set to zero (based on size), defaults are set, then the size and bits from Msgld are set.

# **Parameters**

out	MsgPtr	A pointer to the buffer that contains the message (must not be null).	
in	Msgld	Msgld that corresponds to message	
in	in Size Total size of the message (used to set length field)		

## Returns

Execution status, see cFE Return Code Defines

## Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

## 36.19 cFE Message Primary Header APIs

#### **Functions**

- CFE\_Status\_t CFE\_MSG\_GetSize (const CFE\_MSG\_Message\_t \*MsgPtr, CFE\_MSG\_Size\_t \*Size)

  Gets the total size of a message.
- CFE\_Status\_t CFE\_MSG\_SetSize (CFE\_MSG\_Message\_t \*MsgPtr, CFE\_MSG\_Size\_t Size)
   Sets the total size of a message.
- CFE\_Status\_t CFE\_MSG\_GetType (const CFE\_MSG\_Message\_t \*MsgPtr, CFE\_MSG\_Type\_t \*Type)
   Gets the message type.
- CFE\_Status\_t CFE\_MSG\_SetType (CFE\_MSG\_Message\_t \*MsgPtr, CFE\_MSG\_Type\_t Type)

  Sets the message type.
- CFE\_Status\_t CFE\_MSG\_GetHeaderVersion (const CFE\_MSG\_Message\_t \*MsgPtr, CFE\_MSG\_Header ← Version\_t \*Version)

Gets the message header version.

CFE\_Status\_t CFE\_MSG\_SetHeaderVersion (CFE\_MSG\_Message\_t \*MsgPtr, CFE\_MSG\_HeaderVersion\_
 t Version)

Sets the message header version.

CFE\_Status\_t CFE\_MSG\_GetHasSecondaryHeader (const CFE\_MSG\_Message\_t \*MsgPtr, bool \*Has← Secondary)

Gets the message secondary header boolean.

- CFE\_Status\_t CFE\_MSG\_SetHasSecondaryHeader (CFE\_MSG\_Message\_t \*MsgPtr, bool HasSecondary)
   Sets the message secondary header boolean.
- CFE\_Status\_t CFE\_MSG\_GetApId (const CFE\_MSG\_Message\_t \*MsgPtr, CFE\_MSG\_ApId\_t \*ApId)
   Gets the message application ID.
- CFE\_Status\_t CFE\_MSG\_SetApId (CFE\_MSG\_Message\_t \*MsgPtr, CFE\_MSG\_ApId\_t ApId)
   Sets the message application ID.
- CFE\_Status\_t CFE\_MSG\_GetSegmentationFlag (const CFE\_MSG\_Message\_t \*MsgPtr, CFE\_MSG\_← SegmentationFlag t \*SegFlag)

Gets the message segmentation flag.

CFE\_Status\_t CFE\_MSG\_SetSegmentationFlag (CFE\_MSG\_Message\_t \*MsgPtr, CFE\_MSG\_Segmentation←
 Flag t SegFlag)

Sets the message segmentation flag.

CFE\_Status\_t CFE\_MSG\_GetSequenceCount (const CFE\_MSG\_Message\_t \*MsgPtr, CFE\_MSG\_Sequence
 Count t \*SeqCnt)

Gets the message sequence count.

CFE\_Status\_t CFE\_MSG\_SetSequenceCount (CFE\_MSG\_Message\_t \*MsgPtr, CFE\_MSG\_SequenceCount
 \_t SeqCnt)

Sets the message sequence count.

CFE\_MSG\_SequenceCount\_t CFE\_MSG\_GetNextSequenceCount (CFE\_MSG\_SequenceCount\_t SeqCnt)
 Gets the next sequence count value (rolls over if appropriate)

#### 36.19.1 Detailed Description

### 36.19.2 Function Documentation

## 36.19.2.1 CFE\_MSG\_GetApId()

Gets the message application ID.

## Description

This routine gets the message application ID.

## **Parameters**

in	MsgPtr A pointer to the buffer that contains the message (must not be		
out	Apld	Application ID (must not be null)	

#### Returns

Execution status, see cFE Return Code Defines

#### Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

## 36.19.2.2 CFE\_MSG\_GetHasSecondaryHeader()

Gets the message secondary header boolean.

# Description

This routine gets the message secondary header boolean.

## **Parameters**

in	MsgPtr	A pointer to the buffer that contains the message (must not be null).	
out HasSecondary Has secondary header flag (must not be null)		Has secondary header flag (must not be null)	

#### Returns

Execution status, see cFE Return Code Defines

#### **Return values**

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

## 36.19.2.3 CFE\_MSG\_GetHeaderVersion()

Gets the message header version.

## Description

This routine gets the message header version.

### **Parameters**

in	MsgPtr	A pointer to the buffer that contains the message (must not be null).	
out	Version	Header version (must not be null)	

#### Returns

Execution status, see cFE Return Code Defines

## **Return values**

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

# 36.19.2.4 CFE\_MSG\_GetNextSequenceCount()

```
\label{eq:cfe_MSG_SequenceCount_t} \mbox{CFE\_MSG\_GetNextSequenceCount} \  \  ( \mbox{CFE\_MSG\_SequenceCount\_t } \mbox{ SeqCnt } )
```

Gets the next sequence count value (rolls over if appropriate)

## Description

Abstract method to get the next valid sequence count value. Will roll over to zero for any input value greater than or equal to the maximum possible sequence count value given the field in the header.

## **Parameters**

in   SeqCnt   Sequence count	in	SeqCnt	Sequence count
------------------------------	----	--------	----------------

#### Returns

The next valid sequence count value

## 36.19.2.5 CFE\_MSG\_GetSegmentationFlag()

Gets the message segmentation flag.

## Description

This routine gets the message segmentation flag

## **Parameters**

in	MsgPtr	A pointer to the buffer that contains the message (must not be null).	
out	SegFlag	Segmentation flag (must not be null)	

## Returns

Execution status, see cFE Return Code Defines

## Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

# 36.19.2.6 CFE\_MSG\_GetSequenceCount()

```
CFE_Status_t CFE_MSG_GetSequenceCount (
```

```
const CFE_MSG_Message_t * MsgPtr,
CFE_MSG_SequenceCount_t * SeqCnt )
```

Gets the message sequence count.

## Description

This routine gets the message sequence count.

## **Parameters**

in	MsgPtr	A pointer to the buffer that contains the message (must not be null).	
out	SeqCnt	Sequence count (must not be null)	

## Returns

Execution status, see cFE Return Code Defines

## **Return values**

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

## 36.19.2.7 CFE\_MSG\_GetSize()

Gets the total size of a message.

# Description

This routine gets the total size of the message.

## **Parameters**

in	MsgPtr	A pointer to the buffer that contains the message (must not be null).
out	Size	Total message size (must not be null)

## Returns

Execution status, see cFE Return Code Defines

## Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

## 36.19.2.8 CFE\_MSG\_GetType()

Gets the message type.

# Description

This routine gets the message type.

## **Parameters**

in	MsgPtr	A pointer to the buffer that contains the message (must not be null).
out	Туре	Message type (must not be null)

## Returns

Execution status, see cFE Return Code Defines

#### Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

## 36.19.2.9 CFE\_MSG\_SetApId()

Sets the message application ID.

## Description

This routine sets the message application ID. Typically set at initialization using the Msgld, but API available to set bits that may not be included in Msgld.

#### **Parameters**

in,out	MsgPtr	A pointer to the buffer that contains the message (must not be null).
in	Apld	Application ID

## Returns

Execution status, see cFE Return Code Defines

## **Return values**

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

## 36.19.2.10 CFE\_MSG\_SetHasSecondaryHeader()

Sets the message secondary header boolean.

## Description

This routine sets the message secondary header boolean. Typically only set within message initialization and not used by APPs.

## **Parameters**

in,out	MsgPtr	A pointer to the buffer that contains the message (must not be null).
in	HasSecondary	Has secondary header flag

## Returns

Execution status, see cFE Return Code Defines

## **Return values**

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

## 36.19.2.11 CFE\_MSG\_SetHeaderVersion()

Sets the message header version.

## Description

This routine sets the message header version. Typically only set within message initialization and not used by APPs.

#### **Parameters**

in,out	MsgPtr	A pointer to the buffer that contains the message.
in	Version	Header version

#### Returns

Execution status, see cFE Return Code Defines

## **Return values**

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

# 36.19.2.12 CFE\_MSG\_SetSegmentationFlag()

Sets the message segmentation flag.

## Description

This routine sets the message segmentation flag.

## **Parameters**

in,out	MsgPtr	A pointer to the buffer that contains the message (must not be null).
in	SegFlag	Segmentation flag

### Returns

Execution status, see cFE Return Code Defines

#### **Return values**

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

## 36.19.2.13 CFE\_MSG\_SetSequenceCount()

Sets the message sequence count.

## Description

This routine sets the message sequence count.

### **Parameters**

in,out	MsgPtr	A pointer to the buffer that contains the message (must not be null).
in	SeqCnt	Sequence count

#### Returns

Execution status, see cFE Return Code Defines

## **Return values**

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

## 36.19.2.14 CFE\_MSG\_SetSize()

Sets the total size of a message.

## Description

This routine sets the total size of the message.

## **Parameters**

in,out	MsgPtr	A pointer to the buffer that contains the message (must not be null).
in	Size	Total message size

## Returns

Execution status, see cFE Return Code Defines

## Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

# 

Sets the message type.

# Description

This routine sets the message type.

#### **Parameters**

in,out	MsgPtr	A pointer to the buffer that contains the message (must not be null).
in	Type	Message type

# Returns

Execution status, see cFE Return Code Defines

### **Return values**

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

## 36.20 cFE Message Extended Header APIs

#### **Functions**

CFE\_Status\_t CFE\_MSG\_GetEDSVersion (const CFE\_MSG\_Message\_t \*MsgPtr, CFE\_MSG\_EDSVersion\_
 t \*Version)

Gets the message EDS version.

- CFE\_Status\_t CFE\_MSG\_SetEDSVersion (CFE\_MSG\_Message\_t \*MsgPtr, CFE\_MSG\_EDSVersion\_t Version) Sets the message EDS version.
- CFE\_Status\_t CFE\_MSG\_GetEndian (const CFE\_MSG\_Message\_t \*MsgPtr, CFE\_MSG\_Endian\_t \*Endian)

  Gets the message endian.
- CFE\_Status\_t CFE\_MSG\_SetEndian (CFE\_MSG\_Message\_t \*MsgPtr, CFE\_MSG\_Endian\_t Endian)
   Sets the message endian.
- CFE\_Status\_t CFE\_MSG\_GetPlaybackFlag (const CFE\_MSG\_Message\_t \*MsgPtr, CFE\_MSG\_PlaybackFlag
   — t \*PlayFlag)

Gets the message playback flag.

CFE\_Status\_t CFE\_MSG\_SetPlaybackFlag (CFE\_MSG\_Message\_t \*MsgPtr, CFE\_MSG\_PlaybackFlag\_
 t PlayFlag)

Sets the message playback flag.

CFE\_Status\_t CFE\_MSG\_GetSubsystem (const CFE\_MSG\_Message\_t \*MsgPtr, CFE\_MSG\_Subsystem\_
 t \*Subsystem)

Gets the message subsystem.

CFE\_Status\_t CFE\_MSG\_SetSubsystem (CFE\_MSG\_Message\_t \*MsgPtr, CFE\_MSG\_Subsystem\_t Subsystem)

Sets the message subsystem.

- CFE\_Status\_t CFE\_MSG\_GetSystem (const CFE\_MSG\_Message\_t \*MsgPtr, CFE\_MSG\_System\_t \*System) Gets the message system.
- CFE\_Status\_t CFE\_MSG\_SetSystem (CFE\_MSG\_Message\_t \*MsgPtr, CFE\_MSG\_System\_t System)

  Sets the message system.
- 36.20.1 Detailed Description
- 36.20.2 Function Documentation

## 36.20.2.1 CFE\_MSG\_GetEDSVersion()

Gets the message EDS version.

# Description

This routine gets the message EDS version.

## **Parameters**

in	MsgPtr	A pointer to the buffer that contains the message (must not be null).
out	Version	EDS Version (must not be null)

## Returns

Execution status, see cFE Return Code Defines

## **Return values**

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

# 36.20.2.2 CFE\_MSG\_GetEndian()

Gets the message endian.

# Description

This routine gets the message endian.

#### **Parameters**

in	MsgPtr	A pointer to the buffer that contains the message (must not be null).
out	Endian	Endian (must not be null)

# Returns

Execution status, see cFE Return Code Defines

## **Return values**

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

## 36.20.2.3 CFE\_MSG\_GetPlaybackFlag()

Gets the message playback flag.

## Description

This routine gets the message playback flag.

## **Parameters**

in	MsgPtr	A pointer to the buffer that contains the message (must not be null).
out	PlayFlag	Playback Flag (must not be null)

#### Returns

Execution status, see cFE Return Code Defines

#### **Return values**

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

## 36.20.2.4 CFE\_MSG\_GetSubsystem()

Gets the message subsystem.

## Description

This routine gets the message subsystem

#### **Parameters**

in	MsgPtr	A pointer to the buffer that contains the message (must not be null).
out	Subsystem	Subsystem (must not be null)

### Returns

Execution status, see cFE Return Code Defines

#### **Return values**

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

## 36.20.2.5 CFE\_MSG\_GetSystem()

Gets the message system.

## Description

This routine gets the message system id

### **Parameters**

in	MsgPtr	A pointer to the buffer that contains the message (must not be null).
out	System	System (must not be null)

#### Returns

Execution status, see cFE Return Code Defines

## **Return values**

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

## 36.20.2.6 CFE\_MSG\_SetEDSVersion()

Sets the message EDS version.

## Description

This routine sets the message EDS version.

## **Parameters**

in,out	MsgPtr	A pointer to the buffer that contains the message (must not be null).
in	Version	EDS Version

#### Returns

Execution status, see cFE Return Code Defines

#### **Return values**

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

## 36.20.2.7 CFE\_MSG\_SetEndian()

Sets the message endian.

## Description

This routine sets the message endian. Invalid endian selection will set big endian.

## **Parameters**

in,out	MsgPtr	A pointer to the buffer that contains the message (must not be null).
in	Endian	Endian

### Returns

Execution status, see cFE Return Code Defines

## **Return values**

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

## 36.20.2.8 CFE\_MSG\_SetPlaybackFlag()

Sets the message playback flag.

## Description

This routine sets the message playback flag.

## **Parameters**

in,out	MsgPtr	A pointer to the buffer that contains the message (must not be null).
in	PlayFlag	Playback Flag

### Returns

Execution status, see cFE Return Code Defines

## **Return values**

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

## 36.20.2.9 CFE\_MSG\_SetSubsystem()

Sets the message subsystem.

# Description

This routine sets the message subsystem. Some bits may be set at initialization using the Msgld, but API available to set bits that may not be included in Msgld.

in,out	MsgPtr	A pointer to the buffer that contains the message (must not be null).
in Subsystem		Subsystem

### Returns

Execution status, see cFE Return Code Defines

#### **Return values**

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

## 36.20.2.10 CFE\_MSG\_SetSystem()

Sets the message system.

## Description

This routine sets the message system id. Some bits may be set at initialization using the Msgld, but API available to set bits that may not be included in Msgld.

#### **Parameters**

in,out	MsgPtr	A pointer to the buffer that contains the message (must not be null).
in	System	System

## Returns

Execution status, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

# 36.21 cFE Message Secondary Header APIs

### **Functions**

CFE\_Status\_t CFE\_MSG\_GenerateChecksum (CFE\_MSG\_Message\_t \*MsgPtr)

Calculates and sets the checksum of a message.

- CFE\_Status\_t CFE\_MSG\_ValidateChecksum (const CFE\_MSG\_Message\_t \*MsgPtr, bool \*IsValid)
   Validates the checksum of a message.
- CFE\_Status\_t CFE\_MSG\_SetFcnCode (CFE\_MSG\_Message\_t \*MsgPtr, CFE\_MSG\_FcnCode\_t FcnCode)

  Sets the function code field in a message.
- CFE\_Status\_t CFE\_MSG\_GetFcnCode (const CFE\_MSG\_Message\_t \*MsgPtr, CFE\_MSG\_FcnCode\_t \*Fcn← Code)

Gets the function code field from a message.

- CFE\_Status\_t CFE\_MSG\_GetMsgTime (const CFE\_MSG\_Message\_t \*MsgPtr, CFE\_TIME\_SysTime\_t \*Time)

  Gets the time field from a message.
- CFE\_Status\_t CFE\_MSG\_SetMsgTime (CFE\_MSG\_Message\_t \*MsgPtr, CFE\_TIME\_SysTime\_t NewTime)

  Sets the time field in a message.
- 36.21.1 Detailed Description
- 36.21.2 Function Documentation

## 36.21.2.1 CFE\_MSG\_GenerateChecksum()

Calculates and sets the checksum of a message.

## Description

This routine calculates the checksum of a message according to an implementation-defined algorithm. Then, it sets the checksum field in the message with the calculated value. The contents and location of this field will depend on the underlying implementation of messages. It may be a checksum, a CRC, or some other algorithm.

Assumptions, External Events, and Notes:

 If the underlying implementation of messages does not include a checksum field, then this routine will return CFE MSG WRONG MSG TYPE

in,out	MsgPtr	A pointer to the buffer that contains the message (must not be null).
--------	--------	---

#### Returns

Execution status, see cFE Return Code Defines

#### **Return values**

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.
CFE_MSG_WRONG_MSG_TYPE	Error - wrong type.

## 36.21.2.2 CFE\_MSG\_GetFcnCode()

Gets the function code field from a message.

### Description

This routine gets the function code from a message.

## Assumptions, External Events, and Notes:

• If the underlying implementation of messages does not include a function code field, then this routine will set FcnCode to zero and return CFE\_MSG\_WRONG\_MSG\_TYPE

## **Parameters**

in	MsgPtr	A pointer to the buffer that contains the message (must not be null).	
out	FcnCode	The function code from the message (must not be null)	

## Returns

Execution status, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.
CFE_MSG_WRONG_MSG_TYPE	Error - wrong type.

## 36.21.2.3 CFE\_MSG\_GetMsgTime()

Gets the time field from a message.

## Description

This routine gets the time from a message.

Assumptions, External Events, and Notes:

- If the underlying implementation of messages does not include a time field, then this routine will set Time to zero and return CFE\_MSG\_WRONG\_MSG\_TYPE
- Note default implementation of command messages do not have a time field.

### **Parameters**

in	MsgPtr	gPtr A pointer to the buffer that contains the message (must not be null).  Time from the message (must not be null)	
out	Time		

## Returns

Execution status, see cFE Return Code Defines

## **Return values**

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.
CFE_MSG_WRONG_MSG_TYPE	Error - wrong type.

# 36.21.2.4 CFE\_MSG\_SetFcnCode()

Sets the function code field in a message.

# Description

This routine sets the function code of a message.

Assumptions, External Events, and Notes:

• If the underlying implementation of messages does not include a function code field, then this routine will do nothing to the message contents and will return CFE\_MSG\_WRONG\_MSG\_TYPE.

### **Parameters**

in,out	MsgPtr	A pointer to the buffer that contains the message (must not be null).
in	FcnCode	The function code to include in the message.

## Returns

Execution status, see cFE Return Code Defines

### **Return values**

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.
CFE_MSG_WRONG_MSG_TYPE	Error - wrong type.

### 36.21.2.5 CFE\_MSG\_SetMsgTime()

Sets the time field in a message.

## Description

This routine sets the time of a message. Most applications will want to use CFE\_SB\_TimeStampMsg instead of this function. But, when needed, this API can be used to set multiple messages with identical time stamps.

Assumptions, External Events, and Notes:

- If the underlying implementation of messages does not include a time field, then this routine will do nothing to the message contents and will return CFE\_MSG\_WRONG\_MSG\_TYPE.
- Note default implementation of command messages do not have a time field.

# **Parameters**

in,out	MsgPtr	A pointer to the message (must not be null).	
in	NewTime	The time to include in the message. This will usually be a time from CFE_TIME_GetTime.	

# Returns

Execution status, see cFE Return Code Defines

### Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.
CFE_MSG_WRONG_MSG_TYPE	Error - wrong type.

## 36.21.2.6 CFE\_MSG\_ValidateChecksum()

Validates the checksum of a message.

## Description

This routine validates the checksum of a message according to an implementation-defined algorithm.

# Assumptions, External Events, and Notes:

• If the underlying implementation of messages does not include a checksum field, then this routine will return CFE\_MSG\_WRONG\_MSG\_TYPE and set the IsValid parameter false.

## **Parameters**

in	MsgPtr	A pointer to the buffer that contains the message (must not be null). This must point to the first byte of the message header.
out	IsValid	Checksum validation result (must not be null)
		<ul><li>true - valid</li><li>false - invalid or not supported/implemented</li></ul>

## Returns

Execution status, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.
CFE_MSG_WRONG_MSG_TYPE	Error - wrong type.

# 36.22 cFE Message Id APIs

### **Functions**

- CFE\_Status\_t CFE\_MSG\_GetMsgld (const CFE\_MSG\_Message\_t \*MsgPtr, CFE\_SB\_Msgld\_t \*Msgld)

  Gets the message id from a message.
- CFE\_Status\_t CFE\_MSG\_SetMsgld (CFE\_MSG\_Message\_t \*MsgPtr, CFE\_SB\_Msgld\_t Msgld)

  Sets the message id bits in a message.
- CFE\_Status\_t CFE\_MSG\_GetTypeFromMsgld (CFE\_SB\_Msgld\_t Msgld, CFE\_MSG\_Type\_t \*Type)
   Gets message type using message ID.

### 36.22.1 Detailed Description

36.22.2 Function Documentation

## 36.22.2.1 CFE\_MSG\_GetMsgld()

Gets the message id from a message.

### Description

This routine gets the message id from a message. The message id is a hash of bits in the message header, used by the software bus for routing. Message id needs to be unique for each endpoint in the system.

## **Parameters**

in	MsgPtr	A pointer to the buffer that contains the message (must not be null).
out	Msgld	Message id (must not be null)

## Returns

Execution status, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

## 36.22.2.2 CFE\_MSG\_GetTypeFromMsgld()

Gets message type using message ID.

## Description

This routine gets the message type using the message ID

### **Parameters**

in	Msg⇔	Message id
	ld	
out	Туре	Message type (must not be null)

#### Returns

Execution status, see cFE Return Code Defines

#### Return values

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

## 36.22.2.3 CFE\_MSG\_SetMsgld()

Sets the message id bits in a message.

## Description

This routine sets the message id bits in a message. The message id is a hash of bits in the message header, used by the software bus for routing. Message id needs to be unique for each endpoint in the system.

### Note

This API only sets the bits in the header that make up the message ID. No other values in the header are modified.

The user should ensure that this function is only called with a valid Msgld parameter value. If called with an invalid value, the results are implementation-defined. The implementation may or may not return the error code CFE\_MSG\_BAD\_ $\leftarrow$  ARGUMENT in this case.

## **Parameters**

in,out	MsgPtr	A pointer to the buffer that contains the message (must not be null).
in	Msgld	Message id

# Returns

Execution status, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.
CFE_MSG_BAD_ARGUMENT	Error - bad argument.

# 36.23 cFE Pipe Management APIs

### **Functions**

```
    CFE_Status_t CFE_SB_CreatePipe (CFE_SB_PipeId_t *PipeIdPtr, uint16 Depth, const char *PipeName)
    Creates a new software bus pipe.
```

• CFE\_Status\_t CFE\_SB\_DeletePipe (CFE\_SB\_PipeId\_t PipeId)

Delete a software bus pipe.

• CFE\_Status\_t CFE\_SB\_PipeId\_ToIndex (CFE\_SB\_PipeId\_t PipeID, uint32 \*Idx)

Obtain an index value correlating to an SB Pipe ID.

CFE\_Status\_t CFE\_SB\_SetPipeOpts (CFE\_SB\_PipeId\_t PipeId, uint8 Opts)

Set options on a pipe.

CFE\_Status\_t CFE\_SB\_GetPipeOpts (CFE\_SB\_PipeId\_t PipeId, uint8 \*OptsPtr)

Get options on a pipe.

- CFE\_Status\_t CFE\_SB\_GetPipeName (char \*PipeNameBuf, size\_t PipeNameSize, CFE\_SB\_PipeId\_t PipeId)

  Get the pipe name for a given id.
- CFE\_Status\_t CFE\_SB\_GetPipeIdByName (CFE\_SB\_PipeId\_t \*PipeIdPtr, const char \*PipeName)

  Get pipe id by pipe name.

## 36.23.1 Detailed Description

36.23.2 Function Documentation

## 36.23.2.1 CFE\_SB\_CreatePipe()

Creates a new software bus pipe.

### Description

This routine creates and initializes an input pipe that the calling application can use to receive software bus messages. By default, no messages are routed to the new pipe. So, the application must use CFE\_SB\_Subscribe to specify which messages it wants to receive on this pipe.

Assumptions, External Events, and Notes:

None

### **Parameters**

out	PipeldPtr	A pointer to a variable of type CFE_SB_Pipeld_t (must not be null), which will be filled in with the pipe ID information by the CFE_SB_CreatePipe routine. *PipeldPtr is the identifier for the created pipe.
in	Depth	The maximum number of messages that will be allowed on this pipe at one time.
in	PipeName	A string (must not be null) to be used to identify this pipe in error messages and routing information telemetry. The string must be no longer than OS_MAX_API_NAME (including terminator). Longer strings will be truncated.

## Returns

Execution status, see cFE Return Code Defines

### **Return values**

CFE_SUCCESS	Successful execution.
CFE_SB_BAD_ARGUMENT	Bad Argument.
CFE_SB_MAX_PIPES_MET	Max Pipes Met.
CFE_SB_PIPE_CR_ERR	Pipe Create Error.

### See also

CFE\_SB\_DeletePipe CFE\_SB\_GetPipeOpts CFE\_SB\_SetPipeOpts CFE\_SB\_GetPipeIdByName

## 36.23.2.2 CFE\_SB\_DeletePipe()

Delete a software bus pipe.

## Description

This routine deletes an input pipe and cleans up all data structures associated with the pipe. All subscriptions made for this pipe by calls to CFE\_SB\_Subscribe will be automatically removed from the SB routing tables. Any messages in the pipe will be discarded.

Applications should not call this routine for all of their SB pipes as part of their orderly shutdown process, as the pipe will be deleted by the support framework at the appropriate time.

Assumptions, External Events, and Notes:

None

### **Parameters**

in	Pipe⊷	The pipe ID (obtained previously from CFE_SB_CreatePipe) of the pipe to be deleted.
	ld	

## Returns

Execution status, see cFE Return Code Defines

## **Return values**

CFE_SUCCESS	Successful execution.
CFE_SB_BAD_ARGUMENT	Bad Argument.

## See also

 ${\sf CFE\_SB\_CreatePipe\ CFE\_SB\_GetPipe\ Opts\ CFE\_SB\_SetPipe\ Opts\ CFE\_SB\_GetPipe\ IdBy\ Name}$ 

## 36.23.2.3 CFE\_SB\_GetPipeIdByName()

Get pipe id by pipe name.

## Description

This routine finds the pipe id for a pipe name.

## **Parameters**

in	PipeName	The name of the pipe (must not be null).		
out	PipeIdPtr	The Pipeld for that name (must not be null).		

## Returns

Execution status, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.
CFE_SB_BAD_ARGUMENT	Bad Argument.

#### See also

CFE\_SB\_CreatePipe CFE\_SB\_DeletePipe CFE\_SB\_SetPipeOpts CFE\_SB\_PIPEOPTS\_IGNOREMINE

## 36.23.2.4 CFE\_SB\_GetPipeName()

Get the pipe name for a given id.

## Description

This routine finds the pipe name for a pipe id.

## **Parameters**

out	PipeNameBuf	The buffer to receive the pipe name (must not be null).
in	PipeNameSize	The size (in chars) of the PipeName buffer (must not be zero).
in	Pipeld	The Pipeld for that name.

## Returns

Execution status, see cFE Return Code Defines

### Return values

CFE_SUCCESS	Successful execution.
CFE_SB_BAD_ARGUMENT	Bad Argument.

## See also

CFE\_SB\_CreatePipe CFE\_SB\_DeletePipe CFE\_SB\_SetPipeOpts CFE\_SB\_GetPipeIdByName

## 36.23.2.5 CFE\_SB\_GetPipeOpts()

Get options on a pipe.

_			
Desci	rın	tio	n
DCSU	IIV	uu	11

This routine gets the current options on a pipe.

### **Parameters**

in	Pipeld	The pipe ID of the pipe to get options from.
out	OptsPtr	A bit field of options: cFE SB Pipe options (must not be null)

### Returns

Execution status, see cFE Return Code Defines

## **Return values**

CFE_SUCCESS	Successful execution.
CFE_SB_BAD_ARGUMENT	Bad Argument.

### See also

CFE\_SB\_CreatePipe CFE\_SB\_DeletePipe CFE\_SB\_SetPipeOpts CFE\_SB\_GetPipeIdByName CFE\_SB\_PIP← EOPTS\_IGNOREMINE

## 36.23.2.6 CFE\_SB\_Pipeld\_ToIndex()

Obtain an index value correlating to an SB Pipe ID.

This calculates a zero based integer value that may be used for indexing into a local resource table/array.

Index values are only guaranteed to be unique for resources of the same type. For instance, the indices corresponding to two [valid] application IDs will never overlap, but the index of a pipe ID and an app ID may be the same. Furthermore, indices may be reused if a resource is deleted and re-created.

## Note

There is no inverse of this function - indices cannot be converted back to the original PipeID value. The caller should retain the original ID for future use.

in	PipeID	Pipe ID to convert	]
out	ldx	Buffer where the calculated index will be stored (must not be null)	]

## Returns

Execution status, see cFE Return Code Defines

#### Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.

## 36.23.2.7 CFE\_SB\_SetPipeOpts()

Set options on a pipe.

## Description

This routine sets (or clears) options to alter the pipe's behavior. Options are (re)set every call to this routine.

## **Parameters**

	in	Pipe←	The pipe ID of the pipe to set options on.
		ld	
ĺ	in	Opts	A bit field of options: cFE SB Pipe options

## Returns

Execution status, see cFE Return Code Defines

## Return values

CFE_SUCCESS	Successful execution.
CFE_SB_BAD_ARGUMENT	Bad Argument.

## See also

 ${\it CFE\_SB\_CreatePipe\ CFE\_SB\_DeletePipe\ CFE\_SB\_GetPipeOpts\ CFE\_SB\_GetPipeIdByName\ CFE\_SB\_PIP} \leftarrow {\it EOPTS\_IGNOREMINE}$ 

## 36.24 cFE Message Subscription Control APIs

#### **Functions**

CFE\_Status\_t CFE\_SB\_SubscribeEx (CFE\_SB\_Msgld\_t Msgld, CFE\_SB\_Pipeld\_t Pipeld, CFE\_SB\_Qos\_
 t Quality, uint16 MsgLim)

Subscribe to a message on the software bus.

CFE Status t CFE SB Subscribe (CFE SB Msgld t Msgld, CFE SB Pipeld t Pipeld)

Subscribe to a message on the software bus with default parameters.

- CFE\_Status\_t CFE\_SB\_SubscribeLocal (CFE\_SB\_Msgld\_t Msgld, CFE\_SB\_Pipeld\_t Pipeld, uint16 MsgLim)
   Subscribe to a message while keeping the request local to a cpu.
- CFE\_Status\_t CFE\_SB\_Unsubscribe (CFE\_SB\_Msgld\_t Msgld, CFE\_SB\_Pipeld\_t Pipeld)

Remove a subscription to a message on the software bus.

CFE\_Status\_t CFE\_SB\_UnsubscribeLocal (CFE\_SB\_Msgld\_t Msgld, CFE\_SB\_Pipeld\_t Pipeld)

Remove a subscription to a message on the software bus on the current CPU.

### 36.24.1 Detailed Description

36.24.2 Function Documentation

### 36.24.2.1 CFE\_SB\_Subscribe()

Subscribe to a message on the software bus with default parameters.

## Description

This routine adds the specified pipe to the destination list for the specified message ID. This is the same as CFE— \_SB\_SubscribeEx with the Quality field set to CFE\_SB\_DEFAULT\_QOS and MsgLim set to CFE\_PLATFORM\_ SB\_DEFAULT\_MSG\_LIMIT (4).

## Assumptions, External Events, and Notes:

Note: As subscriptions are received, the destinations are added to the head of a linked list. During the sending of a message, the list is traversed beginning at the head of the list. Therefore the message will first be sent to the last subscriber. If an application has timing constraints and needs to receive a message in the shortest possible time, the developer may consider holding off its subscription until other applications have subscribed to the message.

	in	Msg⇔	The message ID of the message to be subscribed to.
		ld	
	in	Pipe⊷	The pipe ID of the pipe the subscribed message should be sent to.
L		ld	

#### Returns

Execution status, see cFE Return Code Defines

#### **Return values**

CFE_SUCCESS	Successful execution.
CFE_SB_MAX_MSGS_MET	(return value only verified in coverage test) Max Messages Met.
CFE_SB_MAX_DESTS_MET	Max Destinations Met.
CFE_SB_BAD_ARGUMENT	Bad Argument.
CFE_SB_BUF_ALOC_ERR	(return value only verified in coverage test) Buffer Allocation Error.

### See also

CFE\_SB\_SubscribeEx, CFE\_SB\_SubscribeLocal, CFE\_SB\_Unsubscribe, CFE\_SB\_UnsubscribeLocal

## 36.24.2.2 CFE\_SB\_SubscribeEx()

Subscribe to a message on the software bus.

## Description

This routine adds the specified pipe to the destination list associated with the specified message ID.

## Assumptions, External Events, and Notes:

Note: As subscriptions are received, the destinations are added to the head of a linked list. During the sending of a message, the list is traversed beginning at the head of the list. Therefore the message will first be sent to the last subscriber. If an application has timing constraints and needs to receive a message in the shortest possible time, the developer may consider holding off its subscription until other applications have subscribed to the message.

in	Msgld	The message ID of the message to be subscribed to.
in	Pipeld	The pipe ID of the pipe the subscribed message should be sent to.
in	Quality	The requested Quality of Service (QoS) required of the messages. Most callers will use CFE_SB_DEFAULT_QOS for this parameter.
in	MsgLim	The maximum number of messages with this Message ID to allow in this pipe at the same time.

#### Returns

Execution status, see cFE Return Code Defines

#### **Return values**

CFE_SUCCESS	Successful execution.
CFE_SB_MAX_MSGS_MET	(return value only verified in coverage test) Max Messages Met.
CFE_SB_MAX_DESTS_MET	Max Destinations Met.
CFE_SB_BAD_ARGUMENT	Bad Argument.
CFE_SB_BUF_ALOC_ERR	(return value only verified in coverage test) Buffer Allocation Error.

## See also

CFE SB Subscribe, CFE SB SubscribeLocal, CFE SB Unsubscribe, CFE SB UnsubscribeLocal

## 36.24.2.3 CFE\_SB\_SubscribeLocal()

Subscribe to a message while keeping the request local to a cpu.

## Description

This routine adds the specified pipe to the destination list for the specified message ID. This is similar to CFE\_S← B\_SubscribeEx with the Quality field set to CFE\_SB\_DEFAULT\_QOS and MsgLim set to CFE\_PLATFORM\_SB← \_\_DEFAULT\_MSG\_LIMIT, but will not report the subscription.

Software Bus Network (SBN) application is an example use case, where local subscriptions should not be reported to peers.

Assumptions, External Events, and Notes:

• This API is typically only used by Software Bus Network (SBN) Application

in	Msgld	The message ID of the message to be subscribed to.
in	Pipeld	The pipe ID of the pipe the subscribed message should be sent to.
in	MsgLim	The maximum number of messages with this Message ID to allow in this pipe at the same time.

#### Returns

Execution status, see cFE Return Code Defines

#### Return values

CFE_SUCCESS	Successful execution.
CFE_SB_MAX_MSGS_MET	(return value only verified in coverage test) Max Messages Met.
CFE_SB_MAX_DESTS_MET	Max Destinations Met.
CFE_SB_BAD_ARGUMENT	Bad Argument.
CFE_SB_BUF_ALOC_ERR	(return value only verified in coverage test) Buffer Allocation Error.

## See also

CFE SB Subscribe, CFE SB SubscribeEx, CFE SB Unsubscribe, CFE SB UnsubscribeLocal

## 36.24.2.4 CFE\_SB\_Unsubscribe()

Remove a subscription to a message on the software bus.

## Description

This routine removes the specified pipe from the destination list for the specified message ID.

## Assumptions, External Events, and Notes:

If the Pipe is not subscribed to MsgId, the CFE\_SB\_UNSUB\_NO\_SUBS\_EID event will be generated and CFE\_← SUCCESS will be returned

## **Parameters**

in	Msg⇔	The message ID of the message to be unsubscribed.
	ld	
in	Pipe⊷	The pipe ID of the pipe the subscribed message should no longer be sent to.
	ld	

## Returns

Execution status, see cFE Return Code Defines

### Return values

CFE_SUCCESS	Successful execution.
CFE_SB_BAD_ARGUMENT	Bad Argument.

### See also

CFE\_SB\_Subscribe, CFE\_SB\_SubscribeEx, CFE\_SB\_SubscribeLocal, CFE\_SB\_UnsubscribeLocal

### 36.24.2.5 CFE\_SB\_UnsubscribeLocal()

Remove a subscription to a message on the software bus on the current CPU.

## Description

This routine removes the specified pipe from the destination list for the specified message ID on the current CPU.

# Assumptions, External Events, and Notes:

This API is typically only used by Software Bus Network (SBN) Application. If the Pipe is not subscribed to MsgId, the CFE\_SB\_UNSUB\_NO\_SUBS\_EID event will be generated and CFE\_SUCCESS will be returned

## **Parameters**

	in	Msg⊷	The message ID of the message to be unsubscribed.
		ld	
ſ	in	Pipe⊷	The pipe ID of the pipe the subscribed message should no longer be sent to.
		ld	

## Returns

Execution status, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.
CFE_SB_BAD_ARGUMENT	Bad Argument.

See also

 ${\sf CFE\_SB\_SubscribeEx, CFE\_SB\_SubscribeEx, CFE\_SB\_SubscribeLocal, CFE\_SB\_UnsubscribeEx, CFE\_SB\_SubscribeEx, CFE\_SB\_Subscribe$ 

# 36.25 cFE Send/Receive Message APIs

### **Functions**

- CFE\_Status\_t CFE\_SB\_TransmitMsg (const CFE\_MSG\_Message\_t \*MsgPtr, bool IncrementSequenceCount)
   Transmit a message.
- CFE\_Status\_t CFE\_SB\_ReceiveBuffer (CFE\_SB\_Buffer\_t \*\*BufPtr, CFE\_SB\_PipeId\_t PipeId, int32 TimeOut)

  \*Receive a message from a software bus pipe.
- 36.25.1 Detailed Description
- 36.25.2 Function Documentation

## 36.25.2.1 CFE\_SB\_ReceiveBuffer()

Receive a message from a software bus pipe.

### Description

This routine retrieves the next message from the specified pipe. If the pipe is empty, this routine will block until either a new message comes in or the timeout value is reached.

Assumptions, External Events, and Notes:

Note - If an error occurs in this API, the \*BufPtr value may be NULL or random. Therefore, it is recommended that the return code be tested for CFE SUCCESS before processing the message.

in,out	BufPtr	A pointer to the software bus buffer to receive to (must not be null). Typically a caller declares a ptr of type CFE_SB_Buffer_t (i.e. CFE_SB_Buffer_t *Ptr) then gives the address of that pointer (&Ptr) as this parameter. After a successful receipt of a message, *BufPtr will point to the first byte of the software bus buffer. This should be used as a read-only pointer (in systems with an MMU, writes to this pointer may cause a memory protection fault). The *BufPtr is valid only until the next call to CFE_SB_ReceiveBuffer for the same pipe.
in	Pipeld	The pipe ID of the pipe containing the message to be obtained.
in	TimeOut	The number of milliseconds to wait for a new message if the pipe is empty at the time of the call. This can also be set to CFE_SB_POLL for a non-blocking receive or CFE_SB_PEND_FOREVER to wait forever for a message to arrive.

#### Returns

Execution status, see cFE Return Code Defines

#### **Return values**

CFE_SUCCESS	Successful execution.
CFE_SB_BAD_ARGUMENT	Bad Argument.
CFE_SB_TIME_OUT	Time Out.
CFE_SB_PIPE_RD_ERR	(return value only verified in coverage test) Pipe Read Error.
CFE_SB_NO_MESSAGE	No Message.

### 36.25.2.2 CFE\_SB\_TransmitMsg()

Transmit a message.

## Description

This routine copies the specified message into a software bus buffer which is then transmitted to all subscribers. The software bus will read the message ID from the message header to determine which pipes should receive the message.

## Assumptions, External Events, and Notes:

- This routine will not normally wait for the receiver tasks to process the message before returning control to the caller's task.
- However, if a higher priority task is pending and subscribed to this message, that task may get to run before returning control to the caller.

# **Parameters**

in	MsgPtr	A pointer to the message to be sent (must not be null). This must point to the first byte of the message header.
in	IncrementSequenceCount	Boolean to increment the internally tracked sequence count and update the message if the buffer contains a telemetry message

## Returns

Execution status, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.
CFE_SB_BAD_ARGUMENT	Bad Argument.
CFE_SB_MSG_TOO_BIG	Message Too Big.
CFE_SB_BUF_ALOC_ERR	(return value only verified in coverage test) Buffer Allocation Error.

## 36.26 cFE Zero Copy APIs

#### **Functions**

CFE SB Buffer t \* CFE SB AllocateMessageBuffer (size t MsgSize)

Get a buffer pointer to use for "zero copy" SB sends.

• CFE\_Status\_t CFE\_SB\_ReleaseMessageBuffer (CFE\_SB\_Buffer\_t \*BufPtr)

Release an unused "zero copy" buffer pointer.

• CFE Status t CFE SB TransmitBuffer (CFE SB Buffer t \*BufPtr, bool IncrementSequenceCount)

Transmit a buffer.

- 36.26.1 Detailed Description
- 36.26.2 Function Documentation

## 36.26.2.1 CFE\_SB\_AllocateMessageBuffer()

Get a buffer pointer to use for "zero copy" SB sends.

### Description

This routine can be used to get a pointer to one of the software bus' internal memory buffers that are used for sending messages. The caller can use this memory buffer to build an SB message, then send it using the CFE\_
SB\_TransmitBuffer() function. This interface avoids an extra copy of the message from the user's memory buffer to the software bus internal buffer.

## Assumptions, External Events, and Notes:

- The pointer returned by CFE\_SB\_AllocateMessageBuffer() is only good for one call to CFE\_SB\_Transmit
   —
   Buffer().
- 2. Once a buffer has been successfully transmitted (as indicated by a successful return from CFE\_SB\_← TransmitBuffer()) the buffer becomes owned by the SB application. It will automatically be freed by SB once all recipients have finished reading it.
- 3. Applications must not de-reference the message pointer (for reading or writing) after the call to CFE\_SB\_← TransmitBuffer().
- 4. If CFE\_SB\_ReleaseMessageBuffer should be used only if a message is not transmitted

in	MsgSize	The size of the SB message buffer the caller wants (including the SB message header).
----	---------	---

#### Returns

A pointer to a memory buffer that message data can be written to for use with CFE\_SB\_TransmitBuffer().

# 36.26.2.2 CFE\_SB\_ReleaseMessageBuffer()

Release an unused "zero copy" buffer pointer.

## Description

This routine can be used to release a pointer to one of the software bus' internal memory buffers.

## Assumptions, External Events, and Notes:

1. This function is not needed for normal "zero copy" transfers. It is needed only for cleanup when an application gets a pointer using CFE\_SB\_AllocateMessageBuffer(), but (due to some error condition) never uses that pointer in a call to CFE\_SB\_TransmitBuffer().

## **Parameters**

in	BufPtr	A pointer to the SB internal buffer (must not be null). This must be a pointer returned by a call to
		CFE_SB_AllocateMessageBuffer(), but never used in a call to CFE_SB_TransmitBuffer().

## Returns

Execution status, see cFE Return Code Defines

### Return values

CFE_SUCCESS	Successful execution.
CFE_SB_BUFFER_INVALID	Buffer Invalid.

## 36.26.2.3 CFE\_SB\_TransmitBuffer()

#### Transmit a buffer.

### Description

This routine sends a message that has been created directly in an internal SB message buffer by an application (after a call to CFE\_SB\_AllocateMessageBuffer). This interface is more complicated than the normal CFE\_SB\_
TransmitMsg interface, but it avoids an extra copy of the message from the user's memory buffer to the software bus internal buffer. The "zero copy" interface can be used to improve performance in high-rate, high-volume software bus traffic.

## Assumptions, External Events, and Notes:

- A handle returned by CFE\_SB\_AllocateMessageBuffer is "consumed" by a successful call to CFE\_SB\_←
  TransmitBuffer.
- 2. If this function returns CFE\_SUCCESS, this indicates the zero copy handle is now owned by software bus, and is no longer owned by the calling application, and should not be re-used.
- 3. However if this function fails (returns any error status) it does not change the state of the buffer at all, meaning the calling application still owns it. (a failure means the buffer is left in the same state it was before the call).
- 4. Applications should be written as if CFE\_SB\_AllocateMessageBuffer is equivalent to a malloc() and a successful call to CFE\_SB\_TransmitBuffer is equivalent to a free().
- Applications must not de-reference the message pointer (for reading or writing) after a successful call to C← FE SB TransmitBuffer.
- 6. This function will increment and apply the internally tracked sequence counter if set to do so.

### **Parameters**

in	BufPtr	A pointer to the buffer to be sent (must not be null).
in	IncrementSequenceCount	Boolean to increment the internally tracked sequence count and update the message if the buffer contains a telemetry message

### Returns

Execution status, see cFE Return Code Defines

CFE_SUCCESS	Successful execution.
CFE_SB_BAD_ARGUMENT	Bad Argument.
CFE_SB_MSG_TOO_BIG	Message Too Big.

# 36.27 cFE Message Characteristics APIs

### **Functions**

void CFE SB SetUserDataLength (CFE MSG Message t \*MsgPtr, size t DataLength)

Sets the length of user data in a software bus message.

void CFE\_SB\_TimeStampMsg (CFE\_MSG\_Message\_t \*MsgPtr)

Sets the time field in a software bus message with the current spacecraft time.

int32 CFE\_SB\_MessageStringSet (char \*DestStringPtr, const char \*SourceStringPtr, size\_t DestMaxSize, size
 t SourceMaxSize)

Copies a string into a software bus message.

void \* CFE\_SB\_GetUserData (CFE\_MSG\_Message\_t \*MsgPtr)

Get a pointer to the user data portion of a software bus message.

• size t CFE\_SB\_GetUserDataLength (const CFE\_MSG\_Message\_t \*MsgPtr)

Gets the length of user data in a software bus message.

• int32 CFE\_SB\_MessageStringGet (char \*DestStringPtr, const char \*SourceStringPtr, const char \*DefaultString, size\_t DestMaxSize, size\_t SourceMaxSize)

Copies a string out of a software bus message.

36.27.1 Detailed Description

36.27.2 Function Documentation

```
36.27.2.1 CFE_SB_GetUserData()
```

Get a pointer to the user data portion of a software bus message.

## Description

This routine returns a pointer to the user data portion of a software bus message. SB message header formats can be different for each deployment of the cFE. So, applications should use this function and avoid hard coding offsets into their SB message buffers.

Assumptions, External Events, and Notes:

None

in	MsgPtr	A pointer to the buffer that contains the software bus message (must not be null).
----	--------	--

#### Returns

A pointer to the first byte of user data within the software bus message.

## 36.27.2.2 CFE\_SB\_GetUserDataLength()

Gets the length of user data in a software bus message.

### Description

This routine returns the size of the user data in a software bus message.

Assumptions, External Events, and Notes:

None

### **Parameters**

i	n	MsgPtr	A pointer to the buffer that contains the software bus message (must not be null). This must point to
			the first byte of the message header.

## Returns

The size (in bytes) of the user data in the software bus message.

## Return values

0 if an error occurs, such as if the MsgPtr argument is not valid.

## 36.27.2.3 CFE\_SB\_MessageStringGet()

Copies a string out of a software bus message.

### Description

Strings within software bus messages have a defined/fixed maximum length, and may not necessarily be null terminated within the message. This presents a possible issue when using the C library functions to copy strings out of a message.

This function should replace use of C library functions such as strcpy/strncpy when copying strings out of software bus messages to local storage buffers.

Up to [SourceMaxSize] or [DestMaxSize-1] (whichever is smaller) characters will be copied from the source buffer to the destination buffer, and a NUL termination character will be written to the destination buffer as the last character.

If the DefaultString pointer is non-NULL, it will be used in place of the source string if the source is an empty string. This is typically a string constant that comes from the platform configuration, allowing default values to be assumed for fields that are unspecified.

IMPORTANT - the default string, if specified, must be null terminated. This will be the case if a string literal is passed in (the typical/expected use case).

If the default is NULL, then only the source string will be copied, and the result will be an empty string if the source was empty.

If the destination buffer is too small to store the entire string, it will be truncated, but it will still be null terminated.

#### **Parameters**

out	DestStringPtr	Pointer to destination buffer (must not be null)
in	SourceStringPtr	Pointer to source buffer (component of SB message definition)
in	DefaultString	Default string to use if source is empty
in	DestMaxSize	Size of destination storage buffer (must not be zero)
in	SourceMaxSize	Size of source buffer as defined by the message definition

### Returns

Number of characters copied or error code, see cFE Return Code Defines

## Return values

```
CFE_SB_BAD_ARGUMENT | Bad Argument.
```

## 36.27.2.4 CFE\_SB\_MessageStringSet()

Copies a string into a software bus message.

## Description

Strings within software bus messages have a defined/fixed maximum length, and may not necessarily be null terminated within the message. This presents a possible issue when using the C library functions to copy strings out of a message.

This performs a very similar function to "strncpy()" except that the sizes of *both* buffers are passed in. Neither buffer is required to be null-terminated, but copying will stop after the first termination character is encountered.

If the destination buffer is not completely filled by the source data (such as if the supplied string was shorter than the allotted length) the destination buffer will be padded with NUL characters up to the size of the buffer, similar to what strncpy() does. This ensures that the entire destination buffer is set.

### Note

If the source string buffer is already guaranteed to be null terminated, then there is no difference between the C library "strncpy()" function and this implementation. It is only necessary to use this when termination of the source buffer is not guaranteed.

### **Parameters**

out	DestStringPtr	Pointer to destination buffer (component of SB message definition) (must not be null)
in	SourceStringPtr	Pointer to source buffer (must not be null)
in	DestMaxSize	Size of destination buffer as defined by the message definition
in	SourceMaxSize	Size of source buffer

## Returns

Number of characters copied or error code, see cFE Return Code Defines

## **Return values**

```
CFE_SB_BAD_ARGUMENT Bad Argument.
```

## 36.27.2.5 CFE\_SB\_SetUserDataLength()

Sets the length of user data in a software bus message.

### Description

This routine sets the field in the SB message header that determines the size of the user data in a software bus message. SB message header formats can be different for each deployment of the cFE. So, applications should use this function rather than trying to poke a length value directly into their SB message buffers.

### Assumptions, External Events, and Notes:

• You must set a valid message ID in the SB message header before calling this function.

### **Parameters**

in	MsgPtr	A pointer to the buffer that contains the software bus message (must not be null). This must point to the first byte of the message header.
in	DataLength	The length to set (size of the user data, in bytes).

## 36.27.2.6 CFE\_SB\_TimeStampMsg()

Sets the time field in a software bus message with the current spacecraft time.

## Description

This routine sets the time of a software bus message with the current spacecraft time. This will be the same time that is returned by the function CFE\_TIME\_GetTime.

## Assumptions, External Events, and Notes:

• If the underlying implementation of software bus messages does not include a time field, then this routine will do nothing.

in	MsgPtr	A pointer to the buffer that contains the software bus message (must not be null). This must point to
		the first byte of the message header.

# 36.28 cFE Message ID APIs

### **Functions**

```
    bool CFE_SB_IsValidMsgld (CFE_SB_Msgld_t Msgld)
```

Identifies whether a given CFE\_SB\_Msgld\_t is valid.

• static bool CFE\_SB\_Msgld\_Equal (CFE\_SB\_Msgld\_t Msgld1, CFE\_SB\_Msgld\_t Msgld2)

Identifies whether two CFE\_SB\_Msgld\_t values are equal.

static CFE\_SB\_Msgld\_Atom\_t CFE\_SB\_MsgldToValue (CFE\_SB\_Msgld\_t Msgld)

Converts a CFE\_SB\_Msgld\_t to a normal integer.

static CFE\_SB\_Msgld\_t CFE\_SB\_ValueToMsgld (CFE\_SB\_Msgld\_Atom\_t MsgldValue)

Converts a normal integer into a CFE\_SB\_Msgld\_t.

## 36.28.1 Detailed Description

### 36.28.2 Function Documentation

### 36.28.2.1 CFE\_SB\_IsValidMsgId()

Identifies whether a given CFE\_SB\_Msgld\_t is valid.

### Description

Implements a basic sanity check on the value provided

## Returns

Boolean message ID validity indicator

# Return values

true	Message ID is within the valid range
false	Message ID is not within the valid range

## 36.28.2.2 CFE\_SB\_Msgld\_Equal()

Identifies whether two CFE\_SB\_Msgld\_t values are equal.

## Description

In cases where the CFE\_SB\_Msgld\_t type is not a simple integer type, it may not be possible to do a direct equality check. This inline function provides an abstraction for the equality check between two CFE\_SB\_Msgld\_t values.

Applications should transition to using this function to compare Msgld values for equality to remain compatible with future versions of cFE.

#### Returns

Boolean message ID equality indicator

#### Return values

true	Message IDs are Equal
false	Message IDs are not Equal

Definition at line 768 of file cfe sb.h.

References CFE\_SB\_MSGID\_UNWRAP\_VALUE.

## 36.28.2.3 CFE\_SB\_MsgldToValue()

Converts a CFE SB Msgld t to a normal integer.

## Description

In cases where the CFE\_SB\_Msgld\_t type is not a simple integer type, it is not possible to directly display the value in a printf-style statement, use it in a switch() statement, or other similar use cases.

This inline function provides the ability to map a CFE\_SB\_Msgld\_t type back into a simple integer value.

Applications should transition to using this function wherever a CFE\_SB\_Msgld\_t type needs to be used as an integer.

### **Assumptions and Notes:**

This negates the type safety that was gained by using a non- integer type for the CFE\_SB\_Msgld\_t value. This should only be used in specific cases such as UI display (printf, events, etc) where the value is being sent externally. Any internal API calls should be updated to use the CFE\_SB\_Msgld\_t type directly, rather than an integer type.

## Returns

Integer representation of the CFE SB Msgld t

Definition at line 799 of file cfe\_sb.h.

References CFE SB MSGID UNWRAP VALUE.

## 36.28.2.4 CFE\_SB\_ValueToMsgld()

Converts a normal integer into a CFE\_SB\_Msgld\_t.

## Description

In cases where the CFE\_SB\_Msgld\_t type is not a simple integer type, it is not possible to directly use an integer value supplied via a define or similar method.

This inline function provides the ability to map an integer value into a corresponding CFE\_SB\_Msgld\_t value.

Applications should transition to using this function wherever an integer needs to be used for a CFE\_SB\_Msgld\_t.

## **Assumptions and Notes:**

This negates the type safety that was gained by using a non- integer type for the CFE\_SB\_Msgld\_t value. This should only be used in specific cases where the value is coming from an external source. Any internal API calls should be updated to return the CFE\_SB\_Msgld\_t type directly, rather than an integer type.

#### Returns

```
CFE SB Msgld t representation of the integer
```

Definition at line 828 of file cfe\_sb.h.

References CFE\_SB\_MSGID\_C.

# 36.29 cFE SB Pipe options

## Macros

#define CFE\_SB\_PIPEOPTS\_IGNOREMINE 0x00000001
 Messages sent by the app that owns this pipe will not be sent to this pipe.

36.29.1 Detailed Description

36.29.2 Macro Definition Documentation

36.29.2.1 CFE\_SB\_PIPEOPTS\_IGNOREMINE

#define CFE\_SB\_PIPEOPTS\_IGNOREMINE 0x00000001

Messages sent by the app that owns this pipe will not be sent to this pipe.

Definition at line 133 of file cfe\_sb\_api\_typedefs.h.

## 36.30 cFE Registration APIs

#### **Functions**

CFE\_Status\_t CFE\_TBL\_Register (CFE\_TBL\_Handle\_t \*TblHandlePtr, const char \*Name, size\_t Size, uint16
 TblOptionFlags, CFE\_TBL\_CallbackFuncPtr\_t TblValidationFuncPtr)

Register a table with cFE to obtain Table Management Services.

CFE\_Status\_t CFE\_TBL\_Share (CFE\_TBL\_Handle\_t \*TblHandlePtr, const char \*TblName)

Obtain handle of table registered by another application.

CFE\_Status\_t CFE\_TBL\_Unregister (CFE\_TBL\_Handle\_t TblHandle)
 Unregister a table.

36.30.1 Detailed Description

36.30.2 Function Documentation

#### 36.30.2.1 CFE\_TBL\_Register()

Register a table with cFE to obtain Table Management Services.

## Description

When an application is created and initialized, it is responsible for creating its table images via the TBL API. The application must inform the Table Service of the table name, table size and selection of optional table features.

Assumptions, External Events, and Notes:

Note: This function call can block. Therefore, interrupt service routines should NOT create their own tables. An application should create any table(s) and provide the handle(s) to the interrupt service routine.

#### **Parameters**

out	TblHandlePtr	a pointer to a CFE_TBL_Handle_t type variable (must not be null) that will be assigned the table's handle. The table handle is required for other API calls when accessing the data contained in the table. *TblHandlePtr is the handle used to identify table to cFE when performing Table operations. This value is returned at address specified by TblHandlePtr.
in	Name	The raw table name. This name will be combined with the name of the application to produce a name of the form "AppName.RawTableName". This application specific name will be used in commands for modifying or viewing the contents of the table.

## **Parameters**

in	Size	The size, in bytes, of the table to be created (must not be zero). This is the size that
		will be allocated as a shared memory resource between the Table Management
		Service and the calling application.

#### **Parameters**

# **TblOptionFlags** Flag bits indicating selected options for table. A bitwise OR of the following option in flags: • CFE TBL OPT DEFAULT - The default setting for table options is a combination of CFE TBL OPT SNGL BUFFER and CFE TBL OPT LOAD DUMP. See below for a description of these two options. This option is mutually exclusive with the CFE TBL OPT DBL BUFFER, CFE TBL OPT DUMP ONLY and CFE\_TBL\_OPT\_USR\_DEF\_ADDR options. CFE TBL OPT SNGL BUFFER - When this option is selected, the table will use a shared session table for performing table modifications and a memory copy from the session table to the "active" table buffer will occur when the table is updated. This is the preferred option since it will minimize memory usage. This option is mutually exclusive with the CFE TBL OPT DBL BUFFER option • CFE\_TBL\_OPT\_DBL\_BUFFER - When this option is selected, two instances of the table are created. One is considered the "active" table and the other the "inactive" table. Whenever table modifications occur, they do not require the use of a common session table. Modifications occur in the "inactive" buffer. Then, when it is time to update the table, the pointer to the "active" table is changed to point to the "inactive" buffer thus making it the new "active" buffer. This feature is most useful for time critical applications (ie - interrupt service routines, etc). This option is mutually exclusive with the CFE TBL OPT SNGL BUFFER and CFE TBL OPT DEFAULT option. • CFE TBL OPT LOAD DUMP - When this option is selected, the Table Service is allowed to perform all operations on the specified table. This option is mutually exclusive with the CFE\_TBL\_OPT\_DUMP\_ONLY option. CFE TBL OPT DUMP ONLY - When this option is selected, the Table Service will not perform table loads to this table. This does not prevent, however, a task from writing to the table via an address obtained with the CFE TBL GetAddress API function. This option is mutually exclusive with the CFE TBL OPT LOAD DUMP and CFE TBL OPT DEFAULT options. If the Application wishes to specify their own block of memory as the Dump Only table, they need to also include the CFE TBL OPT USR DEF ADDR option explained below. • CFE TBL OPT NOT USR DEF - When this option is selected, Table Services allocates memory for the table and, in the case of a double buffered table, it allocates the same amount of memory again for the second buffer. This option is mutually exclusive with the CFE TBL OPT USR DEF ADDR option. • CFE TBL OPT USR DEF ADDR- When this option is selected, the Table Service will not allocate memory for the table. Table Services will require the Application to identify the location of the active table buffer via the CFE TBL Load function. This option implies the CFE TBL OPT DUMP ONLY and the CFE TBL OPT SNGL BUFFER options and is mutually exclusive of the CFE\_TBL\_OPT\_DBL\_BUFFER option. • CFE\_TBL\_OPT\_CRITICAL- When this option is selected, the Table Service will automatically allocate space in the Critical Data Store (CDS) for the table and ensure that the contents in the CDS are the same as the contents of the currently active buffer for the table. This option is mutually exclusive of the Generated by Doxygen

CFE\_TBL\_OPT\_USR\_DEF\_ADDR and CFE\_TBL\_OPT\_DUMP\_ONLY options. It should also be noted that the use of this option with double buffered tables will prevent the update of the double buffered table from being

## **Parameters**

in	TblValidationFuncPtr	is a pointer to a function that will be executed in the context of the Table
		Management Service when the contents of a table need to be validated. If set to
		NULL, then the Table Management Service will assume any data is valid. If the
		value is not NULL, it must be a pointer to a function with the following prototype:
		int32 CallbackFunc(void *TblPtr);
		where
		<b>TbIPtr</b> will be a pointer to the table data that is to be verified. When the function
		returns CFE_SUCCESS, the data is considered valid and ready for a commit. When
		the function returns a negative value, the data is considered invalid and an Event
		Message will be issued containing the returned value. If the function should return a
		positive number, the table is considered invalid and the return code is considered
		invalid. Validation functions <b>must</b> return either CFE_SUCCESS or a negative
		number (whose value is at the developer's discretion). The validation function will be
		executed in the Application's context so that Event Messages describing the
		validation failure are possible from within the function.

## Returns

Execution status, see cFE Return Code Defines

## Return values

CFE_SUCCESS	Successful execution.
CFE_TBL_INFO_RECOVERED_TBL	Recovered Table.
CFE_TBL_ERR_DUPLICATE_DIFF_SIZE	Duplicate Table With Different Size.
CFE_TBL_ERR_DUPLICATE_NOT_OWNED	Duplicate Table And Not Owned.
CFE_TBL_ERR_REGISTRY_FULL	Registry Full.
CFE_TBL_ERR_HANDLES_FULL	Handles Full.
CFE_TBL_ERR_INVALID_SIZE	Invalid Size.
CFE_TBL_ERR_INVALID_NAME	Invalid Name.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_TBL_BAD_ARGUMENT	Bad Argument.
CFE_TBL_ERR_INVALID_OPTIONS	Invalid Options.
CFE_TBL_WARN_DUPLICATE	Duplicate Warning.
CFE_TBL_WARN_NOT_CRITICAL	Not Critical Warning.

## See also

CFE\_TBL\_Unregister, CFE\_TBL\_Share

# 36.30.2.2 CFE\_TBL\_Share()

Obtain handle of table registered by another application.

## Description

After a table has been created, other applications can gain access to that table via the table handle. In order for two or more applications to share a table, the applications that do not create the table must obtain the handle using this function.

Assumptions, External Events, and Notes:

None

#### **Parameters**

out	TblHandlePtr	A pointer to a CFE_TBL_Handle_t type variable (must not be null) that will be assigned the table's handle. The table handle is required for other API calls when accessing the data contained in the table. *TblHandlePtr is the handle used to identify table to cFE when performing Table operations. This value is returned at the address specified by TblHandlePtr.
in	TblName	The application specific name of the table of the form "AppName.RawTableName", where RawTableName is the name specified in the CFE_TBL_Register API call. Example: "ACS.TamParams" for a table called "TamParams" that was registered by the application called "ACS".

## Returns

Execution status, see cFE Return Code Defines

## **Return values**

CFE_SUCCESS	Successful execution.
CFE_TBL_ERR_HANDLES_FULL	Handles Full.
CFE_TBL_ERR_INVALID_NAME	Invalid Name.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_TBL_BAD_ARGUMENT	Bad Argument.

#### See also

```
CFE_TBL_Unregister, CFE_TBL_Register
```

## 36.30.2.3 CFE\_TBL\_Unregister()

Unregister a table.

#### Description

When an application is being removed from the system, ES will clean up/free all the application related resources including tables so apps are not required to call this function.

A valid use-case for this API is to unregister a shared table if access is no longer needed or the owning application was removed from the system (CS app is an example).

Typically apps should only register tables during initialization and registration/unregistration by the owning application during operation should be avoided. If unavoidable, special care needs to be taken (especially for shared tables) to avoid race conditions due to competing requests from multiple tasks.

Note the table will not be removed from memory until all table access links have been removed (registration and all shared access).

Assumptions, External Events, and Notes:

None

#### **Parameters**

in	TblHandle	Handle, previously obtained from CFE_TBL_Register or CFE_TBL_Share, that identifies the
		Table to be unregistered.

## Returns

Execution status, see cFE Return Code Defines

#### Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_TBL_ERR_NO_ACCESS	No Access.
CFE_TBL_ERR_INVALID_HANDLE	Invalid Handle.

## See also

CFE TBL Share, CFE TBL Register

## 36.31 cFE Manage Table Content APIs

#### **Functions**

 CFE\_Status\_t CFE\_TBL\_Load (CFE\_TBL\_Handle\_t TblHandle, CFE\_TBL\_SrcEnum\_t SrcType, const void \*SrcDataPtr)

Load a specified table with data from specified source.

CFE\_Status\_t CFE\_TBL\_Update (CFE\_TBL\_Handle\_t TblHandle)

Update contents of a specified table, if an update is pending.

CFE\_Status\_t CFE\_TBL\_Validate (CFE\_TBL\_Handle\_t TblHandle)

Perform steps to validate the contents of a table image.

CFE\_Status\_t CFE\_TBL\_Manage (CFE\_TBL\_Handle\_t TblHandle)

Perform standard operations to maintain a table.

• CFE\_Status\_t CFE\_TBL\_DumpToBuffer (CFE\_TBL\_Handle\_t TblHandle)

Copies the contents of a Dump Only Table to a shared buffer.

• CFE\_Status\_t CFE\_TBL\_Modified (CFE\_TBL\_Handle\_t TblHandle)

Notify cFE Table Services that table contents have been modified by the Application.

## 36.31.1 Detailed Description

#### 36.31.2 Function Documentation

## 36.31.2.1 CFE\_TBL\_DumpToBuffer()

Copies the contents of a Dump Only Table to a shared buffer.

## Description

Typically, apps should just call CFE\_TBL\_Manage as part of routine processing which will perform validation, update, or dump if pending. This API is provided for the case where just a dump should be performed.

Assumptions, External Events, and Notes:

If the table does not have a dump pending status, nothing will occur (no error, no dump)

## **Parameters**

in	TblHandle	Handle of Table to be dumped.
----	-----------	-------------------------------

#### Returns

Execution status, see cFE Return Code Defines

#### **Return values**

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_TBL_ERR_NO_ACCESS	No Access.
CFE_TBL_ERR_INVALID_HANDLE	Invalid Handle.
CFE_TBL_INFO_DUMP_PENDING	Dump Pending.

#### See also

CFE\_TBL\_Manage

## 36.31.2.2 CFE\_TBL\_Load()

Load a specified table with data from specified source.

## Description

Once an application has created a table (CFE\_TBL\_Register), it must provide the values that initialize the contents of that table. The application accomplishes this with one of two different TBL API calls. This function call initializes the table with values that are held in a data structure.

## Assumptions, External Events, and Notes:

This function call can block. Therefore, interrupt service routines should NOT initialize their own tables. An application should initialize any table(s) prior to providing the handle(s) to the interrupt service routine.

## **Parameters**

in	TblHandle	Handle, previously obtained from CFE_TBL_Register or CFE_TBL_Share, that identifies the
		Table to be loaded.
in	SrcType	Flag indicating the nature of the given SrcDataPtr below. This value can be any one of the
		following:
		CFE_TBL_SRC_FILE - File source When this option is selected, the SrcDataPtr will be interpreted as a pointer to a null terminated character string. The string should specify the full path and filename of the file containing the initial data contents of the table.
		CFE_TBL_SRC_ADDRESS - Address source When this option is selected, the SrcDataPtr will be interpreted as a pointer to a memory location that is the beginning of the initialization data for loading the table OR, in the case of a "user defined" dump
		only table, the address of the active table itself. The block of memory is a Security to the same size specified in the CFE_TBL_Register function Size parameter.

## **Parameters**

in	SrcDataPtr	Pointer (must not be null) to either a character string specifying a filename or a memory	Ì
		address of a block of binary data to be loaded into a table or, if the table was registered with the	
		CFE_TBL_OPT_USR_DEF_ADDR option, the address of the active table buffer.	

#### Returns

Execution status, see cFE Return Code Defines

#### **Return values**

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_TBL_ERR_NO_ACCESS	No Access.
CFE_TBL_ERR_INVALID_HANDLE	Invalid Handle.
CFE_TBL_ERR_DUMP_ONLY	Dump Only Error.
CFE_TBL_ERR_ILLEGAL_SRC_TYPE	Illegal Source Type.
CFE_TBL_ERR_LOAD_IN_PROGRESS	Load In Progress.
CFE_TBL_ERR_LOAD_INCOMPLETE	Load Incomplete.
CFE_TBL_ERR_NO_BUFFER_AVAIL	No Buffer Available.
CFE_TBL_ERR_ACCESS	
CFE_TBL_ERR_FILE_TOO_LARGE	File Too Large.
CFE_TBL_ERR_BAD_CONTENT_ID	Bad Content ID.
CFE_TBL_ERR_BAD_SUBTYPE_ID	Bad Subtype ID.
CFE_TBL_ERR_NO_STD_HEADER	No Standard Header.
CFE_TBL_ERR_NO_TBL_HEADER	No Table Header.
CFE_TBL_ERR_PARTIAL_LOAD	Partial Load Error.
CFE_TBL_BAD_ARGUMENT	Bad Argument.

## See also

```
CFE_TBL_Update, CFE_TBL_Validate, CFE_TBL_Manage
```

Perform standard operations to maintain a table.

## Description

Applications should call this API periodically to process pending requests for update, validation, or dump to buffer. Typically, the application that created the table would call this function at the start or conclusion of any routine processing cycle.

Assumptions, External Events, and Notes:

None

#### **Parameters**

in	TblHandle	Handle, previously obtained from CFE_TBL_Register or CFE_TBL_Share, that identifies the
		Table to be managed.

## Returns

Execution status, see cFE Return Code Defines

#### **Return values**

CFE SUCCESS	Successful execution.
CFE_TBL_INFO_UPDATED	Updated.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_TBL_ERR_NO_ACCESS	No Access.
CFE_TBL_ERR_INVALID_HANDLE	Invalid Handle.
CFE_TBL_INFO_DUMP_PENDING	Dump Pending.
CFE_TBL_INFO_UPDATE_PENDING	Update Pending.
CFE_TBL_INFO_VALIDATION_PENDING	

## See also

CFE\_TBL\_Update, CFE\_TBL\_Validate, CFE\_TBL\_Load, CFE\_TBL\_DumpToBuffer

## 36.31.2.4 CFE\_TBL\_Modified()

Notify cFE Table Services that table contents have been modified by the Application.

# Description

This API notifies Table Services that the contents of the specified table has been modified by the Application. This notification is important when a table has been registered as "Critical" because Table Services can then update the contents of the table kept in the Critical Data Store.

Assumptions, External Events, and Notes:

None

## **Parameters**

in	TblHandle	Handle of Table that was modified.

### Returns

Execution status, see cFE Return Code Defines

#### Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_TBL_ERR_NO_ACCESS	No Access.
CFE_TBL_ERR_INVALID_HANDLE	Invalid Handle.

## See also

CFE\_TBL\_Manage

## 36.31.2.5 CFE\_TBL\_Update()

Update contents of a specified table, if an update is pending.

## Description

Typically, apps should just call CFE\_TBL\_Manage as part of routine processing which will perform validation, update, or dump if pending. This API is provided for the case where just an update should be performed.

Assumptions, External Events, and Notes:

None

## **Parameters**

i	n	TblHandle	Handle, previously obtained from CFE_TBL_Register or CFE_TBL_Share, that identifies the
			Table to be updated.

## Returns

Execution status, see cFE Return Code Defines

## Return values

CFE_SUCCESS	Successful execution.
CFE_TBL_INFO_NO_UPDATE_PENDING	No Update Pending.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.

## **Return values**

CFE_TBL_ERR_NO_ACCESS	No Access.
CFE_TBL_ERR_INVALID_HANDLE	Invalid Handle.

#### See also

```
CFE_TBL_Load, CFE_TBL_Validate, CFE_TBL_Manage
```

## 36.31.2.6 CFE\_TBL\_Validate()

Perform steps to validate the contents of a table image.

## Description

Typically, apps should just call CFE\_TBL\_Manage as part of routine processing which will perform validation, update, or dump if pending. This API is provided for the case where just a validation should be performed.

**Assumptions, External Events, and Notes:** 

None

## **Parameters**

in	TblHandle	Handle, previously obtained from CFE_TBL_Register or CFE_TBL_Share, that identifies the
		Table to be managed.

## Returns

Execution status, see cFE Return Code Defines

#### **Return values**

CFE_SUCCESS	Successful execution.
CFE_TBL_INFO_NO_VALIDATION_PENDING	
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_TBL_ERR_NO_ACCESS	No Access.
CFE_TBL_ERR_INVALID_HANDLE	Invalid Handle.

See also

 ${\sf CFE\_TBL\_Update}, {\sf CFE\_TBL\_Manage}, {\sf CFE\_TBL\_Load}$ 

#### 36.32 cFE Access Table Content APIs

#### **Functions**

• CFE Status t CFE TBL GetAddress (void \*\*TblPtr, CFE TBL Handle t TblHandle)

Obtain the current address of the contents of the specified table.

• CFE Status t CFE TBL ReleaseAddress (CFE TBL Handle t TblHandle)

Release previously obtained pointer to the contents of the specified table.

CFE\_Status\_t CFE\_TBL\_GetAddresses (void \*\*TblPtrs[], uint16 NumTables, const CFE\_TBL\_Handle\_t Tbl
 Handles[])

Obtain the current addresses of an array of specified tables.

CFE\_Status\_t CFE\_TBL\_ReleaseAddresses (uint16 NumTables, const CFE\_TBL\_Handle\_t TblHandles[])

Release the addresses of an array of specified tables.

```
36.32.1 Detailed Description
```

36.32.2 Function Documentation

```
36.32.2.1 CFE_TBL_GetAddress()
```

Obtain the current address of the contents of the specified table.

#### Description

When a table has been created and initialized, it is available to any application that can identify it with its unique handle. In order to view the data contained in the table, an application must call this function or CFE\_TBL\_Get← Addresses.

## Assumptions, External Events, and Notes:

- This call can be a blocking call when the table is not double buffered and is shared with another application
  of lower priority that just happens to be in the middle of a table update of the specific table. If this occurs,
  the application performing the table update will automatically have its priority elevated in order to release the
  resource as soon as possible.
- 2. An application must always release the returned table address using the CFE\_TBL\_ReleaseAddress or CF← E\_TBL\_ReleaseAddresses function prior to either a CFE\_TBL\_Update call or any blocking call (e.g. pending on software bus message, etc). Table updates cannot occur while table addresses have not been released.
- 3. CFE\_TBL\_ERR\_NEVER\_LOADED will be returned if the table has never been loaded (either from file or from a block of memory), but the function will still return a valid table pointer to a table with all zero content. This pointer must be released with the CFE\_TBL\_ReleaseAddress API before the table can be loaded with data.

#### **Parameters**

out	TblPtr	The address of a pointer (must not be null) that will be loaded with the address of the first byte of the table. This pointer can then be typecast by the calling application to the appropriate table data structure. *TblPtr is the address of the first byte of data associated with the specified table.
in	TblHandle	Handle, previously obtained from CFE_TBL_Register or CFE_TBL_Share, that identifies the
		Table whose address is to be returned.

#### Returns

Execution status, see cFE Return Code Defines

#### **Return values**

CFE_SUCCESS	Successful execution.
CFE_TBL_INFO_UPDATED	Updated.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_TBL_ERR_NO_ACCESS	No Access.
CFE_TBL_ERR_INVALID_HANDLE	Invalid Handle.
CFE_TBL_ERR_UNREGISTERED	Unregistered.
CFE_TBL_ERR_NEVER_LOADED	Never Loaded.
CFE_TBL_BAD_ARGUMENT	Bad Argument.

### See also

 ${\sf CFE\_TBL\_ReleaseAddress}, {\sf CFE\_TBL\_GetAddresses}, {\sf CFE\_TBL\_ReleaseAddresses}$ 

## 36.32.2.2 CFE\_TBL\_GetAddresses()

Obtain the current addresses of an array of specified tables.

# Description

When a table has been created and initialized, it is available to any application that can identify it with its unique handle. In order to view the data contained in the table, an application must call this function or CFE\_TBL\_Get← Address.

## Assumptions, External Events, and Notes:

1. This call can be a blocking call when the table is not double buffered and is shared with another application of lower priority that just happens to be in the middle of a table update of the specific table. If this occurs, the application performing the table update will automatically have its priority elevated in order to release the resource as soon as possible.

- An application must always release the returned table address using the CFE\_TBL\_ReleaseAddress or CF

  E\_TBL\_ReleaseAddresses function prior to either a CFE\_TBL\_Update call or any blocking call (e.g. pending
  on software bus message, etc). Table updates cannot occur while table addresses have not been released.
- 3. CFE\_TBL\_ERR\_NEVER\_LOADED will be returned if the table has never been loaded (either from file or from a block of memory), but the function will still return a valid table pointer to a table with all zero content. This pointer must be released with the CFE\_TBL\_ReleaseAddress API before the table can be loaded with data.

#### **Parameters**

out	TblPtrs	Array of Pointers (must not be null) to variables that calling Application wishes to hold the start addresses of the Tables. *TblPtrs is an array of addresses of the first byte of data associated with the specified tables.
in	NumTables	Size of TblPtrs and TblHandles arrays.
in	TblHandles	Array of Table Handles, previously obtained from CFE_TBL_Register or CFE_TBL_Share, of
		those tables whose start addresses are to be obtained.

#### Returns

Execution status, see cFE Return Code Defines

#### **Return values**

CFE_SUCCESS	Successful execution.
CFE_TBL_INFO_UPDATED	Updated.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_TBL_ERR_NO_ACCESS	No Access.
CFE_TBL_ERR_INVALID_HANDLE	Invalid Handle.
CFE_TBL_ERR_UNREGISTERED	Unregistered.
CFE_TBL_ERR_NEVER_LOADED	Never Loaded.
CFE_TBL_BAD_ARGUMENT	Bad Argument.

#### See also

CFE\_TBL\_GetAddress, CFE\_TBL\_ReleaseAddress, CFE\_TBL\_ReleaseAddresses

## 36.32.2.3 CFE\_TBL\_ReleaseAddress()

Release previously obtained pointer to the contents of the specified table.

## Description

Each application is required to release a table address obtained through the CFE TBL GetAddress function.

### Assumptions, External Events, and Notes:

An application must always release the returned table address using the CFE\_TBL\_ReleaseAddress function prior to either a CFE\_TBL\_Update call or any blocking call (e.g. - pending on software bus message, etc). Table updates cannot occur while table addresses have not been released.

#### **Parameters**

in	TblHandle	Handle, previously obtained from CFE_TBL_Register or CFE_TBL_Share, that identifies the
		Table whose address is to be released.

#### Returns

Execution status, see cFE Return Code Defines

#### Return values

CFE_SUCCESS	Successful execution.
CFE_TBL_INFO_UPDATED	Updated.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_TBL_ERR_NO_ACCESS	No Access.
CFE_TBL_ERR_INVALID_HANDLE	Invalid Handle.
CFE_TBL_ERR_NEVER_LOADED	Never Loaded.

### See also

CFE\_TBL\_GetAddress, CFE\_TBL\_GetAddresses, CFE\_TBL\_ReleaseAddresses

## 36.32.2.4 CFE\_TBL\_ReleaseAddresses()

Release the addresses of an array of specified tables.

## Description

Each application is required to release a table address obtained through the CFE TBL GetAddress function.

## Assumptions, External Events, and Notes:

An application must always release the returned table address using the CFE\_TBL\_ReleaseAddress function prior to either a CFE\_TBL\_Update call or any blocking call (e.g. - pending on software bus message, etc). Table updates cannot occur while table addresses have not been released.

## **Parameters**

	in	NumTables	Size of TblHandles array.	
ĺ	in	TblHandles	Array of Table Handles (must not be null), previously obtained from CFE_TBL_Register or	
			CFE_TBL_Share, of those tables whose start addresses are to be released.	

## Returns

Execution status, see cFE Return Code Defines

## **Return values**

CFE_SUCCESS	Successful execution.
CFE_TBL_INFO_UPDATED	Updated.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_TBL_ERR_NO_ACCESS	No Access.
CFE_TBL_ERR_INVALID_HANDLE	Invalid Handle.
CFE_TBL_ERR_NEVER_LOADED	Never Loaded.
CFE_TBL_BAD_ARGUMENT	Bad Argument.

## See also

 ${\sf CFE\_TBL\_GetAddress}, {\sf CFE\_TBL\_ReleaseAddress}, {\sf CFE\_TBL\_GetAddresses}$ 

## 36.33 cFE Get Table Information APIs

#### **Functions**

• CFE Status t CFE TBL GetStatus (CFE TBL Handle t TblHandle)

Obtain current status of pending actions for a table.

• CFE\_Status\_t CFE\_TBL\_GetInfo (CFE\_TBL\_Info\_t \*TbIInfoPtr, const char \*TbIName)

Obtain characteristics/information of/about a specified table.

CFE\_Status\_t CFE\_TBL\_NotifyByMessage (CFE\_TBL\_Handle\_t TblHandle, CFE\_SB\_Msgld\_t Msgld, CFE\_
 MSG\_FcnCode\_t CommandCode, uint32 Parameter)

Instruct cFE Table Services to notify Application via message when table requires management.

## 36.33.1 Detailed Description

36.33.2 Function Documentation

#### 36.33.2.1 CFE\_TBL\_GetInfo()

Obtain characteristics/information of/about a specified table.

## Description

This API provides the registry information associated with the specified table. The function fills the given data structure with the data found in the Table Registry.

Assumptions, External Events, and Notes:

None

#### **Parameters**

out	TblInfoPtr	A pointer to a CFE_TBL_Info_t data structure (must not be null) that is to be populated with	
		table characteristics and information. *TblInfoPtr is the description of the tables characteristics	
		and registry information stored in the CFE_TBL_Info_t data structure format.	
in	TblName	The application specific name (must not be null) of the table of the form	
		"AppName.RawTableName", where RawTableName is the name specified in the	
		CFE_TBL_Register API call. Example: "ACS.TamParams" for a table called "TamParams" that	
		was registered by the application called "ACS".	

#### Returns

Execution status, see cFE Return Code Defines

#### Return values

CFE_SUCCESS	Successful execution.
CFE_TBL_ERR_INVALID_NAME	Invalid Name.
CFE_TBL_BAD_ARGUMENT	Bad Argument.

#### See also

CFE\_TBL\_GetStatus

### 36.33.2.2 CFE\_TBL\_GetStatus()

Obtain current status of pending actions for a table.

## Description

An application is **required** to perform a periodic check for an update or a validation request for all the tables that it creates. Typically, the application that created the table would call this function at the start or conclusion of any routine processing cycle. If a table update or validation request is pending, the Application should follow up with a call to CFE\_TBL\_Update or CFE\_TBL\_Validate respectively.

Assumptions, External Events, and Notes:

None

## **Parameters**

in	TblHandle	Handle, previously obtained from CFE_TBL_Register or CFE_TBL_Share, that identifies the
		Table to be managed.

#### Returns

Execution status, see cFE Return Code Defines

## **Return values**

CFE_SUCCESS	Successful execution.
CFE_TBL_INFO_UPDATE_PENDING	Update Pending.

#### Return values

CFE_TBL_INFO_VALIDATION_PENDING	
CFE_TBL_INFO_DUMP_PENDING	Dump Pending.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_TBL_ERR_NO_ACCESS	No Access.
CFE_TBL_ERR_INVALID_HANDLE	Invalid Handle.

#### Note

Some status return codes are "success" while being non-zero. This behavior will change in the future.

## See also

```
CFE TBL Manage, CFE TBL Update, CFE TBL Validate, CFE TBL GetInfo
```

## 36.33.2.3 CFE\_TBL\_NotifyByMessage()

Instruct cFE Table Services to notify Application via message when table requires management.

#### Description

This API instructs Table Services to send a message to the calling Application whenever the specified table requires management by the application. This feature allows applications to avoid polling table services via the CFE\_TB L\_Manage call to determine whether a table requires updates, validation, etc. This API should be called following the CFE\_TBL\_Register API whenever the owning application requires this feature.

## Assumptions, External Events, and Notes:

- · Only the application that owns the table is allowed to register a notification message
- Recommend NOT using the ground command MID which typically impacts command counters. The typical
  approach is to use a unique MID for inter-task communications similar to how schedulers typically trigger
  application housekeeping messages.

#### **Parameters**

in	TblHandle	Handle of Table with which the message should be associated.
in	Msgld	Message ID to be used in notification message sent by Table Services.
in	CommandCode	Command Code value to be placed in secondary header of message sent by Table
		Services.
in	Parameter	Application defined value to be passed as a parameter in the message sent by Table
		Services. Suggested use includes an application's table index that allows the same Modified
		and Command Code to be used for all table management notifications.

## Returns

Execution status, see cFE Return Code Defines

## Return values

CFE_SUCCESS	Successful execution.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.
CFE_TBL_ERR_NO_ACCESS	No Access.
CFE_TBL_ERR_INVALID_HANDLE	Invalid Handle.

## See also

CFE\_TBL\_Register

## 36.34 cFE Table Type Defines

```
Macros
```

#define CFE TBL OPT BUFFER MSK (0x0001)

Table buffer mask.

• #define CFE\_TBL\_OPT\_SNGL\_BUFFER (0x0000)

Single buffer table.

#define CFE TBL OPT DBL BUFFER (0x0001)

Double buffer table.

#define CFE\_TBL\_OPT\_LD\_DMP\_MSK (0x0002)

Table load/dump mask.

#define CFE TBL OPT LOAD DUMP (0x0000)

Load/Dump table.

#define CFE\_TBL\_OPT\_DUMP\_ONLY (0x0002)

Dump only table.

#define CFE\_TBL\_OPT\_USR\_DEF\_MSK (0x0004)

Table user defined mask.

#define CFE\_TBL\_OPT\_NOT\_USR\_DEF (0x0000)

Not user defined table.

#define CFE\_TBL\_OPT\_USR\_DEF\_ADDR (0x0006)

User Defined table,.

#define CFE\_TBL\_OPT\_CRITICAL\_MSK (0x0008)

Table critical mask.

• #define CFE\_TBL\_OPT\_NOT\_CRITICAL (0x0000)

Not critical table.

#define CFE\_TBL\_OPT\_CRITICAL (0x0008)

Critical table.

#define CFE\_TBL\_OPT\_DEFAULT (CFE\_TBL\_OPT\_SNGL\_BUFFER | CFE\_TBL\_OPT\_LOAD\_DUMP)
 Default table options.

### 36.34.1 Detailed Description

#### 36.34.2 Macro Definition Documentation

## 36.34.2.1 CFE\_TBL\_OPT\_BUFFER\_MSK

#define CFE\_TBL\_OPT\_BUFFER\_MSK (0x0001)

Table buffer mask.

Definition at line 50 of file cfe\_tbl\_api\_typedefs.h.

36.34.2.2 CFE\_TBL\_OPT\_CRITICAL

#define CFE\_TBL\_OPT\_CRITICAL (0x0008)

Critical table.

Definition at line 65 of file cfe\_tbl\_api\_typedefs.h.

36.34.2.3 CFE\_TBL\_OPT\_CRITICAL\_MSK

#define CFE\_TBL\_OPT\_CRITICAL\_MSK (0x0008)

Table critical mask.

Definition at line 63 of file cfe\_tbl\_api\_typedefs.h.

36.34.2.4 CFE\_TBL\_OPT\_DBL\_BUFFER

#define CFE\_TBL\_OPT\_DBL\_BUFFER (0x0001)

Double buffer table.

Definition at line 52 of file cfe\_tbl\_api\_typedefs.h.

36.34.2.5 CFE\_TBL\_OPT\_DEFAULT

#define CFE\_TBL\_OPT\_DEFAULT (CFE\_TBL\_OPT\_SNGL\_BUFFER | CFE\_TBL\_OPT\_LOAD\_DUMP)

Default table options.

Definition at line 68 of file cfe\_tbl\_api\_typedefs.h.

36.34.2.6 CFE\_TBL\_OPT\_DUMP\_ONLY

#define CFE\_TBL\_OPT\_DUMP\_ONLY (0x0002)

Dump only table.

Definition at line 56 of file cfe\_tbl\_api\_typedefs.h.

## 36.34.2.7 CFE\_TBL\_OPT\_LD\_DMP\_MSK

#define CFE\_TBL\_OPT\_LD\_DMP\_MSK (0x0002)

Table load/dump mask.

Definition at line 54 of file cfe tbl api typedefs.h.

#### 36.34.2.8 CFE\_TBL\_OPT\_LOAD\_DUMP

#define CFE\_TBL\_OPT\_LOAD\_DUMP (0x0000)

Load/Dump table.

Definition at line 55 of file cfe\_tbl\_api\_typedefs.h.

## 36.34.2.9 CFE\_TBL\_OPT\_NOT\_CRITICAL

#define CFE\_TBL\_OPT\_NOT\_CRITICAL (0x0000)

Not critical table.

Definition at line 64 of file cfe\_tbl\_api\_typedefs.h.

#### 36.34.2.10 CFE\_TBL\_OPT\_NOT\_USR\_DEF

#define CFE\_TBL\_OPT\_NOT\_USR\_DEF (0x0000)

Not user defined table.

Definition at line 59 of file cfe\_tbl\_api\_typedefs.h.

## 36.34.2.11 CFE\_TBL\_OPT\_SNGL\_BUFFER

#define CFE\_TBL\_OPT\_SNGL\_BUFFER (0x0000)

Single buffer table.

Definition at line 51 of file cfe\_tbl\_api\_typedefs.h.

## 36.34.2.12 CFE\_TBL\_OPT\_USR\_DEF\_ADDR

#define CFE\_TBL\_OPT\_USR\_DEF\_ADDR (0x0006)

User Defined table,.

Note

Automatically includes CFE\_TBL\_OPT\_DUMP\_ONLY option

Definition at line 60 of file cfe\_tbl\_api\_typedefs.h.

## 36.34.2.13 CFE\_TBL\_OPT\_USR\_DEF\_MSK

#define CFE\_TBL\_OPT\_USR\_DEF\_MSK (0x0004)

Table user defined mask.

Definition at line 58 of file cfe tbl api typedefs.h.

## 36.35 cFE Get Current Time APIs

#### **Functions**

CFE\_TIME\_SysTime\_t CFE\_TIME\_GetTime (void)

Get the current spacecraft time.

CFE TIME SysTime t CFE TIME GetTAI (void)

Get the current TAI (MET + SCTF) time.

CFE\_TIME\_SysTime\_t CFE\_TIME\_GetUTC (void)

Get the current UTC (MET + SCTF - Leap Seconds) time.

• CFE\_TIME\_SysTime\_t CFE\_TIME\_GetMET (void)

Get the current value of the Mission Elapsed Time (MET).

• uint32 CFE\_TIME\_GetMETseconds (void)

Get the current seconds count of the mission-elapsed time.

uint32 CFE\_TIME\_GetMETsubsecs (void)

Get the current sub-seconds count of the mission-elapsed time.

## 36.35.1 Detailed Description

36.35.2 Function Documentation

```
36.35.2.1 CFE_TIME_GetMET()
```

Get the current value of the Mission Elapsed Time (MET).

# Description

This routine returns the current mission-elapsed time (MET). MET is usually derived from a hardware-based clock that is not adjusted during normal operations. Callers of this routine should not assume that the MET return value has any specific relationship to any ground-based time standard.

Assumptions, External Events, and Notes:

None

#### Returns

The current MET

## See also

 $\label{lem:cfe_time_get} CFE\_TIME\_GetTAI, \ CFE\_TIME\_GetUTC, \ CFE\_TIME\_GetMETseconds, \ CFE\_TIME\_ \\ GetMETsubsecs, \ CFE\_TIME\_MET2SCTime$ 

```
36.35.2.2 CFE_TIME_GetMETseconds()
```

Get the current seconds count of the mission-elapsed time.

## Description

This routine is the same as CFE\_TIME\_GetMET, except that it returns only the integer seconds portion of the MET time.

Assumptions, External Events, and Notes:

None

Returns

The current MET seconds

## See also

CFE\_TIME\_GetTime, CFE\_TIME\_GetTAI, CFE\_TIME\_GetUTC, CFE\_TIME\_GetMET, CFE\_TIME\_GetME ← Tsubsecs, CFE\_TIME\_MET2SCTime

## 36.35.2.3 CFE\_TIME\_GetMETsubsecs()

Get the current sub-seconds count of the mission-elapsed time.

### Description

This routine is the same as CFE\_TIME\_GetMET, except that it returns only the integer sub-seconds portion of the MET time. Each count is equal to  $2^{(-32)}$  seconds.

Assumptions, External Events, and Notes:

None

Returns

The current MET sub-seconds

## See also

 $\label{lem:cfe_time_get} CFE\_TIME\_GetTIME\_GetTIME\_GetMET, \ CFE\_TIME\_GetMEC GetMEC G$ 

## 36.35.2.4 CFE\_TIME\_GetTAI()

Get the current TAI (MET + SCTF) time.

#### Description

This routine returns the current TAI time to the caller. TAI is an international time standard that does not include leap seconds. This routine should only be used in situations where TAI is absolutely required. Applications that call CFE\_TIME\_GetTAI may not be portable to all missions. Maintenance of correct TAI in flight is not guaranteed under all mission operations scenarios. To maintain re-usability across missions, most applications should be using CFE\_TIME\_GetTime, rather than the specific routines for getting UTC/TAI directly.

#### Assumptions, External Events, and Notes:

- 1. The "TAI" time returned is referenced to the mission-defined time epoch, which may or may not be the same as the standard TAI epoch.
- 2. Even though TAI does not include leap seconds, the time returned by this function can still jump forward or backward without warning when the spacecraft clock is set or adjusted by operators. Applications using this function must be able to handle these time discontinuities gracefully.

#### Returns

The current spacecraft time in TAI

### See also

 $\label{lem:cfe_time_get} \begin{cal} CFE\_TIME\_GetMET, CFE\_TIME\_GetMETseconds, CFE\_TIME\_GetMETseconds$ 

#### 36.35.2.5 CFE\_TIME\_GetTime()

Get the current spacecraft time.

## Description

This routine returns the current spacecraft time, which is the amount of time elapsed since the epoch as set in mission configuration. The time returned is either TAI (no leap seconds) or UTC (including leap seconds). This choice is made in the mission configuration file by defining either CFE\_MISSION\_TIME\_CFG\_DEFAULT\_TAI or CFE\_MISSION\_TIME\_CFG\_DEFAULT\_UTC as true at compile time. To maintain re-usability across missions, most applications should be using this function rather than the specific routines for getting UTC/TAI directly.

#### Assumptions, External Events, and Notes:

None

#### Returns

The current spacecraft time in default format

#### See also

CFE\_TIME\_GetTAI, CFE\_TIME\_GetUTC, CFE\_TIME\_GetMET, CFE\_TIME\_GetMETseconds, CFE\_TIME\_←
GetMETsubsecs

## 36.35.2.6 CFE\_TIME\_GetUTC()

Get the current UTC (MET + SCTF - Leap Seconds) time.

#### Description

This routine returns the current UTC time to the caller. This routine should only be used in situations where UTC is absolutely required. Applications that call CFE\_TIME\_GetUTC may not be portable to all missions. Maintenance of correct UTC in flight is not guaranteed under all mission operations scenarios. If UTC is maintained in flight, it will jump backwards occasionally due to leap second adjustments. To maintain re-usability across missions, most applications should be using CFE\_TIME\_GetTime, rather than the specific routines for getting UTC/TAI directly.

#### Assumptions, External Events, and Notes:

Note: The "UTC" time returned is referenced to the mission-defined time epoch, which may or may not be the same as the standard UTC epoch.

## Returns

The current spacecraft time in UTC

## See also

CFE\_TIME\_GetTime, CFE\_TIME\_GetTAI, CFE\_TIME\_GetMET, CFE\_TIME\_GetMETseconds, CFE\_TIME\_← GetMETsubsecs

## 36.36 cFE Get Time Information APIs

#### **Functions**

CFE\_TIME\_SysTime\_t CFE\_TIME\_GetSTCF (void)

Get the current value of the spacecraft time correction factor (STCF).

int16 CFE\_TIME\_GetLeapSeconds (void)

Get the current value of the leap seconds counter.

CFE\_TIME\_ClockState\_Enum\_t CFE\_TIME\_GetClockState (void)

Get the current state of the spacecraft clock.

• uint16 CFE TIME GetClockInfo (void)

Provides information about the spacecraft clock.

## 36.36.1 Detailed Description

36.36.2 Function Documentation

## 36.36.2.1 CFE\_TIME\_GetClockInfo()

Provides information about the spacecraft clock.

## Description

This routine returns information on the spacecraft clock in a bit mask.

Assumptions, External Events, and Notes:

None

## Returns

Spacecraft clock information, cFE Clock State Flag Defines. To extract the information from the returned value, the flags can be used as in the following:

```
if ((ReturnValue & CFE_TIME_FLAG_xxxxxx) == CFE_TIME_FLAG_xxxxxx) then the following definition of the CFE_TIME_FLAG_xxxxxx is true.
```

### See also

```
CFE_TIME_GetSTCF, CFE_TIME_GetLeapSeconds, CFE_TIME_GetClockState
```

```
36.36.2.2 CFE_TIME_GetClockState()
```

Get the current state of the spacecraft clock.

## Description

This routine returns the spacecraft clock state. Applications that are highly dependent on valid time may want to call this routine before taking actions based on the times returned by the various clock routines

Assumptions, External Events, and Notes:

None

#### Returns

The current spacecraft clock state

See also

CFE\_TIME\_GetSTCF, CFE\_TIME\_GetLeapSeconds, CFE\_TIME\_GetClockInfo

## 36.36.2.3 CFE\_TIME\_GetLeapSeconds()

Get the current value of the leap seconds counter.

## Description

This routine returns the current value of the leap seconds counter. This is the delta seconds between international atomic time (TAI) and universal coordinated time (UTC). There is no API provided to set or adjust leap seconds or SCTF, those actions should be done by command only. This API is provided for applications to be able to include leap seconds in their data products to aid in time correlation during downstream science data processing. Note that some mission operations teams do not maintain the leap seconds count, preferring to adjust the STCF instead. Users of this function should check with their mission ops team to see how they are planning to handle leap seconds.

Assumptions, External Events, and Notes:

None

Returns

The current spacecraft leap seconds.

See also

CFE\_TIME\_GetSTCF, CFE\_TIME\_GetClockState, CFE\_TIME\_GetClockInfo

## 36.36.2.4 CFE\_TIME\_GetSTCF()

Get the current value of the spacecraft time correction factor (STCF).

## Description

This routine returns the current value of the spacecraft time correction factor. This is the delta time between the MET and the TAI time. There is no API provided to set or adjust leap seconds or SCTF, those actions should be done by command only. This API is provided for applications to be able to include STCF in their data products to aid in time correlation during downstream science data processing.

Assumptions, External Events, and Notes:

Does not include leap seconds

## Returns

The current SCTF

## See also

CFE\_TIME\_GetLeapSeconds, CFE\_TIME\_GetClockState, CFE\_TIME\_GetClockInfo

## 36.37 cFE Time Arithmetic APIs

#### **Functions**

- CFE\_TIME\_SysTime\_t CFE\_TIME\_Add (CFE\_TIME\_SysTime\_t Time1, CFE\_TIME\_SysTime\_t Time2)
   Adds two time values.
- CFE\_TIME\_SysTime\_t CFE\_TIME\_Subtract (CFE\_TIME\_SysTime\_t Time1, CFE\_TIME\_SysTime\_t Time2)
   Subtracts two time values.
- CFE\_TIME\_Compare\_t CFE\_TIME\_Compare (CFE\_TIME\_SysTime\_t TimeA, CFE\_TIME\_SysTime\_t TimeB)
   Compares two time values.

### 36.37.1 Detailed Description

36.37.2 Function Documentation

## 36.37.2.1 CFE\_TIME\_Add()

```
CFE_TIME_SysTime_t CFE_TIME_Add (

CFE_TIME_SysTime_t Time1,

CFE_TIME_SysTime_t Time2)
```

Adds two time values.

# Description

This routine adds the two specified times and returns the result. Normally, at least one of the input times should be a value representing a delta time. Adding two absolute times together will not cause an error, but the result will probably be meaningless.

Assumptions, External Events, and Notes:

None

### **Parameters**

Ī	in	Time1	The first time to be added.
	in	Time2	The second time to be added.

## Returns

The sum of the two times. If the sum is greater than the maximum value that can be stored in a CFE\_TIME\_Sys← Time\_t, the result will roll over (this is not considered an error).

#### See also

```
CFE_TIME_Subtract, CFE_TIME_Compare
```

36.37.2.2 CFE\_TIME\_Compare()

```
CFE_TIME_Compare_t CFE_TIME_Compare (

CFE_TIME_SysTime_t TimeA,

CFE_TIME_SysTime_t TimeB)
```

Compares two time values.

## Description

This routine compares two time values to see which is "greater". It is important that applications use this function rather than trying to directly compare the component pieces of times. This function will handle roll-over cases seamlessly, which may not be intuitively obvious. The cFE's internal representation of time "rolls over" when the 32 bit seconds count reaches 0xFFFFFFF. Also, subtracting a delta time from an absolute time close to the epoch could result in "roll under". The strange cases that result from these situations can be handled by defining the comparison function for times as follows: Plot the two times on the circumference of a circle where 0 is at the top and 0x80000000 is at the bottom. If the shortest arc from time A to time B runs clockwise around the circle, then time A is less than time B. If the shortest arc from A to B runs counter-clockwise, then time A is greater than time B.

Assumptions, External Events, and Notes:

None

## **Parameters**

	in	TimeA	The first time to compare.
Ī	in	TimeB	The second time to compare.

## Returns

The result of comparing the two times.

### **Return values**

CFE_TIME_EQUAL	The two specified times are considered to be equal.
CFE_TIME_A_GT↔	The first specified time is considered to be after the second specified time.
_B	
CFE_TIME_A_LT↔	The first specified time is considered to be before the second specified time.
_ <i>B</i>	

#### See also

```
CFE_TIME_Add, CFE_TIME_Subtract
```

## 36.37.2.3 CFE\_TIME\_Subtract()

Subtracts two time values.

## Description

This routine subtracts time2 from time1 and returns the result. The time values can represent either absolute or delta times, but not all combinations make sense.

- AbsTime AbsTime = DeltaTime
- AbsTime DeltaTime = AbsTime
- DeltaTime DeltaTime = DeltaTime
- DeltaTime AbsTime = garbage

Assumptions, External Events, and Notes:

None

### **Parameters**

in	Time1	The base time.
in	Time2	The time to be subtracted from the base time.

## Returns

The result of subtracting the two times. If the subtraction results in an underflow, the result will roll over (this is not considered an error).

## See also

CFE\_TIME\_Add, CFE\_TIME\_Compare

## 36.38 cFE Time Conversion APIs

#### **Functions**

CFE\_TIME\_SysTime\_t CFE\_TIME\_MET2SCTime (CFE\_TIME\_SysTime\_t METTime)

Convert specified MET into Spacecraft Time.

• uint32 CFE\_TIME\_Sub2MicroSecs (uint32 SubSeconds)

Converts a sub-seconds count to an equivalent number of microseconds.

uint32 CFE TIME Micro2SubSecs (uint32 MicroSeconds)

Converts a number of microseconds to an equivalent sub-seconds count.

36.38.1 Detailed Description

36.38.2 Function Documentation

### 36.38.2.1 CFE\_TIME\_MET2SCTime()

Convert specified MET into Spacecraft Time.

#### Description

This function returns Spacecraft Time given MET. Note that Spacecraft Time is returned as either UTC or TAI depending on whether the mission configuration parameter CFE\_MISSION\_TIME\_CFG\_DEFAULT\_UTC or CF← E\_MISSION\_TIME\_CFG\_DEFAULT\_TAI was set to true at compile time.

Assumptions, External Events, and Notes:

None

#### **Parameters**

```
in METTime The MET to be converted.
```

#### Returns

Spacecraft Time (UTC or TAI) corresponding to the specified MET

## See also

CFE\_TIME\_GetMET, CFE\_TIME\_GetMETseconds, CFE\_TIME\_GetMETsubsecs, CFE\_TIME\_Sub2MicroSecs, CFE\_TIME\_Micro2SubSecs

## 36.38.2.2 CFE\_TIME\_Micro2SubSecs()

Converts a number of microseconds to an equivalent sub-seconds count.

## Description

This routine converts from microseconds (each tick is 1e-06 seconds) to a subseconds count (each tick is  $1/2^32$  seconds).

Assumptions, External Events, and Notes:

None

#### **Parameters**

in	MicroSeconds	The sub-seconds count to convert.
----	--------------	-----------------------------------

#### Returns

The equivalent number of subseconds. If the number of microseconds passed in is greater than one second, (i.e. > 999,999), the return value is equal to 0xfffffff.

## See also

```
CFE_TIME_MET2SCTime, CFE_TIME_Sub2MicroSecs,
```

## 36.38.2.3 CFE\_TIME\_Sub2MicroSecs()

Converts a sub-seconds count to an equivalent number of microseconds.

### Description

This routine converts from a sub-seconds count (each tick is  $1/2^3$ 2 seconds) to microseconds (each tick is 1e-06 seconds).

Assumptions, External Events, and Notes:

None

## **Parameters**

in	SubSeconds	The sub-seconds count to convert.	
----	------------	-----------------------------------	--

# Returns

The equivalent number of microseconds.

# See also

CFE\_TIME\_MET2SCTime, CFE\_TIME\_Micro2SubSecs,

### 36.39 cFE External Time Source APIs

#### **Functions**

void CFE\_TIME\_ExternalTone (void)

Provides the 1 Hz signal from an external source.

void CFE TIME ExternalMET (CFE TIME SysTime t NewMET)

Provides the Mission Elapsed Time from an external source.

void CFE TIME ExternalGPS (CFE TIME SysTime t NewTime, int16 NewLeaps)

Provide the time from an external source that has data common to GPS receivers.

void CFE\_TIME\_ExternalTime (CFE\_TIME\_SysTime\_t NewTime)

Provide the time from an external source that measures time relative to a known epoch.

CFE\_Status\_t CFE\_TIME\_RegisterSynchCallback (CFE\_TIME\_SynchCallbackPtr\_t CallbackFuncPtr)

Registers a callback function that is called whenever time synchronization occurs.

CFE Status t CFE TIME UnregisterSynchCallback (CFE TIME SynchCallbackPtr t CallbackFuncPtr)

Unregisters a callback function that is called whenever time synchronization occurs.

```
36.39.1 Detailed Description
```

36.39.2 Function Documentation

```
36.39.2.1 CFE_TIME_ExternalGPS()
```

Provide the time from an external source that has data common to GPS receivers.

### Description

This routine provides a method to provide cFE TIME with current time data acquired from an external source. There is a presumption that this function will be called at the appropriate time (relative to the tone) such that this call may be used by cFE TIME as the signal to generate the "time at the tone" data command. The "time at the tone" data command must arrive within the configuration parameter specified window for tone signal and data packet verification.

Internally, cFE TIME will calculate a new STCF as the difference between this new time value and the space-craft MET value at the tone. This allows cFE TIME to always calculate time as the sum of MET and STCF. The value of STCF will change only as much as the drift factor between spacecraft MET and the external time source.

## Assumptions, External Events, and Notes:

• This routine is included in the API only when 3 specific configuration parameters are set to true. The first is CFE\_PLATFORM\_TIME\_CFG\_SERVER which defines this instantiation of cFE TIME as a time server (not a client). The second required configuration parameter is CFE\_PLATFORM\_TIME\_CFG\_SOURCE which enables time source selection commands to the cFE TIME task, and further enables configuration definitions for the selected type of external time data. The third configuration parameter required for this routine is C← FE\_PLATFORM\_TIME\_CFG\_SRC\_GPS, which indicates that the external time data consists of a time value relative to a known epoch, plus a leap seconds value.

#### **Parameters**

in	NewTime	The MET value at the next (or previous) 1 Hz tone signal.
in	NewLeaps	The Leap Seconds value used to calculate time as UTC.

#### See also

```
CFE_TIME_ExternalTone, CFE_TIME_ExternalMET, CFE_TIME_ExternalTime
```

#### 36.39.2.2 CFE\_TIME\_ExternalMET()

Provides the Mission Elapsed Time from an external source.

#### Description

This routine provides a method to provide cFE TIME with MET acquired from an external source. There is a presumption that this function will be called at the appropriate time (relative to the tone) such that this call may be used by cFE TIME as the signal to generate the "time at the tone" data command. The "time at the tone" data command must arrive within the configuration parameter specified window for tone signal and data packet verification.

The MET value at the tone "should" have zero subseconds. Although the interface accepts non-zero values for sub-seconds, it may be harmful to other applications that expect zero subseconds at the moment of the tone. Any decision to use non-zero subseconds should be carefully considered.

### Assumptions, External Events, and Notes:

• This routine is included in the API only when 3 specific configuration parameters are set to true. The first is CFE\_PLATFORM\_TIME\_CFG\_SERVER which defines this instantiation of cFE TIME as a time server (not a client). The second required configuration parameter is CFE\_PLATFORM\_TIME\_CFG\_SOURCE which enables time source selection commands to the cFE TIME task, and further enables configuration definitions for the selected type of external time data. The third configuration parameter required for this routine is CF← E\_PLATFORM\_TIME\_CFG\_SRC\_MET, which indicates that the external time data consists of MET.

#### **Parameters**

in	NewMET	The MET value at the next (or previous) 1 Hz tone signal.
----	--------	---

#### See also

CFE\_TIME\_ExternalTone, CFE\_TIME\_ExternalGPS, CFE\_TIME\_ExternalTime

## 36.39.2.3 CFE\_TIME\_ExternalTime()

Provide the time from an external source that measures time relative to a known epoch.

## Description

This routine provides a method to provide cFE TIME with current time data acquired from an external source. There is a presumption that this function will be called at the appropriate time (relative to the tone) such that this call may be used by cFE TIME as the signal to generate the "time at the tone" data command. The "time at the tone" data command must arrive within the configuration specified window for tone signal and data packet verification.

Internally, cFE TIME will calculate a new STCF as the difference between this new time value and the space-craft MET value at the tone. This allows cFE TIME to always calculate time as the sum of MET and STCF. The value of STCF will change only as much as the drift factor between spacecraft MET and the external time source.

## Assumptions, External Events, and Notes:

• This routine is included in the API only when 3 specific configuration parameters are set to true. The first is CFE\_PLATFORM\_TIME\_CFG\_SERVER which defines this instantiation of cFE TIME as a time server (not a client). The second required configuration parameter is CFE\_PLATFORM\_TIME\_CFG\_SOURCE which enables time source selection commands to the cFE TIME task, and further enables configuration definitions for the selected type of external time data. The third configuration parameter required for this routine is CF← E\_PLATFORM\_TIME\_CFG\_SRC\_TIME, which indicates that the external time data consists of a time value relative to a known epoch.

#### **Parameters**

in	NewTime	The MET value at the next (or previous) 1 Hz tone signal.
----	---------	---

#### See also

CFE TIME ExternalTone, CFE TIME ExternalMET, CFE TIME ExternalGPS

#### 36.39.2.4 CFE\_TIME\_ExternalTone()

```
void CFE_TIME_ExternalTone ( \mbox{void })
```

Provides the 1 Hz signal from an external source.

#### Description

This routine provides a method for cFE TIME software to be notified of the occurrence of the 1Hz tone signal without knowledge of the specific hardware design. Regardless of the source of the tone, this routine should be called as soon as possible after detection to allow cFE TIME software the opportunity to latch the local clock as close as possible to the instant of the tone.

Assumptions, External Events, and Notes:

• This routine may be called directly from within the context of an interrupt handler.

#### See also

```
CFE_TIME_ExternalMET, CFE_TIME_ExternalGPS, CFE_TIME_ExternalTime
```

#### 36.39.2.5 CFE\_TIME\_RegisterSynchCallback()

Registers a callback function that is called whenever time synchronization occurs.

#### Description

This routine passes a callback function pointer for an Application that wishes to be notified whenever a legitimate time synchronization signal (typically a 1 Hz) is received.

Assumptions, External Events, and Notes:

Only a single callback per application is supported, and this function should only be called from a single thread within each application (typically the apps main thread). If an application requires triggering multiple child tasks at 1Hz, it should distribute the timing signal internally, rather than registering for multiple callbacks.

## **Parameters**

in	CallbackFuncPtr	Function to call at synchronization interval (must not be null)
----	-----------------	---

## Returns

Execution status, see cFE Return Code Defines

### **Return values**

CFE_SUCCESS	Successful execution.
CFE_TIME_TOO_MANY_SYNCH_CALLBACKS	Too Many Sync Callbacks.
CFE_TIME_BAD_ARGUMENT	Bad Argument.

### See also

CFE\_TIME\_UnregisterSynchCallback

## 36.39.2.6 CFE\_TIME\_UnregisterSynchCallback()

```
\label{local_continuous} \begin{tabular}{ll} CFE\_Status\_t & CFE\_TIME\_UnregisterSynchCallback ( & CFE\_TIME\_SynchCallbackPtr\_t & CallbackFuncPtr ) \\ \end{tabular}
```

Unregisters a callback function that is called whenever time synchronization occurs.

## Description

This routine removes the specified callback function pointer from the list of Callback functions that are called whenever a time synchronization (typically the 1Hz signal) is received.

## Assumptions, External Events, and Notes:

Only a single callback per application is supported, and this function should only be called from a single thread within each application (typically the apps main thread).

#### **Parameters**

in	CallbackFuncPtr	Function to remove from synchronization call list (must not be null)	]
----	-----------------	--	---

#### Returns

Execution status, see cFE Return Code Defines

## **Return values**

CFE_SUCCESS	Successful execution.
CFE_TIME_CALLBACK_NOT_REGISTERED	Callback Not Registered.
CFE_TIME_BAD_ARGUMENT	Bad Argument.

## See also

CFE\_TIME\_RegisterSynchCallback

## 36.40 cFE Miscellaneous Time APIs

#### **Functions**

```
    void CFE_TIME_Print (char *PrintBuffer, CFE_TIME_SysTime_t TimeToPrint)
    Print a time value as a string.
```

void CFE\_TIME\_Local1HzISR (void)

This function is called via a timer callback set up at initialization of the TIME service.

## 36.40.1 Detailed Description

### 36.40.2 Function Documentation

### 36.40.2.1 CFE\_TIME\_Local1HzISR()

This function is called via a timer callback set up at initialization of the TIME service.

#### Description

Drives the time processing logic from the system PSP layer. This must be called once per second based on a hardware interrupt or OS kernel signal.

Assumptions, External Events, and Notes:

This will update the global data structures accordingly, incrementing each by the 1Hz amount.

## 36.40.2.2 CFE\_TIME\_Print()

Print a time value as a string.

## Description

This routine prints the specified time to the specified string buffer in the following format:

```
yyyy-ddd-hh:mm:ss.xxxxx\0
```

where:

- yyyy = **year**
- ddd = Julian day of the year
- hh = hour of the day (0 to 23)
- mm = minute (0 to 59)
- ss = second (0 to 59)
- xxxxx = subsecond formatted as a decimal fraction (1/4 second = 0.25000)
- \0 = trailing null

## Assumptions, External Events, and Notes:

- The value of the time argument is simply added to the configuration definitions for the ground epoch and converted into a fixed length string in the buffer provided by the caller.
- A loss of data during the string conversion will occur if the computed year exceeds 9999. However, a year that large would require an unrealistic definition for the ground epoch since the maximum amount of time represented by a CFE\_TIME\_SysTime structure is approximately 136 years.

#### **Parameters**

out	PrintBuffer	Pointer to a character array (must not be null) of at least CFE_TIME_PRINTED_STRING_SIZE characters in length. *PrintBuffer is the time as a character string as described above.
in	TimeToPrint	The time to print into the character array.

### 36.41 cFE Resource ID base values

#### **Enumerations**

enum {

CFE\_RESOURCEID\_ES\_TASKID\_BASE\_OFFSET = OS\_OBJECT\_TYPE\_OS\_TASK, CFE\_RESOURCEID\_←
ES\_APPID\_BASE\_OFFSET = OS\_OBJECT\_TYPE\_USER + 1, CFE\_RESOURCEID\_ES\_LIBID\_BASE\_OFF←
SET = OS\_OBJECT\_TYPE\_USER + 2, CFE\_RESOURCEID\_ES\_COUNTID\_BASE\_OFFSET = OS\_OBJECT←
TYPE\_USER + 3,

CFE\_RESOURCEID\_ES\_POOLID\_BASE\_OFFSET = OS\_OBJECT\_TYPE\_USER + 4, CFE\_RESOURCEID ← \_ES\_CDSBLOCKID\_BASE\_OFFSET = OS\_OBJECT\_TYPE\_USER + 5, CFE\_RESOURCEID\_SB\_PIPEID\_R ← ESOURCE\_BASE\_OFFSET = OS\_OBJECT\_TYPE\_USER + 6, CFE\_RESOURCEID\_CONFIGID\_BASE\_OF ← FSET = OS\_OBJECT\_TYPE\_USER + 7}

enum {

CFE\_ES\_TASKID\_BASE = CFE\_RESOURCEID\_MAKE\_BASE(CFE\_RESOURCEID\_ES\_TASKID\_BASE\_O← FFSET), CFE\_ES\_APPID\_BASE = CFE\_RESOURCEID\_MAKE\_BASE(CFE\_RESOURCEID\_ES\_APPID\_BA⇔ SE\_OFFSET), CFE\_ES\_LIBID\_BASE = CFE\_RESOURCEID\_MAKE\_BASE(CFE\_RESOURCEID\_ES\_LIBID↔ BASE\_OFFSET), CFE\_ES\_COUNTID\_BASE = CFE\_RESOURCEID\_MAKE\_BASE(CFE\_RESOURCEID\_E⇔ S\_COUNTID\_BASE\_OFFSET),

CFE\_ES\_POOLID\_BASE = CFE\_RESOURCEID\_MAKE\_BASE(CFE\_RESOURCEID\_ES\_POOLID\_BASE\_O ← FFSET), CFE\_ES\_CDSBLOCKID\_BASE = CFE\_RESOURCEID\_MAKE\_BASE(CFE\_RESOURCEID\_ES\_CD ← SBLOCKID\_BASE\_OFFSET), CFE\_SB\_PIPEID\_BASE = CFE\_RESOURCEID\_MAKE\_BASE(CFE\_RESOUR ← CEID\_SB\_PIPEID\_RESOURCE\_BASE\_OFFSET), CFE\_CONFIGID\_BASE = CFE\_RESOURCEID\_MAKE\_B ← ASE(CFE\_RESOURCEID\_CONFIGID\_BASE\_OFFSET) }

#### 36.41.1 Detailed Description

## 36.41.2 Enumeration Type Documentation

### 36.41.2.1 anonymous enum

anonymous enum

# Enumerator

CFE_RESOURCEID_ES_TASKID_BASE_OFFSET	
CFE_RESOURCEID_ES_APPID_BASE_OFFSET	
CFE_RESOURCEID_ES_LIBID_BASE_OFFSET	
CFE_RESOURCEID_ES_COUNTID_BASE_OFFSET	
CFE_RESOURCEID_ES_POOLID_BASE_OFFSET	
CFE_RESOURCEID_ES_CDSBLOCKID_BASE_OFFSET	
CFE_RESOURCEID_SB_PIPEID_RESOURCE_BASE_OFFSET	
CFE_RESOURCEID_CONFIGID_BASE_OFFSET	

Definition at line 50 of file cfe core resourceid basevalues.h.

# 36.41.2.2 anonymous enum

anonymous enum

## Enumerator

CFE_ES_TASKID_BASE	
CFE_ES_APPID_BASE	
CFE_ES_LIBID_BASE	
CFE_ES_COUNTID_BASE	
CFE_ES_POOLID_BASE	
CFE_ES_CDSBLOCKID_BASE	
CFE_SB_PIPEID_BASE	
CFE_CONFIGID_BASE	

Definition at line 83 of file cfe\_core\_resourceid\_basevalues.h.

## 36.42 cFE Clock State Flag Defines

#### Macros

• #define CFE TIME FLAG CLKSET 0x8000

The spacecraft time has been set.

#define CFE\_TIME\_FLAG\_FLYING 0x4000

This instance of Time Services is flywheeling.

#define CFE\_TIME\_FLAG\_SRCINT 0x2000

The clock source is set to "internal".

#define CFE\_TIME\_FLAG\_SIGPRI 0x1000

The clock signal is set to "primary".

#define CFE TIME FLAG SRVFLY 0x0800

The Time Server is in flywheel mode.

#define CFE\_TIME\_FLAG\_CMDFLY 0x0400

This instance of Time Services was commanded into flywheel mode.

#define CFE\_TIME\_FLAG\_ADDADJ 0x0200

One time STCF Adjustment is to be done in positive direction.

• #define CFE\_TIME\_FLAG\_ADD1HZ 0x0100

1 Hz STCF Adjustment is to be done in a positive direction

• #define CFE\_TIME\_FLAG\_ADDTCL 0x0080

Time Client Latency is applied in a positive direction.

• #define CFE\_TIME\_FLAG\_SERVER 0x0040

This instance of Time Services is a Time Server.

#define CFE\_TIME\_FLAG\_GDTONE 0x0020

The tone received is good compared to the last tone received.

#define CFE\_TIME\_FLAG\_REFERR 0x0010

GetReference read error, will be set if unable to get a consistent ref value.

#define CFE\_TIME\_FLAG\_UNUSED 0x000F

Reserved flags - should be zero.

### 36.42.1 Detailed Description

#### 36.42.2 Macro Definition Documentation

## 36.42.2.1 CFE\_TIME\_FLAG\_ADD1HZ

#define CFE\_TIME\_FLAG\_ADD1HZ 0x0100

1 Hz STCF Adjustment is to be done in a positive direction

Definition at line 717 of file cfe\_time\_msg.h.

## 36.42.2.2 CFE\_TIME\_FLAG\_ADDADJ

#define CFE\_TIME\_FLAG\_ADDADJ 0x0200

One time STCF Adjustment is to be done in positive direction.

Definition at line 716 of file cfe\_time\_msg.h.

## 36.42.2.3 CFE\_TIME\_FLAG\_ADDTCL

#define CFE\_TIME\_FLAG\_ADDTCL 0x0080

Time Client Latency is applied in a positive direction.

Definition at line 718 of file cfe\_time\_msg.h.

## 36.42.2.4 CFE\_TIME\_FLAG\_CLKSET

#define CFE\_TIME\_FLAG\_CLKSET 0x8000

The spacecraft time has been set.

Definition at line 710 of file cfe time msg.h.

## 36.42.2.5 CFE\_TIME\_FLAG\_CMDFLY

#define CFE\_TIME\_FLAG\_CMDFLY 0x0400

This instance of Time Services was commanded into flywheel mode.

Definition at line 715 of file cfe\_time\_msg.h.

## 36.42.2.6 CFE\_TIME\_FLAG\_FLYING

#define CFE\_TIME\_FLAG\_FLYING 0x4000

This instance of Time Services is flywheeling.

Definition at line 711 of file cfe\_time\_msg.h.

## 36.42.2.7 CFE\_TIME\_FLAG\_GDTONE

#define CFE\_TIME\_FLAG\_GDTONE 0x0020

The tone received is good compared to the last tone received.

Definition at line 720 of file cfe\_time\_msg.h.

## 36.42.2.8 CFE\_TIME\_FLAG\_REFERR

#define CFE\_TIME\_FLAG\_REFERR 0x0010

GetReference read error, will be set if unable to get a consistent ref value.

Definition at line 721 of file cfe\_time\_msg.h.

## 36.42.2.9 CFE\_TIME\_FLAG\_SERVER

#define CFE\_TIME\_FLAG\_SERVER 0x0040

This instance of Time Services is a Time Server.

Definition at line 719 of file cfe time msg.h.

#### 36.42.2.10 CFE\_TIME\_FLAG\_SIGPRI

#define CFE\_TIME\_FLAG\_SIGPRI 0x1000

The clock signal is set to "primary".

Definition at line 713 of file cfe\_time\_msg.h.

## 36.42.2.11 CFE\_TIME\_FLAG\_SRCINT

#define CFE\_TIME\_FLAG\_SRCINT 0x2000

The clock source is set to "internal".

Definition at line 712 of file cfe\_time\_msg.h.

## 36.42.2.12 CFE\_TIME\_FLAG\_SRVFLY

#define CFE\_TIME\_FLAG\_SRVFLY 0x0800

The Time Server is in flywheel mode.

Definition at line 714 of file cfe\_time\_msg.h.

## 36.42.2.13 CFE\_TIME\_FLAG\_UNUSED

#define CFE\_TIME\_FLAG\_UNUSED 0x000F

Reserved flags - should be zero.

Definition at line 723 of file cfe\_time\_msg.h.

# 36.43 OSAL Semaphore State Defines

## Macros

• #define OS\_SEM\_FULL 1

Semaphore full state.

• #define OS\_SEM\_EMPTY 0

Semaphore empty state.

36.43.1 Detailed Description

36.43.2 Macro Definition Documentation

36.43.2.1 OS\_SEM\_EMPTY

#define OS\_SEM\_EMPTY 0

Semaphore empty state.

Definition at line 37 of file osapi-binsem.h.

36.43.2.2 OS\_SEM\_FULL

#define OS\_SEM\_FULL 1

Semaphore full state.

Definition at line 36 of file osapi-binsem.h.

## 36.44 OSAL Binary Semaphore APIs

#### **Functions**

• int32 OS\_BinSemCreate (osal\_id\_t \*sem\_id, const char \*sem\_name, uint32 sem\_initial\_value, uint32 options)

Creates a binary semaphore.

• int32 OS\_BinSemFlush (osal\_id\_t sem\_id)

Unblock all tasks pending on the specified semaphore.

int32 OS\_BinSemGive (osal\_id\_t sem\_id)

Increment the semaphore value.

int32 OS\_BinSemTake (osal\_id\_t sem\_id)

Decrement the semaphore value.

int32 OS\_BinSemTimedWait (osal\_id\_t sem\_id, uint32 msecs)

Decrement the semaphore value with a timeout.

int32 OS\_BinSemDelete (osal\_id\_t sem\_id)

Deletes the specified Binary Semaphore.

• int32 OS\_BinSemGetIdByName (osal\_id\_t \*sem\_id, const char \*sem\_name)

Find an existing semaphore ID by name.

int32 OS\_BinSemGetInfo (osal\_id\_t sem\_id, OS\_bin\_sem\_prop\_t \*bin\_prop)

Fill a property object buffer with details regarding the resource.

## 36.44.1 Detailed Description

## 36.44.2 Function Documentation

## 36.44.2.1 OS\_BinSemCreate()

Creates a binary semaphore.

Creates a binary semaphore with initial value specified by sem\_initial\_value and name specified by sem\_name. sem\_id will be returned to the caller

#### **Parameters**

out	sem_id	will be set to the non-zero ID of the newly-created resource (must not be null)
in	sem_name	the name of the new resource to create (must not be null)
in sem_initial_value the initial value of the bina	the initial value of the binary semaphore	
in	options	Reserved for future use, should be passed as 0.

### Returns

Execution status, see OSAL Return Code Defines

#### **Return values**

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if sen name or sem_id are NULL
OS_ERR_NAME_TOO_LONG	name length including null terminator greater than OS_MAX_API_NAME
OS_ERR_NO_FREE_IDS	if all of the semaphore ids are taken
OS_ERR_NAME_TAKEN	if this is already the name of a binary semaphore
OS_SEM_FAILURE	if the OS call failed (return value only verified in coverage test)

# 36.44.2.2 OS\_BinSemDelete()

Deletes the specified Binary Semaphore.

This is the function used to delete a binary semaphore in the operating system. This also frees the respective sem\_id to be used again when another semaphore is created.

## **Parameters**

in	sem⇔	The object ID to delete
	id	

## Returns

Execution status, see OSAL Return Code Defines

# **Return values**

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID if the id passed in is not a valid binary semaphore	
OS_SEM_FAILURE	if an unspecified failure occurs (return value only verified in coverage test)

# 36.44.2.3 OS\_BinSemFlush()

Unblock all tasks pending on the specified semaphore.

The function unblocks all tasks pending on the specified semaphore. However, this function does not change the state of the semaphore.

#### **Parameters**

in	sem←	The object ID to operate on
	_id	

## Returns

Execution status, see OSAL Return Code Defines

## **Return values**

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID if the id passed in is not a binary semaphore	
OS_SEM_FAILURE	if an unspecified failure occurs (return value only verified in coverage test)

## 36.44.2.4 OS\_BinSemGetIdByName()

Find an existing semaphore ID by name.

This function tries to find a binary sem Id given the name of a bin\_sem The id is returned through sem\_id

#### **Parameters**

out	sem_id	will be set to the ID of the existing resource
in	sem_name	the name of the existing resource to find (must not be null)

# Returns

Execution status, see OSAL Return Code Defines

### **Return values**

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	is semid or sem_name are NULL pointers
OS_ERR_NAME_TOO_LONG	name length including null terminator greater than OS_MAX_API_NAME
OS_ERR_NAME_NOT_FOUND	if the name was not found in the table

## 36.44.2.5 OS\_BinSemGetInfo()

Fill a property object buffer with details regarding the resource.

This function will pass back a pointer to structure that contains all of the relevant info( name and creator) about the specified binary semaphore.

#### **Parameters**

in	sem_id	The object ID to operate on
out	bin_prop	The property object buffer to fill (must not be null)

## Returns

Execution status, see OSAL Return Code Defines

#### **Return values**

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the id passed in is not a valid semaphore
OS_INVALID_POINTER	if the bin_prop pointer is null

## 36.44.2.6 OS\_BinSemGive()

Increment the semaphore value.

The function unlocks the semaphore referenced by sem\_id by performing a semaphore unlock operation on that semaphore. If the semaphore value resulting from this operation is positive, then no threads were blocked waiting for the semaphore to become unlocked; the semaphore value is simply incremented for this semaphore.

### **Parameters**

in	sem⊷	The object ID to operate on
	_id	

#### Returns

Execution status, see OSAL Return Code Defines

#### **Return values**

OS_SUCCESS	Successful execution.	
OS_ERR_INVALID_ID	if the id passed in is not a binary semaphore	
OS_SEM_FAILURE	if an unspecified failure occurs (return value only verified in coverage test)	

## 36.44.2.7 OS\_BinSemTake()

Decrement the semaphore value.

The locks the semaphore referenced by sem\_id by performing a semaphore lock operation on that semaphore. If the semaphore value is currently zero, then the calling thread shall not return from the call until it either locks the semaphore or the call is interrupted.

#### **Parameters**

in	sem⊷	The object ID to operate on
	_id	

## Returns

Execution status, see OSAL Return Code Defines

### Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	the ld passed in is not a valid binary semaphore
OS_SEM_FAILURE	if an unspecified failure occurs (return value only verified in coverage test)

## 36.44.2.8 OS\_BinSemTimedWait()

Decrement the semaphore value with a timeout.

The function locks the semaphore referenced by sem\_id. However, if the semaphore cannot be locked without waiting for another process or thread to unlock the semaphore, this wait shall be terminated when the specified timeout, msecs, expires.

## **Parameters**

in	sem⊷ _id	The object ID to operate on
in	msecs	The maximum amount of time to block, in milliseconds

# Returns

Execution status, see OSAL Return Code Defines

## Return values

OS_SUCCESS	Successful execution.	
OS_SEM_TIMEOUT	if semaphore was not relinquished in time	
OS_ERR_INVALID_ID	if the ID passed in is not a valid semaphore ID	
OS_SEM_FAILURE	if an unspecified failure occurs (return value only verified in coverage test)	

## 36.45 OSAL BSP low level access APIs

#### **Functions**

- void OS\_BSP\_SetResourceTypeConfig (uint32 ResourceType, uint32 ConfigOptionValue)
- uint32 OS\_BSP\_GetResourceTypeConfig (uint32 ResourceType)
- uint32 OS\_BSP\_GetArgC (void)
- char \*const \* OS BSP GetArgV (void)
- void OS\_BSP\_SetExitCode (int32 code)

#### 36.45.1 Detailed Description

These are for OSAL internal BSP information access to pass any BSP-specific boot/command line/startup arguments through to the application, and return a status code back to the OS after exit.

Not intended for user application use

#### 36.45.2 Function Documentation

# 36.45.2.1 OS\_BSP\_GetArgC()

## 36.45.2.2 OS\_BSP\_GetArgV()

## 36.45.2.3 OS\_BSP\_GetResourceTypeConfig()

## 36.45.2.4 OS\_BSP\_SetExitCode()

## 36.45.2.5 OS\_BSP\_SetResourceTypeConfig()

### 36.46 OSAL Real Time Clock APIs

#### **Functions**

• int32 OS GetLocalTime (OS time t \*time struct)

Get the local time.

int32 OS\_SetLocalTime (const OS\_time\_t \*time\_struct)

Set the local time.

static int64 OS TimeGetTotalSeconds (OS time t tm)

Get interval from an OS\_time\_t object normalized to whole number of seconds.

static int64 OS TimeGetTotalMilliseconds (OS time t tm)

Get interval from an OS\_time\_t object normalized to millisecond units.

static int64 OS\_TimeGetTotalMicroseconds (OS\_time\_t tm)

Get interval from an OS\_time\_t object normalized to microsecond units.

static int64 OS TimeGetTotalNanoseconds (OS time t tm)

Get interval from an OS time t object normalized to nanosecond units.

static int64 OS TimeGetFractionalPart (OS time t tm)

Get subseconds portion (fractional part only) from an OS\_time\_t object.

static uint32 OS TimeGetSubsecondsPart (OS time t tm)

Get 32-bit normalized subseconds (fractional part only) from an OS\_time\_t object.

static uint32 OS TimeGetMillisecondsPart (OS time t tm)

Get milliseconds portion (fractional part only) from an OS time t object.

static uint32 OS\_TimeGetMicrosecondsPart (OS\_time\_t tm)

Get microseconds portion (fractional part only) from an OS time t object.

static uint32 OS\_TimeGetNanosecondsPart (OS\_time\_t tm)

Get nanoseconds portion (fractional part only) from an OS time t object.

static OS\_time\_t OS\_TimeAssembleFromNanoseconds (int64 seconds, uint32 nanoseconds)

Assemble/Convert a number of seconds + nanoseconds into an OS\_time\_t interval.

static OS time t OS TimeAssembleFromMicroseconds (int64 seconds, uint32 microseconds)

Assemble/Convert a number of seconds + microseconds into an OS\_time\_t interval.

static OS time t OS TimeAssembleFromMilliseconds (int64 seconds, uint32 milliseconds)

Assemble/Convert a number of seconds + milliseconds into an OS\_time\_t interval.

• static OS\_time\_t OS\_TimeAssembleFromSubseconds (int64 seconds, uint32 subseconds)

Assemble/Convert a number of seconds + subseconds into an OS time t interval.

static OS\_time\_t OS\_TimeAdd (OS\_time\_t time1, OS\_time\_t time2)

Computes the sum of two time intervals.

static OS\_time\_t OS\_TimeSubtract (OS\_time\_t time1, OS\_time\_t time2)

Computes the difference between two time intervals.

36.46.1 Detailed Description

36.46.2 Function Documentation

## 36.46.2.1 OS\_GetLocalTime()

Get the local time.

This function gets the local time from the underlying OS.

Note

Mission time management typically uses the cFE Time Service

## **Parameters**

out	time_struct	An OS_time_t that will be set to the current time (must not be null)
-----	-------------	--

## Returns

Get local time status, see OSAL Return Code Defines

## **Return values**

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if time_struct is null

## 36.46.2.2 OS\_SetLocalTime()

Set the local time.

This function sets the local time on the underlying OS.

Note

Mission time management typically uses the cFE Time Services

### **Parameters**

in	time_struct	An OS_time_t containing the current time (must not be null)
----	-------------	---

#### Returns

Set local time status, see OSAL Return Code Defines

#### Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if time_struct is null

## 36.46.2.3 OS\_TimeAdd()

Computes the sum of two time intervals.

#### **Parameters**

in	time1	The first interval
in	time2	The second interval

### Returns

The sum of the two intervals (time1 + time2)

Definition at line 390 of file osapi-clock.h.

References OS\_time\_t::ticks.

## 36.46.2.4 OS\_TimeAssembleFromMicroseconds()

Assemble/Convert a number of seconds + microseconds into an OS\_time\_t interval.

This creates an OS\_time\_t value using a whole number of seconds and a fractional part in units of microseconds. This is the inverse of OS\_TimeGetTotalSeconds() and OS\_TimeGetMicrosecondsPart(), and should recreate the original OS\_time\_t value from these separate values (aside from any potential conversion losses due to limited resolution of the data types/units).

## See also

OS\_TimeGetTotalSeconds(), OS\_TimeGetMicrosecondsPart()

#### **Parameters**

in	seconds	Whole number of seconds
in	microseconds	Number of microseconds (fractional part only)

#### Returns

The input arguments represented as an OS\_time\_t interval

Definition at line 325 of file osapi-clock.h.

References OS\_TIME\_TICKS\_PER\_SECOND, OS\_TIME\_TICKS\_PER\_USEC, and OS\_time\_t::ticks.

### 36.46.2.5 OS\_TimeAssembleFromMilliseconds()

Assemble/Convert a number of seconds + milliseconds into an OS\_time\_t interval.

This creates an OS\_time\_t value using a whole number of seconds and a fractional part in units of milliseconds. This is the inverse of OS\_TimeGetTotalSeconds() and OS\_TimeGetMillisecondsPart(), and should recreate the original O S\_time\_t value from these separate values (aside from any potential conversion losses due to limited resolution of the data types/units).

#### See also

OS\_TimeGetTotalSeconds(), OS\_TimeGetMillisecondsPart()

## **Parameters**

in	seconds	Whole number of seconds
in	milliseconds	Number of milliseconds (fractional part only)

## Returns

The input arguments represented as an OS\_time\_t interval

Definition at line 349 of file osapi-clock.h.

References OS\_TIME\_TICKS\_PER\_MSEC, OS\_TIME\_TICKS\_PER\_SECOND, and OS\_time\_t::ticks.

## 36.46.2.6 OS\_TimeAssembleFromNanoseconds()

Assemble/Convert a number of seconds + nanoseconds into an OS time t interval.

This creates an OS\_time\_t value using a whole number of seconds and a fractional part in units of nanoseconds. This is the inverse of OS\_TimeGetTotalSeconds() and OS\_TimeGetNanosecondsPart(), and should recreate the original O S\_time\_t value from these separate values (aside from any potential conversion losses due to limited resolution of the data types/units).

#### See also

```
OS_TimeGetTotalSeconds(), OS_TimeGetNanosecondsPart()
```

#### **Parameters**

in	seconds	Whole number of seconds
in	nanoseconds	Number of nanoseconds (fractional part only)

#### Returns

The input arguments represented as an OS\_time\_t interval

Definition at line 301 of file osapi-clock.h.

References OS TIME TICK RESOLUTION NS, OS TIME TICKS PER SECOND, and OS time t::ticks.

## 36.46.2.7 OS\_TimeAssembleFromSubseconds()

Assemble/Convert a number of seconds + subseconds into an OS\_time\_t interval.

This creates an OS\_time\_t value using a whole number of seconds and a fractional part in units of sub-seconds  $(1/2^32)$ . This is the inverse of OS\_TimeGetTotalSeconds() and OS\_TimeGetSubsecondsPart(), and should recreate the original OS\_time\_t value from these separate values (aside from any potential conversion losses due to limited resolution of the data types/units).

## See also

OS\_TimeGetTotalSeconds(), OS\_TimeGetNanosecondsPart()

#### **Parameters**

in	seconds	Whole number of seconds
in	subseconds	Number of subseconds (32 bit fixed point fractional part)

#### Returns

The input arguments represented as an OS\_time\_t interval

Definition at line 372 of file osapi-clock.h.

References OS TIME TICKS PER SECOND, and OS time t::ticks.

### 36.46.2.8 OS\_TimeGetFractionalPart()

Get subseconds portion (fractional part only) from an OS\_time\_t object.

Extracts the fractional part from a given OS\_time\_t object. Units returned are in ticks, not normalized to any standard time unit.

### **Parameters**

in	tm	Time interval value
----	----	---------------------

#### Returns

Fractional/subsecond portion of time interval in ticks

Definition at line 193 of file osapi-clock.h.

References OS\_TIME\_TICKS\_PER\_SECOND, and OS\_time\_t::ticks.

Referenced by OS\_TimeGetMicrosecondsPart(), OS\_TimeGetMillisecondsPart(), OS\_TimeGetNanosecondsPart(), and OS\_TimeGetSubsecondsPart().

### 36.46.2.9 OS\_TimeGetMicrosecondsPart()

Get microseconds portion (fractional part only) from an OS\_time\_t object.

Extracts the fractional part from a given OS\_time\_t object normalized to units of microseconds.

This function may be used to adapt applications initially implemented using an older OSAL version where OS\_time\_t was a structure containing a "seconds" and "microsecs" field.

This function will obtain a value that is compatible with the "microsecs" field of OS\_time\_t as it was defined in previous versions of OSAL, as well as the "tv\_usec" field of POSIX-style "struct timeval" values.

### See also

OS\_TimeGetTotalSeconds()

## **Parameters**

in tm Time interval va
------------------------

#### Returns

Number of microseconds in time interval

Definition at line 261 of file osapi-clock.h.

References OS\_TIME\_TICKS\_PER\_USEC, and OS\_TimeGetFractionalPart().

Here is the call graph for this function:



## 36.46.2.10 OS\_TimeGetMillisecondsPart()

Get milliseconds portion (fractional part only) from an OS\_time\_t object.

Extracts the fractional part from a given OS\_time\_t object normalized to units of milliseconds.

## See also

OS\_TimeGetTotalSeconds()

### **Parameters**

in	tm	Time interval value

Returns

Number of milliseconds in time interval

Definition at line 236 of file osapi-clock.h.

References OS\_TIME\_TICKS\_PER\_MSEC, and OS\_TimeGetFractionalPart().

Here is the call graph for this function:



# 36.46.2.11 OS\_TimeGetNanosecondsPart()

Get nanoseconds portion (fractional part only) from an OS\_time\_t object.

Extracts the only number of nanoseconds from a given OS\_time\_t object.

This function will obtain a value that is compatible with the "tv\_nsec" field of POSIX-style "struct timespec" values.

## See also

OS\_TimeGetTotalSeconds()

#### **Parameters**

in	tm	Time interval value
----	----	---------------------

### Returns

Number of nanoseconds in time interval

Definition at line 280 of file osapi-clock.h.

References OS\_TIME\_TICK\_RESOLUTION\_NS, and OS\_TimeGetFractionalPart().

Here is the call graph for this function:



## 36.46.2.12 OS\_TimeGetSubsecondsPart()

Get 32-bit normalized subseconds (fractional part only) from an OS\_time\_t object.

Extracts the fractional part from a given OS\_time\_t object in maximum precision, with units of  $2^{\land}$ (-32) sec. This is a base-2 fixed-point fractional value with the point left-justified in the 32-bit value (i.e. left of MSB).

This is (mostly) compatible with the CFE "subseconds" value, where 0x80000000 represents exactly one half second, and 0 represents a full second.

### **Parameters**

in	tm	Time interval value
----	----	---------------------

#### Returns

Fractional/subsecond portion of time interval as 32-bit fixed point value

Definition at line 212 of file osapi-clock.h.

References OS\_TIME\_TICKS\_PER\_SECOND, and OS\_TimeGetFractionalPart().

Here is the call graph for this function:



## 36.46.2.13 OS\_TimeGetTotalMicroseconds()

Get interval from an OS\_time\_t object normalized to microsecond units.

Note this refers to the complete interval, not just the fractional part.

#### **Parameters**

in tm Time interval	value
---------------------	-------

#### Returns

Whole number of microseconds in time interval

Definition at line 160 of file osapi-clock.h.

References OS\_TIME\_TICKS\_PER\_USEC, and OS\_time\_t::ticks.

## 36.46.2.14 OS\_TimeGetTotalMilliseconds()

Get interval from an OS\_time\_t object normalized to millisecond units.

Note this refers to the complete interval, not just the fractional part.

### **Parameters**

in	tm	Time interval value
----	----	---------------------

#### Returns

Whole number of milliseconds in time interval

Definition at line 146 of file osapi-clock.h.

References OS\_TIME\_TICKS\_PER\_MSEC, and OS\_time\_t::ticks.

# 36.46.2.15 OS\_TimeGetTotalNanoseconds()

Get interval from an OS\_time\_t object normalized to nanosecond units.

Note this refers to the complete interval, not just the fractional part.

#### Note

There is no protection against overflow of the 64-bit return value. Applications must use caution to ensure that the interval does not exceed the representable range of a signed 64 bit integer - approximately 140 years.

#### **Parameters**

in tm Time interval valu
--------------------------

#### Returns

Whole number of microseconds in time interval

Definition at line 178 of file osapi-clock.h.

References OS\_TIME\_TICK\_RESOLUTION\_NS, and OS\_time\_t::ticks.

# 36.46.2.16 OS\_TimeGetTotalSeconds()

Get interval from an OS\_time\_t object normalized to whole number of seconds.

Extracts the number of whole seconds from a given OS\_time\_t object, discarding any fractional component.

This may also replace a direct read of the "seconds" field from the OS\_time\_t object from previous versions of OSAL, where the structure was defined with separate seconds/microseconds fields.

#### See also

OS\_TimeGetMicrosecondsPart()

### **Parameters**

in	tm	Time interval value

#### Returns

Whole number of seconds in time interval

Definition at line 132 of file osapi-clock.h.

References OS\_TIME\_TICKS\_PER\_SECOND, and OS\_time\_t::ticks.

# 36.46.2.17 OS\_TimeSubtract()

Computes the difference between two time intervals.

### **Parameters**

in	time1	The first interval
in	time2	The second interval

### Returns

The difference of the two intervals (time1 - time2)

Definition at line 404 of file osapi-clock.h.

References OS\_time\_t::ticks.

# 36.47 OSAL Core Operation APIs

#### **Functions**

void OS Application Startup (void)

Application startup.

void OS Application Run (void)

Application run.

int32 OS API Init (void)

Initialization of API.

void OS\_API\_Teardown (void)

Teardown/de-initialization of OSAL API.

void OS\_IdleLoop (void)

Background thread implementation - waits forever for events to occur.

void OS\_DeleteAllObjects (void)

delete all resources created in OSAL.

void OS\_ApplicationShutdown (uint8 flag)

Initiate orderly shutdown.

void OS\_ApplicationExit (int32 Status)

Exit/Abort the application.

int32 OS\_RegisterEventHandler (OS\_EventHandler\_t handler)

Callback routine registration.

### 36.47.1 Detailed Description

These are for OSAL core operations for startup/initialization, running, and shutdown. Typically only used in bsps, unit tests, psps, etc.

Not intended for user application use

36.47.2 Function Documentation

```
36.47.2.1 OS_API_Init()
```

Initialization of API.

This function returns initializes the internal data structures of the OS Abstraction Layer. It must be called in the application startup code before calling any other OS routines.

### Returns

Execution status, see OSAL Return Code Defines. Any error code (negative) means the OSAL can not be initialized. Typical platform specific response is to abort since additional OSAL calls will have undefined behavior.

#### Return values

OS_SUCCESS	Successful execution.
OS_ERROR	Failed execution. (return value only verified in coverage test)

### 36.47.2.2 OS\_API\_Teardown()

Teardown/de-initialization of OSAL API.

This is the inverse of OS\_API\_Init(). It will release all OS resources and return the system to a state similar to what it was prior to invoking OS\_API\_Init() initially.

Normally for embedded applications, the OSAL is initialized after boot and will remain initialized in memory until the processor is rebooted. However for testing and development purposes, it is potentially useful to reset back to initial conditions.

For testing purposes, this API is designed/intended to be compatible with the UtTest\_AddTeardown() routine provided by the UT-Assert subsystem.

#### Note

This is a "best-effort" routine and it may not always be possible/guaranteed to recover all resources, particularly in the case of off-nominal conditions, or if a resource is used outside of OSAL.

For example, while this will attempt to unload all dynamically-loaded modules, doing so may not be possible and/or may induce undefined behavior if resources are in use by tasks/functions outside of OSAL.

### 36.47.2.3 OS\_Application\_Run()

# Application run.

Run abstraction such that the same BSP can be used for operations and testing.

#### 36.47.2.4 OS\_Application\_Startup()

#### Application startup.

Startup abstraction such that the same BSP can be used for operations and testing.

# 36.47.2.5 OS\_ApplicationExit()

Exit/Abort the application.

Indicates that the OSAL application should exit and return control to the OS This is intended for e.g. scripted unit testing where the test needs to end without user intervention.

This function does not return. Production code typically should not ever call this.

Note

This exits the entire process including tasks that have been created.

#### 36.47.2.6 OS\_ApplicationShutdown()

Initiate orderly shutdown.

Indicates that the OSAL application should perform an orderly shutdown of ALL tasks, clean up all resources, and exit the application.

This allows the task currently blocked in OS\_IdleLoop() to wake up, and for that function to return to its caller.

This is preferred over e.g. OS\_ApplicationExit() which exits immediately and does not provide for any means to clean up first.

#### **Parameters**

```
in flag set to true to initiate shutdown, false to cancel
```

### 36.47.2.7 OS\_DeleteAllObjects()

delete all resources created in OSAL.

provides a means to clean up all resources allocated by this instance of OSAL. It would typically be used during an orderly shutdown but may also be helpful for testing purposes.

# 36.47.2.8 OS\_IdleLoop()

```
void OS_IdleLoop (
     void )
```

Background thread implementation - waits forever for events to occur.

This should be called from the BSP main routine or initial thread after all other board and application initialization has taken place and all other tasks are running.

Typically just waits forever until "OS shutdown" flag becomes true.

### 36.47.2.9 OS\_RegisterEventHandler()

Callback routine registration.

This hook enables the application code to perform extra platform-specific operations on various system events such as resource creation/deletion.

# Note

Some events are invoked while the resource is "locked" and therefore application-defined handlers for these events should not block or attempt to access other OSAL resources.

#### **Parameters**

in	handler	The application-provided event handler (must not be null)
		The approximate provided at the control of the co

#### Returns

Execution status, see OSAL Return Code Defines.

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if handler is NULL

# 36.48 OSAL Counting Semaphore APIs

#### **Functions**

• int32 OS\_CountSemCreate (osal\_id\_t \*sem\_id, const char \*sem\_name, uint32 sem\_initial\_value, uint32 options)

Creates a counting semaphore.

• int32 OS CountSemGive (osal id t sem id)

Increment the semaphore value.

• int32 OS CountSemTake (osal id t sem id)

Decrement the semaphore value.

int32 OS\_CountSemTimedWait (osal\_id\_t sem\_id, uint32 msecs)

Decrement the semaphore value with timeout.

int32 OS\_CountSemDelete (osal\_id\_t sem\_id)

Deletes the specified counting Semaphore.

int32 OS CountSemGetIdByName (osal id t \*sem id, const char \*sem name)

Find an existing semaphore ID by name.

• int32 OS\_CountSemGetInfo (osal\_id\_t sem\_id, OS\_count\_sem\_prop\_t \*count\_prop)

Fill a property object buffer with details regarding the resource.

#### 36.48.1 Detailed Description

#### 36.48.2 Function Documentation

### 36.48.2.1 OS\_CountSemCreate()

Creates a counting semaphore.

Creates a counting semaphore with initial value specified by sem\_initial\_value and name specified by sem\_name. sem\_id will be returned to the caller.

#### Note

Underlying RTOS implementations may or may not impose a specific upper limit to the value of a counting semaphore. If the OS has a specific limit and the sem\_initial\_value exceeds this limit, then OS\_INVALID\_S EM\_VALUE is returned. On other implementations, any 32-bit integer value may be acceptable. For maximum portability, it is recommended to keep counting semaphore values within the range of a "short int" (i.e. between 0 and 32767). Many platforms do accept larger values, but may not be guaranteed.

### **Parameters**

out sem_id in sem_name		will be set to the non-zero ID of the newly-created resource (must not be null)
		the name of the new resource to create (must not be null)
in	sem_initial_value	the initial value of the counting semaphore
in	options	Reserved for future use, should be passed as 0.

# Returns

Execution status, see OSAL Return Code Defines

### **Return values**

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if sen name or sem_id are NULL
OS_ERR_NAME_TOO_LONG	name length including null terminator greater than OS_MAX_API_NAME
OS_ERR_NO_FREE_IDS	if all of the semaphore ids are taken
OS_ERR_NAME_TAKEN	if this is already the name of a counting semaphore
OS_INVALID_SEM_VALUE	if the semaphore value is too high (return value only verified in coverage test)
OS_SEM_FAILURE	if an unspecified implementation error occurs (return value only verified in
	coverage test)

# 36.48.2.2 OS\_CountSemDelete()

Deletes the specified counting Semaphore.

# **Parameters**

in	sem⊷	The object ID to delete
	_id	

### Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the id passed in is not a valid counting semaphore
OS_SEM_FAILURE	if an unspecified implementation error occurs (return value only verified in coverage test)

# 36.48.2.3 OS\_CountSemGetIdByName()

Find an existing semaphore ID by name.

This function tries to find a counting sem Id given the name of a count\_sem The id is returned through sem\_id

#### **Parameters**

out	sem_id	will be set to the ID of the existing resource
in	sem_name	the name of the existing resource to find (must not be null)

### Returns

Execution status, see OSAL Return Code Defines

#### **Return values**

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	is semid or sem_name are NULL pointers
OS_ERR_NAME_TOO_LONG	name length including null terminator greater than OS_MAX_API_NAME
OS_ERR_NAME_NOT_FOUND	if the name was not found in the table

# 36.48.2.4 OS\_CountSemGetInfo()

Fill a property object buffer with details regarding the resource.

This function will pass back a pointer to structure that contains all of the relevant info( name and creator) about the specified counting semaphore.

#### **Parameters**

in	sem_id	The object ID to operate on
out <i>count_prop</i>		The property object buffer to fill (must not be null)

#### Returns

Execution status, see OSAL Return Code Defines

#### Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the id passed in is not a valid semaphore
OS_INVALID_POINTER	if the count_prop pointer is null

# 36.48.2.5 OS\_CountSemGive()

Increment the semaphore value.

The function unlocks the semaphore referenced by sem\_id by performing a semaphore unlock operation on that semaphore. If the semaphore value resulting from this operation is positive, then no threads were blocked waiting for the semaphore to become unlocked; the semaphore value is simply incremented for this semaphore.

#### **Parameters**

in	sem←	The object ID to operate on
	_id	

### Returns

Execution status, see OSAL Return Code Defines

#### Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the id passed in is not a counting semaphore
OS_SEM_FAILURE	if an unspecified implementation error occurs (return value only verified in coverage test)

# 36.48.2.6 OS\_CountSemTake()

Decrement the semaphore value.

The locks the semaphore referenced by sem\_id by performing a semaphore lock operation on that semaphore. If the semaphore value is currently zero, then the calling thread shall not return from the call until it either locks the semaphore or the call is interrupted.

#### **Parameters**

in	sem⊷	The object ID to operate on
	_id	

# Returns

Execution status, see OSAL Return Code Defines

### **Return values**

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	the ld passed in is not a valid counting semaphore
OS_SEM_FAILURE	if an unspecified implementation error occurs (return value only verified in coverage test)

# 36.48.2.7 OS\_CountSemTimedWait()

Decrement the semaphore value with timeout.

The function locks the semaphore referenced by sem\_id. However, if the semaphore cannot be locked without waiting for another process or thread to unlock the semaphore, this wait shall be terminated when the specified timeout, msecs, expires.

### **Parameters**

in	sem← _id	The object ID to operate on
in	msecs	The maximum amount of time to block, in milliseconds

### Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_SEM_TIMEOUT	if semaphore was not relinquished in time
OS_ERR_INVALID_ID	if the ID passed in is not a valid semaphore ID
OS_SEM_FAILURE	if an unspecified implementation error occurs (return value only verified in coverage test)

# 36.49 OSAL Directory APIs

#### **Functions**

• int32 OS\_DirectoryOpen (osal\_id\_t \*dir\_id, const char \*path)

Opens a directory.

int32 OS\_DirectoryClose (osal\_id\_t dir\_id)

Closes an open directory.

int32 OS\_DirectoryRewind (osal\_id\_t dir\_id)

Rewinds an open directory.

int32 OS\_DirectoryRead (osal\_id\_t dir\_id, os\_dirent\_t \*dirent)

Reads the next name in the directory.

• int32 OS\_mkdir (const char \*path, uint32 access)

Makes a new directory.

• int32 OS\_rmdir (const char \*path)

Removes a directory from the file system.

# 36.49.1 Detailed Description

### 36.49.2 Function Documentation

### 36.49.2.1 OS\_DirectoryClose()

Closes an open directory.

The directory referred to by dir\_id will be closed

#### **Parameters**

ĺ	in	dir⊷	The handle ID of the directory	1
		_id		

### Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the directory handle is invalid

# 36.49.2.2 OS\_DirectoryOpen()

Opens a directory.

Prepares for reading the files within a directory

# **Parameters**

out	dir←	Location to store handle ID of the directory (must not be null)
	_id	
in	path	The directory to open (must not be null)

### Returns

Execution status, see OSAL Return Code Defines

### Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if dir_id or path is NULL
OS_FS_ERR_PATH_TOO_LONG	if the path argument exceeds the maximum length
OS_FS_ERR_PATH_INVALID	if the path argument is not valid
OS_ERROR	if the directory could not be opened

# 36.49.2.3 OS\_DirectoryRead()

Reads the next name in the directory.

Obtains directory entry data for the next file from an open directory

### **Parameters**

in	dir⊷ _id	The handle ID of the directory
out	dirent	Buffer to store directory entry information (must not be null)

### Returns

Execution status, see OSAL Return Code Defines

#### Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if dirent argument is NULL
OS_ERR_INVALID_ID	if the directory handle is invalid
OS_ERROR	at the end of the directory or if the OS call otherwise fails

# 36.49.2.4 OS\_DirectoryRewind()

Rewinds an open directory.

Resets a directory read handle back to the first file.

#### **Parameters**

in	dir⇔	The handle ID of the directory
	_id	

#### Returns

Execution status, see OSAL Return Code Defines

### **Return values**

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the directory handle is invalid

# 36.49.2.5 OS\_mkdir()

Makes a new directory.

Makes a directory specified by path.

#### **Parameters**

in	path	The new directory name (must not be null)
in	access	The permissions for the directory (reserved for future use)

### Note

Current implementations do not utilize the "access" parameter. Applications should still pass the intended value (OS\_READ\_WRITE or OS\_READ\_ONLY) to be compatible with future implementations.

#### Returns

Execution status, see OSAL Return Code Defines

### **Return values**

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if path is NULL
OS_FS_ERR_PATH_TOO_LONG	if the path is too long to be stored locally
OS_FS_ERR_PATH_INVALID	if path cannot be parsed
OS_ERROR	if the OS call fails (return value only verified in coverage test)

### 36.49.2.6 OS\_rmdir()

Removes a directory from the file system.

Removes a directory from the structure. The directory must be empty prior to this operation.

#### **Parameters**

_			
	in	path	The directory to remove

#### Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if path is NULL
OS_FS_ERR_PATH_INVALID	if path cannot be parsed

OS_FS_ERR_PATH_TOO_LONG	
OS_ERROR	if the directory remove operation failed (return value only verified in coverage
	test)

### 36.50 OSAL Return Code Defines

```
Macros
```

```
    #define OS SUCCESS (0)

     Successful execution.

    #define OS_ERROR (-1)

     Failed execution.

    #define OS INVALID POINTER (-2)

     Invalid pointer.

    #define OS_ERROR_ADDRESS_MISALIGNED (-3)

     Address misalignment.

    #define OS_ERROR_TIMEOUT (-4)

     Error timeout.

    #define OS_INVALID_INT_NUM (-5)

     Invalid Interrupt number.

    #define OS_SEM_FAILURE (-6)

     Semaphore failure.

    #define OS_SEM_TIMEOUT (-7)

     Semaphore timeout.
• #define OS_QUEUE_EMPTY (-8)
     Queue empty.
• #define OS_QUEUE_FULL (-9)
     Queue full.
• #define OS_QUEUE_TIMEOUT (-10)
     Queue timeout.

    #define OS_QUEUE_INVALID_SIZE (-11)

     Queue invalid size.

    #define OS_QUEUE_ID_ERROR (-12)

     Queue ID error.

    #define OS_ERR_NAME_TOO_LONG (-13)

     name length including null terminator greater than OS_MAX_API_NAME

    #define OS_ERR_NO_FREE_IDS (-14)

     No free IDs.
• #define OS ERR NAME TAKEN (-15)
     Name taken.

    #define OS_ERR_INVALID_ID (-16)

    #define OS_ERR_NAME_NOT_FOUND (-17)

     Name not found.

    #define OS_ERR_SEM_NOT_FULL (-18)

     Semaphore not full.

    #define OS ERR INVALID PRIORITY (-19)

     Invalid priority.
• #define OS_INVALID_SEM_VALUE (-20)
     Invalid semaphore value.
```

#define OS\_ERR\_FILE (-27)

File error.

• #define OS ERR NOT IMPLEMENTED (-28)

Not implemented.

#define OS\_TIMER\_ERR\_INVALID\_ARGS (-29)

Timer invalid arguments.

• #define OS\_TIMER\_ERR\_TIMER\_ID (-30)

Timer ID error.

• #define OS\_TIMER\_ERR\_UNAVAILABLE (-31)

Timer unavailable.

• #define OS\_TIMER\_ERR\_INTERNAL (-32)

Timer internal error.

• #define OS\_ERR\_OBJECT\_IN\_USE (-33)

Object in use.

• #define OS\_ERR\_BAD\_ADDRESS (-34)

Bad address.

#define OS\_ERR\_INCORRECT\_OBJ\_STATE (-35)

Incorrect object state.

#define OS\_ERR\_INCORRECT\_OBJ\_TYPE (-36)

Incorrect object type.

• #define OS\_ERR\_STREAM\_DISCONNECTED (-37)

Stream disconnected.

#define OS\_ERR\_OPERATION\_NOT\_SUPPORTED (-38)

Requested operation not support on supplied object(s)

• #define OS ERR INVALID SIZE (-40)

Invalid Size.

• #define OS\_ERR\_OUTPUT\_TOO\_LARGE (-41)

Size of output exceeds limit.

• #define OS\_ERR\_INVALID\_ARGUMENT (-42)

Invalid argument value (other than ID or size)

#define OS\_FS\_ERR\_PATH\_TOO\_LONG (-103)

FS path too long.

#define OS\_FS\_ERR\_NAME\_TOO\_LONG (-104)

FS name too long.

#define OS\_FS\_ERR\_DRIVE\_NOT\_CREATED (-106)

FS drive not created.

#define OS\_FS\_ERR\_DEVICE\_NOT\_FREE (-107)

FS device not free.

• #define OS\_FS\_ERR\_PATH\_INVALID (-108)

FS path invalid.

### 36.50.1 Detailed Description

The specific status/return code definitions listed in this section may be extended or refined in future versions of OSAL.

Note

Application developers should assume that any OSAL API may return any status value listed here. While the documentation of each OSAL API function indicates the return/status values that function may directly generate, functions may also pass through other status codes from related functions, so that list should not be considered absolute/exhaustive.

The int32 data type should be used to store an OSAL status code. Negative values will always represent errors, while non-negative values indicate success. Most APIs specifically return OS\_SUCCESS (0) upon successful execution, but some return a nonzero value, such as data size.

Ideally, in order to more easily adapt to future OSAL versions and status code extensions/refinements, applications should typically check for errors as follows:

```
int32 status;
status = OS_TaskCreate(...); (or any other API)
if (status < OS_SUCCESS)
{
    handle or report error...
    may also check for specific codes here.
}
else
{
    handle normal/successful status...
}</pre>
```

#### 36.50.2 Macro Definition Documentation

### 36.50.2.1 OS\_ERR\_BAD\_ADDRESS

```
#define OS_ERR_BAD_ADDRESS (-34)
```

Bad address.

Definition at line 112 of file osapi-error.h.

#### 36.50.2.2 OS\_ERR\_FILE

```
\#define OS\_ERR\_FILE (-27)
```

File error.

Definition at line 105 of file osapi-error.h.

# 36.50.2.3 OS\_ERR\_INCORRECT\_OBJ\_STATE

#define OS\_ERR\_INCORRECT\_OBJ\_STATE (-35)

Incorrect object state.

Definition at line 113 of file osapi-error.h.

# 36.50.2.4 OS\_ERR\_INCORRECT\_OBJ\_TYPE

#define OS\_ERR\_INCORRECT\_OBJ\_TYPE (-36)

Incorrect object type.

Definition at line 114 of file osapi-error.h.

# 36.50.2.5 OS\_ERR\_INVALID\_ARGUMENT

#define OS\_ERR\_INVALID\_ARGUMENT (-42)

Invalid argument value (other than ID or size)

Definition at line 119 of file osapi-error.h.

### 36.50.2.6 OS\_ERR\_INVALID\_ID

#define OS\_ERR\_INVALID\_ID (-16)

Invalid ID.

Definition at line 100 of file osapi-error.h.

# 36.50.2.7 OS\_ERR\_INVALID\_PRIORITY

#define OS\_ERR\_INVALID\_PRIORITY (-19)

Invalid priority.

Definition at line 103 of file osapi-error.h.

36.50.2.8 OS\_ERR\_INVALID\_SIZE

#define OS\_ERR\_INVALID\_SIZE (-40)

Invalid Size.

Definition at line 117 of file osapi-error.h.

36.50.2.9 OS\_ERR\_NAME\_NOT\_FOUND

#define OS\_ERR\_NAME\_NOT\_FOUND (-17)

Name not found.

Definition at line 101 of file osapi-error.h.

36.50.2.10 OS\_ERR\_NAME\_TAKEN

#define OS\_ERR\_NAME\_TAKEN (-15)

Name taken.

Definition at line 99 of file osapi-error.h.

36.50.2.11 OS\_ERR\_NAME\_TOO\_LONG

#define OS\_ERR\_NAME\_TOO\_LONG (-13)

name length including null terminator greater than OS\_MAX\_API\_NAME

Definition at line 97 of file osapi-error.h.

36.50.2.12 OS\_ERR\_NO\_FREE\_IDS

#define OS\_ERR\_NO\_FREE\_IDS (-14)

No free IDs.

Definition at line 98 of file osapi-error.h.

```
36.50.2.13 OS_ERR_NOT_IMPLEMENTED
```

```
#define OS_ERR_NOT_IMPLEMENTED (-28)
```

Not implemented.

Definition at line 106 of file osapi-error.h.

36.50.2.14 OS\_ERR\_OBJECT\_IN\_USE

```
#define OS_ERR_OBJECT_IN_USE (-33)
```

Object in use.

Definition at line 111 of file osapi-error.h.

36.50.2.15 OS\_ERR\_OPERATION\_NOT\_SUPPORTED

```
#define OS_ERR_OPERATION_NOT_SUPPORTED (-38)
```

Requested operation not support on supplied object(s)

Definition at line 116 of file osapi-error.h.

36.50.2.16 OS\_ERR\_OUTPUT\_TOO\_LARGE

```
#define OS_ERR_OUTPUT_TOO_LARGE (-41)
```

Size of output exceeds limit.

Definition at line 118 of file osapi-error.h.

36.50.2.17 OS\_ERR\_SEM\_NOT\_FULL

```
#define OS_ERR_SEM_NOT_FULL (-18)
```

Semaphore not full.

Definition at line 102 of file osapi-error.h.

# 36.50.2.18 OS\_ERR\_STREAM\_DISCONNECTED

#define OS\_ERR\_STREAM\_DISCONNECTED (-37)

Stream disconnected.

Definition at line 115 of file osapi-error.h.

# 36.50.2.19 OS\_ERROR

#define OS\_ERROR (-1)

Failed execution.

Definition at line 85 of file osapi-error.h.

# 36.50.2.20 OS\_ERROR\_ADDRESS\_MISALIGNED

#define OS\_ERROR\_ADDRESS\_MISALIGNED (-3)

Address misalignment.

Definition at line 87 of file osapi-error.h.

### 36.50.2.21 OS\_ERROR\_TIMEOUT

#define OS\_ERROR\_TIMEOUT (-4)

Error timeout.

Definition at line 88 of file osapi-error.h.

# 36.50.2.22 OS\_FS\_ERR\_DEVICE\_NOT\_FREE

#define OS\_FS\_ERR\_DEVICE\_NOT\_FREE (-107)

FS device not free.

Definition at line 132 of file osapi-error.h.

# 36.50.2.23 OS\_FS\_ERR\_DRIVE\_NOT\_CREATED

#define OS\_FS\_ERR\_DRIVE\_NOT\_CREATED (-106)

FS drive not created.

Definition at line 131 of file osapi-error.h.

# 36.50.2.24 OS\_FS\_ERR\_NAME\_TOO\_LONG

#define OS\_FS\_ERR\_NAME\_TOO\_LONG (-104)

FS name too long.

Definition at line 130 of file osapi-error.h.

### 36.50.2.25 OS\_FS\_ERR\_PATH\_INVALID

#define OS\_FS\_ERR\_PATH\_INVALID (-108)

FS path invalid.

Definition at line 133 of file osapi-error.h.

### 36.50.2.26 OS\_FS\_ERR\_PATH\_TOO\_LONG

#define OS\_FS\_ERR\_PATH\_TOO\_LONG (-103)

FS path too long.

Definition at line 129 of file osapi-error.h.

# 36.50.2.27 OS\_INVALID\_INT\_NUM

#define OS\_INVALID\_INT\_NUM (-5)

Invalid Interrupt number.

Definition at line 89 of file osapi-error.h.

36.50.2.28 OS\_INVALID\_POINTER

#define OS\_INVALID\_POINTER (-2)

Invalid pointer.

Definition at line 86 of file osapi-error.h.

36.50.2.29 OS\_INVALID\_SEM\_VALUE

#define OS\_INVALID\_SEM\_VALUE (-20)

Invalid semaphore value.

Definition at line 104 of file osapi-error.h.

36.50.2.30 OS\_QUEUE\_EMPTY

#define OS\_QUEUE\_EMPTY (-8)

Queue empty.

Definition at line 92 of file osapi-error.h.

36.50.2.31 OS\_QUEUE\_FULL

#define OS\_QUEUE\_FULL (-9)

Queue full.

Definition at line 93 of file osapi-error.h.

36.50.2.32 OS\_QUEUE\_ID\_ERROR

#define OS\_QUEUE\_ID\_ERROR (-12)

Queue ID error.

Definition at line 96 of file osapi-error.h.

```
36.50.2.33 OS_QUEUE_INVALID_SIZE
```

```
#define OS_QUEUE_INVALID_SIZE (-11)
```

Queue invalid size.

Definition at line 95 of file osapi-error.h.

# 36.50.2.34 OS\_QUEUE\_TIMEOUT

```
#define OS_QUEUE_TIMEOUT (-10)
```

Queue timeout.

Definition at line 94 of file osapi-error.h.

# 36.50.2.35 OS\_SEM\_FAILURE

```
#define OS_SEM_FAILURE (-6)
```

Semaphore failure.

Definition at line 90 of file osapi-error.h.

### 36.50.2.36 OS\_SEM\_TIMEOUT

```
#define OS_SEM_TIMEOUT (-7)
```

Semaphore timeout.

Definition at line 91 of file osapi-error.h.

# 36.50.2.37 OS\_SUCCESS

```
#define OS_SUCCESS (0)
```

Successful execution.

Definition at line 84 of file osapi-error.h.

36.50.2.38 OS\_TIMER\_ERR\_INTERNAL

#define OS\_TIMER\_ERR\_INTERNAL (-32)

Timer internal error.

Definition at line 110 of file osapi-error.h.

36.50.2.39 OS\_TIMER\_ERR\_INVALID\_ARGS

#define OS\_TIMER\_ERR\_INVALID\_ARGS (-29)

Timer invalid arguments.

Definition at line 107 of file osapi-error.h.

36.50.2.40 OS\_TIMER\_ERR\_TIMER\_ID

#define OS\_TIMER\_ERR\_TIMER\_ID (-30)

Timer ID error.

Definition at line 108 of file osapi-error.h.

36.50.2.41 OS\_TIMER\_ERR\_UNAVAILABLE

#define OS\_TIMER\_ERR\_UNAVAILABLE (-31)

Timer unavailable.

Definition at line 109 of file osapi-error.h.

# 36.51 OSAL Error Info APIs

#### **Functions**

• static long OS\_StatusToInteger (osal\_status\_t Status)

Convert a status code to a native "long" type.

• int32 OS\_GetErrorName (int32 error\_num, os\_err\_name\_t \*err\_name)

Convert an error number to a string.

# 36.51.1 Detailed Description

### 36.51.2 Function Documentation

# 36.51.2.1 OS\_GetErrorName()

Convert an error number to a string.

#### **Parameters**

in	error_num	Error number to convert
out	err_name	Buffer to store error string

#### Returns

Execution status, see OSAL Return Code Defines

### **Return values**

OS_SUCCESS	if successfully converted to a string
OS_INVALID_POINTER	if err_name is NULL
OS_ERROR	if error could not be converted

Referenced by OS\_StatusToInteger().

### 36.51.2.2 OS\_StatusToInteger()

Convert a status code to a native "long" type.

For printing or logging purposes, this converts the given status code to a "long" (signed integer) value. It should be used in conjunction with the "%ld" conversion specifier in printf-style statements.

### **Parameters**

in	Status	Execution status, see OSAL Return Code Defines
----	--------	--

### Returns

Same status value converted to the "long" data type

Definition at line 152 of file osapi-error.h.

References OS\_GetErrorName().

Here is the call graph for this function:



# 36.52 OSAL File Access Option Defines

### Macros

- #define OS\_READ\_ONLY 0
- #define OS\_WRITE\_ONLY 1
- #define OS\_READ\_WRITE 2
- 36.52.1 Detailed Description
- 36.52.2 Macro Definition Documentation

36.52.2.1 OS\_READ\_ONLY

#define OS\_READ\_ONLY 0

Read only file access

Definition at line 37 of file osapi-file.h.

36.52.2.2 OS\_READ\_WRITE

#define OS\_READ\_WRITE 2

Read write file access

Definition at line 39 of file osapi-file.h.

36.52.2.3 OS\_WRITE\_ONLY

#define OS\_WRITE\_ONLY 1

Write only file access

Definition at line 38 of file osapi-file.h.

# 36.53 OSAL Reference Point For Seek Offset Defines

### Macros

- #define OS\_SEEK\_SET 0
- #define OS\_SEEK\_CUR 1
- #define OS\_SEEK\_END 2
- 36.53.1 Detailed Description
- 36.53.2 Macro Definition Documentation

# 36.53.2.1 OS\_SEEK\_CUR

#define OS\_SEEK\_CUR 1

Seek offset current

Definition at line 46 of file osapi-file.h.

#### 36.53.2.2 OS\_SEEK\_END

#define OS\_SEEK\_END 2

Seek offset end

Definition at line 47 of file osapi-file.h.

# 36.53.2.3 OS\_SEEK\_SET

#define OS\_SEEK\_SET 0

Seek offset set

Definition at line 45 of file osapi-file.h.

#### **OSAL Standard File APIs** 36.54

```
Functions
```

```
    int32 OS OpenCreate (osal id t *filedes, const char *path, int32 flags, int32 access mode)

           Open or create a file.

    int32 OS_close (osal_id_t filedes)

           Closes an open file handle.
    • int32 OS_read (osal_id_t filedes, void *buffer, size_t nbytes)
           Read from a file handle.
    • int32 OS_write (osal_id_t filedes, const void *buffer, size t nbytes)
           Write to a file handle.

    int32 OS TimedRead (osal id t filedes, void *buffer, size t nbytes, int32 timeout)

           File/Stream input read with a timeout.

    int32 OS TimedWrite (osal id t filedes, const void *buffer, size t nbytes, int32 timeout)

           File/Stream output write with a timeout.

    int32 OS_chmod (const char *path, uint32 access_mode)

           Changes the permissions of a file.

    int32 OS stat (const char *path, os fstat t *filestats)

           Obtain information about a file or directory.
    • int32 OS_lseek (osal_id_t filedes, int32 offset, uint32 whence)
           Seeks to the specified position of an open file.

    int32 OS_remove (const char *path)

           Removes a file from the file system.
    • int32 OS rename (const char *old filename, const char *new filename)
           Renames a file.

    int32 OS cp (const char *src, const char *dest)

           Copies a single file from src to dest.

    int32 OS_mv (const char *src, const char *dest)

           Move a single file from src to dest.

    int32 OS_FDGetInfo (osal_id_t filedes, OS_file_prop_t *fd_prop)

           Obtain information about an open file.

    int32 OS_FileOpenCheck (const char *Filename)

           Checks to see if a file is open.

    int32 OS_CloseAllFiles (void)

           Close all open files.

    int32 OS_CloseFileByName (const char *Filename)

           Close a file by filename.
36.54.1 Detailed Description
36.54.2 Function Documentation
```

36.54.2.1 OS\_chmod()

```
int32 OS_chmod (
             const char * path,
            uint32 access_mode )
```

Changes the permissions of a file.

### **Parameters**

in	path	File to change (must not be null)
in	access_mode	Desired access mode - see OSAL File Access Option Defines

#### Note

Some file systems do not implement permissions. If the underlying OS does not support this operation, then OS\_ERR\_NOT\_IMPLEMENTED is returned.

#### Returns

Execution status, see OSAL Return Code Defines

#### **Return values**

OS_SUCCESS	Successful execution. (return value only verified in coverage test)
OS_ERR_NOT_IMPLEMENTED	if the filesystem does not support this call
OS_INVALID_POINTER	if the path argument is NULL

# 36.54.2.2 OS\_close()

Closes an open file handle.

This closes regular file handles and any other file-like resource, such as network streams or pipes.

### **Parameters**

in	filedes	The handle ID to operate on
----	---------	-----------------------------

# Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the file descriptor passed in is invalid
OS_ERROR	if an unexpected/unhandled error occurs (return value only verified in coverage test)

# 36.54.2.3 OS\_CloseAllFiles()

Close all open files.

Closes All open files that were opened through the OSAL

# Returns

Execution status, see OSAL Return Code Defines

# **Return values**

OS_SUCCESS	Successful execution.
OS_ERROR	if one or more file close returned an error (return value only verified in coverage test)

# 36.54.2.4 OS\_CloseFileByName()

Close a file by filename.

Allows a file to be closed by name. This will only work if the name passed in is the same name used to open the file.

### **Parameters**

in	Filename	The file to close (must not be null)
----	----------	--------------------------------------

### Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS Successful execution.	
OS_FS_ERR_PATH_INVALID	if the file is not found
OS_ERROR	if the file close returned an error (return value only verified in coverage test)
OS_INVALID_POINTER	if the filename argument is NULL

### 36.54.2.5 OS\_cp()

Copies a single file from src to dest.

### Note

The behavior of this API on an open file is not defined at the OSAL level due to dependencies on the underlying OS which may or may not allow the related operation based on a variety of potential configurations. For portability, it is recommended that applications ensure the file is closed prior to removal.

### **Parameters**

in	src	The source file to operate on (must not be null)
in dest The destination file (must not be null)		The destination file (must not be null)

### Returns

Execution status, see OSAL Return Code Defines

# **Return values**

OS_SUCCESS	Successful execution.
OS_ERROR	if the file could not be accessed
OS_INVALID_POINTER	if src or dest are NULL
OS_FS_ERR_PATH_INVALID	if path cannot be parsed
OS_FS_ERR_PATH_TOO_LONG	if the paths given are too long to be stored locally
OS_FS_ERR_NAME_TOO_LONG	if the dest name is too long to be stored locally

# 36.54.2.6 OS\_FDGetInfo()

Obtain information about an open file.

Copies the information of the given file descriptor into a structure passed in

### **Parameters**

in	filedes	The handle ID to operate on
out	fd_prop	Storage buffer for file information (must not be null)

### Returns

Execution status, see OSAL Return Code Defines

### **Return values**

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the file descriptor passed in is invalid
OS_INVALID_POINTER	if the fd_prop argument is NULL

# 36.54.2.7 OS\_FileOpenCheck()

Checks to see if a file is open.

This function takes a filename and determines if the file is open. The function will return success if the file is open.

# **Parameters**

in	Filename	The file to operate on (must not be null)
----	----------	---

# Returns

Execution status, see OSAL Return Code Defines

### **Return values**

OS_SUCCESS	if the file is open
OS_ERROR	if the file is not open
OS_INVALID_POINTER	if the filename argument is NULL

# 36.54.2.8 OS\_lseek()

```
int32 offset,
uint32 whence )
```

Seeks to the specified position of an open file.

Sets the read/write pointer to a specific offset in a specific file.

#### **Parameters**

in	filedes	The handle ID to operate on	
in	offset	The file offset to seek to	
in whence The reference point for offset, see OSAL Reference Point For Seek Offset Defin			

#### Returns

Byte offset from the beginning of the file or appropriate error code, see OSAL Return Code Defines

#### **Return values**

OS_ERR_INVALID_ID	if the file descriptor passed in is invalid
OS_ERROR	if OS call failed (return value only verified in coverage test)

# 36.54.2.9 OS\_mv()

Move a single file from src to dest.

This first attempts to rename the file, which is faster if the source and destination reside on the same file system.

If this fails, it falls back to copying the file and removing the original.

### Note

The behavior of this API on an open file is not defined at the OSAL level due to dependencies on the underlying OS which may or may not allow the related operation based on a variety of potential configurations. For portability, it is recommended that applications ensure the file is closed prior to removal.

### **Parameters**

in	src	The source file to operate on (must not be null)
in	dest	The destination file (must not be null)

#### Returns

Execution status, see OSAL Return Code Defines

#### **Return values**

OS_SUCCESS	Successful execution.
OS_ERROR	if the file could not be renamed.
OS_INVALID_POINTER	if src or dest are NULL
OS_FS_ERR_PATH_INVALID	if path cannot be parsed
OS_FS_ERR_PATH_TOO_LONG	if the paths given are too long to be stored locally
OS_FS_ERR_NAME_TOO_LONG	if the dest name is too long to be stored locally

# 36.54.2.10 OS\_OpenCreate()

### Open or create a file.

Implements the same as OS\_open/OS\_creat but follows the OSAL paradigm of outputting the ID/descriptor separately from the return value, rather than relying on the user to convert it back.

### **Parameters**

out	filedes	The handle ID (OS_OBJECT_ID_UNDEFINED on failure) (must not be null)
in	path	File name to create or open (must not be null)
in	flags	The file permissions - see OS_file_flag_t
in	access_mode	Intended access mode - see OSAL File Access Option Defines

### Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_ERROR	if the command was not executed properly
OS_INVALID_POINTER	if pointer argument was NULL
OS_ERR_NO_FREE_IDS	if all available file handles are in use
OS_FS_ERR_NAME_TOO_LONG	if the filename portion of the path exceeds OS_MAX_FILE_NAME
OS_FS_ERR_PATH_INVALID	if the path argument is not valid
OS_FS_ERR_PATH_TOO_LONG	if the path argument exceeds OS_MAX_PATH_LEN

### 36.54.2.11 OS\_read()

Read from a file handle.

Reads up to nbytes from a file, and puts them into buffer.

If the file position is at the end of file (or beyond, if the OS allows) then this function will return 0.

### **Parameters**

in	filedes	The handle ID to operate on
out	buffer	Storage location for file data (must not be null)
in	nbytes	Maximum number of bytes to read (must not be zero)

### Note

All OSAL error codes are negative int32 values. Failure of this call can be checked by testing if the result is less than 0.

### Returns

A non-negative byte count or appropriate error code, see OSAL Return Code Defines

## Return values

OS_INVALID_POINTER	if buffer is a null pointer
OS_ERR_INVALID_SIZE	if the passed-in size is not valid
OS_ERROR	if OS call failed (return value only verified in coverage test)
OS_ERR_INVALID_ID	if the file descriptor passed in is invalid
0	if at end of file/stream data

### 36.54.2.12 OS\_remove()

```
int32 OS_remove ( {\tt const\ char\ *\ path\ )}
```

Removes a file from the file system.

Removes a given filename from the drive

#### Note

The behavior of this API on an open file is not defined at the OSAL level due to dependencies on the underlying OS which may or may not allow the related operation based on a variety of potential configurations. For portability, it is recommended that applications ensure the file is closed prior to removal.

#### **Parameters**

in	path	The file to operate on (must not be null)
----	------	---

#### Returns

Execution status, see OSAL Return Code Defines

#### Return values

OS_SUCCESS	Successful execution.
OS_ERROR	if there is no device or the driver returns error
OS_INVALID_POINTER	if path is NULL
OS_FS_ERR_PATH_TOO_LONG	if path is too long to be stored locally
OS_FS_ERR_PATH_INVALID	if path cannot be parsed
OS_FS_ERR_NAME_TOO_LONG	if the name of the file to remove is too long

### 36.54.2.13 OS\_rename()

# Renames a file.

Changes the name of a file, where the source and destination reside on the same file system.

#### Note

The behavior of this API on an open file is not defined at the OSAL level due to dependencies on the underlying OS which may or may not allow the related operation based on a variety of potential configurations. For portability, it is recommended that applications ensure the file is closed prior to removal.

#### **Parameters**

ĺ	in	old_filename	The original filename (must not be null)
	in	new_filename	The desired filename (must not be null)

#### Returns

Execution status, see OSAL Return Code Defines

#### Return values

OS_SUCCESS	Successful execution.
OS_ERROR	if the file could not be opened or renamed.
OS_INVALID_POINTER	if old or new are NULL
OS_FS_ERR_PATH_INVALID	if path cannot be parsed
OS_FS_ERR_PATH_TOO_LONG	if the paths given are too long to be stored locally
OS_FS_ERR_NAME_TOO_LONG	if the new name is too long to be stored locally

# 36.54.2.14 OS\_stat()

Obtain information about a file or directory.

Returns information about a file or directory in an os\_fstat\_t structure

## **Parameters**

in	path	The file to operate on (must not be null)
out	filestats	Buffer to store file information (must not be null)

# Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if path or filestats is NULL
OS_FS_ERR_PATH_TOO_LONG	if the path is too long to be stored locally
OS_FS_ERR_NAME_TOO_LONG	if the name of the file is too long to be stored
OS_FS_ERR_PATH_INVALID	if path cannot be parsed
OS_ERROR	if the OS call failed

# 36.54.2.15 OS\_TimedRead()

File/Stream input read with a timeout.

This implements a time-limited read and is primarily intended for use with sockets but may also work with any other stream-like resource that the underlying OS supports, such as pipes or special devices.

If data is immediately available on the file/socket, this will return that data along with the actual number of bytes that were immediately available. It will not block.

If the file position is at the end of file or end of stream data (e.g. if the remote end has closed the connection), then this function will immediately return 0 without blocking for the timeout period.

If no data is immediately available, but the underlying resource/stream is still connected to a peer, this will wait up to the given timeout for additional data to appear. If no data appears within the timeout period, then this returns the O—S\_ERROR\_TIMEOUT status code. This allows the caller to differentiate an open (but idle) socket connection from a connection which has been closed by the remote peer.

In all cases this will return successfully as soon as at least 1 byte of actual data is available. It will not attempt to read the entire input buffer.

If an EOF condition occurs prior to timeout, this function returns zero.

### **Parameters**

in	filedes	The handle ID to operate on
out	buffer	Storage location for file data (must not be null)
in	nbytes	Maximum number of bytes to read (must not be zero)
in	timeout	Maximum time to wait, in milliseconds (OS_PEND = forever)

#### Returns

Byte count on success or appropriate error code, see OSAL Return Code Defines

OS_ERROR_TIMEOUT	if no data became available during timeout period
OS_ERR_INVALID_ID	if the file descriptor passed in is invalid
OS_ERR_INVALID_SIZE	if the passed-in size is not valid
OS_INVALID_POINTER	if the passed-in buffer is not valid
0	if at end of file/stream data

# 36.54.2.16 OS\_TimedWrite()

File/Stream output write with a timeout.

This implements a time-limited write and is primarily intended for use with sockets but may also work with any other stream-like resource that the underlying OS supports.

If output buffer space is immediately available on the file/socket, this will place data into the buffer and return the actual number of bytes that were queued for output. It will not block.

If no output buffer space is immediately available, this will wait up to the given timeout for space to become available. If no space becomes available within the timeout period, then this returns an error code (not zero).

In all cases this will return successfully as soon as at least 1 byte of actual data is output. It will *not* attempt to write the entire output buffer.

If an EOF condition occurs prior to timeout, this function returns zero.

#### **Parameters**

in	filedes	The handle ID to operate on	
in	buffer	fer Source location for file data (must not be null)	
in	nbytes	Maximum number of bytes to read (must not be zero)	
in	timeout	Maximum time to wait, in milliseconds (OS_PEND = forever)	

#### Returns

A non-negative byte count or appropriate error code, see OSAL Return Code Defines

#### Return values

OS_ERROR_TIMEOUT	if no data became available during timeout period
OS_ERR_INVALID_ID	if the file descriptor passed in is invalid
OS_ERR_INVALID_SIZE	if the passed-in size is not valid
OS_INVALID_POINTER	if the passed-in buffer is not valid
0	if file/stream cannot accept any more data

# 36.54.2.17 OS\_write()

```
const void * buffer,
size_t nbytes )
```

Write to a file handle.

Writes to a file. copies up to a maximum of nbytes of buffer to the file described in filedes

# **Parameters**

in	filedes	The handle ID to operate on
in	buffer	Source location for file data (must not be null)
in	nbytes	Maximum number of bytes to read (must not be zero)

# Note

All OSAL error codes are negative int32 values. Failure of this call can be checked by testing if the result is less than 0.

### Returns

A non-negative byte count or appropriate error code, see OSAL Return Code Defines

OS_INVALID_POINTER	if buffer is NULL
OS_ERR_INVALID_SIZE	if the passed-in size is not valid
OS_ERROR	if OS call failed (return value only verified in coverage test)
OS_ERR_INVALID_ID	if the file descriptor passed in is invalid
0	if file/stream cannot accept any more data

# 36.55 OSAL File System Level APIs

#### **Functions**

• int32 OS\_FileSysAddFixedMap (osal\_id\_t \*filesys\_id, const char \*phys\_path, const char \*virt\_path)

Create a fixed mapping between an existing directory and a virtual OSAL mount point.

int32 OS\_mkfs (char \*address, const char \*devname, const char \*volname, size\_t blocksize, osal\_blockcount\_t numblocks)

Makes a file system on the target.

int32 OS mount (const char \*devname, const char \*mountpoint)

Mounts a file system.

• int32 OS\_initfs (char \*address, const char \*devname, const char \*volname, size\_t blocksize, osal\_blockcount\_t numblocks)

Initializes an existing file system.

• int32 OS rmfs (const char \*devname)

Removes a file system.

int32 OS\_unmount (const char \*mountpoint)

Unmounts a mounted file system.

• int32 OS\_FileSysStatVolume (const char \*name, OS\_statvfs\_t \*statbuf)

Obtains information about size and free space in a volume.

int32 OS\_chkfs (const char \*name, bool repair)

Checks the health of a file system and repairs it if necessary.

• int32 OS FS GetPhysDriveName (char \*PhysDriveName, const char \*MountPoint)

Obtains the physical drive name associated with a mount point.

int32 OS TranslatePath (const char \*VirtualPath, char \*LocalPath)

Translates an OSAL Virtual file system path to a host Local path.

int32 OS\_GetFsInfo (os\_fsinfo\_t \*filesys\_info)

Returns information about the file system.

#### 36.55.1 Detailed Description

#### 36.55.2 Function Documentation

#### 36.55.2.1 OS\_chkfs()

Checks the health of a file system and repairs it if necessary.

Checks the drives for inconsistencies and optionally also repairs it

#### Note

not all operating systems implement this function. If the underlying OS does not provide a facility to check the volume, then OS\_ERR\_NOT\_IMPLEMENTED will be returned.

#### **Parameters**

in	name	The device/path to operate on (must not be null)
in	repair	Whether to also repair inconsistencies

#### Returns

Execution status, see OSAL Return Code Defines

#### **Return values**

OS_SUCCESS	Successful execution. (return value only verified in coverage test)
OS_INVALID_POINTER	Name is NULL
OS_ERR_NOT_IMPLEMENTED	Not implemented.
OS_FS_ERR_PATH_TOO_LONG	if the name is too long
OS_ERROR	Failed execution. (return value only verified in coverage test)

#### 36.55.2.2 OS\_FileSysAddFixedMap()

Create a fixed mapping between an existing directory and a virtual OSAL mount point.

This mimics the behavior of a "FS\_BASED" entry in the VolumeTable but is registered at runtime. It is intended to be called by the PSP/BSP prior to starting the application.

## Note

OSAL virtual mount points are required to be a single, non-empty top-level directory name. Virtual path names always follow the form /<virt\_mount\_point>/<relative\_path>/<file>. Only the relative path may be omitted/empty (i.e. /<virt\_mount\_point>/<file>) but the virtual mount point must be present and not an empty string. In particular this means it is not possible to directly refer to files in the "root" of the native file system from OSAL. However it is possible to create a virtual map to the root, such as by calling:

```
OS_FileSysAddFixedMap(&fs_id, "/", "/root");
```

#### **Parameters**

out	filesys_id	A buffer to store the ID of the file system mapping (must not be null)
in	phys_path	The native system directory (an existing mount point) (must not be null)
in	virt_path	The virtual mount point of this filesystem (must not be null)

#### Returns

Execution status, see OSAL Return Code Defines

#### **Return values**

OS_SUCCESS	Successful execution.
OS_FS_ERR_PATH_TOO_LONG	if the overall phys_path is too long
OS_ERR_NAME_TOO_LONG	if the phys_path basename (filesystem name) is too long
OS_INVALID_POINTER	if any argument is NULL

# 36.55.2.3 OS\_FileSysStatVolume()

Obtains information about size and free space in a volume.

Populates the supplied OS\_statvfs\_t structure, which includes the block size and total/free blocks in a file system volume.

This replaces two older OSAL calls:

OS\_fsBlocksFree() is determined by reading the blocks\_free output struct member OS\_fsBytesFree() is determined by multiplying blocks\_free by the block\_size member

# **Parameters**

in	name	The device/path to operate on (must not be null)
out	statbuf	Output structure to populate (must not be null)

### Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if name or statbuf is NULL
OS_FS_ERR_PATH_TOO_LONG	if the name is too long
OS_ERROR	if an unexpected/unhandled OS error occurs (return value only verified in
	coverage test)

# 36.55.2.4 OS\_FS\_GetPhysDriveName()

Obtains the physical drive name associated with a mount point.

Returns the name of the physical volume associated with the drive, when given the OSAL mount point of the drive

### **Parameters**

out	PhysDriveName	Buffer to store physical drive name (must not be null)
in	MountPoint	OSAL mount point (must not be null)

#### Returns

Execution status, see OSAL Return Code Defines

### Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if either parameter is NULL
OS_ERR_NAME_NOT_FOUND	if the MountPoint is not mounted in OSAL
OS_FS_ERR_PATH_TOO_LONG	if the MountPoint is too long

# 36.55.2.5 OS\_GetFsInfo()

Returns information about the file system.

Returns information about the file system in an os\_fsinfo\_t. This includes the number of open files and file systems

#### **Parameters**

out	filesys_info	Buffer to store filesystem information (must not be null)
-----	--------------	---

#### Returns

Execution status, see OSAL Return Code Defines

### **Return values**

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if filesys_info is NULL

# 36.55.2.6 OS\_initfs()

Initializes an existing file system.

Initializes a file system on the target.

### Note

The "volname" parameter of RAM disks should always begin with the string "RAM", e.g. "RAMDISK" or "RA ← M0", "RAM1", etc if multiple devices are created. The underlying implementation uses this to select the correct filesystem type/format, and this may also be used to differentiate between RAM disks and real physical disks.

# **Parameters**

in	address	The address at which to start the new disk. If address == 0, then space will be allocated by the OS
in	devname	The underlying kernel device to use, if applicable. (must not be null)
in	volname	The name of the volume (see note) (must not be null)
in	blocksize	The size of a single block on the drive
in	numblocks	The number of blocks to allocate for the drive

# Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if devname or volname are NULL
OS_FS_ERR_PATH_TOO_LONG	if the name is too long
OS_FS_ERR_DEVICE_NOT_FREE	if the volume table is full
OS_FS_ERR_DRIVE_NOT_CREATED	if an unexpected/unhandled OS error occurs (return value only verified in coverage test)

### 36.55.2.7 OS\_mkfs()

Makes a file system on the target.

Makes a file system on the target. Highly dependent on underlying OS and dependent on OS volume table definition.

#### Note

The "volname" parameter of RAM disks should always begin with the string "RAM", e.g. "RAMDISK" or "RA⊷ M0","RAM1", etc if multiple devices are created. The underlying implementation uses this to select the correct filesystem type/format, and this may also be used to differentiate between RAM disks and real physical disks.

#### **Parameters**

in	address	The address at which to start the new disk. If address == 0 space will be allocated by the OS.	
in	devname	The underlying kernel device to use, if applicable. (must not be null)	
in	volname	The name of the volume (see note) (must not be null)	
in	blocksize	The size of a single block on the drive	
in	numblocks	The number of blocks to allocate for the drive	

### Returns

Execution status, see OSAL Return Code Defines

### **Return values**

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if devname or volname is NULL
OS_FS_ERR_PATH_TOO_LONG	if the overall devname or volname is too long
OS_FS_ERR_DEVICE_NOT_FREE	if the volume table is full
OS_FS_ERR_DRIVE_NOT_CREATED	if an unexpected/unhandled OS error occurs (return value only verified in
	coverage test)

### 36.55.2.8 OS\_mount()

```
int32 OS_mount (
```

```
const char * devname,
const char * mountpoint )
```

Mounts a file system.

Mounts a file system / block device at the given mount point.

### **Parameters**

in	devname	The name of the drive to mount. devname is the same from OS_mkfs (must not be null)
in	mountpoint	The name to call this disk from now on (must not be null)

### Returns

Execution status, see OSAL Return Code Defines

#### **Return values**

OS_SUCCESS	Successful execution.
OS_ERR_NAME_NOT_FOUND	if the device name does not exist in OSAL
OS_FS_ERR_PATH_TOO_LONG	if the mount point string is too long
OS_INVALID_POINTER	if any argument is NULL
OS_ERROR	if an unexpected/unhandled OS error occurs (return value only verified in coverage test)

# 36.55.2.9 OS\_rmfs()

Removes a file system.

This function will remove or un-map the target file system. Note that this is not the same as un-mounting the file system.

# **Parameters**

in	devname	The name of the "generic" drive (must not be null)
----	---------	--

# Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
------------	-----------------------

### **Return values**

OS_INVALID_POINTER	if devname is NULL
OS_FS_ERR_PATH_TOO_LONG	if the devname is too long
OS_ERR_NAME_NOT_FOUND	if the devname does not exist in OSAL
OS_ERROR	if an unexpected/unhandled OS error occurs (return value only verified in
	coverage test)

### 36.55.2.10 OS\_TranslatePath()

Translates an OSAL Virtual file system path to a host Local path.

Translates a virtual path to an actual system path name

#### Note

The buffer provided in the LocalPath argument is required to be at least OS\_MAX\_PATH\_LEN characters in length.

# **Parameters**

in	VirtualPath	OSAL virtual path name (must not be null)
out	LocalPath	Buffer to store native/translated path name (must not be null)

#### Returns

Execution status, see OSAL Return Code Defines

## **Return values**

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if either parameter is NULL
OS_FS_ERR_NAME_TOO_LONG	if the filename component is too long
OS_FS_ERR_PATH_INVALID	if either parameter cannot be interpreted as a path
OS_FS_ERR_PATH_TOO_LONG	if either input or output pathnames are too long

# 36.55.2.11 OS\_unmount()

Unmounts a mounted file system.

This function will unmount a drive from the file system and make all open file descriptors useless.

#### Note

Any open file descriptors referencing this file system should be closed prior to unmounting a drive

# **Parameters**

- 1		mountpoint	The mount point to remove from OC mount (must not be pull)
	T11	тибинфонц	The mount point to remove from OS_mount (must not be null)

### Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if name is NULL
OS_FS_ERR_PATH_TOO_LONG	if the absolute path given is too long
OS_ERR_NAME_NOT_FOUND	if the mountpoint is not mounted in OSAL
OS_ERROR	if an unexpected/unhandled OS error occurs (return value only verified in coverage test)

# 36.56 OSAL Heap APIs

### **Functions**

• int32 OS\_HeapGetInfo (OS\_heap\_prop\_t \*heap\_prop)

Return current info on the heap.

36.56.1 Detailed Description

36.56.2 Function Documentation

36.56.2.1 OS\_HeapGetInfo()

Return current info on the heap.

#### **Parameters**

out   heap_prop   Storage buf	er for heap info
-------------------------------	------------------

### Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if the heap_prop argument is NULL

# 36.57 OSAL Object Type Defines

#### **Macros**

- #define OS\_OBJECT\_TYPE\_UNDEFINED 0x00
   Object type undefined.
- #define OS\_OBJECT\_TYPE\_OS\_TASK 0x01
   Object task type.
- #define OS\_OBJECT\_TYPE\_OS\_QUEUE 0x02
   Object queue type.
- #define OS\_OBJECT\_TYPE\_OS\_COUNTSEM 0x03
   Object counting semaphore type.
- #define OS\_OBJECT\_TYPE\_OS\_BINSEM 0x04

  Object binary semaphore type.
- #define OS\_OBJECT\_TYPE\_OS\_MUTEX 0x05
   Object mutex type.
- #define OS\_OBJECT\_TYPE\_OS\_STREAM 0x06
   Object stream type.
- #define OS\_OBJECT\_TYPE\_OS\_DIR 0x07
   Object directory type.
- #define OS\_OBJECT\_TYPE\_OS\_TIMEBASE 0x08
   Object timebase type.
- #define OS\_OBJECT\_TYPE\_OS\_TIMECB 0x09

  Object timer callback type.
- #define OS\_OBJECT\_TYPE\_OS\_MODULE 0x0A Object module type.
- #define OS\_OBJECT\_TYPE\_OS\_FILESYS 0x0B
   Object file system type.
- #define OS\_OBJECT\_TYPE\_OS\_CONSOLE 0x0C
   Object console type.
- #define OS\_OBJECT\_TYPE\_USER 0x10
   Object user type.
- 36.57.1 Detailed Description
- 36.57.2 Macro Definition Documentation

## 36.57.2.1 OS\_OBJECT\_TYPE\_OS\_BINSEM

#define OS\_OBJECT\_TYPE\_OS\_BINSEM 0x04

Object binary semaphore type.

Definition at line 44 of file osapi-idmap.h.

# 36.57.2.2 OS\_OBJECT\_TYPE\_OS\_CONSOLE

#define OS\_OBJECT\_TYPE\_OS\_CONSOLE 0x0C

Object console type.

Definition at line 52 of file osapi-idmap.h.

# 36.57.2.3 OS\_OBJECT\_TYPE\_OS\_COUNTSEM

#define OS\_OBJECT\_TYPE\_OS\_COUNTSEM 0x03

Object counting semaphore type.

Definition at line 43 of file osapi-idmap.h.

# 36.57.2.4 OS\_OBJECT\_TYPE\_OS\_DIR

#define OS\_OBJECT\_TYPE\_OS\_DIR 0x07

Object directory type.

Definition at line 47 of file osapi-idmap.h.

### 36.57.2.5 OS\_OBJECT\_TYPE\_OS\_FILESYS

#define OS\_OBJECT\_TYPE\_OS\_FILESYS 0x0B

Object file system type.

Definition at line 51 of file osapi-idmap.h.

# 36.57.2.6 OS\_OBJECT\_TYPE\_OS\_MODULE

#define OS\_OBJECT\_TYPE\_OS\_MODULE 0x0A

Object module type.

Definition at line 50 of file osapi-idmap.h.

36.57.2.7 OS\_OBJECT\_TYPE\_OS\_MUTEX

#define OS\_OBJECT\_TYPE\_OS\_MUTEX 0x05

Object mutex type.

Definition at line 45 of file osapi-idmap.h.

36.57.2.8 OS\_OBJECT\_TYPE\_OS\_QUEUE

#define OS\_OBJECT\_TYPE\_OS\_QUEUE 0x02

Object queue type.

Definition at line 42 of file osapi-idmap.h.

36.57.2.9 OS\_OBJECT\_TYPE\_OS\_STREAM

#define OS\_OBJECT\_TYPE\_OS\_STREAM 0x06

Object stream type.

Definition at line 46 of file osapi-idmap.h.

36.57.2.10 OS\_OBJECT\_TYPE\_OS\_TASK

#define OS\_OBJECT\_TYPE\_OS\_TASK 0x01

Object task type.

Definition at line 41 of file osapi-idmap.h.

36.57.2.11 OS\_OBJECT\_TYPE\_OS\_TIMEBASE

#define OS\_OBJECT\_TYPE\_OS\_TIMEBASE 0x08

Object timebase type.

Definition at line 48 of file osapi-idmap.h.

# 36.57.2.12 OS\_OBJECT\_TYPE\_OS\_TIMECB

#define OS\_OBJECT\_TYPE\_OS\_TIMECB 0x09

Object timer callback type.

Definition at line 49 of file osapi-idmap.h.

36.57.2.13 OS\_OBJECT\_TYPE\_UNDEFINED

#define OS\_OBJECT\_TYPE\_UNDEFINED 0x00

Object type undefined.

Definition at line 40 of file osapi-idmap.h.

36.57.2.14 OS\_OBJECT\_TYPE\_USER

#define OS\_OBJECT\_TYPE\_USER 0x10

Object user type.

Definition at line 53 of file osapi-idmap.h.

# 36.58 OSAL Object ID Utility APIs

#### **Functions**

static unsigned long OS ObjectIdToInteger (osal id t object id)

Obtain an integer value corresponding to an object ID.

static osal id t OS ObjectIdFromInteger (unsigned long value)

Obtain an osal ID corresponding to an integer value.

static bool OS ObjectIdEqual (osal id t object id1, osal id t object id2)

Check two OSAL object ID values for equality.

static bool OS ObjectIdDefined (osal id t object id)

Check if an object ID is defined.

int32 OS\_GetResourceName (osal\_id\_t object\_id, char \*buffer, size\_t buffer\_size)

Obtain the name of an object given an arbitrary object ID.

osal\_objtype\_t OS\_IdentifyObject (osal\_id\_t object\_id)

Obtain the type of an object given an arbitrary object ID.

int32 OS\_ConvertToArrayIndex (osal\_id\_t object\_id, osal\_index\_t \*ArrayIndex)

Converts an abstract ID into a number suitable for use as an array index.

int32 OS\_ObjectIdToArrayIndex (osal\_objtype\_t idtype, osal\_id\_t object\_id, osal\_index\_t \*ArrayIndex)

Converts an abstract ID into a number suitable for use as an array index.

void OS\_ForEachObject (osal\_id\_t creator\_id, OS\_ArgCallback\_t callback\_ptr, void \*callback\_arg)

call the supplied callback function for all valid object IDs

 void OS\_ForEachObjectOfType (osal\_objtype\_t objtype, osal\_id\_t creator\_id, OS\_ArgCallback\_t callback\_ptr, void \*callback arg)

call the supplied callback function for valid object IDs of a specific type

## 36.58.1 Detailed Description

# 36.58.2 Function Documentation

# 36.58.2.1 OS\_ConvertToArrayIndex()

Converts an abstract ID into a number suitable for use as an array index.

This will return a unique zero-based integer number in the range of [0,MAX) for any valid object ID. This may be used by application code as an array index for indexing into local tables.

Note

This does NOT verify the validity of the ID, that is left to the caller. This is only the conversion logic.

This routine accepts any object type, and returns a value based on the maximum number of objects for that type. This is equivalent to invoking OS\_ObjectIdToArrayIndex() with the idtype set to OS\_OBJECT\_TYPE\_UNDEFINED.

#### See also

OS\_ObjectIdToArrayIndex

#### **Parameters**

in	object_id	The object ID to operate on
out	*ArrayIndex	The Index to return (must not be null)

### Returns

Execution status, see OSAL Return Code Defines

### **Return values**

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the object_id argument is not valid
OS_INVALID_POINTER	if the ArrayIndex is NULL

Referenced by OS\_ObjectIdDefined().

# 36.58.2.2 OS\_ForEachObject()

call the supplied callback function for all valid object IDs

Loops through all defined OSAL objects of all types and calls callback\_ptr on each one If creator\_id is nonzero then only objects with matching creator id are processed.

### **Parameters**

in	creator_id	Filter objects to those created by a specific task This may be passed as OS_OBJECT_CREATOR_ANY to return all objects	
in	callback_ptr	<i>x_ptr</i> Function to invoke for each matching object ID	
in	callback_arg	_arg Opaque Argument to pass to callback function (may be NULL)	

Referenced by OS\_ObjectIdDefined().

# 36.58.2.3 OS\_ForEachObjectOfType()

```
osal_id_t creator_id,
OS_ArgCallback_t callback_ptr,
void * callback_arg )
```

call the supplied callback function for valid object IDs of a specific type

Loops through all defined OSAL objects of a specific type and calls callback\_ptr on each one If creator\_id is nonzero then only objects with matching creator id are processed.

### **Parameters**

in	objtype	The type of objects to iterate	
in	creator_id	Filter objects to those created by a specific task This may be passed as	
		OS_OBJECT_CREATOR_ANY to return all objects	
in	callback_ptr	Function to invoke for each matching object ID	
in	callback_arg	_arg Opaque Argument to pass to callback function (may be NULL)	

Referenced by OS\_ObjectIdDefined().

# 36.58.2.4 OS\_GetResourceName()

Obtain the name of an object given an arbitrary object ID.

All OSAL resources generally have a name associated with them. This allows application code to retrieve the name of any valid OSAL object ID.

### **Parameters**

in	object_id	The object ID to operate on
out	buffer	Buffer in which to store the name (must not be null)
in	buffer_size	Size of the output storage buffer (must not be zero)

#### Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the passed-in ID is not a valid OSAL ID
OS_INVALID_POINTER	if the passed-in buffer is invalid
OS_ERR_NAME_TOO_LONG	if the name will not fit in the buffer provided

Referenced by OS\_ObjectIdDefined().

# 36.58.2.5 OS\_IdentifyObject()

Obtain the type of an object given an arbitrary object ID.

Given an arbitrary object ID, get the type of the object

#### **Parameters**

in	object⊷	The object ID to operate on
	_id	

### Returns

The object type portion of the object\_id, see OSAL Object Type Defines for expected values

Referenced by OS\_ObjectIdDefined().

### 36.58.2.6 OS\_ObjectIdDefined()

Check if an object ID is defined.

The OSAL ID values should be treated as abstract values by applications, and not directly manipulated using standard C operators.

This returns false if the ID is NOT a defined resource (i.e. free/empty/invalid).

#### Note

OS\_ObjectIdDefined(OS\_OBJECT\_ID\_UNDEFINED) is always guaranteed to be false.

#### **Parameters**

in	object⊷	The first object ID
	id	

Definition at line 141 of file osapi-idmap.h.

References OS\_ConvertToArrayIndex(), OS\_ForEachObject(), OS\_ForEachObjectOfType(), OS\_GetResourceName(), OS\_IdentifyObject(), and OS\_ObjectIdToArrayIndex().

### 36.58.2.7 OS\_ObjectIdEqual()

Check two OSAL object ID values for equality.

The OSAL ID values should be treated as abstract values by applications, and not directly manipulated using standard C operators.

This checks two values for equality, replacing the "==" operator.

#### **Parameters**

in	object_id1	The first object ID
in	object_id2	The second object ID

#### Returns

true if the object IDs are equal

Definition at line 120 of file osapi-idmap.h.

# 36.58.2.8 OS\_ObjectIdFromInteger()

```
static osal_id_t OS_ObjectIdFromInteger (
          unsigned long value ) [inline], [static]
```

Obtain an osal ID corresponding to an integer value.

Provides the inverse of OS\_ObjectIdToInteger(). Reconstitutes the original osal\_id\_t type from an integer representation.

### **Parameters**

in	value	The integer representation of an OSAL ID

## Returns

The ID value converted to an osal\_id\_t

Definition at line 99 of file osapi-idmap.h.

### 36.58.2.9 OS\_ObjectIdToArrayIndex()

Converts an abstract ID into a number suitable for use as an array index.

This will return a unique zero-based integer number in the range of [0,MAX) for any valid object ID. This may be used by application code as an array index for indexing into local tables.

This routine operates on a specific object type, and returns a value based on the maximum number of objects for that type.

If the idtype is passed as OS\_OBJECT\_TYPE\_UNDEFINED, then object type verification is skipped and any object ID will be accepted and converted to an index. In this mode, the range of the output depends on the actual passed-in object type.

If the idtype is passed as any other value, the passed-in ID value is first confirmed to be the correct type. This check will guarantee that the output is within an expected range; for instance, if the type is passed as OS\_OBJECT\_TYPE\_OS ← \_TASK, then the output index is guaranteed to be between 0 and OS\_MAX\_TASKS-1 after successful conversion.

#### **Parameters**

in	idtype	The object type to convert
in	object_id	The object ID to operate on
out	*ArrayIndex	The Index to return (must not be null)

## Returns

Execution status, see OSAL Return Code Defines

#### Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the object_id argument is not valid
OS_INVALID_POINTER	if the ArrayIndex is NULL

Referenced by OS\_ObjectIdDefined().

### 36.58.2.10 OS\_ObjectIdToInteger()

Obtain an integer value corresponding to an object ID.

Obtains an integer representation of an object id, generally for the purpose of printing to the console or system logs.

The returned value is of the type "unsigned long" for direct use with printf-style functions. It is recommended to use the "%lx" conversion specifier as the hexadecimal encoding clearly delineates the internal fields.

#### Note

This provides the raw integer value and is *not* suitable for use as an array index, as the result is not zero-based. See the OS\_ConvertToArrayIndex() to obtain a zero-based index value.

#### **Parameters**

in	object⊷	The object ID
	_id	

#### Returns

integer value representation of object ID

Definition at line 81 of file osapi-idmap.h.

# 36.59 OSAL Dynamic Loader and Symbol APIs

#### **Functions**

int32 OS\_SymbolLookup (cpuaddr \*symbol\_address, const char \*symbol\_name)

Find the Address of a Symbol.

- int32 OS\_ModuleSymbolLookup (osal\_id\_t module\_id, cpuaddr \*symbol\_address, const char \*symbol\_name)

  Find the Address of a Symbol within a module.
- int32 OS\_SymbolTableDump (const char \*filename, size\_t size\_limit)

Dumps the system symbol table to a file.

- int32 OS\_ModuleLoad (osal\_id\_t \*module\_id, const char \*module\_name, const char \*filename, uint32 flags)

  Loads an object file.
- int32 OS\_ModuleUnload (osal\_id\_t module\_id)

Unloads the module file.

• int32 OS\_ModuleInfo (osal\_id\_t module\_id, OS\_module\_prop\_t \*module\_info)

Obtain information about a module.

### 36.59.1 Detailed Description

#### 36.59.2 Function Documentation

#### 36.59.2.1 OS\_ModuleInfo()

Obtain information about a module.

Returns information about the loadable module

#### **Parameters**

in	module_id	OSAL ID of the previously the loaded module
out	module_info	Buffer to store module information (must not be null)

#### Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the module id invalid

### **Return values**

OS_INVALID_POINTER	if the pointer to the ModuleInfo structure is invalid
OS_ERROR	if an other/unspecified error occurs (return value only verified in coverage test)

# 36.59.2.2 OS\_ModuleLoad()

Loads an object file.

Loads an object file into the running operating system

The "flags" parameter may influence how the loaded module symbols are made available for use in the application. See OS\_MODULE\_FLAG\_LOCAL\_SYMBOLS and OS\_MODULE\_FLAG\_GLOBAL\_SYMBOLS for descriptions.

### **Parameters**

out	module_id	Non-zero OSAL ID corresponding to the loaded module
in	module_name	Name of module (must not be null)
in	filename	File containing the object code to load (must not be null)
in	flags	Options for the loaded module

# Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if one of the parameters is NULL
OS_ERR_NO_FREE_IDS	if the module table is full
OS_ERR_NAME_TAKEN	if the name is in use
OS_ERR_NAME_TOO_LONG	if the module_name is too long
OS_FS_ERR_PATH_INVALID	if the filename argument is not valid
OS_ERROR	if an other/unspecified error occurs (return value only verified in coverage test)

# 36.59.2.3 OS\_ModuleSymbolLookup()

Find the Address of a Symbol within a module.

This is similar to OS\_SymbolLookup() but for a specific module ID. This should be used to look up a symbol in a module that has been loaded with the OS\_MODULE\_FLAG\_LOCAL\_SYMBOLS flag.

#### **Parameters**

	in	module_id	Module ID that should contain the symbol
	out	symbol_address	Set to the address of the symbol (must not be null)
Ī	in	symbol_name	Name of the symbol to look up (must not be null)

#### Returns

Execution status, see OSAL Return Code Defines

#### **Return values**

OS_SUCCESS	Successful execution.
OS_ERROR	if the symbol could not be found
OS_INVALID_POINTER	if one of the pointers passed in are NULL

# 36.59.2.4 OS\_ModuleUnload()

Unloads the module file.

Unloads the module file from the running operating system

# **Parameters**

in	module⊷	OSAL ID of the previously the loaded module
	_id	

#### Returns

Execution status, see OSAL Return Code Defines

#### **Return values**

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the module id invalid
OS_ERROR	if an other/unspecified error occurs (return value only verified in coverage test)

### 36.59.2.5 OS\_SymbolLookup()

Find the Address of a Symbol.

This calls to the OS dynamic symbol lookup implementation, and/or checks a static symbol table for a matching symbol name.

The static table is intended to support embedded targets that do not have module loading capability or have it disabled.

### **Parameters**

out	symbol_address	Set to the address of the symbol (must not be null)
in	symbol_name	Name of the symbol to look up (must not be null)

#### Returns

Execution status, see OSAL Return Code Defines

#### Return values

OS_SUCCESS	Successful execution.
OS_ERROR	if the symbol could not be found
OS_INVALID_POINTER	if one of the pointers passed in are NULL

# 36.59.2.6 OS\_SymbolTableDump()

Dumps the system symbol table to a file.

Dumps the system symbol table to the specified filename

### Note

Not all RTOS implementations support this API. If the underlying module subsystem does not provide a facility to iterate through the symbol table, then the OS\_ERR\_NOT\_IMPLEMENTED status code is returned.

### **Parameters**

		File to write to (must not be null)
in	size_limit	Maximum number of bytes to write

# Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_ERR_NOT_IMPLEMENTED	Not implemented.
OS_INVALID_POINTER	if the filename argument is NULL
OS_FS_ERR_PATH_INVALID	if the filename argument is not valid
OS_ERR_NAME_TOO_LONG	if any of the symbol names are too long (return value only verified in coverage
	test)
OS_ERR_OUTPUT_TOO_LARGE	if the size_limit was reached before completing all symbols (return value only verified in coverage test)
OS_ERROR	if an other/unspecified error occurs (return value only verified in coverage
	test)

36.60 OSAL Mutex APIs 429

### 36.60 OSAL Mutex APIs

#### **Functions**

• int32 OS\_MutSemCreate (osal\_id\_t \*sem\_id, const char \*sem\_name, uint32 options)

Creates a mutex semaphore.

int32 OS\_MutSemGive (osal\_id\_t sem\_id)

Releases the mutex object referenced by sem\_id.

int32 OS\_MutSemTake (osal\_id\_t sem\_id)

Acquire the mutex object referenced by sem\_id.

int32 OS\_MutSemDelete (osal\_id\_t sem\_id)

Deletes the specified Mutex Semaphore.

• int32 OS\_MutSemGetIdByName (osal\_id\_t \*sem\_id, const char \*sem\_name)

Find an existing mutex ID by name.

• int32 OS\_MutSemGetInfo (osal\_id\_t sem\_id, OS\_mut\_sem\_prop\_t \*mut\_prop)

Fill a property object buffer with details regarding the resource.

### 36.60.1 Detailed Description

#### 36.60.2 Function Documentation

## 36.60.2.1 OS\_MutSemCreate()

Creates a mutex semaphore.

Mutex semaphores are always created in the unlocked (full) state.

# Parameters

out	sem_id	will be set to the non-zero ID of the newly-created resource (must not be null)
in	sem_name	the name of the new resource to create (must not be null)
in	options	reserved for future use. Should be passed as 0.

#### Returns

Execution status, see OSAL Return Code Defines

### **Return values**

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if sem_id or sem_name are NULL
OS_ERR_NAME_TOO_LONG	name length including null terminator greater than OS_MAX_API_NAME
OS_ERR_NO_FREE_IDS	if there are no more free mutex lds
OS_ERR_NAME_TAKEN	if there is already a mutex with the same name
OS_SEM_FAILURE	if the OS call failed (return value only verified in coverage test)

## 36.60.2.2 OS\_MutSemDelete()

Deletes the specified Mutex Semaphore.

Delete the semaphore. This also frees the respective sem\_id such that it can be used again when another is created.

## **Parameters**

in	sem⇔	The object ID to delete
	_id	

### Returns

Execution status, see OSAL Return Code Defines

## **Return values**

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the id passed in is not a valid mutex
OS_SEM_FAILURE	if an unspecified error occurs (return value only verified in coverage test)

## 36.60.2.3 OS\_MutSemGetIdByName()

Find an existing mutex ID by name.

This function tries to find a mutex sem Id given the name of a mut\_sem. The id is returned through sem\_id

36.60 OSAL Mutex APIs 431

### **Parameters**

out	sem_id	will be set to the ID of the existing resource
in	sem_name	the name of the existing resource to find (must not be null)

### Returns

Execution status, see OSAL Return Code Defines

### Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	is semid or sem_name are NULL pointers
OS_ERR_NAME_TOO_LONG	name length including null terminator greater than OS_MAX_API_NAME
OS_ERR_NAME_NOT_FOUND	if the name was not found in the table

## 36.60.2.4 OS\_MutSemGetInfo()

Fill a property object buffer with details regarding the resource.

This function will pass back a pointer to structure that contains all of the relevant info( name and creator) about the specified mutex semaphore.

## **Parameters**

in	sem_id	The object ID to operate on
out	mut_prop	The property object buffer to fill (must not be null)

# Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the id passed in is not a valid semaphore
OS_INVALID_POINTER	if the mut_prop pointer is null

## 36.60.2.5 OS\_MutSemGive()

Releases the mutex object referenced by sem\_id.

If there are threads blocked on the mutex object referenced by mutex when this function is called, resulting in the mutex becoming available, the scheduling policy shall determine which thread shall acquire the mutex.

#### **Parameters**

in	sem⊷	The object ID to operate on
	_id	

## Returns

Execution status, see OSAL Return Code Defines

#### **Return values**

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the id passed in is not a valid mutex
OS_SEM_FAILURE	if an unspecified error occurs (return value only verified in coverage test)

### 36.60.2.6 OS\_MutSemTake()

Acquire the mutex object referenced by sem\_id.

If the mutex is already locked, the calling thread shall block until the mutex becomes available. This operation shall return with the mutex object referenced by mutex in the locked state with the calling thread as its owner.

### **Parameters**

in	sem←	The object ID to operate on
	_id	

#### Returns

Execution status, see OSAL Return Code Defines

36.60 OSAL Mutex APIs 433

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	the id passed in is not a valid mutex
OS_SEM_FAILURE	if an unspecified error occurs (return value only verified in coverage test)

## 36.61 OSAL Network ID APIs

#### **Functions**

• int32 OS NetworkGetID (void)

Gets the network ID of the local machine.

• int32 OS\_NetworkGetHostName (char \*host\_name, size\_t name\_len)

Gets the local machine network host name.

## 36.61.1 Detailed Description

Provides some basic methods to query a network host name and ID

36.61.2 Function Documentation

#### 36.61.2.1 OS\_NetworkGetHostName()

Gets the local machine network host name.

If configured in the underlying network stack, this function retrieves the local hostname of the system.

### **Parameters**

out	host_name	Buffer to hold name information (must not be null)
in	name_len	Maximum length of host name buffer (must not be zero)

### Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_SIZE	if the name_len is zero
OS_INVALID_POINTER	if the host_name is NULL

## 36.61.2.2 OS\_NetworkGetID()

Gets the network ID of the local machine.

The ID is an implementation-defined value and may not be consistent in meaning across different platform types.

#### Note

This API may be removed in a future version of OSAL due to inconsistencies between platforms.

#### Returns

The ID or fixed value of -1 if the host id could not be found. Note it is not possible to differentiate between error codes and valid network IDs here. It is assumed, however, that -1 is never a valid ID.

### 36.62 OSAL Printf APIs

#### **Functions**

```
    void OS_printf (const char *string,...) OS_PRINTF(1
        Abstraction for the system printf() call.
```

void void OS\_printf\_disable (void)

This function disables the output from OS\_printf.

void OS printf enable (void)

This function enables the output from OS\_printf.

#### 36.62.1 Detailed Description

36.62.2 Function Documentation

### 36.62.2.1 OS\_printf()

Abstraction for the system printf() call.

This function abstracts out the printf type statements. This is useful for using OS- specific thats that will allow non-polled print statements for the real time systems.

Operates in a manner similar to the printf() call defined by the standard C library and takes all the parameters and formatting options of printf. This abstraction may implement additional buffering, if necessary, to improve the real-time performance of the call.

Strings (including terminator) longer than OS\_BUFFER\_SIZE will be truncated.

The output of this routine also may be dynamically enabled or disabled by the OS\_printf\_enable() and OS\_printf\_edisable() calls, respectively.

#### **Parameters**

in	string	Format string, followed by additional arguments

#### 36.62.2.2 OS printf disable()

36.62 OSAL Printf APIs 437

This function disables the output from OS\_printf.

```
36.62.2.3 OS_printf_enable()
```

This function enables the output from OS\_printf.

## 36.63 OSAL Message Queue APIs

#### **Functions**

int32 OS\_QueueCreate (osal\_id\_t \*queue\_id, const char \*queue\_name, osal\_blockcount\_t queue\_depth, size
 —t data\_size, uint32 flags)

Create a message queue.

• int32 OS QueueDelete (osal id t queue id)

Deletes the specified message queue.

• int32 OS\_QueueGet (osal\_id\_t queue\_id, void \*data, size\_t size, size\_t \*size\_copied, int32 timeout)

Receive a message on a message queue.

• int32 OS\_QueuePut (osal\_id\_t queue\_id, const void \*data, size\_t size, uint32 flags)

Put a message on a message queue.

• int32 OS\_QueueGetIdByName (osal\_id\_t \*queue\_id, const char \*queue\_name)

Find an existing queue ID by name.

• int32 OS\_QueueGetInfo (osal\_id\_t queue\_id, OS\_queue\_prop\_t \*queue\_prop)

Fill a property object buffer with details regarding the resource.

### 36.63.1 Detailed Description

#### 36.63.2 Function Documentation

### 36.63.2.1 OS\_QueueCreate()

#### Create a message queue.

This is the function used to create a queue in the operating system. Depending on the underlying operating system, the memory for the queue will be allocated automatically or allocated by the code that sets up the queue. Queue names must be unique; if the name already exists this function fails. Names cannot be NULL.

#### **Parameters**

out	queue_id	will be set to the non-zero ID of the newly-created resource (must not be null)
in	queue_name	the name of the new resource to create (must not be null)
in	queue_depth	the maximum depth of the queue
in	data_size	the size of each entry in the queue (must not be zero)
in	flags	options for the queue (reserved for future use, pass as 0)

#### **Returns**

Execution status, see OSAL Return Code Defines

#### **Return values**

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if a pointer passed in is NULL
OS_ERR_NAME_TOO_LONG	name length including null terminator greater than OS_MAX_API_NAME
OS_ERR_NO_FREE_IDS	if there are already the max queues created
OS_ERR_NAME_TAKEN	if the name is already being used on another queue
OS_ERR_INVALID_SIZE	if data_size is 0
OS_QUEUE_INVALID_SIZE	if the queue depth exceeds the limit
OS_ERROR	if the OS create call fails

### 36.63.2.2 OS\_QueueDelete()

Deletes the specified message queue.

This is the function used to delete a queue in the operating system. This also frees the respective queue\_id to be used again when another queue is created.

## Note

If There are messages on the queue, they will be lost and any subsequent calls to QueueGet or QueuePut to this queue will result in errors

#### **Parameters**

in	queue⊷	The object ID to delete
	_id	

## Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the id passed in does not exist
OS_ERROR	if the OS call returns an unexpected error (return value only verified in coverage test)

## 36.63.2.3 OS\_QueueGet()

Receive a message on a message queue.

If a message is pending, it is returned immediately. Otherwise the calling task will block until a message arrives or the timeout expires.

### **Parameters**

in	queue_id	The object ID to operate on
out	data	The buffer to store the received message (must not be null)
in	size	The size of the data buffer (must not be zero)
out	size_copied	Set to the actual size of the message (must not be null)
in	timeout	The maximum amount of time to block, or OS_PEND to wait forever

#### Returns

Execution status, see OSAL Return Code Defines

# Return values

OS_SUCCESS	Successful execution.	
OS_ERR_INVALID_ID	if the given ID does not exist	
OS_INVALID_POINTER	if a pointer passed in is NULL	
OS_QUEUE_EMPTY	if the Queue has no messages on it to be received	
OS_QUEUE_TIMEOUT	if the timeout was OS_PEND and the time expired	
OS_QUEUE_INVALID_SIZE	if the size copied from the queue was not correct	
OS_ERROR	if the OS call returns an unexpected error (return value only verified in coverage test)	

### 36.63.2.4 OS\_QueueGetIdByName()

Find an existing queue ID by name.

This function tries to find a queue Id given the name of the queue. The id of the queue is passed back in queue\_id.

### **Parameters**

out	queue_id	will be set to the ID of the existing resource
in	queue_name	the name of the existing resource to find (must not be null)

### Returns

Execution status, see OSAL Return Code Defines

### Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if the name or id pointers are NULL
OS_ERR_NAME_TOO_LONG	name length including null terminator greater than OS_MAX_API_NAME
OS_ERR_NAME_NOT_FOUND	the name was not found in the table

# 36.63.2.5 OS\_QueueGetInfo()

Fill a property object buffer with details regarding the resource.

This function will pass back a pointer to structure that contains all of the relevant info (name and creator) about the specified queue.

## **Parameters**

in	queue_id	The object ID to operate on
out	queue_prop	The property object buffer to fill (must not be null)

# Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if queue_prop is NULL
OS_ERR_INVALID_ID	if the ID given is not a valid queue

# 36.63.2.6 OS\_QueuePut()

Put a message on a message queue.

### **Parameters**

in	queue←	The object ID to operate on
	_id	
in	data	The buffer containing the message to put (must not be null)
in	size	The size of the data buffer (must not be zero)
in	flags	Currently reserved/unused, should be passed as 0

# Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the queue id passed in is not a valid queue
OS_INVALID_POINTER	if the data pointer is NULL
OS_QUEUE_INVALID_SIZE	if the data message is too large for the queue
OS_QUEUE_FULL	if the queue cannot accept another message
OS_ERROR	if the OS call returns an unexpected error (return value only verified in coverage test)

36.64 OSAL Select APIs 443

### 36.64 OSAL Select APIs

#### **Functions**

int32 OS SelectMultiple (OS FdSet \*ReadSet, OS FdSet \*WriteSet, int32 msecs)

Wait for events across multiple file handles.

• int32 OS\_SelectSingle (osal\_id\_t objid, uint32 \*StateFlags, int32 msecs)

Wait for events on a single file handle.

int32 OS\_SelectFdZero (OS\_FdSet \*Set)

Clear a FdSet structure.

int32 OS\_SelectFdAdd (OS\_FdSet \*Set, osal\_id\_t objid)

Add an ID to an FdSet structure.

• int32 OS\_SelectFdClear (OS\_FdSet \*Set, osal\_id\_t objid)

Clear an ID from an FdSet structure.

bool OS\_SelectFdlsSet (const OS\_FdSet \*Set, osal\_id\_t objid)

Check if an FdSet structure contains a given ID.

## 36.64.1 Detailed Description

#### 36.64.2 Function Documentation

### 36.64.2.1 OS\_SelectFdAdd()

Add an ID to an FdSet structure.

After this call the set will contain the given OSAL ID

#### **Parameters**

in,out	Set	Pointer to OS_FdSet object to operate on (must not be null)
in	objid	The handle ID to add to the set

## Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if argument is NULL
OS ERR INVALID ID	if the objid is not a valid handle

## 36.64.2.2 OS\_SelectFdClear()

Clear an ID from an FdSet structure.

After this call the set will no longer contain the given OSAL ID

## **Parameters**

in,out	Set	Pointer to OS_FdSet object to operate on (must not be null)
in	objid	The handle ID to remove from the set

### Returns

Execution status, see OSAL Return Code Defines

### Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if argument is NULL
OS_ERR_INVALID_ID	if the objid is not a valid handle

# 36.64.2.3 OS\_SelectFdIsSet()

Check if an FdSet structure contains a given ID.

## **Parameters**

in	Set	Pointer to OS_FdSet object to operate on (must not be null)
in	objid	The handle ID to check for in the set

#### Returns

Boolean set status

36.64 OSAL Select APIs 445

### **Return values**

true	FdSet structure contains ID
false	FDSet structure does not contain ID

#### 36.64.2.4 OS\_SelectFdZero()

Clear a FdSet structure.

After this call the set will contain no OSAL IDs

### **Parameters**

out   Set   Pointer to OS_FdSet object to clear (must	t not be null)
---	----------------

## Returns

Execution status, see OSAL Return Code Defines

## **Return values**

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if argument is NULL

# 36.64.2.5 OS\_SelectMultiple()

Wait for events across multiple file handles.

Wait for any of the given sets of IDs to become readable or writable

This function will block until any of the following occurs:

- At least one OSAL ID in the ReadSet is readable
- · At least one OSAL ID in the WriteSet is writable

## · The timeout has elapsed

The sets are input/output parameters. On entry, these indicate the file handle(s) to wait for. On exit, these are set to the actual file handle(s) that have activity.

If the timeout occurs this returns an error code and all output sets should be empty.

#### Note

This does not lock or otherwise protect the file handles in the given sets. If a filehandle supplied via one of the FdSet arguments is closed or modified by another while this function is in progress, the results are undefined. Because of this limitation, it is recommended to use OS SelectSingle() whenever possible.

#### **Parameters**

in,out	ReadSet	Set of handles to check/wait to become readable	
in,out	WriteSet	Set of handles to check/wait to become writable	
in	msecs	Indicates the timeout. Positive values will wait up to that many milliseconds. Zero will not wait (poll). Negative values will wait forever (pend)	

#### Returns

Execution status, see OSAL Return Code Defines

#### **Return values**

OS_SUCCESS	If any handle in the ReadSet or WriteSet is readable or writable, respectively
OS_ERROR_TIMEOUT	If no handles in the ReadSet or WriteSet became readable or
	writable within the timeout
OS_ERR_OPERATION_NOT_SUPPORTED	if a specified handle does not support select
OS_ERR_INVALID_ID	if no valid handles were contained in the ReadSet/WriteSet

# 36.64.2.6 OS\_SelectSingle()

Wait for events on a single file handle.

Wait for a single OSAL filehandle to change state

This function can be used to wait for a single OSAL stream ID to become readable or writable. On entry, the "StateFlags" parameter should be set to the desired state (OS\_STREAM\_STATE\_READABLE and/or OS\_STREAM\_STATE\_WR ← ITABLE) and upon return the flags will be set to the state actually detected.

36.64 OSAL Select APIs 447

As this operates on a single ID, the filehandle is protected during this call, such that another thread accessing the same handle will return an error. However, it is important to note that once the call returns then other threads may then also read/write and affect the state before the current thread can service it.

To mitigate this risk the application may prefer to use the OS\_TimedRead/OS\_TimedWrite calls.

### **Parameters**

in	objid	The handle ID to select on
in,out	StateFlags	State flag(s) (readable or writable) (must not be null)
in	msecs	Indicates the timeout. Positive values will wait up to that many milliseconds. Zero will not wait (poll). Negative values will wait forever (pend)

#### Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	If the handle is readable and/or writable, as requested
OS_ERROR_TIMEOUT	If the handle did not become readable or writable within the timeout
OS_INVALID_POINTER	if argument is NULL
OS_ERR_INVALID_ID	if the objid is not a valid handle

# 36.65 OSAL Shell APIs

### **Functions**

• int32 OS\_ShellOutputToFile (const char \*Cmd, osal\_id\_t filedes)

Executes the command and sends output to a file.

36.65.1 Detailed Description

36.65.2 Function Documentation

## 36.65.2.1 OS\_ShellOutputToFile()

Executes the command and sends output to a file.

Takes a shell command in and writes the output of that command to the specified file The output file must be opened previously with write access (OS\_WRITE\_ONLY or OS\_READ\_WRITE).

### Parameters

in	Cmd	Command to pass to shell (must not be null)
in	filedes	File to send output to.

## Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_ERROR	if the command was not executed properly
OS_INVALID_POINTER	if Cmd argument is NULL
OS_ERR_INVALID_ID	if the file descriptor passed in is invalid

### 36.66 OSAL Socket Address APIs

#### **Functions**

```
    int32 OS_SocketAddrInit (OS_SockAddr_t *Addr, OS_SocketDomain_t Domain)
```

Initialize a socket address structure to hold an address of the given family.

• int32 OS\_SocketAddrToString (char \*buffer, size\_t buflen, const OS\_SockAddr\_t \*Addr)

Get a string representation of a network host address.

int32 OS\_SocketAddrFromString (OS\_SockAddr\_t \*Addr, const char \*string)

Set a network host address from a string representation.

int32 OS\_SocketAddrGetPort (uint16 \*PortNum, const OS\_SockAddr\_t \*Addr)

Get the port number of a network address.

int32 OS\_SocketAddrSetPort (OS\_SockAddr\_t \*Addr, uint16 PortNum)

Set the port number of a network address.

#### 36.66.1 Detailed Description

These functions provide a means to manipulate network addresses in a manner that is (mostly) agnostic to the actual network address type.

Every network address should be representable as a string (i.e. dotted decimal IP, etc). This can serve as the "common denominator" to all address types.

36.66.2 Function Documentation

#### 36.66.2.1 OS\_SocketAddrFromString()

Set a network host address from a string representation.

The specific format of the output string depends on the address family.

The address structure should have been previously initialized using OS\_SocketAddrInit() to set the address family type.

### Note

For IPv4, this would typically be the dotted-decimal format (X.X.X.X). It is up to the discretion of the underlying implementation whether to accept hostnames, as this depends on the availability of DNS services. Since many embedded deployments do not have name services, this should not be relied upon.

### **Parameters**

out	Addr	The address buffer to initialize (must not be null)
in	string	The string to initialize the address from (must not be null)

### Returns

Execution status, see OSAL Return Code Defines

### **Return values**

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if argument is NULL
OS_ERROR	if the string cannot be converted to an address

## 36.66.2.2 OS\_SocketAddrGetPort()

Get the port number of a network address.

For network protocols that have the concept of a port number (such as TCP/IP and UDP/IP) this function gets the port number from the address structure.

## **Parameters**

ſ	out	PortNum	Buffer to store the port number (must not be null)
ſ	in	Addr	The network address buffer (must not be null)

## Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if argument is NULL
OS_ERR_BAD_ADDRESS	if the address domain is not compatible

## 36.66.2.3 OS\_SocketAddrInit()

Initialize a socket address structure to hold an address of the given family.

The address is set to a suitable default value for the family.

#### **Parameters**

out	Addr	The address buffer to initialize (must not be null)
in Domain The address family		The address family

### Returns

Execution status, see OSAL Return Code Defines

### **Return values**

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if Addr argument is NULL
OS_ERR_NOT_IMPLEMENTED	if the system does not implement the requested domain

#### 36.66.2.4 OS\_SocketAddrSetPort()

Set the port number of a network address.

For network protocols that have the concept of a port number (such as TCP/IP and UDP/IP) this function sets the port number from the address structure.

## **Parameters**

out	Addr	The network address buffer (must not be null)
in	PortNum	The port number to set

## Returns

Execution status, see OSAL Return Code Defines

### Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if argument is NULL
OS_ERR_BAD_ADDRESS	if the address domain is not compatible

### 36.66.2.5 OS\_SocketAddrToString()

Get a string representation of a network host address.

The specific format of the output string depends on the address family.

This string should be suitable to pass back into OS\_SocketAddrFromString() which should recreate the same network address, and it should also be meaningful to a user of printed or logged as a C string.

## Note

For IPv4, this would typically be the dotted-decimal format (X.X.X.X).

### **Parameters**

out	buffer	Buffer to hold the output string (must not be null)
in	buflen	Maximum length of the output string (must not be zero)
in	Addr	The network address buffer to convert (must not be null)

#### Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if argument is NULL
OS_ERR_INVALID_SIZE	if passed-in buflen is not valid
OS_ERROR	if the address cannot be converted to string, or string buffer too small

## 36.67 OSAL Socket Management APIs

#### **Functions**

- int32 OS\_SocketOpen (osal\_id\_t \*sock\_id, OS\_SocketDomain\_t Domain, OS\_SocketType\_t Type)

  Opens a socket
- int32 OS\_SocketBind (osal\_id\_t sock\_id, const OS\_SockAddr\_t \*Addr)

Binds a socket to a given local address.

int32 OS SocketConnect (osal id t sock id, const OS SockAddr t \*Addr, int32 timeout)

Connects a socket to a given remote address.

int32 OS\_SocketShutdown (osal\_id\_t sock\_id, OS\_SocketShutdownMode\_t Mode)

Implement graceful shutdown of a stream socket.

- int32 OS\_SocketAccept (osal\_id\_t sock\_id, osal\_id\_t \*connsock\_id, OS\_SockAddr\_t \*Addr, int32 timeout)

  Waits for and accept the next incoming connection on the given socket.
- int32 OS\_SocketRecvFrom (osal\_id\_t sock\_id, void \*buffer, size\_t buflen, OS\_SockAddr\_t \*RemoteAddr, int32 timeout)

Reads data from a message-oriented (datagram) socket.

int32 OS\_SocketSendTo (osal\_id\_t sock\_id, const void \*buffer, size\_t buflen, const OS\_SockAddr\_t \*Remote
 — Addr)

Sends data to a message-oriented (datagram) socket.

int32 OS\_SocketGetIdByName (osal\_id\_t \*sock\_id, const char \*sock\_name)

Gets an OSAL ID from a given name.

int32 OS SocketGetInfo (osal id t sock id, OS socket prop t \*sock prop)

Gets information about an OSAL Socket ID.

#### 36.67.1 Detailed Description

These functions are loosely related to the BSD Sockets API but made to be more consistent with other OSAL API functions. That is, they operate on OSAL IDs (32-bit opaque number values) and return an OSAL error code.

OSAL Socket IDs are very closely related to File IDs and share the same ID number space. Additionally, the file OS\_\(\rightarrow\) read() / OS\_write() / OS\_close() calls also work on sockets.

Note that all of functions may return OS\_ERR\_NOT\_IMPLEMENTED if network support is not configured at compile time.

#### 36.67.2 Function Documentation

## 36.67.2.1 OS\_SocketAccept()

Waits for and accept the next incoming connection on the given socket.

This is used for sockets operating in a "server" role. The socket must be a stream type (connection-oriented) and previously bound to a local address using OS\_SocketBind(). This will block the caller up to the given timeout or until an incoming connection request occurs, whichever happens first.

The new stream connection is then returned to the caller and the original server socket ID can be reused for the next connection.

#### **Parameters**

in	sock_id	The server socket ID, previously bound using OS_SocketBind()	
out	connsock←	nsock← The connection socket, a new ID that can be read/written (must not be null)	
	_id		
in	Addr	The remote address of the incoming connection (must not be null)	
in	timeout	The maximum amount of time to wait, or OS_PEND to wait forever	

### Returns

Execution status, see OSAL Return Code Defines

### **Return values**

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if argument is NULL
OS_ERR_INVALID_ID	if the sock_id parameter is not valid
OS_ERR_INCORRECT_OBJ_TYPE	if the handle is not a socket
OS_ERR_INCORRECT_OBJ_STATE	if the socket is not bound or already connected

## 36.67.2.2 OS\_SocketBind()

Binds a socket to a given local address.

The specified socket will be bound to the local address and port, if available.

If the socket is connectionless, then it only binds to the local address.

If the socket is connection-oriented (stream), then this will also put the socket into a listening state for incoming connections at the local address.

#### **Parameters**

ir	sock← _id	The socket ID
ir	Addr	The local address to bind to (must not be null)

# Returns

Execution status, see OSAL Return Code Defines

### **Return values**

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the sock_id parameter is not valid
OS_INVALID_POINTER	if argument is NULL
OS_ERR_INCORRECT_OBJ_STATE	if the socket is already bound
OS_ERR_INCORRECT_OBJ_TYPE	if the handle is not a socket

### 36.67.2.3 OS\_SocketConnect()

Connects a socket to a given remote address.

The socket will be connected to the remote address and port, if available. This only applies to stream-oriented sockets. Calling this on a datagram socket will return an error (these sockets should use SendTo/RecvFrom).

### **Parameters**

in	sock← id	The socket ID
in	Addr	The remote address to connect to (must not be null)
in	timeout	The maximum amount of time to wait, or OS_PEND to wait forever

## Returns

Execution status, see OSAL Return Code Defines

## **Return values**

OS_SUCCESS	Successful execution.
OS_ERR_INCORRECT_OBJ_STATE	if the socket is already connected
OS_ERR_INVALID_ID	if the sock_id parameter is not valid
OS_ERR_INCORRECT_OBJ_TYPE	if the handle is not a socket
OS_INVALID_POINTER	if Addr argument is NULL

# 36.67.2.4 OS\_SocketGetIdByName()

Gets an OSAL ID from a given name.

## Note

OSAL Sockets use generated names according to the address and type.

### See also

```
OS_SocketGetInfo()
```

### **Parameters**

out	sock_id	Buffer to hold result (must not be null)
in	sock_name	Name of socket to find (must not be null)

### Returns

Execution status, see OSAL Return Code Defines

### Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	is id or name are NULL pointers
OS_ERR_NAME_TOO_LONG	name length including null terminator greater than OS_MAX_API_NAME
OS_ERR_NAME_NOT_FOUND	if the name was not found in the table

## 36.67.2.5 OS\_SocketGetInfo()

Gets information about an OSAL Socket ID.

OSAL Sockets use generated names according to the address and type. This allows applications to find the name of a given socket.

## **Parameters**

i	n.	sock_id	The socket ID
0	ut	sock prop	Buffer to hold socket information (must not be null)

#### Returns

Execution status, see OSAL Return Code Defines

#### Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the id passed in is not a valid semaphore
OS_INVALID_POINTER	if the count_prop pointer is null

## 36.67.2.6 OS\_SocketOpen()

# Opens a socket.

A new, unconnected and unbound socket is allocated of the given domain and type.

## **Parameters**

out	sock⊷	Buffer to hold the non-zero OSAL ID (must not be null)
	_id	
in	Domain	The domain / address family of the socket (INET or INET6, etc)
in	Туре	The type of the socket (STREAM or DATAGRAM)

## Returns

Execution status, see OSAL Return Code Defines

### **Return values**

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if argument is NULL
OS_ERR_NOT_IMPLEMENTED	if the system does not implement the requested socket/address domain

## 36.67.2.7 OS\_SocketRecvFrom()

```
void * buffer,
size_t buflen,
OS_SockAddr_t * RemoteAddr,
int32 timeout )
```

Reads data from a message-oriented (datagram) socket.

If a message is already available on the socket, this should immediately return that data without blocking. Otherwise, it may block up to the given timeout.

#### **Parameters**

in	sock_id	The socket ID, previously bound using OS_SocketBind()
out	buffer	Pointer to message data receive buffer (must not be null)
in	buflen	The maximum length of the message data to receive (must not be zero)
out	RemoteAddr	Buffer to store the remote network address (may be NULL)
in	timeout	The maximum amount of time to wait, or OS_PEND to wait forever

#### Returns

Count of actual bytes received or error status, see OSAL Return Code Defines

#### **Return values**

OS_INVALID_POINTER	if argument is NULL
OS_ERR_INVALID_SIZE	if passed-in buflen is not valid
OS_ERR_INVALID_ID	if the sock_id parameter is not valid
OS_ERR_INCORRECT_OBJ_TYPE	if the handle is not a socket

## 36.67.2.8 OS\_SocketSendTo()

```
int32 OS_SocketSendTo (
            osal_id_t sock_id,
            const void * buffer,
            size_t buflen,
            const OS_SockAddr_t * RemoteAddr )
```

Sends data to a message-oriented (datagram) socket.

This sends data in a non-blocking mode. If the socket is not currently able to queue the message, such as if its outbound buffer is full, then this returns an error code.

#### **Parameters**

in	sock_id	The socket ID, which must be of the datagram type
in	buffer	Pointer to message data to send (must not be null)
in	buflen	The length of the message data to send (must not be zero)
in	RemoteAddr	Buffer containing the remote network address to send to

Generated by Doxygen

### Returns

Count of actual bytes sent or error status, see OSAL Return Code Defines

#### **Return values**

OS_INVALID_POINTER	if argument is NULL
OS_ERR_INVALID_SIZE	if passed-in buflen is not valid
OS_ERR_INVALID_ID	if the sock_id parameter is not valid
OS_ERR_INCORRECT_OBJ_TYPE	if the handle is not a socket

## 36.67.2.9 OS\_SocketShutdown()

Implement graceful shutdown of a stream socket.

This can be utilized to indicate the end of data stream without immediately closing the socket, giving the remote side an indication that the data transfer is complete.

# **Parameters**

	in	sock⊷	The socket ID
		_id	
Ī	in	Mode	Whether to shutdown reading, writing, or both.

### Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the sock_id parameter is not valid
OS_ERR_INVALID_ARGUMENT	if the Mode argument is not one of the valid options
OS_ERR_INCORRECT_OBJ_TYPE	if the handle is not a socket
OS_ERR_INCORRECT_OBJ_STATE	if the socket is not connected

36.68 OSAL Task APIs 461

### 36.68 OSAL Task APIs

#### **Functions**

int32 OS\_TaskCreate (osal\_id\_t \*task\_id, const char \*task\_name, osal\_task\_entry function\_pointer, osal\_
 stackptr\_t stack\_pointer, size\_t stack\_size, osal\_priority\_t priority, uint32 flags)

Creates a task and starts running it.

int32 OS TaskDelete (osal id t task id)

Deletes the specified Task.

void OS TaskExit (void)

Exits the calling task.

int32 OS TaskInstallDeleteHandler (osal task entry function pointer)

Installs a handler for when the task is deleted.

int32 OS\_TaskDelay (uint32 millisecond)

Delay a task for specified amount of milliseconds.

int32 OS\_TaskSetPriority (osal\_id\_t task\_id, osal\_priority\_t new\_priority)

Sets the given task to a new priority.

osal\_id\_t OS\_TaskGetId (void)

Obtain the task id of the calling task.

int32 OS\_TaskGetIdByName (osal\_id\_t \*task\_id, const char \*task\_name)

Find an existing task ID by name.

int32 OS\_TaskGetInfo (osal\_id\_t task\_id, OS\_task\_prop\_t \*task\_prop)

Fill a property object buffer with details regarding the resource.

int32 OS\_TaskFindIdBySystemData (osal\_id\_t \*task\_id, const void \*sysdata, size\_t sysdata\_size)

Reverse-lookup the OSAL task ID from an operating system ID.

## 36.68.1 Detailed Description

#### 36.68.2 Function Documentation

## 36.68.2.1 OS\_TaskCreate()

Creates a task and starts running it.

Creates a task and passes back the id of the task created. Task names must be unique; if the name already exists this function fails. Names cannot be NULL.

Portable applications should always specify the actual stack size in the stack\_size parameter, not 0. This size value is not enforced/checked by OSAL, but is simply passed through to the RTOS for stack creation. Some RTOS implementations may assume 0 means a default stack size while others may actually create a task with no stack.

Unlike stack\_size, the stack\_pointer is optional and can be specified as NULL. In that case, a stack of the requested size will be dynamically allocated from the system heap.

### **Parameters**

out	task_id	will be set to the non-zero ID of the newly-created resource (must not be null)	
in	task_name	the name of the new resource to create (must not be null)	
in	function_pointer	the entry point of the new task (must not be null)	
in	stack_pointer	pointer to the stack for the task, or NULL to allocate a stack from the system memory heap	
in	stack_size	the size of the stack (must not be zero)	
in	priority	initial priority of the new task	
in	flags	initial options for the new task	

### Returns

Execution status, see OSAL Return Code Defines

## Return values

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if any of the necessary pointers are NULL
OS_ERR_INVALID_SIZE	if the stack_size argument is zero
OS_ERR_NAME_TOO_LONG	name length including null terminator greater than OS_MAX_API_NAME
OS_ERR_INVALID_PRIORITY	if the priority is bad (return value only verified in coverage test)
OS_ERR_NO_FREE_IDS	if there can be no more tasks created
OS_ERR_NAME_TAKEN	if the name specified is already used by a task
OS_ERROR	if an unspecified/other error occurs (return value only verified in coverage test)

# 36.68.2.2 OS\_TaskDelay()

Delay a task for specified amount of milliseconds.

Causes the current thread to be suspended from execution for the period of millisecond. This is a scheduled wait (clock\_nanosleep/rtems\_task\_wake\_after/taskDelay), not a "busy" wait.

## **Parameters**

in	millisecond	Amount of time to delay
----	-------------	-------------------------

### Returns

Execution status, see OSAL Return Code Defines

36.68 OSAL Task APIs 463

### **Return values**

OS_SUCCESS	Successful execution.
OS_ERROR	if an unspecified/other error occurs (return value only verified in coverage test)

## 36.68.2.3 OS\_TaskDelete()

Deletes the specified Task.

The task will be removed from the local tables. and the OS will be configured to stop executing the task at the next opportunity.

### **Parameters**

in	task⊷	The object ID to operate on
	_id	

## Returns

Execution status, see OSAL Return Code Defines

# Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the ID given to it is invalid
OS_ERROR	if the OS delete call fails (return value only verified in coverage test)

# 36.68.2.4 OS\_TaskExit()

```
void OS_TaskExit (
     void )
```

Exits the calling task.

The calling thread is terminated. This function does not return.

## 36.68.2.5 OS\_TaskFindIdBySystemData()

Reverse-lookup the OSAL task ID from an operating system ID.

This provides a method by which an external entity may find the OSAL task ID corresponding to a system-defined identifier (e.g. TASK\_ID, pthread\_t, rtems\_id, etc).

Normally OSAL does not expose the underlying OS-specific values to the application, but in some circumstances, such as exception handling, the OS may provide this information directly to a BSP handler outside of the normal OSAL API.

#### **Parameters**

out	task_id	The buffer where the task id output is stored (must not be null)
in	sysdata	Pointer to the system-provided identification data
in	sysdata_size	Size of the system-provided identification data

#### Returns

Execution status, see OSAL Return Code Defines

#### Return values

OS_SUCCESS	Successful execution. (return value only verified in coverage test)
OS_INVALID_POINTER	if a pointer argument is NULL

## 36.68.2.6 OS\_TaskGetId()

Obtain the task id of the calling task.

This function returns the task id of the calling task

#### Returns

Task ID, or zero if the operation failed (zero is never a valid task ID)

36.68 OSAL Task APIs 465

## 36.68.2.7 OS\_TaskGetIdByName()

Find an existing task ID by name.

This function tries to find a task Id given the name of a task

### **Parameters**

out	task_id	will be set to the ID of the existing resource
in	task_name	the name of the existing resource to find (must not be null)

#### Returns

Execution status, see OSAL Return Code Defines

#### **Return values**

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if the pointers passed in are NULL
OS_ERR_NAME_TOO_LONG	name length including null terminator greater than OS_MAX_API_NAME
OS_ERR_NAME_NOT_FOUND	if the name wasn't found in the table

## 36.68.2.8 OS\_TaskGetInfo()

Fill a property object buffer with details regarding the resource.

This function will pass back a pointer to structure that contains all of the relevant info (creator, stack size, priority, name) about the specified task.

### **Parameters**

in	task_id	The object ID to operate on
out	task_prop	The property object buffer to fill (must not be null)

### Returns

Execution status, see OSAL Return Code Defines

#### Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the ID passed to it is invalid
OS_INVALID_POINTER	if the task_prop pointer is NULL

### 36.68.2.9 OS\_TaskInstallDeleteHandler()

Installs a handler for when the task is deleted.

This function is used to install a callback that is called when the task is deleted. The callback is called when OS\_Task Delete is called with the task ID. A task delete handler is useful for cleaning up resources that a task creates, before the task is removed from the system.

#### **Parameters**

in	function_pointer	function to be called when task exits
----	------------------	---------------------------------------

#### Returns

Execution status, see OSAL Return Code Defines

# Return values

```
OS_ERR_INVALID_ID if the calling context is not an OSAL task
```

# 36.68.2.10 OS\_TaskSetPriority()

Sets the given task to a new priority.

#### **Parameters**

in	task_id	The object ID to operate on
in	new_priority	Set the new priority

36.68 OSAL Task APIs 467

# Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the ID passed to it is invalid
OS_ERR_INVALID_PRIORITY	if the priority is greater than the max allowed (return value only verified in coverage test)
OS_ERROR	if an unspecified/other error occurs (return value only verified in coverage test)

#### 36.69 OSAL Time Base APIs

#### **Functions**

int32 OS\_TimeBaseCreate (osal\_id\_t \*timebase\_id, const char \*timebase\_name, OS\_TimerSync\_t external\_← sync)

Create an abstract Time Base resource.

- int32 OS\_TimeBaseSet (osal\_id\_t timebase\_id, uint32 start\_time, uint32 interval\_time)
  - Sets the tick period for simulated time base objects.
- int32 OS TimeBaseDelete (osal id t timebase id)

Deletes a time base object.

• int32 OS TimeBaseGetIdByName (osal id t \*timebase id, const char \*timebase name)

Find the ID of an existing time base resource.

int32 OS TimeBaseGetInfo (osal id t timebase id, OS timebase prop t \*timebase prop)

Obtain information about a timebase resource.

int32 OS\_TimeBaseGetFreeRun (osal\_id\_t timebase\_id, uint32 \*freerun\_val)

Read the value of the timebase free run counter.

#### 36.69.1 Detailed Description

36.69.2 Function Documentation

#### 36.69.2.1 OS\_TimeBaseCreate()

Create an abstract Time Base resource.

An OSAL time base is an abstraction of a "timer tick" that can, in turn, be used for measurement of elapsed time between events

Time bases can be simulated by the operating system using the OS kernel-provided timing facilities, or based on a hardware timing source if provided by the BSP.

A time base object has a servicing task associated with it, that runs at elevated priority and will thereby interrupt user-level tasks when timing ticks occur.

If the external\_sync function is passed as NULL, the operating system kernel timing resources will be utilized for a simulated timer tick.

If the external\_sync function is not NULL, this should point to a BSP-provided function that will block the calling task until the next tick occurs. This can be used for synchronizing with hardware events.

## Note

When provisioning a tunable RTOS kernel, such as RTEMS, the kernel should be configured to support at least (OS\_MAX\_TASKS + OS\_MAX\_TIMEBASES) threads, to account for the helper threads associated with time base objects.

This configuration API must not be used from the context of a timer callback. Timers should only be configured from the context of normal OSAL tasks.

### **Parameters**

out	timebase_id	will be set to the non-zero ID of the newly-created resource (must not be null)
in	timebase_name	The name of the time base (must not be null)
in	external_sync	A synchronization function for BSP hardware-based timer ticks

### Returns

Execution status, see OSAL Return Code Defines

#### **Return values**

OS_SUCCESS	Successful execution.
OS_ERR_NAME_TAKEN	if the name specified is already used
OS_ERR_NO_FREE_IDS	if there can be no more timebase resources created
OS_ERR_INCORRECT_OBJ_STATE	if called from timer/timebase context
OS_ERR_NAME_TOO_LONG	if the timebase_name is too long
OS_INVALID_POINTER	if a pointer argument is NULL

# 36.69.2.2 OS\_TimeBaseDelete()

Deletes a time base object.

The helper task and any other resources associated with the time base abstraction will be freed.

### Note

This configuration API must not be used from the context of a timer callback. Timers should only be configured from the context of normal OSAL tasks.

### **Parameters**

in	timebase←	The timebase resource to delete
	_id	

### Returns

Execution status, see OSAL Return Code Defines

#### Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the id passed in is not a valid timebase
OS_ERR_INCORRECT_OBJ_STATE	if called from timer/timebase context

### 36.69.2.3 OS\_TimeBaseGetFreeRun()

Read the value of the timebase free run counter.

Poll the timer free-running time counter in a lightweight fashion.

The free run count is a monotonically increasing value reflecting the total time elapsed since the timebase inception. Units are the same as the timebase itself, usually microseconds.

Applications may quickly and efficiently calculate relative time differences by polling this value and subtracting the previous counter value.

The absolute value of this counter is not relevant, because it will "roll over" after  $2^32$  units of time. For a timebase with microsecond units, this occurs approximately every 4294 seconds, or about 1.2 hours.

#### Note

To ensure consistency of results, the application should sample the value at a minimum of two times the roll over frequency, and calculate the difference between the consecutive samples.

#### **Parameters**

in	timebase↔ _id	The timebase to operate on
out	freerun_val	Buffer to store the free run counter (must not be null)

#### Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the id passed in is not a valid timebase
OS_INVALID_POINTER	if pointer argument is NULL

### 36.69.2.4 OS\_TimeBaseGetIdByName()

Find the ID of an existing time base resource.

Given a time base name, find and output the ID associated with it.

#### Note

This configuration API must not be used from the context of a timer callback. Timers should only be configured from the context of normal OSAL tasks.

#### **Parameters**

out	timebase_id	will be set to the non-zero ID of the matching resource (must not be null)
in	timebase_name	The name of the timebase resource to find (must not be null)

### Returns

Execution status, see OSAL Return Code Defines

### **Return values**

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if timebase_id or timebase_name are NULL pointers
OS_ERR_NAME_TOO_LONG	name length including null terminator greater than OS_MAX_API_NAME
OS_ERR_NAME_NOT_FOUND	if the name was not found in the table
OS_ERR_INCORRECT_OBJ_STATE	if called from timer/timebase context

#### 36.69.2.5 OS\_TimeBaseGetInfo()

Obtain information about a timebase resource.

Fills the buffer referred to by the timebase\_prop parameter with relevant information about the time base resource.

This function will pass back a pointer to structure that contains all of the relevant info( name and creator) about the specified timebase.

#### Note

This configuration API must not be used from the context of a timer callback. Timers should only be configured from the context of normal OSAL tasks.

#### **Parameters**

in	timebase_id	The timebase resource ID
out	timebase_prop	Buffer to store timebase properties (must not be null)

### Returns

Execution status, see OSAL Return Code Defines

### Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the id passed in is not a valid timebase
OS_INVALID_POINTER	if the timebase_prop pointer is null
OS_ERR_INCORRECT_OBJ_STATE	if called from timer/timebase context

### 36.69.2.6 OS\_TimeBaseSet()

Sets the tick period for simulated time base objects.

This sets the actual tick period for timing ticks that are simulated by the RTOS kernel (i.e. the "external\_sync" parameter on the call to OS TimeBaseCreate() is NULL).

The RTOS will be configured to wake up the helper thread at the requested interval.

This function has no effect for time bases that are using a BSP-provided external\_sync function.

### Note

This configuration API must not be used from the context of a timer callback. Timers should only be configured from the context of normal OSAL tasks.

#### **Parameters**

in	timebase_id	The timebase resource to configure	
in	start_time	The amount of delay for the first tick, in microseconds.	
in	interval_time	The amount of delay between ticks, in microseconds.	

# Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the id passed in is not a valid timebase
OS_ERR_INCORRECT_OBJ_STATE	if called from timer/timebase context
OS_TIMER_ERR_INVALID_ARGS	if start_time or interval_time are out of range

#### 36.70 OSAL Timer APIs

#### **Functions**

int32 OS\_TimerCreate (osal\_id\_t \*timer\_id, const char \*timer\_name, uint32 \*clock\_accuracy, OS\_Timer
 Callback t callback ptr)

Create a timer object.

int32 OS\_TimerAdd (osal\_id\_t \*timer\_id, const char \*timer\_name, osal\_id\_t timebase\_id, OS\_ArgCallback\_
 t callback ptr, void \*callback arg)

Add a timer object based on an existing TimeBase resource.

int32 OS\_TimerSet (osal\_id\_t timer\_id, uint32 start\_time, uint32 interval\_time)

Configures a periodic or one shot timer.

int32 OS TimerDelete (osal id t timer id)

Deletes a timer resource.

• int32 OS TimerGetIdByName (osal id t \*timer id, const char \*timer name)

Locate an existing timer resource by name.

int32 OS TimerGetInfo (osal id t timer id, OS timer prop t \*timer prop)

Gets information about an existing timer.

#### 36.70.1 Detailed Description

36.70.2 Function Documentation

### 36.70.2.1 OS\_TimerAdd()

Add a timer object based on an existing TimeBase resource.

A timer object is a resource that invokes the specified application-provided function upon timer expiration. Timers may be one-shot or periodic in nature.

This function uses an existing time base object to service this timer, which must exist prior to adding the timer. The precision of the timer is the same as that of the underlying time base object. Multiple timer objects can be created referring to a single time base object.

This routine also uses a different callback function prototype from OS\_TimerCreate(), allowing a single opaque argument to be passed to the callback routine. The OSAL implementation does not use this parameter, and may be set NULL.

The callback function for this method should be declared according to the OS\_ArgCallback\_t function pointer type. The timer\_id is passed in to the function by the OSAL, and the arg parameter is passed through from the callback\_arg argument on this call.

36.70 OSAL Timer APIs 475

### Note

This configuration API must not be used from the context of a timer callback. Timers should only be configured from the context of normal OSAL tasks.

# See also

OS\_ArgCallback\_t

#### **Parameters**

out	timer_id	Will be set to the non-zero resource ID of the timer object (must not be null)
in	timer_name Name of the timer object (must not be null)	
in	timebase←	The time base resource to use as a reference
	id	
	_,~	
in	callback_ptr	Application-provided function to invoke (must not be null)

### Returns

Execution status, see OSAL Return Code Defines

### **Return values**

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if any parameters are NULL
OS_ERR_INVALID_ID	if the timebase_id parameter is not valid
OS_ERR_NAME_TOO_LONG	name length including null terminator greater than OS_MAX_API_NAME
OS_ERR_NAME_TAKEN	if the name is already in use by another timer.
OS_ERR_NO_FREE_IDS	if all of the timers are already allocated.
OS_ERR_INCORRECT_OBJ_STATE	if invoked from a timer context
OS_TIMER_ERR_INTERNAL	if there was an error programming the OS timer (return value only verified
	in coverage test)

# 36.70.2.2 OS\_TimerCreate()

# Create a timer object.

A timer object is a resource that invokes the specified application-provided function upon timer expiration. Timers may be one-shot or periodic in nature.

This function creates a dedicated (hidden) time base object to service this timer, which is created and deleted with the timer object itself. The internal time base is configured for an OS simulated timer tick at the same interval as the timer.

The callback function should be declared according to the OS\_TimerCallback\_t function pointer type. The timer\_id value is passed to the callback function.

36.70 OSAL Timer APIs 477

#### Note

clock\_accuracy comes from the underlying OS tick value. The nearest integer microsecond value is returned, so may not be exact.

This configuration API must not be used from the context of a timer callback. Timers should only be configured from the context of normal OSAL tasks.

#### See also

```
OS_TimerCallback_t
```

#### **Parameters**

out	timer_id	Will be set to the non-zero resource ID of the timer object (must not be null)	
in	timer_name Name of the timer object (must not be null)		
out	clock_accuracy	Expected precision of the timer, in microseconds. This is the underlying tick value rounded to the nearest microsecond integer. (must not be null)	
in	callback_ptr	The function pointer of the timer callback (must not be null).	

### Returns

Execution status, see OSAL Return Code Defines

#### **Return values**

OS_SUCCESS	Successful execution.
OS_INVALID_POINTER	if any parameters are NULL
OS_ERR_NAME_TOO_LONG	name length including null terminator greater than OS_MAX_API_NAME
OS_ERR_NAME_TAKEN	if the name is already in use by another timer.
OS_ERR_NO_FREE_IDS	if all of the timers are already allocated.
OS_ERR_INCORRECT_OBJ_STATE	if invoked from a timer context
OS_TIMER_ERR_INTERNAL	if there was an error programming the OS timer (return value only verified
	in coverage test)

### 36.70.2.3 OS\_TimerDelete()

### Deletes a timer resource.

The application callback associated with the timer will be stopped, and the resources freed for future use.

### Note

This configuration API must not be used from the context of a timer callback. Timers should only be configured from the context of normal OSAL tasks.

### **Parameters**

in	timer←	The timer ID to operate on
	_id	

# Returns

Execution status, see OSAL Return Code Defines

# Return values

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the timer_id is invalid.
OS_TIMER_ERR_INTERNAL	if there was a problem deleting the timer in the host OS (return value only verified in coverage test)
OS_ERR_INCORRECT_OBJ_STATE	if called from timer/timebase context

# 36.70.2.4 OS\_TimerGetIdByName()

Locate an existing timer resource by name.

Outputs the ID associated with the given timer, if it exists.

# Note

This configuration API must not be used from the context of a timer callback. Timers should only be configured from the context of normal OSAL tasks.

### **Parameters**

out	timer_id	Will be set to the timer ID corresponding to the name (must not be null)
in	timer_name	The timer name to find (must not be null)

# Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.

36.70 OSAL Timer APIs 479

### **Return values**

OS_INVALID_POINTER	if timer_id or timer_name are NULL pointers
OS_ERR_NAME_TOO_LONG	name length including null terminator greater than OS_MAX_API_NAME
OS_ERR_NAME_NOT_FOUND	if the name was not found in the table
OS_ERR_INCORRECT_OBJ_STATE	if called from timer/timebase context

# 36.70.2.5 OS\_TimerGetInfo()

Gets information about an existing timer.

This function takes timer\_id, and looks it up in the OS table. It puts all of the information known about that timer into a structure pointer to by timer\_prop.

#### Note

This configuration API must not be used from the context of a timer callback. Timers should only be configured from the context of normal OSAL tasks.

## **Parameters**

in	timer_id	The timer ID to operate on
out	timer_prop	Buffer containing timer properties (must not be null)
		creator: the OS task ID of the task that created this timer
		name: the string name of the timer
		<ul> <li>start_time: the start time in microseconds, if any</li> </ul>
		interval_time: the interval time in microseconds, if any
		accuracy: the accuracy of the timer in microseconds

## Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the id passed in is not a valid timer
OS_INVALID_POINTER	if the timer_prop pointer is null
OS_ERR_INCORRECT_OBJ_STATE	if called from timer/timebase context

### 36.70.2.6 OS\_TimerSet()

Configures a periodic or one shot timer.

This function programs the timer with a start time and an optional interval time. The start time is the time in microseconds when the user callback function will be called. If the interval time is non-zero, the timer will be reprogrammed with that interval in microseconds to call the user callback function periodically. If the start time and interval time are zero, the function will return an error.

For a "one-shot" timer, the start\_time configures the expiration time, and the interval\_time should be passed as zero to indicate the timer is not to be automatically reset.

#### Note

The resolution of the times specified is limited to the clock accuracy returned in the OS\_TimerCreate call. If the times specified in the start\_msec or interval\_msec parameters are less than the accuracy, they will be rounded up to the accuracy of the timer.

This configuration API must not be used from the context of a timer callback. Timers should only be configured from the context of normal OSAL tasks.

#### **Parameters**

in	timer_id	The timer ID to operate on	
in	start_time	Time in microseconds to the first expiration	
in	interval_time	interval_time Time in microseconds between subsequent intervals, value of zero will only call the user	
		callback function once after the start_msec time.	

#### Returns

Execution status, see OSAL Return Code Defines

OS_SUCCESS	Successful execution.
OS_ERR_INVALID_ID	if the timer_id is not valid.
OS_TIMER_ERR_INTERNAL	if there was an error programming the OS timer (return value only verified in coverage test)
OS_ERR_INCORRECT_OBJ_STATE	if called from timer/timebase context
OS_TIMER_ERR_INVALID_ARGS	if the start_time or interval_time is out of range, or both 0

# 37 Data Structure Documentation

# 37.1 CCSDS\_ExtendedHeader Struct Reference

CCSDS packet extended header.

```
#include <ccsds_hdr.h>
```

#### **Data Fields**

• uint8 Subsystem [2]

subsystem qualifier

• uint8 SystemId [2] system qualifier

### 37.1.1 Detailed Description

CCSDS packet extended header.

Definition at line 77 of file ccsds\_hdr.h.

#### 37.1.2 Field Documentation

### 37.1.2.1 Subsystem

```
uint8 CCSDS_ExtendedHeader::Subsystem[2]
```

subsystem qualifier

Definition at line 80 of file ccsds\_hdr.h.

### 37.1.2.2 SystemId

```
uint8 CCSDS_ExtendedHeader::SystemId[2]
```

system qualifier

Definition at line 87 of file ccsds\_hdr.h.

The documentation for this struct was generated from the following file:

cfe/modules/msg/fsw/inc/ccsds\_hdr.h

# 37.2 CCSDS\_PrimaryHeader Struct Reference

```
CCSDS packet primary header.
```

```
#include <ccsds_hdr.h>
```

# **Data Fields**

uint8 StreamId [2]

packet identifier word (stream ID)

• uint8 Sequence [2]

packet sequence word

• uint8 Length [2]

packet length word

# 37.2.1 Detailed Description

CCSDS packet primary header.

Definition at line 53 of file ccsds\_hdr.h.

# 37.2.2 Field Documentation

# 37.2.2.1 Length

```
uint8 CCSDS_PrimaryHeader::Length[2]
```

packet length word

Definition at line 68 of file ccsds\_hdr.h.

## 37.2.2.2 Sequence

```
uint8 CCSDS_PrimaryHeader::Sequence[2]
```

packet sequence word

Definition at line 63 of file ccsds\_hdr.h.

### 37.2.2.3 StreamId

```
uint8 CCSDS_PrimaryHeader::StreamId[2]
```

packet identifier word (stream ID)

Definition at line 56 of file ccsds hdr.h.

The documentation for this struct was generated from the following file:

• cfe/modules/msg/fsw/inc/ccsds\_hdr.h

## 37.3 CFE ES Applnfo Struct Reference

Application Information.

```
#include <cfe_es_extern_typedefs.h>
```

#### **Data Fields**

CFE Resourceld t Resourceld

Application or Library ID for this resource.

· uint32 Type

The type of App: CORE or EXTERNAL.

char Name [CFE\_MISSION\_MAX\_API\_LEN]

The Registered Name of the Application.

• char EntryPoint [CFE\_MISSION\_MAX\_API\_LEN]

The Entry Point label for the Application.

char FileName [CFE MISSION MAX PATH LEN]

The Filename of the file containing the Application.

CFE\_ES\_MemOffset\_t StackSize

The Stack Size of the Application.

· uint32 AddressesAreValid

Indicates that the Code, Data, and BSS addresses/sizes are valid.

- CFE\_ES\_MemAddOff\_t Code
- CFE\_ES\_MemAddOff\_t Data
- CFE\_ES\_MemAddOff\_t BSS
- CFE\_ES\_MemAddress\_t StartAddress

The Start Address of the Application.

CFE\_ES\_ExceptionAction\_Enum\_t ExceptionAction

What should occur if Application has an exception (Restart Application OR Restart Processor)

CFE\_ES\_TaskPriority\_Atom\_t Priority

The Priority of the Application.

CFE\_ES\_TaskId\_t MainTaskId

The Application's Main Task ID.

uint32 ExecutionCounter

The Application's Main Task Execution Counter.

char MainTaskName [CFE\_MISSION\_MAX\_API\_LEN]

The Application's Main Task ID.

uint32 NumOfChildTasks

Number of Child tasks for an App.

# 37.3.1 Detailed Description

Application Information.

Structure that is used to provide information about an app. It is primarily used for the QueryOne and QueryAll Commands.

While this structure is primarily intended for Application info, it can also represent Library information where only a subset of the information applies.

Definition at line 457 of file cfe es extern typedefs.h.

37.3.2 Field Documentation

### 37.3.2.1 AddressesAreValid

```
uint32 CFE_ES_AppInfo::AddressesAreValid
```

Indicates that the Code, Data, and BSS addresses/sizes are valid.

Telemetry Mnemonic(s) \$sc\_\$cpu\_ES\_AddrsValid

Definition at line 473 of file cfe\_es\_extern\_typedefs.h.

37.3.2.2 BSS

CFE\_ES\_MemAddOff\_t CFE\_ES\_AppInfo::BSS

Definition at line 479 of file cfe\_es\_extern\_typedefs.h.

37.3.2.3 Code

CFE\_ES\_MemAddOff\_t CFE\_ES\_AppInfo::Code

Definition at line 475 of file cfe\_es\_extern\_typedefs.h.

37.3.2.4 Data

```
CFE_ES_MemAddOff_t CFE_ES_AppInfo::Data
```

Definition at line 477 of file cfe es extern typedefs.h.

37.3.2.5 EntryPoint

```
char CFE_ES_AppInfo::EntryPoint[CFE_MISSION_MAX_API_LEN]
```

The Entry Point label for the Application.

**Telemetry Mnemonic(s)** \$sc\_\$cpu\_ES\_AppEntryPt[OS\_MAX\_API\_NAME]

Definition at line 466 of file cfe\_es\_extern\_typedefs.h.

37.3.2.6 ExceptionAction

```
CFE_ES_ExceptionAction_Enum_t CFE_ES_AppInfo::ExceptionAction
```

What should occur if Application has an exception (Restart Application OR Restart Processor)

**Telemetry Mnemonic(s)** \$sc\_\$cpu\_ES\_ExceptnActn

Definition at line 483 of file cfe\_es\_extern\_typedefs.h.

37.3.2.7 ExecutionCounter

```
uint32 CFE_ES_AppInfo::ExecutionCounter
```

The Application's Main Task Execution Counter.

Telemetry Mnemonic(s) \$sc\_\$cpu\_ES\_ExecutionCtr

Definition at line 490 of file cfe\_es\_extern\_typedefs.h.

### 37.3.2.8 FileName

```
char CFE_ES_AppInfo::FileName[CFE_MISSION_MAX_PATH_LEN]
```

The Filename of the file containing the Application.

**Telemetry Mnemonic(s)** \$sc\_\$cpu\_ES\_AppFilename[OS\_MAX\_PATH\_LEN]

Definition at line 468 of file cfe\_es\_extern\_typedefs.h.

#### 37.3.2.9 MainTaskId

```
CFE_ES_TaskId_t CFE_ES_AppInfo::MainTaskId
```

The Application's Main Task ID.

Telemetry Mnemonic(s) \$sc\_\$cpu\_ES\_MainTaskId

Definition at line 488 of file cfe\_es\_extern\_typedefs.h.

#### 37.3.2.10 MainTaskName

```
char CFE_ES_AppInfo::MainTaskName[CFE_MISSION_MAX_API_LEN]
```

The Application's Main Task ID.

**Telemetry Mnemonic(s)** \$sc\_\$cpu\_ES\_MainTaskName[OS\_MAX\_API\_NAME]

Definition at line 492 of file cfe\_es\_extern\_typedefs.h.

### 37.3.2.11 Name

```
char CFE_ES_AppInfo::Name[CFE_MISSION_MAX_API_LEN]
```

The Registered Name of the Application.

**Telemetry Mnemonic(s)** \$sc\_\$cpu\_ES\_AppName[OS\_MAX\_API\_NAME]

Definition at line 464 of file cfe\_es\_extern\_typedefs.h.

37.3.2.12 NumOfChildTasks

uint32 CFE\_ES\_AppInfo::NumOfChildTasks

Number of Child tasks for an App.

**Telemetry Mnemonic(s)** \$sc\_\$cpu\_ES\_ChildTasks

Definition at line 494 of file cfe\_es\_extern\_typedefs.h.

37.3.2.13 Priority

CFE\_ES\_TaskPriority\_Atom\_t CFE\_ES\_AppInfo::Priority

The Priority of the Application.

Telemetry Mnemonic(s) \$sc\_\$cpu\_ES\_Priority

Definition at line 486 of file cfe\_es\_extern\_typedefs.h.

37.3.2.14 Resourceld

CFE\_ResourceId\_t CFE\_ES\_AppInfo::ResourceId

Application or Library ID for this resource.

Telemetry Mnemonic(s) \$sc\_\$cpu\_ES\_AppID

Definition at line 459 of file cfe\_es\_extern\_typedefs.h.

37.3.2.15 StackSize

CFE\_ES\_MemOffset\_t CFE\_ES\_AppInfo::StackSize

The Stack Size of the Application.

Telemetry Mnemonic(s) \$sc\_\$cpu\_ES\_StackSize

Definition at line 471 of file cfe\_es\_extern\_typedefs.h.

### 37.3.2.16 StartAddress

```
CFE_ES_MemAddress_t CFE_ES_AppInfo::StartAddress
```

The Start Address of the Application.

Telemetry Mnemonic(s) \$sc\_\$cpu\_ES\_StartAddr

Definition at line 481 of file cfe\_es\_extern\_typedefs.h.

```
37.3.2.17 Type
```

```
uint32 CFE_ES_AppInfo::Type
```

The type of App: CORE or EXTERNAL.

Telemetry Mnemonic(s) \$sc\_\$cpu\_ES\_AppType

Definition at line 461 of file cfe\_es\_extern\_typedefs.h.

The documentation for this struct was generated from the following file:

• cfe/modules/core\_api/fsw/inc/cfe\_es\_extern\_typedefs.h

# 37.4 CFE\_ES\_AppNameCmd Struct Reference

Generic application name command.

```
#include <cfe_es_msg.h>
```

#### **Data Fields**

- CFE\_MSG\_CommandHeader\_t CommandHeader Command header.
- CFE\_ES\_AppNameCmd\_Payload\_t Payload

Command payload.

# 37.4.1 Detailed Description

Generic application name command.

Definition at line 1200 of file cfe es msg.h.

### 37.4.2 Field Documentation

#### 37.4.2.1 CommandHeader

 ${\tt CFE\_MSG\_CommandHeader\_t\ CFE\_ES\_AppNameCmd::CommandHeader\_t\ CFE\_ES\_AppNameCmd::CFE\_ES$ 

Command header.

Definition at line 1202 of file cfe\_es\_msg.h.

# 37.4.2.2 Payload

```
CFE_ES_AppNameCmd_Payload_t CFE_ES_AppNameCmd::Payload
```

Command payload.

Definition at line 1203 of file cfe\_es\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/fsw/inc/cfe\_es\_msg.h

# 37.5 CFE\_ES\_AppNameCmd\_Payload Struct Reference

Generic application name command payload.

```
#include <cfe_es_msq.h>
```

#### **Data Fields**

char Application [CFE\_MISSION\_MAX\_API\_LEN]
 ASCII text string containing Application or Library Name.

## 37.5.1 Detailed Description

Generic application name command payload.

For command details, see CFE\_ES\_STOP\_APP\_CC, CFE\_ES\_RESTART\_APP\_CC, CFE\_ES\_QUERY\_ONE\_CC

Definition at line 1192 of file cfe\_es\_msg.h.

# 37.5.2 Field Documentation

# 37.5.2.1 Application

```
char CFE_ES_AppNameCmd_Payload::Application[CFE_MISSION_MAX_API_LEN]
```

ASCII text string containing Application or Library Name.

Definition at line 1194 of file cfe\_es\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/fsw/inc/cfe\_es\_msg.h

# 37.6 CFE\_ES\_AppReloadCmd\_Payload Struct Reference

Reload Application Command Payload.

```
#include <cfe_es_msg.h>
```

## **Data Fields**

- char Application [CFE\_MISSION\_MAX\_API\_LEN]
  - ASCII text string containing Application Name.
- char AppFileName [CFE\_MISSION\_MAX\_PATH\_LEN]

Full path and filename of Application's executable image.

### 37.6.1 Detailed Description

Reload Application Command Payload.

For command details, see CFE\_ES\_RELOAD\_APP\_CC

Definition at line 1221 of file cfe\_es\_msg.h.

#### 37.6.2 Field Documentation

# 37.6.2.1 AppFileName

```
char CFE_ES_AppReloadCmd_Payload::AppFileName[CFE_MISSION_MAX_PATH_LEN]
```

Full path and filename of Application's executable image.

Definition at line 1224 of file cfe\_es\_msg.h.

### 37.6.2.2 Application

```
char CFE_ES_AppReloadCmd_Payload::Application[CFE_MISSION_MAX_API_LEN]
```

ASCII text string containing Application Name.

Definition at line 1223 of file cfe\_es\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/fsw/inc/cfe\_es\_msg.h

# 37.7 CFE ES BlockStats Struct Reference

Block statistics.

```
#include <cfe_es_extern_typedefs.h>
```

### **Data Fields**

• CFE\_ES\_MemOffset\_t BlockSize

Number of bytes in each of these blocks.

· uint32 NumCreated

Number of Memory Blocks of this size created.

• uint32 NumFree

Number of Memory Blocks of this size that are free.

#### 37.7.1 Detailed Description

Block statistics.

Sub-Structure that is used to provide information about a specific block size/bucket within a memory pool.

Definition at line 549 of file cfe\_es\_extern\_typedefs.h.

# 37.7.2 Field Documentation

### 37.7.2.1 BlockSize

```
CFE_ES_MemOffset_t CFE_ES_BlockStats::BlockSize
```

Number of bytes in each of these blocks.

Definition at line 551 of file cfe\_es\_extern\_typedefs.h.

### 37.7.2.2 NumCreated

```
uint32 CFE_ES_BlockStats::NumCreated
```

Number of Memory Blocks of this size created.

Definition at line 552 of file cfe\_es\_extern\_typedefs.h.

## 37.7.2.3 NumFree

```
uint32 CFE_ES_BlockStats::NumFree
```

Number of Memory Blocks of this size that are free.

Definition at line 553 of file cfe\_es\_extern\_typedefs.h.

The documentation for this struct was generated from the following file:

• cfe/modules/core\_api/fsw/inc/cfe\_es\_extern\_typedefs.h

# 37.8 CFE\_ES\_CDSRegDumpRec Struct Reference

CDS Register Dump Record.

#include <cfe\_es\_extern\_typedefs.h>

#### **Data Fields**

CFE\_ES\_CDSHandle\_t Handle

Handle of CDS.

CFE\_ES\_MemOffset\_t Size

Size, in bytes, of the CDS memory block.

bool Table

Flag that indicates whether CDS contains a Critical Table.

• char Name [CFE\_MISSION\_ES\_CDS\_MAX\_FULL\_NAME\_LEN]

Processor Unique Name of CDS.

• uint8 ByteAlignSpare [3]

Spare bytes to ensure structure size is multiple of 4 bytes.

### 37.8.1 Detailed Description

CDS Register Dump Record.

Structure that is used to provide information about a critical data store. It is primarily used for the Dump CDS registry (CFE\_ES\_DUMP\_CDS\_REGISTRY\_CC) command.

Note

There is not currently a telemetry message directly containing this data structure, but it does define the format of the data file generated by the Dump CDS registry command. Therefore it should be considered part of the overall telemetry interface.

Definition at line 534 of file cfe es extern typedefs.h.

37.8.2 Field Documentation

37.8.2.1 ByteAlignSpare

uint8 CFE\_ES\_CDSRegDumpRec::ByteAlignSpare[3]

Spare bytes to ensure structure size is multiple of 4 bytes.

Definition at line 540 of file cfe\_es\_extern\_typedefs.h.

37.8.2.2 Handle

CFE\_ES\_CDSHandle\_t CFE\_ES\_CDSRegDumpRec::Handle

Handle of CDS.

Definition at line 536 of file cfe\_es\_extern\_typedefs.h.

### 37.8.2.3 Name

```
char CFE_ES_CDSRegDumpRec::Name[CFE_MISSION_ES_CDS_MAX_FULL_NAME_LEN]
```

Processor Unique Name of CDS.

Definition at line 539 of file cfe\_es\_extern\_typedefs.h.

#### 37.8.2.4 Size

```
CFE_ES_MemOffset_t CFE_ES_CDSRegDumpRec::Size
```

Size, in bytes, of the CDS memory block.

Definition at line 537 of file cfe\_es\_extern\_typedefs.h.

### 37.8.2.5 Table

```
bool CFE_ES_CDSRegDumpRec::Table
```

Flag that indicates whether CDS contains a Critical Table.

Definition at line 538 of file cfe\_es\_extern\_typedefs.h.

The documentation for this struct was generated from the following file:

• cfe/modules/core\_api/fsw/inc/cfe\_es\_extern\_typedefs.h

# 37.9 CFE\_ES\_DeleteCDSCmd Struct Reference

Delete Critical Data Store Command.

```
#include <cfe_es_msg.h>
```

#### **Data Fields**

- CFE\_MSG\_CommandHeader\_t CommandHeader
  - Command header.
- CFE\_ES\_DeleteCDSCmd\_Payload\_t Payload

Command payload.

37.9.1 Detailed Description

Delete Critical Data Store Command.

Definition at line 1274 of file cfe\_es\_msg.h.

37.9.2 Field Documentation

### 37.9.2.1 CommandHeader

CFE\_MSG\_CommandHeader\_t CFE\_ES\_DeleteCDSCmd::CommandHeader

Command header.

Definition at line 1276 of file cfe\_es\_msg.h.

### 37.9.2.2 Payload

CFE\_ES\_DeleteCDSCmd\_Payload\_t CFE\_ES\_DeleteCDSCmd::Payload

Command payload.

Definition at line 1277 of file cfe\_es\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/fsw/inc/cfe es msg.h

# 37.10 CFE\_ES\_DeleteCDSCmd\_Payload Struct Reference

Delete Critical Data Store Command Payload.

#include <cfe\_es\_msg.h>

#### **Data Fields**

char CdsName [CFE\_MISSION\_ES\_CDS\_MAX\_FULL\_NAME\_LEN]

ASCII text string containing name of CDS to delete.

# 37.10.1 Detailed Description

Delete Critical Data Store Command Payload.

For command details, see CFE\_ES\_DELETE\_CDS\_CC

Definition at line 1264 of file cfe\_es\_msg.h.

37.10.2 Field Documentation

#### 37.10.2.1 CdsName

```
char CFE_ES_DeleteCDSCmd_Payload::CdsName[CFE_MISSION_ES_CDS_MAX_FULL_NAME_LEN]
```

ASCII text string containing name of CDS to delete.

Definition at line 1267 of file cfe es msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/fsw/inc/cfe\_es\_msg.h

# 37.11 CFE\_ES\_DumpCDSRegistryCmd Struct Reference

Dump CDS Registry Command.

```
#include <cfe_es_msg.h>
```

#### **Data Fields**

- CFE\_MSG\_CommandHeader\_t CommandHeader
  - Command header.
- CFE\_ES\_DumpCDSRegistryCmd\_Payload\_t Payload

Command payload.

# 37.11.1 Detailed Description

Dump CDS Registry Command.

Definition at line 1402 of file cfe\_es\_msg.h.

### 37.11.2 Field Documentation

#### 37.11.2.1 CommandHeader

```
{\tt CFE\_MSG\_CommandHeader\_t\ CFE\_ES\_DumpCDSRegistryCmd::CommandHeader\_t\ CFE\_ES\_DumpCDSRegistryCmd::CFE\_ES\_DumpCDSRegistryCmd::CFE\_ES\_DumpCDSRegistryCmd::CFE\_ES\_DumpCDSRegistryCmd::CFE\_ES\_DumpCDSRegistryCmd::CFE\_ES\_DumpCDSRegistryCmd::CFE\_ES\_DumpCDSRegistryCmd::CFE\_ES\_DumpCDSRegistryCmd::CFE\_ES\_DumpCDSRegistryCmd::CFE\_ES\_DumpCDSRegistryCmd::CFE\_ES\_DumpCDSRegistryCmd::CFE\_ES\_DumpCDSRegistryCmd::CFE\_ES\_DumpCDSRegistryCmd::CFE\_ES\_DumpCDSRegistryCmd::CFE\_ES\_DumpCDSRegistryCmd::CFE\_ES\_DumpCDSRegistryCmd::CFE\_ES\_DumpCDSRegistryCmd::CFE\_ES\_DumpCDSRegistryCmd::CFE\_ES\_DumpCDSRegistryCmd::CFE\_ES\_DumpCDSRegistryCmd::CFE\_ES\_DumpCDSRegistryCmd::CFE\_ES\_DumpCDSRegistryCmd::CFE\_ES\_DumpCDS
```

Command header.

Definition at line 1404 of file cfe\_es\_msg.h.

# 37.11.2.2 Payload

```
CFE_ES_DumpCDSRegistryCmd_Payload_t CFE_ES_DumpCDSRegistryCmd::Payload
```

Command payload.

Definition at line 1405 of file cfe\_es\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/fsw/inc/cfe\_es\_msg.h

# 37.12 CFE\_ES\_DumpCDSRegistryCmd\_Payload Struct Reference

Dump CDS Registry Command Payload.

```
#include <cfe_es_msq.h>
```

#### **Data Fields**

• char DumpFilename [CFE\_MISSION\_MAX\_PATH\_LEN]

ASCII text string of full path and filename of file CDS Registry is to be written.

### 37.12.1 Detailed Description

Dump CDS Registry Command Payload.

For command details, see CFE\_ES\_DUMP\_CDS\_REGISTRY\_CC

Definition at line 1393 of file cfe\_es\_msg.h.

# 37.12.2 Field Documentation

# 37.12.2.1 DumpFilename

```
char CFE_ES_DumpCDSRegistryCmd_Payload::DumpFilename[CFE_MISSION_MAX_PATH_LEN]
```

ASCII text string of full path and filename of file CDS Registry is to be written.

Definition at line 1395 of file cfe\_es\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/fsw/inc/cfe es msg.h

# 37.13 CFE\_ES\_FileNameCmd Struct Reference

Generic file name command.

```
#include <cfe_es_msg.h>
```

### **Data Fields**

· CFE MSG CommandHeader t CommandHeader

Command header.

CFE\_ES\_FileNameCmd\_Payload\_t Payload

Command payload.

### 37.13.1 Detailed Description

Generic file name command.

Definition at line 1117 of file cfe\_es\_msg.h.

37.13.2 Field Documentation

#### 37.13.2.1 CommandHeader

```
CFE_MSG_CommandHeader_t CFE_ES_FileNameCmd::CommandHeader
```

Command header.

Definition at line 1119 of file cfe\_es\_msg.h.

# 37.13.2.2 Payload

```
CFE_ES_FileNameCmd_Payload_t CFE_ES_FileNameCmd::Payload
```

Command payload.

Definition at line 1120 of file cfe\_es\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/fsw/inc/cfe\_es\_msg.h

### 37.14 CFE ES FileNameCmd Payload Struct Reference

Generic file name command payload.

```
#include <cfe_es_msg.h>
```

#### **Data Fields**

• char FileName [CFE\_MISSION\_MAX\_PATH\_LEN]

ASCII text string containing full path and filename of file in which Application data is to be dumped.

#### 37.14.1 Detailed Description

Generic file name command payload.

This format is shared by several executive services commands. For command details, see CFE\_ES\_QUERY\_ALL\_CC, CFE\_ES\_QUERY\_ALL\_TASKS\_CC, CFE\_ES\_WRITE\_SYSLOG\_CC, and CFE\_ES\_WRITE\_ER\_LOG\_CC

Definition at line 1108 of file cfe\_es\_msg.h.

37.14.2 Field Documentation

#### 37.14.2.1 FileName

```
char CFE_ES_FileNameCmd_Payload::FileName[CFE_MISSION_MAX_PATH_LEN]
```

ASCII text string containing full path and filename of file in which Application data is to be dumped.

Definition at line 1110 of file cfe\_es\_msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/es/fsw/inc/cfe es msg.h

# 37.15 CFE\_ES\_HousekeepingTlm Struct Reference

```
#include <cfe_es_msg.h>
```

#### **Data Fields**

- CFE\_MSG\_TelemetryHeader\_t TelemetryHeader Telemetry header.
- CFE\_ES\_HousekeepingTlm\_Payload\_t Payload Telemetry payload.

### 37.15.1 Detailed Description

Definition at line 1550 of file cfe\_es\_msg.h.

37.15.2 Field Documentation

# 37.15.2.1 Payload

CFE\_ES\_HousekeepingTlm\_Payload\_t CFE\_ES\_HousekeepingTlm::Payload

Telemetry payload.

Definition at line 1553 of file cfe\_es\_msg.h.

## 37.15.2.2 TelemetryHeader

```
CFE_MSG_TelemetryHeader_t CFE_ES_HousekeepingTlm::TelemetryHeader
```

Telemetry header.

Definition at line 1552 of file cfe\_es\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/fsw/inc/cfe\_es\_msg.h

# 37.16 CFE\_ES\_HousekeepingTlm\_Payload Struct Reference

#include <cfe\_es\_msg.h>

#### **Data Fields**

· uint8 CommandCounter

The ES Application Command Counter.

uint8 CommandErrorCounter

The ES Application Command Error Counter.

· uint16 CFECoreChecksum

Checksum of cFE Core Code.

· uint8 CFEMajorVersion

Major Version Number of cFE.

uint8 CFEMinorVersion

Minor Version Number of cFE.

· uint8 CFERevision

Sub-Minor Version Number of cFE.

· uint8 CFEMissionRevision

Mission Version Number of cFE.

· uint8 OSALMajorVersion

OS Abstraction Layer Major Version Number.

• uint8 OSALMinorVersion

OS Abstraction Layer Minor Version Number.

uint8 OSALRevision

OS Abstraction Layer Revision Number.

uint8 OSALMissionRevision

OS Abstraction Layer MissionRevision Number.

• uint8 PSPMajorVersion

Platform Support Package Major Version Number.

uint8 PSPMinorVersion

Platform Support Package Minor Version Number.

uint8 PSPRevision

Platform Support Package Revision Number.

• uint8 PSPMissionRevision

Platform Support Package MissionRevision Number.

CFE\_ES\_MemOffset\_t SysLogBytesUsed

Total number of bytes used in system log.

CFE\_ES\_MemOffset\_t SysLogSize

Total size of the system log.

uint32 SysLogEntries

Number of entries in the system log.

uint32 SysLogMode

Write/Overwrite Mode.

uint32 ERLogIndex

Current index of the ER Log (wraps around)

uint32 ERLogEntries

Number of entries made in the ER Log since the power on.

uint32 RegisteredCoreApps

Number of Applications registered with ES.

uint32 RegisteredExternalApps

Number of Applications registered with ES.

uint32 RegisteredTasks

Number of Tasks (main AND child tasks) registered with ES.

uint32 RegisteredLibs

Number of Libraries registered with ES.

uint32 ResetType

Reset type ( PROCESSOR or POWERON )

uint32 ResetSubtype

Reset Sub Type.

• uint32 ProcessorResets

Number of processor resets since last power on.

uint32 MaxProcessorResets

Max processor resets before a power on is done.

uint32 BootSource

Boot source ( as provided from BSP )

· uint32 PerfState

Current state of Performance Analyzer.

uint32 PerfMode

Current mode of Performance Analyzer.

uint32 PerfTriggerCount

Number of Times Performance Analyzer has Triggered.

uint32 PerfFilterMask [CFE\_MISSION\_ES\_PERF\_MAX\_IDS/32]

Current Setting of Performance Analyzer Filter Masks.

uint32 PerfTriggerMask [CFE\_MISSION\_ES\_PERF\_MAX\_IDS/32]

Current Setting of Performance Analyzer Trigger Masks.

· uint32 PerfDataStart

Identifies First Stored Entry in Performance Analyzer Log.

uint32 PerfDataEnd

Identifies Last Stored Entry in Performance Analyzer Log.

· uint32 PerfDataCount

Number of Entries Put Into the Performance Analyzer Log.

• uint32 PerfDataToWrite

Number of Performance Analyzer Log Entries Left to be Written to Log Dump File.

• CFE ES MemOffset t HeapBytesFree

Number of free bytes remaining in the OS heap.

CFE\_ES\_MemOffset\_t HeapBlocksFree

Number of free blocks remaining in the OS heap.

CFE\_ES\_MemOffset\_t HeapMaxBlockSize

Number of bytes in the largest free block.

#### 37.16.1 Detailed Description

Name Executive Services Housekeeping Packet

Definition at line 1453 of file cfe es msg.h.

37.16.2 Field Documentation

37.16.2.1 BootSource

uint32 CFE\_ES\_HousekeepingTlm\_Payload::BootSource

Boot source (as provided from BSP)

Telemetry Mnemonic(s) \$sc\_\$cpu\_ES\_BootSource

Definition at line 1519 of file cfe\_es\_msg.h.

37.16.2.2 CFECoreChecksum

uint16 CFE\_ES\_HousekeepingTlm\_Payload::CFECoreChecksum

Checksum of cFE Core Code.

Telemetry Mnemonic(s) \$sc\_\$cpu\_ES\_CKSUM

Definition at line 1460 of file cfe\_es\_msg.h.

37.16.2.3 CFEMajorVersion

uint8 CFE\_ES\_HousekeepingTlm\_Payload::CFEMajorVersion

Major Version Number of cFE.

Telemetry Mnemonic(s) \$sc\_\$cpu\_ES\_CFEMAJORVER

Definition at line 1462 of file cfe\_es\_msg.h.

37.16.2.4 CFEMinorVersion

uint8 CFE\_ES\_HousekeepingTlm\_Payload::CFEMinorVersion

Minor Version Number of cFE.

Telemetry Mnemonic(s) \$sc\_\$cpu\_ES\_CFEMINORVER

Definition at line 1464 of file cfe\_es\_msg.h.

# 37.16.2.5 CFEMissionRevision

uint8 CFE\_ES\_HousekeepingTlm\_Payload::CFEMissionRevision

Mission Version Number of cFE.

Telemetry Mnemonic(s) \$sc\_\$cpu\_ES\_CFEMISSIONREV

Definition at line 1468 of file cfe\_es\_msg.h.

37.16.2.6 CFERevision

uint8 CFE\_ES\_HousekeepingTlm\_Payload::CFERevision

Sub-Minor Version Number of cFE.

Telemetry Mnemonic(s) \$sc\_\$cpu\_ES\_CFEREVISION

Definition at line 1466 of file cfe\_es\_msg.h.

37.16.2.7 CommandCounter

uint8 CFE\_ES\_HousekeepingTlm\_Payload::CommandCounter

The ES Application Command Counter.

Telemetry Mnemonic(s) \$sc\_\$cpu\_ES\_CMDPC

Definition at line 1455 of file cfe\_es\_msg.h.

37.16.2.8 CommandErrorCounter

 $\verb|uint8| CFE\_ES\_HousekeepingTlm\_Payload::CommandErrorCounter|$ 

The ES Application Command Error Counter.

Telemetry Mnemonic(s) \$sc\_\$cpu\_ES\_CMDEC

Definition at line 1457 of file cfe\_es\_msg.h.

```
37.16.2.9 ERLogEntries
```

```
uint32 CFE_ES_HousekeepingTlm_Payload::ERLogEntries
```

Number of entries made in the ER Log since the power on.

Telemetry Mnemonic(s) \$sc\_\$cpu\_ES\_ERLOGENTRIES

Definition at line 1499 of file cfe\_es\_msg.h.

37.16.2.10 ERLogIndex

```
uint32 CFE_ES_HousekeepingTlm_Payload::ERLogIndex
```

Current index of the ER Log (wraps around)

Telemetry Mnemonic(s) \$sc\_\$cpu\_ES\_ERLOGINDEX

Definition at line 1497 of file cfe\_es\_msg.h.

37.16.2.11 HeapBlocksFree

```
CFE_ES_MemOffset_t CFE_ES_HousekeepingTlm_Payload::HeapBlocksFree
```

Number of free blocks remaining in the OS heap.

**Telemetry Mnemonic(s)** \$sc\_\$cpu\_ES\_HeapBlocksFree

Definition at line 1544 of file cfe\_es\_msg.h.

37.16.2.12 HeapBytesFree

```
{\tt CFE\_ES\_MemOffset\_t} \ {\tt CFE\_ES\_HousekeepingTlm\_Payload::} \\ {\tt HeapBytesFree} \\ {\tt TheapBytesFree} \\ {\tt CFE\_ES\_MemOffset\_t} \ {\tt CFE\_ES\_HousekeepingTlm\_Payload::} \\ {\tt CFE\_ES\_MemOffset\_t} \ {\tt CFE\_ES\_MemOffset\_t} \
```

Number of free bytes remaining in the OS heap.

**Telemetry Mnemonic(s)** \$sc\_\$cpu\_ES\_HeapBytesFree

Definition at line 1542 of file cfe\_es\_msg.h.

# 37.16.2.13 HeapMaxBlockSize

CFE\_ES\_MemOffset\_t CFE\_ES\_HousekeepingTlm\_Payload::HeapMaxBlockSize

Number of bytes in the largest free block.

Telemetry Mnemonic(s) \$sc\_\$cpu\_ES\_HeapMaxBlkSize

Definition at line 1546 of file cfe\_es\_msg.h.

#### 37.16.2.14 MaxProcessorResets

uint32 CFE\_ES\_HousekeepingTlm\_Payload::MaxProcessorResets

Max processor resets before a power on is done.

**Telemetry Mnemonic(s)** \$sc\_\$cpu\_ES\_MaxProcResets

Definition at line 1517 of file cfe\_es\_msg.h.

## 37.16.2.15 OSALMajorVersion

uint8 CFE\_ES\_HousekeepingTlm\_Payload::OSALMajorVersion

OS Abstraction Layer Major Version Number.

Telemetry Mnemonic(s) \$sc\_\$cpu\_ES\_OSMAJORVER

Definition at line 1470 of file cfe\_es\_msg.h.

# 37.16.2.16 OSALMinorVersion

uint8 CFE\_ES\_HousekeepingTlm\_Payload::OSALMinorVersion

OS Abstraction Layer Minor Version Number.

Telemetry Mnemonic(s) \$sc\_\$cpu\_ES\_OSMINORVER

Definition at line 1472 of file cfe\_es\_msg.h.

37.16.2.17 OSALMissionRevision

uint8 CFE\_ES\_HousekeepingTlm\_Payload::OSALMissionRevision

OS Abstraction Layer MissionRevision Number.

Telemetry Mnemonic(s) \$sc\_\$cpu\_ES\_OSMISSIONREV

Definition at line 1476 of file cfe\_es\_msg.h.

37.16.2.18 OSALRevision

uint8 CFE\_ES\_HousekeepingTlm\_Payload::OSALRevision

OS Abstraction Layer Revision Number.

Telemetry Mnemonic(s) \$sc\_\$cpu\_ES\_OSREVISION

Definition at line 1474 of file cfe\_es\_msg.h.

37.16.2.19 PerfDataCount

uint32 CFE\_ES\_HousekeepingTlm\_Payload::PerfDataCount

Number of Entries Put Into the Performance Analyzer Log.

Telemetry Mnemonic(s) \$sc\_\$cpu\_ES\_PerfDataCnt

Definition at line 1537 of file cfe\_es\_msg.h.

37.16.2.20 PerfDataEnd

uint32 CFE\_ES\_HousekeepingTlm\_Payload::PerfDataEnd

Identifies Last Stored Entry in Performance Analyzer Log.

**Telemetry Mnemonic(s)** \$sc\_\$cpu\_ES\_PerfDataEnd

Definition at line 1535 of file cfe\_es\_msg.h.

## 37.16.2.21 PerfDataStart

uint32 CFE\_ES\_HousekeepingTlm\_Payload::PerfDataStart

Identifies First Stored Entry in Performance Analyzer Log.

**Telemetry Mnemonic(s)** \$sc\_\$cpu\_ES\_PerfDataStart

Definition at line 1533 of file cfe\_es\_msg.h.

#### 37.16.2.22 PerfDataToWrite

```
uint32 CFE_ES_HousekeepingTlm_Payload::PerfDataToWrite
```

Number of Performance Analyzer Log Entries Left to be Written to Log Dump File.

**Telemetry Mnemonic(s)** \$sc\_\$cpu\_ES\_PerfData2Write

Definition at line 1540 of file cfe\_es\_msg.h.

#### 37.16.2.23 PerfFilterMask

uint32 CFE\_ES\_HousekeepingTlm\_Payload::PerfFilterMask[CFE\_MISSION\_ES\_PERF\_MAX\_IDS/32]

Current Setting of Performance Analyzer Filter Masks.

**Telemetry Mnemonic(s)** \$sc\_\$cpu\_ES\_PerfFltrMask[MaskCnt]

Definition at line 1528 of file cfe\_es\_msg.h.

## 37.16.2.24 PerfMode

uint32 CFE\_ES\_HousekeepingTlm\_Payload::PerfMode

Current mode of Performance Analyzer.

**Telemetry Mnemonic(s)** \$sc\_\$cpu\_ES\_PerfMode

Definition at line 1524 of file cfe\_es\_msg.h.

37.16.2.25 PerfState

uint32 CFE\_ES\_HousekeepingTlm\_Payload::PerfState

Current state of Performance Analyzer.

Telemetry Mnemonic(s) \$sc\_\$cpu\_ES\_PerfState

Definition at line 1522 of file cfe\_es\_msg.h.

37.16.2.26 PerfTriggerCount

uint32 CFE\_ES\_HousekeepingTlm\_Payload::PerfTriggerCount

Number of Times Performance Analyzer has Triggered.

**Telemetry Mnemonic(s)** \$sc\_\$cpu\_ES\_PerfTrigCnt

Definition at line 1526 of file cfe\_es\_msg.h.

37.16.2.27 PerfTriggerMask

uint32 CFE\_ES\_HousekeepingTlm\_Payload::PerfTriggerMask[CFE\_MISSION\_ES\_PERF\_MAX\_IDS/32]

Current Setting of Performance Analyzer Trigger Masks.

**Telemetry Mnemonic(s)** \$sc\_\$cpu\_ES\_PerfTrigMask[MaskCnt]

Definition at line 1531 of file cfe\_es\_msg.h.

37.16.2.28 ProcessorResets

uint32 CFE\_ES\_HousekeepingTlm\_Payload::ProcessorResets

Number of processor resets since last power on.

**Telemetry Mnemonic(s)** \$sc\_\$cpu\_ES\_ProcResetCnt

Definition at line 1515 of file cfe\_es\_msg.h.

# 37.16.2.29 PSPMajorVersion

uint8 CFE\_ES\_HousekeepingTlm\_Payload::PSPMajorVersion

Platform Support Package Major Version Number.

Telemetry Mnemonic(s) \$sc\_\$cpu\_ES\_PSPMAJORVER

Definition at line 1479 of file cfe\_es\_msg.h.

37.16.2.30 PSPMinorVersion

uint8 CFE\_ES\_HousekeepingTlm\_Payload::PSPMinorVersion

Platform Support Package Minor Version Number.

Telemetry Mnemonic(s) \$sc\_\$cpu\_ES\_PSPMINORVER

Definition at line 1481 of file cfe\_es\_msg.h.

37.16.2.31 PSPMissionRevision

uint8 CFE\_ES\_HousekeepingTlm\_Payload::PSPMissionRevision

Platform Support Package MissionRevision Number.

Telemetry Mnemonic(s) \$sc\_\$cpu\_ES\_PSPMISSIONREV

Definition at line 1485 of file cfe\_es\_msg.h.

37.16.2.32 PSPRevision

 ${\tt uint 8 \ CFE\_ES\_HousekeepingTlm\_Payload::PSPRevision}$ 

Platform Support Package Revision Number.

Telemetry Mnemonic(s) \$sc\_\$cpu\_ES\_PSPREVISION

Definition at line 1483 of file cfe\_es\_msg.h.

37.16.2.33 RegisteredCoreApps

uint32 CFE\_ES\_HousekeepingTlm\_Payload::RegisteredCoreApps

Number of Applications registered with ES.

Telemetry Mnemonic(s) \$sc\_\$cpu\_ES\_RegCoreApps

Definition at line 1502 of file cfe\_es\_msg.h.

37.16.2.34 RegisteredExternalApps

uint32 CFE\_ES\_HousekeepingTlm\_Payload::RegisteredExternalApps

Number of Applications registered with ES.

**Telemetry Mnemonic(s)** \$sc\_\$cpu\_ES\_RegExtApps

Definition at line 1504 of file cfe\_es\_msg.h.

37.16.2.35 RegisteredLibs

uint32 CFE\_ES\_HousekeepingTlm\_Payload::RegisteredLibs

Number of Libraries registered with ES.

Telemetry Mnemonic(s) \$sc\_\$cpu\_ES\_RegLibs

Definition at line 1508 of file cfe\_es\_msg.h.

37.16.2.36 RegisteredTasks

 ${\tt uint32~CFE\_ES\_HousekeepingTlm\_Payload::RegisteredTasks}$ 

Number of Tasks (main AND child tasks) registered with ES.

Telemetry Mnemonic(s) \$sc\_\$cpu\_ES\_RegTasks

Definition at line 1506 of file cfe\_es\_msg.h.

# 37.16.2.37 ResetSubtype uint32 CFE\_ES\_HousekeepingTlm\_Payload::ResetSubtype Reset Sub Type. Telemetry Mnemonic(s) \$sc\_\$cpu\_ES\_ResetSubtype Definition at line 1513 of file cfe\_es\_msg.h. 37.16.2.38 ResetType uint32 CFE\_ES\_HousekeepingTlm\_Payload::ResetType Reset type ( PROCESSOR or POWERON ) **Telemetry Mnemonic(s)** \$sc\_\$cpu\_ES\_ResetType Definition at line 1511 of file cfe\_es\_msg.h. 37.16.2.39 SysLogBytesUsed CFE\_ES\_MemOffset\_t CFE\_ES\_HousekeepingTlm\_Payload::SysLogBytesUsed Total number of bytes used in system log. Telemetry Mnemonic(s) \$sc\_\$cpu\_ES\_SYSLOGBYTEUSED Definition at line 1488 of file cfe\_es\_msg.h. 37.16.2.40 SysLogEntries

uint32 CFE\_ES\_HousekeepingTlm\_Payload::SysLogEntries

Number of entries in the system log.

Telemetry Mnemonic(s) \$sc\_\$cpu\_ES\_SYSLOGENTRIES

Definition at line 1492 of file cfe\_es\_msg.h.

37.16.2.41 SysLogMode

uint32 CFE\_ES\_HousekeepingTlm\_Payload::SysLogMode

Write/Overwrite Mode.

Telemetry Mnemonic(s) \$sc\_\$cpu\_ES\_SYSLOGMODE

Definition at line 1494 of file cfe\_es\_msg.h.

37.16.2.42 SysLogSize

CFE\_ES\_MemOffset\_t CFE\_ES\_HousekeepingTlm\_Payload::SysLogSize

Total size of the system log.

Telemetry Mnemonic(s) \$sc \$cpu ES SYSLOGSIZE

Definition at line 1490 of file cfe\_es\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/fsw/inc/cfe\_es\_msg.h

37.17 CFE\_ES\_MemAddOff Struct Reference

#include <cfe\_es\_extern\_typedefs.h>

**Data Fields** 

- CFE\_ES\_MemAddress\_t Address
- CFE\_ES\_MemOffset\_t Size

37.17.1 Detailed Description

Memory Address and Memory Offset combination

A combination of CFE\_ES\_MemAddress\_t and CFE\_ES\_MemOffset\_t, since they are often used together.

Definition at line 435 of file cfe\_es\_extern\_typedefs.h.

# 37.17.2 Field Documentation

## 37.17.2.1 Address

```
CFE_ES_MemAddress_t CFE_ES_MemAddOff::Address
```

Definition at line 437 of file cfe\_es\_extern\_typedefs.h.

## 37.17.2.2 Size

```
CFE_ES_MemOffset_t CFE_ES_MemAddOff::Size
```

Definition at line 439 of file cfe\_es\_extern\_typedefs.h.

The documentation for this struct was generated from the following file:

• cfe/modules/core\_api/fsw/inc/cfe\_es\_extern\_typedefs.h

# 37.18 CFE\_ES\_MemPoolStats Struct Reference

Memory Pool Statistics.

```
#include <cfe_es_extern_typedefs.h>
```

## **Data Fields**

• CFE\_ES\_MemOffset\_t PoolSize

Size of Memory Pool (in bytes)

• uint32 NumBlocksRequested

Number of times a memory block has been allocated.

• uint32 CheckErrCtr

Number of errors detected when freeing a memory block.

• CFE\_ES\_MemOffset\_t NumFreeBytes

Number of bytes never allocated to a block.

CFE\_ES\_BlockStats\_t BlockStats [CFE\_MISSION\_ES\_POOL\_MAX\_BUCKETS]

Contains stats on each block size.

37.18.1 Detailed Description

Memory Pool Statistics.

Structure that is used to provide information about a memory pool. Used by the Memory Pool Stats telemetry message.

See also

CFE\_ES\_SEND\_MEM\_POOL\_STATS\_CC

Definition at line 564 of file cfe\_es\_extern\_typedefs.h.

37.18.2 Field Documentation

37.18.2.1 BlockStats

CFE\_ES\_BlockStats\_t CFE\_ES\_MemPoolStats::BlockStats[CFE\_MISSION\_ES\_POOL\_MAX\_BUCKETS]

Contains stats on each block size.

**Telemetry Mnemonic(s)** \$sc\_\$cpu\_ES\_BlkStats[BLK\_SIZES]

Definition at line 574 of file cfe\_es\_extern\_typedefs.h.

37.18.2.2 CheckErrCtr

uint32 CFE\_ES\_MemPoolStats::CheckErrCtr

Number of errors detected when freeing a memory block.

Telemetry Mnemonic(s) \$sc\_\$cpu\_ES\_BlkErrCTR

Definition at line 570 of file cfe\_es\_extern\_typedefs.h.

# 37.18.2.3 NumBlocksRequested

```
uint32 CFE_ES_MemPoolStats::NumBlocksRequested
```

Number of times a memory block has been allocated.

Telemetry Mnemonic(s) \$sc\_\$cpu\_ES\_BlksREQ

Definition at line 568 of file cfe\_es\_extern\_typedefs.h.

## 37.18.2.4 NumFreeBytes

```
CFE_ES_MemOffset_t CFE_ES_MemPoolStats::NumFreeBytes
```

Number of bytes never allocated to a block.

**Telemetry Mnemonic(s)** \$sc\_\$cpu\_ES\_FreeBytes

Definition at line 572 of file cfe\_es\_extern\_typedefs.h.

37.18.2.5 PoolSize

```
CFE_ES_MemOffset_t CFE_ES_MemPoolStats::PoolSize
```

Size of Memory Pool (in bytes)

**Telemetry Mnemonic(s)** \$sc\_\$cpu\_ES\_PoolSize

Definition at line 566 of file cfe\_es\_extern\_typedefs.h.

The documentation for this struct was generated from the following file:

• cfe/modules/core api/fsw/inc/cfe es extern typedefs.h

# 37.19 CFE\_ES\_MemStatsTIm Struct Reference

#include <cfe\_es\_msq.h>

**Data Fields** 

• CFE\_MSG\_TelemetryHeader\_t TelemetryHeader

Telemetry header.

• CFE\_ES\_PoolStatsTIm\_Payload\_t Payload

Telemetry payload.

37.19.1 Detailed Description

Definition at line 1442 of file cfe\_es\_msg.h.

37.19.2 Field Documentation

37.19.2.1 Payload

CFE\_ES\_PoolStatsTlm\_Payload\_t CFE\_ES\_MemStatsTlm::Payload

Telemetry payload.

Definition at line 1445 of file cfe\_es\_msg.h.

37.19.2.2 TelemetryHeader

CFE\_MSG\_TelemetryHeader\_t CFE\_ES\_MemStatsTlm::TelemetryHeader

Telemetry header.

Definition at line 1444 of file cfe\_es\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/fsw/inc/cfe\_es\_msg.h

37.20 CFE\_ES\_NoArgsCmd Struct Reference

Generic "no arguments" command.

#include <cfe\_es\_msg.h>

## **Data Fields**

 $\bullet \ \mathsf{CFE\_MSG\_CommandHeader\_t} \ \mathsf{CommandHeader}$ 

Command header.

## 37.20.1 Detailed Description

Generic "no arguments" command.

This command structure is used for commands that do not have any parameters. This includes:

- 1. The Housekeeping Request Message
- 2. The No-Op Command (For details, see CFE\_ES\_NOOP\_CC)
- 3. The Reset Counters Command (For details, see CFE\_ES\_RESET\_COUNTERS\_CC)

Definition at line 1061 of file cfe\_es\_msg.h.

37.20.2 Field Documentation

#### 37.20.2.1 CommandHeader

```
CFE_MSG_CommandHeader_t CFE_ES_NoArgsCmd::CommandHeader
```

Command header.

Definition at line 1063 of file cfe\_es\_msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/es/fsw/inc/cfe\_es\_msg.h

# 37.21 CFE\_ES\_OneAppTIm Struct Reference

```
#include <cfe_es_msg.h>
```

#### **Data Fields**

- CFE\_MSG\_TelemetryHeader\_t TelemetryHeader
  - Telemetry header.
- CFE\_ES\_OneAppTIm\_Payload\_t Payload

Telemetry payload.

37.21.1 Detailed Description

Definition at line 1426 of file cfe\_es\_msg.h.

37.21.2 Field Documentation

37.21.2.1 Payload

CFE\_ES\_OneAppTlm\_Payload\_t CFE\_ES\_OneAppTlm::Payload

Telemetry payload.

Definition at line 1429 of file cfe\_es\_msg.h.

37.21.2.2 TelemetryHeader

CFE\_MSG\_TelemetryHeader\_t CFE\_ES\_OneAppTlm::TelemetryHeader

Telemetry header.

Definition at line 1428 of file cfe\_es\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/fsw/inc/cfe\_es\_msg.h

37.22 CFE\_ES\_OneAppTIm\_Payload Struct Reference

#include <cfe\_es\_msg.h>

**Data Fields** 

CFE\_ES\_AppInfo\_t AppInfo

For more information, see CFE\_ES\_AppInfo\_t.

37.22.1 Detailed Description

Name Single Application Information Packet

Definition at line 1420 of file cfe\_es\_msg.h.

# 37.22.2 Field Documentation

# 37.22.2.1 Applnfo

```
CFE_ES_AppInfo_t CFE_ES_OneAppTlm_Payload::AppInfo
```

For more information, see CFE\_ES\_AppInfo\_t.

Definition at line 1422 of file cfe\_es\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/fsw/inc/cfe es msg.h

# 37.23 CFE\_ES\_OverWriteSysLogCmd Struct Reference

Overwrite/Discard System Log Configuration Command Payload.

```
#include <cfe_es_msg.h>
```

## **Data Fields**

- CFE\_MSG\_CommandHeader\_t CommandHeader
  - Command header.
- CFE\_ES\_OverWriteSysLogCmd\_Payload\_t Payload

Command payload.

## 37.23.1 Detailed Description

Overwrite/Discard System Log Configuration Command Payload.

Definition at line 1148 of file cfe\_es\_msg.h.

37.23.2 Field Documentation

#### 37.23.2.1 CommandHeader

```
{\tt CFE\_MSG\_CommandHeader\_t\ CFE\_ES\_OverWriteSysLogCmd::CommandHeader\_t\ CFE\_ES\_OverWriteSysLogCmd::CFE\_ES\_OverWriteSysLogCmd::CFE\_ES\_OverWriteSysLogCmd::CFE\_ES\_OverWriteSysLogCmd::CFE\_ES\_OverWriteSysLogCmd::CFE\_ES\_OverWriteSysLogCmd::CFE\_ES\_OverWriteSysLogCmd::CFE\_ES\_OverWriteSysLogCmd::CFE\_ES\_OverWriteSysLogCmd::CFE\_ES\_OverWriteSysLogCmd::CFE\_ES\_OverWriteSysLogCmd::CFE\_ES\_OverWriteSysLogCmd::CFE\_ES\_OverWriteSysLogCmd::CFE\_ES\_OverWriteSysLogCmd::CFE\_ES\_OverWriteSysLogCmd::CFE\_ES\_OverWriteSysLogCmd::
```

Command header.

Definition at line 1150 of file cfe\_es\_msg.h.

# 37.23.2.2 Payload

CFE\_ES\_OverWriteSysLogCmd\_Payload\_t CFE\_ES\_OverWriteSysLogCmd::Payload

Command payload.

Definition at line 1151 of file cfe\_es\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/fsw/inc/cfe\_es\_msg.h

## 37.24 CFE\_ES\_OverWriteSysLogCmd\_Payload Struct Reference

Overwrite/Discard System Log Configuration Command Payload.

```
#include <cfe_es_msg.h>
```

#### **Data Fields**

• uint32 Mode

CFE\_ES\_LogMode\_DISCARD=Throw away most recent messages, CFE\_ES\_LogMode\_OVERWRITE=Overwrite oldest with most recent

#### 37.24.1 Detailed Description

Overwrite/Discard System Log Configuration Command Payload.

For command details, see CFE\_ES\_OVER\_WRITE\_SYSLOG\_CC

Definition at line 1138 of file cfe\_es\_msg.h.

37.24.2 Field Documentation

#### 37.24.2.1 Mode

```
uint32 CFE_ES_OverWriteSysLogCmd_Payload::Mode
```

CFE\_ES\_LogMode\_DISCARD=Throw away most recent messages, CFE\_ES\_LogMode\_OVERWRITE=Overwrite oldest with most recent

Definition at line 1140 of file cfe\_es\_msg.h.

The documentation for this struct was generated from the following file:

# 37.25 CFE\_ES\_PoolAlign Union Reference

## Pool Alignment.

```
#include <cfe_es_api_typedefs.h>
```

#### **Data Fields**

void \* Ptr

Aligned pointer.

• long long int LongInt

Aligned Long Integer.

• long double LongDouble

Aligned Long Double.

## 37.25.1 Detailed Description

# Pool Alignment.

Union that can be used for minimum memory alignment of ES memory pools on the target. It contains the longest native data types such that the alignment of this structure should reflect the largest possible alignment requirements for any data on this processor.

Definition at line 95 of file cfe\_es\_api\_typedefs.h.

## 37.25.2 Field Documentation

#### 37.25.2.1 LongDouble

```
long double CFE_ES_PoolAlign::LongDouble
```

Aligned Long Double.

Definition at line 100 of file cfe\_es\_api\_typedefs.h.

# 37.25.2.2 LongInt

```
long long int CFE_ES_PoolAlign::LongInt
```

## Aligned Long Integer.

Definition at line 99 of file cfe\_es\_api\_typedefs.h.

```
37.25.2.3 Ptr
```

```
void* CFE_ES_PoolAlign::Ptr
```

Aligned pointer.

Definition at line 97 of file cfe\_es\_api\_typedefs.h.

The documentation for this union was generated from the following file:

• cfe/modules/core\_api/fsw/inc/cfe\_es\_api\_typedefs.h

# 37.26 CFE\_ES\_PoolStatsTIm\_Payload Struct Reference

```
#include <cfe_es_msg.h>
```

#### **Data Fields**

CFE\_ES\_MemHandle\_t PoolHandle
 Handle of memory pool whose stats are being telemetered.

CFE\_ES\_MemPoolStats\_t PoolStats
 For more info, see CFE\_ES\_MemPoolStats\_t.

## 37.26.1 Detailed Description

Name Memory Pool Statistics Packet

Definition at line 1435 of file cfe\_es\_msg.h.

37.26.2 Field Documentation

#### 37.26.2.1 PoolHandle

```
CFE_ES_MemHandle_t CFE_ES_PoolStatsTlm_Payload::PoolHandle
```

Handle of memory pool whose stats are being telemetered.

Telemetry Mnemonic(s) \$sc\_\$cpu\_ES\_PoolHandle

Definition at line 1437 of file cfe\_es\_msg.h.

## 37.26.2.2 PoolStats

```
CFE_ES_MemPoolStats_t CFE_ES_PoolStatsTlm_Payload::PoolStats
```

For more info, see CFE\_ES\_MemPoolStats\_t.

Definition at line 1439 of file cfe\_es\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/fsw/inc/cfe\_es\_msg.h

# 37.27 CFE\_ES\_ReloadAppCmd Struct Reference

Reload Application Command.

```
#include <cfe_es_msg.h>
```

## **Data Fields**

• CFE\_MSG\_CommandHeader\_t CommandHeader

Command header.

• CFE\_ES\_AppReloadCmd\_Payload\_t Payload

Command payload.

# 37.27.1 Detailed Description

Reload Application Command.

Definition at line 1231 of file cfe\_es\_msg.h.

37.27.2 Field Documentation

# 37.27.2.1 CommandHeader

CFE\_MSG\_CommandHeader\_t CFE\_ES\_ReloadAppCmd::CommandHeader

Command header.

Definition at line 1233 of file cfe\_es\_msg.h.

```
37.27.2.2 Payload
```

```
CFE_ES_AppReloadCmd_Payload_t CFE_ES_ReloadAppCmd::Payload
```

Command payload.

Definition at line 1234 of file cfe\_es\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/fsw/inc/cfe\_es\_msg.h

# 37.28 CFE\_ES\_RestartCmd Struct Reference

Restart cFE Command.

```
#include <cfe_es_msg.h>
```

## **Data Fields**

CFE\_MSG\_CommandHeader\_t CommandHeader

Command header.

CFE\_ES\_RestartCmd\_Payload\_t Payload

Command payload.

# 37.28.1 Detailed Description

Restart cFE Command.

Definition at line 1094 of file cfe\_es\_msg.h.

37.28.2 Field Documentation

## 37.28.2.1 CommandHeader

```
CFE_MSG_CommandHeader_t CFE_ES_RestartCmd::CommandHeader
```

Command header.

Definition at line 1096 of file cfe\_es\_msg.h.

# 37.28.2.2 Payload

```
CFE_ES_RestartCmd_Payload_t CFE_ES_RestartCmd::Payload
```

Command payload.

Definition at line 1097 of file cfe\_es\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/fsw/inc/cfe\_es\_msg.h

# 37.29 CFE\_ES\_RestartCmd\_Payload Struct Reference

Restart cFE Command Payload.

```
#include <cfe_es_msg.h>
```

#### **Data Fields**

• uint16 RestartType

CFE\_PSP\_RST\_TYPE\_PROCESSOR=Processor Reset or CFE\_PSP\_RST\_TYPE\_POWERON=Power-On Reset

## 37.29.1 Detailed Description

Restart cFE Command Payload.

For command details, see CFE\_ES\_RESTART\_CC

Definition at line 1085 of file cfe\_es\_msg.h.

37.29.2 Field Documentation

# 37.29.2.1 RestartType

```
uint16 CFE_ES_RestartCmd_Payload::RestartType
```

CFE\_PSP\_RST\_TYPE\_PROCESSOR=Processor Reset or CFE\_PSP\_RST\_TYPE\_POWERON=Power-On Reset Definition at line 1087 of file cfe\_es\_msg.h.

The documentation for this struct was generated from the following file:

# 37.30 CFE\_ES\_SendMemPoolStatsCmd Struct Reference

Send Memory Pool Statistics Command.

```
#include <cfe_es_msg.h>
```

# **Data Fields**

 CFE\_MSG\_CommandHeader\_t CommandHeader Command header.

• CFE\_ES\_SendMemPoolStatsCmd\_Payload\_t Payload Command payload.

#### 37.30.1 Detailed Description

Send Memory Pool Statistics Command.

Definition at line 1381 of file cfe\_es\_msg.h.

37.30.2 Field Documentation

#### 37.30.2.1 CommandHeader

```
CFE_MSG_CommandHeader_t CFE_ES_SendMemPoolStatsCmd::CommandHeader
```

Command header.

Definition at line 1383 of file cfe\_es\_msg.h.

## 37.30.2.2 Payload

```
CFE_ES_SendMemPoolStatsCmd_Payload_t CFE_ES_SendMemPoolStatsCmd::Payload
```

Command payload.

Definition at line 1384 of file cfe\_es\_msg.h.

The documentation for this struct was generated from the following file:

# 37.31 CFE\_ES\_SendMemPoolStatsCmd\_Payload Struct Reference

Send Memory Pool Statistics Command Payload.

```
#include <cfe_es_msg.h>
```

#### **Data Fields**

- char Application [CFE\_MISSION\_MAX\_API\_LEN]
  - RESERVED should be all zeroes
- CFE\_ES\_MemHandle\_t PoolHandle

Handle of Pool whose statistics are to be telemetered.

## 37.31.1 Detailed Description

Send Memory Pool Statistics Command Payload.

For command details, see CFE\_ES\_SEND\_MEM\_POOL\_STATS\_CC

Definition at line 1371 of file cfe\_es\_msg.h.

37.31.2 Field Documentation

## 37.31.2.1 Application

```
char CFE_ES_SendMemPoolStatsCmd_Payload::Application[CFE_MISSION_MAX_API_LEN]
```

· RESERVED - should be all zeroes

Definition at line 1373 of file cfe\_es\_msg.h.

## 37.31.2.2 PoolHandle

```
CFE_ES_MemHandle_t CFE_ES_SendMemPoolStatsCmd_Payload::PoolHandle
```

Handle of Pool whose statistics are to be telemetered.

Definition at line 1374 of file cfe\_es\_msg.h.

The documentation for this struct was generated from the following file:

# 37.32 CFE\_ES\_SetMaxPRCountCmd Struct Reference

Set Maximum Processor Reset Count Command.

```
#include <cfe_es_msg.h>
```

# **Data Fields**

 CFE\_MSG\_CommandHeader\_t CommandHeader Command header.

 CFE\_ES\_SetMaxPRCountCmd\_Payload\_t Payload Command payload.

#### 37.32.1 Detailed Description

Set Maximum Processor Reset Count Command.

Definition at line 1252 of file cfe\_es\_msg.h.

37.32.2 Field Documentation

#### 37.32.2.1 CommandHeader

```
CFE_MSG_CommandHeader_t CFE_ES_SetMaxPRCountCmd::CommandHeader
```

Command header.

Definition at line 1254 of file cfe\_es\_msg.h.

## 37.32.2.2 Payload

```
CFE_ES_SetMaxPRCountCmd_Payload_t CFE_ES_SetMaxPRCountCmd::Payload
```

Command payload.

Definition at line 1255 of file cfe\_es\_msg.h.

The documentation for this struct was generated from the following file:

# 37.33 CFE\_ES\_SetMaxPRCountCmd\_Payload Struct Reference

Set Maximum Processor Reset Count Command Payload.

```
#include <cfe_es_msg.h>
```

## **Data Fields**

· uint16 MaxPRCount

New maximum number of Processor Resets before an automatic Power-On Reset is performed.

## 37.33.1 Detailed Description

Set Maximum Processor Reset Count Command Payload.

For command details, see CFE\_ES\_SET\_MAX\_PR\_COUNT\_CC

Definition at line 1243 of file cfe\_es\_msg.h.

37.33.2 Field Documentation

## 37.33.2.1 MaxPRCount

```
uint16 CFE_ES_SetMaxPRCountCmd_Payload::MaxPRCount
```

New maximum number of Processor Resets before an automatic Power-On Reset is performed.

Definition at line 1245 of file cfe\_es\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/fsw/inc/cfe\_es\_msg.h

# 37.34 CFE ES SetPerfFilterMaskCmd Struct Reference

Set Performance Analyzer Filter Mask Command.

#include <cfe\_es\_msg.h>

**Data Fields** 

CFE\_MSG\_CommandHeader\_t CommandHeader

Command header.

CFE\_ES\_SetPerfFilterMaskCmd\_Payload\_t Payload

Command payload.

37.34.1 Detailed Description

Set Performance Analyzer Filter Mask Command.

Definition at line 1337 of file cfe\_es\_msg.h.

37.34.2 Field Documentation

37.34.2.1 CommandHeader

CFE\_MSG\_CommandHeader\_t CFE\_ES\_SetPerfFilterMaskCmd::CommandHeader

Command header.

Definition at line 1339 of file cfe\_es\_msg.h.

37.34.2.2 Payload

 ${\tt CFE\_ES\_SetPerfFilterMaskCmd\_Payload\_t\ CFE\_ES\_SetPerfFilterMaskCmd}: {\tt Payload\_t\ CFE\_ES\_SetPerfFilterMa$ 

Command payload.

Definition at line 1340 of file cfe\_es\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/fsw/inc/cfe\_es\_msg.h

37.35 CFE\_ES\_SetPerfFilterMaskCmd\_Payload Struct Reference

Set Performance Analyzer Filter Mask Command Payload.

#include <cfe\_es\_msq.h>

# **Data Fields**

• uint32 FilterMaskNum

Index into array of Filter Masks.

uint32 FilterMask

New Mask for specified entry in array of Filter Masks.

## 37.35.1 Detailed Description

Set Performance Analyzer Filter Mask Command Payload.

For command details, see CFE\_ES\_SET\_PERF\_FILTER\_MASK\_CC

Definition at line 1327 of file cfe\_es\_msg.h.

37.35.2 Field Documentation

#### 37.35.2.1 FilterMask

uint32 CFE\_ES\_SetPerfFilterMaskCmd\_Payload::FilterMask

New Mask for specified entry in array of Filter Masks.

Definition at line 1330 of file cfe\_es\_msg.h.

## 37.35.2.2 FilterMaskNum

```
uint32 CFE_ES_SetPerfFilterMaskCmd_Payload::FilterMaskNum
```

Index into array of Filter Masks.

Definition at line 1329 of file cfe\_es\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/fsw/inc/cfe\_es\_msg.h

# 37.36 CFE\_ES\_SetPerfTriggerMaskCmd Struct Reference

Set Performance Analyzer Trigger Mask Command.

#include <cfe\_es\_msg.h>

**Data Fields** 

CFE\_MSG\_CommandHeader\_t CommandHeader

Command header.

CFE\_ES\_SetPerfTrigMaskCmd\_Payload\_t Payload

Command payload.

37.36.1 Detailed Description

Set Performance Analyzer Trigger Mask Command.

Definition at line 1359 of file cfe\_es\_msg.h.

37.36.2 Field Documentation

37.36.2.1 CommandHeader

CFE\_MSG\_CommandHeader\_t CFE\_ES\_SetPerfTriggerMaskCmd::CommandHeader

Command header.

Definition at line 1361 of file cfe\_es\_msg.h.

37.36.2.2 Payload

 ${\tt CFE\_ES\_SetPerfTrigMaskCmd\_Payload\_t\ CFE\_ES\_SetPerfTriggerMaskCmd}: {\tt Payload\_t\ CFE\_ES\_SetPerfTriggerMas$ 

Command payload.

Definition at line 1362 of file cfe\_es\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/fsw/inc/cfe\_es\_msg.h

37.37 CFE\_ES\_SetPerfTrigMaskCmd\_Payload Struct Reference

Set Performance Analyzer Trigger Mask Command Payload.

#include <cfe\_es\_msq.h>

## **Data Fields**

• uint32 TriggerMaskNum

Index into array of Trigger Masks.

· uint32 TriggerMask

New Mask for specified entry in array of Trigger Masks.

## 37.37.1 Detailed Description

Set Performance Analyzer Trigger Mask Command Payload.

For command details, see CFE\_ES\_SET\_PERF\_TRIGGER\_MASK\_CC

Definition at line 1349 of file cfe\_es\_msg.h.

#### 37.37.2 Field Documentation

#### 37.37.2.1 TriggerMask

```
uint32 CFE_ES_SetPerfTrigMaskCmd_Payload::TriggerMask
```

New Mask for specified entry in array of Trigger Masks.

Definition at line 1352 of file cfe\_es\_msg.h.

# 37.37.2.2 TriggerMaskNum

```
uint32 CFE_ES_SetPerfTrigMaskCmd_Payload::TriggerMaskNum
```

Index into array of Trigger Masks.

Definition at line 1351 of file cfe\_es\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/fsw/inc/cfe\_es\_msg.h

# 37.38 CFE\_ES\_StartApp Struct Reference

Start Application Command.

```
#include <cfe_es_msg.h>
```

**Data Fields** 

CFE\_MSG\_CommandHeader\_t CommandHeader

Command header.

CFE\_ES\_StartAppCmd\_Payload\_t Payload

Command payload.

37.38.1 Detailed Description

Start Application Command.

Definition at line 1180 of file cfe\_es\_msg.h.

37.38.2 Field Documentation

37.38.2.1 CommandHeader

CFE\_MSG\_CommandHeader\_t CFE\_ES\_StartApp::CommandHeader

Command header.

Definition at line 1182 of file cfe\_es\_msg.h.

37.38.2.2 Payload

CFE\_ES\_StartAppCmd\_Payload\_t CFE\_ES\_StartApp::Payload

Command payload.

Definition at line 1183 of file cfe\_es\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/fsw/inc/cfe\_es\_msg.h

37.39 CFE\_ES\_StartAppCmd\_Payload Struct Reference

Start Application Command Payload.

#include <cfe\_es\_msg.h>

## **Data Fields**

char Application [CFE\_MISSION\_MAX\_API\_LEN]

Name of Application to be started.

char AppEntryPoint [CFE\_MISSION\_MAX\_API\_LEN]

Symbolic name of Application's entry point.

• char AppFileName [CFE\_MISSION\_MAX\_PATH\_LEN]

Full path and filename of Application's executable image.

CFE\_ES\_MemOffset\_t StackSize

Desired stack size for the new application.

CFE\_ES\_ExceptionAction\_Enum\_t ExceptionAction

CFE\_ES\_ExceptionAction\_RESTART\_APP=On exception, restart Application, CFE\_ES\_ExceptionAction\_PROC\_RE← START=On exception, perform a Processor Reset

CFE\_ES\_TaskPriority\_Atom\_t Priority

The new Applications runtime priority.

#### 37.39.1 Detailed Description

Start Application Command Payload.

For command details, see CFE ES START APP CC

Definition at line 1160 of file cfe es msg.h.

37.39.2 Field Documentation

#### 37.39.2.1 AppEntryPoint

```
\verb|char CFE_ES_StartAppCmd_Payload::AppEntryPoint[CFE_MISSION_MAX_API_LEN]| \\
```

Symbolic name of Application's entry point.

Definition at line 1163 of file cfe\_es\_msg.h.

## 37.39.2.2 AppFileName

```
char CFE_ES_StartAppCmd_Payload::AppFileName[CFE_MISSION_MAX_PATH_LEN]
```

Full path and filename of Application's executable image.

Definition at line 1164 of file cfe\_es\_msg.h.

## 37.39.2.3 Application

char CFE\_ES\_StartAppCmd\_Payload::Application[CFE\_MISSION\_MAX\_API\_LEN]

Name of Application to be started.

Definition at line 1162 of file cfe\_es\_msg.h.

#### 37.39.2.4 ExceptionAction

CFE\_ES\_ExceptionAction\_Enum\_t CFE\_ES\_StartAppCmd\_Payload::ExceptionAction

CFE\_ES\_ExceptionAction\_RESTART\_APP=On exception, restart Application, CFE\_ES\_ExceptionAction\_PROC\_R← ESTART=On exception, perform a Processor Reset

Definition at line 1169 of file cfe\_es\_msg.h.

#### 37.39.2.5 Priority

CFE\_ES\_TaskPriority\_Atom\_t CFE\_ES\_StartAppCmd\_Payload::Priority

The new Applications runtime priority.

Definition at line 1173 of file cfe\_es\_msg.h.

## 37.39.2.6 StackSize

```
CFE_ES_MemOffset_t CFE_ES_StartAppCmd_Payload::StackSize
```

Desired stack size for the new application.

Definition at line 1167 of file cfe\_es\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/fsw/inc/cfe\_es\_msg.h

## 37.40 CFE ES StartPerfCmd Payload Struct Reference

Start Performance Analyzer Command Payload.

#include <cfe\_es\_msq.h>

### **Data Fields**

• uint32 TriggerMode

Desired trigger position (Start, Center, End)

37.40.1 Detailed Description

Start Performance Analyzer Command Payload.

For command details, see CFE\_ES\_START\_PERF\_DATA\_CC

Definition at line 1286 of file cfe\_es\_msg.h.

37.40.2 Field Documentation

#### 37.40.2.1 TriggerMode

uint32 CFE\_ES\_StartPerfCmd\_Payload::TriggerMode

Desired trigger position (Start, Center, End)

Definition at line 1288 of file cfe\_es\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/fsw/inc/cfe\_es\_msg.h

# 37.41 CFE\_ES\_StartPerfDataCmd Struct Reference

Start Performance Analyzer Command.

```
#include <cfe_es_msg.h>
```

#### **Data Fields**

• CFE\_MSG\_CommandHeader\_t CommandHeader

Command header.

CFE\_ES\_StartPerfCmd\_Payload\_t Payload

Command payload.

37.41.1 Detailed Description

Start Performance Analyzer Command.

Definition at line 1294 of file cfe\_es\_msg.h.

37.41.2 Field Documentation

### 37.41.2.1 CommandHeader

CFE\_MSG\_CommandHeader\_t CFE\_ES\_StartPerfDataCmd::CommandHeader

Command header.

Definition at line 1296 of file cfe\_es\_msg.h.

### 37.41.2.2 Payload

CFE\_ES\_StartPerfCmd\_Payload\_t CFE\_ES\_StartPerfDataCmd::Payload

Command payload.

Definition at line 1297 of file cfe es msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/fsw/inc/cfe es msg.h

# 37.42 CFE\_ES\_StopPerfCmd\_Payload Struct Reference

Stop Performance Analyzer Command Payload.

#include <cfe\_es\_msg.h>

#### **Data Fields**

char DataFileName [CFE\_MISSION\_MAX\_PATH\_LEN]

ASCII text string of full path and filename of file Performance Analyzer data is to be written.

# 37.42.1 Detailed Description

Stop Performance Analyzer Command Payload.

For command details, see CFE\_ES\_STOP\_PERF\_DATA\_CC

Definition at line 1306 of file cfe\_es\_msg.h.

37.42.2 Field Documentation

#### 37.42.2.1 DataFileName

```
char CFE_ES_StopPerfCmd_Payload::DataFileName[CFE_MISSION_MAX_PATH_LEN]
```

ASCII text string of full path and filename of file Performance Analyzer data is to be written.

Definition at line 1308 of file cfe\_es\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/fsw/inc/cfe\_es\_msg.h

# 37.43 CFE\_ES\_StopPerfDataCmd Struct Reference

Stop Performance Analyzer Command.

```
#include <cfe_es_msg.h>
```

#### **Data Fields**

- CFE\_MSG\_CommandHeader\_t CommandHeader
  - Command header.
- CFE\_ES\_StopPerfCmd\_Payload\_t Payload

Command payload.

# 37.43.1 Detailed Description

Stop Performance Analyzer Command.

Definition at line 1315 of file cfe es msg.h.

### 37.43.2 Field Documentation

#### 37.43.2.1 CommandHeader

CFE\_MSG\_CommandHeader\_t CFE\_ES\_StopPerfDataCmd::CommandHeader

Command header.

Definition at line 1317 of file cfe\_es\_msg.h.

### 37.43.2.2 Payload

 ${\tt CFE\_ES\_StopPerfCmd\_Payload\_t\ CFE\_ES\_StopPerfDataCmd}: {\tt Payload\_t\ CFE\_ES\_StopPerfDataCmd$ 

Command payload.

Definition at line 1318 of file cfe\_es\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/es/fsw/inc/cfe\_es\_msg.h

# 37.44 CFE\_ES\_TaskInfo Struct Reference

Task Information.

#include <cfe\_es\_extern\_typedefs.h>

#### **Data Fields**

CFE\_ES\_TaskId\_t TaskId

Task Id.

uint32 ExecutionCounter

Task Execution Counter.

char TaskName [CFE\_MISSION\_MAX\_API\_LEN]

Task Name.

CFE\_ES\_Appld\_t Appld

Parent Application ID.

• char AppName [CFE\_MISSION\_MAX\_API\_LEN]

Parent Application Name.

- CFE\_ES\_MemOffset\_t StackSize
- CFE\_ES\_TaskPriority\_Atom\_t Priority
- uint8 Spare [2]

# 37.44.1 Detailed Description

Task Information.

Structure that is used to provide information about a task. It is primarily used for the Query All Tasks (CFE\_ES\_QUE RY\_ALL\_TASKS\_CC) command.

Note

There is not currently a telemetry message directly containing this data structure, but it does define the format of the data file generated by the Query All Tasks command. Therefore it should be considered part of the overall telemetry interface.

Definition at line 510 of file cfe\_es\_extern\_typedefs.h.

37.44.2 Field Documentation

37.44.2.1 Appld

CFE\_ES\_AppId\_t CFE\_ES\_TaskInfo::AppId

Parent Application ID.

Definition at line 515 of file cfe\_es\_extern\_typedefs.h.

37.44.2.2 AppName

char CFE\_ES\_TaskInfo::AppName[CFE\_MISSION\_MAX\_API\_LEN]

Parent Application Name.

Definition at line 516 of file cfe\_es\_extern\_typedefs.h.

37.44.2.3 ExecutionCounter

uint32 CFE\_ES\_TaskInfo::ExecutionCounter

Task Execution Counter.

Definition at line 513 of file cfe\_es\_extern\_typedefs.h.

```
37.44.2.4 Priority
```

```
CFE_ES_TaskPriority_Atom_t CFE_ES_TaskInfo::Priority
```

Priority of task

Definition at line 518 of file cfe\_es\_extern\_typedefs.h.

37.44.2.5 Spare

```
uint8 CFE_ES_TaskInfo::Spare[2]
```

Spare bytes for alignment

Definition at line 519 of file cfe\_es\_extern\_typedefs.h.

37.44.2.6 StackSize

```
CFE_ES_MemOffset_t CFE_ES_TaskInfo::StackSize
```

Size of task stack

Definition at line 517 of file cfe\_es\_extern\_typedefs.h.

37.44.2.7 Taskld

```
CFE_ES_TaskId_t CFE_ES_TaskInfo::TaskId
```

Task Id.

Definition at line 512 of file cfe\_es\_extern\_typedefs.h.

37.44.2.8 TaskName

```
char CFE_ES_TaskInfo::TaskName[CFE_MISSION_MAX_API_LEN]
```

Task Name.

Definition at line 514 of file cfe\_es\_extern\_typedefs.h.

The documentation for this struct was generated from the following file:

cfe/modules/core\_api/fsw/inc/cfe\_es\_extern\_typedefs.h

# 37.45 CFE\_EVS\_AppDataCmd\_Payload Struct Reference

Write Event Services Application Information to File Command Payload.

```
#include <cfe_evs_msg.h>
```

### **Data Fields**

• char AppDataFilename [CFE\_MISSION\_MAX\_PATH\_LEN]

Filename where application data is to be written.

### 37.45.1 Detailed Description

Write Event Services Application Information to File Command Payload.

For command details, see CFE\_EVS\_WRITE\_APP\_DATA\_FILE\_CC

Definition at line 947 of file cfe\_evs\_msg.h.

37.45.2 Field Documentation

#### 37.45.2.1 AppDataFilename

```
\verb|char CFE_EVS_AppDataCmd_Payload::AppDataFilename[CFE_MISSION_MAX_PATH_LEN]| \\
```

Filename where application data is to be written.

Definition at line 949 of file cfe\_evs\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/evs/fsw/inc/cfe\_evs\_msg.h

# 37.46 CFE EVS AppNameBitMaskCmd Struct Reference

Generic App Name and Bitmask Command.

# **Data Fields**

CFE\_MSG\_CommandHeader\_t CommandHeader

Command header.

CFE\_EVS\_AppNameBitMaskCmd\_Payload\_t Payload

Command payload.

# 37.46.1 Detailed Description

Generic App Name and Bitmask Command.

Definition at line 1111 of file cfe\_evs\_msg.h.

37.46.2 Field Documentation

#### 37.46.2.1 CommandHeader

CFE\_MSG\_CommandHeader\_t CFE\_EVS\_AppNameBitMaskCmd::CommandHeader

Command header.

Definition at line 1113 of file cfe\_evs\_msg.h.

#### 37.46.2.2 Payload

 ${\tt CFE\_EVS\_AppNameBitMaskCmd\_Payload\_t\ CFE\_EVS\_AppNameBitMaskCmd}: {\tt Payload\_t\ CFE\_EVS\_AppNameBitMaskCmd}: {\tt$ 

Command payload.

Definition at line 1114 of file cfe\_evs\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/evs/fsw/inc/cfe\_evs\_msg.h

# 37.47 CFE\_EVS\_AppNameBitMaskCmd\_Payload Struct Reference

Generic App Name and Bitmask Command Payload.

### **Data Fields**

• char AppName [CFE\_MISSION\_MAX\_API\_LEN]

Application name to use in the command.

· uint8 BitMask

BitMask to use in the command.

• uint8 Spare

Pad to even byte.

## 37.47.1 Detailed Description

Generic App Name and Bitmask Command Payload.

For command details, see CFE\_EVS\_ENABLE\_APP\_EVENT\_TYPE\_CC and/or CFE\_EVS\_DISABLE\_APP\_EVENT 
\_\_TYPE\_CC

Definition at line 1101 of file cfe\_evs\_msg.h.

37.47.2 Field Documentation

# 37.47.2.1 AppName

char CFE\_EVS\_AppNameBitMaskCmd\_Payload::AppName[CFE\_MISSION\_MAX\_API\_LEN]

Application name to use in the command.

Definition at line 1103 of file cfe\_evs\_msg.h.

## 37.47.2.2 BitMask

uint8 CFE\_EVS\_AppNameBitMaskCmd\_Payload::BitMask

BitMask to use in the command.

Definition at line 1104 of file cfe\_evs\_msg.h.

```
37.47.2.3 Spare
```

```
uint8 CFE_EVS_AppNameBitMaskCmd_Payload::Spare
```

Pad to even byte.

Definition at line 1105 of file cfe\_evs\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/evs/fsw/inc/cfe\_evs\_msg.h

# 37.48 CFE\_EVS\_AppNameCmd Struct Reference

Generic App Name Command.

```
#include <cfe_evs_msg.h>
```

### **Data Fields**

CFE\_MSG\_CommandHeader\_t CommandHeader

Command header.

 CFE\_EVS\_AppNameCmd\_Payload\_t Payload Command payload.

37.48.1 Detailed Description

Generic App Name Command.

Definition at line 1050 of file cfe\_evs\_msg.h.

37.48.2 Field Documentation

## 37.48.2.1 CommandHeader

```
CFE_MSG_CommandHeader_t CFE_EVS_AppNameCmd::CommandHeader
```

Command header.

Definition at line 1052 of file cfe\_evs\_msg.h.

# 37.48.2.2 Payload

```
CFE_EVS_AppNameCmd_Payload_t CFE_EVS_AppNameCmd::Payload
```

Command payload.

Definition at line 1053 of file cfe\_evs\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/evs/fsw/inc/cfe\_evs\_msg.h

# 37.49 CFE EVS AppNameCmd Payload Struct Reference

Generic App Name Command Payload.

```
#include <cfe_evs_msg.h>
```

#### **Data Fields**

char AppName [CFE\_MISSION\_MAX\_API\_LEN]
 Application name to use in the command.

#### 37.49.1 Detailed Description

Generic App Name Command Payload.

For command details, see CFE\_EVS\_ENABLE\_APP\_EVENTS\_CC, CFE\_EVS\_DISABLE\_APP\_EVENTS\_CC, CFE ← EVS\_RESET\_APP\_COUNTER\_CC and/or CFE\_EVS\_RESET\_ALL\_FILTERS\_CC

Definition at line 1042 of file cfe\_evs\_msg.h.

37.49.2 Field Documentation

## 37.49.2.1 AppName

```
char CFE_EVS_AppNameCmd_Payload::AppName[CFE_MISSION_MAX_API_LEN]
```

Application name to use in the command.

Definition at line 1044 of file cfe\_evs\_msg.h.

The documentation for this struct was generated from the following file:

# 37.50 CFE\_EVS\_AppNameEventIDCmd Struct Reference

Generic App Name and Event ID Command.

```
#include <cfe_evs_msg.h>
```

# **Data Fields**

 CFE\_MSG\_CommandHeader\_t CommandHeader Command header.

 CFE\_EVS\_AppNameEventIDCmd\_Payload\_t Payload Command payload.

#### 37.50.1 Detailed Description

Generic App Name and Event ID Command.

Definition at line 1081 of file cfe\_evs\_msg.h.

37.50.2 Field Documentation

#### 37.50.2.1 CommandHeader

CFE\_MSG\_CommandHeader\_t CFE\_EVS\_AppNameEventIDCmd::CommandHeader

Command header.

Definition at line 1083 of file cfe\_evs\_msg.h.

## 37.50.2.2 Payload

CFE\_EVS\_AppNameEventIDCmd\_Payload\_t CFE\_EVS\_AppNameEventIDCmd::Payload

Command payload.

Definition at line 1084 of file cfe\_evs\_msg.h.

The documentation for this struct was generated from the following file:

# 37.51 CFE\_EVS\_AppNameEventIDCmd\_Payload Struct Reference

Generic App Name and Event ID Command Payload.

```
#include <cfe_evs_msq.h>
```

#### **Data Fields**

• char AppName [CFE\_MISSION\_MAX\_API\_LEN]

Application name to use in the command.

• uint16 EventID

Event ID to use in the command.

### 37.51.1 Detailed Description

Generic App Name and Event ID Command Payload.

For command details, see CFE\_EVS\_RESET\_FILTER\_CC and CFE\_EVS\_DELETE\_EVENT\_FILTER\_CC

Definition at line 1072 of file cfe\_evs\_msg.h.

#### 37.51.2 Field Documentation

## 37.51.2.1 AppName

```
char CFE_EVS_AppNameEventIDCmd_Payload::AppName[CFE_MISSION_MAX_API_LEN]
```

Application name to use in the command.

Definition at line 1074 of file cfe\_evs\_msg.h.

#### 37.51.2.2 EventID

```
uint16 CFE_EVS_AppNameEventIDCmd_Payload::EventID
```

Event ID to use in the command.

Definition at line 1075 of file cfe\_evs\_msg.h.

The documentation for this struct was generated from the following file:

# 37.52 CFE\_EVS\_AppNameEventIDMaskCmd Struct Reference

Generic App Name, Event ID, Mask Command.

```
#include <cfe_evs_msg.h>
```

# **Data Fields**

 CFE\_MSG\_CommandHeader\_t CommandHeader Command header.

 CFE\_EVS\_AppNameEventIDMaskCmd\_Payload\_t Payload Command payload.

#### 37.52.1 Detailed Description

Generic App Name, Event ID, Mask Command.

Definition at line 1142 of file cfe\_evs\_msg.h.

37.52.2 Field Documentation

#### 37.52.2.1 CommandHeader

CFE\_MSG\_CommandHeader\_t CFE\_EVS\_AppNameEventIDMaskCmd::CommandHeader

Command header.

Definition at line 1144 of file cfe\_evs\_msg.h.

#### 37.52.2.2 Payload

 ${\tt CFE\_EVS\_AppNameEventIDMaskCmd\_Payload\_t\ CFE\_EVS\_AppNameEventIDMaskCmd::Payload\_t\ CFE\_EVS\_AppNameEventIDMaskCmd::Payload\_t\ CFE\_EVS\_AppNameEventIDMaskCmd.:Payload\_t\ CFE\_EVS\_AppNameEventIDMask$ 

Command payload.

Definition at line 1145 of file cfe\_evs\_msg.h.

The documentation for this struct was generated from the following file:

# 37.53 CFE\_EVS\_AppNameEventIDMaskCmd\_Payload Struct Reference

Generic App Name, Event ID, Mask Command Payload.

```
#include <cfe_evs_msg.h>
```

### **Data Fields**

char AppName [CFE MISSION MAX API LEN]

Application name to use in the command.

uint16 EventID

Event ID to use in the command.

uint16 Mask

Mask to use in the command.

### 37.53.1 Detailed Description

Generic App Name, Event ID, Mask Command Payload.

For command details, see CFE\_EVS\_SET\_FILTER\_CC, CFE\_EVS\_ADD\_EVENT\_FILTER\_CC and/or CFE\_EVS\_← DELETE\_EVENT\_FILTER\_CC

Definition at line 1132 of file cfe evs msg.h.

37.53.2 Field Documentation

## 37.53.2.1 AppName

char CFE\_EVS\_AppNameEventIDMaskCmd\_Payload::AppName[CFE\_MISSION\_MAX\_API\_LEN]

Application name to use in the command.

Definition at line 1134 of file cfe\_evs\_msg.h.

## 37.53.2.2 EventID

uint16 CFE\_EVS\_AppNameEventIDMaskCmd\_Payload::EventID

Event ID to use in the command.

Definition at line 1135 of file cfe\_evs\_msg.h.

### 37.53.2.3 Mask

uint16 CFE\_EVS\_AppNameEventIDMaskCmd\_Payload::Mask

Mask to use in the command.

Definition at line 1136 of file cfe\_evs\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/evs/fsw/inc/cfe evs msg.h

# 37.54 CFE\_EVS\_AppTImData Struct Reference

```
#include <cfe_evs_msg.h>
```

#### **Data Fields**

CFE\_ES\_Appld\_t ApplD

Numerical application identifier.

uint16 AppMessageSentCounter

Application message sent counter.

• uint8 AppEnableStatus

Application event service enable status.

uint8 Padding

Padding for 32 bit boundary.

# 37.54.1 Detailed Description

Definition at line 1160 of file cfe\_evs\_msg.h.

37.54.2 Field Documentation

### 37.54.2.1 AppEnableStatus

```
uint8 CFE_EVS_AppTlmData::AppEnableStatus
```

Application event service enable status.

Telemetry Mnemonic(s) \$sc\_\$cpu\_EVS\_APP[CFE\_PLATFORM\_ES\_MAX\_APPLICATIONS].APPENASTAT

Definition at line 1166 of file cfe\_evs\_msg.h.

```
37.54.2.2 AppID
```

```
CFE_ES_AppId_t CFE_EVS_AppTlmData::AppID
```

Numerical application identifier.

Telemetry Mnemonic(s) \$sc\_\$cpu\_EVS\_APP[CFE\_PLATFORM\_ES\_MAX\_APPLICATIONS].APPID

Definition at line 1162 of file cfe\_evs\_msg.h.

### 37.54.2.3 AppMessageSentCounter

```
uint16 CFE_EVS_AppTlmData::AppMessageSentCounter
```

Application message sent counter.

Telemetry Mnemonic(s) \$sc\_\$cpu\_EVS\_APP[CFE\_PLATFORM\_ES\_MAX\_APPLICATIONS].APPMSGSENTC

Definition at line 1164 of file cfe\_evs\_msg.h.

37.54.2.4 Padding

```
uint8 CFE_EVS_AppTlmData::Padding
```

Padding for 32 bit boundary.

Telemetry Mnemonic(s) \$sc\_\$cpu\_EVS\_APP[CFE\_PLATFORM\_ES\_MAX\_APPLICATIONS].SPARE2ALIGN3

Definition at line 1168 of file cfe\_evs\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/evs/fsw/inc/cfe\_evs\_msg.h

# 37.55 CFE\_EVS\_BinFilter Struct Reference

Event message filter definition structure.

#include <cfe\_evs\_api\_typedefs.h>

# **Data Fields**

uint16 EventID

Numerical event identifier.

• uint16 Mask

Binary filter mask value.

# 37.55.1 Detailed Description

Event message filter definition structure.

Definition at line 62 of file cfe\_evs\_api\_typedefs.h.

37.55.2 Field Documentation

### 37.55.2.1 EventID

```
uint16 CFE_EVS_BinFilter::EventID
```

Numerical event identifier.

Definition at line 64 of file cfe\_evs\_api\_typedefs.h.

#### 37.55.2.2 Mask

```
uint16 CFE_EVS_BinFilter::Mask
```

Binary filter mask value.

Definition at line 65 of file cfe\_evs\_api\_typedefs.h.

The documentation for this struct was generated from the following file:

• cfe/modules/core\_api/fsw/inc/cfe\_evs\_api\_typedefs.h

# 37.56 CFE\_EVS\_BitMaskCmd Struct Reference

Generic Bitmask Command.

# **Data Fields**

• CFE\_MSG\_CommandHeader\_t CommandHeader

Command header.

CFE\_EVS\_BitMaskCmd\_Payload\_t Payload

Command payload.

37.56.1 Detailed Description

Generic Bitmask Command.

Definition at line 1019 of file cfe\_evs\_msg.h.

37.56.2 Field Documentation

37.56.2.1 CommandHeader

CFE\_MSG\_CommandHeader\_t CFE\_EVS\_BitMaskCmd::CommandHeader

Command header.

Definition at line 1021 of file cfe\_evs\_msg.h.

37.56.2.2 Payload

CFE\_EVS\_BitMaskCmd\_Payload\_t CFE\_EVS\_BitMaskCmd::Payload

Command payload.

Definition at line 1022 of file cfe\_evs\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/evs/fsw/inc/cfe\_evs\_msg.h

37.57 CFE\_EVS\_BitMaskCmd\_Payload Struct Reference

Generic Bitmask Command Payload.

**Data Fields** 

uint8 BitMask

BitMask to use in the command.

uint8 Spare

Pad to even byte.

#### 37.57.1 Detailed Description

Generic Bitmask Command Payload.

For command details, see CFE\_EVS\_ENABLE\_EVENT\_TYPE\_CC, CFE\_EVS\_DISABLE\_EVENT\_TYPE\_CC, CFE ← EVS\_ENABLE\_PORTS\_CC and/or CFE\_EVS\_DISABLE\_PORTS\_CC

Definition at line 1010 of file cfe\_evs\_msg.h.

37.57.2 Field Documentation

#### 37.57.2.1 BitMask

uint8 CFE\_EVS\_BitMaskCmd\_Payload::BitMask

BitMask to use in the command.

Definition at line 1012 of file cfe\_evs\_msg.h.

## 37.57.2.2 Spare

uint8 CFE\_EVS\_BitMaskCmd\_Payload::Spare

Pad to even byte.

Definition at line 1013 of file cfe\_evs\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/evs/fsw/inc/cfe\_evs\_msg.h

# 37.58 CFE\_EVS\_HousekeepingTlm Struct Reference

### **Data Fields**

```
    CFE_MSG_TelemetryHeader_t TelemetryHeader
Telemetry header.
```

 CFE\_EVS\_HousekeepingTlm\_Payload\_t Payload Telemetry payload.

# 37.58.1 Detailed Description

Definition at line 1215 of file cfe\_evs\_msg.h.

37.58.2 Field Documentation

### 37.58.2.1 Payload

CFE\_EVS\_HousekeepingTlm\_Payload\_t CFE\_EVS\_HousekeepingTlm::Payload

Telemetry payload.

Definition at line 1218 of file cfe\_evs\_msg.h.

# 37.58.2.2 TelemetryHeader

CFE\_MSG\_TelemetryHeader\_t CFE\_EVS\_HousekeepingTlm::TelemetryHeader

Telemetry header.

Definition at line 1217 of file cfe\_evs\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/evs/fsw/inc/cfe\_evs\_msg.h

# 37.59 CFE\_EVS\_HousekeepingTIm\_Payload Struct Reference

#### **Data Fields**

• uint8 CommandCounter

EVS Command Counter.

uint8 CommandErrorCounter

EVS Command Error Counter.

· uint8 MessageFormatMode

Event message format mode (short/long)

uint8 MessageTruncCounter

Event message truncation counter.

uint8 UnregisteredAppCounter

Unregistered application message send counter.

uint8 OutputPort

Output port mask.

• uint8 LogFullFlag

Local event log full flag.

• uint8 LogMode

Local event logging mode (overwrite/discard)

uint16 MessageSendCounter

Event message send counter.

uint16 LogOverflowCounter

Local event log overflow counter.

uint8 LogEnabled

Current event log enable/disable state.

• uint8 Spare1

Padding for 32 bit boundary.

• uint8 Spare2

Padding for 32 bit boundary.

• uint8 Spare3

Padding for 32 bit boundary.

CFE\_EVS\_AppTImData\_t AppData [CFE\_MISSION\_ES\_MAX\_APPLICATIONS]

Array of registered application table data.

### 37.59.1 Detailed Description

Name Event Services Housekeeping Telemetry Packet

Definition at line 1176 of file cfe\_evs\_msg.h.

37.59.2 Field Documentation

```
37.59.2.1 AppData
```

CFE\_EVS\_AppTlmData\_t CFE\_EVS\_HousekeepingTlm\_Payload::AppData[CFE\_MISSION\_ES\_MAX\_APPLICATIONS]

Array of registered application table data.

Telemetry Mnemonic(s) \$sc\_\$cpu\_EVS\_APP[CFE\_PLATFORM\_ES\_MAX\_APPLICATIONS]

Definition at line 1210 of file cfe\_evs\_msg.h.

37.59.2.2 CommandCounter

uint8 CFE\_EVS\_HousekeepingTlm\_Payload::CommandCounter

**EVS Command Counter.** 

Telemetry Mnemonic(s) \$sc\_\$cpu\_EVS\_CMDPC

Definition at line 1178 of file cfe\_evs\_msg.h.

37.59.2.3 CommandErrorCounter

uint8 CFE\_EVS\_HousekeepingTlm\_Payload::CommandErrorCounter

EVS Command Error Counter.

Telemetry Mnemonic(s) \$sc\_\$cpu\_EVS\_CMDEC

Definition at line 1180 of file cfe\_evs\_msg.h.

37.59.2.4 LogEnabled

uint8 CFE\_EVS\_HousekeepingTlm\_Payload::LogEnabled

Current event log enable/disable state.

Telemetry Mnemonic(s) \$sc\_\$cpu\_EVS\_LOGENABLED

Definition at line 1201 of file cfe\_evs\_msg.h.

37.59.2.5 LogFullFlag

uint8 CFE\_EVS\_HousekeepingTlm\_Payload::LogFullFlag

Local event log full flag.

Telemetry Mnemonic(s) \$sc\_\$cpu\_EVS\_LOGFULL

Definition at line 1191 of file cfe\_evs\_msg.h.

37.59.2.6 LogMode

uint8 CFE\_EVS\_HousekeepingTlm\_Payload::LogMode

Local event logging mode (overwrite/discard)

Telemetry Mnemonic(s) \$sc\_\$cpu\_EVS\_LOGMODE

Definition at line 1193 of file cfe\_evs\_msg.h.

37.59.2.7 LogOverflowCounter

uint16 CFE\_EVS\_HousekeepingTlm\_Payload::LogOverflowCounter

Local event log overflow counter.

Telemetry Mnemonic(s) \$sc\_\$cpu\_EVS\_LOGOVERFLOWC

Definition at line 1198 of file cfe\_evs\_msg.h.

37.59.2.8 MessageFormatMode

 ${\tt uint 8 \ CFE\_EVS\_HousekeepingTlm\_Payload::MessageFormatMode}$ 

Event message format mode (short/long)

Telemetry Mnemonic(s) \$sc\_\$cpu\_EVS\_MSGFMTMODE

Definition at line 1182 of file cfe\_evs\_msg.h.

# 37.59.2.9 MessageSendCounter

uint16 CFE\_EVS\_HousekeepingTlm\_Payload::MessageSendCounter

Event message send counter.

Telemetry Mnemonic(s) \$sc\_\$cpu\_EVS\_MSGSENTC

Definition at line 1196 of file cfe\_evs\_msg.h.

37.59.2.10 MessageTruncCounter

uint8 CFE\_EVS\_HousekeepingTlm\_Payload::MessageTruncCounter

Event message truncation counter.

Telemetry Mnemonic(s) \$sc\_\$cpu\_EVS\_MSGTRUNC

Definition at line 1184 of file cfe\_evs\_msg.h.

37.59.2.11 OutputPort

uint8 CFE\_EVS\_HousekeepingTlm\_Payload::OutputPort

Output port mask.

Telemetry Mnemonic(s) \$sc\_\$cpu\_EVS\_OUTPUTPORT

Definition at line 1189 of file cfe\_evs\_msg.h.

37.59.2.12 Spare1

uint8 CFE\_EVS\_HousekeepingTlm\_Payload::Spare1

Padding for 32 bit boundary.

Telemetry Mnemonic(s) \$sc\_\$cpu\_EVS\_HK\_SPARE1

Definition at line 1203 of file cfe\_evs\_msg.h.

37.59.2.13 Spare2

uint8 CFE\_EVS\_HousekeepingTlm\_Payload::Spare2

Padding for 32 bit boundary.

**Telemetry Mnemonic(s)** \$sc\_\$cpu\_EVS\_HK\_SPARE2

Definition at line 1205 of file cfe\_evs\_msg.h.

37.59.2.14 Spare3

uint8 CFE\_EVS\_HousekeepingTlm\_Payload::Spare3

Padding for 32 bit boundary.

**Telemetry Mnemonic(s)** \$sc\_\$cpu\_EVS\_HK\_SPARE3

Definition at line 1207 of file cfe\_evs\_msg.h.

37.59.2.15 UnregisteredAppCounter

uint8 CFE\_EVS\_HousekeepingTlm\_Payload::UnregisteredAppCounter

Unregistered application message send counter.

Telemetry Mnemonic(s) \$sc\_\$cpu\_EVS\_UNREGAPPC

Definition at line 1187 of file cfe\_evs\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/evs/fsw/inc/cfe\_evs\_msg.h

37.60 CFE\_EVS\_LogFileCmd\_Payload Struct Reference

Write Event Log to File Command Payload.

### **Data Fields**

• char LogFilename [CFE\_MISSION\_MAX\_PATH\_LEN]

Filename where log data is to be written.

### 37.60.1 Detailed Description

Write Event Log to File Command Payload.

For command details, see CFE\_EVS\_WRITE\_LOG\_DATA\_FILE\_CC

Definition at line 927 of file cfe\_evs\_msg.h.

37.60.2 Field Documentation

### 37.60.2.1 LogFilename

```
char CFE_EVS_LogFileCmd_Payload::LogFilename[CFE_MISSION_MAX_PATH_LEN]
```

Filename where log data is to be written.

Definition at line 929 of file cfe\_evs\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/evs/fsw/inc/cfe\_evs\_msg.h

# 37.61 CFE\_EVS\_LongEventTIm Struct Reference

```
#include <cfe_evs_msg.h>
```

## **Data Fields**

• CFE\_MSG\_TelemetryHeader\_t TelemetryHeader

Telemetry header.

CFE\_EVS\_LongEventTlm\_Payload\_t Payload

Telemetry payload.

# 37.61.1 Detailed Description

Definition at line 1261 of file cfe\_evs\_msg.h.

### 37.61.2 Field Documentation

### 37.61.2.1 Payload

CFE\_EVS\_LongEventTlm\_Payload\_t CFE\_EVS\_LongEventTlm::Payload

Telemetry payload.

Definition at line 1264 of file cfe\_evs\_msg.h.

### 37.61.2.2 TelemetryHeader

 ${\tt CFE\_MSG\_TelemetryHeader\_t\ CFE\_EVS\_LongEventTlm::} TelemetryHeader$ 

Telemetry header.

Definition at line 1263 of file cfe\_evs\_msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/evs/fsw/inc/cfe\_evs\_msg.h

# 37.62 CFE\_EVS\_LongEventTIm\_Payload Struct Reference

```
#include <cfe_evs_msg.h>
```

#### **Data Fields**

CFE\_EVS\_PacketID\_t PacketID

Event packet information.

• char Message [CFE\_MISSION\_EVS\_MAX\_MESSAGE\_LENGTH]

Event message string.

uint8 Spare1

Structure padding.

• uint8 Spare2

Structure padding.

#### 37.62.1 Detailed Description

Name Event Message Telemetry Packet (Long format)

Definition at line 1241 of file cfe\_evs\_msg.h.

# 37.62.2 Field Documentation

```
37.62.2.1 Message
```

```
char CFE_EVS_LongEventTlm_Payload::Message[CFE_MISSION_EVS_MAX_MESSAGE_LENGTH]
```

Event message string.

Telemetry Mnemonic(s) \$sc \$cpu EVS EVENT[CFE MISSION EVS MAX MESSAGE LENGTH]

Definition at line 1244 of file cfe\_evs\_msg.h.

37.62.2.2 PacketID

```
CFE_EVS_PacketID_t CFE_EVS_LongEventTlm_Payload::PacketID
```

Event packet information.

Definition at line 1243 of file cfe\_evs\_msg.h.

37.62.2.3 Spare1

```
uint8 CFE_EVS_LongEventTlm_Payload::Spare1
```

Structure padding.

Telemetry Mnemonic(s) \$sc\_\$cpu\_EVS\_SPARE1

Definition at line 1246 of file cfe\_evs\_msg.h.

37.62.2.4 Spare2

uint8 CFE\_EVS\_LongEventTlm\_Payload::Spare2

Structure padding.

Telemetry Mnemonic(s) \$sc\_\$cpu\_EVS\_SPARE2

Definition at line 1248 of file cfe\_evs\_msg.h.

The documentation for this struct was generated from the following file:

# 37.63 CFE\_EVS\_NoArgsCmd Struct Reference

Command with no additional arguments.

```
#include <cfe_evs_msg.h>
```

# **Data Fields**

 CFE\_MSG\_CommandHeader\_t CommandHeader Command header.

# 37.63.1 Detailed Description

Command with no additional arguments.

Definition at line 907 of file cfe\_evs\_msg.h.

37.63.2 Field Documentation

#### 37.63.2.1 CommandHeader

```
CFE_MSG_CommandHeader_t CFE_EVS_NoArgsCmd::CommandHeader
```

Command header.

Definition at line 909 of file cfe\_evs\_msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/evs/fsw/inc/cfe\_evs\_msg.h

# 37.64 CFE\_EVS\_PacketID Struct Reference

```
#include <cfe_evs_msg.h>
```

#### **Data Fields**

char AppName [CFE\_MISSION\_MAX\_API\_LEN]

Application name.

uint16 EventID

Numerical event identifier.

uint16 EventType

Numerical event type identifier.

· uint32 SpacecraftID

Spacecraft identifier.

• uint32 ProcessorID

Numerical processor identifier.

37.64.1 Detailed Description

Telemetry packet structures

Definition at line 1223 of file cfe\_evs\_msg.h.

37.64.2 Field Documentation

37.64.2.1 AppName

char CFE\_EVS\_PacketID::AppName[CFE\_MISSION\_MAX\_API\_LEN]

Application name.

**Telemetry Mnemonic(s)** \$sc\_\$cpu\_EVS\_APPNAME[OS\_MAX\_API\_NAME]

Definition at line 1225 of file cfe\_evs\_msg.h.

37.64.2.2 EventID

uint16 CFE\_EVS\_PacketID::EventID

Numerical event identifier.

Telemetry Mnemonic(s) \$sc\_\$cpu\_EVS\_EVENTID

Definition at line 1227 of file cfe\_evs\_msg.h.

37.64.2.3 **EventType** 

uint16 CFE\_EVS\_PacketID::EventType

Numerical event type identifier.

Telemetry Mnemonic(s) \$sc\_\$cpu\_EVS\_EVENTTYPE

Definition at line 1229 of file cfe\_evs\_msg.h.

# 37.64.2.4 ProcessorID

```
uint32 CFE_EVS_PacketID::ProcessorID
```

Numerical processor identifier.

Telemetry Mnemonic(s) \$sc\_\$cpu\_EVS\_PROCESSORID

Definition at line 1233 of file cfe\_evs\_msg.h.

### 37.64.2.5 SpacecraftID

```
uint32 CFE_EVS_PacketID::SpacecraftID
```

Spacecraft identifier.

Telemetry Mnemonic(s) \$sc\_\$cpu\_EVS\_SCID

Definition at line 1231 of file cfe\_evs\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/evs/fsw/inc/cfe\_evs\_msg.h

### 37.65 CFE\_EVS\_SetEventFormatCode\_Payload Struct Reference

Set Event Format Mode Command Payload.

```
#include <cfe_evs_msg.h>
```

# **Data Fields**

CFE\_EVS\_MsgFormat\_Enum\_t MsgFormat

Mode to use in the command.

• uint8 Spare

Pad to even byte.

# 37.65.1 Detailed Description

Set Event Format Mode Command Payload.

For command details, see CFE\_EVS\_SET\_EVENT\_FORMAT\_MODE\_CC

Definition at line 988 of file cfe\_evs\_msg.h.

# 37.65.2 Field Documentation

#### 37.65.2.1 MsgFormat

```
CFE_EVS_MsgFormat_Enum_t CFE_EVS_SetEventFormatCode_Payload::MsgFormat
```

Mode to use in the command.

Definition at line 990 of file cfe\_evs\_msg.h.

#### 37.65.2.2 Spare

```
uint8 CFE_EVS_SetEventFormatCode_Payload::Spare
```

Pad to even byte.

Definition at line 991 of file cfe\_evs\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/evs/fsw/inc/cfe\_evs\_msg.h

# 37.66 CFE\_EVS\_SetEventFormatModeCmd Struct Reference

Set Event Format Mode Command.

```
#include <cfe_evs_msg.h>
```

# **Data Fields**

- $\bullet \ \mathsf{CFE\_MSG\_CommandHeader\_t} \ \mathsf{CommandHeader}$ 
  - Command header.
- CFE\_EVS\_SetEventFormatMode\_Payload\_t Payload

Command payload.

# 37.66.1 Detailed Description

Set Event Format Mode Command.

Definition at line 997 of file cfe\_evs\_msg.h.

### 37.66.2 Field Documentation

#### 37.66.2.1 CommandHeader

CFE\_MSG\_CommandHeader\_t CFE\_EVS\_SetEventFormatModeCmd::CommandHeader

Command header.

Definition at line 999 of file cfe\_evs\_msg.h.

#### 37.66.2.2 Payload

 ${\tt CFE\_EVS\_SetEventFormatMode\_Payload\_t~CFE\_EVS\_SetEventFormatModeCmd::Paylo$ 

Command payload.

Definition at line 1000 of file cfe\_evs\_msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/evs/fsw/inc/cfe\_evs\_msg.h

# 37.67 CFE\_EVS\_SetLogMode\_Payload Struct Reference

Set Log Mode Command Payload.

```
#include <cfe_evs_msg.h>
```

#### **Data Fields**

• CFE\_EVS\_LogMode\_Enum\_t LogMode

Mode to use in the command.

• uint8 Spare

Pad to even byte.

# 37.67.1 Detailed Description

Set Log Mode Command Payload.

For command details, see CFE\_EVS\_SET\_LOG\_MODE\_CC

Definition at line 967 of file cfe\_evs\_msg.h.

# 37.67.2 Field Documentation

#### 37.67.2.1 LogMode

```
CFE_EVS_LogMode_Enum_t CFE_EVS_SetLogMode_Payload::LogMode
```

Mode to use in the command.

Definition at line 969 of file cfe\_evs\_msg.h.

#### 37.67.2.2 Spare

```
uint8 CFE_EVS_SetLogMode_Payload::Spare
```

Pad to even byte.

Definition at line 970 of file cfe\_evs\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/evs/fsw/inc/cfe\_evs\_msg.h

# 37.68 CFE\_EVS\_SetLogModeCmd Struct Reference

Set Log Mode Command.

```
#include <cfe_evs_msg.h>
```

#### **Data Fields**

- CFE\_MSG\_CommandHeader\_t CommandHeader
  - Command header.
- CFE\_EVS\_SetLogMode\_Payload\_t Payload

Command payload.

# 37.68.1 Detailed Description

Set Log Mode Command.

Definition at line 976 of file cfe\_evs\_msg.h.

### 37.68.2 Field Documentation

#### 37.68.2.1 CommandHeader

CFE\_MSG\_CommandHeader\_t CFE\_EVS\_SetLogModeCmd::CommandHeader

Command header.

Definition at line 978 of file cfe\_evs\_msg.h.

### 37.68.2.2 Payload

CFE\_EVS\_SetLogMode\_Payload\_t CFE\_EVS\_SetLogModeCmd::Payload

Command payload.

Definition at line 979 of file cfe\_evs\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/evs/fsw/inc/cfe\_evs\_msg.h

# 37.69 CFE\_EVS\_ShortEventTIm Struct Reference

```
#include <cfe_evs_msg.h>
```

# **Data Fields**

- CFE\_MSG\_TelemetryHeader\_t TelemetryHeader Telemetry header.
- CFE\_EVS\_ShortEventTIm\_Payload\_t Payload Telemetry payload.

## 37.69.1 Detailed Description

Definition at line 1268 of file cfe\_evs\_msg.h.

## 37.69.2 Field Documentation

# 37.69.2.1 Payload

```
CFE_EVS_ShortEventTlm_Payload_t CFE_EVS_ShortEventTlm::Payload
```

Telemetry payload.

Definition at line 1271 of file cfe\_evs\_msg.h.

## 37.69.2.2 TelemetryHeader

```
CFE_MSG_TelemetryHeader_t CFE_EVS_ShortEventTlm::TelemetryHeader
```

Telemetry header.

Definition at line 1270 of file cfe\_evs\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/evs/fsw/inc/cfe\_evs\_msg.h

# 37.70 CFE\_EVS\_ShortEventTIm\_Payload Struct Reference

```
#include <cfe_evs_msg.h>
```

# **Data Fields**

· CFE EVS PacketID t PacketID

Event packet information.

# 37.70.1 Detailed Description

Name Event Message Telemetry Packet (Short format)

Definition at line 1255 of file cfe\_evs\_msg.h.

37.70.2 Field Documentation

## 37.70.2.1 PacketID

```
CFE_EVS_PacketID_t CFE_EVS_ShortEventTlm_Payload::PacketID
```

Event packet information.

Definition at line 1257 of file cfe\_evs\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/evs/fsw/inc/cfe\_evs\_msg.h

# 37.71 CFE\_EVS\_WriteAppDataFileCmd Struct Reference

Write Event Services Application Information to File Command.

```
#include <cfe_evs_msg.h>
```

#### **Data Fields**

 $\bullet \ \mathsf{CFE\_MSG\_CommandHeader\_t} \ \mathsf{CommandHeader}$ 

Command header.

CFE\_EVS\_AppDataCmd\_Payload\_t Payload

Command payload.

## 37.71.1 Detailed Description

Write Event Services Application Information to File Command.

Definition at line 955 of file cfe\_evs\_msg.h.

37.71.2 Field Documentation

## 37.71.2.1 CommandHeader

```
CFE_MSG_CommandHeader_t CFE_EVS_WriteAppDataFileCmd::CommandHeader
```

Command header.

Definition at line 957 of file cfe\_evs\_msg.h.

# 37.71.2.2 Payload

```
CFE_EVS_AppDataCmd_Payload_t CFE_EVS_WriteAppDataFileCmd::Payload
```

Command payload.

Definition at line 958 of file cfe\_evs\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/evs/fsw/inc/cfe\_evs\_msg.h

# 37.72 CFE\_EVS\_WriteLogDataFileCmd Struct Reference

Write Event Log to File Command.

```
#include <cfe_evs_msg.h>
```

#### **Data Fields**

• CFE\_MSG\_CommandHeader\_t CommandHeader

Command header.

• CFE\_EVS\_LogFileCmd\_Payload\_t Payload

Command payload.

# 37.72.1 Detailed Description

Write Event Log to File Command.

Definition at line 935 of file cfe\_evs\_msg.h.

37.72.2 Field Documentation

# 37.72.2.1 CommandHeader

CFE\_MSG\_CommandHeader\_t CFE\_EVS\_WriteLogDataFileCmd::CommandHeader

Command header.

Definition at line 937 of file cfe\_evs\_msg.h.

# 37.72.2.2 Payload

CFE\_EVS\_LogFileCmd\_Payload\_t CFE\_EVS\_WriteLogDataFileCmd::Payload

Command payload.

Definition at line 938 of file cfe\_evs\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/evs/fsw/inc/cfe evs msg.h

## 37.73 CFE FS FileWriteMetaData Struct Reference

External Metadata/State object associated with background file writes.

```
#include <cfe_fs_api_typedefs.h>
```

## **Data Fields**

- volatile bool IsPending
- char FileName [OS\_MAX\_PATH\_LEN]
- uint32 FileSubType
- char Description [CFE\_FS\_HDR\_DESC\_MAX\_LEN]
- CFE\_FS\_FileWriteGetData\_t GetData
- CFE\_FS\_FileWriteOnEvent\_t OnEvent

### 37.73.1 Detailed Description

External Metadata/State object associated with background file writes.

Applications intending to schedule background file write jobs should instantiate this object in static/global data memory. This keeps track of the state of the file write request(s).

Definition at line 126 of file cfe\_fs\_api\_typedefs.h.

#### 37.73.2 Field Documentation

#### 37.73.2.1 Description

```
char CFE_FS_FileWriteMetaData::Description[CFE_FS_HDR_DESC_MAX_LEN]
```

Description of file (for FS header)

Definition at line 134 of file cfe\_fs\_api\_typedefs.h.

## 37.73.2.2 FileName

```
char CFE_FS_FileWriteMetaData::FileName[OS_MAX_PATH_LEN]
```

Name of file to write

Definition at line 130 of file cfe\_fs\_api\_typedefs.h.

#### 37.73.2.3 FileSubType

```
uint32 CFE_FS_FileWriteMetaData::FileSubType
```

Type of file to write (for FS header)

Definition at line 133 of file cfe\_fs\_api\_typedefs.h.

#### 37.73.2.4 GetData

```
CFE_FS_FileWriteGetData_t CFE_FS_FileWriteMetaData::GetData
```

Application callback to get a data record

Definition at line 136 of file cfe fs api typedefs.h.

## 37.73.2.5 IsPending

```
volatile bool CFE_FS_FileWriteMetaData::IsPending
```

Whether request is pending (volatile as it may be checked outside lock)

Definition at line 128 of file cfe\_fs\_api\_typedefs.h.

## 37.73.2.6 OnEvent

```
CFE_FS_FileWriteOnEvent_t CFE_FS_FileWriteMetaData::OnEvent
```

Application callback for abstract event processing

Definition at line 137 of file cfe\_fs\_api\_typedefs.h.

The documentation for this struct was generated from the following file:

cfe/modules/core\_api/fsw/inc/cfe\_fs\_api\_typedefs.h

# 37.74 CFE\_FS\_Header Struct Reference

Standard cFE File header structure definition.

```
#include <cfe_fs_extern_typedefs.h>
```

## **Data Fields**

uint32 ContentType

Identifies the content type (='cFE1'=0x63464531)

uint32 SubType

Type of Content Type, if necessary.

· uint32 Length

Length of this header to support external processing.

uint32 SpacecraftID

Spacecraft that generated the file.

• uint32 ProcessorID

Processor that generated the file.

uint32 ApplicationID

Application that generated the file.

• uint32 TimeSeconds

File creation timestamp (seconds)

• uint32 TimeSubSeconds

File creation timestamp (sub-seconds)

char Description [CFE\_FS\_HDR\_DESC\_MAX\_LEN]

File description.

# 37.74.1 Detailed Description

Standard cFE File header structure definition.

Definition at line 206 of file cfe\_fs\_extern\_typedefs.h.

37.74.2 Field Documentation

## 37.74.2.1 ApplicationID

```
uint32 CFE_FS_Header::ApplicationID
```

Application that generated the file.

Definition at line 215 of file cfe\_fs\_extern\_typedefs.h.

# 37.74.2.2 ContentType

```
uint32 CFE_FS_Header::ContentType
```

Identifies the content type (='cFE1'=0x63464531)

Definition at line 208 of file cfe\_fs\_extern\_typedefs.h.

## 37.74.2.3 Description

```
char CFE_FS_Header::Description[CFE_FS_HDR_DESC_MAX_LEN]
```

File description.

Definition at line 220 of file cfe\_fs\_extern\_typedefs.h.

## 37.74.2.4 Length

```
uint32 CFE_FS_Header::Length
```

Length of this header to support external processing.

Definition at line 212 of file cfe\_fs\_extern\_typedefs.h.

# 37.74.2.5 ProcessorID

```
uint32 CFE_FS_Header::ProcessorID
```

Processor that generated the file.

Definition at line 214 of file cfe\_fs\_extern\_typedefs.h.

# 37.74.2.6 SpacecraftID

```
uint32 CFE_FS_Header::SpacecraftID
```

Spacecraft that generated the file.

Definition at line 213 of file cfe\_fs\_extern\_typedefs.h.

# 37.74.2.7 SubType

```
uint32 CFE_FS_Header::SubType
```

Type of ContentType, if necessary.

Standard SubType definitions can be found here

Definition at line 209 of file cfe\_fs\_extern\_typedefs.h.

#### 37.74.2.8 TimeSeconds

```
uint32 CFE_FS_Header::TimeSeconds
```

File creation timestamp (seconds)

Definition at line 217 of file cfe\_fs\_extern\_typedefs.h.

## 37.74.2.9 TimeSubSeconds

```
uint32 CFE_FS_Header::TimeSubSeconds
```

File creation timestamp (sub-seconds)

Definition at line 218 of file cfe\_fs\_extern\_typedefs.h.

The documentation for this struct was generated from the following file:

• cfe/modules/core\_api/fsw/inc/cfe\_fs\_extern\_typedefs.h

# 37.75 CFE\_SB\_AllSubscriptionsTlm Struct Reference

```
#include <cfe_sb_msg.h>
```

#### **Data Fields**

- CFE\_MSG\_TelemetryHeader\_t TelemetryHeader Telemetry header.
- CFE\_SB\_AllSubscriptionsTlm\_Payload\_t Payload Telemetry payload.

37.75.1 Detailed Description

Definition at line 799 of file cfe\_sb\_msg.h.

37.75.2 Field Documentation

37.75.2.1 Payload

 ${\tt CFE\_SB\_AllSubscriptionsTlm\_Payload\_t~CFE\_SB\_AllSubscriptionsTlm::Payload\_t~CFE\_SB\_t~CFE\_SB\_t~CFE\_SB\_t~CFE\_SB\_t~CFE\_SB\_t~CFE\_SB\_t~CFE\_SB\_t~CFE\_SB\_t~CFE\_SB\_t~CFE\_SB\_t~CFE\_SB\_t~CFE\_t~C$ 

Telemetry payload.

Definition at line 802 of file cfe\_sb\_msg.h.

37.75.2.2 TelemetryHeader

CFE\_MSG\_TelemetryHeader\_t CFE\_SB\_AllSubscriptionsTlm::TelemetryHeader

Telemetry header.

Definition at line 801 of file cfe\_sb\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/sb/fsw/inc/cfe\_sb\_msg.h

37.76 CFE\_SB\_AllSubscriptionsTIm\_Payload Struct Reference

#include <cfe\_sb\_msg.h>

**Data Fields** 

· uint32 PktSegment

Pkt number(starts at 1) in the series.

• uint32 TotalSegments

Total number of pkts needed to complete the request.

· uint32 Entries

Number of entries in the pkt.

CFE\_SB\_SubEntries\_t Entry [CFE\_SB\_SUB\_ENTRIES\_PER\_PKT]

Array of CFE\_SB\_SubEntries\_t entries.

37.76.1 Detailed Description

Name SB Previous Subscriptions Packet

This structure defines the pkt(s) sent by SB that contains a list of all current subscriptions. This pkt is generated on cmd and intended to be used primarily by the Software Bus Networking Application (SBN). Typically, when the cmd is received there are more subscriptions than can fit in one pkt. The complete list of subscriptions is sent via a series of segmented pkts.

Definition at line 790 of file cfe sb msg.h.

37.76.2 Field Documentation

37.76.2.1 Entries

uint32 CFE\_SB\_AllSubscriptionsTlm\_Payload::Entries

Number of entries in the pkt.

Definition at line 795 of file cfe\_sb\_msg.h.

37.76.2.2 Entry

CFE\_SB\_SubEntries\_t CFE\_SB\_AllSubscriptionsTlm\_Payload::Entry[CFE\_SB\_SUB\_ENTRIES\_PER\_PKT]

Array of CFE\_SB\_SubEntries\_t entries.

Definition at line 796 of file cfe\_sb\_msg.h.

37.76.2.3 PktSegment

uint32 CFE\_SB\_AllSubscriptionsTlm\_Payload::PktSegment

Pkt number(starts at 1) in the series.

Definition at line 793 of file cfe\_sb\_msg.h.

# 37.76.2.4 TotalSegments

```
uint32 CFE_SB_AllSubscriptionsTlm_Payload::TotalSegments
```

Total number of pkts needed to complete the request.

Definition at line 794 of file cfe\_sb\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/sb/fsw/inc/cfe\_sb\_msg.h

# 37.77 CFE\_SB\_HousekeepingTlm Struct Reference

```
#include <cfe_sb_msg.h>
```

# **Data Fields**

- CFE\_MSG\_TelemetryHeader\_t TelemetryHeader Telemetry header.
- CFE\_SB\_HousekeepingTlm\_Payload\_t Payload
   Telemetry payload.

# 37.77.1 Detailed Description

Definition at line 600 of file cfe\_sb\_msg.h.

37.77.2 Field Documentation

# 37.77.2.1 Payload

CFE\_SB\_HousekeepingTlm\_Payload\_t CFE\_SB\_HousekeepingTlm::Payload

Telemetry payload.

Definition at line 603 of file cfe\_sb\_msg.h.

## 37.77.2.2 TelemetryHeader

CFE\_MSG\_TelemetryHeader\_t CFE\_SB\_HousekeepingTlm::TelemetryHeader

Telemetry header.

Definition at line 602 of file cfe\_sb\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/sb/fsw/inc/cfe\_sb\_msg.h

# 37.78 CFE\_SB\_HousekeepingTIm\_Payload Struct Reference

```
#include <cfe_sb_msq.h>
```

#### **Data Fields**

• uint8 CommandCounter

Count of valid commands received.

· uint8 CommandErrorCounter

Count of invalid commands received.

• uint8 NoSubscribersCounter

Count pkts sent with no subscribers.

· uint8 MsgSendErrorCounter

Count of message send errors.

uint8 MsgReceiveErrorCounter

Count of message receive errors.

· uint8 InternalErrorCounter

Count of queue read or write errors.

uint8 CreatePipeErrorCounter

Count of errors in create pipe API.

· uint8 SubscribeErrorCounter

Count of errors in subscribe API.

• uint8 PipeOptsErrorCounter

Count of errors in set/get pipe options API.

· uint8 DuplicateSubscriptionsCounter

Count of duplicate subscriptions.

uint8 GetPipeIdByNameErrorCounter

Count of errors in get pipe id by name API.

• uint8 Spare2Align [1]

Spare bytes to ensure alignment.

• uint16 PipeOverflowErrorCounter

Count of pipe overflow errors.

uint16 MsgLimitErrorCounter

Count of msg id to pipe errors.

• CFE ES MemHandle t MemPoolHandle

Handle to SB's Memory Pool.

uint32 MemInUse

Memory in use.

• uint32 UnmarkedMem

cfg param CFE\_PLATFORM\_SB\_BUF\_MEMORY\_BYTES minus Peak Memory in use

37.78.1 Detailed Description

Name Software Bus task housekeeping Packet

Definition at line 556 of file cfe\_sb\_msg.h.

37.78.2 Field Documentation

37.78.2.1 CommandCounter

uint8 CFE\_SB\_HousekeepingTlm\_Payload::CommandCounter

Count of valid commands received.

Telemetry Mnemonic(s) \$sc\_\$cpu\_SB\_CMDPC

Definition at line 559 of file cfe\_sb\_msg.h.

37.78.2.2 CommandErrorCounter

uint8 CFE\_SB\_HousekeepingTlm\_Payload::CommandErrorCounter

Count of invalid commands received.

Telemetry Mnemonic(s) \$sc\_\$cpu\_SB\_CMDEC

Definition at line 561 of file cfe\_sb\_msg.h.

37.78.2.3 CreatePipeErrorCounter

uint8 CFE\_SB\_HousekeepingTlm\_Payload::CreatePipeErrorCounter

Count of errors in create pipe API.

Telemetry Mnemonic(s) \$sc\_\$cpu\_SB\_NewPipeEC

Definition at line 572 of file cfe\_sb\_msg.h.

37.78.2.4 DuplicateSubscriptionsCounter

uint8 CFE\_SB\_HousekeepingTlm\_Payload::DuplicateSubscriptionsCounter

Count of duplicate subscriptions.

Telemetry Mnemonic(s) \$sc\_\$cpu\_SB\_DupSubCnt

Definition at line 578 of file cfe\_sb\_msg.h.

37.78.2.5 GetPipeldByNameErrorCounter

 $\verb|uint8| CFE\_SB\_HousekeepingTlm\_Payload::GetPipeIdByNameErrorCounter| \\$ 

Count of errors in get pipe id by name API.

Telemetry Mnemonic(s) \$sc\_\$cpu\_SB\_GetPipeIDByNameEC

Definition at line 580 of file cfe\_sb\_msg.h.

37.78.2.6 InternalErrorCounter

uint8 CFE\_SB\_HousekeepingTlm\_Payload::InternalErrorCounter

Count of queue read or write errors.

Telemetry Mnemonic(s) \$sc\_\$cpu\_SB\_InternalEC

Definition at line 570 of file cfe\_sb\_msg.h.

37.78.2.7 MemInUse

uint32 CFE\_SB\_HousekeepingTlm\_Payload::MemInUse

Memory in use.

Telemetry Mnemonic(s) \$sc\_\$cpu\_SB\_MemInUse

Definition at line 593 of file cfe\_sb\_msg.h.

# 37.78.2.8 MemPoolHandle

CFE\_ES\_MemHandle\_t CFE\_SB\_HousekeepingTlm\_Payload::MemPoolHandle

Handle to SB's Memory Pool.

Telemetry Mnemonic(s) \$sc\_\$cpu\_SB\_MemPoolHdl

Definition at line 590 of file cfe\_sb\_msg.h.

#### 37.78.2.9 MsgLimitErrorCounter

uint16 CFE\_SB\_HousekeepingTlm\_Payload::MsgLimitErrorCounter

Count of msg id to pipe errors.

Telemetry Mnemonic(s) \$sc\_\$cpu\_SB\_MsgLimEC

Definition at line 587 of file cfe\_sb\_msg.h.

## 37.78.2.10 MsgReceiveErrorCounter

uint8 CFE\_SB\_HousekeepingTlm\_Payload::MsgReceiveErrorCounter

Count of message receive errors.

Telemetry Mnemonic(s) \$sc\_\$cpu\_SB\_MsgRecEC

Definition at line 568 of file cfe\_sb\_msg.h.

# 37.78.2.11 MsgSendErrorCounter

uint8 CFE\_SB\_HousekeepingTlm\_Payload::MsgSendErrorCounter

Count of message send errors.

**Telemetry Mnemonic(s)** \$sc\_\$cpu\_SB\_MsgSndEC

Definition at line 565 of file cfe\_sb\_msg.h.

37.78.2.12 NoSubscribersCounter

uint8 CFE\_SB\_HousekeepingTlm\_Payload::NoSubscribersCounter

Count pkts sent with no subscribers.

Telemetry Mnemonic(s) \$sc\_\$cpu\_SB\_NoSubEC

Definition at line 563 of file cfe\_sb\_msg.h.

37.78.2.13 PipeOptsErrorCounter

uint8 CFE\_SB\_HousekeepingTlm\_Payload::PipeOptsErrorCounter

Count of errors in set/get pipe options API.

Telemetry Mnemonic(s) \$sc\_\$cpu\_SB\_PipeOptsEC

Definition at line 576 of file cfe\_sb\_msg.h.

37.78.2.14 PipeOverflowErrorCounter

uint16 CFE\_SB\_HousekeepingTlm\_Payload::PipeOverflowErrorCounter

Count of pipe overflow errors.

Telemetry Mnemonic(s) \$sc\_\$cpu\_SB\_PipeOvrEC

Definition at line 585 of file cfe\_sb\_msg.h.

37.78.2.15 Spare2Align

uint8 CFE\_SB\_HousekeepingTlm\_Payload::Spare2Align[1]

Spare bytes to ensure alignment.

**Telemetry Mnemonic(s)** \$sc\_\$cpu\_SB\_Spare2Align[2]

Definition at line 582 of file cfe\_sb\_msg.h.

## 37.78.2.16 SubscribeErrorCounter

uint8 CFE\_SB\_HousekeepingTlm\_Payload::SubscribeErrorCounter

Count of errors in subscribe API.

Telemetry Mnemonic(s) \$sc\_\$cpu\_SB\_SubscrEC

Definition at line 574 of file cfe\_sb\_msg.h.

#### 37.78.2.17 UnmarkedMem

```
uint32 CFE_SB_HousekeepingTlm_Payload::UnmarkedMem
```

cfg param CFE\_PLATFORM\_SB\_BUF\_MEMORY\_BYTES minus Peak Memory in use

Telemetry Mnemonic(s) \$sc\_\$cpu\_SB\_UnMarkedMem

Definition at line 596 of file cfe sb msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/sb/fsw/inc/cfe\_sb\_msg.h

# 37.79 CFE\_SB\_Msg Union Reference

Software Bus generic message.

```
#include <cfe_sb_api_typedefs.h>
```

#### **Data Fields**

• CFE\_MSG\_Message\_t Msg

Base message type without enforced alignment.

• long long int LongInt

Align to support Long Integer.

• long double LongDouble

Align to support Long Double.

## 37.79.1 Detailed Description

Software Bus generic message.

Definition at line 144 of file cfe\_sb\_api\_typedefs.h.

## 37.79.2 Field Documentation

## 37.79.2.1 LongDouble

```
long double CFE_SB_Msg::LongDouble
```

Align to support Long Double.

Definition at line 148 of file cfe sb api typedefs.h.

## 37.79.2.2 LongInt

```
long long int CFE_SB_Msg::LongInt
```

Align to support Long Integer.

Definition at line 147 of file cfe\_sb\_api\_typedefs.h.

## 37.79.2.3 Msg

```
CFE_MSG_Message_t CFE_SB_Msg::Msg
```

Base message type without enforced alignment.

Definition at line 146 of file cfe\_sb\_api\_typedefs.h.

The documentation for this union was generated from the following file:

cfe/modules/core\_api/fsw/inc/cfe\_sb\_api\_typedefs.h

# 37.80 CFE\_SB\_Msgld\_t Struct Reference

```
CFE_SB_Msgld_t type definition.
```

```
#include <cfe_sb_extern_typedefs.h>
```

# **Data Fields**

CFE\_SB\_Msgld\_Atom\_t Value

37.80.1 Detailed Description

CFE\_SB\_Msgld\_t type definition.

Software Bus message identifier used in many SB APIs

Currently this is directly mapped to the underlying holding type (not wrapped) for compatibility with existing usage semantics in apps (mainly switch/case statements)

Note

In a future version it could become a type-safe wrapper similar to the route index, to avoid message IDs getting mixed between other integer values.

Definition at line 118 of file cfe sb extern typedefs.h.

37.80.2 Field Documentation

37.80.2.1 Value

CFE\_SB\_MsgId\_Atom\_t CFE\_SB\_MsgId\_t::Value

Definition at line 120 of file cfe\_sb\_extern\_typedefs.h.

The documentation for this struct was generated from the following file:

cfe/modules/core api/fsw/inc/cfe sb extern typedefs.h

37.81 CFE SB MsgMapFileEntry Struct Reference

SB Map File Entry.

#include <cfe\_sb\_msg.h>

**Data Fields** 

CFE\_SB\_Msgld\_t Msgld

Message Id which has been subscribed to.

CFE\_SB\_RouteId\_Atom\_t Index

Routing raw index value (0 based, not Route ID)

37.81.1 Detailed Description

SB Map File Entry.

Structure of one element of the map information in response to CFE\_SB\_WRITE\_MAP\_INFO\_CC

Definition at line 732 of file cfe\_sb\_msg.h.

37.81.2 Field Documentation

37.81.2.1 Index

CFE\_SB\_RouteId\_Atom\_t CFE\_SB\_MsgMapFileEntry::Index

Routing raw index value (0 based, not Route ID)

Definition at line 735 of file cfe\_sb\_msg.h.

37.81.2.2 Msgld

CFE\_SB\_MsgId\_t CFE\_SB\_MsgMapFileEntry::MsgId

Message Id which has been subscribed to.

Definition at line 734 of file cfe\_sb\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/sb/fsw/inc/cfe\_sb\_msg.h

37.82 CFE\_SB\_PipeDepthStats Struct Reference

SB Pipe Depth Statistics.

#include <cfe\_sb\_msg.h>

# **Data Fields**

· CFE SB Pipeld t Pipeld

Pipe Id associated with the stats below.

• uint16 MaxQueueDepth

Number of messages the pipe can hold.

• uint16 CurrentQueueDepth

Number of messages currently on the pipe.

· uint16 PeakQueueDepth

Peak number of messages that have been on the pipe.

uint16 Spare

Spare word to ensure alignment.

37.82.1 Detailed Description

SB Pipe Depth Statistics.

Used in SB Statistics Telemetry Packet CFE\_SB\_StatsTIm\_t

Definition at line 611 of file cfe\_sb\_msg.h.

37.82.2 Field Documentation

37.82.2.1 CurrentQueueDepth

uint16 CFE\_SB\_PipeDepthStats::CurrentQueueDepth

Number of messages currently on the pipe.

Telemetry Mnemonic(s) \$sc\_\$cpu\_SB\_Stat.SB\_SMPDS[CFE\_PLATFORM\_SB\_MAX\_PIPES].SB\_PDINUSE

Definition at line 618 of file cfe\_sb\_msg.h.

37.82.2.2 MaxQueueDepth

uint16 CFE\_SB\_PipeDepthStats::MaxQueueDepth

Number of messages the pipe can hold.

Telemetry Mnemonic(s) \$sc\_\$cpu\_SB\_Stat.SB\_SMPDS[CFE\_PLATFORM\_SB\_MAX\_PIPES].SB\_PDDEPTH

Definition at line 616 of file cfe\_sb\_msg.h.

37.82.2.3 PeakQueueDepth

uint16 CFE\_SB\_PipeDepthStats::PeakQueueDepth

Peak number of messages that have been on the pipe.

Telemetry Mnemonic(s) \$sc\_\$cpu\_SB\_Stat.SB\_SMPDS[CFE\_PLATFORM\_SB\_MAX\_PIPES].SB\_PDPKINUSE

Definition at line 620 of file cfe\_sb\_msg.h.

37.82.2.4 Pipeld

CFE\_SB\_PipeId\_t CFE\_SB\_PipeDepthStats::PipeId

Pipe Id associated with the stats below.

Telemetry Mnemonic(s) \$sc\_\$cpu\_SB\_Stat.SB\_SMPDS[CFE\_PLATFORM\_SB\_MAX\_PIPES].SB\_PDPIPEID

Definition at line 614 of file cfe\_sb\_msg.h.

37.82.2.5 Spare

uint16 CFE\_SB\_PipeDepthStats::Spare

Spare word to ensure alignment.

Telemetry Mnemonic(s) \$sc\_\$cpu\_SB\_Stat.SB\_SMPDS[CFE\_PLATFORM\_SB\_MAX\_PIPES].SB\_PDSPARE

Definition at line 622 of file cfe\_sb\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/sb/fsw/inc/cfe\_sb\_msg.h

37.83 CFE\_SB\_PipeInfoEntry Struct Reference

SB Pipe Information File Entry.

#include <cfe\_sb\_msq.h>

## **Data Fields**

- · CFE SB Pipeld t Pipeld
- · CFE ES Appld t Appld
- char PipeName [CFE MISSION MAX API LEN]
- char AppName [CFE MISSION MAX API LEN]
- uint16 MaxQueueDepth
- uint16 CurrentQueueDepth
- · uint16 PeakQueueDepth
- uint16 SendErrors
- uint8 Opts
- uint8 Spare [3]

## 37.83.1 Detailed Description

SB Pipe Information File Entry.

This statistics structure is output as part of the CFE SB "Send Pipe Info" command (CFE\_SB\_SEND\_PIPE\_INFO\_CC).

Previous versions of CFE simply wrote the internal CFE\_SB\_PipeD\_t object to the file, but this also contains information such as pointers which are not relevant outside the running CFE process.

By defining the pipe info structure separately, it also provides some independence, such that the internal CFE\_SB\_

PipeD t definition can evolve without changing the binary format of the information file.

Definition at line 642 of file cfe\_sb\_msg.h.

37.83.2 Field Documentation

37.83.2.1 Appld

CFE\_ES\_AppId\_t CFE\_SB\_PipeInfoEntry::AppId

The runtime ID of the application that owns the pipe

Definition at line 645 of file cfe sb msg.h.

37.83.2.2 AppName

char CFE\_SB\_PipeInfoEntry::AppName[CFE\_MISSION\_MAX\_API\_LEN]

The Name of the application that owns the pipe

Definition at line 647 of file cfe\_sb\_msg.h.

```
37.83.2.3 CurrentQueueDepth
```

```
uint16 CFE_SB_PipeInfoEntry::CurrentQueueDepth
```

The current depth of the pipe

Definition at line 649 of file cfe\_sb\_msg.h.

# 37.83.2.4 MaxQueueDepth

```
uint16 CFE_SB_PipeInfoEntry::MaxQueueDepth
```

The allocated depth of the pipe (max capacity)

Definition at line 648 of file cfe\_sb\_msg.h.

## 37.83.2.5 Opts

```
uint8 CFE_SB_PipeInfoEntry::Opts
```

Pipe options set (bitmask)

Definition at line 652 of file cfe\_sb\_msg.h.

## 37.83.2.6 PeakQueueDepth

```
uint16 CFE_SB_PipeInfoEntry::PeakQueueDepth
```

The peak depth of the pipe (high watermark)

Definition at line 650 of file cfe\_sb\_msg.h.

## 37.83.2.7 Pipeld

```
CFE_SB_PipeId_t CFE_SB_PipeInfoEntry::PipeId
```

The runtime ID of the pipe

Definition at line 644 of file cfe\_sb\_msg.h.

# 37.83.2.8 PipeName

```
char CFE_SB_PipeInfoEntry::PipeName[CFE_MISSION_MAX_API_LEN]
```

The Name of the pipe

Definition at line 646 of file cfe\_sb\_msg.h.

#### 37.83.2.9 SendErrors

```
uint16 CFE_SB_PipeInfoEntry::SendErrors
```

Number of errors when writing to this pipe

Definition at line 651 of file cfe\_sb\_msg.h.

## 37.83.2.10 Spare

```
uint8 CFE_SB_PipeInfoEntry::Spare[3]
```

Padding to make this structure a multiple of 4 bytes

Definition at line 653 of file cfe\_sb\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/sb/fsw/inc/cfe\_sb\_msg.h

# 37.84 CFE\_SB\_Qos\_t Struct Reference

Quality Of Service Type Definition.

```
#include <cfe_sb_extern_typedefs.h>
```

#### **Data Fields**

• uint8 Priority

Specify high(1) or low(0) message priority for off-board routing, currently unused.

· uint8 Reliability

Specify high(1) or low(0) message transfer reliability for off-board routing, currently unused.

37.84.1 Detailed Description

Quality Of Service Type Definition.

Currently an unused parameter in CFE\_SB\_SubscribeEx Intended to be used for interprocessor communication only

Definition at line 135 of file cfe\_sb\_extern\_typedefs.h.

37.84.2 Field Documentation

#### 37.84.2.1 Priority

```
uint8 CFE_SB_Qos_t::Priority
```

Specify high(1) or low(0) message priority for off-board routing, currently unused.

Definition at line 137 of file cfe\_sb\_extern\_typedefs.h.

# 37.84.2.2 Reliability

```
uint8 CFE_SB_Qos_t::Reliability
```

Specify high(1) or low(0) message transfer reliability for off-board routing, currently unused.

Definition at line 138 of file cfe\_sb\_extern\_typedefs.h.

The documentation for this struct was generated from the following file:

cfe/modules/core\_api/fsw/inc/cfe\_sb\_extern\_typedefs.h

# 37.85 CFE\_SB\_RouteCmd Struct Reference

Enable/Disable Route Command.

```
#include <cfe_sb_msq.h>
```

#### **Data Fields**

- CFE\_MSG\_CommandHeader\_t CommandHeader
  - Command header.
- CFE\_SB\_RouteCmd\_Payload\_t Payload

Command payload.

```
37.85.1 Detailed Description
```

Enable/Disable Route Command.

Definition at line 537 of file cfe\_sb\_msg.h.

37.85.2 Field Documentation

#### 37.85.2.1 CommandHeader

```
CFE_MSG_CommandHeader_t CFE_SB_RouteCmd::CommandHeader
```

Command header.

Definition at line 539 of file cfe\_sb\_msg.h.

### 37.85.2.2 Payload

```
CFE_SB_RouteCmd_Payload_t CFE_SB_RouteCmd::Payload
```

Command payload.

Definition at line 540 of file cfe\_sb\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/sb/fsw/inc/cfe\_sb\_msg.h

# 37.86 CFE\_SB\_RouteCmd\_Payload Struct Reference

Enable/Disable Route Command Payload.

```
#include <cfe_sb_msq.h>
```

## **Data Fields**

CFE\_SB\_Msgld\_t Msgld

Message ID of route to be enabled or disabled CFE\_SB\_Msgld\_t.

• CFE\_SB\_PipeId\_t Pipe

Pipe ID of route to be enabled or disabled CFE\_SB\_PipeId\_t.

• uint8 Spare

Spare byte to make command even number of bytes.

37.86.1 Detailed Description

Enable/Disable Route Command Payload.

This structure contains a definition used by two SB commands, 'Enable Route' CFE\_SB\_ENABLE\_ROUTE\_CC and 'Disable Route' CFE\_SB\_DISABLE\_ROUTE\_CC. A route is the destination pipe for a particular message and is therefore defined as a Msgld and Pipeld combination.

Definition at line 526 of file cfe\_sb\_msg.h.

37.86.2 Field Documentation

37.86.2.1 Msgld

```
CFE_SB_MsgId_t CFE_SB_RouteCmd_Payload::MsgId
```

Message ID of route to be enabled or disabled CFE\_SB\_Msgld\_t.

Definition at line 529 of file cfe\_sb\_msg.h.

37.86.2.2 Pipe

```
CFE_SB_PipeId_t CFE_SB_RouteCmd_Payload::Pipe
```

Pipe ID of route to be enabled or disabled CFE\_SB\_Pipeld\_t.

Definition at line 530 of file cfe\_sb\_msg.h.

37.86.2.3 Spare

```
uint8 CFE_SB_RouteCmd_Payload::Spare
```

Spare byte to make command even number of bytes.

Definition at line 531 of file cfe\_sb\_msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/sb/fsw/inc/cfe sb msg.h

# 37.87 CFE\_SB\_RoutingFileEntry Struct Reference

```
SB Routing File Entry.
```

```
#include <cfe_sb_msg.h>
```

# **Data Fields**

• CFE\_SB\_Msgld\_t Msgld

Message Id portion of the route.

• CFE\_SB\_PipeId\_t PipeId

Pipe Id portion of the route.

• uint8 State

Route Enabled or Disabled.

uint16 MsgCnt

Number of msgs with this Msgld sent to this Pipeld.

char AppName [CFE\_MISSION\_MAX\_API\_LEN]

Pipe Depth Statistics.

• char PipeName [CFE\_MISSION\_MAX\_API\_LEN]

Pipe Depth Statistics.

# 37.87.1 Detailed Description

SB Routing File Entry.

Structure of one element of the routing information in response to CFE\_SB\_WRITE\_ROUTING\_INFO\_CC

Definition at line 717 of file cfe\_sb\_msg.h.

# 37.87.2 Field Documentation

## 37.87.2.1 AppName

```
\verb|char CFE\_SB_RoutingFileEntry::AppName[CFE\_MISSION\_MAX\_API\_LEN]|\\
```

Pipe Depth Statistics.

Definition at line 723 of file cfe\_sb\_msg.h.

```
37.87.2.2 MsgCnt
```

```
uint16 CFE_SB_RoutingFileEntry::MsgCnt
```

Number of msgs with this Msgld sent to this Pipeld.

Definition at line 722 of file cfe\_sb\_msg.h.

37.87.2.3 Msgld

```
CFE_SB_MsgId_t CFE_SB_RoutingFileEntry::MsgId
```

Message Id portion of the route.

Definition at line 719 of file cfe\_sb\_msg.h.

37.87.2.4 Pipeld

```
CFE_SB_PipeId_t CFE_SB_RoutingFileEntry::PipeId
```

Pipe Id portion of the route.

Definition at line 720 of file cfe\_sb\_msg.h.

37.87.2.5 PipeName

```
char CFE_SB_RoutingFileEntry::PipeName[CFE_MISSION_MAX_API_LEN]
```

Pipe Depth Statistics.

Definition at line 724 of file cfe\_sb\_msg.h.

37.87.2.6 State

```
uint8 CFE_SB_RoutingFileEntry::State
```

Route Enabled or Disabled.

Definition at line 721 of file cfe\_sb\_msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/sb/fsw/inc/cfe\_sb\_msg.h

# 37.88 CFE\_SB\_SingleSubscriptionTIm Struct Reference

```
#include <cfe_sb_msg.h>
```

#### **Data Fields**

- CFE\_MSG\_TelemetryHeader\_t TelemetryHeader Telemetry header.
- CFE\_SB\_SingleSubscriptionTlm\_Payload\_t Payload Telemetry payload.

## 37.88.1 Detailed Description

Definition at line 758 of file cfe\_sb\_msg.h.

37.88.2 Field Documentation

# 37.88.2.1 Payload

CFE\_SB\_SingleSubscriptionTlm\_Payload\_t CFE\_SB\_SingleSubscriptionTlm::Payload

Telemetry payload.

Definition at line 761 of file cfe\_sb\_msg.h.

## 37.88.2.2 TelemetryHeader

```
CFE_MSG_TelemetryHeader_t CFE_SB_SingleSubscriptionTlm::TelemetryHeader
```

Telemetry header.

Definition at line 760 of file cfe\_sb\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/sb/fsw/inc/cfe\_sb\_msg.h

# 37.89 CFE\_SB\_SingleSubscriptionTIm\_Payload Struct Reference

#include <cfe\_sb\_msg.h>

**Data Fields** 

uint8 SubType

Subscription or Unsubscription.

CFE SB Msgld t Msgld

Msgld subscribed or unsubscribe to.

CFE\_SB\_Qos\_t Qos

Quality of Service, used only for interprocessor communication.

• CFE\_SB\_PipeId\_t Pipe

Destination pipe id to send above msg id.

37.89.1 Detailed Description

Name SB Subscription Report Packet

This structure defines the pkt sent by SB when a subscription or a request to unsubscribe is received while subscription reporting is enabled. By default subscription reporting is disabled. This feature is intended to be used primarily by Software Bus Networking Application (SBN)

See also

CFE SB ENABLE SUB REPORTING CC, CFE SB DISABLE SUB REPORTING CC

Definition at line 748 of file cfe sb msg.h.

37.89.2 Field Documentation

37.89.2.1 Msgld

CFE\_SB\_MsgId\_t CFE\_SB\_SingleSubscriptionTlm\_Payload::MsgId

Msgld subscribed or unsubscribe to.

Definition at line 752 of file cfe\_sb\_msg.h.

37.89.2.2 Pipe

 ${\tt CFE\_SB\_PipeId\_t\ CFE\_SB\_SingleSubscriptionTlm\_Payload::Pipe}$ 

Destination pipe id to send above msg id.

Definition at line 754 of file cfe\_sb\_msg.h.

## 37.89.2.3 Qos

```
CFE_SB_Qos_t CFE_SB_SingleSubscriptionTlm_Payload::Qos
```

Quality of Service, used only for interprocessor communication.

Definition at line 753 of file cfe\_sb\_msg.h.

## 37.89.2.4 SubType

```
uint8 CFE_SB_SingleSubscriptionTlm_Payload::SubType
```

Subscription or Unsubscription.

Definition at line 751 of file cfe\_sb\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/sb/fsw/inc/cfe sb msg.h

# 37.90 CFE SB StatsTIm Struct Reference

```
#include <cfe_sb_msg.h>
```

## **Data Fields**

- CFE\_MSG\_TelemetryHeader\_t TelemetryHeader
  - Telemetry header.
- CFE\_SB\_StatsTlm\_Payload\_t Payload

Telemetry payload.

## 37.90.1 Detailed Description

Definition at line 706 of file cfe\_sb\_msg.h.

#### 37.90.2 Field Documentation

37.90.2.1 Payload

CFE\_SB\_StatsTlm\_Payload\_t CFE\_SB\_StatsTlm::Payload

Telemetry payload.

Definition at line 709 of file cfe\_sb\_msg.h.

37.90.2.2 TelemetryHeader

CFE\_MSG\_TelemetryHeader\_t CFE\_SB\_StatsTlm::TelemetryHeader

Telemetry header.

Definition at line 708 of file cfe\_sb\_msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/sb/fsw/inc/cfe\_sb\_msg.h

# 37.91 CFE\_SB\_StatsTIm\_Payload Struct Reference

#include <cfe\_sb\_msg.h>

### **Data Fields**

• uint32 MsgldsInUse

Current number of Msglds with a destination.

• uint32 PeakMsgldsInUse

Peak number of Msglds with a destination.

uint32 MaxMsgldsAllowed

cFE Cfg Param CFE\_PLATFORM\_SB\_MAX\_MSG\_IDS

uint32 PipesInUse

Number of pipes currently in use.

uint32 PeakPipesInUse

Peak number of pipes since last reboot.

uint32 MaxPipesAllowed

cFE Cfg Param CFE\_PLATFORM\_SB\_MAX\_PIPES

· uint32 MemInUse

Memory bytes currently in use for SB msg transfers.

• uint32 PeakMemInUse

Peak memory bytes in use for SB msg transfers.

uint32 MaxMemAllowed

cFE Cfg Param CFE\_PLATFORM\_SB\_BUF\_MEMORY\_BYTES

uint32 SubscriptionsInUse

Number of current subscriptions.

• uint32 PeakSubscriptionsInUse

Peak number of subscriptions.

· uint32 MaxSubscriptionsAllowed

product of CFE\_PLATFORM\_SB\_MAX\_MSG\_IDS and CFE\_PLATFORM\_SB\_MAX\_DEST\_PER\_PKT

· uint32 SBBuffersInUse

Number of SB message buffers currently in use.

· uint32 PeakSBBuffersInUse

Max number of SB message buffers in use.

· uint32 MaxPipeDepthAllowed

Maximum allowed pipe depth.

• CFE\_SB\_PipeDepthStats\_t PipeDepthStats [CFE\_MISSION\_SB\_MAX\_PIPES]

Pipe Depth Statistics CFE\_SB\_PipeDepthStats\_t.

37.91.1 Detailed Description

Name SB Statistics Telemetry Packet

SB Statistics packet sent in response to CFE SB SEND SB STATS CC

Definition at line 662 of file cfe sb msg.h.

37.91.2 Field Documentation

37.91.2.1 MaxMemAllowed

uint32 CFE\_SB\_StatsTlm\_Payload::MaxMemAllowed

cFE Cfg Param CFE PLATFORM SB BUF MEMORY BYTES

Telemetry Mnemonic(s) \$sc\_\$cpu\_SB\_Stat.SB\_SMMBMALW

Definition at line 683 of file cfe\_sb\_msg.h.

37.91.2.2 MaxMsgldsAllowed

uint32 CFE\_SB\_StatsTlm\_Payload::MaxMsgIdsAllowed

cFE Cfg Param CFE\_PLATFORM\_SB\_MAX\_MSG\_IDS

Telemetry Mnemonic(s) \$sc\_\$cpu\_SB\_Stat.SB\_SMMMIDALW

Definition at line 669 of file cfe\_sb\_msg.h.

37.91.2.3 MaxPipeDepthAllowed

uint32 CFE\_SB\_StatsTlm\_Payload::MaxPipeDepthAllowed

Maximum allowed pipe depth.

Telemetry Mnemonic(s) \$sc\_\$cpu\_SB\_Stat.SB\_SMMPDALW

Definition at line 699 of file cfe\_sb\_msg.h.

37.91.2.4 MaxPipesAllowed

uint32 CFE\_SB\_StatsTlm\_Payload::MaxPipesAllowed

cFE Cfg Param CFE\_PLATFORM\_SB\_MAX\_PIPES

Telemetry Mnemonic(s) \$sc\_\$cpu\_SB\_Stat.SB\_SMMPALW

Definition at line 676 of file cfe\_sb\_msg.h.

37.91.2.5 MaxSubscriptionsAllowed

uint32 CFE\_SB\_StatsTlm\_Payload::MaxSubscriptionsAllowed

product of CFE\_PLATFORM\_SB\_MAX\_MSG\_IDS and CFE\_PLATFORM\_SB\_MAX\_DEST\_PER\_PKT

Telemetry Mnemonic(s) \$sc\_\$cpu\_SB\_Stat.SB\_SMMSALW

Definition at line 690 of file cfe\_sb\_msg.h.

37.91.2.6 MemInUse

uint32 CFE\_SB\_StatsTlm\_Payload::MemInUse

Memory bytes currently in use for SB msg transfers.

Telemetry Mnemonic(s) \$sc\_\$cpu\_SB\_Stat.SB\_SMBMIU

Definition at line 679 of file cfe\_sb\_msg.h.

## 37.91.2.7 MsgldslnUse

```
uint32 CFE_SB_StatsTlm_Payload::MsgIdsInUse
```

Current number of Msglds with a destination.

Telemetry Mnemonic(s) \$sc\_\$cpu\_SB\_Stat.SB\_SMMIDIU

Definition at line 665 of file cfe\_sb\_msg.h.

### 37.91.2.8 PeakMemInUse

```
uint32 CFE_SB_StatsTlm_Payload::PeakMemInUse
```

Peak memory bytes in use for SB msg transfers.

**Telemetry Mnemonic(s)** \$sc\_\$cpu\_SB\_Stat.SB\_SMPBMIU

Definition at line 681 of file cfe\_sb\_msg.h.

## 37.91.2.9 PeakMsgldsInUse

```
uint32 CFE_SB_StatsTlm_Payload::PeakMsgIdsInUse
```

Peak number of Msglds with a destination.

Telemetry Mnemonic(s) \$sc\_\$cpu\_SB\_Stat.SB\_SMPMIDIU

Definition at line 667 of file cfe\_sb\_msg.h.

## 37.91.2.10 PeakPipesInUse

```
uint32 CFE_SB_StatsTlm_Payload::PeakPipesInUse
```

Peak number of pipes since last reboot.

**Telemetry Mnemonic(s)** \$sc\_\$cpu\_SB\_Stat.SB\_SMPPIU

Definition at line 674 of file cfe\_sb\_msg.h.

37.91.2.11 PeakSBBuffersInUse

uint32 CFE\_SB\_StatsTlm\_Payload::PeakSBBuffersInUse

Max number of SB message buffers in use.

Telemetry Mnemonic(s) \$sc\_\$cpu\_SB\_Stat.SB\_SMPSBBIU

Definition at line 696 of file cfe\_sb\_msg.h.

37.91.2.12 PeakSubscriptionsInUse

uint32 CFE\_SB\_StatsTlm\_Payload::PeakSubscriptionsInUse

Peak number of subscriptions.

Telemetry Mnemonic(s) \$sc\_\$cpu\_SB\_Stat.SB\_SMPSIU

Definition at line 688 of file cfe\_sb\_msg.h.

37.91.2.13 PipeDepthStats

CFE\_SB\_PipeDepthStats\_t CFE\_SB\_StatsTlm\_Payload::PipeDepthStats[CFE\_MISSION\_SB\_MAX\_PIPES]

Pipe Depth Statistics CFE\_SB\_PipeDepthStats\_t.

Telemetry Mnemonic(s) \$sc\_\$cpu\_SB\_Stat.SB\_SMPDS[CFE\_PLATFORM\_SB\_MAX\_PIPES]

Definition at line 702 of file cfe\_sb\_msg.h.

37.91.2.14 PipesInUse

uint32 CFE\_SB\_StatsTlm\_Payload::PipesInUse

Number of pipes currently in use.

Telemetry Mnemonic(s) \$sc\_\$cpu\_SB\_Stat.SB\_SMPIU

Definition at line 672 of file cfe\_sb\_msg.h.

## 37.91.2.15 SBBuffersInUse

```
uint32 CFE_SB_StatsTlm_Payload::SBBuffersInUse
```

Number of SB message buffers currently in use.

Telemetry Mnemonic(s) \$sc\_\$cpu\_SB\_Stat.SB\_SMSBBIU

Definition at line 694 of file cfe\_sb\_msg.h.

## 37.91.2.16 SubscriptionsInUse

```
uint32 CFE_SB_StatsTlm_Payload::SubscriptionsInUse
```

Number of current subscriptions.

Telemetry Mnemonic(s) \$sc\_\$cpu\_SB\_Stat.SB\_SMSIU

Definition at line 686 of file cfe\_sb\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/sb/fsw/inc/cfe\_sb\_msg.h

## 37.92 CFE SB SubEntries Struct Reference

SB Previous Subscriptions Entry.

```
#include <cfe_sb_msg.h>
```

### **Data Fields**

• CFE\_SB\_Msgld\_t Msgld

Msgld portion of the subscription.

• CFE\_SB\_Qos\_t Qos

Qos portion of the subscription.

CFE\_SB\_PipeId\_t Pipe

Pipeld portion of the subscription.

37.92.1 Detailed Description

SB Previous Subscriptions Entry.

This structure defines an entry used in the CFE\_SB\_PrevSubsPkt\_t Intended to be used primarily by Software Bus Networking Application (SBN)

Used in structure definition CFE\_SB\_AllSubscriptionsTlm\_t

Definition at line 772 of file cfe\_sb\_msg.h.

37.92.2 Field Documentation

37.92.2.1 Msgld

CFE\_SB\_MsgId\_t CFE\_SB\_SubEntries::MsgId

Msgld portion of the subscription.

Definition at line 775 of file cfe\_sb\_msg.h.

37.92.2.2 Pipe

CFE\_SB\_PipeId\_t CFE\_SB\_SubEntries::Pipe

Pipeld portion of the subscription.

Definition at line 777 of file cfe\_sb\_msg.h.

37.92.2.3 Qos

CFE\_SB\_Qos\_t CFE\_SB\_SubEntries::Qos

Qos portion of the subscription.

Definition at line 776 of file cfe\_sb\_msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/sb/fsw/inc/cfe sb msg.h

# 37.93 CFE\_SB\_WriteFileInfoCmd Struct Reference

Write File Info Command.

```
#include <cfe_sb_msg.h>
```

Command header.

## **Data Fields**

CFE\_MSG\_CommandHeader\_t CommandHeader

 CFE\_SB\_WriteFileInfoCmd\_Payload\_t Payload Command payload.

37.93.1 Detailed Description

Write File Info Command.

Definition at line 505 of file cfe\_sb\_msg.h.

37.93.2 Field Documentation

### 37.93.2.1 CommandHeader

```
CFE_MSG_CommandHeader_t CFE_SB_WriteFileInfoCmd::CommandHeader
```

Command header.

Definition at line 507 of file cfe\_sb\_msg.h.

37.93.2.2 Payload

```
CFE_SB_WriteFileInfoCmd_Payload_t CFE_SB_WriteFileInfoCmd::Payload
```

Command payload.

Definition at line 508 of file cfe\_sb\_msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/sb/fsw/inc/cfe sb msg.h

# 37.94 CFE\_SB\_WriteFileInfoCmd\_Payload Struct Reference

Write File Info Command Payload.

```
#include <cfe_sb_msg.h>
```

## **Data Fields**

• char Filename [CFE\_MISSION\_MAX\_PATH\_LEN]

Path and Filename of data to be loaded.

## 37.94.1 Detailed Description

Write File Info Command Payload.

This structure contains a generic definition used by SB commands that write to a file

Definition at line 497 of file cfe\_sb\_msg.h.

37.94.2 Field Documentation

## 37.94.2.1 Filename

```
\verb|char CFE\_SB\_WriteFileInfoCmd\_Payload::Filename[CFE\_MISSION\_MAX\_PATH\_LEN]| \\
```

Path and Filename of data to be loaded.

Definition at line 499 of file cfe\_sb\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/sb/fsw/inc/cfe\_sb\_msg.h

# 37.95 CFE\_TBL\_AbortLoadCmd Struct Reference

Abort Load Command.

```
#include <cfe_tbl_msg.h>
```

## **Data Fields**

• CFE\_MSG\_CommandHeader\_t CommandHeader

Command header.

CFE\_TBL\_AbortLoadCmd\_Payload\_t Payload

Command payload.

37.95.1 Detailed Description

Abort Load Command.

Definition at line 686 of file cfe\_tbl\_msg.h.

37.95.2 Field Documentation

37.95.2.1 CommandHeader

CFE\_MSG\_CommandHeader\_t CFE\_TBL\_AbortLoadCmd::CommandHeader

Command header.

Definition at line 688 of file cfe\_tbl\_msg.h.

37.95.2.2 Payload

CFE\_TBL\_AbortLoadCmd\_Payload\_t CFE\_TBL\_AbortLoadCmd::Payload

Command payload.

Definition at line 689 of file cfe\_tbl\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/tbl/fsw/inc/cfe\_tbl\_msg.h

37.96 CFE\_TBL\_AbortLoadCmd\_Payload Struct Reference

Abort Load Command Payload.

#include <cfe\_tbl\_msg.h>

**Data Fields** 

char TableName [CFE\_MISSION\_TBL\_MAX\_FULL\_NAME\_LEN]

Full Name of Table whose load is to be aborted.

37.96.1 Detailed Description

Abort Load Command Payload.

For command details, see CFE TBL ABORT LOAD CC

Definition at line 676 of file cfe\_tbl\_msg.h.

37.96.2 Field Documentation

#### 37.96.2.1 TableName

```
char CFE_TBL_AbortLoadCmd_Payload::TableName[CFE_MISSION_TBL_MAX_FULL_NAME_LEN]
```

Full Name of Table whose load is to be aborted.

ASCII string containing full table name identifier of a table whose load is to be aborted

Definition at line 678 of file cfe\_tbl\_msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/tbl/fsw/inc/cfe\_tbl\_msg.h

## 37.97 CFE\_TBL\_ActivateCmd Struct Reference

Activate Table Command.

```
#include <cfe_tbl_msg.h>
```

## **Data Fields**

- CFE\_MSG\_CommandHeader\_t CommandHeader
  - Command header.
- CFE\_TBL\_ActivateCmd\_Payload\_t Payload

Command payload.

37.97.1 Detailed Description

Activate Table Command.

Definition at line 597 of file cfe\_tbl\_msg.h.

37.97.2 Field Documentation

## 37.97.2.1 CommandHeader

 ${\tt CFE\_MSG\_CommandHeader\_t\ CFE\_TBL\_ActivateCmd::CommandHeader}$ 

Command header.

Definition at line 599 of file cfe\_tbl\_msg.h.

## 37.97.2.2 Payload

CFE\_TBL\_ActivateCmd\_Payload\_t CFE\_TBL\_ActivateCmd::Payload

Command payload.

Definition at line 600 of file cfe\_tbl\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/tbl/fsw/inc/cfe tbl msg.h

# 37.98 CFE\_TBL\_ActivateCmd\_Payload Struct Reference

Activate Table Command Payload.

#include <cfe\_tbl\_msg.h>

#### **Data Fields**

• char TableName [CFE\_MISSION\_TBL\_MAX\_FULL\_NAME\_LEN] Full Name of Table to be activated.

37.98.1 Detailed Description

Activate Table Command Payload.

For command details, see CFE TBL ACTIVATE CC

Definition at line 587 of file cfe\_tbl\_msg.h.

37.98.2 Field Documentation

37.98.2.1 TableName

```
char CFE_TBL_ActivateCmd_Payload::TableName[CFE_MISSION_TBL_MAX_FULL_NAME_LEN]
```

Full Name of Table to be activated.

ASCII string containing full table name identifier of table to be activated

Definition at line 589 of file cfe\_tbl\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/tbl/fsw/inc/cfe\_tbl\_msg.h

37.99 CFE\_TBL\_DelCDSCmd\_Payload Struct Reference

Delete Critical Table CDS Command Payload.

```
#include <cfe_tbl_msq.h>
```

**Data Fields** 

char TableName [CFE\_MISSION\_TBL\_MAX\_FULL\_NAME\_LEN]

Full Name of Table whose CDS is to be deleted.

37.99.1 Detailed Description

Delete Critical Table CDS Command Payload.

For command details, see CFE\_TBL\_DELETE\_CDS\_CC

Definition at line 653 of file cfe\_tbl\_msg.h.

## 37.99.2 Field Documentation

#### 37.99.2.1 TableName

```
char CFE_TBL_DelCDSCmd_Payload::TableName[CFE_MISSION_TBL_MAX_FULL_NAME_LEN]
```

Full Name of Table whose CDS is to be deleted.

ASCII string containing full table name identifier of a critical table whose CDS is to be deleted

Definition at line 655 of file cfe\_tbl\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/tbl/fsw/inc/cfe\_tbl\_msg.h

## 37.100 CFE\_TBL\_DeleteCDSCmd Struct Reference

Delete Critical Table CDS Command.

```
#include <cfe_tbl_msg.h>
```

## **Data Fields**

- CFE\_MSG\_CommandHeader\_t CommandHeader
  - Command header.
- CFE\_TBL\_DelCDSCmd\_Payload\_t Payload

Command payload.

37.100.1 Detailed Description

Delete Critical Table CDS Command.

Definition at line 665 of file cfe\_tbl\_msg.h.

37.100.2 Field Documentation

## 37.100.2.1 CommandHeader

CFE\_MSG\_CommandHeader\_t CFE\_TBL\_DeleteCDSCmd::CommandHeader

Command header.

Definition at line 667 of file cfe\_tbl\_msg.h.

## 37.100.2.2 Payload

```
CFE_TBL_DelCDSCmd_Payload_t CFE_TBL_DeleteCDSCmd::Payload
```

Command payload.

Definition at line 668 of file cfe\_tbl\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/tbl/fsw/inc/cfe\_tbl\_msg.h

# 37.101 CFE\_TBL\_DumpCmd Struct Reference

```
#include <cfe_tbl_msg.h>
```

## **Data Fields**

- CFE\_MSG\_CommandHeader\_t CommandHeader
  - Command header.
- CFE\_TBL\_DumpCmd\_Payload\_t Payload
   Command payload.

37.101.1 Detailed Description

/brief Dump Table Command

Definition at line 549 of file cfe\_tbl\_msg.h.

37.101.2 Field Documentation

## 37.101.2.1 CommandHeader

```
CFE_MSG_CommandHeader_t CFE_TBL_DumpCmd::CommandHeader
```

Command header.

Definition at line 551 of file cfe\_tbl\_msg.h.

## 37.101.2.2 Payload

```
CFE_TBL_DumpCmd_Payload_t CFE_TBL_DumpCmd::Payload
```

Command payload.

Definition at line 552 of file cfe\_tbl\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/tbl/fsw/inc/cfe\_tbl\_msg.h

# 37.102 CFE\_TBL\_DumpCmd\_Payload Struct Reference

Dump Table Command Payload.

```
#include <cfe_tbl_msg.h>
```

## **Data Fields**

• uint16 ActiveTableFlag

```
CFE_TBL_BufferSelect_INACTIVE=Inactive Table, CFE_TBL_BufferSelect_ACTIVE=Active Table
```

• char TableName [CFE\_MISSION\_TBL\_MAX\_FULL\_NAME\_LEN]

Full name of table to be dumped.

char DumpFilename [CFE\_MISSION\_MAX\_PATH\_LEN]

Full Filename where data is to be written.

## 37.102.1 Detailed Description

Dump Table Command Payload.

For command details, see CFE\_TBL\_DUMP\_CC

Definition at line 530 of file cfe tbl msg.h.

37.102.2 Field Documentation

## 37.102.2.1 ActiveTableFlag

uint16 CFE\_TBL\_DumpCmd\_Payload::ActiveTableFlag

CFE\_TBL\_BufferSelect\_INACTIVE=Inactive Table, CFE\_TBL\_BufferSelect\_ACTIVE=Active Table

Selects either the "Inactive" (CFE\_TBL\_BufferSelect\_INACTIVE) buffer or the "Active" (CFE\_TBL\_BufferSelect\_ACT \( \to \) IVE) buffer to be dumped

Definition at line 532 of file cfe\_tbl\_msg.h.

#### 37.102.2.2 DumpFilename

char CFE\_TBL\_DumpCmd\_Payload::DumpFilename[CFE\_MISSION\_MAX\_PATH\_LEN]

Full Filename where data is to be written.

ASCII string containing full path of filename where data is to be dumped

Definition at line 541 of file cfe tbl msg.h.

#### 37.102.2.3 TableName

char CFE\_TBL\_DumpCmd\_Payload::TableName[CFE\_MISSION\_TBL\_MAX\_FULL\_NAME\_LEN]

Full name of table to be dumped.

ASCII string containing full table name identifier of table to be dumped

Definition at line 538 of file cfe\_tbl\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/tbl/fsw/inc/cfe\_tbl\_msg.h

# 37.103 CFE\_TBL\_DumpRegistryCmd Struct Reference

Dump Registry Command.

#include <cfe\_tbl\_msq.h>

## **Data Fields**

CFE\_MSG\_CommandHeader\_t CommandHeader

Command header.

• CFE\_TBL\_DumpRegistryCmd\_Payload\_t Payload

Command payload.

37.103.1 Detailed Description

Dump Registry Command.

Definition at line 619 of file cfe\_tbl\_msg.h.

37.103.2 Field Documentation

37.103.2.1 CommandHeader

CFE\_MSG\_CommandHeader\_t CFE\_TBL\_DumpRegistryCmd::CommandHeader

Command header.

Definition at line 621 of file cfe\_tbl\_msg.h.

37.103.2.2 Payload

 ${\tt CFE\_TBL\_DumpRegistryCmd\_Payload\_t\ CFE\_TBL\_DumpRegistryCmd}:: {\tt Payload}$ 

Command payload.

Definition at line 622 of file cfe\_tbl\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/tbl/fsw/inc/cfe\_tbl\_msg.h

37.104 CFE\_TBL\_DumpRegistryCmd\_Payload Struct Reference

Dump Registry Command Payload.

#include <cfe\_tbl\_msg.h>

**Data Fields** 

char DumpFilename [CFE\_MISSION\_MAX\_PATH\_LEN]

Full Filename where dumped data is to be written.

37.104.1 Detailed Description

Dump Registry Command Payload.

For command details, see CFE\_TBL\_DUMP\_REGISTRY\_CC

Definition at line 608 of file cfe tbl msg.h.

37.104.2 Field Documentation

37.104.2.1 DumpFilename

char CFE\_TBL\_DumpRegistryCmd\_Payload::DumpFilename[CFE\_MISSION\_MAX\_PATH\_LEN]

Full Filename where dumped data is to be written.

ASCII string containing full path of filename where registry is to be dumped

Definition at line 610 of file cfe\_tbl\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/tbl/fsw/inc/cfe\_tbl\_msg.h

37.105 CFE\_TBL\_File\_Hdr Struct Reference

The definition of the header fields that are included in CFE Table Data files.

#include <cfe\_tbl\_extern\_typedefs.h>

## **Data Fields**

- uint32 Reserved
- CFE\_ES\_MemOffset\_t Offset
- CFE\_ES\_MemOffset\_t NumBytes
- char TableName [CFE\_MISSION\_TBL\_MAX\_FULL\_NAME\_LEN]

## 37.105.1 Detailed Description

The definition of the header fields that are included in CFE Table Data files.

This header follows the CFE FS header and precedes the actual table data.

Definition at line 73 of file cfe tbl extern typedefs.h.

37.105.2 Field Documentation

## 37.105.2.1 NumBytes

```
CFE_ES_MemOffset_t CFE_TBL_File_Hdr::NumBytes
```

Number of bytes to load into table

Definition at line 77 of file cfe\_tbl\_extern\_typedefs.h.

#### 37.105.2.2 Offset

```
CFE_ES_MemOffset_t CFE_TBL_File_Hdr::Offset
```

Byte Offset at which load should commence

Definition at line 76 of file cfe\_tbl\_extern\_typedefs.h.

## 37.105.2.3 Reserved

```
uint32 CFE_TBL_File_Hdr::Reserved
```

Future Use: NumTblSegments in File?

Definition at line 75 of file cfe\_tbl\_extern\_typedefs.h.

#### 37.105.2.4 TableName

```
char CFE_TBL_File_Hdr::TableName[CFE_MISSION_TBL_MAX_FULL_NAME_LEN]
```

Fully qualified name of table to load

Definition at line 78 of file cfe\_tbl\_extern\_typedefs.h.

The documentation for this struct was generated from the following file:

cfe/modules/core api/fsw/inc/cfe tbl extern typedefs.h

# 37.106 CFE\_TBL\_FileDef Struct Reference

```
#include <cfe_tbl_filedef.h>
```

#### **Data Fields**

• char ObjectName [64]

Name of instantiated variable that contains desired table image.

char TableName [CFE\_MISSION\_TBL\_MAX\_FULL\_NAME\_LEN]

Name of Table as defined onboard.

char Description [CFE\_FS\_HDR\_DESC\_MAX\_LEN]

Description of table image that is included in cFE File Header.

• char TgtFilename [CFE\_MISSION\_MAX\_FILE\_LEN]

Default filename to be used for output of elf2cfetbl utility.

· uint32 ObjectSize

Size, in bytes, of instantiated object.

#### 37.106.1 Detailed Description

Definition at line 58 of file cfe tbl filedef.h.

37.106.2 Field Documentation

## 37.106.2.1 Description

```
char CFE_TBL_FileDef::Description[CFE_FS_HDR_DESC_MAX_LEN]
```

Description of table image that is included in cFE File Header.

Definition at line 62 of file cfe\_tbl\_filedef.h.

#### 37.106.2.2 ObjectName

```
char CFE_TBL_FileDef::ObjectName[64]
```

Name of instantiated variable that contains desired table image.

Definition at line 60 of file cfe\_tbl\_filedef.h.

## 37.106.2.3 ObjectSize

```
uint32 CFE_TBL_FileDef::ObjectSize
```

Size, in bytes, of instantiated object.

Definition at line 66 of file cfe\_tbl\_filedef.h.

#### 37.106.2.4 TableName

```
char CFE_TBL_FileDef::TableName[CFE_MISSION_TBL_MAX_FULL_NAME_LEN]
```

Name of Table as defined onboard.

Definition at line 61 of file cfe\_tbl\_filedef.h.

#### 37.106.2.5 TgtFilename

```
char CFE_TBL_FileDef::TgtFilename[CFE_MISSION_MAX_FILE_LEN]
```

Default filename to be used for output of elf2cfetbl utility.

Definition at line 64 of file cfe\_tbl\_filedef.h.

The documentation for this struct was generated from the following file:

• cfe/modules/core api/fsw/inc/cfe tbl filedef.h

## 37.107 CFE\_TBL\_HousekeepingTlm Struct Reference

```
#include <cfe_tbl_msg.h>
```

## Data Fields

- CFE\_MSG\_TelemetryHeader\_t TelemetryHeader
  - Telemetry header.
- CFE\_TBL\_HousekeepingTlm\_Payload\_t Payload

Telemetry payload.

## 37.107.1 Detailed Description

Definition at line 785 of file cfe tbl msg.h.

37.107.2 Field Documentation

37.107.2.1 Payload

Telemetry payload.

Definition at line 788 of file cfe\_tbl\_msg.h.

37.107.2.2 TelemetryHeader

CFE\_MSG\_TelemetryHeader\_t CFE\_TBL\_HousekeepingTlm::TelemetryHeader

Telemetry header.

Definition at line 787 of file cfe tbl msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/tbl/fsw/inc/cfe\_tbl\_msg.h

# 37.108 CFE\_TBL\_HousekeepingTIm\_Payload Struct Reference

```
#include <cfe_tbl_msg.h>
```

## **Data Fields**

• uint8 CommandCounter

Count of valid commands received.

uint8 CommandErrorCounter

Count of invalid commands received.

• uint16 NumTables

Number of Tables Registered.

uint16 NumLoadPending

Number of Tables pending on Applications for their update.

· uint16 ValidationCounter

Number of completed table validations.

uint32 LastValCrc

Data Integrity Value computed for last table validated.

• int32 LastValStatus

Returned status from validation function for last table validated.

bool ActiveBuffer

Indicator of whether table buffer validated was 0=Inactive, 1=Active.

• char LastValTableName [CFE\_MISSION\_TBL\_MAX\_FULL\_NAME\_LEN]

Name of last table validated.

· uint8 SuccessValCounter

Total number of successful table validations.

uint8 FailedValCounter

Total number of unsuccessful table validations.

uint8 NumValRequests

Number of times Table Services has requested validations from Apps.

· uint8 NumFreeSharedBufs

Number of free Shared Working Buffers.

uint8 ByteAlignPad1

Spare byte to ensure longword alignment.

· CFE ES MemHandle t MemPoolHandle

Handle to TBL's memory pool.

CFE\_TIME\_SysTime\_t LastUpdateTime

Time of last table update.

char LastUpdatedTable [CFE\_MISSION\_TBL\_MAX\_FULL\_NAME\_LEN]

Name of the last table updated.

char LastFileLoaded [CFE\_MISSION\_MAX\_PATH\_LEN]

Path and Name of last table image file loaded.

char LastFileDumped [CFE\_MISSION\_MAX\_PATH\_LEN]

Path and Name of last file dumped to.

char LastTableLoaded [CFE\_MISSION\_TBL\_MAX\_FULL\_NAME\_LEN]

Name of the last table loaded.

37.108.1 Detailed Description

Name Table Services Housekeeping Packet

Definition at line 726 of file cfe\_tbl\_msg.h.

37.108.2 Field Documentation

37.108.2.1 ActiveBuffer

 $\verb|bool CFE_TBL_HousekeepingTlm_Payload::ActiveBuffer|$ 

Indicator of whether table buffer validated was 0=Inactive, 1=Active.

Telemetry Mnemonic(s) \$sc\_\$cpu\_TBL\_LastValBuf

Definition at line 753 of file cfe\_tbl\_msg.h.

37.108.2.2 ByteAlignPad1

uint8 CFE\_TBL\_HousekeepingTlm\_Payload::ByteAlignPad1

Spare byte to ensure longword alignment.

Telemetry Mnemonic(s) \$sc\_\$cpu\_TBL\_ByteAlignPad1

Definition at line 769 of file cfe\_tbl\_msg.h.

37.108.2.3 CommandCounter

uint8 CFE\_TBL\_HousekeepingTlm\_Payload::CommandCounter

Count of valid commands received.

Telemetry Mnemonic(s) \$sc\_\$cpu\_TBL\_CMDPC

Definition at line 731 of file cfe\_tbl\_msg.h.

37.108.2.4 CommandErrorCounter

uint8 CFE\_TBL\_HousekeepingTlm\_Payload::CommandErrorCounter

Count of invalid commands received.

Telemetry Mnemonic(s) \$sc\_\$cpu\_TBL\_CMDEC

Definition at line 733 of file cfe\_tbl\_msg.h.

37.108.2.5 FailedValCounter

 ${\tt uint 8 \ CFE\_TBL\_House keeping Tlm\_Payload::} Failed Val Counter$ 

Total number of unsuccessful table validations.

**Telemetry Mnemonic(s)** \$sc\_\$cpu\_TBL\_ValFailedCtr

Definition at line 759 of file cfe\_tbl\_msg.h.

```
37.108.2.6 LastFileDumped
```

char CFE\_TBL\_HousekeepingTlm\_Payload::LastFileDumped[CFE\_MISSION\_MAX\_PATH\_LEN]

Path and Name of last file dumped to.

Telemetry Mnemonic(s) \$sc\_\$cpu\_TBL\_LastFileDumped[OS\_MAX\_PATH\_LEN]

Definition at line 779 of file cfe\_tbl\_msg.h.

37.108.2.7 LastFileLoaded

 $\verb|char CFE_TBL_HousekeepingTlm_Payload::LastFileLoaded[CFE_MISSION_MAX_PATH_LEN]| \\$ 

Path and Name of last table image file loaded.

Telemetry Mnemonic(s) \$sc\_\$cpu\_TBL\_LastFileLoaded[OS\_MAX\_PATH\_LEN]

Definition at line 777 of file cfe\_tbl\_msg.h.

37.108.2.8 LastTableLoaded

char CFE\_TBL\_HousekeepingTlm\_Payload::LastTableLoaded[CFE\_MISSION\_TBL\_MAX\_FULL\_NAME\_LEN]

Name of the last table loaded.

Telemetry Mnemonic(s) \$sc\_\$cpu\_TBL\_LastTableLoaded[CFE\_TBL\_MAX\_FULL\_NAME\_LEN]

Definition at line 781 of file cfe\_tbl\_msg.h.

37.108.2.9 LastUpdatedTable

 $\verb| char CFE_TBL_HousekeepingTlm_Payload:: LastUpdatedTable[CFE_MISSION_TBL_MAX_FULL_NAME\_LEN]| \\$ 

Name of the last table updated.

Telemetry Mnemonic(s) \$sc \$cpu TBL LastUpdTblName[CFE TB MAX FULL NAME LEN]

Definition at line 775 of file cfe\_tbl\_msg.h.

37.108.2.10 LastUpdateTime

CFE\_TIME\_SysTime\_t CFE\_TBL\_HousekeepingTlm\_Payload::LastUpdateTime

Time of last table update.

Telemetry Mnemonic(s) \$sc\_\$cpu\_TBL\_LastUpdTime, \$sc\_\$cpu\_TBL\_SECONDS, \$sc\_\$cpu\_TBL\_SUBSECONDS

Definition at line 773 of file cfe\_tbl\_msg.h.

37.108.2.11 LastValCrc

uint32 CFE\_TBL\_HousekeepingTlm\_Payload::LastValCrc

Data Integrity Value computed for last table validated.

Telemetry Mnemonic(s) \$sc\_\$cpu\_TBL\_LastValCRC

Definition at line 749 of file cfe\_tbl\_msg.h.

37.108.2.12 LastValStatus

int32 CFE\_TBL\_HousekeepingTlm\_Payload::LastValStatus

Returned status from validation function for last table validated.

Telemetry Mnemonic(s) \$sc\_\$cpu\_TBl\_LastValS

Definition at line 751 of file cfe\_tbl\_msg.h.

37.108.2.13 LastValTableName

 $\verb| char CFE_TBL_HousekeepingTlm_Payload:: LastValTableName[CFE_MISSION_TBL_MAX_FULL_NAME\_LEN]| \\$ 

Name of last table validated.

Telemetry Mnemonic(s) \$sc\_\$cpu\_TBL\_LastValTblName[CFE\_TB\_MAX\_FULL\_NAME\_LEN]

Definition at line 755 of file cfe\_tbl\_msg.h.

```
37.108.2.14 MemPoolHandle
```

CFE\_ES\_MemHandle\_t CFE\_TBL\_HousekeepingTlm\_Payload::MemPoolHandle

Handle to TBL's memory pool.

Telemetry Mnemonic(s) \$sc\_\$cpu\_TBL\_MemPoolHandle

Definition at line 771 of file cfe\_tbl\_msg.h.

37.108.2.15 NumFreeSharedBufs

uint8 CFE\_TBL\_HousekeepingTlm\_Payload::NumFreeSharedBufs

Number of free Shared Working Buffers.

**Telemetry Mnemonic(s)** \$sc\_\$cpu\_TBL\_NumFreeShrBuf

Definition at line 767 of file cfe\_tbl\_msg.h.

37.108.2.16 NumLoadPending

uint16 CFE\_TBL\_HousekeepingTlm\_Payload::NumLoadPending

Number of Tables pending on Applications for their update.

Telemetry Mnemonic(s) \$sc\_\$cpu\_TBL\_NumUpdatesPend

Definition at line 741 of file cfe\_tbl\_msg.h.

37.108.2.17 NumTables

uint16 CFE\_TBL\_HousekeepingTlm\_Payload::NumTables

Number of Tables Registered.

**Telemetry Mnemonic(s)** \$sc\_\$cpu\_TBL\_NumTables

Definition at line 739 of file cfe\_tbl\_msg.h.

37.108.2.18 NumValRequests

uint8 CFE\_TBL\_HousekeepingTlm\_Payload::NumValRequests

Number of times Table Services has requested validations from Apps.

Telemetry Mnemonic(s) \$sc\_\$cpu\_TBL\_ValReqCtr

Definition at line 761 of file cfe\_tbl\_msg.h.

37.108.2.19 SuccessValCounter

uint8 CFE\_TBL\_HousekeepingTlm\_Payload::SuccessValCounter

Total number of successful table validations.

**Telemetry Mnemonic(s)** \$sc\_\$cpu\_TBL\_ValSuccessCtr

Definition at line 757 of file cfe\_tbl\_msg.h.

37.108.2.20 ValidationCounter

uint16 CFE\_TBL\_HousekeepingTlm\_Payload::ValidationCounter

Number of completed table validations.

**Telemetry Mnemonic(s)** \$sc\_\$cpu\_TBL\_ValCompltdCtr

Definition at line 747 of file cfe\_tbl\_msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/tbl/fsw/inc/cfe\_tbl\_msg.h

37.109 CFE\_TBL\_Info Struct Reference

Table Info.

#include <cfe\_tbl\_api\_typedefs.h>

## **Data Fields**

• size t Size

Size, in bytes, of Table.

uint32 NumUsers

Number of Apps with access to the table.

• uint32 FileCreateTimeSecs

File creation time from last file loaded into table.

uint32 FileCreateTimeSubSecs

File creation time from last file loaded into table.

• uint32 Crc

Most recently calculated CRC by TBL services on table contents.

CFE\_TIME\_SysTime\_t TimeOfLastUpdate

Time when Table was last updated.

• bool TableLoadedOnce

Flag indicating whether table has been loaded once or not.

bool DumpOnly

Flag indicating Table is NOT to be loaded.

· bool DoubleBuffered

Flag indicating Table has a dedicated inactive buffer.

· bool UserDefAddr

Flag indicating Table address was defined by Owner Application.

· bool Critical

Flag indicating Table contents are maintained in a CDS.

char LastFileLoaded [CFE\_MISSION\_MAX\_PATH\_LEN]

Filename of last file loaded into table.

37.109.1 Detailed Description

Table Info.

Definition at line 111 of file cfe\_tbl\_api\_typedefs.h.

37.109.2 Field Documentation

37.109.2.1 Crc

uint32 CFE\_TBL\_Info::Crc

Most recently calculated CRC by TBL services on table contents.

Definition at line 117 of file cfe\_tbl\_api\_typedefs.h.

## 37.109.2.2 Critical

```
bool CFE_TBL_Info::Critical
```

Flag indicating Table contents are maintained in a CDS.

Definition at line 123 of file cfe\_tbl\_api\_typedefs.h.

#### 37.109.2.3 DoubleBuffered

```
bool CFE_TBL_Info::DoubleBuffered
```

Flag indicating Table has a dedicated inactive buffer.

Definition at line 121 of file cfe\_tbl\_api\_typedefs.h.

## 37.109.2.4 DumpOnly

```
bool CFE_TBL_Info::DumpOnly
```

Flag indicating Table is NOT to be loaded.

Definition at line 120 of file cfe\_tbl\_api\_typedefs.h.

## 37.109.2.5 FileCreateTimeSecs

```
uint32 CFE_TBL_Info::FileCreateTimeSecs
```

File creation time from last file loaded into table.

Definition at line 115 of file cfe\_tbl\_api\_typedefs.h.

#### 37.109.2.6 FileCreateTimeSubSecs

```
uint32 CFE_TBL_Info::FileCreateTimeSubSecs
```

File creation time from last file loaded into table.

Definition at line 116 of file cfe\_tbl\_api\_typedefs.h.

# 37.109.2.7 LastFileLoaded

```
char CFE_TBL_Info::LastFileLoaded[CFE_MISSION_MAX_PATH_LEN]
```

Filename of last file loaded into table.

Definition at line 124 of file cfe\_tbl\_api\_typedefs.h.

#### 37.109.2.8 NumUsers

```
uint32 CFE_TBL_Info::NumUsers
```

Number of Apps with access to the table.

Definition at line 114 of file cfe\_tbl\_api\_typedefs.h.

## 37.109.2.9 Size

```
size_t CFE_TBL_Info::Size
```

Size, in bytes, of Table.

Definition at line 113 of file cfe\_tbl\_api\_typedefs.h.

## 37.109.2.10 TableLoadedOnce

```
bool CFE_TBL_Info::TableLoadedOnce
```

Flag indicating whether table has been loaded once or not.

Definition at line 119 of file cfe\_tbl\_api\_typedefs.h.

## 37.109.2.11 TimeOfLastUpdate

```
CFE_TIME_SysTime_t CFE_TBL_Info::TimeOfLastUpdate
```

Time when Table was last updated.

Definition at line 118 of file cfe\_tbl\_api\_typedefs.h.

## 37.109.2.12 UserDefAddr

```
bool CFE_TBL_Info::UserDefAddr
```

Flag indicating Table address was defined by Owner Application.

Definition at line 122 of file cfe\_tbl\_api\_typedefs.h.

The documentation for this struct was generated from the following file:

• cfe/modules/core\_api/fsw/inc/cfe\_tbl\_api\_typedefs.h

# 37.110 CFE\_TBL\_LoadCmd Struct Reference

Load Table Command.

```
#include <cfe_tbl_msg.h>
```

#### **Data Fields**

CFE\_MSG\_CommandHeader\_t CommandHeader

Command header.

CFE\_TBL\_LoadCmd\_Payload\_t Payload
 Command payload.

37.110.1 Detailed Description

Load Table Command.

Definition at line 519 of file cfe\_tbl\_msg.h.

37.110.2 Field Documentation

## 37.110.2.1 CommandHeader

```
CFE_MSG_CommandHeader_t CFE_TBL_LoadCmd::CommandHeader
```

Command header.

Definition at line 521 of file cfe\_tbl\_msg.h.

## 37.110.2.2 Payload

```
CFE_TBL_LoadCmd_Payload_t CFE_TBL_LoadCmd::Payload
```

Command payload.

Definition at line 522 of file cfe\_tbl\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/tbl/fsw/inc/cfe\_tbl\_msg.h

## 37.111 CFE\_TBL\_LoadCmd\_Payload Struct Reference

Load Table Command Payload.

```
#include <cfe_tbl_msg.h>
```

#### **Data Fields**

• char LoadFilename [CFE\_MISSION\_MAX\_PATH\_LEN] Filename (and path) of data to be loaded.

## 37.111.1 Detailed Description

Load Table Command Payload.

For command details, see CFE\_TBL\_LOAD\_CC

Definition at line 511 of file cfe\_tbl\_msg.h.

37.111.2 Field Documentation

#### 37.111.2.1 LoadFilename

```
char CFE_TBL_LoadCmd_Payload::LoadFilename[CFE_MISSION_MAX_PATH_LEN]
```

Filename (and path) of data to be loaded.

Definition at line 513 of file cfe\_tbl\_msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/tbl/fsw/inc/cfe tbl msg.h

# 37.112 CFE\_TBL\_NoArgsCmd Struct Reference

Generic "no arguments" command.

```
#include <cfe_tbl_msg.h>
```

#### **Data Fields**

 CFE\_MSG\_CommandHeader\_t CommandHeader Command header.

## 37.112.1 Detailed Description

Generic "no arguments" command.

This command structure is used for commands that do not have any parameters. This includes:

- 1. The Housekeeping Request Message
- 2. The No-Op Command (For details, see CFE\_TBL\_NOOP\_CC)
- 3. The Reset Counters Command (For details, see CFE\_TBL\_RESET\_COUNTERS\_CC)

Definition at line 492 of file cfe\_tbl\_msg.h.

37.112.2 Field Documentation

## 37.112.2.1 CommandHeader

```
{\tt CFE\_MSG\_CommandHeader\_t\ CFE\_TBL\_NoArgsCmd::CommandHeader\_t\ CFE\_TBL\_NoArgsCmd::CFE\_TBL\_NoArgsCmd::CFE\_TBL\_NoArgsCmd::CFE\_TBL\_NoArgsCmd::CFE\_TBL\_NoArgsCmd::CFE\_TBL\_NoArgsCmd::CFE\_TBL\_NoArgsCmd::CFE\_TBL\_NoArgsCmd::CFE\_TBL\_NoArgsCmd::CFE\_TBL\_NoArgsCmd::CFE\_TBL\_NoArgsCmd::CFE\_TBL\_NoArgsCmd::CFE\_TBL\_NoArgsCmd::CFE\_TBL\_NoArgsCmd::CFE\_TBL\_NoArgsCmd::CFE\_TBL\_NoArgsCmd::CFE\_TBL\_NoArgsCmd::CFE\_TBL\_NoArgsCmd::CFE\_TBL\_NoArgsCmd::CFE\_TBL\_NoArgsCmd::CFE\_TBL\_NoArgsCmd::CFE\_TBL\_NoArgsCmd::CFE\_TBL\_NoArgsCmd::CFE\_TBL\_NoArgsCmd::CFE\_TBL\_NoArgsCmd::CFE\_TBL\_NoArgsCmd::CFE\_TBL\_NoArgsCmd::CFE\_TBL\_NoArgsCmd::CFE\_TBL\_
```

Command header.

Definition at line 494 of file cfe\_tbl\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/tbl/fsw/inc/cfe\_tbl\_msg.h

## 37.113 CFE\_TBL\_NotifyCmd Struct Reference

```
#include <cfe_tbl_msq.h>
```

## **Data Fields**

• CFE\_MSG\_CommandHeader\_t CommandHeader

Command header.

CFE\_TBL\_NotifyCmd\_Payload\_t Payload

Command payload.

# 37.113.1 Detailed Description

/brief Table Management Notification Command

Definition at line 713 of file cfe\_tbl\_msg.h.

37.113.2 Field Documentation

## 37.113.2.1 CommandHeader

CFE\_MSG\_CommandHeader\_t CFE\_TBL\_NotifyCmd::CommandHeader

Command header.

Definition at line 715 of file cfe\_tbl\_msg.h.

## 37.113.2.2 Payload

CFE\_TBL\_NotifyCmd\_Payload\_t CFE\_TBL\_NotifyCmd::Payload

Command payload.

Definition at line 716 of file cfe\_tbl\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/tbl/fsw/inc/cfe\_tbl\_msg.h

# 37.114 CFE\_TBL\_NotifyCmd\_Payload Struct Reference

Table Management Notification Command Payload.

#include <cfe\_tbl\_msg.h>

#### **Data Fields**

uint32 Parameter

Application specified command parameter.

#### 37.114.1 Detailed Description

Table Management Notification Command Payload.

## Description

Whenever an application that owns a table calls the CFE\_TBL\_NotifyByMessage API following the table registration, Table services will generate the following command message with the application specified message ID, command code and parameter whenever the table requires management (e.g. - loads and validations).

Definition at line 705 of file cfe\_tbl\_msg.h.

37.114.2 Field Documentation

#### 37.114.2.1 Parameter

```
uint32 CFE_TBL_NotifyCmd_Payload::Parameter
```

Application specified command parameter.

Definition at line 707 of file cfe tbl msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/tbl/fsw/inc/cfe\_tbl\_msg.h

## 37.115 CFE\_TBL\_SendRegistryCmd Struct Reference

Send Table Registry Command.

```
#include <cfe_tbl_msg.h>
```

## Data Fields

- CFE\_MSG\_CommandHeader\_t CommandHeader
   ...
- Command header.

   CFE\_TBL\_SendRegistryCmd\_Payload\_t Payload

Command payload.

37.115.1 Detailed Description

Send Table Registry Command.

Definition at line 642 of file cfe\_tbl\_msg.h.

37.115.2 Field Documentation

37.115.2.1 CommandHeader

 ${\tt CFE\_MSG\_CommandHeader\_t\ CFE\_TBL\_SendRegistryCmd::CommandHeader\_t\ CFE\_TBL\_SendRegistryCmd::CFE\_TBL\_SendRegistryCmd::CFE\_TBL\_SendRegistryCmd::CFE\_TBL\_SendRegistryCmd::CFE\_TBL\_SendRegistryCmd::CFE\_TBL\_SendRegistryCmd::CFE\_TBL\_SendRegistryCmd::CFE\_TBL\_SendRegistryCmd::CFE\_TBL\_SendRegistryCmd::CFE\_TBL\_SendRegistryCmd::CFE\_TBL\_SendRegistryCmd::CFE\_TBL\_SendRegistryCmd::CFE\_TBL\_SendRegistryCmd::CFE\_TBL\_SendRegistryCmd::CFE\_TBL\_SendRegistryCmd::CFE\_TBL\_SendRegistryCmd::CFE\_TBL\_SendRegistryCmd::CFE\_TBL\_SendRegistryCmd::CFE\_TBL\_SendRegistryCmd::CFE\_TBL_SendRegistryCmd::CFE\_TBL_SendRegistryCmd::CFE\_TBL_SendRegistryCmd::CFE\_TBL_SendRegistryCmd::CFE\_TBL_SendRegistryCmd::CFE\_TBL_SendRegistryCmd::CFE\_TBL_SendRegistryCmd::CFE\_TBL_SendRegistryCm$ 

Command header.

Definition at line 644 of file cfe\_tbl\_msg.h.

37.115.2.2 Payload

CFE\_TBL\_SendRegistryCmd\_Payload\_t CFE\_TBL\_SendRegistryCmd::Payload

Command payload.

Definition at line 645 of file cfe\_tbl\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/tbl/fsw/inc/cfe tbl msg.h

37.116 CFE\_TBL\_SendRegistryCmd\_Payload Struct Reference

Send Table Registry Command Payload.

#include <cfe\_tbl\_msq.h>

**Data Fields** 

char TableName [CFE\_MISSION\_TBL\_MAX\_FULL\_NAME\_LEN]

Full Name of Table whose registry entry is to be telemetered.

37.116.1 Detailed Description

Send Table Registry Command Payload.

For command details, see CFE\_TBL\_SEND\_REGISTRY\_CC

Definition at line 630 of file cfe\_tbl\_msg.h.

37.116.2 Field Documentation

37.116.2.1 TableName

```
char CFE_TBL_SendRegistryCmd_Payload::TableName[CFE_MISSION_TBL_MAX_FULL_NAME_LEN]
```

Full Name of Table whose registry entry is to be telemetered.

ASCII string containing full table name identifier of table whose registry entry is to be telemetered via CFE\_TBL\_Table ← RegistryTIm\_t

Definition at line 632 of file cfe\_tbl\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/tbl/fsw/inc/cfe\_tbl\_msg.h

# 37.117 CFE\_TBL\_TableRegistryTIm Struct Reference

```
#include <cfe tbl msq.h>
```

## **Data Fields**

- CFE\_MSG\_TelemetryHeader\_t TelemetryHeader Telemetry header.
- CFE\_TBL\_TblRegPacket\_Payload\_t Payload
   Telemetry payload.

## 37.117.1 Detailed Description

Definition at line 832 of file cfe\_tbl\_msg.h.

## 37.117.2 Field Documentation

## 37.117.2.1 Payload

```
CFE_TBL_TblRegPacket_Payload_t CFE_TBL_TableRegistryTlm::Payload
```

Telemetry payload.

Definition at line 835 of file cfe\_tbl\_msg.h.

## 37.117.2.2 TelemetryHeader

```
CFE_MSG_TelemetryHeader_t CFE_TBL_TableRegistryTlm::TelemetryHeader
```

Telemetry header.

Definition at line 834 of file cfe\_tbl\_msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/tbl/fsw/inc/cfe\_tbl\_msg.h

# 37.118 CFE\_TBL\_TblRegPacket\_Payload Struct Reference

```
#include <cfe_tbl_msg.h>
```

## **Data Fields**

CFE\_ES\_MemOffset\_t Size

Size, in bytes, of Table.

• uint32 Crc

Most recently calculated CRC of Table.

· CFE ES MemAddress t ActiveBufferAddr

Address of Active Buffer.

CFE\_ES\_MemAddress\_t InactiveBufferAddr

Address of Inactive Buffer.

• CFE\_ES\_MemAddress\_t ValidationFuncPtr

Ptr to Owner App's function that validates tbl contents.

CFE\_TIME\_SysTime\_t TimeOfLastUpdate

Time when Table was last updated.

• uint32 FileCreateTimeSecs

File creation time from last file loaded into table.

uint32 FileCreateTimeSubSecs

File creation time from last file loaded into table.

• bool TableLoadedOnce

Flag indicating whether table has been loaded once or not.

bool LoadPending

Flag indicating an inactive buffer is ready to be copied.

bool DumpOnly

Flag indicating Table is NOT to be loaded.

bool DoubleBuffered

Flag indicating Table has a dedicated inactive buffer.

char Name [CFE\_MISSION\_TBL\_MAX\_FULL\_NAME\_LEN]

Processor specific table name.

char LastFileLoaded [CFE\_MISSION\_MAX\_PATH\_LEN]

Filename of last file loaded into table.

char OwnerAppName [CFE\_MISSION\_MAX\_API\_LEN]

Name of owning application.

bool Critical

Indicates whether table is Critical or not.

uint8 ByteAlign4

Spare byte to maintain byte alignment.

37.118.1 Detailed Description

Name Table Registry Info Packet

Definition at line 794 of file cfe\_tbl\_msg.h.

37.118.2 Field Documentation

37.118.2.1 ActiveBufferAddr

 ${\tt CFE\_ES\_MemAddress\_t~CFE\_TBL\_TblRegPacket\_Payload::ActiveBufferAddress\_t~CFE\_TBL\_TblRegPacket\_Payload::ActiveBufferAddress\_t~CFE\_TBL\_TblRegPacket\_Payload::ActiveBufferAddress\_t~CFE\_TBL\_TblRegPacket\_Payload::ActiveBufferAddress\_t~CFE\_TBL\_TblRegPacket\_Payload::ActiveBufferAddress\_t~CFE\_TBL\_TblRegPacket\_Payload::ActiveBufferAddress\_t~CFE\_TBL\_TblRegPacket\_Payload::ActiveBufferAddress\_t~CFE\_TBL\_TblRegPacket\_Payload::ActiveBufferAddress\_t~CFE\_TBL\_TblRegPacket\_Payload::ActiveBufferAddress\_t~CFE\_TBL\_TblRegPacket\_Payload::ActiveBufferAddress\_t~CFE\_TBL\_TblRegPacket\_Payload::ActiveBufferAddress\_t~CFE\_TBL\_TblRegPacket\_Payload::ActiveBufferAddress\_t~CFE\_TBL\_TblRegPacket\_Payload::ActiveBufferAddress\_t~CFE\_TBL\_TblRegPacket\_Payload::ActiveBufferAddress\_t~CFE\_TBL\_TblRegPacket\_Payload::ActiveBufferAddress\_t~CFE\_TBL\_TblRegPacket\_Payload::ActiveBufferAddress\_t~CFE\_TBL\_TblRegPacket\_Payload::ActiveBufferAddress\_t~CFE\_TBL\_TblRegPacket\_Payload::ActiveBufferAddress\_t~CFE\_TBL\_TblRegPacket\_TblRegPacke$ 

Address of Active Buffer.

Telemetry Mnemonic(s) \$sc\_\$cpu\_TBL\_ActBufAdd

Definition at line 800 of file cfe\_tbl\_msg.h.

```
37.118.2.2 ByteAlign4
```

```
uint8 CFE_TBL_TblRegPacket_Payload::ByteAlign4
```

Spare byte to maintain byte alignment.

Telemetry Mnemonic(s) \$sc\_\$cpu\_TBL\_Spare4

Definition at line 828 of file cfe\_tbl\_msg.h.

37.118.2.3 Crc

uint32 CFE\_TBL\_TblRegPacket\_Payload::Crc

Most recently calculated CRC of Table.

Telemetry Mnemonic(s) \$sc\_\$cpu\_TBL\_CRC

Definition at line 798 of file cfe\_tbl\_msg.h.

37.118.2.4 Critical

bool CFE\_TBL\_TblRegPacket\_Payload::Critical

Indicates whether table is Critical or not.

Telemetry Mnemonic(s) \$sc\_\$cpu\_TBL\_Spare3

Definition at line 826 of file cfe\_tbl\_msg.h.

37.118.2.5 DoubleBuffered

 $\verb|bool CFE_TBL_TblRegPacket_Payload::DoubleBuffered|\\$ 

Flag indicating Table has a dedicated inactive buffer.

Telemetry Mnemonic(s) \$sc\_\$cpu\_TBL\_DblBuffered

Definition at line 818 of file cfe\_tbl\_msg.h.

37.118.2.6 DumpOnly

bool CFE\_TBL\_TblRegPacket\_Payload::DumpOnly

Flag indicating Table is NOT to be loaded.

Telemetry Mnemonic(s) \$sc\_\$cpu\_TBL\_DumpOnly

Definition at line 816 of file cfe\_tbl\_msg.h.

37.118.2.7 FileCreateTimeSecs

uint32 CFE\_TBL\_TblRegPacket\_Payload::FileCreateTimeSecs

File creation time from last file loaded into table.

Telemetry Mnemonic(s) \$sc\_\$cpu\_TBL\_FILECSECONDS

Definition at line 808 of file cfe\_tbl\_msg.h.

37.118.2.8 FileCreateTimeSubSecs

uint32 CFE\_TBL\_TblRegPacket\_Payload::FileCreateTimeSubSecs

File creation time from last file loaded into table.

Telemetry Mnemonic(s) \$sc\_\$cpu\_TBL\_FILECSUBSECONDS

Definition at line 810 of file cfe\_tbl\_msg.h.

37.118.2.9 InactiveBufferAddr

 ${\tt CFE\_ES\_MemAddress\_t\ CFE\_TBL\_TblRegPacket\_Payload::} In active {\tt BufferAddress\_t\ CFE\_TBL\_TblRegPacket\_Payload::} In a$ 

Address of Inactive Buffer.

**Telemetry Mnemonic(s)** \$sc\_\$cpu\_TBL\_IActBufAdd

Definition at line 802 of file cfe\_tbl\_msg.h.

## 37.118.2.10 LastFileLoaded

char CFE\_TBL\_TblReqPacket\_Payload::LastFileLoaded[CFE\_MISSION\_MAX\_PATH\_LEN]

Filename of last file loaded into table.

**Telemetry Mnemonic(s)** \$sc\_\$cpu\_TBL\_LastFileUpd[OS\_MAX\_PATH\_LEN]

Definition at line 822 of file cfe\_tbl\_msg.h.

#### 37.118.2.11 LoadPending

bool CFE\_TBL\_TblRegPacket\_Payload::LoadPending

Flag indicating an inactive buffer is ready to be copied.

**Telemetry Mnemonic(s)** \$sc\_\$cpu\_TBL\_UpdatePndng

Definition at line 814 of file cfe\_tbl\_msg.h.

#### 37.118.2.12 Name

char CFE\_TBL\_TblRegPacket\_Payload::Name[CFE\_MISSION\_TBL\_MAX\_FULL\_NAME\_LEN]

Processor specific table name.

Telemetry Mnemonic(s) \$sc\_\$cpu\_TBL\_Name[CFE\_TB\_MAX\_FULL\_NAME\_LEN]

Definition at line 820 of file cfe\_tbl\_msg.h.

## 37.118.2.13 OwnerAppName

 $\verb|char CFE_TBL_TblRegPacket_Payload::OwnerAppName[CFE_MISSION_MAX_API_LEN]| \\$ 

Name of owning application.

Telemetry Mnemonic(s) \$sc \$cpu TBL OwnerApp[OS MAX API NAME]

Definition at line 824 of file cfe\_tbl\_msg.h.

37.118.2.14 Size

CFE\_ES\_MemOffset\_t CFE\_TBL\_TblRegPacket\_Payload::Size

Size, in bytes, of Table.

Telemetry Mnemonic(s) \$sc\_\$cpu\_TBL\_SIZE

Definition at line 796 of file cfe\_tbl\_msg.h.

37.118.2.15 TableLoadedOnce

bool CFE\_TBL\_TblRegPacket\_Payload::TableLoadedOnce

Flag indicating whether table has been loaded once or not.

Telemetry Mnemonic(s) \$sc\_\$cpu\_TBL\_LoadedOnce

Definition at line 812 of file cfe\_tbl\_msg.h.

37.118.2.16 TimeOfLastUpdate

CFE\_TIME\_SysTime\_t CFE\_TBL\_TblRegPacket\_Payload::TimeOfLastUpdate

Time when Table was last updated.

**Telemetry Mnemonic(s)** \$sc\_\$cpu\_TBL\_TimeLastUpd, \$sc\_\$cpu\_TBL\_TLUSECONDS, \$sc\_\$cpu\_TBL\_TLUSUB → SECONDS

Definition at line 806 of file cfe\_tbl\_msg.h.

37.118.2.17 ValidationFuncPtr

CFE\_ES\_MemAddress\_t CFE\_TBL\_TblRegPacket\_Payload::ValidationFuncPtr

Ptr to Owner App's function that validates tbl contents.

Telemetry Mnemonic(s) \$sc\_\$cpu\_TBL\_ValFuncPtr

Definition at line 804 of file cfe\_tbl\_msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/tbl/fsw/inc/cfe tbl msg.h

# 37.119 CFE\_TBL\_ValidateCmd Struct Reference

Validate Table Command.

```
#include <cfe_tbl_msg.h>
```

## **Data Fields**

CFE\_MSG\_CommandHeader\_t CommandHeader

CFE\_TBL\_ValidateCmd\_Payload\_t Payload

Command payload.

Command header.

37.119.1 Detailed Description

Validate Table Command.

Definition at line 576 of file cfe\_tbl\_msg.h.

37.119.2 Field Documentation

#### 37.119.2.1 CommandHeader

```
{\tt CFE\_MSG\_CommandHeader\_t\ CFE\_TBL\_ValidateCmd::CommandHeader}
```

Command header.

Definition at line 578 of file cfe\_tbl\_msg.h.

37.119.2.2 Payload

```
CFE_TBL_ValidateCmd_Payload_t CFE_TBL_ValidateCmd::Payload
```

Command payload.

Definition at line 579 of file cfe\_tbl\_msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/tbl/fsw/inc/cfe\_tbl\_msg.h

# 37.120 CFE\_TBL\_ValidateCmd\_Payload Struct Reference

Validate Table Command Payload.

```
#include <cfe_tbl_msq.h>
```

#### **Data Fields**

• uint16 ActiveTableFlag

CFE\_TBL\_BufferSelect\_INACTIVE=Inactive Table, CFE\_TBL\_BufferSelect\_ACTIVE=Active Table

char TableName [CFE\_MISSION\_TBL\_MAX\_FULL\_NAME\_LEN]

Full Name of Table to be validated.

37.120.1 Detailed Description

Validate Table Command Payload.

For command details, see CFE\_TBL\_VALIDATE\_CC

Definition at line 560 of file cfe\_tbl\_msg.h.

37.120.2 Field Documentation

#### 37.120.2.1 ActiveTableFlag

```
uint16 CFE_TBL_ValidateCmd_Payload::ActiveTableFlag
```

CFE TBL BufferSelect INACTIVE=Inactive Table, CFE TBL BufferSelect ACTIVE=Active Table

Selects either the "Inactive" (CFE\_TBL\_BufferSelect\_INACTIVE) buffer or the "Active" (CFE\_TBL\_BufferSelect\_ACT \( \cdot \) IVE) buffer to be validated

Definition at line 562 of file cfe tbl msg.h.

## 37.120.2.2 TableName

```
char CFE_TBL_ValidateCmd_Payload::TableName[CFE_MISSION_TBL_MAX_FULL_NAME_LEN]
```

Full Name of Table to be validated.

ASCII string containing full table name identifier of table to be validated

Definition at line 568 of file cfe\_tbl\_msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/tbl/fsw/inc/cfe tbl msg.h

# 37.121 CFE\_TIME\_DiagnosticTIm Struct Reference

```
#include <cfe_time_msg.h>
```

#### **Data Fields**

- CFE\_MSG\_TelemetryHeader\_t TelemetryHeader Telemetry header.
- CFE\_TIME\_DiagnosticTIm\_Payload\_t Payload Telemetry payload.

## 37.121.1 Detailed Description

Definition at line 1124 of file cfe\_time\_msg.h.

37.121.2 Field Documentation

## 37.121.2.1 Payload

```
CFE_TIME_DiagnosticTlm_Payload_t CFE_TIME_DiagnosticTlm::Payload
```

Telemetry payload.

Definition at line 1127 of file cfe\_time\_msg.h.

## 37.121.2.2 TelemetryHeader

```
CFE_MSG_TelemetryHeader_t CFE_TIME_DiagnosticTlm::TelemetryHeader
```

Telemetry header.

Definition at line 1126 of file cfe\_time\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/time/fsw/inc/cfe\_time\_msg.h

## 37.122 CFE\_TIME\_DiagnosticTIm\_Payload Struct Reference

```
#include <cfe_time_msg.h>
```

#### **Data Fields**

CFE\_TIME\_SysTime\_t AtToneMET

MET at time of tone.

CFE\_TIME\_SysTime\_t AtToneSTCF

STCF at time of tone.

CFE\_TIME\_SysTime\_t AtToneDelay

Adjustment for slow tone detection.

CFE\_TIME\_SysTime\_t AtToneLatch

Local clock latched at time of tone.

int16 AtToneLeapSeconds

Leap Seconds at time of tone.

CFE\_TIME\_ClockState\_Enum\_t ClockStateAPI

Clock state as per API.

• CFE\_TIME\_SysTime\_t TimeSinceTone

Time elapsed since the tone.

• CFE\_TIME\_SysTime\_t CurrentLatch

Local clock latched just "now".

CFE TIME SysTime t CurrentMET

MET at this instant.

CFE\_TIME\_SysTime\_t CurrentTAI

TAI at this instant.

CFE\_TIME\_SysTime\_t CurrentUTC

UTC at this instant.

• int16 ClockSetState

Time has been "set".

int16 ClockFlyState

Current fly-wheel state.

• int16 ClockSource

Internal vs external, etc.

· int16 ClockSignal

Primary vs redundant, etc.

int16 ServerFlyState

Used by clients only.

int16 Forced2Fly

Commanded into fly-wheel.

· uint16 ClockStateFlags

Clock State Flags.

int16 OneTimeDirection

One time STCF adjustment direction (Add = 1, Sub = 2)

int16 OneHzDirection

1Hz STCF adjustment direction

int16 DelayDirection

Client latency adjustment direction.

CFE\_TIME\_SysTime\_t OneTimeAdjust

Previous one-time STCF adjustment.

CFE TIME SysTime t OneHzAdjust

Current 1Hz STCF adjustment.

CFE\_TIME\_SysTime\_t ToneSignalLatch

Local Clock latched at most recent tone signal.

CFE\_TIME\_SysTime\_t ToneDataLatch

Local Clock latched at arrival of tone data.

· uint32 ToneMatchCounter

Tone signal / data verification count.

• uint32 ToneMatchErrorCounter

Tone signal / data verification error count.

• uint32 ToneSignalCounter

Tone signal detected SB message count.

uint32 ToneDataCounter

Time at the tone data SB message count.

uint32 ToneIntCounter

Tone signal ISR execution count.

• uint32 ToneIntErrorCounter

Tone signal ISR error count.

uint32 ToneTaskCounter

Tone task execution count.

· uint32 VersionCounter

Count of mods to time at tone reference data (version)

· uint32 LocalIntCounter

Local 1Hz ISR execution count.

· uint32 LocalTaskCounter

Local 1Hz task execution count.

uint32 VirtualMET

Software MET.

· uint32 MinElapsed

Min tone signal / data pkt arrival window (Sub-seconds)

· uint32 MaxElapsed

Max tone signal / data pkt arrival window (Sub-seconds)

CFE\_TIME\_SysTime\_t MaxLocalClock

Max local clock value before rollover.

uint32 ToneOverLimit

Max between tone signal interrupts.

uint32 ToneUnderLimit

Min between tone signal interrupts.

• uint32 DataStoreStatus

Data Store status (preserved across processor reset)

37.122.1 Detailed Description

Name Time Services Diagnostics Packet

Definition at line 978 of file cfe time msg.h.

37.122.2 Field Documentation

37.122.2.1 AtToneDelay

CFE\_TIME\_SysTime\_t CFE\_TIME\_DiagnosticTlm\_Payload::AtToneDelay

Adjustment for slow tone detection.

Telemetry Mnemonic(s) \$sc\_\$cpu\_TIME\_DLatentS, \$sc\_\$cpu\_TIME\_DLatentSs

Definition at line 987 of file cfe\_time\_msg.h.

37.122.2.2 AtToneLatch

CFE\_TIME\_SysTime\_t CFE\_TIME\_DiagnosticTlm\_Payload::AtToneLatch

Local clock latched at time of tone.

Telemetry Mnemonic(s) \$sc\_\$cpu\_TIME\_DTValidS, \$sc\_\$cpu\_TIME\_DTValidSs

Definition at line 989 of file cfe\_time\_msg.h.

37.122.2.3 AtToneLeapSeconds

int16 CFE\_TIME\_DiagnosticTlm\_Payload::AtToneLeapSeconds

Leap Seconds at time of tone.

**Telemetry Mnemonic(s)** \$sc\_\$cpu\_TIME\_DLeapS

Definition at line 992 of file cfe\_time\_msg.h.

37.122.2.4 AtToneMET

 ${\tt CFE\_TIME\_SysTime\_t\ CFE\_TIME\_DiagnosticTlm\_Payload::AtToneMET}$ 

MET at time of tone.

**Telemetry Mnemonic(s)** \$sc\_\$cpu\_TIME\_DTMETS, \$sc\_\$cpu\_TIME\_DTMETSs

Definition at line 983 of file cfe\_time\_msg.h.

```
37.122.2.5 AtToneSTCF
```

CFE\_TIME\_SysTime\_t CFE\_TIME\_DiagnosticTlm\_Payload::AtToneSTCF

STCF at time of tone.

Telemetry Mnemonic(s) \$sc\_\$cpu\_TIME\_DSTCFS, \$sc\_\$cpu\_TIME\_DSTCFSS

Definition at line 985 of file cfe\_time\_msg.h.

37.122.2.6 ClockFlyState

int16 CFE\_TIME\_DiagnosticTlm\_Payload::ClockFlyState

Current fly-wheel state.

Telemetry Mnemonic(s) \$sc\_\$cpu\_TIME\_DFlywheel

Definition at line 1016 of file cfe\_time\_msg.h.

37.122.2.7 ClockSetState

int16 CFE\_TIME\_DiagnosticTlm\_Payload::ClockSetState

Time has been "set".

Telemetry Mnemonic(s) \$sc\_\$cpu\_TIME\_DValid

Definition at line 1014 of file cfe\_time\_msg.h.

37.122.2.8 ClockSignal

int16 CFE\_TIME\_DiagnosticTlm\_Payload::ClockSignal

Primary vs redundant, etc.

Telemetry Mnemonic(s) \$sc\_\$cpu\_TIME\_DSignal

Definition at line 1020 of file cfe\_time\_msg.h.

37.122.2.9 ClockSource

int16 CFE\_TIME\_DiagnosticTlm\_Payload::ClockSource

Internal vs external, etc.

Telemetry Mnemonic(s) \$sc\_\$cpu\_TIME\_DSource

Definition at line 1018 of file cfe\_time\_msg.h.

37.122.2.10 ClockStateAPI

 ${\tt CFE\_TIME\_ClockState\_Enum\_t\ CFE\_TIME\_DiagnosticTlm\_Payload} :: {\tt ClockStateAPI}$ 

Clock state as per API.

Telemetry Mnemonic(s) \$sc\_\$cpu\_TIME\_DAPIState

Definition at line 994 of file cfe\_time\_msg.h.

37.122.2.11 ClockStateFlags

uint16 CFE\_TIME\_DiagnosticTlm\_Payload::ClockStateFlags

Clock State Flags.

Telemetry Mnemonic(s) \$sc\_\$cpu\_TIME\_DStateFlags, \$sc\_\$cpu\_TIME\_DFlagSet, \$sc\_\$cpu\_TIME\_DFlagFly, \$sc\_\$cpu\_TIME\_DFlagSrc, \$sc\_\$cpu\_TIME\_DFlagPri, \$sc\_\$cpu\_TIME\_DFlagSfly, \$sc\_↔ \$cpu\_TIME\_DFlagCfly, \$sc\_\$cpu\_TIME\_DFlagAdjd, \$sc\_\$cpu\_TIME\_DFlag1Hzd, \$sc\_↔ \$cpu\_TIME\_DFlagClat, \$sc\_\$cpu\_TIME\_DFlagSorC, \$sc\_\$cpu\_TIME\_DFlagNIU

Definition at line 1030 of file cfe\_time\_msg.h.

37.122.2.12 CurrentLatch

CFE\_TIME\_SysTime\_t CFE\_TIME\_DiagnosticTlm\_Payload::CurrentLatch

Local clock latched just "now".

Telemetry Mnemonic(s) \$sc\_\$cpu\_TIME\_DLocalS, \$sc\_\$cpu\_TIME\_DLocalSs

Definition at line 1002 of file cfe\_time\_msg.h.

## 37.122.2.13 CurrentMET

CFE\_TIME\_SysTime\_t CFE\_TIME\_DiagnosticTlm\_Payload::CurrentMET

MET at this instant.

Telemetry Mnemonic(s) \$sc\_\$cpu\_TIME\_DMETS, \$sc\_\$cpu\_TIME\_DMETSs

Definition at line 1004 of file cfe\_time\_msg.h.

#### 37.122.2.14 CurrentTAI

CFE\_TIME\_SysTime\_t CFE\_TIME\_DiagnosticTlm\_Payload::CurrentTAI

TAI at this instant.

**Telemetry Mnemonic(s)** \$sc\_\$cpu\_TIME\_DTAIS, \$sc\_\$cpu\_TIME\_DTAISS

Definition at line 1006 of file cfe\_time\_msg.h.

#### 37.122.2.15 CurrentUTC

CFE\_TIME\_SysTime\_t CFE\_TIME\_DiagnosticTlm\_Payload::CurrentUTC

UTC at this instant.

Telemetry Mnemonic(s) \$sc\_\$cpu\_TIME\_DUTCS, \$sc\_\$cpu\_TIME\_DUTCSS

Definition at line 1008 of file cfe\_time\_msg.h.

## 37.122.2.16 DataStoreStatus

uint32 CFE\_TIME\_DiagnosticTlm\_Payload::DataStoreStatus

Data Store status (preserved across processor reset)

**Telemetry Mnemonic(s)** \$sc\_\$cpu\_TIME\_DataStStat

Definition at line 1120 of file cfe\_time\_msg.h.

37.122.2.17 DelayDirection

int16 CFE\_TIME\_DiagnosticTlm\_Payload::DelayDirection

Client latency adjustment direction.

**Telemetry Mnemonic(s)** \$sc\_\$cpu\_TIME\_DLatentDir

Definition at line 1040 of file cfe\_time\_msg.h.

37.122.2.18 Forced2Fly

int16 CFE\_TIME\_DiagnosticTlm\_Payload::Forced2Fly

Commanded into fly-wheel.

Telemetry Mnemonic(s) \$sc\_\$cpu\_TIME\_DCMD2Fly

Definition at line 1024 of file cfe\_time\_msg.h.

37.122.2.19 LocalIntCounter

uint32 CFE\_TIME\_DiagnosticTlm\_Payload::LocalIntCounter

Local 1Hz ISR execution count.

Telemetry Mnemonic(s) \$sc\_\$cpu\_TIME\_D1HzISRCNT

Definition at line 1078 of file cfe\_time\_msg.h.

37.122.2.20 LocalTaskCounter

 ${\tt uint32~CFE\_TIME\_DiagnosticTlm\_Payload::LocalTaskCounter}$ 

Local 1Hz task execution count.

**Telemetry Mnemonic(s)** \$sc\_\$cpu\_TIME\_D1HzTaskCNT

Definition at line 1080 of file cfe\_time\_msg.h.

```
37.122.2.21 MaxElapsed
```

uint32 CFE\_TIME\_DiagnosticTlm\_Payload::MaxElapsed

Max tone signal / data pkt arrival window (Sub-seconds)

Telemetry Mnemonic(s) \$sc\_\$cpu\_TIME\_DMaxWindow

Definition at line 1100 of file cfe\_time\_msg.h.

37.122.2.22 MaxLocalClock

CFE\_TIME\_SysTime\_t CFE\_TIME\_DiagnosticTlm\_Payload::MaxLocalClock

Max local clock value before rollover.

Telemetry Mnemonic(s) \$sc\_\$cpu\_TIME\_DWrapS, \$sc\_\$cpu\_TIME\_DWrapSs

Definition at line 1106 of file cfe\_time\_msg.h.

37.122.2.23 MinElapsed

uint32 CFE\_TIME\_DiagnosticTlm\_Payload::MinElapsed

Min tone signal / data pkt arrival window (Sub-seconds)

Telemetry Mnemonic(s) \$sc\_\$cpu\_TIME\_DMinWindow

Definition at line 1098 of file cfe\_time\_msg.h.

37.122.2.24 OneHzAdjust

 ${\tt CFE\_TIME\_SysTime\_t\ CFE\_TIME\_DiagnosticTlm\_Payload::OneHzAdjust}$ 

Current 1Hz STCF adjustment.

Telemetry Mnemonic(s) \$sc\_\$cpu\_TIME\_D1HzAdjS, \$sc\_\$cpu\_TIME\_D1HzAdjSs

Definition at line 1048 of file cfe\_time\_msg.h.

```
37.122.2.25 OneHzDirection
```

int16 CFE\_TIME\_DiagnosticTlm\_Payload::OneHzDirection

1Hz STCF adjustment direction

Telemetry Mnemonic(s) \$sc\_\$cpu\_TIME\_D1HzAdjDir

Definition at line 1038 of file cfe\_time\_msg.h.

37.122.2.26 OneTimeAdjust

CFE\_TIME\_SysTime\_t CFE\_TIME\_DiagnosticTlm\_Payload::OneTimeAdjust

Previous one-time STCF adjustment.

Telemetry Mnemonic(s) \$sc\_\$cpu\_TIME\_DAdjustS, \$sc\_\$cpu\_TIME\_DAdjustSs

Definition at line 1046 of file cfe\_time\_msg.h.

37.122.2.27 OneTimeDirection

int16 CFE\_TIME\_DiagnosticTlm\_Payload::OneTimeDirection

One time STCF adjustment direction (Add = 1, Sub = 2)

Telemetry Mnemonic(s) \$sc\_\$cpu\_TIME\_DAdjustDir

Definition at line 1036 of file cfe\_time\_msg.h.

37.122.2.28 ServerFlyState

 $\verb|int16| CFE\_TIME\_DiagnosticTlm\_Payload::ServerFlyState|$ 

Used by clients only.

**Telemetry Mnemonic(s)** \$sc\_\$cpu\_TIME\_DSrvFly

Definition at line 1022 of file cfe\_time\_msg.h.

```
37.122.2.29 TimeSinceTone
```

CFE\_TIME\_SysTime\_t CFE\_TIME\_DiagnosticTlm\_Payload::TimeSinceTone

Time elapsed since the tone.

Telemetry Mnemonic(s) \$sc\_\$cpu\_TIME\_DElapsedS, \$sc\_\$cpu\_TIME\_DElapsedSs

Definition at line 1000 of file cfe\_time\_msg.h.

37.122.2.30 ToneDataCounter

uint32 CFE\_TIME\_DiagnosticTlm\_Payload::ToneDataCounter

Time at the tone data SB message count.

Telemetry Mnemonic(s) \$sc\_\$cpu\_TIME\_DTatTCNT

Definition at line 1068 of file cfe\_time\_msg.h.

37.122.2.31 ToneDataLatch

CFE\_TIME\_SysTime\_t CFE\_TIME\_DiagnosticTlm\_Payload::ToneDataLatch

Local Clock latched at arrival of tone data.

Telemetry Mnemonic(s) \$sc\_\$cpu\_TIME\_DTDS, \$sc\_\$cpu\_TIME\_DTDSs

Definition at line 1056 of file cfe\_time\_msg.h.

37.122.2.32 ToneIntCounter

uint32 CFE\_TIME\_DiagnosticTlm\_Payload::ToneIntCounter

Tone signal ISR execution count.

Telemetry Mnemonic(s) \$sc\_\$cpu\_TIME\_DTsISRCNT

Definition at line 1070 of file cfe\_time\_msg.h.

37.122.2.33 ToneIntErrorCounter

uint32 CFE\_TIME\_DiagnosticTlm\_Payload::ToneIntErrorCounter

Tone signal ISR error count.

Telemetry Mnemonic(s) \$sc\_\$cpu\_TIME\_DTsISRERR

Definition at line 1072 of file cfe\_time\_msg.h.

37.122.2.34 ToneMatchCounter

uint32 CFE\_TIME\_DiagnosticTlm\_Payload::ToneMatchCounter

Tone signal / data verification count.

Telemetry Mnemonic(s) \$sc\_\$cpu\_TIME\_DVerifyCNT

Definition at line 1062 of file cfe\_time\_msg.h.

37.122.2.35 ToneMatchErrorCounter

uint32 CFE\_TIME\_DiagnosticTlm\_Payload::ToneMatchErrorCounter

Tone signal / data verification error count.

Telemetry Mnemonic(s) \$sc\_\$cpu\_TIME\_DVerifyER

Definition at line 1064 of file cfe\_time\_msg.h.

37.122.2.36 ToneOverLimit

 ${\tt uint32\ CFE\_TIME\_DiagnosticTlm\_Payload::} To ne Over Limit$ 

Max between tone signal interrupts.

**Telemetry Mnemonic(s)** \$sc\_\$cpu\_TIME\_DMaxSs

Definition at line 1112 of file cfe\_time\_msg.h.

```
37.122.2.37 ToneSignalCounter
```

```
uint32 CFE_TIME_DiagnosticTlm_Payload::ToneSignalCounter
```

Tone signal detected SB message count.

Telemetry Mnemonic(s) \$sc\_\$cpu\_TIME\_DTSDetCNT

Definition at line 1066 of file cfe\_time\_msg.h.

#### 37.122.2.38 ToneSignalLatch

```
{\tt CFE\_TIME\_SysTime\_t~CFE\_TIME\_DiagnosticTlm\_Payload::ToneSignalLatch}
```

Local Clock latched at most recent tone signal.

**Telemetry Mnemonic(s)** \$sc\_\$cpu\_TIME\_DTTS, \$sc\_\$cpu\_TIME\_DTTSs

Definition at line 1054 of file cfe\_time\_msg.h.

#### 37.122.2.39 ToneTaskCounter

```
uint32 CFE_TIME_DiagnosticTlm_Payload::ToneTaskCounter
```

Tone task execution count.

**Telemetry Mnemonic(s)** \$sc\_\$cpu\_TIME\_DTsTaskCNT

Definition at line 1074 of file cfe\_time\_msg.h.

## 37.122.2.40 ToneUnderLimit

```
uint32 CFE_TIME_DiagnosticTlm_Payload::ToneUnderLimit
```

Min between tone signal interrupts.

Telemetry Mnemonic(s) \$sc\_\$cpu\_TIME\_DMinSs

Definition at line 1114 of file cfe\_time\_msg.h.

37.122.2.41 VersionCounter

uint32 CFE\_TIME\_DiagnosticTlm\_Payload::VersionCounter

Count of mods to time at tone reference data (version)

Telemetry Mnemonic(s) \$sc\_\$cpu\_TIME\_DVersionCNT

Definition at line 1076 of file cfe\_time\_msg.h.

37.122.2.42 VirtualMET

uint32 CFE\_TIME\_DiagnosticTlm\_Payload::VirtualMET

Software MET.

**Telemetry Mnemonic(s)** \$sc\_\$cpu\_TIME\_DLogicalMET

Definition at line 1086 of file cfe\_time\_msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/time/fsw/inc/cfe\_time\_msg.h

37.123 CFE\_TIME\_HousekeepingTIm Struct Reference

```
#include <cfe_time_msg.h>
```

**Data Fields** 

- CFE\_MSG\_TelemetryHeader\_t TelemetryHeader Telemetry header.
- CFE\_TIME\_HousekeepingTIm\_Payload\_t Payload
   Telemetry payload.

37.123.1 Detailed Description

Definition at line 967 of file cfe\_time\_msg.h.

## 37.123.2 Field Documentation

## 37.123.2.1 Payload

 ${\tt CFE\_TIME\_HousekeepingTlm\_Payload\_t~CFE\_TIME\_HousekeepingTlm::$ 

Telemetry payload.

Definition at line 970 of file cfe\_time\_msg.h.

## 37.123.2.2 TelemetryHeader

```
CFE_MSG_TelemetryHeader_t CFE_TIME_HousekeepingTlm::TelemetryHeader
```

Telemetry header.

Definition at line 969 of file cfe\_time\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/time/fsw/inc/cfe\_time\_msg.h

# 37.124 CFE\_TIME\_HousekeepingTIm\_Payload Struct Reference

```
#include <cfe_time_msg.h>
```

## **Data Fields**

• uint8 CommandCounter

Time Command Execution Counter.

• uint8 CommandErrorCounter

Time Command Error Counter.

• uint16 ClockStateFlags

State Flags.

CFE\_TIME\_ClockState\_Enum\_t ClockStateAPI

API State.

• int16 LeapSeconds

Current Leaps Seconds.

uint32 SecondsMET

Current MET (seconds)

• uint32 SubsecsMET

Current MET (sub-seconds)

uint32 SecondsSTCF

Current STCF (seconds)

uint32 SubsecsSTCF

Current STCF (sub-seconds)

uint32 Seconds1HzAdj

Current 1 Hz SCTF adjustment (seconds)

uint32 Subsecs1HzAdj

Current 1 Hz SCTF adjustment (sub-seconds)

uint32 SecondsDelay

Current 1 Hz SCTF Delay (seconds)

uint32 SubsecsDelay

Current 1 Hz SCTF Delay (sub-seconds)

37.124.1 Detailed Description

Name Time Services Housekeeping Packet

Definition at line 908 of file cfe\_time\_msg.h.

37.124.2 Field Documentation

37.124.2.1 ClockStateAPI

CFE\_TIME\_ClockState\_Enum\_t CFE\_TIME\_HousekeepingTlm\_Payload::ClockStateAPI

API State.

Telemetry Mnemonic(s) \$sc\_\$cpu\_TIME\_DAPIState

Definition at line 923 of file cfe\_time\_msg.h.

37.124.2.2 ClockStateFlags

uint16 CFE\_TIME\_HousekeepingTlm\_Payload::ClockStateFlags

State Flags.

Telemetry Mnemonic(s) \$sc\_\$cpu\_TIME\_StateFlg, \$sc\_\$cpu\_TIME\_FlagSet, \$sc\_\$cpu\_TIME\_FlagFly, \$sc\_\$cpu←

\_\_TIME\_FlagSrc, \$sc\_\$cpu\_TIME\_FlagPri, \$sc\_\$cpu\_TIME\_FlagSfly, \$sc\_\$cpu\_TIME\_←

FlagCfly, \$sc\_\$cpu\_TIME\_FlagAdjd, \$sc\_\$cpu\_TIME\_Flag1Hzd, \$sc\_\$cpu\_TIME\_FlagClat,

\$sc\_\$cpu\_TIME\_FlagSorC, \$sc\_\$cpu\_TIME\_FlagNIU

Definition at line 921 of file cfe time msg.h.

```
37.124.2.3 CommandCounter
```

uint8 CFE\_TIME\_HousekeepingTlm\_Payload::CommandCounter

Time Command Execution Counter.

Telemetry Mnemonic(s) \$sc\_\$cpu\_TIME\_CMDPC

Definition at line 913 of file cfe\_time\_msg.h.

37.124.2.4 CommandErrorCounter

uint8 CFE\_TIME\_HousekeepingTlm\_Payload::CommandErrorCounter

Time Command Error Counter.

Telemetry Mnemonic(s) \$sc\_\$cpu\_TIME\_CMDEC

Definition at line 915 of file cfe\_time\_msg.h.

37.124.2.5 LeapSeconds

int16 CFE\_TIME\_HousekeepingTlm\_Payload::LeapSeconds

Current Leaps Seconds.

Telemetry Mnemonic(s) \$sc\_\$cpu\_TIME\_LeapSecs

Definition at line 929 of file cfe\_time\_msg.h.

37.124.2.6 Seconds1HzAdj

uint32 CFE\_TIME\_HousekeepingTlm\_Payload::Seconds1HzAdj

Current 1 Hz SCTF adjustment (seconds)

Telemetry Mnemonic(s) \$sc\_\$cpu\_TIME\_1HzAdjSecs

Definition at line 949 of file cfe\_time\_msg.h.

```
37.124.2.7 SecondsDelay
uint32 CFE_TIME_HousekeepingTlm_Payload::SecondsDelay
Current 1 Hz SCTF Delay (seconds)
Telemetry Mnemonic(s) $sc_$cpu_TIME_1HzAdjSecs
Definition at line 959 of file cfe_time_msg.h.
37.124.2.8 SecondsMET
uint32 CFE_TIME_HousekeepingTlm_Payload::SecondsMET
Current MET (seconds)
Telemetry Mnemonic(s) $sc_$cpu_TIME_METSecs
Definition at line 935 of file cfe_time_msg.h.
37.124.2.9 SecondsSTCF
uint32 CFE_TIME_HousekeepingTlm_Payload::SecondsSTCF
Current STCF (seconds)
Telemetry Mnemonic(s) $sc_$cpu_TIME_STCFSecs
Definition at line 940 of file cfe_time_msg.h.
37.124.2.10 Subsecs1HzAdj
```

# 37.124.2.10 Subsecs in ZAuj

uint32 CFE\_TIME\_HousekeepingTlm\_Payload::Subsecs1HzAdj

Current 1 Hz SCTF adjustment (sub-seconds)

**Telemetry Mnemonic(s)** \$sc\_\$cpu\_TIME\_1HzAdjSSecs

Definition at line 951 of file cfe\_time\_msg.h.

```
37.124.2.11 SubsecsDelay
```

uint32 CFE\_TIME\_HousekeepingTlm\_Payload::SubsecsDelay

Current 1 Hz SCTF Delay (sub-seconds)

Telemetry Mnemonic(s) \$sc\_\$cpu\_TIME\_1HzAdjSSecs

Definition at line 961 of file cfe\_time\_msg.h.

37.124.2.12 SubsecsMET

uint32 CFE\_TIME\_HousekeepingTlm\_Payload::SubsecsMET

Current MET (sub-seconds)

Telemetry Mnemonic(s) \$sc\_\$cpu\_TIME\_METSubsecs

Definition at line 937 of file cfe\_time\_msg.h.

37.124.2.13 SubsecsSTCF

uint32 CFE\_TIME\_HousekeepingTlm\_Payload::SubsecsSTCF

Current STCF (sub-seconds)

Telemetry Mnemonic(s) \$sc\_\$cpu\_TIME\_STCFSubsecs

Definition at line 942 of file cfe\_time\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/time/fsw/inc/cfe\_time\_msg.h

37.125 CFE\_TIME\_LeapsCmd\_Payload Struct Reference

Set leap seconds command payload.

#include <cfe\_time\_msg.h>

**Data Fields** 

• int16 LeapSeconds

37.125.1 Detailed Description

Set leap seconds command payload.

Definition at line 752 of file cfe\_time\_msg.h.

37.125.2 Field Documentation

37.125.2.1 LeapSeconds

int16 CFE\_TIME\_LeapsCmd\_Payload::LeapSeconds

Definition at line 754 of file cfe\_time\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/time/fsw/inc/cfe\_time\_msg.h

37.126 CFE\_TIME\_NoArgsCmd Struct Reference

Generic no argument command.

#include <cfe\_time\_msg.h>

**Data Fields** 

 CFE\_MSG\_CommandHeader\_t CommandHeader Command header.

37.126.1 Detailed Description

Generic no argument command.

Definition at line 731 of file cfe\_time\_msg.h.

## 37.126.2 Field Documentation

## 37.126.2.1 CommandHeader

```
CFE_MSG_CommandHeader_t CFE_TIME_NoArgsCmd::CommandHeader
```

Command header.

Definition at line 733 of file cfe\_time\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/time/fsw/inc/cfe\_time\_msg.h

## 37.127 CFE\_TIME\_OneHzAdjustmentCmd Struct Reference

Generic seconds, subseconds adjustment command.

```
#include <cfe_time_msg.h>
```

## **Data Fields**

CFE\_MSG\_CommandHeader\_t CommandHeader

Command header.

CFE\_TIME\_OneHzAdjustmentCmd\_Payload\_t Payload

Command payload.

## 37.127.1 Detailed Description

Generic seconds, subseconds adjustment command.

Definition at line 869 of file cfe\_time\_msg.h.

37.127.2 Field Documentation

#### 37.127.2.1 CommandHeader

```
CFE_MSG_CommandHeader_t CFE_TIME_OneHzAdjustmentCmd::CommandHeader
```

Command header.

Definition at line 871 of file cfe\_time\_msg.h.

37.127.2.2 Payload

 ${\tt CFE\_TIME\_OneHzAdjustmentCmd\_Payload\_t~CFE\_TIME\_OneHzAdjustmentCmd::Payload\_t~CFE\_TIME\_OneDitMentCmd::Payload\_t~CFE\_TIME\_ONeDitMentCmd::Payload\_t~CFE\_TIME\_ONeDitMentCmd::Payload\_t~CFE\_TIME\_ONeDitMentCmd::Payload\_t~CFE\_TIME\_ONeDitMentCmd::Payload\_t~CFE\_TIME\_ONeDitMentCmd::Payload\_t~CFE\_T$ 

Command payload.

Definition at line 872 of file cfe\_time\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/time/fsw/inc/cfe\_time\_msg.h

## 37.128 CFE\_TIME\_OneHzAdjustmentCmd\_Payload Struct Reference

Generic seconds, subseconds command payload.

```
#include <cfe_time_msg.h>
```

## **Data Fields**

- · uint32 Seconds
- · uint32 Subseconds

37.128.1 Detailed Description

Generic seconds, subseconds command payload.

Definition at line 859 of file cfe\_time\_msg.h.

37.128.2 Field Documentation

37.128.2.1 Seconds

uint32 CFE\_TIME\_OneHzAdjustmentCmd\_Payload::Seconds

Definition at line 861 of file cfe\_time\_msg.h.

## 37.128.2.2 Subseconds

```
uint32 CFE_TIME_OneHzAdjustmentCmd_Payload::Subseconds
```

Definition at line 862 of file cfe\_time\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/time/fsw/inc/cfe\_time\_msg.h

# 37.129 CFE\_TIME\_SetLeapSecondsCmd Struct Reference

Set leap seconds command.

```
#include <cfe_time_msg.h>
```

## **Data Fields**

 $\bullet \ \ \mathsf{CFE\_MSG\_CommandHeader\_t} \ \ \mathsf{CommandHeader}$ 

Command header.

• CFE\_TIME\_LeapsCmd\_Payload\_t Payload

Command payload.

37.129.1 Detailed Description

Set leap seconds command.

Definition at line 760 of file cfe\_time\_msg.h.

37.129.2 Field Documentation

#### 37.129.2.1 CommandHeader

CFE\_MSG\_CommandHeader\_t CFE\_TIME\_SetLeapSecondsCmd::CommandHeader

Command header.

Definition at line 762 of file cfe\_time\_msg.h.

```
37.129.2.2 Payload
```

```
CFE_TIME_LeapsCmd_Payload_t CFE_TIME_SetLeapSecondsCmd::Payload
```

Command payload.

Definition at line 763 of file cfe\_time\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/time/fsw/inc/cfe\_time\_msg.h

# 37.130 CFE\_TIME\_SetSignalCmd Struct Reference

Set tone signal source command.

```
#include <cfe_time_msg.h>
```

## **Data Fields**

• CFE\_MSG\_CommandHeader\_t CommandHeader

Command header.

CFE\_TIME\_SignalCmd\_Payload\_t Payload
 Command payload.

37.130.1 Detailed Description

Set tone signal source command.

Definition at line 819 of file cfe\_time\_msg.h.

37.130.2 Field Documentation

## 37.130.2.1 CommandHeader

```
{\tt CFE\_MSG\_CommandHeader\_t\ CFE\_TIMe\_SetSignalCmd::CommandHeader}
```

Command header.

Definition at line 821 of file cfe\_time\_msg.h.

## 37.130.2.2 Payload

```
CFE_TIME_SignalCmd_Payload_t CFE_TIME_SetSignalCmd::Payload
```

Command payload.

Definition at line 822 of file cfe\_time\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/time/fsw/inc/cfe\_time\_msg.h

# 37.131 CFE\_TIME\_SetSourceCmd Struct Reference

Set time data source command.

```
#include <cfe_time_msg.h>
```

#### **Data Fields**

CFE\_MSG\_CommandHeader\_t CommandHeader

Command header.

CFE\_TIME\_SourceCmd\_Payload\_t Payload

Command payload.

## 37.131.1 Detailed Description

Set time data source command.

Definition at line 800 of file cfe\_time\_msg.h.

37.131.2 Field Documentation

## 37.131.2.1 CommandHeader

```
{\tt CFE\_MSG\_CommandHeader\_t\ CFE\_TIME\_SetSourceCmd::CommandHeader\_t\ CFE\_TIME\_SetSourceCmd::CFE\_TIME\_SetSourceCmd::CFE\_TIME\_SetSourceCmd::CFE\_TIME\_SetSourceCmd::CFE\_TIME\_SetSourceCmd::CFE\_TIME\_SetSourceCmd::CFE\_TIME\_SetSourceCmd::CFE\_TIME\_SetSourceCmd::CFE\_TIME\_SetSourceCmd::CFE\_TIME\_SetSourceCmd::CFE\_TIME\_SetSourceCmd::CFE\_TIME\_SetSourceCmd::CFE\_TIME\_SetSourceCmd::CFE\_TIME\_SetSourceCmd::CFE\_TIME\_SetSourceCmd::CFE\_TIME\_SetSourceCmd::CFE\_TIME\_SetSourceCmd::CFE\_TIME\_SetSourceCmd::CFE\_TIME\_SetSourceCmd::CFE\_TIME\_SetSourceC
```

Command header.

Definition at line 802 of file cfe\_time\_msg.h.

```
37.131.2.2 Payload
```

```
CFE_TIME_SourceCmd_Payload_t CFE_TIME_SetSourceCmd::Payload
```

Command payload.

Definition at line 803 of file cfe\_time\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/time/fsw/inc/cfe\_time\_msg.h

# 

Set clock state command.

```
#include <cfe_time_msg.h>
```

#### **Data Fields**

CFE\_MSG\_CommandHeader\_t CommandHeader

Command header.

 CFE\_TIME\_StateCmd\_Payload\_t Payload Command payload.

37.132.1 Detailed Description

Set clock state command.

Definition at line 781 of file cfe\_time\_msg.h.

37.132.2 Field Documentation

## 37.132.2.1 CommandHeader

```
CFE_MSG_CommandHeader_t CFE_TIME_SetStateCmd::CommandHeader
```

Command header.

Definition at line 783 of file cfe\_time\_msg.h.

## 37.132.2.2 Payload

```
CFE_TIME_StateCmd_Payload_t CFE_TIME_SetStateCmd::Payload
```

Command payload.

Definition at line 784 of file cfe time msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/time/fsw/inc/cfe\_time\_msg.h

## 37.133 CFE\_TIME\_SignalCmd\_Payload Struct Reference

Set tone signal source command payload.

```
#include <cfe_time_msg.h>
```

#### **Data Fields**

• int16 ToneSource

CFE\_TIME\_ToneSignalSelect\_PRIMARY=Primary Source, CFE\_TIME\_ToneSignalSelect\_REDUNDANT=Redundant Source

#### 37.133.1 Detailed Description

Set tone signal source command payload.

Definition at line 809 of file cfe\_time\_msg.h.

37.133.2 Field Documentation

#### 37.133.2.1 ToneSource

```
int16 CFE_TIME_SignalCmd_Payload::ToneSource
```

CFE\_TIME\_ToneSignalSelect\_PRIMARY=Primary Source, CFE\_TIME\_ToneSignalSelect\_REDUNDANT=Redundant Source

Selects either the "Primary" or "Redundant" tone signal source

Definition at line 811 of file cfe\_time\_msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/time/fsw/inc/cfe time msg.h

# 37.134 CFE\_TIME\_SourceCmd\_Payload Struct Reference

Set time data source command payload.

```
#include <cfe_time_msg.h>
```

#### **Data Fields**

• int16 TimeSource

CFE\_TIME\_SourceSelect\_INTERNAL=Internal Source, CFE\_TIME\_SourceSelect\_EXTERNAL=External Source

## 37.134.1 Detailed Description

Set time data source command payload.

Definition at line 790 of file cfe\_time\_msg.h.

37.134.2 Field Documentation

#### 37.134.2.1 TimeSource

```
int16 CFE_TIME_SourceCmd_Payload::TimeSource
```

CFE TIME SourceSelect INTERNAL=Internal Source, CFE TIME SourceSelect EXTERNAL=External Source

Selects either the "Internal" and "External" clock source

Definition at line 792 of file cfe\_time\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/time/fsw/inc/cfe\_time\_msg.h

## 37.135 CFE\_TIME\_StateCmd\_Payload Struct Reference

Set clock state command payload.

```
#include <cfe_time_msg.h>
```

#### **Data Fields**

• CFE\_TIME\_ClockState\_Enum\_t ClockState

CFE\_TIME\_ClockState\_INVALID=Spacecraft time has not been accurately set, CFE\_TIME\_ClockState\_VAL↔
ID=Spacecraft clock has been accurately set, CFE\_TIME\_ClockState\_FLYWHEEL=Force into FLYWHEEL mode

37.135.1 Detailed Description

Set clock state command payload.

Definition at line 769 of file cfe\_time\_msg.h.

37.135.2 Field Documentation

#### 37.135.2.1 ClockState

```
CFE_TIME_ClockState_Enum_t CFE_TIME_StateCmd_Payload::ClockState
```

CFE\_TIME\_ClockState\_INVALID=Spacecraft time has not been accurately set, CFE\_TIME\_ClockState\_VAL← ID=Spacecraft clock has been accurately set, CFE\_TIME\_ClockState\_FLYWHEEL=Force into FLYWHEEL mode

Selects the current clock state

Definition at line 771 of file cfe\_time\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/time/fsw/inc/cfe\_time\_msg.h

## 37.136 CFE\_TIME\_SysTime Struct Reference

Data structure used to hold system time values.

```
#include <cfe_time_extern_typedefs.h>
```

## **Data Fields**

· uint32 Seconds

Number of seconds since epoch.

• uint32 Subseconds

Number of subseconds since epoch (LSB =  $2^{\land}$  (-32) seconds)

37.136.1 Detailed Description

Data structure used to hold system time values.

## Description

The CFE\_TIME\_SysTime\_t data structure is used to hold time values. Time is referred to as the elapsed time (in seconds and subseconds) since a specified epoch time. The subseconds field contains the number of  $2^{-1}$  second intervals that have elapsed since the epoch.

Definition at line 53 of file cfe time extern typedefs.h.

## 37.136.2 Field Documentation

#### 37.136.2.1 Seconds

```
uint32 CFE_TIME_SysTime::Seconds
```

Number of seconds since epoch.

Definition at line 55 of file cfe\_time\_extern\_typedefs.h.

#### 37.136.2.2 Subseconds

```
uint32 CFE_TIME_SysTime::Subseconds
```

Number of subseconds since epoch (LSB =  $2^{(-32)}$  seconds)

Definition at line 56 of file cfe\_time\_extern\_typedefs.h.

The documentation for this struct was generated from the following file:

• cfe/modules/core\_api/fsw/inc/cfe\_time\_extern\_typedefs.h

# 37.137 CFE\_TIME\_TimeCmd Struct Reference

Generic seconds, microseconds argument command.

```
#include <cfe_time_msg.h>
```

# **Data Fields**

- CFE\_MSG\_CommandHeader\_t CommandHeader Command header.
- CFE\_TIME\_TimeCmd\_Payload\_t Payload
   Command payload.

# 37.137.1 Detailed Description

Generic seconds, microseconds argument command.

Definition at line 837 of file cfe\_time\_msg.h.

## 37.137.2 Field Documentation

## 37.137.2.1 CommandHeader

```
CFE_MSG_CommandHeader_t CFE_TIME_TimeCmd::CommandHeader
```

Command header.

Definition at line 839 of file cfe time msg.h.

## 37.137.2.2 Payload

```
CFE_TIME_TimeCmd_Payload_t CFE_TIME_TimeCmd::Payload
```

Command payload.

Definition at line 840 of file cfe\_time\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/time/fsw/inc/cfe\_time\_msg.h

# 37.138 CFE\_TIME\_TimeCmd\_Payload Struct Reference

Generic seconds, microseconds command payload.

```
#include <cfe_time_msg.h>
```

#### **Data Fields**

- uint32 Seconds
- · uint32 MicroSeconds

# 37.138.1 Detailed Description

Generic seconds, microseconds command payload.

Definition at line 828 of file cfe\_time\_msg.h.

37.138.2 Field Documentation

## 37.138.2.1 MicroSeconds

```
uint32 CFE_TIME_TimeCmd_Payload::MicroSeconds
```

Definition at line 831 of file cfe\_time\_msg.h.

## 37.138.2.2 Seconds

```
uint32 CFE_TIME_TimeCmd_Payload::Seconds
```

Definition at line 830 of file cfe\_time\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/time/fsw/inc/cfe\_time\_msg.h

# 37.139 CFE\_TIME\_ToneDataCmd Struct Reference

Time at tone data command.

```
#include <cfe_time_msg.h>
```

#### **Data Fields**

- CFE\_MSG\_CommandHeader\_t CommandHeader
  - Command header.
- CFE\_TIME\_ToneDataCmd\_Payload\_t Payload
   Command payload.

37.139.1 Detailed Description

Time at tone data command.

Definition at line 897 of file cfe\_time\_msg.h.

37.139.2 Field Documentation

## 37.139.2.1 CommandHeader

```
CFE_MSG_CommandHeader_t CFE_TIME_ToneDataCmd::CommandHeader
```

Command header.

Definition at line 899 of file cfe\_time\_msg.h.

## 37.139.2.2 Payload

```
CFE_TIME_ToneDataCmd_Payload_t CFE_TIME_ToneDataCmd::Payload
```

Command payload.

Definition at line 900 of file cfe\_time\_msg.h.

The documentation for this struct was generated from the following file:

• cfe/modules/time/fsw/inc/cfe\_time\_msg.h

# 37.140 CFE\_TIME\_ToneDataCmd\_Payload Struct Reference

Time at tone data command payload.

```
#include <cfe_time_msg.h>
```

# **Data Fields**

CFE TIME SysTime t AtToneMET

MET at time of tone.

CFE\_TIME\_SysTime\_t AtToneSTCF

STCF at time of tone.

• int16 AtToneLeapSeconds

Leap Seconds at time of tone.

• CFE\_TIME\_ClockState\_Enum\_t AtToneState

Clock state at time of tone.

## 37.140.1 Detailed Description

Time at tone data command payload.

Definition at line 886 of file cfe time msg.h.

37.140.2 Field Documentation

## 37.140.2.1 AtToneLeapSeconds

Leap Seconds at time of tone.

Definition at line 890 of file cfe\_time\_msg.h.

## 37.140.2.2 AtToneMET

CFE\_TIME\_SysTime\_t CFE\_TIME\_ToneDataCmd\_Payload::AtToneMET

MET at time of tone.

Definition at line 888 of file cfe\_time\_msg.h.

## 37.140.2.3 AtToneState

 ${\tt CFE\_TIME\_ClockState\_Enum\_t\ CFE\_TIME\_ToneDataCmd\_Payload::AtToneState}$ 

Clock state at time of tone.

Definition at line 891 of file cfe\_time\_msg.h.

# 37.140.2.4 AtToneSTCF

CFE\_TIME\_SysTime\_t CFE\_TIME\_ToneDataCmd\_Payload::AtToneSTCF

STCF at time of tone.

Definition at line 889 of file cfe\_time\_msg.h.

The documentation for this struct was generated from the following file:

cfe/modules/time/fsw/inc/cfe\_time\_msg.h

# 37.141 OS\_bin\_sem\_prop\_t Struct Reference

OSAL binary semaphore properties.

```
#include <osapi-binsem.h>
```

#### **Data Fields**

- char name [OS\_MAX\_API\_NAME]
- · osal id t creator
- int32 value

## 37.141.1 Detailed Description

OSAL binary semaphore properties.

Definition at line 41 of file osapi-binsem.h.

37.141.2 Field Documentation

```
37.141.2.1 creator
```

```
osal_id_t OS_bin_sem_prop_t::creator
```

Definition at line 44 of file osapi-binsem.h.

37.141.2.2 name

```
char OS_bin_sem_prop_t::name[OS_MAX_API_NAME]
```

Definition at line 43 of file osapi-binsem.h.

37.141.2.3 value

```
int32 OS_bin_sem_prop_t::value
```

Definition at line 45 of file osapi-binsem.h.

The documentation for this struct was generated from the following file:

• osal/src/os/inc/osapi-binsem.h

# 37.142 OS\_count\_sem\_prop\_t Struct Reference

OSAL counting semaphore properties.

```
#include <osapi-countsem.h>
```

#### **Data Fields**

- char name [OS\_MAX\_API\_NAME]
- · osal id t creator
- int32 value

## 37.142.1 Detailed Description

OSAL counting semaphore properties.

Definition at line 34 of file osapi-countsem.h.

37.142.2 Field Documentation

# 37.142.2.1 creator

```
osal_id_t OS_count_sem_prop_t::creator
```

Definition at line 37 of file osapi-countsem.h.

## 37.142.2.2 name

```
char OS_count_sem_prop_t::name[OS_MAX_API_NAME]
```

Definition at line 36 of file osapi-countsem.h.

#### 37.142.2.3 value

```
int32 OS_count_sem_prop_t::value
```

Definition at line 38 of file osapi-countsem.h.

The documentation for this struct was generated from the following file:

osal/src/os/inc/osapi-countsem.h

# 37.143 os\_dirent\_t Struct Reference

```
Directory entry.
```

```
#include <osapi-dir.h>
```

## **Data Fields**

char FileName [OS\_MAX\_FILE\_NAME]

# 37.143.1 Detailed Description

Directory entry.

Definition at line 34 of file osapi-dir.h.

37.143.2 Field Documentation

## 37.143.2.1 FileName

```
char os_dirent_t::FileName[OS_MAX_FILE_NAME]
```

Definition at line 36 of file osapi-dir.h.

The documentation for this struct was generated from the following file:

• osal/src/os/inc/osapi-dir.h

# 37.144 OS\_FdSet Struct Reference

An abstract structure capable of holding several OSAL IDs.

```
#include <osapi-select.h>
```

## **Data Fields**

• uint8 object\_ids [(OS\_MAX\_NUM\_OPEN\_FILES+7)/8]

# 37.144.1 Detailed Description

An abstract structure capable of holding several OSAL IDs.

This is part of the select API and is manipulated using the related API calls. It should not be modified directly by applications.

Note: Math is to determine uint8 array size needed to represent single bit OS\_MAX\_NUM\_OPEN\_FILES objects, + 7 rounds up and 8 is the size of uint8.

See also

```
OS_SelectFdZero(), OS_SelectFdAdd(), OS_SelectFdClear(), OS_SelectFdIsSet()
```

Definition at line 45 of file osapi-select.h.

37.144.2 Field Documentation

37.144.2.1 object\_ids

```
uint8 OS_FdSet::object_ids[(OS_MAX_NUM_OPEN_FILES+7)/8]
```

Definition at line 47 of file osapi-select.h.

The documentation for this struct was generated from the following file:

osal/src/os/inc/osapi-select.h

## 37.145 OS\_file\_prop\_t Struct Reference

OSAL file properties.

```
#include <osapi-file.h>
```

## **Data Fields**

- char Path [OS\_MAX\_PATH\_LEN]
- osal\_id\_t User
- · uint8 IsValid

## 37.145.1 Detailed Description

OSAL file properties.

Definition at line 51 of file osapi-file.h.

## 37.145.2 Field Documentation

37.145.2.1 IsValid

```
uint8 OS_file_prop_t::IsValid
```

Definition at line 55 of file osapi-file.h.

37.145.2.2 Path

```
char OS_file_prop_t::Path[OS_MAX_PATH_LEN]
```

Definition at line 53 of file osapi-file.h.

37.145.2.3 User

```
osal_id_t OS_file_prop_t::User
```

Definition at line 54 of file osapi-file.h.

The documentation for this struct was generated from the following file:

• osal/src/os/inc/osapi-file.h

37.146 os\_fsinfo\_t Struct Reference

OSAL file system info.

```
#include <osapi-filesys.h>
```

# **Data Fields**

uint32 MaxFds

Total number of file descriptors.

• uint32 FreeFds

Total number that are free.

• uint32 MaxVolumes

Maximum number of volumes.

• uint32 FreeVolumes

Total number of volumes free.

37.146.1 Detailed Description

OSAL file system info.

Definition at line 37 of file osapi-filesys.h.

37.146.2 Field Documentation

## 37.146.2.1 FreeFds

```
uint32 os_fsinfo_t::FreeFds
```

Total number that are free.

Definition at line 40 of file osapi-filesys.h.

# 37.146.2.2 FreeVolumes

```
uint32 os_fsinfo_t::FreeVolumes
```

Total number of volumes free.

Definition at line 42 of file osapi-filesys.h.

## 37.146.2.3 MaxFds

```
uint32 os_fsinfo_t::MaxFds
```

Total number of file descriptors.

Definition at line 39 of file osapi-filesys.h.

## 37.146.2.4 MaxVolumes

```
uint32 os_fsinfo_t::MaxVolumes
```

Maximum number of volumes.

Definition at line 41 of file osapi-filesys.h.

The documentation for this struct was generated from the following file:

osal/src/os/inc/osapi-filesys.h

# 37.147 os\_fstat\_t Struct Reference

File system status.

```
#include <osapi-file.h>
```

## **Data Fields**

- uint32 FileModeBits
- OS\_time\_t FileTime
- size\_t FileSize

## 37.147.1 Detailed Description

File system status.

Note

This used to be directly typedef'ed to the "struct stat" from the C library

Some C libraries (glibc in particular) actually define member names to reference into sub-structures, so attempting to reuse a name like "st\_mtime" might not work.

Definition at line 66 of file osapi-file.h.

37.147.2 Field Documentation

## 37.147.2.1 FileModeBits

```
uint32 os_fstat_t::FileModeBits
```

Definition at line 68 of file osapi-file.h.

## 37.147.2.2 FileSize

```
size_t os_fstat_t::FileSize
```

Definition at line 70 of file osapi-file.h.

```
37.147.2.3 FileTime
```

```
OS_time_t os_fstat_t::FileTime
```

Definition at line 69 of file osapi-file.h.

The documentation for this struct was generated from the following file:

osal/src/os/inc/osapi-file.h

# 37.148 OS\_heap\_prop\_t Struct Reference

OSAL heap properties.

```
#include <osapi-heap.h>
```

## **Data Fields**

- size\_t free\_bytes
- osal\_blockcount\_t free\_blocks
- size\_t largest\_free\_block

## 37.148.1 Detailed Description

OSAL heap properties.

See also

OS\_HeapGetInfo()

Definition at line 38 of file osapi-heap.h.

37.148.2 Field Documentation

37.148.2.1 free\_blocks

```
osal_blockcount_t OS_heap_prop_t::free_blocks
```

Definition at line 41 of file osapi-heap.h.

```
37.148.2.2 free_bytes
```

```
size_t OS_heap_prop_t::free_bytes
```

Definition at line 40 of file osapi-heap.h.

37.148.2.3 largest\_free\_block

```
size_t OS_heap_prop_t::largest_free_block
```

Definition at line 42 of file osapi-heap.h.

The documentation for this struct was generated from the following file:

• osal/src/os/inc/osapi-heap.h

## 37.149 OS\_module\_address\_t Struct Reference

OSAL module address properties.

```
#include <osapi-module.h>
```

## **Data Fields**

- · uint32 valid
- uint32 flags
- · cpuaddr code address
- · cpuaddr code\_size
- cpuaddr data\_address
- cpuaddr data\_size
- cpuaddr bss\_address
- · cpuaddr bss\_size

37.149.1 Detailed Description

OSAL module address properties.

Definition at line 80 of file osapi-module.h.

37.149.2 Field Documentation

37.149.2.1 bss\_address

cpuaddr OS\_module\_address\_t::bss\_address

Definition at line 88 of file osapi-module.h.

37.149.2.2 bss\_size

cpuaddr OS\_module\_address\_t::bss\_size

Definition at line 89 of file osapi-module.h.

37.149.2.3 code\_address

cpuaddr OS\_module\_address\_t::code\_address

Definition at line 84 of file osapi-module.h.

37.149.2.4 code\_size

cpuaddr OS\_module\_address\_t::code\_size

Definition at line 85 of file osapi-module.h.

37.149.2.5 data\_address

cpuaddr OS\_module\_address\_t::data\_address

Definition at line 86 of file osapi-module.h.

37.149.2.6 data\_size

cpuaddr OS\_module\_address\_t::data\_size

Definition at line 87 of file osapi-module.h.

```
37.149.2.7 flags
```

```
uint32 OS_module_address_t::flags
```

Definition at line 83 of file osapi-module.h.

37.149.2.8 valid

```
uint32 OS_module_address_t::valid
```

Definition at line 82 of file osapi-module.h.

The documentation for this struct was generated from the following file:

• osal/src/os/inc/osapi-module.h

37.150 OS\_module\_prop\_t Struct Reference

OSAL module properties.

```
#include <osapi-module.h>
```

#### **Data Fields**

- · cpuaddr entry point
- cpuaddr host\_module\_id
- char filename [OS\_MAX\_PATH\_LEN]
- char name [OS\_MAX\_API\_NAME]
- OS\_module\_address\_t addr

37.150.1 Detailed Description

OSAL module properties.

Definition at line 93 of file osapi-module.h.

37.150.2 Field Documentation

```
37.150.2.1 addr
```

```
OS_module_address_t OS_module_prop_t::addr
```

Definition at line 99 of file osapi-module.h.

37.150.2.2 entry\_point

```
cpuaddr OS_module_prop_t::entry_point
```

Definition at line 95 of file osapi-module.h.

37.150.2.3 filename

```
char OS_module_prop_t::filename[OS_MAX_PATH_LEN]
```

Definition at line 97 of file osapi-module.h.

37.150.2.4 host\_module\_id

```
cpuaddr OS_module_prop_t::host_module_id
```

Definition at line 96 of file osapi-module.h.

37.150.2.5 name

```
char OS_module_prop_t::name[OS_MAX_API_NAME]
```

Definition at line 98 of file osapi-module.h.

The documentation for this struct was generated from the following file:

• osal/src/os/inc/osapi-module.h

37.151 OS\_mut\_sem\_prop\_t Struct Reference

OSAL mutex properties.

#include <osapi-mutex.h>

## **Data Fields**

```
• char name [OS_MAX_API_NAME]
```

• osal\_id\_t creator

## 37.151.1 Detailed Description

OSAL mutex properties.

Definition at line 34 of file osapi-mutex.h.

## 37.151.2 Field Documentation

#### 37.151.2.1 creator

```
osal_id_t OS_mut_sem_prop_t::creator
```

Definition at line 37 of file osapi-mutex.h.

## 37.151.2.2 name

```
char OS_mut_sem_prop_t::name[OS_MAX_API_NAME]
```

Definition at line 36 of file osapi-mutex.h.

The documentation for this struct was generated from the following file:

• osal/src/os/inc/osapi-mutex.h

# 37.152 OS\_queue\_prop\_t Struct Reference

OSAL queue properties.

```
#include <osapi-queue.h>
```

## **Data Fields**

- char name [OS\_MAX\_API\_NAME]
- · osal\_id\_t creator

37.152.1 Detailed Description

OSAL queue properties.

Definition at line 34 of file osapi-queue.h.

37.152.2 Field Documentation

37.152.2.1 creator

```
osal_id_t OS_queue_prop_t::creator
```

Definition at line 37 of file osapi-queue.h.

37.152.2.2 name

```
char OS_queue_prop_t::name[OS_MAX_API_NAME]
```

Definition at line 36 of file osapi-queue.h.

The documentation for this struct was generated from the following file:

• osal/src/os/inc/osapi-queue.h

# 37.153 OS\_SockAddr\_t Struct Reference

Encapsulates a generic network address.

```
#include <osapi-sockets.h>
```

# **Data Fields**

size\_t ActualLength

Length of the actual address data.

OS\_SockAddrData\_t AddrData

Abstract Address data.

## 37.153.1 Detailed Description

Encapsulates a generic network address.

This is just an abstract buffer type that holds a network address. It is allocated for the worst-case size defined by OS\_SOCKADDR\_MAX\_LEN, and the real size is stored within.

Definition at line 111 of file osapi-sockets.h.

37.153.2 Field Documentation

#### 37.153.2.1 ActualLength

```
size_t OS_SockAddr_t::ActualLength
```

Length of the actual address data.

Definition at line 113 of file osapi-sockets.h.

#### 37.153.2.2 AddrData

```
OS_SockAddrData_t OS_SockAddr_t::AddrData
```

Abstract Address data.

Definition at line 114 of file osapi-sockets.h.

The documentation for this struct was generated from the following file:

• osal/src/os/inc/osapi-sockets.h

# 37.154 OS\_SockAddrData\_t Union Reference

Storage buffer for generic network address.

```
#include <osapi-sockets.h>
```

## **Data Fields**

• uint8 Buffer [OS\_SOCKADDR\_MAX\_LEN]

Ensures length of at least OS\_SOCKADDR\_MAX\_LEN.

• uint32 AlignU32

Ensures uint32 alignment.

void \* AlignPtr

Ensures pointer alignment.

37.154.1 Detailed Description

Storage buffer for generic network address.

This is a union type that helps to ensure a minimum alignment value for the data storage, such that it can be cast to the system-specific type without increasing alignment requirements.

Definition at line 97 of file osapi-sockets.h.

37.154.2 Field Documentation

37.154.2.1 AlignPtr

void\* OS\_SockAddrData\_t::AlignPtr

Ensures pointer alignment.

Definition at line 101 of file osapi-sockets.h.

37.154.2.2 AlignU32

uint32 OS\_SockAddrData\_t::AlignU32

Ensures uint32 alignment.

Definition at line 100 of file osapi-sockets.h.

37.154.2.3 Buffer

uint8 OS\_SockAddrData\_t::Buffer[OS\_SOCKADDR\_MAX\_LEN]

Ensures length of at least OS\_SOCKADDR\_MAX\_LEN.

Definition at line 99 of file osapi-sockets.h.

The documentation for this union was generated from the following file:

osal/src/os/inc/osapi-sockets.h

# 37.155 OS\_socket\_prop\_t Struct Reference

Encapsulates socket properties.

```
#include <osapi-sockets.h>
```

## **Data Fields**

• char name [OS\_MAX\_API\_NAME]

Name of the socket.

· osal id t creator

OSAL TaskID which opened the socket.

## 37.155.1 Detailed Description

Encapsulates socket properties.

This is for consistency with other OSAL resource types. Currently no extra properties are exposed here but this could change in a future revision of OSAL as needed.

Definition at line 124 of file osapi-sockets.h.

37.155.2 Field Documentation

37.155.2.1 creator

```
osal_id_t OS_socket_prop_t::creator
```

OSAL TaskID which opened the socket.

Definition at line 127 of file osapi-sockets.h.

37.155.2.2 name

```
char OS_socket_prop_t::name[OS_MAX_API_NAME]
```

Name of the socket.

Definition at line 126 of file osapi-sockets.h.

The documentation for this struct was generated from the following file:

osal/src/os/inc/osapi-sockets.h

# 37.156 OS\_static\_symbol\_record\_t Struct Reference

Associates a single symbol name with a memory address.

```
#include <osapi-module.h>
```

## **Data Fields**

- const char \* Name
- void(\* Address )(void)
- const char \* Module

#### 37.156.1 Detailed Description

Associates a single symbol name with a memory address.

If the OS\_STATIC\_SYMBOL\_TABLE feature is enabled, then an array of these structures should be provided by the application. When the application needs to find a symbol address, the static table will be checked in addition to (or instead of) the OS/library-provided lookup function.

This static symbol allows systems that do not implement dynamic module loading to maintain the same semantics as dynamically loaded modules.

Definition at line 115 of file osapi-module.h.

37.156.2 Field Documentation

#### 37.156.2.1 Address

```
void(* OS_static_symbol_record_t::Address) (void)
```

Definition at line 118 of file osapi-module.h.

## 37.156.2.2 Module

```
const char* OS_static_symbol_record_t::Module
```

Definition at line 119 of file osapi-module.h.

```
37.156.2.3 Name
```

```
const char* OS_static_symbol_record_t::Name
```

Definition at line 117 of file osapi-module.h.

The documentation for this struct was generated from the following file:

• osal/src/os/inc/osapi-module.h

# 37.157 OS\_statvfs\_t Struct Reference

```
#include <osapi-filesys.h>
```

#### **Data Fields**

- size\_t block\_size
- osal\_blockcount\_t total\_blocks
- osal\_blockcount\_t blocks\_free

## 37.157.1 Detailed Description

Definition at line 51 of file osapi-filesys.h.

37.157.2 Field Documentation

#### 37.157.2.1 block\_size

```
size_t OS_statvfs_t::block_size
```

Block size of underlying FS

Definition at line 53 of file osapi-filesys.h.

## 37.157.2.2 blocks\_free

```
osal_blockcount_t OS_statvfs_t::blocks_free
```

Available blocks in underlying FS

Definition at line 55 of file osapi-filesys.h.

```
37.157.2.3 total_blocks
```

```
osal_blockcount_t OS_statvfs_t::total_blocks
```

Total blocks in underlying FS

Definition at line 54 of file osapi-filesys.h.

The documentation for this struct was generated from the following file:

• osal/src/os/inc/osapi-filesys.h

# 37.158 OS\_task\_prop\_t Struct Reference

OSAL task properties.

```
#include <osapi-task.h>
```

## **Data Fields**

- char name [OS\_MAX\_API\_NAME]
- · osal id t creator
- size\_t stack\_size
- · osal\_priority\_t priority

# 37.158.1 Detailed Description

OSAL task properties.

Definition at line 59 of file osapi-task.h.

37.158.2 Field Documentation

37.158.2.1 creator

```
osal_id_t OS_task_prop_t::creator
```

Definition at line 62 of file osapi-task.h.

```
37.158.2.2 name
```

```
char OS_task_prop_t::name[OS_MAX_API_NAME]
```

Definition at line 61 of file osapi-task.h.

37.158.2.3 priority

```
osal_priority_t OS_task_prop_t::priority
```

Definition at line 64 of file osapi-task.h.

37.158.2.4 stack\_size

```
size_t OS_task_prop_t::stack_size
```

Definition at line 63 of file osapi-task.h.

The documentation for this struct was generated from the following file:

• osal/src/os/inc/osapi-task.h

37.159 OS\_time\_t Struct Reference

OSAL time interval structure.

```
#include <osapi-clock.h>
```

**Data Fields** 

· int64 ticks

37.159.1 Detailed Description

OSAL time interval structure.

This is used to represent a basic time interval.

When used with OS\_GetLocalTime/OS\_SetLocalTime, this represents the interval from the OS's epoch point, typically 01 Jan 1970 00:00:00 UTC on systems that have a persistent real time clock (RTC), or the system boot time if there is no RTC available.

Applications should not directly access fields within this structure, as the definition may change in future versions of OSAL. Instead, applications should use the accessor/conversion methods defined below.

Definition at line 47 of file osapi-clock.h.

37.159.2 Field Documentation

37.159.2.1 ticks

int64 OS\_time\_t::ticks

Ticks elapsed since reference point

Definition at line 49 of file osapi-clock.h.

Referenced by OS\_TimeAdd(), OS\_TimeAssembleFromMicroseconds(), OS\_TimeAssembleFromMilliseconds(), O $\leftarrow$  S\_TimeAssembleFromNanoseconds(), OS\_TimeAssembleFromSubseconds(), OS\_TimeGetFractionalPart(), OS\_ $\leftarrow$  TimeGetTotalMicroseconds(), OS\_TimeGetTotalMilliseconds(), OS\_TimeGetTotalNanoseconds(), OS\_TimeGetTotalConds(), OS\_TimeGetTotalConds(),

The documentation for this struct was generated from the following file:

• osal/src/os/inc/osapi-clock.h

# 37.160 OS\_timebase\_prop\_t Struct Reference

Time base properties.

#include <osapi-timebase.h>

## **Data Fields**

- char name [OS\_MAX\_API\_NAME]
- · osal\_id\_t creator
- uint32 nominal\_interval\_time
- uint32 freerun\_time
- · uint32 accuracy

37.160.1 Detailed Description

Time base properties.

Definition at line 39 of file osapi-timebase.h.

37.160.2 Field Documentation

```
37.160.2.1 accuracy
```

```
uint32 OS_timebase_prop_t::accuracy
```

Definition at line 45 of file osapi-timebase.h.

37.160.2.2 creator

```
osal_id_t OS_timebase_prop_t::creator
```

Definition at line 42 of file osapi-timebase.h.

37.160.2.3 freerun\_time

```
uint32 OS_timebase_prop_t::freerun_time
```

Definition at line 44 of file osapi-timebase.h.

37.160.2.4 name

```
char OS_timebase_prop_t::name[OS_MAX_API_NAME]
```

Definition at line 41 of file osapi-timebase.h.

37.160.2.5 nominal\_interval\_time

```
uint32 OS_timebase_prop_t::nominal_interval_time
```

Definition at line 43 of file osapi-timebase.h.

The documentation for this struct was generated from the following file:

• osal/src/os/inc/osapi-timebase.h

37.161 OS\_timer\_prop\_t Struct Reference

Timer properties.

#include <osapi-timer.h>

## **Data Fields**

- char name [OS\_MAX\_API\_NAME]
- · osal\_id\_t creator
- uint32 start\_time
- · uint32 interval time
- · uint32 accuracy

## 37.161.1 Detailed Description

Timer properties.

Definition at line 39 of file osapi-timer.h.

37.161.2 Field Documentation

## 37.161.2.1 accuracy

```
uint32 OS_timer_prop_t::accuracy
```

Definition at line 45 of file osapi-timer.h.

37.161.2.2 creator

```
osal_id_t OS_timer_prop_t::creator
```

Definition at line 42 of file osapi-timer.h.

37.161.2.3 interval\_time

```
uint32 OS_timer_prop_t::interval_time
```

Definition at line 44 of file osapi-timer.h.

37.161.2.4 name

```
char OS_timer_prop_t::name[OS_MAX_API_NAME]
```

Definition at line 41 of file osapi-timer.h.

## 37.161.2.5 start\_time

```
uint32 OS_timer_prop_t::start_time
```

Definition at line 43 of file osapi-timer.h.

The documentation for this struct was generated from the following file:

· osal/src/os/inc/osapi-timer.h

# 38 File Documentation

## 38.1 build/docs/osconfig-example.h File Reference

#### **Macros**

#define OS\_MAX\_TASKS

Configuration file Operating System Abstraction Layer.

#define OS\_MAX\_QUEUES

The maximum number of queues to support.

#define OS\_MAX\_COUNT\_SEMAPHORES

The maximum number of counting semaphores to support.

• #define OS\_MAX\_BIN\_SEMAPHORES

The maximum number of binary semaphores to support.

#define OS\_MAX\_MUTEXES

The maximum number of mutexes to support.

#define OS\_MAX\_MODULES

The maximum number of modules to support.

• #define OS\_MAX\_TIMEBASES

The maximum number of timebases to support.

#define OS\_MAX\_TIMERS

The maximum number of timer callbacks to support.

#define OS MAX NUM OPEN FILES

The maximum number of concurrently open files to support.

#define OS\_MAX\_NUM\_OPEN\_DIRS

The maximum number of concurrently open directories to support.

#define OS\_MAX\_FILE\_SYSTEMS

The maximum number of file systems to support.

#define OS\_MAX\_SYM\_LEN

The maximum length of symbols.

#define OS MAX FILE NAME

The maximum length of OSAL file names.

#define OS\_MAX\_PATH\_LEN

The maximum length of OSAL path names.

#define OS MAX API NAME

The maximum length of OSAL resource names.

#define OS SOCKADDR MAX LEN

The maximum size of the socket address structure.

• #define OS\_BUFFER\_SIZE

The maximum size of output produced by a single OS\_printf()

• #define OS BUFFER MSG DEPTH

The maximum number of OS\_printf() output strings to buffer.

#define OS UTILITYTASK PRIORITY

Priority level of the background utility task.

#define OS\_UTILITYTASK\_STACK\_SIZE

The stack size of the background utility task.

• #define OS\_MAX\_CMD\_LEN

The maximum size of a shell command.

#define OS QUEUE MAX DEPTH

The maximum depth of OSAL queues.

• #define OS\_SHELL\_CMD\_INPUT\_FILE\_NAME ""

The name of the temporary file used to store shell commands.

• #define OS\_PRINTF\_CONSOLE\_NAME ""

The name of the primary console device.

• #define OS MAX CONSOLES 1

The maximum number of console devices to support.

#define OS\_MODULE\_FILE\_EXTENSION ".so"

The system-specific file extension used on loadable module files.

- #define OS\_FS\_DEV\_NAME\_LEN 32
- #define OS\_FS\_PHYS\_NAME\_LEN 64
- #define OS\_FS\_VOL\_NAME\_LEN 32

#### 38.1.1 Macro Definition Documentation

## 38.1.1.1 OS\_BUFFER\_MSG\_DEPTH

#define OS\_BUFFER\_MSG\_DEPTH

The maximum number of OS\_printf() output strings to buffer.

Based on the OSAL CONFIG PRINTF BUFFER DEPTH configuration option

Definition at line 200 of file osconfig-example.h.

## 38.1.1.2 OS\_BUFFER\_SIZE

#define OS\_BUFFER\_SIZE

The maximum size of output produced by a single OS\_printf()

Based on the OSAL\_CONFIG\_PRINTF\_BUFFER\_SIZE configuration option

Definition at line 193 of file osconfig-example.h.

## 38.1.1.3 OS\_FS\_DEV\_NAME\_LEN

#define OS\_FS\_DEV\_NAME\_LEN 32

Device name length

Definition at line 285 of file osconfig-example.h.

## 38.1.1.4 OS\_FS\_PHYS\_NAME\_LEN

#define OS\_FS\_PHYS\_NAME\_LEN 64

Physical drive name length

Definition at line 286 of file osconfig-example.h.

## 38.1.1.5 OS\_FS\_VOL\_NAME\_LEN

#define OS\_FS\_VOL\_NAME\_LEN 32

Volume name length

Definition at line 287 of file osconfig-example.h.

## 38.1.1.6 OS\_MAX\_API\_NAME

#define OS\_MAX\_API\_NAME

The maximum length of OSAL resource names.

Based on the OSAL\_CONFIG\_MAX\_API\_NAME configuration option

Note

This value must include a terminating NUL character

Definition at line 176 of file osconfig-example.h.

## 38.1.1.7 OS\_MAX\_BIN\_SEMAPHORES

#define OS\_MAX\_BIN\_SEMAPHORES

The maximum number of binary semaphores to support.

Based on the OSAL\_CONFIG\_MAX\_BIN\_SEMAPHORES configuration option

Definition at line 85 of file osconfig-example.h.

## 38.1.1.8 OS\_MAX\_CMD\_LEN

#define OS\_MAX\_CMD\_LEN

The maximum size of a shell command.

This limit is only applicable if shell support is enabled.

Based on the OSAL\_CONFIG\_MAX\_CMD\_LEN configuration option

Note

This value must include a terminating NUL character

Definition at line 231 of file osconfig-example.h.

## 38.1.1.9 OS\_MAX\_CONSOLES

#define OS\_MAX\_CONSOLES 1

The maximum number of console devices to support.

Fixed value based on current OSAL implementation, not user configurable.

Definition at line 273 of file osconfig-example.h.

## 38.1.1.10 OS\_MAX\_COUNT\_SEMAPHORES

#define OS\_MAX\_COUNT\_SEMAPHORES

The maximum number of counting semaphores to support.

Based on the OSAL\_CONFIG\_MAX\_COUNT\_SEMAPHORES configuration option

Definition at line 78 of file osconfig-example.h.

## 38.1.1.11 OS\_MAX\_FILE\_NAME

#define OS\_MAX\_FILE\_NAME

The maximum length of OSAL file names.

This limit applies specifically to the file name portion, not the directory portion, of a path name.

Based on the OSAL CONFIG MAX FILE NAME configuration option

Note

This value must include a terminating NUL character

Definition at line 155 of file osconfig-example.h.

## 38.1.1.12 OS\_MAX\_FILE\_SYSTEMS

#define OS\_MAX\_FILE\_SYSTEMS

The maximum number of file systems to support.

Based on the  $OSAL\_CONFIG\_MAX\_FILE\_SYSTEMS$  configuration option

Definition at line 134 of file osconfig-example.h.

## 38.1.1.13 OS\_MAX\_MODULES

#define OS\_MAX\_MODULES

The maximum number of modules to support.

Based on the OSAL\_CONFIG\_MAX\_MODULES configuration option

Definition at line 99 of file osconfig-example.h.

## 38.1.1.14 OS\_MAX\_MUTEXES

#define OS\_MAX\_MUTEXES

The maximum number of mutexes to support.

Based on the OSAL\_CONFIG\_MAX\_MUTEXES configuration option

Definition at line 92 of file osconfig-example.h.

38.1.1.15 OS\_MAX\_NUM\_OPEN\_DIRS

#define OS\_MAX\_NUM\_OPEN\_DIRS

The maximum number of concurrently open directories to support.

Based on the OSAL\_CONFIG\_MAX\_NUM\_OPEN\_DIRS configuration option

Definition at line 127 of file osconfig-example.h.

38.1.1.16 OS\_MAX\_NUM\_OPEN\_FILES

#define OS\_MAX\_NUM\_OPEN\_FILES

The maximum number of concurrently open files to support.

Based on the OSAL CONFIG MAX NUM OPEN FILES configuration option

Definition at line 120 of file osconfig-example.h.

38.1.1.17 OS\_MAX\_PATH\_LEN

#define OS\_MAX\_PATH\_LEN

The maximum length of OSAL path names.

This limit applies to the overall length of a path name, including the file name and directory portions.

Based on the OSAL\_CONFIG\_MAX\_PATH\_LEN configuration option

Note

This value must include a terminating NUL character

Definition at line 167 of file osconfig-example.h.

38.1.1.18 OS\_MAX\_QUEUES

#define OS\_MAX\_QUEUES

The maximum number of queues to support.

Based on the OSAL\_CONFIG\_MAX\_QUEUES configuration option

Definition at line 71 of file osconfig-example.h.

# 38.1.1.19 OS\_MAX\_SYM\_LEN

#define OS\_MAX\_SYM\_LEN

The maximum length of symbols.

Based on the OSAL\_CONFIG\_MAX\_SYM\_LEN configuration option

Note

This value must include a terminating NUL character

Definition at line 143 of file osconfig-example.h.

### 38.1.1.20 OS\_MAX\_TASKS

#define OS\_MAX\_TASKS

Configuration file Operating System Abstraction Layer.

The specific definitions in this file may only be modified by setting the respective OSAL configuration options in the CMake build.

Any direct modifications to the generated copy will be overwritten each time CMake executes.

Note

This file was automatically generated by CMake from /home/runner/work/cFS-JSF-Rules/cFS-S-JSF-Rules/cFS-Rules/cFS-JSF-Rules/cFS

Based on the OSAL\_CONFIG\_MAX\_TASKS configuration option

Definition at line 64 of file osconfig-example.h.

### 38.1.1.21 OS\_MAX\_TIMEBASES

#define OS\_MAX\_TIMEBASES

The maximum number of timebases to support.

Based on the OSAL\_CONFIG\_MAX\_TIMEBASES configuration option

Definition at line 106 of file osconfig-example.h.

38.1.1.22 OS\_MAX\_TIMERS

```
#define OS_MAX_TIMERS
```

The maximum number of timer callbacks to support.

Based on the OSAL\_CONFIG\_MAX\_TIMERS configuration option

Definition at line 113 of file osconfig-example.h.

38.1.1.23 OS\_MODULE\_FILE\_EXTENSION

```
#define OS_MODULE_FILE_EXTENSION ".so"
```

The system-specific file extension used on loadable module files.

Fixed value based on system selection, not user configurable.

Definition at line 280 of file osconfig-example.h.

38.1.1.24 OS\_PRINTF\_CONSOLE\_NAME

```
#define OS_PRINTF_CONSOLE_NAME ""
```

The name of the primary console device.

This is the device to which OS\_printf() output is written. The output may be configured to tag each line with this prefix for identification.

Based on the OSAL\_CONFIG\_PRINTF\_CONSOLE\_NAME configuration option

Definition at line 258 of file osconfig-example.h.

38.1.1.25 OS\_QUEUE\_MAX\_DEPTH

```
#define OS_QUEUE_MAX_DEPTH
```

The maximum depth of OSAL queues.

Based on the OSAL\_CONFIG\_QUEUE\_MAX\_DEPTH configuration option

Definition at line 238 of file osconfig-example.h.

# 38.1.1.26 OS\_SHELL\_CMD\_INPUT\_FILE\_NAME

```
#define OS_SHELL_CMD_INPUT_FILE_NAME ""
```

The name of the temporary file used to store shell commands.

This configuration is only applicable if shell support is enabled, and only necessary/relevant on some OS implementations.

Based on the OSAL\_CONFIG\_SHELL\_CMD\_INPUT\_FILE\_NAME configuration option

Definition at line 248 of file osconfig-example.h.

#### 38.1.1.27 OS\_SOCKADDR\_MAX\_LEN

```
#define OS_SOCKADDR_MAX_LEN
```

The maximum size of the socket address structure.

This is part of the Socket API, and should be set large enough to hold the largest address type in use on the target system.

Based on the OSAL\_CONFIG\_SOCKADDR\_MAX\_LEN configuration option

Definition at line 186 of file osconfig-example.h.

### 38.1.1.28 OS\_UTILITYTASK\_PRIORITY

```
#define OS_UTILITYTASK_PRIORITY
```

Priority level of the background utility task.

This task is responsible for writing buffered output of OS\_printf to the actual console device, and any other future maintenance task.

Based on the OSAL CONFIG UTILITYTASK PRIORITY configuration option

Definition at line 210 of file osconfig-example.h.

# 38.1.1.29 OS\_UTILITYTASK\_STACK\_SIZE

```
#define OS_UTILITYTASK_STACK_SIZE
```

The stack size of the background utility task.

This task is responsible for writing buffered output of OS\_printf to the actual console device, and any other future maintenance task.

Based on the OSAL\_CONFIG\_UTILITYTASK\_STACK\_SIZE configuration option

Definition at line 220 of file osconfig-example.h.

# 38.2 cpu1\_msgids.h File Reference

```
#include "cfe_mission_cfg.h"
```

#### **Macros**

#define CFE PLATFORM CMD MID BASE 0x1800

Platform command message ID base offset.

• #define CFE\_PLATFORM\_TLM\_MID\_BASE 0x0800

Platform telemetry message ID base offset.

#define CFE\_PLATFORM\_CMD\_MID\_BASE\_GLOB 0x1860

"Global" command message ID base offset

- #define CFE\_EVS\_CMD\_MID CFE\_PLATFORM\_CMD\_MID\_BASE + CFE\_MISSION\_EVS\_CMD\_MSG /\*
   0x1801 \*/
- #define CFE\_TEST\_CMD\_MID CFE\_PLATFORM\_CMD\_MID\_BASE + CFE\_MISSION\_TEST\_CMD\_MSG /\*
   0x1802 \*/
- #define CFE\_SB\_CMD\_MID CFE\_PLATFORM\_CMD\_MID\_BASE + CFE\_MISSION\_SB\_CMD\_MSG /\* 0x1803
   \*/
- #define CFE\_TBL\_CMD\_MID CFE\_PLATFORM\_CMD\_MID\_BASE + CFE\_MISSION\_TBL\_CMD\_MSG /\*
   0x1804 \*/
- #define CFE\_TIME\_CMD\_MID CFE\_PLATFORM\_CMD\_MID\_BASE + CFE\_MISSION\_TIME\_CMD\_MSG /\*
   0x1805 \*/
- #define CFE\_ES\_CMD\_MID CFE\_PLATFORM\_CMD\_MID\_BASE + CFE\_MISSION\_ES\_CMD\_MSG /\* 0x1806
   \*/
- #define CFE\_ES\_SEND\_HK\_MID CFE\_PLATFORM\_CMD\_MID\_BASE + CFE\_MISSION\_ES\_SEND\_HK\_MSG /\* 0x1808 \*/
- #define CFE\_SB\_SEND\_HK\_MID CFE\_PLATFORM\_CMD\_MID\_BASE + CFE\_MISSION\_SB\_SEND\_HK\_MSG /\* 0x180B \*/
- #define CFE\_TIME\_SEND\_HK\_MID CFE\_PLATFORM\_CMD\_MID\_BASE + CFE\_MISSION\_TIME\_SEND\_H
   K MSG /\* 0x180D \*/
- #define CFE\_SB\_SUB\_RPT\_CTRL\_MID CFE\_PLATFORM\_CMD\_MID\_BASE + CFE\_MISSION\_SB\_SUB\_R
   PT\_CTRL\_MSG /\* 0x180E \*/

- #define CFE\_ES\_HK\_TLM\_MID CFE\_PLATFORM\_TLM\_MID\_BASE + CFE\_MISSION\_ES\_HK\_TLM\_MSG /\*
   0x0800 \*/
- #define CFE\_EVS\_HK\_TLM\_MID CFE\_PLATFORM\_TLM\_MID\_BASE + CFE\_MISSION\_EVS\_HK\_TLM\_MSG /\* 0x0801 \*/

- #define CFE\_SB\_HK\_TLM\_MID CFE\_PLATFORM\_TLM\_MID\_BASE + CFE\_MISSION\_SB\_HK\_TLM\_MSG /\*
   0x0803 \*/
- #define CFE\_TBL\_HK\_TLM\_MID CFE\_PLATFORM\_TLM\_MID\_BASE + CFE\_MISSION\_TBL\_HK\_TLM\_MSG /\* 0x0804 \*/
- #define CFE\_TIME\_HK\_TLM\_MID CFE\_PLATFORM\_TLM\_MID\_BASE + CFE\_MISSION\_TIME\_HK\_TLM\_M
   SG /\* 0x0805 \*/
- #define CFE\_EVS\_LONG\_EVENT\_MSG\_MID CFE\_PLATFORM\_TLM\_MID\_BASE + CFE\_MISSION\_EVS\_L← ONG\_EVENT\_MSG\_MSG /\* 0x0808 \*/
- #define CFE\_SB\_STATS\_TLM\_MID CFE\_PLATFORM\_TLM\_MID\_BASE + CFE\_MISSION\_SB\_STATS\_TLM
   MSG /\* 0x080A \*/
- #define CFE\_ES\_APP\_TLM\_MID CFE\_PLATFORM\_TLM\_MID\_BASE + CFE\_MISSION\_ES\_APP\_TLM\_MSG /\* 0x080B \*/

- #define CFE\_SB\_ONESUB\_TLM\_MID CFE\_PLATFORM\_TLM\_MID\_BASE + CFE\_MISSION\_SB\_ONESUB\_

   TLM\_MSG /\* 0x080E \*/
- #define CFE\_ES\_MEMSTATS\_TLM\_MID CFE\_PLATFORM\_TLM\_MID\_BASE + CFE\_MISSION\_ES\_MEMS← TATS\_TLM\_MSG /\* 0x0810 \*/

# 38.2.1 Detailed Description

Purpose: This header file contains the Message Id's for messages used by the cFE core.

Author: R.McGraw/SSI

Notes: This file should not contain messages defined by cFE external applications.

### 38.2.2 Macro Definition Documentation

# 38.2.2.1 CFE\_ES\_APP\_TLM\_MID

#define CFE\_ES\_APP\_TLM\_MID CFE\_PLATFORM\_TLM\_MID\_BASE + CFE\_MISSION\_ES\_APP\_TLM\_MSG /\* 0x080B \*/

Definition at line 127 of file cpu1\_msgids.h.

```
38.2.2.2 CFE_ES_CMD_MID
```

#define CFE\_ES\_CMD\_MID CFE\_PLATFORM\_CMD\_MID\_BASE + CFE\_MISSION\_ES\_CMD\_MSG /\* 0x1806 \*/

Definition at line 94 of file cpu1\_msgids.h.

### 38.2.2.3 CFE\_ES\_HK\_TLM\_MID

#define CFE\_ES\_HK\_TLM\_MID CFE\_PLATFORM\_TLM\_MID\_BASE + CFE\_MISSION\_ES\_HK\_TLM\_MSG /\* 0x0800 \*/

Definition at line 117 of file cpu1\_msgids.h.

# 38.2.2.4 CFE\_ES\_MEMSTATS\_TLM\_MID

#define CFE\_ES\_MEMSTATS\_TLM\_MID CFE\_PLATFORM\_TLM\_MID\_BASE + CFE\_MISSION\_ES\_MEMSTATS\_TLM\_MSG /\*
0x0810 \*/

Definition at line 131 of file cpu1 msgids.h.

### 38.2.2.5 CFE\_ES\_SEND\_HK\_MID

#define CFE\_SSEND\_HK\_MID CFE\_PLATFORM\_CMD\_MID\_BASE + CFE\_MISSION\_ES\_SEND\_HK\_MSG /\* 0x1808 \*/

Definition at line 96 of file cpu1 msgids.h.

# 38.2.2.6 CFE\_EVS\_CMD\_MID

#define CFE\_EVS\_CMD\_MID CFE\_PLATFORM\_CMD\_MID\_BASE + CFE\_MISSION\_EVS\_CMD\_MSG /\* 0x1801 \*/

Definition at line 89 of file cpu1\_msgids.h.

### 38.2.2.7 CFE\_EVS\_HK\_TLM\_MID

#define CFE\_EVS\_HK\_TLM\_MID CFE\_PLATFORM\_TLM\_MID\_BASE + CFE\_MISSION\_EVS\_HK\_TLM\_MSG /\* 0x0801 \*/

Definition at line 118 of file cpu1\_msgids.h.

# 38.2.2.8 CFE\_EVS\_LONG\_EVENT\_MSG\_MID

#define CFE\_EVS\_LONG\_EVENT\_MSG\_MID CFE\_PLATFORM\_TLM\_MID\_BASE + CFE\_MISSION\_EVS\_LONG\_EVENT\_MSG\_MSG
/\* 0x0808 \*/

Definition at line 124 of file cpu1 msgids.h.

#### 38.2.2.9 CFE\_EVS\_SEND\_HK\_MID

#define CFE\_EVS\_SEND\_HK\_MID CFE\_PLATFORM\_CMD\_MID\_BASE + CFE\_MISSION\_EVS\_SEND\_HK\_MSG /\* 0x1809 \*/

Definition at line 97 of file cpu1 msgids.h.

### 38.2.2.10 CFE\_EVS\_SHORT\_EVENT\_MSG\_MID

#define CFE\_EVS\_SHORT\_EVENT\_MSG\_MID CFE\_PLATFORM\_TLM\_MID\_BASE + CFE\_MISSION\_EVS\_SHORT\_EVENT\_MSG\_←
MSG /\* 0x0809 \*/

Definition at line 125 of file cpu1\_msgids.h.

### 38.2.2.11 CFE\_PLATFORM\_CMD\_MID\_BASE

#define CFE\_PLATFORM\_CMD\_MID\_BASE 0x1800

Platform command message ID base offset.

Example mechanism for setting default command bits and deconflicting MIDs across multiple platforms in a mission. For any sufficiently complex mission this method is typically replaced by a centralized message ID management scheme.

0x1800 - Nominal value for default message ID implementation (V1). This sets the command field and the secondary header present field. Typical V1 command MID range is 0x1800-1FFF. Additional cpus can deconflict message IDs by incrementing this value to provide sub-allocations (0x1900 for example). 0x0080 - Command bit for MISSION\_MSGI← D\_V2 message ID implementation (V2). Although this can be used for the value below due to the relatively small set of MIDs in the framework it will not scale so an alternative method of deconfliction is recommended.

Definition at line 61 of file cpu1\_msgids.h.

# 38.2.2.12 CFE\_PLATFORM\_CMD\_MID\_BASE\_GLOB

#define CFE\_PLATFORM\_CMD\_MID\_BASE\_GLOB 0x1860

"Global" command message ID base offset

0x1860 - Nominal value for message ID V1 0x00E0 - Potential value for MISSION\_MSGID\_V2, note command bit is 0x0080. Works in limited cases only, alternative method of deconfliction is recommended. See CFE\_PLATFORM\_C← MD\_MID\_BASE for more information

Definition at line 84 of file cpu1\_msgids.h.

### 38.2.2.13 CFE\_PLATFORM\_TLM\_MID\_BASE

#define CFE\_PLATFORM\_TLM\_MID\_BASE 0x0800

Platform telemetry message ID base offset.

0x0800 - Nominal for message ID V1 0x0000 - Potential value for MISSION\_MSGID\_V2, but limited to a range of 0x0000-0x007F since the command bit is 0x0080. Alternative method of deconfliction is recommended.

See CFE\_PLATFORM\_CMD\_MID\_BASE for more information

Definition at line 73 of file cpu1 msgids.h.

#### 38.2.2.14 CFE\_SB\_ALLSUBS\_TLM\_MID

#define CFE\_SB\_ALLSUBS\_TLM\_MID CFE\_PLATFORM\_TLM\_MID\_BASE + CFE\_MISSION\_SB\_ALLSUBS\_TLM\_MSG /\* 0x080↔ D \*/

Definition at line 129 of file cpu1 msgids.h.

# 38.2.2.15 CFE\_SB\_CMD\_MID

#define CFE\_SB\_CMD\_MID CFE\_PLATFORM\_CMD\_MID\_BASE + CFE\_MISSION\_SB\_CMD\_MSG /\* 0x1803 \*/

Definition at line 91 of file cpu1\_msgids.h.

### 38.2.2.16 CFE\_SB\_HK\_TLM\_MID

#define CFE\_SB\_HK\_TLM\_MID CFE\_PLATFORM\_TLM\_MID\_BASE + CFE\_MISSION\_SB\_HK\_TLM\_MSG /\* 0x0803 \*/

Definition at line 120 of file cpu1\_msgids.h.

```
38.2.2.17 CFE_SB_ONESUB_TLM_MID
```

```
#define CFE_SB_ONESUB_TLM_MID CFE_PLATFORM_TLM_MID_BASE + CFE_MISSION_SB_ONESUB_TLM_MSG /* 0x080E
*/
```

Definition at line 130 of file cpu1\_msgids.h.

```
38.2.2.18 CFE_SB_SEND_HK_MID
```

```
#define CFE_SB_SEND_HK_MID CFE_PLATFORM_CMD_MID_BASE + CFE_MISSION_SB_SEND_HK_MSG /* 0x180B */
```

Definition at line 99 of file cpu1\_msgids.h.

### 38.2.2.19 CFE\_SB\_STATS\_TLM\_MID

```
#define CFE_SB_STATS_TLM_MID CFE_PLATFORM_TLM_MID_BASE + CFE_MISSION_SB_STATS_TLM_MSG /* 0x080A */
```

Definition at line 126 of file cpu1 msgids.h.

# 38.2.2.20 CFE\_SB\_SUB\_RPT\_CTRL\_MID

```
#define CFE_SB_SUB_RPT_CTRL_MID CFE_PLATFORM_CMD_MID_BASE + CFE_MISSION_SB_SUB_RPT_CTRL_MSG /*
0x180E */
```

Definition at line 103 of file cpu1\_msgids.h.

#### 38.2.2.21 CFE\_TBL\_CMD\_MID

```
#define CFE_TBL_CMD_MID CFE_PLATFORM_CMD_MID_BASE + CFE_MISSION_TBL_CMD_MSG /* 0x1804 */
```

Definition at line 92 of file cpu1 msgids.h.

# 38.2.2.22 CFE\_TBL\_HK\_TLM\_MID

```
#define CFE_TBL_HK_TLM_MID CFE_PLATFORM_TLM_MID_BASE + CFE_MISSION_TBL_HK_TLM_MSG /* 0x0804 */
```

Definition at line 121 of file cpu1\_msgids.h.

```
38.2.2.23 CFE_TBL_REG_TLM_MID
```

#define CFE\_TBL\_REG\_TLM\_MID CFE\_PLATFORM\_TLM\_MID\_BASE + CFE\_MISSION\_TBL\_REG\_TLM\_MSG /\* 0x080C \*/

Definition at line 128 of file cpu1\_msgids.h.

38.2.2.24 CFE TBL SEND HK MID

#define CFE\_TBL\_SEND\_HK\_MID CFE\_PLATFORM\_CMD\_MID\_BASE + CFE\_MISSION\_TBL\_SEND\_HK\_MSG /\* 0x180C \*/

Definition at line 100 of file cpu1\_msgids.h.

38.2.2.25 CFE\_TEST\_CMD\_MID

#define CFE\_TEST\_CMD\_MID CFE\_PLATFORM\_CMD\_MID\_BASE + CFE\_MISSION\_TEST\_CMD\_MSG /\* 0x1802 \*/

Definition at line 90 of file cpu1\_msgids.h.

38.2.2.26 CFE\_TEST\_HK\_TLM\_MID

#define CFE\_TEST\_HK\_TLM\_MID CFE\_PLATFORM\_TLM\_MID\_BASE + CFE\_MISSION\_TEST\_HK\_TLM\_MSG /\* 0x0802 \*/

Definition at line 119 of file cpu1\_msgids.h.

38.2.2.27 CFE\_TIME\_1HZ\_CMD\_MID

#define CFE\_TIME\_1HZ\_CMD\_MID CFE\_PLATFORM\_CMD\_MID\_BASE + CFE\_MISSION\_TIME\_1HZ\_CMD\_MSG /\* 0x1811 \*/

Definition at line 106 of file cpu1\_msgids.h.

38.2.2.28 CFE\_TIME\_CMD\_MID

#define CFE\_TIME\_CMD\_MID CFE\_PLATFORM\_CMD\_MID\_BASE + CFE\_MISSION\_TIME\_CMD\_MSG /\* 0x1805 \*/

Definition at line 93 of file cpu1\_msgids.h.

```
38.2.2.29 CFE_TIME_DATA_CMD_MID
```

#define CFE\_TIME\_DATA\_CMD\_MID CFE\_PLATFORM\_CMD\_MID\_BASE\_GLOB + CFE\_MISSION\_TIME\_DATA\_CMD\_MSG /\*
0x1860 \*/

Definition at line 111 of file cpu1\_msgids.h.

#### 38.2.2.30 CFE\_TIME\_DIAG\_TLM\_MID

#define CFE\_TIME\_DIAG\_TLM\_MID CFE\_PLATFORM\_TLM\_MID\_BASE + CFE\_MISSION\_TIME\_DIAG\_TLM\_MSG /\* 0x0806
\*/

Definition at line 123 of file cpu1\_msgids.h.

#### 38.2.2.31 CFE\_TIME\_HK\_TLM\_MID

#define CFE\_TIME\_HK\_TLM\_MID CFE\_PLATFORM\_TLM\_MID\_BASE + CFE\_MISSION\_TIME\_HK\_TLM\_MSG /\* 0x0805 \*/

Definition at line 122 of file cpu1\_msgids.h.

### 38.2.2.32 CFE\_TIME\_SEND\_CMD\_MID

#define CFE\_TIME\_SEND\_CMD\_MID CFE\_PLATFORM\_CMD\_MID\_BASE\_GLOB + CFE\_MISSION\_TIME\_SEND\_CMD\_MSG /\*
0x1862 \*/

Definition at line 112 of file cpu1\_msgids.h.

# 38.2.2.33 CFE\_TIME\_SEND\_HK\_MID

#define CFE\_TIME\_SEND\_HK\_MID CFE\_PLATFORM\_CMD\_MID\_BASE + CFE\_MISSION\_TIME\_SEND\_HK\_MSG /\* 0x180D \*/

Definition at line 101 of file cpu1\_msgids.h.

### 38.2.2.34 CFE\_TIME\_TONE\_CMD\_MID

#define CFE\_TIME\_TONE\_CMD\_MID CFE\_PLATFORM\_CMD\_MID\_BASE + CFE\_MISSION\_TIME\_TONE\_CMD\_MSG /\* 0x1810 \*/

Definition at line 105 of file cpu1 msgids.h.

# 38.3 cpu1\_platform\_cfg.h File Reference

#### Macros

- #define CFE PLATFORM ES NONVOL DISK MOUNT STRING "/cf"
- #define CFE PLATFORM ES RAM DISK MOUNT STRING "/ram"
- #define CFE\_PLATFORM\_SB\_MAX\_MSG\_IDS 256
- #define CFE PLATFORM SB MAX PIPES 64
- #define CFE PLATFORM SB MAX DEST PER PKT 16
- #define CFE PLATFORM SB DEFAULT MSG LIMIT 4
- #define CFE PLATFORM SB BUF MEMORY BYTES 524288
- #define CFE\_PLATFORM\_SB\_HIGHEST\_VALID\_MSGID 0x1FFF
- #define CFE PLATFORM ENDIAN CCSDS LITTLE ENDIAN
- #define CFE\_PLATFORM\_SB\_DEFAULT\_ROUTING\_FILENAME "/ram/cfe\_sb\_route.dat"
- #define CFE PLATFORM SB DEFAULT PIPE FILENAME "/ram/cfe sb pipe.dat"
- #define CFE PLATFORM SB DEFAULT MAP FILENAME "/ram/cfe sb msgmap.dat"
- #define CFE\_PLATFORM\_SB\_FILTERED\_EVENT1 CFE\_SB\_SEND\_NO\_SUBS\_EID
- #define CFE PLATFORM SB FILTER MASK1 CFE EVS FIRST 4 STOP
- #define CFE\_PLATFORM\_SB\_FILTERED\_EVENT2 CFE\_SB\_DUP\_SUBSCRIP\_EID
- #define CFE PLATFORM SB FILTER MASK2 CFE EVS FIRST 4 STOP
- #define CFE\_PLATFORM\_SB\_FILTERED\_EVENT3 CFE\_SB\_MSGID\_LIM\_ERR\_EID
- #define CFE\_PLATFORM\_SB\_FILTER\_MASK3 CFE\_EVS\_FIRST\_16\_STOP
- #define CFE\_PLATFORM\_SB\_FILTERED\_EVENT4 CFE\_SB\_Q\_FULL\_ERR\_EID
- #define CFE PLATFORM SB FILTER MASK4 CFE EVS FIRST 16 STOP
- #define CFE\_PLATFORM\_SB\_FILTERED\_EVENT5 0
- #define CFE\_PLATFORM\_SB\_FILTER\_MASK5 CFE\_EVS\_NO\_FILTER
- #define CFE\_PLATFORM\_SB\_FILTERED\_EVENT6 0
- #define CFE\_PLATFORM\_SB\_FILTER\_MASK6 CFE\_EVS\_NO\_FILTER
- #define CFE PLATFORM SB FILTERED EVENT7 0
- #define CFE\_PLATFORM\_SB\_FILTER\_MASK7 CFE\_EVS\_NO\_FILTER
- #define CFE\_PLATFORM\_SB\_FILTERED\_EVENT8 0
- #define CFE\_PLATFORM\_SB\_FILTER\_MASK8 CFE\_EVS\_NO\_FILTER
- #define CFE\_PLATFORM\_SB\_MEM\_BLOCK\_SIZE\_01 8
- #define CFE\_PLATFORM\_SB\_MEM\_BLOCK\_SIZE\_02 16
- #define CFE\_PLATFORM\_SB\_MEM\_BLOCK\_SIZE\_03 20
- #define CFE\_PLATFORM\_SB\_MEM\_BLOCK\_SIZE\_04 36
- #define CFE\_PLATFORM\_SB\_MEM\_BLOCK\_SIZE\_05 64
- #define CFE PLATFORM SB MEM BLOCK SIZE 06 96
- #define CFE PLATFORM SB MEM BLOCK SIZE 07 128
- #define CFE PLATFORM SB MEM BLOCK SIZE 08 160
- #define CFE PLATFORM SB MEM BLOCK SIZE 09 256
- #define CFE\_PLATFORM\_SB\_MEM\_BLOCK\_SIZE\_10 512
- #define CFE\_PLATFORM\_SB\_MEM\_BLOCK\_SIZE\_11 1024
- #define CFE PLATFORM SB MEM BLOCK SIZE 12 2048
- #define CFE\_PLATFORM\_SB\_MEM\_BLOCK\_SIZE\_13 4096
- #define CFE\_PLATFORM\_SB\_MEM\_BLOCK\_SIZE\_14 8192
- #define CFE\_PLATFORM\_SB\_MEM\_BLOCK\_SIZE\_15 16384
   #define CFE\_PLATFORM\_SB\_MEM\_BLOCK\_SIZE\_16 32768
- #define CFE\_PLATFORM\_SB\_MAX\_BLOCK\_SIZE (CFE\_MISSION\_SB\_MAX\_SB\_MSG\_SIZE + 128)
- #define CFE PLATFORM TIME CFG SERVER true

- #define CFE\_PLATFORM\_TIME\_CFG\_CLIENT false
- #define CFE PLATFORM TIME CFG VIRTUAL true
- #define CFE PLATFORM TIME CFG SIGNAL false
- #define CFE PLATFORM TIME CFG SOURCE false
- #define CFE\_PLATFORM\_TIME\_CFG\_SRC\_MET false
- #define CFE PLATFORM TIME CFG SRC GPS false
- #define CFE\_PLATFORM\_TIME\_CFG\_SRC\_TIME false
- #define CFE PLATFORM TIME MAX DELTA SECS 0
- #define CFE PLATFORM TIME MAX DELTA SUBS 500000
- #define CFE PLATFORM TIME MAX LOCAL SECS 27
- #define CFE PLATFORM TIME MAX LOCAL SUBS 0
- #define CFE PLATFORM TIME CFG TONE LIMIT 20000
- #define CFE\_PLATFORM\_TIME\_CFG\_START\_FLY 2
- #define CFE PLATFORM TIME CFG LATCH FLY 8
- #define CFE\_PLATFORM\_ES\_MAX\_APPLICATIONS 32
- #define CFE\_PLATFORM\_ES\_MAX\_LIBRARIES 10
- #define CFE PLATFORM ES ER LOG ENTRIES 20
- #define CFE PLATFORM ES ER LOG MAX CONTEXT SIZE 256
- #define CFE\_PLATFORM\_ES\_SYSTEM\_LOG\_SIZE 3072
- #define CFE PLATFORM ES OBJECT TABLE SIZE 30
- #define CFE PLATFORM ES MAX GEN COUNTERS 8
- #define CFE\_PLATFORM\_ES\_APP\_SCAN\_RATE 1000
- #define CFE PLATFORM ES APP KILL TIMEOUT 5
- #define CFE PLATFORM ES RAM DISK SECTOR SIZE 512
- #define CFE\_PLATFORM\_ES\_RAM\_DISK\_NUM\_SECTORS 4096
- #define CFE PLATFORM ES RAM DISK PERCENT RESERVED 30
- #define CFE\_PLATFORM\_ES\_CDS\_SIZE (128 \* 1024)
- #define CFE\_PLATFORM\_ES\_USER\_RESERVED\_SIZE (1024 \* 1024)
- #define CFE\_PLATFORM\_ES\_RESET\_AREA\_SIZE (170 \* 1024)
- #define CFE PLATFORM ES MEMPOOL ALIGN SIZE MIN 4
- #define CFE PLATFORM ES NONVOL STARTUP FILE "/cf/cfe es startup.scr"
- #define CFE\_PLATFORM\_ES\_VOLATILE\_STARTUP\_FILE "/ram/cfe\_es\_startup.scr"
- #define CFE\_PLATFORM\_ES\_DEFAULT\_APP\_LOG\_FILE "/ram/cfe\_es\_app\_info.log"
- #define CFE\_PLATFORM\_ES\_DEFAULT\_TASK\_LOG\_FILE "/ram/cfe\_es\_taskinfo.log"
- #define CFE PLATFORM ES DEFAULT SYSLOG FILE "/ram/cfe es syslog.log"
- #define CFE\_PLATFORM\_ES\_DEFAULT\_ER\_LOG\_FILE "/ram/cfe\_erlog.log"
- #define CFE\_PLATFORM\_ES\_DEFAULT\_PERF\_DUMP\_FILENAME "/ram/cfe\_es\_perf.dat"
- #define CFE PLATFORM ES DEFAULT CDS REG DUMP FILE "/ram/cfe cds reg.log"
- #define CFE PLATFORM ES DEFAULT POR SYSLOG MODE 0
- #define CFE PLATFORM ES DEFAULT PR SYSLOG MODE 1
- #define CFE PLATFORM ES PERF DATA BUFFER SIZE 10000
- #define CFE\_PLATFORM\_ES\_PERF\_FILTMASK\_NONE 0
- #define CFE\_PLATFORM\_ES\_PERF\_FILTMASK\_ALL ~CFE\_PLATFORM\_ES\_PERF\_FILTMASK\_NONE
- #define CFE PLATFORM ES PERF FILTMASK INIT CFE PLATFORM ES PERF FILTMASK ALL
- #define CFE PLATFORM ES PERF TRIGMASK NONE 0
- #define CFE\_PLATFORM\_ES\_PERF\_TRIGMASK\_ALL ~CFE\_PLATFORM\_ES\_PERF\_TRIGMASK\_NONE
- #define CFE\_PLATFORM\_ES\_PERF\_TRIGMASK\_INIT CFE\_PLATFORM\_ES\_PERF\_TRIGMASK\_NONE
- #define CFE\_PLATFORM\_ES\_PERF\_CHILD\_PRIORITY 200
- #define CFE\_PLATFORM\_ES\_PERF\_CHILD\_STACK\_SIZE 4096
- #define CFE\_PLATFORM\_ES\_PERF\_CHILD\_MS\_DELAY 20
- #define CFE PLATFORM ES PERF ENTRIES BTWN DLYS 50

- #define CFE\_PLATFORM\_ES\_DEFAULT\_STACK\_SIZE 8192
- #define CFE PLATFORM EVS START TASK PRIORITY 61
- #define CFE\_PLATFORM\_EVS\_START\_TASK\_STACK\_SIZE CFE\_PLATFORM\_ES\_DEFAULT\_STACK\_SIZE
- #define CFE\_PLATFORM\_SB\_START\_TASK\_PRIORITY 64
- #define CFE PLATFORM SB START TASK STACK SIZE CFE PLATFORM ES DEFAULT STACK SIZE
- #define CFE PLATFORM ES START TASK PRIORITY 68
- #define CFE PLATFORM ES START TASK STACK SIZE CFE PLATFORM ES DEFAULT STACK SIZE
- #define CFE PLATFORM TIME START TASK PRIORITY 60
- #define CFE\_PLATFORM\_TIME\_TONE\_TASK\_PRIORITY 25
- #define CFE\_PLATFORM\_TIME\_1HZ\_TASK\_PRIORITY 25
- #define CFE\_PLATFORM\_TIME\_START\_TASK\_STACK\_SIZE CFE\_PLATFORM\_ES\_DEFAULT\_STACK\_S
   IZE
- #define CFE\_PLATFORM\_TIME\_TONE\_TASK\_STACK\_SIZE 4096
- #define CFE PLATFORM TIME 1HZ TASK STACK SIZE 8192
- #define CFE\_PLATFORM\_TBL\_START\_TASK\_PRIORITY 70
- #define CFE\_PLATFORM\_TBL\_START\_TASK\_STACK\_SIZE CFE\_PLATFORM\_ES\_DEFAULT\_STACK\_SIZE
- #define CFE PLATFORM ES CDS MAX NUM ENTRIES 512
- #define CFE PLATFORM ES MAX PROCESSOR RESETS 2
- #define CFE PLATFORM ES POOL MAX BUCKETS 17
- #define CFE PLATFORM ES MAX MEMORY POOLS 10
- #define CFE PLATFORM ES MEM BLOCK SIZE 01 8
- #define CFE\_PLATFORM\_ES\_MEM\_BLOCK\_SIZE\_02 16
- #define CFE\_PLATFORM\_ES\_MEM\_BLOCK\_SIZE\_03 32
- #define CFE\_PLATFORM\_ES\_MEM\_BLOCK\_SIZE\_04 48
- #define CFE\_PLATFORM\_ES\_MEM\_BLOCK\_SIZE\_05 64
- #define CFE\_PLATFORM\_ES\_MEM\_BLOCK\_SIZE\_06 96
- #define CFE\_PLATFORM\_ES\_MEM\_BLOCK\_SIZE\_07 128
- #define CFE\_PLATFORM\_ES\_MEM\_BLOCK\_SIZE\_08 160
- #define CFE\_PLATFORM\_ES\_MEM\_BLOCK\_SIZE\_10 512
- #define CFE\_PLATFORM\_ES\_MEM\_BLOCK\_SIZE\_11 1024
- #define CFE\_PLATFORM\_ES\_MEM\_BLOCK\_SIZE\_12 2048
   #define CFE\_PLATFORM\_ES\_MEM\_BLOCK\_SIZE\_13 4096
- #define CFE\_PLATFORM\_ES\_MEM\_BLOCK\_SIZE\_14 8192
- #define CFE PLATFORM ES MEM BLOCK SIZE 15 16384
- #define CFE PLATFORM ES MEM BLOCK SIZE 16 32768
- #define CFE PLATFORM ES MAX BLOCK SIZE 80000
- "domino of E\_T E/TT OTM\_EO\_M///\_BEOOK\_OIZE 00000
- #define CFE\_PLATFORM\_ES\_CDS\_MEM\_BLOCK\_SIZE\_01 8
   #define CFE\_PLATFORM\_ES\_CDS\_MEM\_BLOCK\_SIZE\_02 16
- #define CFE PLATFORM ES CDS MEM BLOCK SIZE 03 32
- #define CFE PLATFORM ES CDS MEM BLOCK SIZE 04 48
- #uelille CFE\_FLATFONW\_ES\_CDS\_WEW\_BLOCK\_SIZE\_04 40
- #define CFE\_PLATFORM\_ES\_CDS\_MEM\_BLOCK\_SIZE\_05 64
   #U. (\*\*, 0555\_BLATFORM\_ES\_CDS\_MEM\_BLOCK\_SIZE\_03 64
   #U. (\*\*, 0555\_BLATFORM\_ES\_CDS\_MEM\_BS\_MEM\_BS\_MEM\_BS\_MEM\_BS\_MEM\_BS\_MEM\_BS\_MEM\_BS\_MEM\_BS\_MEM\_BS\_MEM\_BS\_MEM\_BS\_MEM\_BS\_MEM\_
- #define CFE\_PLATFORM\_ES\_CDS\_MEM\_BLOCK\_SIZE\_06 96
- #define CFE\_PLATFORM\_ES\_CDS\_MEM\_BLOCK\_SIZE\_07 128
- #define CFE\_PLATFORM\_ES\_CDS\_MEM\_BLOCK\_SIZE\_08 160
- #define CFE\_PLATFORM\_ES\_CDS\_MEM\_BLOCK\_SIZE\_09 256
   #define CFE\_PLATFORM\_ES\_CDS\_MEM\_BLOCK\_SIZE\_10 512
- #define CFE\_PLATFORM\_ES\_CDS\_MEM\_BLOCK\_SIZE\_11 1024
- #define CFE\_PLATFORM\_ES\_CDS\_MEM\_BLOCK\_SIZE\_12 2048
- #define CFE PLATFORM ES CDS MEM BLOCK SIZE 13 4096
- #define CFE PLATFORM ES CDS MEM BLOCK SIZE 14 8192

- #define CFE\_PLATFORM\_ES\_CDS\_MEM\_BLOCK\_SIZE\_15 16384
- #define CFE PLATFORM ES CDS MEM BLOCK SIZE 16 32768
- #define CFE\_PLATFORM\_ES\_CDS\_MAX\_BLOCK\_SIZE 80000
- #define CFE PLATFORM EVS MAX EVENT FILTERS 8
- #define CFE\_PLATFORM\_EVS\_DEFAULT\_LOG\_FILE "/ram/cfe\_evs.log"
- #define CFE PLATFORM EVS LOG MAX 20
- #define CFE PLATFORM EVS DEFAULT APP DATA FILE "/ram/cfe evs app.dat"
- #define CFE PLATFORM EVS PORT DEFAULT 0x0001
- #define CFE PLATFORM EVS DEFAULT TYPE FLAG 0xE
- #define CFE PLATFORM EVS DEFAULT LOG MODE 1
- #define CFE PLATFORM EVS DEFAULT MSG FORMAT MODE CFE EVS MsgFormat LONG
- #define CFE PLATFORM TBL BUF MEMORY BYTES 524288
- #define CFE PLATFORM TBL MAX DBL TABLE SIZE 16384
- #define CFE PLATFORM TBL MAX SNGL TABLE SIZE 16384
- #define CFE PLATFORM TBL MAX NUM TABLES 128
- #define CFE PLATFORM TBL MAX CRITICAL TABLES 32
- #define CFE PLATFORM TBL MAX NUM HANDLES 256
- #define CFE PLATFORM TBL MAX SIMULTANEOUS LOADS 4
- #define CFE PLATFORM TBL MAX NUM VALIDATIONS 10
- #define CFE\_PLATFORM\_TBL\_DEFAULT\_REG\_DUMP\_FILE "/ram/cfe\_tbl\_reg.log"
- #define CFE PLATFORM TBL VALID SCID COUNT 0
- #define CFE\_PLATFORM\_TBL\_U32FROM4CHARS(\_C1, \_C2, \_C3, \_C4) ((uint32)(\_C1) << 24 | (uint32)(\_C2) << 16 | (uint32)(\_C3) << 8 | (uint32)(\_C4))</li>
- #define CFE\_PLATFORM\_TBL\_VALID\_SCID\_1 (0x42)
- #define CFE PLATFORM TBL VALID SCID 2 (CFE PLATFORM TBL U32FROM4CHARS('a', 'b', 'c', 'd'))
- #define CFE PLATFORM TBL VALID PRID COUNT 0
- #define CFE PLATFORM TBL VALID PRID 1 (1)
- #define CFE\_PLATFORM\_TBL\_VALID\_PRID\_2 (CFE\_PLATFORM\_TBL\_U32FROM4CHARS('a', 'b', 'c', 'd'))
- #define CFE PLATFORM TBL VALID PRID 3 0
- #define CFE PLATFORM TBL VALID PRID 40
- #define CFE\_PLATFORM\_ES\_STARTUP\_SYNC\_POLL\_MSEC 50
- #define CFE PLATFORM CORE MAX STARTUP MSEC 30000
- #define CFE PLATFORM ES STARTUP SCRIPT TIMEOUT MSEC 1000

# 38.3.1 Detailed Description

Purpose: This header file contains the platform configuration parameters.

Notes: The impact of changing these configurations from their default value is not yet documented. Changing these values may impact the performance and functionality of the system.

Author: R.McGraw/SSI

#### 38.3.2 Macro Definition Documentation

# 38.3.2.1 CFE\_PLATFORM\_CORE\_MAX\_STARTUP\_MSEC

#define CFE\_PLATFORM\_CORE\_MAX\_STARTUP\_MSEC 30000

Purpose CFE core application startup timeout

### Description:

The upper limit for the amount of time that the cFE core applications (ES, SB, EVS, TIME, TBL) are each allotted to reach their respective "ready" states.

The CFE "main" thread starts individual tasks for each of the core applications (except FS). Each of these must perform some initialization work before the next core application can be started, so the main thread waits to ensure that the application has reached the "ready" state before starting the next application.

If any core application fails to start, then it indicates a major problem with the system and startup is aborted.

Units are in milliseconds

#### Limits:

Must be defined as an integer value that is greater than or equal to zero.

Definition at line 1691 of file cpu1\_platform\_cfg.h.

#### 38.3.2.2 CFE\_PLATFORM\_ENDIAN

#define CFE\_PLATFORM\_ENDIAN CCSDS\_LITTLE\_ENDIAN

Purpose Platform Endian Indicator

# Description:

The value of this constant indicates the endianess of the target system

#### Limits

This parameter has a lower limit of 0 and an upper limit of 1.

Definition at line 192 of file cpu1 platform cfg.h.

### 38.3.2.3 CFE\_PLATFORM\_ES\_APP\_KILL\_TIMEOUT

```
#define CFE_PLATFORM_ES_APP_KILL_TIMEOUT 5
```

Purpose Define ES Application Kill Timeout

#### **Description:**

ES Application Kill Timeout. This parameter controls the number of "scan periods" that ES will wait for an application to Exit after getting the signal Delete, Reload or Restart. The sequence works as follows:

- ES will set the control request for an App to Delete/Restart/Reload and set this kill timer to the value in this parameter.
- If the App is responding and Calls it's RunLoop function, it will drop out of it's main loop and call CFE\_ES\_

   ExitApp. Once it calls Exit App, then ES can delete, restart, or reload the app the next time it scans the app table.
- 3. If the App is not responding, the ES App will decrement this Kill Timeout value each time it runs. If the timeout value reaches zero, ES will kill the app.

The Kill timeout value depends on the CFE\_PLATFORM\_ES\_APP\_SCAN\_RATE. If the Scan Rate is 1000, or 1 second, and this CFE\_PLATFORM\_ES\_APP\_KILL\_TIMEOUT is set to 5, then it will take 5 seconds to kill a non-responding App. If the Scan Rate is 250, or 1/4 second, and the CFE\_PLATFORM\_ES\_APP\_KILL\_TIMEOUT is set to 2, then it will take 1/2 second to time out.

#### Limits

There is a lower limit of 1 and an upper limit of 100 on this configuration parameter. Units are number of CFE\_P 

LATFORM\_ES\_APP\_SCAN\_RATE cycles.

Definition at line 622 of file cpu1 platform cfg.h.

#### 38.3.2.4 CFE\_PLATFORM\_ES\_APP\_SCAN\_RATE

```
#define CFE_PLATFORM_ES_APP_SCAN_RATE 1000
```

Purpose Define ES Application Control Scan Rate

#### **Description:**

ES Application Control Scan Rate. This parameter controls the speed that ES scans the Application Table looking for App Delete/Restart/Reload requests. All Applications are deleted, restarted, or reloaded by the ES Application. ES will periodically scan for control requests to process. The scan rate is controlled by this parameter, which is given in milliseconds. A value of 1000 means that ES will scan the Application Table once per second. Be careful not to set the value of this too low, because ES will use more CPU cycles scanning the table.

#### Limits

There is a lower limit of 100 and an upper limit of 20000 on this configuration parameter. millisecond units.

Definition at line 593 of file cpu1 platform cfg.h.

# 38.3.2.5 CFE\_PLATFORM\_ES\_CDS\_MAX\_BLOCK\_SIZE

#define CFE\_PLATFORM\_ES\_CDS\_MAX\_BLOCK\_SIZE 80000

Definition at line 1327 of file cpu1\_platform\_cfg.h.

# 38.3.2.6 CFE\_PLATFORM\_ES\_CDS\_MAX\_NUM\_ENTRIES

#define CFE\_PLATFORM\_ES\_CDS\_MAX\_NUM\_ENTRIES 512

Purpose Define Maximum Number of Registered CDS Blocks

### **Description:**

Maximum number of registered CDS Blocks

#### Limits

There is a lower limit of 8. There are no restrictions on the upper limit however, the maximum number of CDS entries is system dependent and should be verified.

Definition at line 1217 of file cpu1 platform cfg.h.

## 38.3.2.7 CFE\_PLATFORM\_ES\_CDS\_MEM\_BLOCK\_SIZE\_01

#define CFE\_PLATFORM\_ES\_CDS\_MEM\_BLOCK\_SIZE\_01 8

Purpose Define ES Critical Data Store Memory Pool Block Sizes

## Description:

Intermediate ES Critical Data Store Memory Pool Block Sizes

### Limits

These sizes MUST be increasing and MUST be an integral multiple of 4.

Definition at line 1311 of file cpu1\_platform\_cfg.h.

# 38.3.2.8 CFE\_PLATFORM\_ES\_CDS\_MEM\_BLOCK\_SIZE\_02

#define CFE\_PLATFORM\_ES\_CDS\_MEM\_BLOCK\_SIZE\_02 16

Definition at line 1312 of file cpu1 platform cfg.h.

#### 38.3.2.9 CFE PLATFORM ES CDS MEM BLOCK SIZE 03

#define CFE\_PLATFORM\_ES\_CDS\_MEM\_BLOCK\_SIZE\_03 32

Definition at line 1313 of file cpu1\_platform\_cfg.h.

# 38.3.2.10 CFE\_PLATFORM\_ES\_CDS\_MEM\_BLOCK\_SIZE\_04

#define CFE\_PLATFORM\_ES\_CDS\_MEM\_BLOCK\_SIZE\_04 48

Definition at line 1314 of file cpu1\_platform\_cfg.h.

# 38.3.2.11 CFE\_PLATFORM\_ES\_CDS\_MEM\_BLOCK\_SIZE\_05

#define CFE\_PLATFORM\_ES\_CDS\_MEM\_BLOCK\_SIZE\_05 64

Definition at line 1315 of file cpu1 platform cfg.h.

# 38.3.2.12 CFE PLATFORM ES CDS MEM BLOCK SIZE 06

#define CFE\_PLATFORM\_ES\_CDS\_MEM\_BLOCK\_SIZE\_06 96

Definition at line 1316 of file cpu1\_platform\_cfg.h.

## 38.3.2.13 CFE\_PLATFORM\_ES\_CDS\_MEM\_BLOCK\_SIZE\_07

#define CFE\_PLATFORM\_ES\_CDS\_MEM\_BLOCK\_SIZE\_07 128

Definition at line 1317 of file cpu1\_platform\_cfg.h.

38.3.2.14 CFE\_PLATFORM\_ES\_CDS\_MEM\_BLOCK\_SIZE\_08

#define CFE\_PLATFORM\_ES\_CDS\_MEM\_BLOCK\_SIZE\_08 160

Definition at line 1318 of file cpu1 platform cfg.h.

38.3.2.15 CFE PLATFORM ES CDS MEM BLOCK SIZE 09

#define CFE\_PLATFORM\_ES\_CDS\_MEM\_BLOCK\_SIZE\_09 256

Definition at line 1319 of file cpu1\_platform\_cfg.h.

38.3.2.16 CFE\_PLATFORM\_ES\_CDS\_MEM\_BLOCK\_SIZE\_10

#define CFE\_PLATFORM\_ES\_CDS\_MEM\_BLOCK\_SIZE\_10 512

Definition at line 1320 of file cpu1\_platform\_cfg.h.

38.3.2.17 CFE\_PLATFORM\_ES\_CDS\_MEM\_BLOCK\_SIZE\_11

#define CFE\_PLATFORM\_ES\_CDS\_MEM\_BLOCK\_SIZE\_11 1024

Definition at line 1321 of file cpu1\_platform\_cfg.h.

38.3.2.18 CFE\_PLATFORM\_ES\_CDS\_MEM\_BLOCK\_SIZE\_12

#define CFE\_PLATFORM\_ES\_CDS\_MEM\_BLOCK\_SIZE\_12 2048

Definition at line 1322 of file cpu1\_platform\_cfg.h.

38.3.2.19 CFE\_PLATFORM\_ES\_CDS\_MEM\_BLOCK\_SIZE\_13

#define CFE\_PLATFORM\_ES\_CDS\_MEM\_BLOCK\_SIZE\_13 4096

Definition at line 1323 of file cpu1\_platform\_cfg.h.

# 38.3.2.20 CFE\_PLATFORM\_ES\_CDS\_MEM\_BLOCK\_SIZE\_14

#define CFE\_PLATFORM\_ES\_CDS\_MEM\_BLOCK\_SIZE\_14 8192

Definition at line 1324 of file cpu1\_platform\_cfg.h.

### 38.3.2.21 CFE\_PLATFORM\_ES\_CDS\_MEM\_BLOCK\_SIZE\_15

#define CFE\_PLATFORM\_ES\_CDS\_MEM\_BLOCK\_SIZE\_15 16384

Definition at line 1325 of file cpu1\_platform\_cfg.h.

#### 38.3.2.22 CFE PLATFORM ES CDS MEM BLOCK SIZE 16

#define CFE\_PLATFORM\_ES\_CDS\_MEM\_BLOCK\_SIZE\_16 32768

Definition at line 1326 of file cpu1\_platform\_cfg.h.

## 38.3.2.23 CFE\_PLATFORM\_ES\_CDS\_SIZE

#define CFE\_PLATFORM\_ES\_CDS\_SIZE (128 \* 1024)

Purpose Define Critical Data Store Size

### Description:

Defines the Critical Data Store (CDS) area size in bytes size. The CDS is one of four memory areas that are preserved during a processor reset. NOTE: Changing this value changes memory allocation, and may require changes to platform specific values (in CFE\_PSP) such as USER\_RESERVED\_MEM in VxWorks depending on the memory areas being used for preserved data and on OS specific behavior.

# Limits

There is a lower limit of 8192 and an upper limit of UINT\_MAX (4 Gigabytes) on this configuration parameter.

Definition at line 699 of file cpu1\_platform\_cfg.h.

### 38.3.2.24 CFE\_PLATFORM\_ES\_DEFAULT\_APP\_LOG\_FILE

```
#define CFE_PLATFORM_ES_DEFAULT_APP_LOG_FILE "/ram/cfe_es_app_info.log"
```

Purpose Default Application Information Filename

#### **Description:**

The value of this constant defines the filename used to store information pertaining to all of the Applications that are registered with Executive Services. This filename is used only when no filename is specified in the the command to query all system apps.

#### Limits

The length of each string, including the NULL terminator cannot exceed the OS\_MAX\_PATH\_LEN value.

Definition at line 804 of file cpu1 platform cfg.h.

## 38.3.2.25 CFE\_PLATFORM\_ES\_DEFAULT\_CDS\_REG\_DUMP\_FILE

```
#define CFE_PLATFORM_ES_DEFAULT_CDS_REG_DUMP_FILE "/ram/cfe_cds_reg.log"
```

### Purpose Default Critical Data Store Registry Filename

### Description:

The value of this constant defines the filename used to store the Critical Data Store Registry. This filename is used only when no filename is specified in the command to stop performance data collecting.

#### Limits

The length of each string, including the NULL terminator cannot exceed the OS\_MAX\_PATH\_LEN value.

Definition at line 878 of file cpu1 platform cfg.h.

### 38.3.2.26 CFE\_PLATFORM\_ES\_DEFAULT\_ER\_LOG\_FILE

```
#define CFE_PLATFORM_ES_DEFAULT_ER_LOG_FILE "/ram/cfe_erlog.log"
```

# Purpose Default Exception and Reset (ER) Log Filename

#### **Description:**

The value of this constant defines the filename used to store the Exception and Reset (ER) Log. This filename is used only when no filename is specified in the command to dump the ER log. No file specified in the cmd means the first character in the cmd filename is a NULL terminator (zero).

# Limits

The length of each string, including the NULL terminator cannot exceed the OS\_MAX\_PATH\_LEN value.

Definition at line 850 of file cpu1\_platform\_cfg.h.

# 38.3.2.27 CFE\_PLATFORM\_ES\_DEFAULT\_PERF\_DUMP\_FILENAME

#define CFE\_PLATFORM\_ES\_DEFAULT\_PERF\_DUMP\_FILENAME "/ram/cfe\_es\_perf.dat"

Purpose Default Performance Data Filename

### Description:

The value of this constant defines the filename used to store the Performance Data. This filename is used only when no filename is specified in the command to stop performance data collecting.

### Limits

The length of each string, including the NULL terminator cannot exceed the OS MAX PATH LEN value.

Definition at line 864 of file cpu1 platform cfg.h.

38.3.2.28 CFE\_PLATFORM\_ES\_DEFAULT\_POR\_SYSLOG\_MODE

#define CFE\_PLATFORM\_ES\_DEFAULT\_POR\_SYSLOG\_MODE 0

Purpose Define Default System Log Mode following Power On Reset

# **Description:**

Defines the default mode for the operation of the ES System log following a power on reset. The log may operate in either Overwrite mode = 0, where once the log becomes full the oldest message in the log will be overwritten, or Discard mode = 1, where once the log becomes full the contents of the log are preserved and the new event is discarded. This constant may hold a value of either 0 or 1 depending on the desired default. Overwrite Mode = 0, Discard Mode = 1.

#### Limits

There is a lower limit of 0 and an upper limit of 1 on this configuration parameter.

Definition at line 896 of file cpu1\_platform\_cfg.h.

38.3.2.29 CFE\_PLATFORM\_ES\_DEFAULT\_PR\_SYSLOG\_MODE

#define CFE\_PLATFORM\_ES\_DEFAULT\_PR\_SYSLOG\_MODE 1

Purpose Define Default System Log Mode following Processor Reset

#### **Description:**

Defines the default mode for the operation of the ES System log following a processor reset. The log may operate in either Overwrite mode = 0, where once the log becomes full the oldest message in the log will be overwritten, or Discard mode = 1, where once the log becomes full the contents of the log are preserved and the new event is discarded. This constant may hold a value of either 0 or 1 depending on the desired default. Overwrite Mode = 0, Discard Mode = 1.

#### Limits

There is a lower limit of 0 and an upper limit of 1 on this configuration parameter.

Definition at line 914 of file cpu1 platform cfg.h.

38.3.2.30 CFE\_PLATFORM\_ES\_DEFAULT\_STACK\_SIZE

#define CFE\_PLATFORM\_ES\_DEFAULT\_STACK\_SIZE 8192

Purpose Define Default Stack Size for an Application

# **Description:**

This parameter defines a default stack size. This parameter is used by the cFE Core Applications.

### Limits

There is a lower limit of 2048. There are no restrictions on the upper limit however, the maximum stack size is system dependent and should be verified. Most operating systems provide tools for measuring the amount of stack used by a task during operation. It is always a good idea to verify that no more than 1/2 of the stack is used.

Definition at line 1064 of file cpu1\_platform\_cfg.h.

# 38.3.2.31 CFE\_PLATFORM\_ES\_DEFAULT\_SYSLOG\_FILE

```
#define CFE_PLATFORM_ES_DEFAULT_SYSLOG_FILE "/ram/cfe_es_syslog.log"
```

### Purpose Default System Log Filename

### Description:

The value of this constant defines the filename used to store important information (as ASCII text strings) that might not be able to be sent in an Event Message. This filename is used only when no filename is specified in the command to dump the system log. No file specified in the cmd means the first character in the cmd filename is a NULL terminator (zero).

### Limits

The length of each string, including the NULL terminator cannot exceed the OS\_MAX\_PATH\_LEN value.

Definition at line 835 of file cpu1\_platform\_cfg.h.

### 38.3.2.32 CFE\_PLATFORM\_ES\_DEFAULT\_TASK\_LOG\_FILE

#define CFE\_PLATFORM\_ES\_DEFAULT\_TASK\_LOG\_FILE "/ram/cfe\_es\_taskinfo.log"

### Purpose Default Application Information Filename

### **Description:**

The value of this constant defines the filename used to store information pertaining to all of the Applications that are registered with Executive Services. This filename is used only when no filename is specified in the the command to query all system tasks.

#### Limits

The length of each string, including the NULL terminator cannot exceed the OS\_MAX\_PATH\_LEN value.

Definition at line 819 of file cpu1\_platform\_cfg.h.

# 38.3.2.33 CFE\_PLATFORM\_ES\_ER\_LOG\_ENTRIES

#define CFE\_PLATFORM\_ES\_ER\_LOG\_ENTRIES 20

Purpose Define Max Number of ER (Exception and Reset) log entries

### **Description:**

Defines the maximum number of ER (Exception and Reset) log entries

#### Limits

There is a lower limit of 1. There are no restrictions on the upper limit however, the maximum number of log entries is system dependent and should be verified.

Definition at line 520 of file cpu1\_platform\_cfg.h.

#### 38.3.2.34 CFE PLATFORM ES ER LOG MAX CONTEXT SIZE

#define CFE\_PLATFORM\_ES\_ER\_LOG\_MAX\_CONTEXT\_SIZE 256

Purpose Maximum size of CPU Context in ES Error Log

### **Description:**

This should be large enough to accommodate the CPU context information supplied by the PSP on the given platform.

#### Limits:

Must be greater than zero and a multiple of sizeof(uint32). Limited only by the available memory and the number of entries in the error log. Any context information beyond this size will be truncated.

Definition at line 534 of file cpu1\_platform\_cfg.h.

# 38.3.2.35 CFE\_PLATFORM\_ES\_MAX\_APPLICATIONS

#define CFE\_PLATFORM\_ES\_MAX\_APPLICATIONS 32

**Purpose** Define Max Number of Applications

# Description:

Defines the maximum number of applications that can be loaded into the system. This number does not include child tasks.

### Limits

There is a lower limit of 6. The lower limit corresponds to the cFE internal applications. There are no restrictions on the upper limit however, the maximum number of applications is system dependent and should be verified. ApplDs that are checked against this configuration are defined by a 32 bit data word.

Definition at line 493 of file cpu1 platform cfg.h.

# 38.3.2.36 CFE\_PLATFORM\_ES\_MAX\_BLOCK\_SIZE

#define CFE\_PLATFORM\_ES\_MAX\_BLOCK\_SIZE 80000

Definition at line 1300 of file cpu1\_platform\_cfg.h.

# 38.3.2.37 CFE\_PLATFORM\_ES\_MAX\_GEN\_COUNTERS

#define CFE\_PLATFORM\_ES\_MAX\_GEN\_COUNTERS 8

Purpose Define Max Number of Generic Counters

### **Description:**

Defines the maximum number of Generic Counters that can be registered.

# Limits

This parameter has a lower limit of 1 and an upper limit of 65535.

Definition at line 574 of file cpu1\_platform\_cfg.h.

# 38.3.2.38 CFE\_PLATFORM\_ES\_MAX\_LIBRARIES

#define CFE\_PLATFORM\_ES\_MAX\_LIBRARIES 10

Purpose Define Max Number of Shared libraries

### Description:

Defines the maximum number of cFE Shared libraries that can be loaded into the system.

### Limits

There is a lower limit of 1. There are no restrictions on the upper limit however, the maximum number of libraries is system dependent and should be verified.

Definition at line 507 of file cpu1\_platform\_cfg.h.

# 38.3.2.39 CFE\_PLATFORM\_ES\_MAX\_MEMORY\_POOLS

#define CFE\_PLATFORM\_ES\_MAX\_MEMORY\_POOLS 10

#### Purpose Maximum number of memory pools

### Description:

The upper limit for the number of memory pools that can concurrently exist within the system.

The CFE\_SB and CFE\_TBL core subsystems each define a memory pool.

Individual applications may also create memory pools, so this value should be set sufficiently high enough to support the applications being used on this platform.

#### Limits:

Must be at least 2 to support CFE core - SB and TBL pools. No specific upper limit.

Definition at line 1265 of file cpu1\_platform\_cfg.h.

### 38.3.2.40 CFE\_PLATFORM\_ES\_MAX\_PROCESSOR\_RESETS

#define CFE\_PLATFORM\_ES\_MAX\_PROCESSOR\_RESETS 2

Purpose Define Number of Processor Resets Before a Power On Reset

#### **Description:**

Number of Processor Resets before a Power On Reset is called. If set to 2, then 2 processor resets will occur, and the 3rd processor reset will be a power on reset instead.

#### Limits

There is a lower limit of 0. There are no restrictions on the upper limit however, the maximum number of processor resets may be system dependent and should be verified.

Definition at line 1232 of file cpu1\_platform\_cfg.h.

# 38.3.2.41 CFE\_PLATFORM\_ES\_MEM\_BLOCK\_SIZE\_01

#define CFE\_PLATFORM\_ES\_MEM\_BLOCK\_SIZE\_01 8

Purpose Define Default ES Memory Pool Block Sizes

# Description:

Default Intermediate ES Memory Pool Block Sizes. If an application is using the CFE\_ES Memory Pool AP ← Is (CFE\_ES\_PoolCreate, CFE\_ES\_PoolCreateNoSem, CFE\_ES\_GetPoolBuf and CFE\_ES\_PutPoolBuf) but finds these sizes inappropriate for their use, they may wish to use the CFE\_ES\_PoolCreateEx API to specify their own intermediate block sizes

#### Limits

These sizes MUST be increasing and MUST be an integral multiple of 4. Also, CFE\_PLATFORM\_ES\_MAX\_← BLOCK\_SIZE must be larger than CFE\_MISSION\_SB\_MAX\_SB\_MSG\_SIZE and both CFE\_PLATFORM\_TB← L\_MAX\_SNGL\_TABLE\_SIZE and CFE\_PLATFORM\_TBL\_MAX\_DBL\_TABLE\_SIZE. Note that if Table Services have been removed from the CFE, the table size limits are still enforced although the table size definitions may be reduced.

Definition at line 1284 of file cpu1\_platform\_cfg.h.

38.3.2.42 CFE\_PLATFORM\_ES\_MEM\_BLOCK\_SIZE\_02

#define CFE\_PLATFORM\_ES\_MEM\_BLOCK\_SIZE\_02 16

Definition at line 1285 of file cpu1\_platform\_cfg.h.

38.3.2.43 CFE\_PLATFORM\_ES\_MEM\_BLOCK\_SIZE\_03

#define CFE\_PLATFORM\_ES\_MEM\_BLOCK\_SIZE\_03 32

Definition at line 1286 of file cpu1 platform cfg.h.

38.3.2.44 CFE\_PLATFORM\_ES\_MEM\_BLOCK\_SIZE\_04

#define CFE\_PLATFORM\_ES\_MEM\_BLOCK\_SIZE\_04 48

Definition at line 1287 of file cpu1\_platform\_cfg.h.

38.3.2.45 CFE\_PLATFORM\_ES\_MEM\_BLOCK\_SIZE\_05

#define CFE\_PLATFORM\_ES\_MEM\_BLOCK\_SIZE\_05 64

Definition at line 1288 of file cpu1 platform cfg.h.

38.3.2.46 CFE PLATFORM ES MEM BLOCK SIZE 06

#define CFE\_PLATFORM\_ES\_MEM\_BLOCK\_SIZE\_06 96

Definition at line 1289 of file cpu1\_platform\_cfg.h.

38.3.2.47 CFE\_PLATFORM\_ES\_MEM\_BLOCK\_SIZE\_07

#define CFE\_PLATFORM\_ES\_MEM\_BLOCK\_SIZE\_07 128

Definition at line 1290 of file cpu1\_platform\_cfg.h.

38.3.2.48 CFE\_PLATFORM\_ES\_MEM\_BLOCK\_SIZE\_08

#define CFE\_PLATFORM\_ES\_MEM\_BLOCK\_SIZE\_08 160

Definition at line 1291 of file cpu1\_platform\_cfg.h.

38.3.2.49 CFE\_PLATFORM\_ES\_MEM\_BLOCK\_SIZE\_09

#define CFE\_PLATFORM\_ES\_MEM\_BLOCK\_SIZE\_09 256

Definition at line 1292 of file cpu1\_platform\_cfg.h.

38.3.2.50 CFE\_PLATFORM\_ES\_MEM\_BLOCK\_SIZE\_10

#define CFE\_PLATFORM\_ES\_MEM\_BLOCK\_SIZE\_10 512

Definition at line 1293 of file cpu1\_platform\_cfg.h.

38.3.2.51 CFE\_PLATFORM\_ES\_MEM\_BLOCK\_SIZE\_11

#define CFE\_PLATFORM\_ES\_MEM\_BLOCK\_SIZE\_11 1024

Definition at line 1294 of file cpu1\_platform\_cfg.h.

38.3.2.52 CFE\_PLATFORM\_ES\_MEM\_BLOCK\_SIZE\_12

#define CFE\_PLATFORM\_ES\_MEM\_BLOCK\_SIZE\_12 2048

Definition at line 1295 of file cpu1\_platform\_cfg.h.

38.3.2.53 CFE\_PLATFORM\_ES\_MEM\_BLOCK\_SIZE\_13

#define CFE\_PLATFORM\_ES\_MEM\_BLOCK\_SIZE\_13 4096

Definition at line 1296 of file cpu1\_platform\_cfg.h.

38.3.2.54 CFE\_PLATFORM\_ES\_MEM\_BLOCK\_SIZE\_14

#define CFE\_PLATFORM\_ES\_MEM\_BLOCK\_SIZE\_14 8192

Definition at line 1297 of file cpu1\_platform\_cfg.h.

38.3.2.55 CFE\_PLATFORM\_ES\_MEM\_BLOCK\_SIZE\_15

#define CFE\_PLATFORM\_ES\_MEM\_BLOCK\_SIZE\_15 16384

Definition at line 1298 of file cpu1\_platform\_cfg.h.

38.3.2.56 CFE\_PLATFORM\_ES\_MEM\_BLOCK\_SIZE\_16

#define CFE\_PLATFORM\_ES\_MEM\_BLOCK\_SIZE\_16 32768

Definition at line 1299 of file cpu1\_platform\_cfg.h.

### 38.3.2.57 CFE\_PLATFORM\_ES\_MEMPOOL\_ALIGN\_SIZE\_MIN

#define CFE\_PLATFORM\_ES\_MEMPOOL\_ALIGN\_SIZE\_MIN 4

Purpose Define Memory Pool Alignment Size

#### **Description:**

Ensures that buffers obtained from a memory pool are aligned to a certain minimum block size. Note the allocator will always align to the minimum required by the CPU architecture. This may be set greater than the CPU requirement as desired for optimal performance.

For some architectures/applications it may be beneficial to set this to the cache line size of the target CPU, or to use special SIMD instructions that require a more stringent memory alignment.

#### Limits

This must always be a power of 2, as it is used as a binary address mask.

Definition at line 761 of file cpu1 platform cfg.h.

### 38.3.2.58 CFE\_PLATFORM\_ES\_NONVOL\_DISK\_MOUNT\_STRING

#define CFE\_PLATFORM\_ES\_NONVOL\_DISK\_MOUNT\_STRING "/cf"

Purpose Default virtual path for persistent storage

### Description:

This configures the default location in the virtual file system for persistent/non-volatile storage. Files such as the startup script, app/library dynamic modules, and configuration tables are expected to be stored in this directory.

Definition at line 49 of file cpu1 platform cfg.h.

### 38.3.2.59 CFE\_PLATFORM\_ES\_NONVOL\_STARTUP\_FILE

#define CFE\_PLATFORM\_ES\_NONVOL\_STARTUP\_FILE "/cf/cfe\_es\_startup.scr"

### Purpose ES Nonvolatile Startup Filename

### **Description:**

The value of this constant defines the path and name of the file that contains a list of modules that will be loaded and started by the cFE after the cFE finishes its startup sequence.

#### Limits

The length of each string, including the NULL terminator cannot exceed the OS\_MAX\_PATH\_LEN value.

Definition at line 775 of file cpu1\_platform\_cfg.h.

# 38.3.2.60 CFE\_PLATFORM\_ES\_OBJECT\_TABLE\_SIZE

```
#define CFE_PLATFORM_ES_OBJECT_TABLE_SIZE 30
```

Purpose Define Number of entries in the ES Object table

### Description:

Defines the number of entries in the ES Object table. This table controls the core cFE startup.

#### Limits

There is a lower limit of 15. There are no restrictions on the upper limit however, the maximum object table size is system dependent and should be verified.

Definition at line 563 of file cpu1 platform cfg.h.

# 38.3.2.61 CFE\_PLATFORM\_ES\_PERF\_CHILD\_MS\_DELAY

```
#define CFE_PLATFORM_ES_PERF_CHILD_MS_DELAY 20
```

Purpose Define Performance Analyzer Child Task Delay

### Description:

This parameter defines the delay time (in milliseconds) between performance data file writes performed by the Executive Services Performance Analyzer Child Task.

## Limits

It is recommended this parameter be greater than or equal to 20ms. This parameter is limited by the maximum value allowed by the data type. In this case, the data type is an unsigned 32-bit integer, so the valid range is 0 to 0xFFFFFFF.

Definition at line 1038 of file cpu1\_platform\_cfg.h.

#### 38.3.2.62 CFE\_PLATFORM\_ES\_PERF\_CHILD\_PRIORITY

```
#define CFE_PLATFORM_ES_PERF_CHILD_PRIORITY 200
```

Purpose Define Performance Analyzer Child Task Priority

### **Description:**

This parameter defines the priority of the child task spawned by the Executive Services to write performance data to a file. Lower numbers are higher priority, with 1 being the highest priority in the case of a child task.

#### Limits

Valid range for a child task is 1 to 255 however, the priority cannot be higher (lower number) than the ES parent application priority.

Definition at line 1009 of file cpu1 platform cfg.h.

### 38.3.2.63 CFE\_PLATFORM\_ES\_PERF\_CHILD\_STACK\_SIZE

#define CFE\_PLATFORM\_ES\_PERF\_CHILD\_STACK\_SIZE 4096

Purpose Define Performance Analyzer Child Task Stack Size

### Description:

This parameter defines the stack size of the child task spawned by the Executive Services to write performance data to a file.

#### Limits

It is recommended this parameter be greater than or equal to 4KB. This parameter is limited by the maximum value allowed by the data type. In this case, the data type is an unsigned 32-bit integer, so the valid range is 0 to 0xFFFFFFFF.

Definition at line 1023 of file cpu1\_platform\_cfg.h.

### 38.3.2.64 CFE PLATFORM ES PERF DATA BUFFER SIZE

#define CFE\_PLATFORM\_ES\_PERF\_DATA\_BUFFER\_SIZE 10000

Purpose Define Max Size of Performance Data Buffer

# **Description:**

Defines the maximum size of the performance data buffer. Units are number of performance data entries. An entry is defined by a 32 bit data word followed by a 64 bit time stamp.

# Limits

There is a lower limit of 1025. There are no restrictions on the upper limit however, the maximum buffer size is system dependent and should be verified. The units are number of entries. An entry is defined by a 32 bit data word followed by a 64 bit time stamp.

Definition at line 930 of file cpu1 platform cfg.h.

### 38.3.2.65 CFE\_PLATFORM\_ES\_PERF\_ENTRIES\_BTWN\_DLYS

#define CFE\_PLATFORM\_ES\_PERF\_ENTRIES\_BTWN\_DLYS 50

Purpose Define Performance Analyzer Child Task Number of Entries Between Delay

# **Description:**

This parameter defines the number of performance analyzer entries the Performance Analyzer Child Task will write to the file between delays.

Definition at line 1048 of file cpu1\_platform\_cfg.h.

# 38.3.2.66 CFE\_PLATFORM\_ES\_PERF\_FILTMASK\_ALL

#define CFE\_PLATFORM\_ES\_PERF\_FILTMASK\_ALL ~CFE\_PLATFORM\_ES\_PERF\_FILTMASK\_NONE

Purpose Define Filter Mask Setting for Enabling All Performance Entries

### **Description:**

Defines the filter mask for enabling all performance entries. The value is a bit mask. For each bit, 0 means the corresponding entry is disabled and 1 means it is enabled.

Definition at line 950 of file cpu1\_platform\_cfg.h.

#### 38.3.2.67 CFE\_PLATFORM\_ES\_PERF\_FILTMASK\_INIT

#define CFE\_PLATFORM\_ES\_PERF\_FILTMASK\_INIT CFE\_PLATFORM\_ES\_PERF\_FILTMASK\_ALL

Purpose Define Default Filter Mask Setting for Performance Data Buffer

# **Description:**

Defines the default filter mask for the performance data buffer. The value is a bit mask. For each bit, 0 means the corresponding entry is disabled and 1 means it is enabled.

Definition at line 961 of file cpu1\_platform\_cfg.h.

38.3.2.68 CFE\_PLATFORM\_ES\_PERF\_FILTMASK\_NONE

#define CFE\_PLATFORM\_ES\_PERF\_FILTMASK\_NONE 0

Purpose Define Filter Mask Setting for Disabling All Performance Entries

### **Description:**

Defines the filter mask for disabling all performance entries. The value is a bit mask. For each bit, 0 means the corresponding entry is disabled and 1 means it is enabled.

Definition at line 940 of file cpu1\_platform\_cfg.h.

38.3.2.69 CFE\_PLATFORM\_ES\_PERF\_TRIGMASK\_ALL

#define CFE\_PLATFORM\_ES\_PERF\_TRIGMASK\_ALL ~CFE\_PLATFORM\_ES\_PERF\_TRIGMASK\_NONE

Purpose Define Filter Trigger Setting for Enabling All Performance Entries

### **Description:**

Defines the trigger mask for enabling all performance data entries. The value is a bit mask. For each bit, 0 means the trigger for the corresponding entry is disabled and 1 means it is enabled.

Definition at line 983 of file cpu1\_platform\_cfg.h.

38.3.2.70 CFE\_PLATFORM\_ES\_PERF\_TRIGMASK\_INIT

#define CFE\_PLATFORM\_ES\_PERF\_TRIGMASK\_INIT CFE\_PLATFORM\_ES\_PERF\_TRIGMASK\_NONE

Purpose Define Default Filter Trigger Setting for Performance Data Buffer

# **Description:**

Defines the default trigger mask for the performance data buffer. The value is a 32-bit mask. For each bit, 0 means the trigger for the corresponding entry is disabled and 1 means it is enabled.

Definition at line 994 of file cpu1\_platform\_cfg.h.

38.3.2.71 CFE\_PLATFORM\_ES\_PERF\_TRIGMASK\_NONE

#define CFE\_PLATFORM\_ES\_PERF\_TRIGMASK\_NONE 0

Purpose Define Default Filter Trigger Setting for Disabling All Performance Entries

### **Description:**

Defines the default trigger mask for disabling all performance data entries. The value is a bit mask. For each bit, 0 means the trigger for the corresponding entry is disabled and 1 means it is enabled.

Definition at line 972 of file cpu1\_platform\_cfg.h.

# 38.3.2.72 CFE\_PLATFORM\_ES\_POOL\_MAX\_BUCKETS

```
#define CFE_PLATFORM_ES_POOL_MAX_BUCKETS 17
```

Purpose Maximum number of block sizes in pool structures

## **Description:**

The upper limit for the number of block sizes supported in the generic pool implementation, which in turn implements the memory pools and CDS.

#### Limits:

Must be at least one. No specific upper limit, but the number is anticipated to be reasonably small (i.e. tens, not hundreds). Large values have not been tested.

The ES and CDS block size lists must correlate with this value

Definition at line 1247 of file cpu1 platform cfg.h.

## 38.3.2.73 CFE PLATFORM ES RAM DISK MOUNT STRING

```
#define CFE_PLATFORM_ES_RAM_DISK_MOUNT_STRING "/ram"
```

Purpose Default virtual path for volatile storage

## Description:

The CFE\_PLATFORM\_ES\_RAM\_DISK\_MOUNT\_STRING parameter is used to set the cFE mount path for the CFE RAM disk. This is a parameter for missions that do not want to use the default value of "/ram", or for missions that need to have a different value for different CPUs or Spacecraft. Note that the vxWorks OSAL cannot currently handle names that have more than one path separator in it. The names "/ram", "/ramdisk", "/disk123" will all work, but "/disks/ram" will not. Multiple separators can be used with the posix or RTEMS ports.

Definition at line 65 of file cpu1 platform cfg.h.

### 38.3.2.74 CFE\_PLATFORM\_ES\_RAM\_DISK\_NUM\_SECTORS

```
#define CFE_PLATFORM_ES_RAM_DISK_NUM_SECTORS 4096
```

# Purpose ES Ram Disk Number of Sectors

# Description:

Defines the ram disk number of sectors. The ram disk is one of four memory areas that are preserved on a processor reset. NOTE: Changing this value changes memory allocation, and may require changes to platform specific values (in CFE\_PSP) such as USER\_RESERVED\_MEM in VxWorks depending on the memory areas being used for preserved data and on OS specific behavior.

#### Limits

There is a lower limit of 128. There are no restrictions on the upper limit however, the maximum number of RAM sectors is system dependent and should be verified.

Definition at line 658 of file cpu1 platform cfg.h.

## 38.3.2.75 CFE\_PLATFORM\_ES\_RAM\_DISK\_PERCENT\_RESERVED

#define CFE\_PLATFORM\_ES\_RAM\_DISK\_PERCENT\_RESERVED 30

Purpose Percentage of Ram Disk Reserved for Decompressing Apps

## Description:

The CFE\_PLATFORM\_ES\_RAM\_DISK\_PERCENT\_RESERVED parameter is used to make sure that the Volatile (RAM) Disk has a defined amount of free space during a processor reset. The cFE uses the Volatile disk to decompress cFE applications during system startup. If this Volatile disk happens to get filled with logs and misc files, then a processor reset may not work, because there will be no room to decompress cFE apps. To solve that problem, this parameter sets the "Low Water Mark" for disk space on a Processor reset. It should be set to allow the largest cFE Application to be decompressed. During a Processor reset, if there is not sufficient space left on the disk, it will be re-formatted in order to clear up some space.

This feature can be turned OFF by setting the parameter to 0.

### Limits

There is a lower limit of 0 and an upper limit of 75 on this configuration parameter. Units are percentage. A setting of zero will turn this feature off.

Definition at line 682 of file cpu1\_platform\_cfg.h.

## 38.3.2.76 CFE\_PLATFORM\_ES\_RAM\_DISK\_SECTOR\_SIZE

#define CFE\_PLATFORM\_ES\_RAM\_DISK\_SECTOR\_SIZE 512

Purpose ES Ram Disk Sector Size

### **Description:**

Defines the ram disk sector size. The ram disk is 1 of 4 memory areas that are preserved on a processor reset. NOTE: Changing this value changes memory allocation, and may require changes to platform specific values (in C← FE\_PSP) such as USER\_RESERVED\_MEM in VxWorks depending on the memory areas being used for preserved data and on OS specific behavior.

#### Limits

There is a lower limit of 128. There are no restrictions on the upper limit however, the maximum RAM disk sector size is system dependent and should be verified.

Definition at line 640 of file cpu1\_platform\_cfg.h.

# 38.3.2.77 CFE\_PLATFORM\_ES\_RESET\_AREA\_SIZE

#define CFE\_PLATFORM\_ES\_RESET\_AREA\_SIZE (170 \* 1024)

Purpose Define ES Reset Area Size

## Description:

The ES Reset Area Size. This is the size in bytes of the cFE Reset variable and log area. This is a block of memory used by the cFE to store the system log ER Log and critical reset variables. This is 4 of 4 of the memory areas that are preserved during a processor reset. Note: This area must be sized large enough to hold all of the data structures. It should be automatically sized based on the CFE\_ES\_ResetData\_t type, but circular dependencies in the headers prevent it from being defined this way. NOTE: Changing this value changes memory allocation, and may require changes to platform specific values (in CFE\_PSP) such as USER\_RESERVED\_MEM in VxWorks depending on the memory areas being used for preserved data and on OS specific behavior.

### Limits

There is a lower limit of 153600 (150KBytes) and an upper limit of UINT\_MAX (4 Gigabytes) on this configuration parameter.

Definition at line 742 of file cpu1 platform cfg.h.

38.3.2.78 CFE\_PLATFORM\_ES\_START\_TASK\_PRIORITY

#define CFE\_PLATFORM\_ES\_START\_TASK\_PRIORITY 68

Purpose Define ES Task Priority

**Description:** 

Defines the cFE\_ES Task priority.

Limits

Not Applicable

Definition at line 1127 of file cpu1\_platform\_cfg.h.

38.3.2.79 CFE\_PLATFORM\_ES\_START\_TASK\_STACK\_SIZE

#define CFE\_PLATFORM\_ES\_START\_TASK\_STACK\_SIZE CFE\_PLATFORM\_ES\_DEFAULT\_STACK\_SIZE

Purpose Define ES Task Stack Size

## Description:

Defines the cFE\_ES Task Stack Size

### Limits

There is a lower limit of 2048 on this configuration parameter. There are no restrictions on the upper limit however, the maximum stack size is system dependent and should be verified. Most operating systems provide tools for measuring the amount of stack used by a task during operation. It is always a good idea to verify that no more than 1/2 of the stack is used.

Definition at line 1142 of file cpu1\_platform\_cfg.h.

38.3.2.80 CFE\_PLATFORM\_ES\_STARTUP\_SCRIPT\_TIMEOUT\_MSEC

#define CFE\_PLATFORM\_ES\_STARTUP\_SCRIPT\_TIMEOUT\_MSEC 1000

Purpose Startup script timeout

## **Description:**

The upper limit for the total amount of time that all apps listed in the CFE ES startup script may take to all become ready.

Unlike the "core" app timeout, this is a soft limit; if the allotted time is exceeded, it probably indicates an issue with one of the apps, but does not cause CFE ES to take any additional action other than logging the event to the syslog.

Units are in milliseconds

### Limits:

Must be defined as an integer value that is greater than or equal to zero.

Definition at line 1709 of file cpu1 platform cfg.h.

# 38.3.2.81 CFE\_PLATFORM\_ES\_STARTUP\_SYNC\_POLL\_MSEC

#define CFE\_PLATFORM\_ES\_STARTUP\_SYNC\_POLL\_MSEC 50

Purpose Poll timer for startup sync delay

# Description:

During startup, some tasks may need to synchronize their own initialization with the initialization of other applications in the system.

CFE ES implements an API to accomplish this, that performs a task delay (sleep) while polling the overall system state until other tasks are ready.

This value controls the amount of time that the CFE\_ES\_ApplicationSyncDelay will sleep between each check of the system state. This should be large enough to allow other tasks to run, but not so large as to noticeably delay the startup completion.

Units are in milliseconds

### Limits:

Must be defined as an integer value that is greater than or equal to zero.

Definition at line 1667 of file cpu1\_platform\_cfg.h.

## 38.3.2.82 CFE\_PLATFORM\_ES\_SYSTEM\_LOG\_SIZE

#define CFE\_PLATFORM\_ES\_SYSTEM\_LOG\_SIZE 3072

Purpose Define Size of the cFE System Log.

## Description:

Defines the size in bytes of the cFE system log. The system log holds variable length strings that are terminated by a linefeed and null character.

## Limits

There is a lower limit of 512. There are no restrictions on the upper limit however, the maximum system log size is system dependent and should be verified.

Definition at line 549 of file cpu1\_platform\_cfg.h.

## 38.3.2.83 CFE\_PLATFORM\_ES\_USER\_RESERVED\_SIZE

#define CFE\_PLATFORM\_ES\_USER\_RESERVED\_SIZE (1024 \* 1024)

### Purpose Define User Reserved Memory Size

### **Description:**

User Reserved Memory Size. This is the size in bytes of the cFE User reserved Memory area. This is a block of memory that is available for cFE application use. The address is obtained by calling CFE\_PSP\_GetUser← ReservedArea. The User Reserved Memory is one of four memory areas that are preserved during a processor reset. NOTE: Changing this value changes memory allocation, and may require changes to platform specific values (in CFE\_PSP) such as USER\_RESERVED\_MEM in VxWorks depending on the memory areas being used for preserved data and on OS specific behavior.

### Limits

There is a lower limit of 1024 and an upper limit of UINT\_MAX (4 Gigabytes) on this configuration parameter.

Definition at line 719 of file cpu1\_platform\_cfg.h.

38.3.2.84 CFE\_PLATFORM\_ES\_VOLATILE\_STARTUP\_FILE

#define CFE\_PLATFORM\_ES\_VOLATILE\_STARTUP\_FILE "/ram/cfe\_es\_startup.scr"

## Purpose ES Volatile Startup Filename

# **Description:**

The value of this constant defines the path and name of the file that contains a list of modules that will be loaded and started by the cFE after the cFE finishes its startup sequence.

# Limits

The length of each string, including the NULL terminator cannot exceed the OS\_MAX\_PATH\_LEN value.

Definition at line 789 of file cpu1\_platform\_cfg.h.

# 38.3.2.85 CFE\_PLATFORM\_EVS\_DEFAULT\_APP\_DATA\_FILE

```
#define CFE_PLATFORM_EVS_DEFAULT_APP_DATA_FILE "/ram/cfe_evs_app.dat"
```

## Purpose Default EVS Application Data Filename

### **Description:**

The value of this constant defines the filename used to store the EVS Application Data(event counts/filtering information). This filename is used only when no filename is specified in the command to dump the event log.

### Limits

The length of each string, including the NULL terminator cannot exceed the OS MAX PATH LEN value.

Definition at line 1381 of file cpu1 platform cfg.h.

## 38.3.2.86 CFE\_PLATFORM\_EVS\_DEFAULT\_LOG\_FILE

```
#define CFE_PLATFORM_EVS_DEFAULT_LOG_FILE "/ram/cfe_evs.log"
```

### Purpose Default Event Log Filename

## **Description:**

The value of this constant defines the filename used to store the Event Services local event log. This filename is used only when no filename is specified in the command to dump the event log.

### Limits

The length of each string, including the NULL terminator cannot exceed the OS MAX PATH LEN value.

Definition at line 1354 of file cpu1\_platform\_cfg.h.

## 38.3.2.87 CFE\_PLATFORM\_EVS\_DEFAULT\_LOG\_MODE

```
#define CFE_PLATFORM_EVS_DEFAULT_LOG_MODE 1
```

## Purpose Default EVS Local Event Log Mode

# Description:

Defines a state of overwrite(0) or discard(1) for the operation of the EVS local event log. The log may operate in either Overwrite mode = 0, where once the log becomes full the oldest event in the log will be overwritten, or Discard mode = 1, where once the log becomes full the contents of the log are preserved and the new event is discarded. Overwrite Mode = 0, Discard Mode = 1.

## Limits

The valid settings are 0 or 1

Definition at line 1428 of file cpu1\_platform\_cfg.h.

## 38.3.2.88 CFE\_PLATFORM\_EVS\_DEFAULT\_MSG\_FORMAT\_MODE

#define CFE\_PLATFORM\_EVS\_DEFAULT\_MSG\_FORMAT\_MODE CFE\_EVS\_MsgFormat\_LONG

## Purpose Default EVS Message Format Mode

#### **Description:**

Defines the default message format (long or short) for event messages being sent to the ground. Choose between CFE EVS MsgFormat LONG or CFE EVS MsgFormat SHORT.

### Limits

The valid settings are CFE\_EVS\_MsgFormat\_LONG or CFE\_EVS\_MsgFormat\_SHORT

Definition at line 1441 of file cpu1 platform cfg.h.

## 38.3.2.89 CFE\_PLATFORM\_EVS\_DEFAULT\_TYPE\_FLAG

```
#define CFE_PLATFORM_EVS_DEFAULT_TYPE_FLAG 0xE
```

## Purpose Default EVS Event Type Filter Mask

## **Description:**

Defines a state of on or off for all four event types. The term event 'type' refers to the criticality level and may be Debug, Informational, Error or Critical. Each event type has a bit position. (bit 0 = Debug, bit 1 = Info, bit 2 = Error, bit 3 = Critical). This is a global setting, meaning it applies to all applications. To filter an event type, set its bit to zero. For example, 0xE means Debug = OFF, Info = ON, Error = ON, Critical = ON

## Limits

The valid settings are 0x0 to 0xF.

Definition at line 1412 of file cpu1 platform cfg.h.

# 38.3.2.90 CFE\_PLATFORM\_EVS\_LOG\_MAX

```
#define CFE_PLATFORM_EVS_LOG_MAX 20
```

Purpose Maximum Number of Events in EVS Local Event Log

### **Description:**

Dictates the EVS local event log capacity. Units are the number of events.

## Limits

There are no restrictions on the lower and upper limits however, the maximum log size is system dependent and should be verified.

Definition at line 1366 of file cpu1\_platform\_cfg.h.

# 38.3.2.91 CFE\_PLATFORM\_EVS\_MAX\_EVENT\_FILTERS

```
#define CFE_PLATFORM_EVS_MAX_EVENT_FILTERS 8
```

Purpose Define Maximum Number of Event Filters per Application

### **Description:**

Maximum number of events that may be filtered per application.

### Limits

There are no restrictions on the lower and upper limits however, the maximum number of event filters is system dependent and should be verified.

Definition at line 1340 of file cpu1\_platform\_cfg.h.

```
38.3.2.92 CFE_PLATFORM_EVS_PORT_DEFAULT
```

```
#define CFE_PLATFORM_EVS_PORT_DEFAULT 0x0001
```

## Purpose Default EVS Output Port State

## Description:

Defines the default port state (enabled or disabled) for the four output ports defined within the Event Service. Port 1 is usually the uart output terminal. To enable a port, set the proper bit to a 1. Bit 0 is port 1, bit 1 is port2 etc.

## Limits

The valid settings are 0x0 to 0xF.

Definition at line 1395 of file cpu1\_platform\_cfg.h.

## 38.3.2.93 CFE\_PLATFORM\_EVS\_START\_TASK\_PRIORITY

```
#define CFE_PLATFORM_EVS_START_TASK_PRIORITY 61
```

## Purpose Define EVS Task Priority

### **Description:**

Defines the cFE\_EVS Task priority.

## Limits

Not Applicable

Definition at line 1075 of file cpu1\_platform\_cfg.h.

38.3.2.94 CFE\_PLATFORM\_EVS\_START\_TASK\_STACK\_SIZE

#define CFE\_PLATFORM\_EVS\_START\_TASK\_STACK\_SIZE CFE\_PLATFORM\_ES\_DEFAULT\_STACK\_SIZE

Purpose Define EVS Task Stack Size

## Description:

Defines the cFE EVS Task Stack Size

## Limits

There is a lower limit of 2048 on this configuration parameter. There are no restrictions on the upper limit however, the maximum stack size is system dependent and should be verified. Most operating systems provide tools for measuring the amount of stack used by a task during operation. It is always a good idea to verify that no more than 1/2 of the stack is used.

Definition at line 1090 of file cpu1\_platform\_cfg.h.

38.3.2.95 CFE\_PLATFORM\_SB\_BUF\_MEMORY\_BYTES

#define CFE\_PLATFORM\_SB\_BUF\_MEMORY\_BYTES 524288

Purpose Size of the SB buffer memory pool

### **Description:**

Dictates the size of the SB memory pool. For each message the SB sends, the SB dynamically allocates from this memory pool, the memory needed to process the message. The memory needed to process each message is msg size + msg descriptor(CFE\_SB\_BufferD\_t). This memory pool is also used to allocate destination descriptors (CFE\_SB\_DestinationD\_t) during the subscription process. To see the run-time, high-water mark and the current utilization figures regarding this parameter, send an SB command to 'Send Statistics Pkt'. Some memory statistics have been added to the SB housekeeping packet. NOTE: It is important to monitor these statistics to ensure the desired memory margin is met.

### Limits

This parameter has a lower limit of 512 and an upper limit of UINT\_MAX (4 Gigabytes).

Definition at line 155 of file cpu1\_platform\_cfg.h.

# 38.3.2.96 CFE\_PLATFORM\_SB\_DEFAULT\_MAP\_FILENAME

```
#define CFE_PLATFORM_SB_DEFAULT_MAP_FILENAME "/ram/cfe_sb_msgmap.dat"
```

## Purpose Default Message Map Filename

## Description:

The value of this constant defines the filename used to store the software bus message map information. This filename is used only when no filename is specified in the command. The message map is a lookup table (array of 16bit words) that has an element for each possible Msgld value and holds the routing table index for that Msgld. The Msg Map provides fast access to the destinations of a message.

### Limits

The length of each string, including the NULL terminator cannot exceed the OS\_MAX\_PATH\_LEN value.

Definition at line 237 of file cpu1\_platform\_cfg.h.

38.3.2.97 CFE\_PLATFORM\_SB\_DEFAULT\_MSG\_LIMIT

#define CFE\_PLATFORM\_SB\_DEFAULT\_MSG\_LIMIT 4

Purpose Default Subscription Message Limit

### **Description:**

Dictates the default Message Limit when using the CFE\_SB\_Subscribe API. This will limit the number of messages with a specific message ID that can be received through a subscription. This only changes the default; other message limits can be set on a per subscription basis using CFE\_SB\_SubscribeEx .

### Limits

This parameter has a lower limit of 4 and an upper limit of 65535.

Definition at line 133 of file cpu1\_platform\_cfg.h.

# 38.3.2.98 CFE\_PLATFORM\_SB\_DEFAULT\_PIPE\_FILENAME

```
#define CFE_PLATFORM_SB_DEFAULT_PIPE_FILENAME "/ram/cfe_sb_pipe.dat"
```

### Purpose Default Pipe Information Filename

### **Description:**

The value of this constant defines the filename used to store the software bus pipe information. This filename is used only when no filename is specified in the command.

### Limits

The length of each string, including the NULL terminator cannot exceed the OS\_MAX\_PATH\_LEN value.

Definition at line 220 of file cpu1\_platform\_cfg.h.

## 38.3.2.99 CFE\_PLATFORM\_SB\_DEFAULT\_ROUTING\_FILENAME

```
#define CFE_PLATFORM_SB_DEFAULT_ROUTING_FILENAME "/ram/cfe_sb_route.dat"
```

# Purpose Default Routing Information Filename

## Description:

The value of this constant defines the filename used to store the software bus routing information. This filename is used only when no filename is specified in the command.

### Limits

The length of each string, including the NULL terminator cannot exceed the OS MAX PATH LEN value.

Definition at line 206 of file cpu1\_platform\_cfg.h.

## 38.3.2.100 CFE\_PLATFORM\_SB\_FILTER\_MASK1

```
#define CFE_PLATFORM_SB_FILTER_MASK1 CFE_EVS_FIRST_4_STOP
```

Definition at line 255 of file cpu1\_platform\_cfg.h.

# 38.3.2.101 CFE\_PLATFORM\_SB\_FILTER\_MASK2

#define CFE\_PLATFORM\_SB\_FILTER\_MASK2 CFE\_EVS\_FIRST\_4\_STOP

Definition at line 258 of file cpu1 platform cfg.h.

### 38.3.2.102 CFE\_PLATFORM\_SB\_FILTER\_MASK3

#define CFE\_PLATFORM\_SB\_FILTER\_MASK3 CFE\_EVS\_FIRST\_16\_STOP

Definition at line 261 of file cpu1\_platform\_cfg.h.

## 38.3.2.103 CFE\_PLATFORM\_SB\_FILTER\_MASK4

#define CFE\_PLATFORM\_SB\_FILTER\_MASK4 CFE\_EVS\_FIRST\_16\_STOP

Definition at line 264 of file cpu1\_platform\_cfg.h.

# 38.3.2.104 CFE\_PLATFORM\_SB\_FILTER\_MASK5

#define CFE\_PLATFORM\_SB\_FILTER\_MASK5 CFE\_EVS\_NO\_FILTER

Definition at line 267 of file cpu1 platform cfg.h.

# 38.3.2.105 CFE\_PLATFORM\_SB\_FILTER\_MASK6

#define CFE\_PLATFORM\_SB\_FILTER\_MASK6 CFE\_EVS\_NO\_FILTER

Definition at line 270 of file cpu1\_platform\_cfg.h.

## 38.3.2.106 CFE\_PLATFORM\_SB\_FILTER\_MASK7

#define CFE\_PLATFORM\_SB\_FILTER\_MASK7 CFE\_EVS\_NO\_FILTER

Definition at line 273 of file cpu1\_platform\_cfg.h.

# 38.3.2.107 CFE\_PLATFORM\_SB\_FILTER\_MASK8

#define CFE\_PLATFORM\_SB\_FILTER\_MASK8 CFE\_EVS\_NO\_FILTER

Definition at line 276 of file cpu1\_platform\_cfg.h.

### 38.3.2.108 CFE\_PLATFORM\_SB\_FILTERED\_EVENT1

#define CFE\_PLATFORM\_SB\_FILTERED\_EVENT1 CFE\_SB\_SEND\_NO\_SUBS\_EID

Purpose SB Event Filtering

# Description:

This group of configuration parameters dictates what SB events will be filtered through EVS. The filtering will begin after the SB task initializes and stay in effect until a cmd to EVS changes it. This allows the operator to set limits on the number of event messages that are sent during system initialization. NOTE: Set all unused event values and mask values to zero

### Limits

This filtering applies only to SB events. These parameters have a lower limit of 0 and an upper limit of 65535.

Definition at line 254 of file cpu1\_platform\_cfg.h.

## 38.3.2.109 CFE\_PLATFORM\_SB\_FILTERED\_EVENT2

#define CFE\_PLATFORM\_SB\_FILTERED\_EVENT2 CFE\_SB\_DUP\_SUBSCRIP\_EID

Definition at line 257 of file cpu1 platform cfg.h.

### 38.3.2.110 CFE\_PLATFORM\_SB\_FILTERED\_EVENT3

#define CFE\_PLATFORM\_SB\_FILTERED\_EVENT3 CFE\_SB\_MSGID\_LIM\_ERR\_EID

Definition at line 260 of file cpu1\_platform\_cfg.h.

## 38.3.2.111 CFE\_PLATFORM\_SB\_FILTERED\_EVENT4

#define CFE\_PLATFORM\_SB\_FILTERED\_EVENT4 CFE\_SB\_Q\_FULL\_ERR\_EID

Definition at line 263 of file cpu1\_platform\_cfg.h.

# 38.3.2.112 CFE\_PLATFORM\_SB\_FILTERED\_EVENT5

#define CFE\_PLATFORM\_SB\_FILTERED\_EVENT5 0

Definition at line 266 of file cpu1\_platform\_cfg.h.

### 38.3.2.113 CFE\_PLATFORM\_SB\_FILTERED\_EVENT6

#define CFE\_PLATFORM\_SB\_FILTERED\_EVENT6 0

Definition at line 269 of file cpu1 platform cfg.h.

### 38.3.2.114 CFE\_PLATFORM\_SB\_FILTERED\_EVENT7

#define CFE\_PLATFORM\_SB\_FILTERED\_EVENT7 0

Definition at line 272 of file cpu1\_platform\_cfg.h.

### 38.3.2.115 CFE\_PLATFORM\_SB\_FILTERED\_EVENT8

#define CFE\_PLATFORM\_SB\_FILTERED\_EVENT8 0

Definition at line 275 of file cpu1\_platform\_cfg.h.

## 38.3.2.116 CFE\_PLATFORM\_SB\_HIGHEST\_VALID\_MSGID

#define CFE\_PLATFORM\_SB\_HIGHEST\_VALID\_MSGID 0x1FFF

Purpose Highest Valid Message Id

# Description:

The value of this constant dictates the range of valid message ID's, from 0 to CFE\_PLATFORM\_SB\_HIGHEST\_← VALID\_MSGID (inclusive).

Although this can be defined differently across platforms, each platform can only publish/subscribe to message ids within their allowable range. Typically this value is set the same across all mission platforms to avoid this complexity.

### Limits

CFE\_SB\_INVALID\_MSG is set to the maximum representable number of type CFE\_SB\_Msgld\_t. CFE\_PLATF 
ORM\_SB\_HIGHEST\_VALID\_MSGID lower limit is 1, up to CFE\_SB\_INVALID\_MSG\_ID - 1.

When using the direct message map implementation for software bus routing, this value is used to size the map where a value of 0x1FFF results in a 16 KBytes map and 0xFFFF is 128 KBytes.

When using the hash implementation for software bus routing, a multiple of the CFE\_PLATFORM\_SB\_MAX\_MSG\_IDS is used to size the message map. In that case the range selected here does not impact message map memory use, so it's reasonable to use up to the full range supported by the message ID implementation.

Definition at line 181 of file cpu1 platform cfg.h.

## 38.3.2.117 CFE\_PLATFORM\_SB\_MAX\_BLOCK\_SIZE

```
#define CFE_PLATFORM_SB_MAX_BLOCK_SIZE (CFE_MISSION_SB_MAX_SB_MSG_SIZE + 128)
```

Definition at line 305 of file cpu1 platform cfg.h.

### 38.3.2.118 CFE\_PLATFORM\_SB\_MAX\_DEST\_PER\_PKT

```
#define CFE PLATFORM SB MAX DEST PER PKT 16
```

Purpose Maximum Number of unique local destinations a single Msgld can have

### **Description:**

Dictates the maximum number of unique local destinations a single Msgld can have.

#### Limits

This parameter has a lower limit of 1. There are no restrictions on the upper limit however, the maximum number of destinations per packet is system dependent and should be verified. Destination number values that are checked against this configuration are defined by a 16 bit data word.

Definition at line 118 of file cpu1\_platform\_cfg.h.

# 38.3.2.119 CFE\_PLATFORM\_SB\_MAX\_MSG\_IDS

```
#define CFE_PLATFORM_SB_MAX_MSG_IDS 256
```

Purpose Maximum Number of Unique Message IDs SB Routing Table can hold

## Description:

Dictates the maximum number of unique Msglds the SB routing table will hold. This constant has a direct effect on the size of SB's tables and arrays. Keeping this count as low as possible will save memory. To see the runtime, high-water mark and the current utilization figures regarding this parameter, send an SB command to 'Send Statistics Pkt'.

## Limits

This must be a power of two if software bus message routing hash implementation is being used. Lower than 64 will cause unit test failures, and telemetry reporting is impacted below 32. There is no hard upper limit, but impacts memory footprint. For software bus message routing search implementation the number of msg ids subscribed to impacts performance.

Definition at line 85 of file cpu1\_platform\_cfg.h.

# 38.3.2.120 CFE\_PLATFORM\_SB\_MAX\_PIPES

```
#define CFE_PLATFORM_SB_MAX_PIPES 64
```

Purpose Maximum Number of Unique Pipes SB Routing Table can hold

## Description:

Dictates the maximum number of unique Pipes the SB routing table will hold. This constant has a direct effect on the size of SB's tables and arrays. Keeping this count as low as possible will save memory. To see the run-time, highwater mark and the current utilization figures regarding this parameter, send an SB command to 'Send Statistics Pkt'.

#### Limits

This parameter has a lower limit of 1. This parameter must also be less than or equal to OS\_MAX\_QUEUES.

Definition at line 102 of file cpu1\_platform\_cfg.h.

38.3.2.121 CFE\_PLATFORM\_SB\_MEM\_BLOCK\_SIZE\_01

#define CFE\_PLATFORM\_SB\_MEM\_BLOCK\_SIZE\_01 8

Purpose Define SB Memory Pool Block Sizes

## **Description:**

Software Bus Memory Pool Block Sizes

## Limits

These sizes MUST be increasing and MUST be an integral multiple of 4. The number of block sizes defined cannot exceed CFE PLATFORM ES POOL MAX BUCKETS

Definition at line 289 of file cpu1\_platform\_cfg.h.

38.3.2.122 CFE\_PLATFORM\_SB\_MEM\_BLOCK\_SIZE\_02

#define CFE\_PLATFORM\_SB\_MEM\_BLOCK\_SIZE\_02 16

Definition at line 290 of file cpu1\_platform\_cfg.h.

38.3.2.123 CFE\_PLATFORM\_SB\_MEM\_BLOCK\_SIZE\_03

#define CFE\_PLATFORM\_SB\_MEM\_BLOCK\_SIZE\_03 20

Definition at line 291 of file cpu1 platform cfg.h.

38.3.2.124 CFE PLATFORM SB MEM BLOCK SIZE 04

#define CFE\_PLATFORM\_SB\_MEM\_BLOCK\_SIZE\_04 36

Definition at line 292 of file cpu1\_platform\_cfg.h.

38.3.2.125 CFE\_PLATFORM\_SB\_MEM\_BLOCK\_SIZE\_05

#define CFE\_PLATFORM\_SB\_MEM\_BLOCK\_SIZE\_05 64

Definition at line 293 of file cpu1\_platform\_cfg.h.

38.3.2.126 CFE\_PLATFORM\_SB\_MEM\_BLOCK\_SIZE\_06

#define CFE\_PLATFORM\_SB\_MEM\_BLOCK\_SIZE\_06 96

Definition at line 294 of file cpu1\_platform\_cfg.h.

38.3.2.127 CFE\_PLATFORM\_SB\_MEM\_BLOCK\_SIZE\_07

#define CFE\_PLATFORM\_SB\_MEM\_BLOCK\_SIZE\_07 128

Definition at line 295 of file cpu1\_platform\_cfg.h.

38.3.2.128 CFE\_PLATFORM\_SB\_MEM\_BLOCK\_SIZE\_08

#define CFE\_PLATFORM\_SB\_MEM\_BLOCK\_SIZE\_08 160

Definition at line 296 of file cpu1\_platform\_cfg.h.

# 38.3.2.129 CFE\_PLATFORM\_SB\_MEM\_BLOCK\_SIZE\_09

#define CFE\_PLATFORM\_SB\_MEM\_BLOCK\_SIZE\_09 256

Definition at line 297 of file cpu1 platform cfg.h.

### 38.3.2.130 CFE PLATFORM SB MEM BLOCK SIZE 10

#define CFE\_PLATFORM\_SB\_MEM\_BLOCK\_SIZE\_10 512

Definition at line 298 of file cpu1\_platform\_cfg.h.

## 38.3.2.131 CFE\_PLATFORM\_SB\_MEM\_BLOCK\_SIZE\_11

#define CFE\_PLATFORM\_SB\_MEM\_BLOCK\_SIZE\_11 1024

Definition at line 299 of file cpu1\_platform\_cfg.h.

# 38.3.2.132 CFE\_PLATFORM\_SB\_MEM\_BLOCK\_SIZE\_12

#define CFE\_PLATFORM\_SB\_MEM\_BLOCK\_SIZE\_12 2048

Definition at line 300 of file cpu1 platform cfg.h.

## 38.3.2.133 CFE\_PLATFORM\_SB\_MEM\_BLOCK\_SIZE\_13

#define CFE\_PLATFORM\_SB\_MEM\_BLOCK\_SIZE\_13 4096

Definition at line 301 of file cpu1\_platform\_cfg.h.

## 38.3.2.134 CFE\_PLATFORM\_SB\_MEM\_BLOCK\_SIZE\_14

#define CFE\_PLATFORM\_SB\_MEM\_BLOCK\_SIZE\_14 8192

Definition at line 302 of file cpu1\_platform\_cfg.h.

38.3.2.135 CFE\_PLATFORM\_SB\_MEM\_BLOCK\_SIZE\_15

#define CFE\_PLATFORM\_SB\_MEM\_BLOCK\_SIZE\_15 16384

Definition at line 303 of file cpu1\_platform\_cfg.h.

38.3.2.136 CFE PLATFORM SB MEM BLOCK SIZE 16

#define CFE\_PLATFORM\_SB\_MEM\_BLOCK\_SIZE\_16 32768

Definition at line 304 of file cpu1\_platform\_cfg.h.

38.3.2.137 CFE\_PLATFORM\_SB\_START\_TASK\_PRIORITY

#define CFE\_PLATFORM\_SB\_START\_TASK\_PRIORITY 64

Purpose Define SB Task Priority

Description:

Defines the cFE\_SB Task priority.

Limits

Not Applicable

Definition at line 1101 of file cpu1\_platform\_cfg.h.

38.3.2.138 CFE\_PLATFORM\_SB\_START\_TASK\_STACK\_SIZE

#define CFE\_PLATFORM\_SB\_START\_TASK\_STACK\_SIZE CFE\_PLATFORM\_ES\_DEFAULT\_STACK\_SIZE

Purpose Define SB Task Stack Size

**Description:** 

Defines the cFE\_SB Task Stack Size

Limits

There is a lower limit of 2048 on this configuration parameter. There are no restrictions on the upper limit however, the maximum stack size is system dependent and should be verified. Most operating systems provide tools for measuring the amount of stack used by a task during operation. It is always a good idea to verify that no more than 1/2 of the stack is used.

Definition at line 1116 of file cpu1\_platform\_cfg.h.

# 38.3.2.139 CFE\_PLATFORM\_TBL\_BUF\_MEMORY\_BYTES

```
#define CFE_PLATFORM_TBL_BUF_MEMORY_BYTES 524288
```

Purpose Size of Table Services Table Memory Pool

### **Description:**

Defines the TOTAL size of the memory pool that cFE Table Services allocates from the system. The size must be large enough to provide memory for each registered table, the inactive buffers for double buffered tables and for the shared inactive buffers for single buffered tables.

#### Limits

The cFE does not place a limit on the size of this parameter.

Definition at line 1457 of file cpu1 platform cfg.h.

## 38.3.2.140 CFE\_PLATFORM\_TBL\_DEFAULT\_REG\_DUMP\_FILE

```
#define CFE_PLATFORM_TBL_DEFAULT_REG_DUMP_FILE "/ram/cfe_tbl_reg.log"
```

Purpose Default Filename for a Table Registry Dump

## Description:

Defines the file name used to store the table registry when no filename is specified in the dump registry command.

### Limits

The length of each string, including the NULL terminator cannot exceed the OS MAX PATH LEN value.

Definition at line 1571 of file cpu1\_platform\_cfg.h.

### 38.3.2.141 CFE\_PLATFORM\_TBL\_MAX\_CRITICAL\_TABLES

```
#define CFE_PLATFORM_TBL_MAX_CRITICAL_TABLES 32
```

Purpose Maximum Number of Critical Tables that can be Registered

# Description:

Defines the maximum number of critical tables supported by this processor's Table Services.

#### Limits

This number must be less than 32767. It should be recognized that this parameter determines the size of the Critical Table Registry which is maintained in the Critical Data Store. An excessively high number will waste Critical Data Store memory. Therefore, this number must not exceed the value defined in CFE\_ES\_CDS\_MAX\_CRITICAL\_T ← ABLES.

Definition at line 1512 of file cpu1\_platform\_cfg.h.

# 38.3.2.142 CFE\_PLATFORM\_TBL\_MAX\_DBL\_TABLE\_SIZE

#define CFE\_PLATFORM\_TBL\_MAX\_DBL\_TABLE\_SIZE 16384

Purpose Maximum Size Allowed for a Double Buffered Table

# **Description:**

Defines the maximum allowed size (in bytes) of a double buffered table.

### Limits

The cFE does not place a limit on the size of this parameter but it must be less than half of CFE\_PLATFORM\_T → BL BUF MEMORY BYTES.

Definition at line 1469 of file cpu1\_platform\_cfg.h.

## 38.3.2.143 CFE\_PLATFORM\_TBL\_MAX\_NUM\_HANDLES

#define CFE\_PLATFORM\_TBL\_MAX\_NUM\_HANDLES 256

**Purpose** Maximum Number of Table Handles

## Description:

Defines the maximum number of Table Handles.

## Limits

This number must be less than 32767. This number must be at least as big as the number of tables (CFE\_PLAT ← FORM TBL MAX NUM TABLES) and should be set higher if tables are shared between applications.

Definition at line 1525 of file cpu1\_platform\_cfg.h.

### 38.3.2.144 CFE\_PLATFORM\_TBL\_MAX\_NUM\_TABLES

#define CFE\_PLATFORM\_TBL\_MAX\_NUM\_TABLES 128

Purpose Maximum Number of Tables Allowed to be Registered

## Description:

Defines the maximum number of tables supported by this processor's Table Services.

#### Limits

This number must be less than 32767. It should be recognized that this parameter determines the size of the Table Registry. An excessively high number will waste memory.

Definition at line 1498 of file cpu1\_platform\_cfg.h.

# 38.3.2.145 CFE\_PLATFORM\_TBL\_MAX\_NUM\_VALIDATIONS

#define CFE\_PLATFORM\_TBL\_MAX\_NUM\_VALIDATIONS 10

Purpose Maximum Number of Simultaneous Table Validations

# Description:

Defines the maximum number of pending validations that the Table Services can handle at any one time. When a table has a validation function, a validation request is made of the application to perform that validation. This number determines how many of those requests can be outstanding at any one time.

### Limits

This number must be less than 32767. An excessively high number will degrade system performance and waste memory. A number less than 20 is suggested but not required.

Definition at line 1558 of file cpu1 platform cfg.h.

38.3.2.146 CFE\_PLATFORM\_TBL\_MAX\_SIMULTANEOUS\_LOADS

#define CFE\_PLATFORM\_TBL\_MAX\_SIMULTANEOUS\_LOADS 4

Purpose Maximum Number of Simultaneous Loads to Support

### **Description:**

Defines the maximum number of single buffered tables that can be loaded simultaneously. This number is used to determine the number of shared buffers to allocate.

### Limits

This number must be less than 32767. An excessively high number will degrade system performance and waste memory. A number less than 5 is suggested but not required.

Definition at line 1540 of file cpu1\_platform\_cfg.h.

```
38.3.2.147 CFE_PLATFORM_TBL_MAX_SNGL_TABLE_SIZE
```

#define CFE\_PLATFORM\_TBL\_MAX\_SNGL\_TABLE\_SIZE 16384

Purpose Maximum Size Allowed for a Single Buffered Table

### **Description:**

Defines the maximum allowed size (in bytes) of a single buffered table. **NOTE:** This size determines the size of all shared table buffers. Therefore, this size will be multiplied by CFE\_PLATFORM\_TBL\_MAX\_SIMULTANEOUS\_L OADS below when allocating memory for shared tables.

#### Limits

The cFE does not place a limit on the size of this parameter but it must be small enough to allow for CFE\_PLATF 
ORM\_TBL\_MAX\_SIMULTANEOUS\_LOADS number of tables to fit into CFE\_PLATFORM\_TBL\_BUF\_MEMOR 
Y BYTES.

Definition at line 1485 of file cpu1\_platform\_cfg.h.

```
38.3.2.148 CFE_PLATFORM_TBL_START_TASK_PRIORITY
```

#define CFE\_PLATFORM\_TBL\_START\_TASK\_PRIORITY 70

Purpose Define TBL Task Priority

**Description:** 

Defines the cFE\_TBL Task priority.

Limits

Not Applicable

Definition at line 1189 of file cpu1\_platform\_cfg.h.

# 38.3.2.149 CFE\_PLATFORM\_TBL\_START\_TASK\_STACK\_SIZE

#define CFE\_PLATFORM\_TBL\_START\_TASK\_STACK\_SIZE CFE\_PLATFORM\_ES\_DEFAULT\_STACK\_SIZE

Purpose Define TBL Task Stack Size

**Description:** 

Defines the cFE TBL Task Stack Size

## Limits

There is a lower limit of 2048 on this configuration parameter. There are no restrictions on the upper limit however, the maximum stack size is system dependent and should be verified. Most operating systems provide tools for measuring the amount of stack used by a task during operation. It is always a good idea to verify that no more than 1/2 of the stack is used.

Definition at line 1204 of file cpu1 platform cfg.h.

# 38.3.2.150 CFE\_PLATFORM\_TBL\_U32FROM4CHARS

Definition at line 1593 of file cpu1\_platform\_cfg.h.

```
38.3.2.151 CFE_PLATFORM_TBL_VALID_PRID_1
```

```
#define CFE_PLATFORM_TBL_VALID_PRID_1 (1)
```

Purpose Processor ID values used for table load validation

## Description:

Defines the processor ID values used for validating the processor ID field in the table file header. To be valid, the spacecraft ID specified in the table file header must match one of the values defined here.

# Limits

This value can be any 32 bit unsigned integer.

Definition at line 1642 of file cpu1 platform cfg.h.

```
38.3.2.152 CFE_PLATFORM_TBL_VALID_PRID_2
```

```
#define CFE_PLATFORM_TBL_VALID_PRID_2 (CFE_PLATFORM_TBL_U32FROM4CHARS('a', 'b', 'c', 'd'))
```

Definition at line 1643 of file cpu1\_platform\_cfg.h.

```
38.3.2.153 CFE_PLATFORM_TBL_VALID_PRID_3
```

```
#define CFE_PLATFORM_TBL_VALID_PRID_3 0
```

Definition at line 1644 of file cpu1\_platform\_cfg.h.

38.3.2.154 CFE\_PLATFORM\_TBL\_VALID\_PRID\_4

#define CFE\_PLATFORM\_TBL\_VALID\_PRID\_4 0

Definition at line 1645 of file cpu1\_platform\_cfg.h.

38.3.2.155 CFE\_PLATFORM\_TBL\_VALID\_PRID\_COUNT

#define CFE\_PLATFORM\_TBL\_VALID\_PRID\_COUNT 0

Purpose Number of Processor ID's specified for validation

## Description:

Defines the number of specified processor ID values that are verified during table loads. If the number is zero then no validation of the processor ID field in the table file header is performed when tables are loaded. Non-zero values indicate how many values from the list of processor ID's defined below are compared to the processor ID field in the table file header. The ELF2CFETBL tool may be used to create table files with specified processor ID values.

#### Limits

This number must be greater than or equal to zero and less than or equal to 4.

Definition at line 1628 of file cpu1 platform cfg.h.

38.3.2.156 CFE\_PLATFORM\_TBL\_VALID\_SCID\_1

#define CFE\_PLATFORM\_TBL\_VALID\_SCID\_1 (0x42)

Purpose Spacecraft ID values used for table load validation

## **Description:**

Defines the spacecraft ID values used for validating the spacecraft ID field in the table file header. To be valid, the spacecraft ID specified in the table file header must match one of the values defined here.

# Limits

This value can be any 32 bit unsigned integer.

Definition at line 1608 of file cpu1\_platform\_cfg.h.

# 38.3.2.157 CFE\_PLATFORM\_TBL\_VALID\_SCID\_2

```
#define CFE_PLATFORM_TBL_VALID_SCID_2 (CFE_PLATFORM_TBL_U32FROM4CHARS('a', 'b', 'c', 'd'))
```

Definition at line 1609 of file cpu1\_platform\_cfg.h.

### 38.3.2.158 CFE\_PLATFORM\_TBL\_VALID\_SCID\_COUNT

```
#define CFE_PLATFORM_TBL_VALID_SCID_COUNT 0
```

Purpose Number of Spacecraft ID's specified for validation

### **Description:**

Defines the number of specified spacecraft ID values that are verified during table loads. If the number is zero then no validation of the spacecraft ID field in the table file header is performed when tables are loaded. Non-zero values indicate how many values from the list of spacecraft ID's defined below are compared to the spacecraft ID field in the table file header. The ELF2CFETBL tool may be used to create table files with specified spacecraft ID values.

### Limits

This number must be greater than or equal to zero and less than or equal to 2.

Definition at line 1590 of file cpu1\_platform\_cfg.h.

### 38.3.2.159 CFE\_PLATFORM\_TIME\_1HZ\_TASK\_PRIORITY

```
#define CFE_PLATFORM_TIME_1HZ_TASK_PRIORITY 25
```

Definition at line 1159 of file cpu1\_platform\_cfg.h.

## 38.3.2.160 CFE\_PLATFORM\_TIME\_1HZ\_TASK\_STACK\_SIZE

```
#define CFE_PLATFORM_TIME_1HZ_TASK_STACK_SIZE 8192
```

Definition at line 1178 of file cpu1\_platform\_cfg.h.

### 38.3.2.161 CFE\_PLATFORM\_TIME\_CFG\_CLIENT

```
#define CFE_PLATFORM_TIME_CFG_CLIENT false
```

Definition at line 320 of file cpu1\_platform\_cfg.h.

## 38.3.2.162 CFE\_PLATFORM\_TIME\_CFG\_LATCH\_FLY

#define CFE\_PLATFORM\_TIME\_CFG\_LATCH\_FLY 8

Purpose Define Periodic Time to Update Local Clock Tone Latch

## Description:

Define Periodic Time to Update Local Clock Tone Latch. Applies only when in flywheel mode. This define dictates the period at which the simulated 'last tone' time is updated. Units are seconds.

### Limits

Not Applicable

Definition at line 477 of file cpu1 platform cfg.h.

### 38.3.2.163 CFE\_PLATFORM\_TIME\_CFG\_SERVER

#define CFE\_PLATFORM\_TIME\_CFG\_SERVER true

Purpose Time Server or Time Client Selection

## Description:

This configuration parameter selects whether the Time task functions as a time "server" or "client". A time server generates the "time at the tone" packet which is received by time clients.

## Limits

Enable one, and only one by defining either CFE\_PLATFORM\_TIME\_CFG\_SERVER or CFE\_PLATFORM\_TIM← E\_CFG\_CLIENT AS true. The other must be defined as false.

Definition at line 319 of file cpu1\_platform\_cfg.h.

### 38.3.2.164 CFE\_PLATFORM\_TIME\_CFG\_SIGNAL

#define CFE\_PLATFORM\_TIME\_CFG\_SIGNAL false

Purpose Include or Exclude the Primary/Redundant Tone Selection Cmd

## Description:

Depending on the specific hardware system configuration, it may be possible to switch between a primary and redundant tone signal. If supported by hardware, this definition will enable command interfaces to select the active tone signal. Both Time Clients and Time Servers support this feature. Note: Set the CFE\_PLATFORM\_TIME\_C FG SIGNAL define to true to enable tone signal commands.

#### Limits

Not Applicable

Definition at line 367 of file cpu1 platform cfg.h.

## 38.3.2.165 CFE\_PLATFORM\_TIME\_CFG\_SOURCE

```
#define CFE_PLATFORM_TIME_CFG_SOURCE false
```

Purpose Include or Exclude the Internal/External Time Source Selection Cmd

## **Description:**

By default, Time Servers maintain time using an internal MET which may be a h/w register or software counter, depending on available hardware. The following definition enables command interfaces to switch between an internal MET, or external time data received from one of several supported external time sources. Only a Time Server may be configured to use external time data. Note: Set the CFE\_PLATFORM\_TIME\_CFG\_SOURCE define to true to include the Time Source Selection Command (command allows selection between the internal or external time source). Then choose the external source with the CFE\_TIME\_CFG\_SRC\_??? define.

#### Limits

Only applies if CFE\_PLATFORM\_TIME\_CFG\_SERVER is set to true.

Definition at line 387 of file cpu1 platform cfg.h.

38.3.2.166 CFE\_PLATFORM\_TIME\_CFG\_SRC\_GPS

#define CFE\_PLATFORM\_TIME\_CFG\_SRC\_GPS false

Definition at line 404 of file cpu1 platform cfg.h.

38.3.2.167 CFE\_PLATFORM\_TIME\_CFG\_SRC\_MET

#define CFE\_PLATFORM\_TIME\_CFG\_SRC\_MET false

Purpose Choose the External Time Source for Server only

# Description:

If CFE\_PLATFORM\_TIME\_CFG\_SOURCE is set to true, then one of the following external time source types must also be set to true. Do not set any of the external time source types to true unless CFE\_PLATFORM\_TIME\_CF← G\_SOURCE is set to true.

### Limits

- If CFE\_PLATFORM\_TIME\_CFG\_SOURCE is set to true then one and only one of the following three external time sources can and must be set true: CFE\_PLATFORM\_TIME\_CFG\_SRC\_MET, CFE\_PLATFORM\_TI← ME\_CFG\_SRC\_GPS, CFE\_PLATFORM\_TIME\_CFG\_SRC\_TIME
- 2. Only applies if CFE\_PLATFORM\_TIME\_CFG\_SERVER is set to true.

Definition at line 403 of file cpu1 platform cfg.h.

# 38.3.2.168 CFE\_PLATFORM\_TIME\_CFG\_SRC\_TIME

#define CFE\_PLATFORM\_TIME\_CFG\_SRC\_TIME false

Definition at line 405 of file cpu1\_platform\_cfg.h.

## 38.3.2.169 CFE\_PLATFORM\_TIME\_CFG\_START\_FLY

#define CFE\_PLATFORM\_TIME\_CFG\_START\_FLY 2

Purpose Define Time to Start Flywheel Since Last Tone

## Description:

Define time to enter flywheel mode (in seconds since last tone data update) Units are microseconds as measured with the local clock.

## Limits

Not Applicable

Definition at line 464 of file cpu1\_platform\_cfg.h.

## 38.3.2.170 CFE\_PLATFORM\_TIME\_CFG\_TONE\_LIMIT

#define CFE\_PLATFORM\_TIME\_CFG\_TONE\_LIMIT 20000

Purpose Define Timing Limits From One Tone To The Next

# Description:

Defines limits to the timing of the 1Hz tone signal. A tone signal is valid only if it arrives within one second (plus or minus the tone limit) from the previous tone signal. Units are microseconds as measured with the local clock.

## Limits

Not Applicable

Definition at line 452 of file cpu1\_platform\_cfg.h.

```
38.3.2.171 CFE_PLATFORM_TIME_CFG_VIRTUAL
```

```
#define CFE_PLATFORM_TIME_CFG_VIRTUAL true
```

Purpose Time Tone In Big-Endian Order

### **Description:**

If this configuration parameter is defined, the CFE time server will publish time tones with payloads in big-endian order, and time clients will expect the tones to be in big-endian order. This is useful for mixed-endian environments. This will become obsolete once EDS is available and the CFE time tone message is defined.

Purpose Local MET or Virtual MET Selection for Time Servers

## **Description:**

Depending on the specific hardware system configuration, it may be possible for Time Servers to read the "local" MET from a h/w register rather than having to track the MET as the count of tone signal interrupts (virtual MET)

Time Clients must be defined as using a virtual MET. Also, a Time Server cannot be defined as having both a h/w MET and an external time source (they both cannot synchronize to the same tone).

Note: "disable" this define (set to false) only for Time Servers with local hardware that supports a h/w MET that is synchronized to the tone signal !!!

#### Limits

Only applies if CFE\_PLATFORM\_TIME\_CFG\_SERVER is set to true.

Definition at line 352 of file cpu1\_platform\_cfg.h.

### 38.3.2.172 CFE\_PLATFORM\_TIME\_MAX\_DELTA\_SECS

```
#define CFE_PLATFORM_TIME_MAX_DELTA_SECS 0
```

Purpose Define the Max Delta Limits for Time Servers using an Ext Time Source

#### **Description:**

If CFE\_PLATFORM\_TIME\_CFG\_SOURCE is set to true and one of the external time sources is also set to true, then the delta time limits for range checking is used.

When a new time value is received from an external source, the value is compared against the "expected" time value. If the delta exceeds the following defined amount, then the new time data will be ignored. This range checking is only performed after the clock state has been commanded to "valid". Until then, external time data is accepted unconditionally.

#### Limits

Applies only if both CFE\_PLATFORM\_TIME\_CFG\_SERVER and CFE\_PLATFORM\_TIME\_CFG\_SOURCE are set to true.

Definition at line 424 of file cpu1\_platform\_cfg.h.

## 38.3.2.173 CFE\_PLATFORM\_TIME\_MAX\_DELTA\_SUBS

#define CFE\_PLATFORM\_TIME\_MAX\_DELTA\_SUBS 500000

Definition at line 425 of file cpu1\_platform\_cfg.h.

### 38.3.2.174 CFE\_PLATFORM\_TIME\_MAX\_LOCAL\_SECS

#define CFE\_PLATFORM\_TIME\_MAX\_LOCAL\_SECS 27

Purpose Define the Local Clock Rollover Value in seconds and subseconds

### **Description:**

Specifies the capability of the local clock. Indicates the time at which the local clock rolls over.

## Limits

Not Applicable

Definition at line 437 of file cpu1\_platform\_cfg.h.

### 38.3.2.175 CFE\_PLATFORM\_TIME\_MAX\_LOCAL\_SUBS

#define CFE\_PLATFORM\_TIME\_MAX\_LOCAL\_SUBS 0

Definition at line 438 of file cpu1\_platform\_cfg.h.

# 38.3.2.176 CFE\_PLATFORM\_TIME\_START\_TASK\_PRIORITY

#define CFE\_PLATFORM\_TIME\_START\_TASK\_PRIORITY 60

### **Purpose** Define TIME Task Priorities

# **Description:**

Defines the cFE\_TIME Task priority. Defines the cFE\_TIME Tone Task priority. Defines the cFE\_TIME 1HZ Task priority.

## Limits

There is a lower limit of zero and an upper limit of 255 on these configuration parameters. Remember that the meaning of each task priority is inverted – a "lower" number has a "higher" priority.

Definition at line 1157 of file cpu1 platform cfg.h.

# 38.3.2.177 CFE\_PLATFORM\_TIME\_START\_TASK\_STACK\_SIZE

#define CFE\_PLATFORM\_TIME\_START\_TASK\_STACK\_SIZE CFE\_PLATFORM\_ES\_DEFAULT\_STACK\_SIZE

Purpose Define TIME Task Stack Sizes

#### **Description:**

Defines the cFE\_TIME Main Task Stack Size Defines the cFE\_TIME Tone Task Stack Size Defines the cFE\_TIME 1HZ Task Stack Size

## Limits

There is a lower limit of 2048 on these configuration parameters. There are no restrictions on the upper limit however, the maximum stack size is system dependent and should be verified. Most operating systems provide tools for measuring the amount of stack used by a task during operation. It is always a good idea to verify that no more than 1/2 of the stack is used.

Definition at line 1176 of file cpu1\_platform\_cfg.h.

38.3.2.178 CFE\_PLATFORM\_TIME\_TONE\_TASK\_PRIORITY

#define CFE\_PLATFORM\_TIME\_TONE\_TASK\_PRIORITY 25

Definition at line 1158 of file cpu1\_platform\_cfg.h.

38.3.2.179 CFE\_PLATFORM\_TIME\_TONE\_TASK\_STACK\_SIZE

#define CFE\_PLATFORM\_TIME\_TONE\_TASK\_STACK\_SIZE 4096

Definition at line 1177 of file cpu1\_platform\_cfg.h.

# 38.4 sample\_mission\_cfg.h File Reference

#### Macros

- #define CFE\_MISSION\_SB\_MAX\_SB\_MSG\_SIZE 32768
- #define CFE MISSION TIME CFG DEFAULT TAI true
- #define CFE MISSION TIME CFG DEFAULT UTC false
- #define CFE\_MISSION\_TIME\_CFG\_FAKE\_TONE true
- #define CFE\_MISSION\_TIME\_AT\_TONE\_WAS true
- #define CFE\_MISSION\_TIME\_AT\_TONE\_WILL\_BE false
- #define CFE\_MISSION\_TIME\_MIN\_ELAPSED 0
- #define CFE MISSION TIME MAX ELAPSED 200000
- #define CFE\_MISSION\_TIME\_DEF\_MET\_SECS 1000

- #define CFE\_MISSION\_TIME\_DEF\_MET\_SUBS 0
- #define CFE\_MISSION\_TIME\_DEF\_STCF\_SECS 1000000
- #define CFE\_MISSION\_TIME\_DEF\_STCF\_SUBS 0
- #define CFE\_MISSION\_TIME\_DEF\_LEAPS 37
- #define CFE\_MISSION\_TIME\_DEF\_DELAY\_SECS 0
- #define CFE\_MISSION\_TIME\_DEF\_DELAY\_SUBS 1000
- #define CFE MISSION TIME EPOCH YEAR 1980
- #define CFE\_MISSION\_TIME\_EPOCH\_DAY 1
- #define CFE\_MISSION\_TIME\_EPOCH\_HOUR 0
- #define CFE MISSION TIME EPOCH MINUTE 0
- #define CFE\_MISSION\_TIME\_EPOCH\_SECOND 0
- #define CFE MISSION TIME FS FACTOR 789004800
- #define CFE\_MISSION\_ES\_CDS\_MAX\_NAME\_LENGTH 16
- #define CFE MISSION EVS MAX MESSAGE LENGTH 122
- #define CFE\_MISSION\_ES\_DEFAULT\_CRC CFE\_MISSION\_ES\_CRC\_16
- #define CFE\_MISSION\_TBL\_MAX\_NAME\_LENGTH 16
- #define CFE MISSION EVS CMD MSG 1
- #define CFE\_MISSION\_TEST\_CMD\_MSG 2
- #define CFE\_MISSION\_SB\_CMD\_MSG 3
- #define CFE MISSION TBL CMD MSG 4
- #define CFE\_MISSION\_TIME\_CMD\_MSG 5
- #define CFE\_MISSION\_ES\_CMD\_MSG 6
- #define CFE\_MISSION\_ES\_SEND\_HK\_MSG 8
- #define CFE\_MISSION\_EVS\_SEND\_HK\_MSG 9
- #define CFE\_MISSION\_SB\_SEND\_HK\_MSG 11
- #define CFE\_MISSION\_TBL\_SEND\_HK\_MSG 12
- #define CFE\_MISSION\_TIME\_SEND\_HK\_MSG 13
- #define CFE MISSION SB SUB RPT CTRL MSG 14
- #define CFE MISSION TIME TONE CMD MSG 16
- #define CFE\_MISSION\_TIME\_1HZ\_CMD\_MSG 17
- #define CFE\_MISSION\_TIME\_DATA\_CMD\_MSG 0
- #define CFE MISSION TIME SEND CMD MSG 2
- #define CFE MISSION ES HK TLM MSG 0
- #define CFE MISSION EVS HK TLM MSG 1
- #define CFE\_MISSION\_TEST\_HK\_TLM\_MSG 2
- #define CFE MISSION SB HK TLM MSG 3
- #define CFE\_MISSION\_TBL\_HK\_TLM\_MSG 4
- #define CFE\_MISSION\_TIME\_HK\_TLM\_MSG 5
- #define CFE\_MISSION\_TIME\_DIAG\_TLM\_MSG 6
   #define CFE\_MISSION\_EVS\_LONG\_EVENT\_MSG\_MSG 8
- #define CFE MISSION EVS SHORT EVENT MSG MSG 9
- #define CFE\_MISSION\_SB\_STATS\_TLM\_MSG 10
- #define CFE\_MISSION\_ES\_APP\_TLM\_MSG 11
- #define CFE\_MISSION\_TBL\_REG\_TLM\_MSG 12
- #define CFE\_MISSION\_SB\_ALLSUBS\_TLM\_MSG 13
- #define CFE\_MISSION\_SB\_ONESUB\_TLM\_MSG 14
- #define CFE MISSION ES MEMSTATS TLM MSG 16
- #define CFE\_MISSION\_ES\_MAX\_APPLICATIONS 16
- #define CFE\_MISSION\_ES\_PERF\_MAX\_IDS 128
- #define CFE MISSION ES POOL MAX BUCKETS 17

#define CFE\_MISSION\_TBL\_MAX\_FULL\_NAME\_LEN (CFE\_MISSION\_TBL\_MAX\_NAME\_LENGTH + CFE\_
 — MISSION MAX API LEN + 4)

- #define CFE\_MISSION\_SB\_MAX\_PIPES 64
- #define CFE MISSION MAX PATH LEN 64
- #define CFE MISSION MAX FILE LEN 20
- #define CFE\_MISSION\_MAX\_API\_LEN 20
- #define CFE\_MISSION\_ES\_CDS\_MAX\_FULL\_NAME\_LEN (CFE\_MISSION\_ES\_CDS\_MAX\_NAME\_LENGTH + CFE\_MISSION\_MAX\_API\_LEN + 4)

### Checksum/CRC algorithm identifiers

- #define CFE MISSION ES CRC 8 1
  - CRC (8 bit additive returns 32 bit total) (Currently not implemented)
- #define CFE\_MISSION\_ES\_CRC\_16 2
  - CRC (16 bit additive returns 32 bit total)
- #define CFE\_MISSION\_ES\_CRC\_32 3

CRC (32 bit additive - returns 32 bit total) (Currently not implemented) .

### 38.4.1 Detailed Description

Purpose: This header file contains the mission configuration parameters and typedefs with mission scope.

Notes: The impact of changing these configurations from their default value is not yet documented. Changing these values may impact the performance and functionality of the system.

Author: R.McGraw/SSI

#### 38.4.2 Macro Definition Documentation

## 38.4.2.1 CFE\_MISSION\_ES\_APP\_TLM\_MSG

#define CFE\_MISSION\_ES\_APP\_TLM\_MSG 11

Definition at line 366 of file sample\_mission\_cfg.h.

## 38.4.2.2 CFE\_MISSION\_ES\_CDS\_MAX\_FULL\_NAME\_LEN

#define CFE\_MISSION\_ES\_CDS\_MAX\_FULL\_NAME\_LEN (CFE\_MISSION\_ES\_CDS\_MAX\_NAME\_LENGTH + CFE\_MISSION\_M↔ AX\_API\_LEN + 4)

Purpose Maximum Length of Full CDS Name in messages

#### **Description:**

Indicates the maximum length (in characters) of the entire CDS name of the following form: "ApplicationName.C← DSName"

This affects the layout of command/telemetry messages but does not affect run time behavior or internal allocation.

#### Limits

All CPUs within the same SB domain (mission) must share the same definition Note this affects the size of messages, so it must not cause any message to exceed the max length.

This value should be kept as a multiple of 4, to maintain alignment of any possible neighboring fields without implicit padding.

Definition at line 561 of file sample\_mission\_cfg.h.

### 38.4.2.3 CFE\_MISSION\_ES\_CDS\_MAX\_NAME\_LENGTH

#define CFE\_MISSION\_ES\_CDS\_MAX\_NAME\_LENGTH 16

Purpose Maximum Length of CDS Name

## **Description:**

Indicates the maximum length (in characters) of the CDS name ('CDSName') portion of a Full CDS Name of the following form: "ApplicationName.CDSName"

This length does not need to include an extra character for NULL termination.

#### Limits

This value should be kept as a multiple of 4, to maintain alignment of any possible neighboring fields without implicit padding.

Definition at line 245 of file sample\_mission\_cfg.h.

```
38.4.2.4 CFE_MISSION_ES_CMD_MSG
 #define CFE_MISSION_ES_CMD_MSG 6
 Definition at line 316 of file sample mission cfg.h.
38.4.2.5 CFE_MISSION_ES_CRC_16
 #define CFE_MISSION_ES_CRC_16 2
 CRC (16 bit additive - returns 32 bit total)
Definition at line 264 of file sample mission cfg.h.
38.4.2.6 CFE_MISSION_ES_CRC_32
 #define CFE_MISSION_ES_CRC_32 3
 CRC (32 bit additive - returns 32 bit total) (Currently not implemented) .
 Definition at line 265 of file sample_mission_cfg.h.
38.4.2.7 CFE_MISSION_ES_CRC_8
 #define CFE_MISSION_ES_CRC_8 1
CRC (8 bit additive - returns 32 bit total) (Currently not implemented)
Definition at line 263 of file sample_mission_cfg.h.
38.4.2.8 CFE_MISSION_ES_DEFAULT_CRC
 #define CFE_MISSION_ES_DEFAULT_CRC CFE_MISSION_ES_CRC_16
Purpose Mission Default CRC algorithm
Description:
     Indicates the which CRC algorithm should be used as the default for verifying the contents of Critical Data Stores
     and when calculating Table Image data integrity values.
```

Currently only CFE\_MISSION\_ES\_CRC\_16 is supported (see CFE\_MISSION\_ES\_CRC\_16)

Definition at line 282 of file sample\_mission\_cfg.h.

Limits

## 38.4.2.9 CFE\_MISSION\_ES\_HK\_TLM\_MSG

#define CFE\_MISSION\_ES\_HK\_TLM\_MSG 0

Purpose cFE Portable Message Numbers for Telemetry

## Description:

Portable message numbers for the cFE telemetry messages NOTE: cFE Msglds are the sum of the base numbers and the portable msg numbers.

#### Limits

Not Applicable

Definition at line 355 of file sample\_mission\_cfg.h.

## 38.4.2.10 CFE\_MISSION\_ES\_MAX\_APPLICATIONS

#define CFE\_MISSION\_ES\_MAX\_APPLICATIONS 16

Purpose Mission Max Apps in a message

## Description:

Indicates the maximum number of apps in a telemetry housekeeping message

This affects the layout of command/telemetry messages but does not affect run time behavior or internal allocation.

## Limits

All CPUs within the same SB domain (mission) must share the same definition Note this affects the size of messages, so it must not cause any message to exceed the max length.

Definition at line 386 of file sample\_mission\_cfg.h.

### 38.4.2.11 CFE\_MISSION\_ES\_MEMSTATS\_TLM\_MSG

#define CFE\_MISSION\_ES\_MEMSTATS\_TLM\_MSG 16

Definition at line 370 of file sample\_mission\_cfg.h.

## 38.4.2.12 CFE\_MISSION\_ES\_PERF\_MAX\_IDS

#define CFE\_MISSION\_ES\_PERF\_MAX\_IDS 128

Purpose Define Max Number of Performance IDs for messages

## Description:

Defines the maximum number of perf ids allowed in command/telemetry messages

This affects the layout of command/telemetry messages but does not affect run time behavior or internal allocation.

#### Limits

All CPUs within the same SB domain (mission) must share the same definition Note this affects the size of messages, so it must not cause any message to exceed the max length.

Definition at line 403 of file sample mission cfg.h.

38.4.2.13 CFE\_MISSION\_ES\_POOL\_MAX\_BUCKETS

#define CFE\_MISSION\_ES\_POOL\_MAX\_BUCKETS 17

Purpose Maximum number of block sizes in pool structures

## **Description:**

The upper limit for the number of block sizes supported in the generic pool implementation, which in turn implements the memory pools and CDS. This definition is used as the array size with the pool stats structure, and therefore should be consistent across all CPUs in a mission, as well as with the ground station.

There is also a platform-specific limit which may be fewer than this value.

## Limits:

Must be at least one. No specific upper limit, but the number is anticipated to be reasonably small (i.e. tens, not hundreds). Large values have not been tested.

Definition at line 424 of file sample\_mission\_cfg.h.

38.4.2.14 CFE\_MISSION\_ES\_SEND\_HK\_MSG

#define CFE\_MISSION\_ES\_SEND\_HK\_MSG 8

Definition at line 318 of file sample mission cfg.h.

38.4.2.15 CFE\_MISSION\_EVS\_CMD\_MSG

#define CFE\_MISSION\_EVS\_CMD\_MSG 1

Purpose cFE Portable Message Numbers for Commands

# **Description:**

Portable message numbers for the cFE command messages NOTE: cFE Msglds are the sum of the base numbers and the portable msg numbers.

Limits

Not Applicable

Definition at line 311 of file sample\_mission\_cfg.h.

38.4.2.16 CFE\_MISSION\_EVS\_HK\_TLM\_MSG

#define CFE\_MISSION\_EVS\_HK\_TLM\_MSG 1

Definition at line 356 of file sample\_mission\_cfg.h.

38.4.2.17 CFE\_MISSION\_EVS\_LONG\_EVENT\_MSG\_MSG

#define CFE\_MISSION\_EVS\_LONG\_EVENT\_MSG\_MSG 8

Definition at line 363 of file sample\_mission\_cfg.h.

```
38.4.2.18 CFE_MISSION_EVS_MAX_MESSAGE_LENGTH
```

```
#define CFE_MISSION_EVS_MAX_MESSAGE_LENGTH 122
```

Purpose Maximum Event Message Length

#### **Description:**

Indicates the maximum length (in characters) of the formatted text string portion of an event message

This length does not need to include an extra character for NULL termination.

#### Limits

Not Applicable

Definition at line 259 of file sample mission cfg.h.

```
38.4.2.19 CFE_MISSION_EVS_SEND_HK_MSG
```

```
#define CFE_MISSION_EVS_SEND_HK_MSG 9
```

Definition at line 319 of file sample\_mission\_cfg.h.

#### 38.4.2.20 CFE MISSION EVS SHORT EVENT MSG MSG

```
#define CFE_MISSION_EVS_SHORT_EVENT_MSG_MSG 9
```

Definition at line 364 of file sample mission cfg.h.

#### 38.4.2.21 CFE MISSION MAX API LEN

```
#define CFE_MISSION_MAX_API_LEN 20
```

Purpose cFE Maximum length for API names within data exchange structures

### **Description:**

The value of this constant dictates the size of filenames within all structures used for external data exchange, such as Software bus messages and table definitions. This is typically the same as OS\_MAX\_API\_LEN but that is OSAL dependent – and as such it definable on a per-processor/OS basis and hence may be different across multiple processors. It is recommended to set this to the value of the largest OS\_MAX\_API\_LEN in use on any CPU on the mission.

This affects only the layout of command/telemetry messages and table definitions; internal allocation may use the platform-specific OS\_MAX\_API\_LEN value.

This length must include an extra character for NULL termination.

### Limits

All CPUs within the same SB domain (mission) must share the same definition Note this affects the size of messages, so it must not cause any message to exceed the max length.

This value should be kept as a multiple of 4, to maintain alignment of any possible neighboring fields without implicit padding.

Definition at line 541 of file sample\_mission\_cfg.h.

## 38.4.2.22 CFE\_MISSION\_MAX\_FILE\_LEN

#define CFE\_MISSION\_MAX\_FILE\_LEN 20

Purpose cFE Maximum length for filenames within data exchange structures

#### **Description:**

The value of this constant dictates the size of filenames within all structures used for external data exchange, such as Software bus messages and table definitions. This is typically the same as OS\_MAX\_FILE\_LEN but that is O← SAL dependent – and as such it definable on a per-processor/OS basis and hence may be different across multiple processors. It is recommended to set this to the value of the largest OS\_MAX\_FILE\_LEN in use on any CPU on the mission.

This affects only the layout of command/telemetry messages and table definitions; internal allocation may use the platform-specific OS\_MAX\_FILE\_LEN value.

This length must include an extra character for NULL termination.

#### Limits

All CPUs within the same SB domain (mission) and ground tools must share the same definition. Note this affects the size of messages, so it must not cause any message to exceed the max length.

This value should be kept as a multiple of 4, to maintain alignment of any possible neighboring fields without implicit padding.

Definition at line 515 of file sample mission cfg.h.

#### 38.4.2.23 CFE MISSION MAX PATH LEN

#define CFE\_MISSION\_MAX\_PATH\_LEN 64

Purpose cFE Maximum length for pathnames within data exchange structures

## **Description:**

The value of this constant dictates the size of pathnames within all structures used for external data exchange, such as Software bus messages and table definitions. This is typically the same as OS\_MAX\_PATH\_LEN but that is OSAL dependent – and as such it definable on a per-processor/OS basis and hence may be different across multiple processors. It is recommended to set this to the value of the largest OS\_MAX\_PATH\_LEN in use on any CPU on the mission.

This affects only the layout of command/telemetry messages and table definitions; internal allocation may use the platform-specific OS MAX PATH LEN value.

This length must include an extra character for NULL termination.

### Limits

All CPUs within the same SB domain (mission) and ground tools must share the same definition. Note this affects the size of messages, so it must not cause any message to exceed the max length.

This value should be kept as a multiple of 4, to maintain alignment of any possible neighboring fields without implicit padding.

Definition at line 488 of file sample mission cfg.h.

```
38.4.2.24 CFE_MISSION_SB_ALLSUBS_TLM_MSG
```

```
#define CFE_MISSION_SB_ALLSUBS_TLM_MSG 13
```

Definition at line 368 of file sample\_mission\_cfg.h.

38.4.2.25 CFE\_MISSION\_SB\_CMD\_MSG

```
#define CFE_MISSION_SB_CMD_MSG 3
```

Definition at line 313 of file sample\_mission\_cfg.h.

38.4.2.26 CFE\_MISSION\_SB\_HK\_TLM\_MSG

```
#define CFE_MISSION_SB_HK_TLM_MSG 3
```

Definition at line 358 of file sample\_mission\_cfg.h.

38.4.2.27 CFE MISSION SB MAX PIPES

#define CFE\_MISSION\_SB\_MAX\_PIPES 64

Purpose Maximum Number of pipes that SB command/telemetry messages may hold

## **Description:**

Dictates the maximum number of unique Pipes the SB message definitions will hold.

This affects the layout of command/telemetry messages but does not affect run time behavior or internal allocation.

### Limits

All CPUs within the same SB domain (mission) must share the same definition Note this affects the size of messages, so it must not cause any message to exceed the max length.

Definition at line 461 of file sample\_mission\_cfg.h.

38.4.2.28 CFE\_MISSION\_SB\_MAX\_SB\_MSG\_SIZE

#define CFE\_MISSION\_SB\_MAX\_SB\_MSG\_SIZE 32768

Purpose Maximum SB Message Size

## **Description:**

The following definition dictates the maximum message size allowed on the software bus. SB checks the pkt length field in the header of all messages sent. If the pkt length field indicates the message is larger than this define, SB sends an event and rejects the send.

#### Limits

This parameter has a lower limit of 6 (CCSDS primary header size). There are no restrictions on the upper limit however, the maximum message size is system dependent and should be verified. Total message size values that are checked against this configuration are defined by a 16 bit data word.

Definition at line 55 of file sample\_mission\_cfg.h.

38.4.2.29 CFE\_MISSION\_SB\_ONESUB\_TLM\_MSG

#define CFE\_MISSION\_SB\_ONESUB\_TLM\_MSG 14

Definition at line 369 of file sample\_mission\_cfg.h.

38.4.2.30 CFE\_MISSION\_SB\_SEND\_HK\_MSG

#define CFE\_MISSION\_SB\_SEND\_HK\_MSG 11

Definition at line 321 of file sample\_mission\_cfg.h.

38.4.2.31 CFE\_MISSION\_SB\_STATS\_TLM\_MSG

#define CFE\_MISSION\_SB\_STATS\_TLM\_MSG 10

Definition at line 365 of file sample mission cfg.h.

```
38.4.2.32 CFE_MISSION_SB_SUB_RPT_CTRL_MSG
```

```
#define CFE_MISSION_SB_SUB_RPT_CTRL_MSG 14
```

Definition at line 325 of file sample\_mission\_cfg.h.

#### 38.4.2.33 CFE\_MISSION\_TBL\_CMD\_MSG

```
#define CFE_MISSION_TBL_CMD_MSG 4
```

Definition at line 314 of file sample\_mission\_cfg.h.

#### 38.4.2.34 CFE\_MISSION\_TBL\_HK\_TLM\_MSG

```
#define CFE_MISSION_TBL_HK_TLM_MSG 4
```

Definition at line 359 of file sample\_mission\_cfg.h.

#### 38.4.2.35 CFE\_MISSION\_TBL\_MAX\_FULL\_NAME\_LEN

```
#define CFE_MISSION_TBL_MAX_FULL_NAME_LEN (CFE_MISSION_TBL_MAX_NAME_LENGTH + CFE_MISSION_MAX_API ← _ LEN + 4)
```

Purpose Maximum Length of Full Table Name in messages

#### **Description:**

Indicates the maximum length (in characters) of the entire table name within software bus messages, in "App⊷ Name.TableName" notation.

This affects the layout of command/telemetry messages but does not affect run time behavior or internal allocation.

### Limits

All CPUs within the same SB domain (mission) must share the same definition Note this affects the size of messages, so it must not cause any message to exceed the max length.

This value should be kept as a multiple of 4, to maintain alignment of any possible neighboring fields without implicit padding.

Definition at line 444 of file sample mission cfg.h.

## 38.4.2.36 CFE\_MISSION\_TBL\_MAX\_NAME\_LENGTH

#define CFE\_MISSION\_TBL\_MAX\_NAME\_LENGTH 16

#### Purpose Maximum Table Name Length

#### **Description:**

Indicates the maximum length (in characters) of the table name ('TblName') portion of a Full Table Name of the following form: "ApplicationName.TblName"

This length does not need to include an extra character for NULL termination.

#### Limits

This value should be kept as a multiple of 4, to maintain alignment of any possible neighboring fields without implicit padding.

Definition at line 298 of file sample\_mission\_cfg.h.

### 38.4.2.37 CFE\_MISSION\_TBL\_REG\_TLM\_MSG

#define CFE\_MISSION\_TBL\_REG\_TLM\_MSG 12

Definition at line 367 of file sample\_mission\_cfg.h.

#### 38.4.2.38 CFE MISSION TBL SEND HK MSG

#define CFE\_MISSION\_TBL\_SEND\_HK\_MSG 12

Definition at line 322 of file sample\_mission\_cfg.h.

## 38.4.2.39 CFE\_MISSION\_TEST\_CMD\_MSG

#define CFE\_MISSION\_TEST\_CMD\_MSG 2

Definition at line 312 of file sample\_mission\_cfg.h.

## 38.4.2.40 CFE\_MISSION\_TEST\_HK\_TLM\_MSG

```
#define CFE_MISSION_TEST_HK_TLM_MSG 2
```

Definition at line 357 of file sample\_mission\_cfg.h.

## 38.4.2.41 CFE\_MISSION\_TIME\_1HZ\_CMD\_MSG

```
#define CFE_MISSION_TIME_1HZ_CMD_MSG 17
```

Definition at line 328 of file sample\_mission\_cfg.h.

### 38.4.2.42 CFE\_MISSION\_TIME\_AT\_TONE\_WAS

#define CFE\_MISSION\_TIME\_AT\_TONE\_WAS true

Purpose Default Time and Tone Order

#### **Description:**

Time Services may be configured to expect the time at the tone data packet to either precede or follow the tone signal. If the time at the tone data packet follows the tone signal, then the data within the packet describes what the time "was" at the tone. If the time at the tone data packet precedes the tone signal, then the data within the packet describes what the time "will be" at the tone. One, and only one, of the following symbols must be set to true:

- · CFE MISSION TIME AT TONE WAS
- CFE\_MISSION\_TIME\_AT\_TONE\_WILL\_BE Note: If Time Services is defined as using a simulated tone signal (see CFE\_MISSION\_TIME\_CFG\_FAKE\_TONE above), then the tone data packet must follow the tone signal.

### Limits

Either CFE\_MISSION\_TIME\_AT\_TONE\_WAS or CFE\_MISSION\_TIME\_AT\_TONE\_WILL\_BE must be set to true. They may not both be true and they may not both be false.

Definition at line 110 of file sample mission cfg.h.

#### 38.4.2.43 CFE MISSION TIME AT TONE WILL BE

#define CFE\_MISSION\_TIME\_AT\_TONE\_WILL\_BE false

Definition at line 111 of file sample mission cfg.h.

# 38.4.2.44 CFE\_MISSION\_TIME\_CFG\_DEFAULT\_TAI

#define CFE\_MISSION\_TIME\_CFG\_DEFAULT\_TAI true

## **Purpose** Default Time Format

## **Description:**

The following definitions select either UTC or TAI as the default (mission specific) time format. Although it is possible for an application to request time in a specific format, most callers should use CFE\_TIME\_GetTime(), which returns time in the default format. This avoids having to modify each individual caller when the default choice is changed.

#### Limits

if CFE\_MISSION\_TIME\_CFG\_DEFAULT\_TAI is defined as true then CFE\_MISSION\_TIME\_CFG\_DEFAULT\_UTC must be defined as false. if CFE\_MISSION\_TIME\_CFG\_DEFAULT\_TAI is defined as false then CFE\_MISSION ← \_\_TIME\_CFG\_DEFAULT\_UTC must be defined as true.

Definition at line 74 of file sample\_mission\_cfg.h.

#### 38.4.2.45 CFE\_MISSION\_TIME\_CFG\_DEFAULT\_UTC

#define CFE\_MISSION\_TIME\_CFG\_DEFAULT\_UTC false

Definition at line 75 of file sample\_mission\_cfg.h.

## 38.4.2.46 CFE\_MISSION\_TIME\_CFG\_FAKE\_TONE

#define CFE\_MISSION\_TIME\_CFG\_FAKE\_TONE true

# Purpose Default Time Format

## **Description:**

The following definition enables the use of a simulated time at the tone signal using a software bus message.

## Limits

Not Applicable

Definition at line 87 of file sample\_mission\_cfg.h.

## 38.4.2.47 CFE\_MISSION\_TIME\_CMD\_MSG

```
#define CFE_MISSION_TIME_CMD_MSG 5
```

Definition at line 315 of file sample mission cfg.h.

## 38.4.2.48 CFE\_MISSION\_TIME\_DATA\_CMD\_MSG

```
#define CFE_MISSION_TIME_DATA_CMD_MSG 0
```

Purpose cFE Portable Message Numbers for Global Messages

## **Description:**

Portable message numbers for the cFE global messages NOTE: cFE Msglds are the sum of the base numbers and the portable msg numbers.

#### Limits

Not Applicable

Definition at line 341 of file sample\_mission\_cfg.h.

## 38.4.2.49 CFE\_MISSION\_TIME\_DEF\_DELAY\_SECS

```
#define CFE_MISSION_TIME_DEF_DELAY_SECS 0
```

Definition at line 169 of file sample\_mission\_cfg.h.

## 38.4.2.50 CFE\_MISSION\_TIME\_DEF\_DELAY\_SUBS

```
#define CFE_MISSION_TIME_DEF_DELAY_SUBS 1000
```

Definition at line 170 of file sample mission cfg.h.

## 38.4.2.51 CFE\_MISSION\_TIME\_DEF\_LEAPS

```
#define CFE_MISSION_TIME_DEF_LEAPS 37
```

Definition at line 167 of file sample\_mission\_cfg.h.

## 38.4.2.52 CFE\_MISSION\_TIME\_DEF\_MET\_SECS

```
#define CFE_MISSION_TIME_DEF_MET_SECS 1000
```

## Purpose Default Time Values

#### **Description:**

Default time values are provided to avoid problems due to time calculations performed after startup but before commands can be processed. For example, if the default time format is UTC then it is important that the sum of MET and STCF always exceed the value of Leap Seconds to prevent the UTC time calculation (time = MET + STCF - Leap Seconds) from resulting in a negative (very large) number.

Some past missions have also created known (albeit wrong) default timestamps. For example, assume the epoch is defined as Jan 1, 1970 and further assume the default time values are set to create a timestamp of Jan 1, 2000. Even though the year 2000 timestamps are wrong, it may be of value to keep the time within some sort of bounds acceptable to the software.

Note: Sub-second units are in micro-seconds (0 to 999,999) and all values must be defined

#### Limits

Not Applicable

Definition at line 161 of file sample mission cfg.h.

```
38.4.2.53 CFE_MISSION_TIME_DEF_MET_SUBS
```

```
#define CFE_MISSION_TIME_DEF_MET_SUBS 0
```

Definition at line 162 of file sample\_mission\_cfg.h.

```
38.4.2.54 CFE_MISSION_TIME_DEF_STCF_SECS
```

```
#define CFE_MISSION_TIME_DEF_STCF_SECS 1000000
```

Definition at line 164 of file sample\_mission\_cfg.h.

## 38.4.2.55 CFE\_MISSION\_TIME\_DEF\_STCF\_SUBS

```
#define CFE_MISSION_TIME_DEF_STCF_SUBS 0
```

Definition at line 165 of file sample mission cfg.h.

```
38.4.2.56 CFE_MISSION_TIME_DIAG_TLM_MSG
```

```
#define CFE_MISSION_TIME_DIAG_TLM_MSG 6
```

Definition at line 361 of file sample\_mission\_cfg.h.

### 38.4.2.57 CFE\_MISSION\_TIME\_EPOCH\_DAY

```
#define CFE_MISSION_TIME_EPOCH_DAY 1
```

Definition at line 187 of file sample mission cfg.h.

## 38.4.2.58 CFE\_MISSION\_TIME\_EPOCH\_HOUR

```
#define CFE_MISSION_TIME_EPOCH_HOUR 0
```

Definition at line 188 of file sample\_mission\_cfg.h.

## 38.4.2.59 CFE\_MISSION\_TIME\_EPOCH\_MINUTE

```
#define CFE_MISSION_TIME_EPOCH_MINUTE 0
```

Definition at line 189 of file sample\_mission\_cfg.h.

## 38.4.2.60 CFE\_MISSION\_TIME\_EPOCH\_SECOND

```
#define CFE_MISSION_TIME_EPOCH_SECOND 0
```

Definition at line 190 of file sample\_mission\_cfg.h.

### 38.4.2.61 CFE\_MISSION\_TIME\_EPOCH\_YEAR

```
#define CFE_MISSION_TIME_EPOCH_YEAR 1980
```

## Purpose Default EPOCH Values

# Description:

Default ground time epoch values Note: these values are used only by the CFE\_TIME\_Print() API function

## Limits

Year - must be within 136 years Day - Jan 1 = 1, Feb 1 = 32, etc. Hour - 0 to 23 Minute - 0 to 59 Second - 0 to 59

Definition at line 186 of file sample\_mission\_cfg.h.

38.4.2.62 CFE\_MISSION\_TIME\_FS\_FACTOR

#define CFE\_MISSION\_TIME\_FS\_FACTOR 789004800

Purpose Time File System Factor

#### **Description:**

Define the s/c vs file system time conversion constant...

Note: this value is intended for use only by CFE TIME API functions to convert time values based on the ground system epoch (s/c time) to and from time values based on the file system epoch (fs time).

FS time = S/C time + factor S/C time = FS time - factor

Worksheet:

S/C epoch = Jan 1, 2005 (LRO ground system epoch) FS epoch = Jan 1, 1980 (vxWorks DOS file system epoch)

Delta = 25 years, 0 days, 0 hours, 0 minutes, 0 seconds

Leap years = 1980, 1984, 1988, 1992, 1996, 2000, 2004 (divisible by 4 - except if by 100 - unless also by 400)

1 year = 31,536,000 seconds 1 day = 86,400 seconds 1 hour = 3,600 seconds 1 minute = 60 seconds

25 years = 788,400,000 seconds 7 extra leap days = 604,800 seconds

total delta = 789,004,800 seconds

#### Limits

Not Applicable

Definition at line 228 of file sample\_mission\_cfg.h.

38.4.2.63 CFE\_MISSION\_TIME\_HK\_TLM\_MSG

#define CFE\_MISSION\_TIME\_HK\_TLM\_MSG 5

Definition at line 360 of file sample\_mission\_cfg.h.

38.4.2.64 CFE\_MISSION\_TIME\_MAX\_ELAPSED

#define CFE\_MISSION\_TIME\_MAX\_ELAPSED 200000

Definition at line 136 of file sample\_mission\_cfg.h.

```
38.4.2.65 CFE_MISSION_TIME_MIN_ELAPSED
```

```
#define CFE_MISSION_TIME_MIN_ELAPSED 0
```

Purpose Min and Max Time Elapsed

## Description:

Based on the definition of Time and Tone Order (CFE\_MISSION\_TIME\_AT\_TONE\_WAS/WILL\_BE) either the "time at the tone" signal or data packet will follow the other. This definition sets the valid window of time for the second of the pair to lag behind the first. Time Services will invalidate both the tone and packet if the second does not arrive within this window following the first.

For example, if the data packet follows the tone, it might be valid for the data packet to arrive between zero and 100,000 micro-seconds after the tone. But, if the tone follows the packet, it might be valid only if the packet arrived between 200,000 and 700,000 micro-seconds before the tone.

Note: units are in micro-seconds

Limits

0 to 999,999 decimal

Definition at line 135 of file sample\_mission\_cfg.h.

38.4.2.66 CFE\_MISSION\_TIME\_SEND\_CMD\_MSG

#define CFE\_MISSION\_TIME\_SEND\_CMD\_MSG 2

Definition at line 342 of file sample\_mission\_cfg.h.

38.4.2.67 CFE\_MISSION\_TIME\_SEND\_HK\_MSG

#define CFE\_MISSION\_TIME\_SEND\_HK\_MSG 13

Definition at line 323 of file sample\_mission\_cfg.h.

38.4.2.68 CFE\_MISSION\_TIME\_TONE\_CMD\_MSG

#define CFE\_MISSION\_TIME\_TONE\_CMD\_MSG 16

Definition at line 327 of file sample mission cfg.h.

## 38.5 sample\_perfids.h File Reference

#### Macros

#define CFE\_MISSION\_ES\_PERF\_EXIT\_BIT 31
 bit (31) is reserved by the perf utilities

### cFE Performance Monitor IDs (Reserved IDs 0-31)

#define CFE\_MISSION\_ES\_MAIN\_PERF\_ID 1

Performance ID for Executive Services Task.

#define CFE\_MISSION\_EVS\_MAIN\_PERF\_ID 2

Performance ID for Events Services Task.

#define CFE\_MISSION\_TBL\_MAIN\_PERF\_ID 3

Performance ID for Table Services Task.

#define CFE\_MISSION\_SB\_MAIN\_PERF\_ID 4

Performance ID for Software Bus Services Task.

#define CFE\_MISSION\_SB\_MSG\_LIM\_PERF\_ID 5

Performance ID for Software Bus Msg Limit Errors.

#define CFE MISSION SB PIPE OFLOW PERF ID 27

Performance ID for Software Bus Pipe Overflow Errors.

#define CFE\_MISSION\_TIME\_MAIN\_PERF\_ID 6

Performance ID for Time Services Task.

#define CFE\_MISSION\_TIME\_TONE1HZISR\_PERF\_ID 7

Performance ID for 1 Hz Tone ISR.

#define CFE\_MISSION\_TIME\_LOCAL1HZISR\_PERF\_ID 8

Performance ID for 1 Hz Local ISR.

#define CFE\_MISSION\_TIME\_SENDMET\_PERF\_ID 9

Performance ID for Time ToneSendMET.

#define CFE\_MISSION\_TIME\_LOCAL1HZTASK\_PERF\_ID 10

Performance ID for 1 Hz Local Task.

#define CFE\_MISSION\_TIME\_TONE1HZTASK\_PERF\_ID 11

Performance ID for 1 Hz Tone Task.

#### 38.5.1 Detailed Description

Purpose: This file contains the cFE performance IDs

Design Notes: Each performance id is used to identify something that needs to be measured. Performance ids are limited to the range of 0 to CFE\_MISSION\_ES\_PERF\_MAX\_IDS - 1. Any performance ids outside of this range will be ignored and will be flagged as an error. Note that performance ids 0-31 are reserved for the cFE Core.

References:

#### 38.5.2 Macro Definition Documentation

## 38.5.2.1 CFE\_MISSION\_ES\_MAIN\_PERF\_ID

#define CFE\_MISSION\_ES\_MAIN\_PERF\_ID 1

Performance ID for Executive Services Task.

Definition at line 44 of file sample\_perfids.h.

## 38.5.2.2 CFE\_MISSION\_ES\_PERF\_EXIT\_BIT

#define CFE\_MISSION\_ES\_PERF\_EXIT\_BIT 31

bit (31) is reserved by the perf utilities

Definition at line 40 of file sample\_perfids.h.

## 38.5.2.3 CFE\_MISSION\_EVS\_MAIN\_PERF\_ID

#define CFE\_MISSION\_EVS\_MAIN\_PERF\_ID 2

Performance ID for Events Services Task.

Definition at line 45 of file sample\_perfids.h.

## 38.5.2.4 CFE\_MISSION\_SB\_MAIN\_PERF\_ID

#define CFE\_MISSION\_SB\_MAIN\_PERF\_ID 4

Performance ID for Software Bus Services Task.

Definition at line 47 of file sample\_perfids.h.

## 38.5.2.5 CFE\_MISSION\_SB\_MSG\_LIM\_PERF\_ID

#define CFE\_MISSION\_SB\_MSG\_LIM\_PERF\_ID 5

Performance ID for Software Bus Msg Limit Errors.

Definition at line 48 of file sample\_perfids.h.

38.5.2.6 CFE\_MISSION\_SB\_PIPE\_OFLOW\_PERF\_ID

#define CFE\_MISSION\_SB\_PIPE\_OFLOW\_PERF\_ID 27

Performance ID for Software Bus Pipe Overflow Errors.

Definition at line 49 of file sample\_perfids.h.

38.5.2.7 CFE\_MISSION\_TBL\_MAIN\_PERF\_ID

#define CFE\_MISSION\_TBL\_MAIN\_PERF\_ID 3

Performance ID for Table Services Task.

Definition at line 46 of file sample\_perfids.h.

38.5.2.8 CFE\_MISSION\_TIME\_LOCAL1HZISR\_PERF\_ID

#define CFE\_MISSION\_TIME\_LOCAL1HZISR\_PERF\_ID 8

Performance ID for 1 Hz Local ISR.

Definition at line 53 of file sample\_perfids.h.

38.5.2.9 CFE\_MISSION\_TIME\_LOCAL1HZTASK\_PERF\_ID

#define CFE\_MISSION\_TIME\_LOCAL1HZTASK\_PERF\_ID 10

Performance ID for 1 Hz Local Task.

Definition at line 56 of file sample\_perfids.h.

38.5.2.10 CFE\_MISSION\_TIME\_MAIN\_PERF\_ID

#define CFE\_MISSION\_TIME\_MAIN\_PERF\_ID 6

Performance ID for Time Services Task.

Definition at line 51 of file sample\_perfids.h.

38.5.2.11 CFE\_MISSION\_TIME\_SENDMET\_PERF\_ID #define CFE\_MISSION\_TIME\_SENDMET\_PERF\_ID 9 Performance ID for Time ToneSendMET. Definition at line 55 of file sample\_perfids.h. 38.5.2.12 CFE\_MISSION\_TIME\_TONE1HZISR\_PERF\_ID #define CFE\_MISSION\_TIME\_TONE1HZISR\_PERF\_ID 7 Performance ID for 1 Hz Tone ISR. Definition at line 52 of file sample\_perfids.h. 38.5.2.13 CFE\_MISSION\_TIME\_TONE1HZTASK\_PERF\_ID #define CFE\_MISSION\_TIME\_TONE1HZTASK\_PERF\_ID 11 Performance ID for 1 Hz Tone Task. Definition at line 57 of file sample\_perfids.h. 38.6 cfe/docs/src/cfe\_api.dox File Reference cfe/docs/src/cfe\_es.dox File Reference 38.8 cfe/docs/src/cfe\_evs.dox File Reference 38.9 cfe/docs/src/cfe\_glossary.dox File Reference 38.10 cfe/docs/src/cfe\_sb.dox File Reference 38.11 cfe/docs/src/cfe tbl.dox File Reference cfe/docs/src/cfe\_time.dox File Reference 38.13 cfe/docs/src/cfe\_xref.dox File Reference

38.14 cfe/docs/src/cfs\_versions.dox File Reference

## 38.15 cfe/docs/src/main.dox File Reference

## 38.16 cfe/modules/core api/fsw/inc/cfe.h File Reference

```
#include "common_types.h"
#include "osapi.h"
#include "cfe_mission_cfg.h"
#include "cfe_error.h"
#include "cfe_es.h"
#include "cfe_es.h"
#include "cfe_fs.h"
#include "cfe_fs.h"
#include "cfe_time.h"
#include "cfe_tbl.h"
#include "cfe_msg.h"
#include "cfe_resourceid.h"
#include "cfe_psp.h"
```

#### 38.16.1 Detailed Description

Purpose: cFE header file

Author: David Kobe, the Hammers Company, Inc.

Notes: This header file centralizes the includes for all cFE Applications. It includes all header files necessary to completely define the cFE interface.

# 38.17 cfe/modules/core\_api/fsw/inc/cfe\_config.h File Reference

```
#include "common_types.h"
#include "cfe_config_api_typedefs.h"
#include "cfe_config_ids.h"
```

### **Functions**

uint32 CFE\_Config\_GetValue (CFE\_Configld\_t Configld)

Obtain an integer value correlating to an CFE configuration ID.

const void \* CFE\_Config\_GetObjPointer (CFE\_ConfigId\_t ConfigId)

Obtain a pointer value correlating to an CFE configuration ID.

const char \* CFE\_Config\_GetString (CFE\_ConfigId\_t ConfigId)

Obtain a string value correlating to an CFE configuration ID.

const char \* CFE\_Config\_GetName (CFE\_ConfigId\_t ConfigId)

Obtain the name of a CFE configuration ID.

• CFE\_ConfigId\_t CFE\_Config\_GetIdByName (const char \*Name)

Obtain the ID value associated with a configuration name.

void CFE\_Config\_IterateAll (void \*Arg, CFE\_Config\_Callback\_t Callback)

Iterate all known name/ID value pairs.

## 38.17.1 Detailed Description

Title: cFE Status Code Definition Header File

Purpose: Common source of cFE API return status codes.

Design Notes:

References: Flight Software Branch C Coding Standard Version 1.0a

38.17.2 Function Documentation

# 38.17.2.1 CFE\_Config\_GetIdByName()

Obtain the ID value associated with a configuration name.

#### **Parameters**

	in	Name	The name of the ID to look up	
--	----	------	-------------------------------	--

#### Returns

ID associated with name

## **Return values**

CFE_CONFIGID_UNDEFINED	if the name did not correspond to a key
------------------------	---

# 38.17.2.2 CFE\_Config\_GetName()

Obtain the name of a CFE configuration ID.

Retreives the printable name associated with the specified key.

Note

This function does not return NULL.

If the ID is not valid/known, then the implementation returns the special string '[unknown]' rather than NULL, so this function may be more easily used in printf() style calls.

#### **Parameters**

in	Config←	Configuration ID/Key to look up
	ld	

## Returns

Name associated with key

## 38.17.2.3 CFE\_Config\_GetObjPointer()

Obtain a pointer value correlating to an CFE configuration ID.

Retreives the pointer value associated with the specified key.

If no value has been set, or the key is not valid, this returns NULL.

## **Parameters**

in	Config←	Configuration ID/Key to look up
	ld	

## Returns

Value associated with key

## **Return values**

```
NULL if key is not defined or not set
```

## 38.17.2.4 CFE\_Config\_GetString()

Obtain a string value correlating to an CFE configuration ID.

Retreives the string value associated with the specified key.

If no value has been set, or the key is not valid, this returns the special string "UNDEFINED"

#### Note

This function does not return NULL, so it can be used directly in printf-style calls.

#### **Parameters**

in	Config←	Configuration ID/Key to look up
	ld	

### Returns

String value associated with key

## 38.17.2.5 CFE\_Config\_GetValue()

Obtain an integer value correlating to an CFE configuration ID.

Retreives the integer value associated with the specified key.

If no value has been set, or the key is not valid, this returns 0.

#### **Parameters**

in		Config←	Configuration ID/Key to look up
		ld	

## Returns

Value associated with key

## **Return values**

```
0 if key is not defined or not set
```

# 38.17.2.6 CFE\_Config\_IterateAll()

Iterate all known name/ID value pairs.

#### **Parameters**

in	Arg	User-supplied opaque argument to pass to callback
in	Callback	User-supplied callback function to invoke for each ID

# 38.18 cfe/modules/core\_api/fsw/inc/cfe\_config\_api\_typedefs.h File Reference

```
#include "common_types.h"
#include "cfe_resourceid_api_typedefs.h"
```

#### Macros

- #define CFE\_CONFIGID\_C(val) ((CFE\_Configld\_t)CFE\_RESOURCEID\_WRAP(val))
- #define CFE\_CONFIGID\_UNDEFINED CFE\_CONFIGID\_C(CFE\_RESOURCEID\_UNDEFINED)

## **Typedefs**

- typedef CFE\_RESOURCEID\_BASE\_TYPE CFE\_Configld\_t
   A type for Configuration IDs.
- typedef void(\* CFE\_Config\_Callback\_t) (void \*Arg, CFE\_Configld\_t Id, const char \*Name)

## 38.18.1 Detailed Description

Title: cFE Status Code Definition Header File

Purpose: Common source of cFE API return status codes.

Design Notes:

References: Flight Software Branch C Coding Standard Version 1.0a

### 38.18.2 Macro Definition Documentation

# 38.18.2.1 CFE\_CONFIGID\_C

Definition at line 50 of file cfe\_config\_api\_typedefs.h.

## 38.18.2.2 CFE\_CONFIGID\_UNDEFINED

```
#define CFE_CONFIGID_UNDEFINED CFE_CONFIGID_C(CFE_RESOURCEID_UNDEFINED)
```

Definition at line 51 of file cfe config api typedefs.h.

## 38.18.3 Typedef Documentation

#### 38.18.3.1 CFE\_Config\_Callback\_t

```
typedef void(* CFE_Config_Callback_t) (void *Arg, CFE_ConfigId_t Id, const char *Name)
```

Definition at line 53 of file cfe\_config\_api\_typedefs.h.

#### 38.18.3.2 CFE\_Configld\_t

```
typedef CFE_RESOURCEID_BASE_TYPE CFE_ConfigId_t
```

A type for Configuration IDs.

This is the type that is used for any API accepting or returning a configuration key ID

Definition at line 48 of file cfe\_config\_api\_typedefs.h.

## 38.19 cfe/modules/core\_api/fsw/inc/cfe\_endian.h File Reference

```
#include "common_types.h"
```

#### Macros

- #define CFE\_MAKE\_BIG16(n) ((((n) << 8) & 0xFF00) | (((n) >> 8) & 0x00FF))
- #define CFE\_MAKE\_BIG32(n) ((((n) << 24) & 0xFF000000) | (((n) << 8) & 0x00FF0000) | (((n) >> 8) & 0x000FF000) |

## 38.19.1 Detailed Description

Purpose: Define macros to enforce big-endian/network byte order for 16 and 32 bit integers

#### 38.19.2 Macro Definition Documentation

## 38.19.2.1 CFE\_MAKE\_BIG16

Definition at line 66 of file cfe endian.h.

#### 38.19.2.2 CFE MAKE BIG32

Definition at line 67 of file cfe endian.h.

# 38.20 cfe/modules/core\_api/fsw/inc/cfe\_error.h File Reference

```
#include "osapi.h"
```

## Macros

- #define CFE\_SEVERITY\_BITMASK ((CFE\_Status\_t)0xc0000000)
  - Error Severity Bitmask.
- #define CFE SEVERITY SUCCESS ((CFE Status t)0x00000000)

Severity Success.

- #define CFE\_SEVERITY\_INFO ((CFE\_Status\_t)0x40000000)
  - Severity Info.
- #define CFE\_SEVERITY\_ERROR ((CFE\_Status\_t)0xc0000000)

Severity Error.

- #define CFE\_SERVICE\_BITMASK ((CFE\_Status\_t)0x0e000000)
  - Error Service Bitmask.
- #define CFE\_EVENTS\_SERVICE ((CFE\_Status\_t)0x02000000)

Event Service.

• #define CFE\_EXECUTIVE\_SERVICE ((CFE\_Status\_t)0x04000000)

Executive Service.

• #define CFE\_FILE\_SERVICE ((CFE\_Status\_t)0x06000000)

File Service

• #define CFE\_GENERIC\_SERVICE ((CFE\_Status\_t)0x08000000)

Generic Service.

 #define CFE\_SOFTWARE\_BUS\_SERVICE ((CFE\_Status\_t)0x0a000000) Software Bus Service. #define CFE TABLE SERVICE ((CFE Status t)0x0c000000) Table Service. #define CFE TIME SERVICE ((CFE Status t)0x0e000000) Time Service. #define CFE SUCCESS ((CFE Status t)0) Successful execution. #define CFE STATUS NO COUNTER INCREMENT ((CFE Status t)0x48000001) No Counter Increment. #define CFE STATUS WRONG MSG LENGTH ((CFE Status t)0xc8000002) Wrong Message Length. #define CFE STATUS UNKNOWN MSG ID ((CFE Status t)0xc8000003) Unknown Message ID. #define CFE\_STATUS\_BAD\_COMMAND\_CODE ((CFE\_Status\_t)0xc8000004) Bad Command Code. #define CFE STATUS EXTERNAL RESOURCE FAIL ((CFE Status t)0xc8000005) External failure. #define CFE\_STATUS\_REQUEST\_ALREADY\_PENDING ((int32)0xc8000006) Request already pending. #define CFE STATUS NOT IMPLEMENTED ((CFE Status t)0xc800ffff) Not Implemented. #define CFE\_EVS\_UNKNOWN\_FILTER ((CFE\_Status\_t)0xc2000001) Unknown Filter. #define CFE EVS APP NOT REGISTERED ((CFE Status t)0xc2000002) Application Not Registered. #define CFE\_EVS\_APP\_ILLEGAL\_APP\_ID ((CFE\_Status\_t)0xc2000003) Illegal Application ID. #define CFE EVS APP FILTER OVERLOAD ((CFE Status t)0xc2000004) Application Filter Overload. #define CFE\_EVS\_RESET\_AREA\_POINTER ((CFE\_Status\_t)0xc2000005) Reset Area Pointer Failure. #define CFE\_EVS\_EVT\_NOT\_REGISTERED ((CFE\_Status\_t)0xc2000006) Event Not Registered. #define CFE EVS FILE WRITE ERROR ((CFE Status t)0xc2000007) File Write Error. #define CFE EVS INVALID PARAMETER ((CFE Status t)0xc2000008) Invalid Pointer. #define CFE EVS NOT IMPLEMENTED ((CFE Status t)0xc200ffff) Not Implemented. #define CFE\_ES\_ERR\_RESOURCEID\_NOT\_VALID ((CFE\_Status\_t)0xc4000001) Resource ID is not valid. #define CFE ES ERR NAME NOT FOUND ((CFE Status t)0xc4000002) Resource Name Error. #define CFE ES ERR APP CREATE ((CFE Status t)0xc4000004)

#define CFE ES ERR CHILD TASK CREATE ((CFE Status t)0xc4000005)

Application Create Error.

Generated by Doxygen

Child Task Create Error.

```
• #define CFE_ES_ERR_SYS_LOG_FULL ((CFE_Status_t)0xc4000006)
     System Log Full.

    #define CFE ES ERR MEM BLOCK SIZE ((CFE Status t)0xc4000008)

     Memory Block Size Error.

    #define CFE_ES_ERR_LOAD_LIB ((CFE_Status_t)0xc4000009)

     Load Library Error.

    #define CFE ES BAD ARGUMENT ((CFE Status t)0xc400000a)

     Bad Argument.

    #define CFE_ES_ERR_CHILD_TASK_REGISTER ((CFE_Status_t)0xc400000b)

     Child Task Register Error.

    #define CFE_ES_CDS_ALREADY_EXISTS ((CFE_Status_t)0x4400000d)

     CDS Already Exists.

    #define CFE_ES_CDS_INSUFFICIENT_MEMORY ((CFE_Status_t)0xc400000e)

     CDS Insufficient Memory.

    #define CFE_ES_CDS_INVALID_NAME ((CFE_Status_t)0xc400000f)

     CDS Invalid Name.

    #define CFE_ES_CDS_INVALID_SIZE ((CFE_Status_t)0xc4000010)

     CDS Invalid Size.

    #define CFE_ES_CDS_INVALID ((CFE_Status_t)0xc4000012)

     CDS Invalid.

    #define CFE_ES_CDS_ACCESS_ERROR ((CFE_Status_t)0xc4000013)

     CDS Access Error.

    #define CFE_ES_FILE_IO_ERR ((CFE_Status_t)0xc4000014)

     File IO Error.

    #define CFE_ES_RST_ACCESS_ERR ((CFE_Status_t)0xc4000015)

     Reset Area Access Error.

    #define CFE_ES_ERR_APP_REGISTER ((CFE_Status_t)0xc4000017)

     Application Register Error.

    #define CFE_ES_ERR_CHILD_TASK_DELETE ((CFE_Status_t)0xc4000018)

     Child Task Delete Error.

    #define CFE_ES_ERR_CHILD_TASK_DELETE_MAIN_TASK ((CFE_Status_t)0xc4000019)

     Child Task Delete Passed Main Task.
• #define CFE_ES_CDS_BLOCK_CRC_ERR ((CFE_Status_t)0xc400001A)
     CDS Block CRC Error.

    #define CFE ES MUT SEM DELETE ERR ((CFE Status t)0xc400001B)

     Mutex Semaphore Delete Error.
• #define CFE_ES_BIN_SEM_DELETE_ERR ((CFE_Status_t)0xc400001C)
     Binary Semaphore Delete Error.

    #define CFE ES COUNT SEM DELETE ERR ((CFE Status t)0xc400001D)

     Counting Semaphore Delete Error.

    #define CFE ES QUEUE DELETE ERR ((CFE Status t)0xc400001E)

     Queue Delete Error.

    #define CFE_ES_FILE_CLOSE_ERR ((CFE_Status_t)0xc400001F)

     File Close Error.

    #define CFE ES CDS WRONG TYPE ERR ((CFE Status t)0xc4000020)

     CDS Wrong Type Error.
```

```
    #define CFE_ES_CDS_OWNER_ACTIVE_ERR ((CFE_Status_t)0xc4000022)

     CDS Owner Active Error.

    #define CFE_ES_APP_CLEANUP_ERR ((CFE_Status_t)0xc4000023)

     Application Cleanup Error.

    #define CFE ES TIMER DELETE ERR ((CFE Status t)0xc4000024)

     Timer Delete Error.

    #define CFE ES BUFFER NOT IN POOL ((CFE Status t)0xc4000025)

     Buffer Not In Pool.

    #define CFE_ES_TASK_DELETE_ERR ((CFE_Status_t)0xc4000026)

     Task Delete Error.

    #define CFE ES OPERATION TIMED OUT ((CFE Status t)0xc4000027)

     Operation Timed Out.

    #define CFE ES LIB ALREADY LOADED ((CFE Status t)0x44000028)

     Library Already Loaded.
#define CFE_ES_ERR_SYS_LOG_TRUNCATED ((CFE_Status_t)0x44000029)
     System Log Message Truncated.

    #define CFE ES NO RESOURCE IDS AVAILABLE ((CFE Status t)0xc400002B)

     Resource ID is not available.

    #define CFE_ES_POOL_BLOCK_INVALID ((CFE_Status_t)0xc400002C)

     Invalid pool block.

    #define CFE_ES_ERR_DUPLICATE_NAME ((CFE_Status_t)0xc400002E)

     Duplicate Name Error.

    #define CFE_ES_NOT_IMPLEMENTED ((CFE_Status_t)0xc400ffff)

     Not Implemented.

    #define CFE_FS_BAD_ARGUMENT ((CFE_Status_t)0xc6000001)

     Bad Argument.

    #define CFE_FS_INVALID_PATH ((CFE_Status_t)0xc6000002)

     Invalid Path.

    #define CFE_FS_FNAME_TOO_LONG ((CFE_Status_t)0xc6000003)

     Filename Too Long.

    #define CFE_FS_NOT_IMPLEMENTED ((CFE_Status_t)0xc600ffff)

     Not Implemented.

    #define CFE_SB_TIME_OUT ((CFE_Status_t)0xca000001)

     Time Out.

    #define CFE SB NO MESSAGE ((CFE Status t)0xca000002)

     No Message.

    #define CFE_SB_BAD_ARGUMENT ((CFE_Status_t)0xca000003)

     Bad Argument.

    #define CFE SB MAX PIPES MET ((CFE Status t)0xca000004)

     Max Pipes Met.

    #define CFE_SB_PIPE_CR_ERR ((CFE_Status_t)0xca000005)

     Pipe Create Error.

    #define CFE SB PIPE RD ERR ((CFE Status t)0xca000006)

     Pipe Read Error.

    #define CFE SB MSG TOO BIG ((CFE Status t)0xca000007)

     Message Too Big.
```

#define CFE SB BUF ALOC ERR ((CFE Status t)0xca000008)

```
Buffer Allocation Error.
```

• #define CFE\_SB\_MAX\_MSGS\_MET ((CFE\_Status\_t)0xca000009)

Max Messages Met.

#define CFE\_SB\_MAX\_DESTS\_MET ((CFE\_Status\_t)0xca000000a)

Max Destinations Met.

#define CFE\_SB\_INTERNAL\_ERR ((CFE\_Status\_t)0xca00000c)

Internal Error.

- #define CFE\_SB\_WRONG\_MSG\_TYPE ((CFE\_Status\_t)0xca00000d)
   Wrong Message Type.
- #define CFE\_SB\_BUFFER\_INVALID ((CFE\_Status\_t)0xca00000e)
   Buffer Invalid.
- #define CFE\_SB\_NOT\_IMPLEMENTED ((CFE\_Status\_t)0xca00ffff)
   Not Implemented.
- #define CFE\_TBL\_ERR\_INVALID\_HANDLE ((CFE\_Status\_t)0xcc000001)
   Invalid Handle.
- #define CFE\_TBL\_ERR\_INVALID\_NAME ((CFE\_Status\_t)0xcc000002)
   Invalid Name.
- #define CFE\_TBL\_ERR\_INVALID\_SIZE ((CFE\_Status\_t)0xcc000003)
   Invalid Size.
- #define CFE\_TBL\_INFO\_UPDATE\_PENDING ((CFE\_Status\_t)0x4c000004)
   Update Pending.
- #define CFE\_TBL\_ERR\_NEVER\_LOADED ((CFE\_Status\_t)0xcc000005)
   Never Loaded.
- #define CFE\_TBL\_ERR\_REGISTRY\_FULL ((CFE\_Status\_t)0xcc000006)
   Registry Full.
- #define CFE\_TBL\_WARN\_DUPLICATE ((CFE\_Status\_t)0x4c000007)
   Duplicate Warning.
- #define CFE\_TBL\_ERR\_NO\_ACCESS ((CFE\_Status\_t)0xcc000008)
   No Access.
- #define CFE\_TBL\_ERR\_UNREGISTERED ((CFE\_Status\_t)0xcc000009)
   Unregistered.
- #define CFE\_TBL\_ERR\_HANDLES\_FULL ((CFE\_Status\_t)0xcc00000B)
   Handles Full.
- #define CFE\_TBL\_ERR\_DUPLICATE\_DIFF\_SIZE ((CFE\_Status\_t)0xcc00000C)
   Duplicate Table With Different Size.
- #define CFE\_TBL\_ERR\_DUPLICATE\_NOT\_OWNED ((CFE\_Status\_t)0xcc00000D)

Duplicate Table And Not Owned.

- #define CFE\_TBL\_INFO\_UPDATED ((CFE\_Status\_t)0x4c00000E)
   Updated.
- #define CFE\_TBL\_ERR\_NO\_BUFFER\_AVAIL ((CFE\_Status\_t)0xcc00000F)
   No Buffer Available.
- #define CFE\_TBL\_ERR\_DUMP\_ONLY ((CFE\_Status\_t)0xcc000010)
   Dump Only Error.
- #define CFE\_TBL\_ERR\_ILLEGAL\_SRC\_TYPE ((CFE\_Status\_t)0xcc000011)

  Illegal Source Type.
- #define CFE\_TBL\_ERR\_LOAD\_IN\_PROGRESS ((CFE\_Status\_t)0xcc000012)
   Load In Progress.

```
    #define CFE_TBL_ERR_FILE_TOO_LARGE ((CFE_Status_t)0xcc000014)
    File Too Large.
    #define CFE_TBL_WARN_SHORT_FILE ((CFE_Status_t)0x4c000015)
```

• #define CFE\_TBL\_ERR\_BAD\_CONTENT\_ID ((CFE\_Status\_t)0xcc000016)

Bad Content ID.

Short File Warning.

- #define CFE\_TBL\_INFO\_NO\_UPDATE\_PENDING ((CFE\_Status\_t)0x4c000017)
   No Update Pending.
- #define CFE\_TBL\_INFO\_TABLE\_LOCKED ((CFE\_Status\_t)0x4c000018)
   Table Locked.
- #define CFE\_TBL\_INFO\_VALIDATION\_PENDING ((CFE\_Status\_t)0x4c000019)
- #define CFE\_TBL\_INFO\_NO\_VALIDATION\_PENDING ((CFE\_Status\_t)0x4c00001A)
- #define CFE\_TBL\_ERR\_BAD\_SUBTYPE\_ID ((CFE\_Status\_t)0xcc00001B)
   Bad Subtype ID.
- #define CFE\_TBL\_ERR\_FILE\_SIZE\_INCONSISTENT ((CFE\_Status\_t)0xcc00001C) File Size Inconsistent.
- #define CFE\_TBL\_ERR\_NO\_STD\_HEADER ((CFE\_Status\_t)0xcc00001D)

  No Standard Header.
- #define CFE\_TBL\_ERR\_NO\_TBL\_HEADER ((CFE\_Status\_t)0xcc00001E)
   No Table Header.
- #define CFE\_TBL\_ERR\_FILENAME\_TOO\_LONG ((CFE\_Status\_t)0xcc00001F)
   Filename Too Long.
- #define CFE\_TBL\_ERR\_FILE\_FOR\_WRONG\_TABLE ((CFE\_Status\_t)0xcc000020)
   File For Wrong Table.
- #define CFE\_TBL\_ERR\_LOAD\_INCOMPLETE ((CFE\_Status\_t)0xcc000021)
   Load Incomplete.
- #define CFE\_TBL\_WARN\_PARTIAL\_LOAD ((CFE\_Status\_t)0x4c000022)
   Partial Load Warning.
- #define CFE\_TBL\_ERR\_PARTIAL\_LOAD ((CFE\_Status\_t)0xcc000023)
   Partial Load Error.
- #define CFE\_TBL\_INFO\_DUMP\_PENDING ((CFE\_Status\_t)0x4c000024)
   Dump Pending.
- #define CFE\_TBL\_ERR\_INVALID\_OPTIONS ((CFE\_Status\_t)0xcc000025)
   Invalid Options.
- #define CFE\_TBL\_WARN\_NOT\_CRITICAL ((CFE\_Status\_t)0x4c000026)
   Not Critical Warning.
- #define CFE\_TBL\_INFO\_RECOVERED\_TBL ((CFE\_Status\_t)0x4c000027)
   Recovered Table.
- #define CFE\_TBL\_ERR\_BAD\_SPACECRAFT\_ID ((CFE\_Status\_t)0xcc000028)
   Bad Spacecraft ID.
- #define CFE\_TBL\_ERR\_BAD\_PROCESSOR\_ID ((CFE\_Status\_t)0xcc000029)
   Bad Processor ID.
- #define CFE\_TBL\_MESSAGE\_ERROR ((CFE\_Status\_t)0xcc00002a)
   Message Error.
- #define CFE\_TBL\_ERR\_SHORT\_FILE ((CFE\_Status\_t)0xcc00002b)
- #define CFE\_TBL\_ERR\_ACCESS ((CFE\_Status\_t)0xcc00002c)
- #define CFE TBL BAD ARGUMENT ((CFE Status t)0xcc00002d)

```
Bad Argument.

    #define CFE_TBL_NOT_IMPLEMENTED ((CFE_Status_t)0xcc00ffff)

         Not Implemented.

    #define CFE_TIME_NOT_IMPLEMENTED ((CFE_Status_t)0xce00ffff)

         Not Implemented.

    #define CFE_TIME_INTERNAL_ONLY ((CFE_Status_t)0xce000001)

         Internal Only.

    #define CFE_TIME_OUT_OF_RANGE ((CFE_Status_t)0xce000002)

         Out Of Range.
    • #define CFE_TIME_TOO_MANY_SYNCH_CALLBACKS ((CFE_Status_t)0xce000003)
         Too Many Sync Callbacks.

    #define CFE_TIME_CALLBACK_NOT_REGISTERED ((CFE_Status_t)0xce000004)

         Callback Not Registered.

    #define CFE_TIME_BAD_ARGUMENT ((CFE_Status_t)0xce000005)

         Bad Argument.
Typedefs
    • typedef int32 CFE_Status_t
38.20.1 Detailed Description
Title: cFE Status Code Definition Header File
Purpose: Common source of cFE API return status codes.
Design Notes:
References: Flight Software Branch C Coding Standard Version 1.0a
38.20.2 Macro Definition Documentation
```

```
38.20.2.1 CFE_EVENTS_SERVICE

#define CFE_EVENTS_SERVICE ((CFE_Status_t)0x02000000)

Event Service.
```

Definition at line 99 of file cfe\_error.h.

```
38.20.2.2 CFE_EXECUTIVE_SERVICE
```

```
#define CFE_EXECUTIVE_SERVICE ((CFE_Status_t)0x04000000)
```

Executive Service.

Definition at line 100 of file cfe\_error.h.

## 38.20.2.3 CFE\_FILE\_SERVICE

```
#define CFE_FILE_SERVICE ((CFE_Status_t)0x06000000)
```

File Service.

Definition at line 101 of file cfe\_error.h.

## 38.20.2.4 CFE\_GENERIC\_SERVICE

```
#define CFE_GENERIC_SERVICE ((CFE_Status_t)0x08000000)
```

Generic Service.

Definition at line 102 of file cfe\_error.h.

## 38.20.2.5 CFE\_SERVICE\_BITMASK

```
#define CFE_SERVICE_BITMASK ((CFE_Status_t)0x0e000000)
```

Error Service Bitmask.

Definition at line 97 of file cfe\_error.h.

## 38.20.2.6 CFE\_SEVERITY\_BITMASK

```
#define CFE_SEVERITY_BITMASK ((CFE_Status_t)0xc0000000)
```

Error Severity Bitmask.

Definition at line 88 of file cfe\_error.h.

```
38.20.2.7 CFE_SEVERITY_ERROR
```

```
#define CFE_SEVERITY_ERROR ((CFE_Status_t)0xc0000000)
```

Severity Error.

Definition at line 92 of file cfe\_error.h.

```
38.20.2.8 CFE_SEVERITY_INFO
```

```
#define CFE_SEVERITY_INFO ((CFE_Status_t)0x40000000)
```

Severity Info.

Definition at line 91 of file cfe\_error.h.

## 38.20.2.9 CFE\_SEVERITY\_SUCCESS

```
#define CFE_SEVERITY_SUCCESS ((CFE_Status_t)0x00000000)
```

Severity Success.

Definition at line 90 of file cfe\_error.h.

## 38.20.2.10 CFE\_SOFTWARE\_BUS\_SERVICE

```
#define CFE_SOFTWARE_BUS_SERVICE ((CFE_Status_t)0x0a000000)
```

Software Bus Service.

Definition at line 103 of file cfe\_error.h.

## 38.20.2.11 CFE\_TABLE\_SERVICE

```
#define CFE_TABLE_SERVICE ((CFE_Status_t)0x0c000000)
```

Table Service.

Definition at line 104 of file cfe\_error.h.

```
38.20.2.12 CFE_TIME_SERVICE

#define CFE_TIME_SERVICE ((CFE_Status_t)0x0e000000)

Time Service.

Definition at line 105 of file cfe_error.h.

38.20.3 Typedef Documentation
```

Definition at line 45 of file cfe\_error.h.

typedef int32 CFE\_Status\_t

38.21 cfe/modules/core\_api/fsw/inc/cfe\_es.h File Reference

```
#include "common_types.h"
#include "cfe_error.h"
#include "cfe_es_api_typedefs.h"
#include "cfe_resourceid_api_typedefs.h"
```

### Macros

- #define OS\_PRINTF(m, n)
- #define CFE\_ES\_DBIT(x) (1L << (x)) /\* Places a one at bit positions 0 thru 31 \*/</li>
- #define CFE\_ES\_DTEST(i, x) (((i)&CFE\_ES\_DBIT(x)) != 0) /\* true iff bit x of i is set \*/
- #define CFE\_ES\_TEST\_LONG\_MASK(m, s) (CFE\_ES\_DTEST(m[(s) / 32], (s) % 32)) /\* Test a bit within an array of 32-bit integers. \*/
- #define CFE\_ES\_PerfLogEntry(id) (CFE\_ES\_PerfLogAdd(id, 0))

Entry marker for use with Software Performance Analysis Tool.

• #define CFE\_ES\_PerfLogExit(id) (CFE\_ES\_PerfLogAdd(id, 1))

Exit marker for use with Software Performance Analysis Tool.

#### **Functions**

 CFE Status t CFE ES ApplD ToIndex (CFE ES Appld t ApplD, uint32 \*Idx) Obtain an index value correlating to an ES Application ID. • int32 CFE ES LibID ToIndex (CFE ES LibId t LibId, uint32 \*Idx) Obtain an index value correlating to an ES Library ID. • CFE\_Status\_t CFE\_ES\_TaskID\_ToIndex (CFE\_ES\_TaskId\_t TaskID, uint32 \*Idx) Obtain an index value correlating to an ES Task ID. CFE\_Status\_t CFE\_ES\_CounterID\_ToIndex (CFE\_ES\_CounterId\_t CounterId, uint32 \*Idx) Obtain an index value correlating to an ES Counter ID. void CFE\_ES\_Main (uint32 StartType, uint32 StartSubtype, uint32 Modeld, const char \*StartFilePath) cFE Main Entry Point used by Board Support Package to start cFE CFE Status t CFE ES ResetCFE (uint32 ResetType) Reset the cFE Core and all cFE Applications. CFE Status t CFE ES RestartApp (CFE ES Appld t ApplD) Restart a single cFE Application. CFE Status t CFE ES ReloadApp (CFE ES Appld t ApplD, const char \*AppFileName) Reload a single cFE Application. CFE Status t CFE ES DeleteApp (CFE ES Appld t ApplD) Delete a cFE Application. void CFE ES ExitApp (uint32 ExitStatus) Exit a cFE Application. bool CFE ES RunLoop (uint32 \*RunStatus) Check for Exit, Restart, or Reload commands. CFE Status t CFE ES WaitForSystemState (uint32 MinSystemState, uint32 TimeOutMilliseconds) Allow an Application to Wait for a minimum global system state. void CFE\_ES\_WaitForStartupSync (uint32 TimeOutMilliseconds) Allow an Application to Wait for the "OPERATIONAL" global system state. void CFE\_ES\_IncrementTaskCounter (void) Increments the execution counter for the calling task. int32 CFE\_ES\_GetResetType (uint32 \*ResetSubtypePtr) Return the most recent Reset Type. CFE Status t CFE ES GetAppID (CFE ES AppId t \*AppIdPtr) Get an Application ID for the calling Application. CFE\_Status\_t CFE\_ES\_GetTaskID (CFE\_ES\_TaskId\_t \*TaskIdPtr) Get the task ID of the calling context. CFE\_Status\_t CFE\_ES\_GetAppIDByName (CFE\_ES\_AppId\_t \*AppIdPtr, const char \*AppName) Get an Application ID associated with a specified Application name. CFE Status t CFE ES GetLibIDByName (CFE ES LibId t \*LibIdPtr, const char \*LibName) Get a Library ID associated with a specified Library name. CFE Status t CFE ES GetAppName (char \*AppName, CFE ES Appld t Appld, size t BufferLength) Get an Application name for a specified Application ID. CFE Status t CFE ES GetLibName (char \*LibName, CFE ES LibId t LibId, size t BufferLength) Get a Library name for a specified Library ID. CFE\_Status\_t CFE\_ES\_GetAppInfo (CFE\_ES\_AppInfo\_t \*AppInfo, CFE\_ES\_AppId\_t AppId)

CFE Status t CFE ES GetTaskInfo (CFE ES TaskInfo t \*TaskInfo, CFE ES TaskId)

Get Application Information given a specified App ID.

Get Task Information given a specified Task ID.

int32 CFE\_ES\_GetLibInfo (CFE\_ES\_AppInfo\_t \*LibInfo, CFE\_ES\_LibId\_t LibId)

Get Library Information given a specified Resource ID.

int32 CFE ES GetModuleInfo (CFE ES AppInfo t \*ModuleInfo, CFE ResourceId)

Get Information given a specified Resource ID.

CFE\_Status\_t CFE\_ES\_CreateChildTask (CFE\_ES\_TaskId\_t \*TaskIdPtr, const char \*TaskName, CFE\_ES
 \_ChildTaskMainFuncPtr\_t FunctionPtr, CFE\_ES\_StackPointer\_t StackPtr, size\_t StackSize, CFE\_ES\_Task
 Priority\_Atom\_t Priority, uint32 Flags)

Creates a new task under an existing Application.

CFE\_Status\_t CFE\_ES\_GetTaskIDByName (CFE\_ES\_TaskId\_t \*TaskIdPtr, const char \*TaskName)

Get a Task ID associated with a specified Task name.

CFE\_Status\_t CFE\_ES\_GetTaskName (char \*TaskName, CFE\_ES\_TaskId\_t TaskId, size\_t BufferLength)

Get a Task name for a specified Task ID.

CFE\_Status\_t CFE\_ES\_DeleteChildTask (CFE\_ES\_TaskId\_t TaskId)

Deletes a task under an existing Application.

void CFE\_ES\_ExitChildTask (void)

Exits a child task.

void CFE\_ES\_BackgroundWakeup (void)

Wakes up the CFE background task.

CFE Status t CFE ES WriteToSysLog (const char \*SpecStringPtr,...) OS PRINTF(1

Write a string to the cFE System Log.

CFE\_Status\_t uint32 CFE\_ES\_CalculateCRC (const void \*DataPtr, size\_t DataLength, uint32 InputCRC, uint32 TypeCRC)

Calculate a CRC on a block of memory.

void CFE\_ES\_ProcessAsyncEvent (void)

Notification that an asynchronous event was detected by the underlying OS/PSP.

CFE\_Status\_t CFE\_ES\_RegisterCDS (CFE\_ES\_CDSHandle\_t \*CDSHandlePtr, size\_t BlockSize, const char \*Name)

Reserve space (or re-obtain previously reserved space) in the Critical Data Store (CDS)

- CFE\_Status\_t CFE\_ES\_GetCDSBlockIDByName (CFE\_ES\_CDSHandle\_t \*BlockIdPtr, const char \*BlockName)

  Get a CDS Block ID associated with a specified CDS Block name.
- CFE\_Status\_t CFE\_ES\_GetCDSBlockName (char \*BlockName, CFE\_ES\_CDSHandle\_t BlockId, size\_t Buffer ← Length)

Get a Block name for a specified Block ID.

CFE\_Status\_t CFE\_ES\_CopyToCDS (CFE\_ES\_CDSHandle\_t Handle, const void \*DataToCopy)

Save a block of data in the Critical Data Store (CDS)

• CFE Status t CFE ES RestoreFromCDS (void \*RestoreToMemory, CFE ES CDSHandle t Handle)

Recover a block of data from the Critical Data Store (CDS)

• CFE Status t CFE ES PoolCreateNoSem (CFE ES MemHandle t \*PoolID, void \*MemPtr, size t Size)

Initializes a memory pool created by an application without using a semaphore during processing.

CFE Status t CFE ES PoolCreate (CFE ES MemHandle t \*PoolID, void \*MemPtr, size t Size)

Initializes a memory pool created by an application while using a semaphore during processing.

CFE\_Status\_t CFE\_ES\_PoolCreateEx (CFE\_ES\_MemHandle\_t \*PoolID, void \*MemPtr, size\_t Size, uint16
 NumBlockSizes, const size t \*BlockSizes, bool UseMutex)

Initializes a memory pool created by an application with application specified block sizes.

int32 CFE ES PoolDelete (CFE ES MemHandle t PoolID)

Deletes a memory pool that was previously created.

• int32 CFE ES GetPoolBuf (CFE ES MemPoolBuf t \*BufPtr, CFE ES MemHandle t Handle, size t Size)

Gets a buffer from the memory pool created by CFE\_ES\_PoolCreate or CFE\_ES\_PoolCreateNoSem.

CFE\_Status\_t CFE\_ES\_GetPoolBufInfo (CFE\_ES\_MemHandle\_t Handle, CFE\_ES\_MemPoolBuf\_t BufPtr)
 Gets info on a buffer previously allocated via CFE\_ES\_GetPoolBuf.

int32 CFE\_ES\_PutPoolBuf (CFE\_ES\_MemHandle\_t Handle, CFE\_ES\_MemPoolBuf\_t BufPtr)

Releases a buffer from the memory pool that was previously allocated via CFE ES GetPoolBuf.

• CFE\_Status\_t CFE\_ES\_GetMemPoolStats (CFE\_ES\_MemPoolStats\_t \*BufPtr, CFE\_ES\_MemHandle\_t Handle)

Extracts the statistics maintained by the memory pool software.

void CFE ES PerfLogAdd (uint32 Marker, uint32 EntryExit)

Adds a new entry to the data buffer.

- CFE\_Status\_t CFE\_ES\_RegisterGenCounter (CFE\_ES\_CounterId\_t \*CounterIdPtr, const char \*CounterName)

  \*\*Register a generic counter.\*
- CFE\_Status\_t CFE\_ES\_DeleteGenCounter (CFE\_ES\_CounterId\_t CounterId)

Delete a generic counter.

CFE Status t CFE ES IncrementGenCounter (CFE ES Counterld t Counterld)

Increments the specified generic counter.

CFE\_Status\_t CFE\_ES\_SetGenCount (CFE\_ES\_CounterId\_t CounterId, uint32 Count)

Set the specified generic counter.

CFE\_Status\_t CFE\_ES\_GetGenCount (CFE\_ES\_CounterId\_t CounterId, uint32 \*Count)

Get the specified generic counter count.

CFE\_Status\_t CFE\_ES\_GetGenCounterIDByName (CFE\_ES\_CounterId\_t \*CounterIdPtr, const char \*CounterName)

Get the Id associated with a generic counter name.

CFE\_Status\_t CFE\_ES\_GetGenCounterName (char \*CounterName, CFE\_ES\_CounterId\_t CounterId, size\_
 t BufferLength)

Get a Counter name for a specified Counter ID.

## 38.21.1 Detailed Description

Purpose: Unit specification for Executive Services library functions and macros.

References: Flight Software Branch C Coding Standard Version 1.0a cFE Flight Software Application Developers Guide

Notes:

### 38.21.2 Macro Definition Documentation

```
38.21.2.1 CFE_ES_DBIT
```

```
#define CFE_ES_DBIT( x ) (1L << (x)) /* Places a one at bit positions 0 thru 31 */
```

Definition at line 59 of file cfe\_es.h.

# 38.21.2.2 CFE\_ES\_DTEST

```
#define CFE_ES_DTEST(  i, \\ x ) \ (((i)\&CFE\_ES\_DBIT(x)) \ != 0) \ /* \ true \ iff \ bit \ x \ of \ i \ is \ set \ */
```

Definition at line 60 of file cfe\_es.h.

### 38.21.2.3 CFE\_ES\_TEST\_LONG\_MASK

Definition at line 61 of file cfe\_es.h.

# 38.21.2.4 OS\_PRINTF

```
#define OS_PRINTF( m, n )
```

Definition at line 52 of file cfe\_es.h.

# 38.22 cfe/modules/core\_api/fsw/inc/cfe\_es\_api\_typedefs.h File Reference

```
#include "common_types.h"
#include "cfe_es_extern_typedefs.h"
```

### **Data Structures**

• union CFE\_ES\_PoolAlign

Pool Alignment.

#### **Macros**

#define CFE ES STATIC POOL TYPE(size)

Static Pool Type.

#define CFE ES MEMPOOLBUF C(x) ((CFE ES MemPoolBuf t)(x))

Conversion macro to create buffer pointer from another type.

#define CFE\_ES\_NO\_MUTEX false

Indicates that the memory pool selection will not use a semaphore.

#define CFE ES USE MUTEX true

Indicates that the memory pool selection will use a semaphore.

#### Reset Type extensions

#define CFE\_ES\_APP\_RESTART CFE\_PSP\_RST\_TYPE\_MAX

#### Conversions for ES resource IDs

- #define CFE ES APPID C(val) ((CFE ES Appld t)CFE RESOURCEID WRAP(val))
- #define CFE ES TASKID C(val) ((CFE ES TaskId t)CFE RESOURCEID WRAP(val))
- #define CFE\_ES\_LIBID\_C(val) ((CFE\_ES\_LibId\_t)CFE\_RESOURCEID\_WRAP(val))
- #define CFE\_ES\_COUNTERID\_C(val) ((CFE\_ES\_CounterId\_t)CFE\_RESOURCEID\_WRAP(val))
- #define CFE ES MEMHANDLE C(val) ((CFE ES MemHandle t)CFE RESOURCEID WRAP(val))
- #define CFE\_ES\_CDSHANDLE\_C(val) ((CFE\_ES\_CDSHandle\_t)CFE\_RESOURCEID\_WRAP(val))

#### Type-specific initializers for "undefined" resource IDs

- #define CFE ES APPID UNDEFINED CFE ES APPID C(CFE RESOURCEID UNDEFINED)
- #define CFE\_ES\_TASKID\_UNDEFINED CFE\_ES\_TASKID\_C(CFE\_RESOURCEID\_UNDEFINED)
- #define CFE\_ES\_LIBID\_UNDEFINED CFE\_ES\_LIBID\_C(CFE\_RESOURCEID\_UNDEFINED)
- #define CFE\_ES\_COUNTERID\_UNDEFINED CFE\_ES\_COUNTERID\_C(CFE\_RESOURCEID\_UNDEFIN←
   ED)
- #define CFE\_ES\_MEMHANDLE\_UNDEFINED CFE\_ES\_MEMHANDLE\_C(CFE\_RESOURCEID\_UNDEFI→ NED)
- #define CFE\_ES\_CDS\_BAD\_HANDLE CFE\_ES\_CDSHANDLE\_C(CFE\_RESOURCEID\_UNDEFINED)

# **Task Stack Constants**

 #define CFE\_ES\_TASK\_STACK\_ALLOCATE NULL /\* aka OS\_TASK\_STACK\_ALLOCATE in proposed O← SAL change \*/

Indicates that the stack for the child task should be dynamically allocated.

### **Typedefs**

typedef void(\* CFE\_ES\_TaskEntryFuncPtr\_t) (void)

Required Prototype of Task Main Functions.

typedef int32(\* CFE\_ES\_LibraryEntryFuncPtr\_t) (CFE\_ES\_LibId\_t LibId)

Required Prototype of Library Initialization Functions.

typedef CFE\_ES\_TaskEntryFuncPtr\_t CFE\_ES\_ChildTaskMainFuncPtr\_t

Compatible typedef for ES child task entry point.

typedef void \* CFE ES StackPointer t

Type for the stack pointer of tasks.

typedef union CFE ES PoolAlign CFE ES PoolAlign t

Pool Alignment.

typedef void \* CFE\_ES\_MemPoolBuf\_t

Pointer type used for memory pool API.

# 38.22.1 Detailed Description

Purpose: Unit specification for Executive Services library functions and macros.

References: Flight Software Branch C Coding Standard Version 1.0a cFE Flight Software Application Developers Guide

Notes:

38.22.2 Macro Definition Documentation

```
38.22.2.1 CFE_ES_APP_RESTART
```

```
#define CFE_ES_APP_RESTART CFE_PSP_RST_TYPE_MAX
```

Application only was reset (extend the PSP enumeration here)

Definition at line 59 of file cfe\_es\_api\_typedefs.h.

### 38.22.2.2 CFE\_ES\_APPID\_C

Definition at line 158 of file cfe\_es\_api\_typedefs.h.

### 38.22.2.3 CFE\_ES\_APPID\_UNDEFINED

```
#define CFE_ES_APPID_UNDEFINED CFE_ES_APPID_C(CFE_RESOURCEID_UNDEFINED)
```

Definition at line 170 of file cfe\_es\_api\_typedefs.h.

# 38.22.2.4 CFE\_ES\_CDS\_BAD\_HANDLE

```
#define CFE_ES_CDS_BAD_HANDLE CFE_ES_CDSHANDLE_C(CFE_RESOURCEID_UNDEFINED)
```

Definition at line 175 of file cfe\_es\_api\_typedefs.h.

# 38.22.2.5 CFE\_ES\_CDSHANDLE\_C

Definition at line 163 of file cfe\_es\_api\_typedefs.h.

### 38.22.2.6 CFE\_ES\_COUNTERID\_C

Definition at line 161 of file cfe\_es\_api\_typedefs.h.

#### 38.22.2.7 CFE\_ES\_COUNTERID\_UNDEFINED

```
#define CFE_ES_COUNTERID_UNDEFINED CFE_ES_COUNTERID_C(CFE_RESOURCEID_UNDEFINED)
```

Definition at line 173 of file cfe\_es\_api\_typedefs.h.

### 38.22.2.8 CFE\_ES\_LIBID\_C

Definition at line 160 of file cfe\_es\_api\_typedefs.h.

# 38.22.2.9 CFE\_ES\_LIBID\_UNDEFINED

```
#define CFE_ES_LIBID_UNDEFINED CFE_ES_LIBID_C(CFE_RESOURCEID_UNDEFINED)
```

Definition at line 172 of file cfe\_es\_api\_typedefs.h.

#### 38.22.2.10 CFE\_ES\_MEMHANDLE\_C

Definition at line 162 of file cfe\_es\_api\_typedefs.h.

# 38.22.2.11 CFE\_ES\_MEMHANDLE\_UNDEFINED

```
#define CFE_ES_MEMHANDLE_UNDEFINED CFE_ES_MEMHANDLE_C(CFE_RESOURCEID_UNDEFINED)
```

Definition at line 174 of file cfe\_es\_api\_typedefs.h.

#### 38.22.2.12 CFE ES MEMPOOLBUF C

Conversion macro to create buffer pointer from another type.

In cases where the actual buffer pointer is computed, this macro aids in converting the computed address (typically an OSAL "cpuaddr" type) into a buffer pointer.

Note

Any address calculation needs to take machine alignment requirements into account.

Definition at line 143 of file cfe\_es\_api\_typedefs.h.

### 38.22.2.13 CFE\_ES\_NO\_MUTEX

```
#define CFE_ES_NO_MUTEX false
```

Indicates that the memory pool selection will not use a semaphore.

Definition at line 190 of file cfe\_es\_api\_typedefs.h.

#### 38.22.2.14 CFE\_ES\_STATIC\_POOL\_TYPE

#### Value:

```
union
{
    CFE_ES_PoolAlign_t Align;
    uint8    Data[size]; \
}
```

Static Pool Type.

A macro to help instantiate static memory pools that are correctly aligned. This resolves to a union type that contains a member called "Data" that will be correctly aligned to be a memory pool and sized according to the argument.

Definition at line 110 of file cfe\_es\_api\_typedefs.h.

# 38.22.2.15 CFE\_ES\_TASK\_STACK\_ALLOCATE

```
#define CFE_ES_TASK_STACK_ALLOCATE NULL /* aka OS_TASK_STACK_ALLOCATE in proposed OSAL change */
```

Indicates that the stack for the child task should be dynamically allocated.

This value may be supplied as the Stack Pointer argument to CFE\_ES\_ChildTaskCreate() to indicate that the stack should be dynamically allocated.

Definition at line 187 of file cfe\_es\_api\_typedefs.h.

### 

Definition at line 159 of file cfe\_es\_api\_typedefs.h.

# 38.22.2.17 CFE\_ES\_TASKID\_UNDEFINED

```
#define CFE_ES_TASKID_UNDEFINED CFE_ES_TASKID_C(CFE_RESOURCEID_UNDEFINED)
```

Definition at line 171 of file cfe es api typedefs.h.

## 38.22.2.18 CFE\_ES\_USE\_MUTEX

```
#define CFE_ES_USE_MUTEX true
```

Indicates that the memory pool selection will use a semaphore.

Definition at line 191 of file cfe\_es\_api\_typedefs.h.

### 38.22.3 Typedef Documentation

### 38.22.3.1 CFE\_ES\_ChildTaskMainFuncPtr\_t

```
typedef CFE_ES_TaskEntryFuncPtr_t CFE_ES_ChildTaskMainFuncPtr_t
```

Compatible typedef for ES child task entry point.

All ES task functions (main + child) use the same entry point type.

Definition at line 79 of file cfe\_es\_api\_typedefs.h.

```
38.22.3.2 CFE_ES_LibraryEntryFuncPtr_t
```

```
typedef int32(* CFE_ES_LibraryEntryFuncPtr_t) (CFE_ES_LibId_t LibId)
```

Required Prototype of Library Initialization Functions.

Definition at line 71 of file cfe es api typedefs.h.

```
38.22.3.3 CFE_ES_MemPoolBuf_t
```

```
typedef void* CFE_ES_MemPoolBuf_t
```

Pointer type used for memory pool API.

This is used in the Get/Put API calls to refer to a pool buffer.

This pointer is expected to be type cast to the real object type after getting a new buffer. Using void\* allows this type conversion to occur easily.

Note

Older versions of CFE implemented the API using a uint32\*, which required explicit type casting everywhere it was called. Although the API type is now void\* to make usage easier, the pool buffers are aligned to machine requirements - typically 64 bits.

Definition at line 131 of file cfe\_es\_api\_typedefs.h.

```
38.22.3.4 CFE_ES_PoolAlign_t
```

```
typedef union CFE_ES_PoolAlign CFE_ES_PoolAlign_t
```

Pool Alignment.

Union that can be used for minimum memory alignment of ES memory pools on the target. It contains the longest native data types such that the alignment of this structure should reflect the largest possible alignment requirements for any data on this processor.

```
38.22.3.5 CFE_ES_StackPointer_t
```

```
typedef void* CFE_ES_StackPointer_t
```

Type for the stack pointer of tasks.

This type is used in the CFE ES task API.

Definition at line 86 of file cfe\_es\_api\_typedefs.h.

```
38.22.3.6 CFE_ES_TaskEntryFuncPtr_t
```

```
typedef void(* CFE_ES_TaskEntryFuncPtr_t) (void)
```

Required Prototype of Task Main Functions.

Definition at line 70 of file cfe es api typedefs.h.

### 38.23 cfe/modules/core\_api/fsw/inc/cfe\_es\_extern\_typedefs.h File Reference

```
#include "common_types.h"
#include "cfe_resourceid_typedef.h"
#include "cfe_mission_cfg.h"
```

#### **Data Structures**

- struct CFE ES MemAddOff
- struct CFE\_ES\_AppInfo

Application Information.

• struct CFE\_ES\_TaskInfo

Task Information.

• struct CFE\_ES\_CDSRegDumpRec

CDS Register Dump Record.

• struct CFE\_ES\_BlockStats

Block statistics.

struct CFE\_ES\_MemPoolStats

Memory Pool Statistics.

### Macros

- #define CFE ES MEMOFFSET C(x) ((CFE ES MemOffset t)(x))
- #define CFE\_ES\_MEMADDRESS\_C(x) ((CFE\_ES\_MemAddress\_t)((cpuaddr)(x)&0xFFFFFFF))

# Typedefs

typedef uint8 CFE ES LogMode Enum t

Identifies handling of log messages after storage is filled.

• typedef uint8 CFE\_ES\_ExceptionAction\_Enum\_t

Identifies action to take if exception occurs.

typedef uint8 CFE\_ES\_AppType\_Enum\_t

Identifies type of CFE application.

typedef uint32 CFE\_ES\_RunStatus\_Enum\_t

Run Status and Exit Status identifiers.

typedef uint32 CFE\_ES\_SystemState\_Enum\_t

The overall cFE System State.

typedef uint8 CFE ES LogEntryType Enum t

Type of entry in the Error and Reset (ER) Log.

• typedef uint32 CFE\_ES\_AppState\_Enum\_t

Application Run State.

typedef CFE\_RESOURCEID\_BASE\_TYPE CFE\_ES\_Appld\_t

A type for Application IDs.

typedef CFE RESOURCEID BASE TYPE CFE ES Taskld t

A type for Task IDs.

typedef CFE RESOURCEID BASE TYPE CFE ES LibId t

A type for Library IDs.

typedef CFE\_RESOURCEID\_BASE\_TYPE CFE\_ES\_CounterId\_t

A type for Counter IDs.

typedef CFE\_RESOURCEID\_BASE\_TYPE CFE\_ES\_MemHandle\_t

Memory Handle type.

typedef CFE\_RESOURCEID\_BASE\_TYPE CFE\_ES\_CDSHandle\_t

CDS Handle type.

typedef uint16 CFE\_ES\_TaskPriority\_Atom\_t

Type used for task priority in CFE ES as including the commands/telemetry messages.

typedef uint32 CFE\_ES\_MemOffset\_t

Type used for memory sizes and offsets in commands and telemetry.

typedef uint32 CFE\_ES\_MemAddress\_t

Type used for memory addresses in command and telemetry messages.

- typedef struct CFE\_ES\_MemAddOff CFE\_ES\_MemAddOff\_t
- typedef struct CFE\_ES\_AppInfo CFE\_ES\_AppInfo\_t

Application Information.

typedef struct CFE ES TaskInfo CFE ES TaskInfo t

Task Information.

typedef struct CFE\_ES\_CDSRegDumpRec\_t

CDS Register Dump Record.

• typedef struct CFE\_ES\_BlockStats CFE\_ES\_BlockStats\_t

Block statistics.

typedef struct CFE ES MemPoolStats CFE ES MemPoolStats t

Memory Pool Statistics.

### **Enumerations**

- enum CFE\_ES\_LogMode { CFE\_ES\_LogMode\_OVERWRITE = 0, CFE\_ES\_LogMode\_DISCARD = 1 }
  - ${\it Label definitions associated with CFE\_ES\_LogMode\_Enum\_t.}$
- enum CFE\_ES\_ExceptionAction { CFE\_ES\_ExceptionAction\_RESTART\_APP = 0, CFE\_ES\_ExceptionAction ← \_PROC\_RESTART = 1 }

Label definitions associated with CFE ES ExceptionAction Enum t.

Label definitions associated with CFE\_ES\_AppType\_Enum\_t.

```
enum CFE_ES_RunStatus {
     CFE ES RunStatus UNDEFINED = 0, CFE ES RunStatus APP RUN = 1, CFE ES RunStatus APP EXIT =
     2, CFE ES RunStatus APP ERROR = 3,
     CFE ES RunStatus SYS EXCEPTION = 4, CFE ES RunStatus SYS RESTART = 5, CFE ES RunStatus ↔
     _SYS_RELOAD = 6, CFE_ES_RunStatus_SYS_DELETE = 7,
     CFE_ES_RunStatus_CORE_APP_INIT_ERROR = 8, CFE_ES_RunStatus_CORE_APP_RUNTIME_ERROR =
     9, CFE ES RunStatus MAX }
        Label definitions associated with CFE_ES_RunStatus_Enum_t.
   enum CFE_ES_SystemState {
     CFE ES SystemState UNDEFINED = 0, CFE ES SystemState EARLY INIT = 1, CFE ES SystemState C←
     ORE_STARTUP = 2, CFE_ES_SystemState_CORE_READY = 3,
     CFE_ES_SystemState_APPS_INIT = 4, CFE_ES_SystemState_OPERATIONAL = 5, CFE_ES_SystemState_←
     SHUTDOWN = 6, CFE_ES_SystemState_MAX }
        Label definitions associated with CFE_ES_SystemState_Enum_t.

    enum CFE ES LogEntryType { CFE ES LogEntryType CORE = 1, CFE ES LogEntryType APPLICATION =

     2 }
        Label definitions associated with CFE_ES_LogEntryType_Enum_t.
   enum CFE ES AppState {
     CFE ES AppState UNDEFINED = 0, CFE ES AppState EARLY INIT = 1, CFE ES AppState LATE INIT =
     2, CFE ES AppState RUNNING = 3,
     CFE_ES_AppState_WAITING = 4, CFE_ES_AppState_STOPPED = 5, CFE_ES_AppState_MAX }
        Label definitions associated with CFE_ES_AppState_Enum_t.
38.23.1 Detailed Description
Declarations and prototypes for cfe es extern typedefs module
38.23.2 Macro Definition Documentation
38.23.2.1 CFE ES MEMADDRESS C
#define CFE_ES_MEMADDRESS_C(
              x ) ((CFE_ES_MemAddress_t)((cpuaddr)(x)&0xFFFFFFFF))
Definition at line 428 of file cfe es extern typedefs.h.
38.23.2.2 CFE_ES_MEMOFFSET_C
#define CFE_ES_MEMOFFSET_C(
              x ) ((CFE_ES_MemOffset_t)(x))
```

Definition at line 397 of file cfe es extern typedefs.h.

# 38.23.3 Typedef Documentation

```
38.23.3.1 CFE ES Appld t
```

```
typedef CFE_RESOURCEID_BASE_TYPE CFE_ES_AppId_t
```

A type for Application IDs.

This is the type that is used for any API accepting or returning an App ID

Definition at line 331 of file cfe\_es\_extern\_typedefs.h.

```
38.23.3.2 CFE_ES_AppInfo_t
```

```
typedef struct CFE_ES_AppInfo CFE_ES_AppInfo_t
```

Application Information.

Structure that is used to provide information about an app. It is primarily used for the QueryOne and QueryAll Commands.

While this structure is primarily intended for Application info, it can also represent Library information where only a subset of the information applies.

```
38.23.3.3 CFE_ES_AppState_Enum_t
```

```
typedef uint32 CFE_ES_AppState_Enum_t
```

Application Run State.

The normal progression of APP states: UNDEFINED -> EARLY\_INIT -> LATE\_INIT -> RUNNING -> WAITING -> STOPPED

Note

These are defined in order so that relational comparisons e.g. if (STATEA < STATEB) are possible

See also

```
enum CFE_ES_AppState
```

Definition at line 324 of file cfe\_es\_extern\_typedefs.h.

```
38.23.3.4 CFE_ES_AppType_Enum_t
typedef uint8 CFE_ES_AppType_Enum_t
Identifies type of CFE application.
See also
     enum CFE_ES_AppType
```

Definition at line 119 of file cfe\_es\_extern\_typedefs.h.

```
38.23.3.5 CFE ES BlockStats t
typedef struct CFE_ES_BlockStats CFE_ES_BlockStats_t
```

Sub-Structure that is used to provide information about a specific block size/bucket within a memory pool.

```
38.23.3.6 CFE_ES_CDSHandle_t
typedef CFE_RESOURCEID_BASE_TYPE CFE_ES_CDSHandle_t
CDS Handle type.
```

Data type used to hold Handles of Critical Data Stores. See CFE\_ES\_RegisterCDS

Definition at line 367 of file cfe\_es\_extern\_typedefs.h.

```
38.23.3.7 CFE_ES_CDSRegDumpRec_t
typedef struct CFE_ES_CDSRegDumpRec CFE_ES_CDSRegDumpRec_t
CDS Register Dump Record.
```

Structure that is used to provide information about a critical data store. It is primarily used for the Dump CDS registry (CFE\_ES\_DUMP\_CDS\_REGISTRY\_CC) command.

Note

Block statistics.

There is not currently a telemetry message directly containing this data structure, but it does define the format of the data file generated by the Dump CDS registry command. Therefore it should be considered part of the overall telemetry interface.

```
38.23.3.8 CFE_ES_CounterId_t
typedef CFE_RESOURCEID_BASE_TYPE CFE_ES_CounterId_t
A type for Counter IDs.
This is the type that is used for any API accepting or returning a Counter ID
Definition at line 352 of file cfe_es_extern_typedefs.h.
38.23.3.9 CFE_ES_ExceptionAction_Enum_t
typedef uint8 CFE_ES_ExceptionAction_Enum_t
Identifies action to take if exception occurs.
See also
     enum CFE_ES_ExceptionAction
Definition at line 90 of file cfe_es_extern_typedefs.h.
38.23.3.10 CFE_ES_LibId_t
typedef CFE_RESOURCEID_BASE_TYPE CFE_ES_LibId_t
A type for Library IDs.
This is the type that is used for any API accepting or returning a Lib ID
Definition at line 345 of file cfe_es_extern_typedefs.h.
38.23.3.11 CFE_ES_LogEntryType_Enum_t
typedef uint8 CFE_ES_LogEntryType_Enum_t
Type of entry in the Error and Reset (ER) Log.
See also
     enum CFE ES LogEntryType
```

Definition at line 270 of file cfe\_es\_extern\_typedefs.h.

```
38.23.3.12 CFE_ES_LogMode_Enum_t
```

```
typedef uint8 CFE_ES_LogMode_Enum_t
```

Identifies handling of log messages after storage is filled.

See also

```
enum CFE_ES_LogMode
```

Definition at line 66 of file cfe\_es\_extern\_typedefs.h.

```
38.23.3.13 CFE_ES_MemAddOff_t
```

```
typedef struct CFE_ES_MemAddOff CFE_ES_MemAddOff_t
```

Memory Address and Memory Offset combination

A combination of CFE ES MemAddress t and CFE ES MemOffset t, since they are often used together.

```
38.23.3.14 CFE ES MemAddress t
```

```
typedef uint32 CFE_ES_MemAddress_t
```

Type used for memory addresses in command and telemetry messages.

For backward compatibility with existing CFE code this should be uint32, but if running on a 64-bit platform, addresses in telemetry will be truncated to 32 bits and therefore will not be valid.

On 64-bit platforms this can be a 64-bit address which will allow the full memory address in commands and telemetry, but this will break compatibility with existing control systems, and may also change the alignment/padding of messages.

In either case this must be an unsigned type.

FSW code should access this value via the macros provided, which converts to the native "cpuaddr" type provided by OSAL. This macro provides independence between the message representation and local representation of a memory address.

Definition at line 418 of file cfe\_es\_extern\_typedefs.h.

```
38.23.3.15 CFE_ES_MemHandle_t
```

```
typedef CFE_RESOURCEID_BASE_TYPE CFE_ES_MemHandle_t
```

Memory Handle type.

Data type used to hold Handles of Memory Pools created via CFE\_ES\_PoolCreate and CFE\_ES\_PoolCreateNoSem

Definition at line 360 of file cfe\_es\_extern\_typedefs.h.

```
38.23.3.16 CFE_ES_MemOffset_t
```

```
typedef uint32 CFE_ES_MemOffset_t
```

Type used for memory sizes and offsets in commands and telemetry.

For backward compatibility with existing CFE code this should be uint32, but all telemetry information will be limited to 4GB in size as a result.

On 64-bit platforms this can be a 64-bit value which will allow larger memory objects, but this will break compatibility with existing control systems, and may also change the alignment/padding of messages.

In either case this must be an unsigned type.

Definition at line 391 of file cfe\_es\_extern\_typedefs.h.

```
38.23.3.17 CFE_ES_MemPoolStats_t
```

```
typedef struct CFE_ES_MemPoolStats CFE_ES_MemPoolStats_t
```

Memory Pool Statistics.

Structure that is used to provide information about a memory pool. Used by the Memory Pool Stats telemetry message.

See also

```
CFE_ES_SEND_MEM_POOL_STATS_CC
```

```
38.23.3.18 CFE_ES_RunStatus_Enum_t
```

```
typedef uint32 CFE_ES_RunStatus_Enum_t
```

Run Status and Exit Status identifiers.

See also

```
enum CFE_ES_RunStatus
```

Definition at line 188 of file cfe\_es\_extern\_typedefs.h.

```
38.23.3.19 CFE_ES_SystemState_Enum_t
```

```
typedef uint32 CFE_ES_SystemState_Enum_t
```

The overall cFE System State.

These values are used with the CFE\_ES\_WaitForSystemState API call to synchronize application startup.

Note

These are defined in order so that relational comparisons e.g. if (STATEA < STATEB) are possible

#### See also

```
enum CFE_ES_SystemState
```

Definition at line 246 of file cfe es extern typedefs.h.

```
38.23.3.20 CFE_ES_TaskId_t
```

```
typedef CFE_RESOURCEID_BASE_TYPE CFE_ES_TaskId_t
```

A type for Task IDs.

This is the type that is used for any API accepting or returning a Task ID

Definition at line 338 of file cfe\_es\_extern\_typedefs.h.

```
38.23.3.21 CFE_ES_TaskInfo_t
```

```
typedef struct CFE_ES_TaskInfo CFE_ES_TaskInfo_t
```

Task Information.

Structure that is used to provide information about a task. It is primarily used for the Query All Tasks (CFE\_ES\_QUE RY\_ALL\_TASKS\_CC) command.

Note

There is not currently a telemetry message directly containing this data structure, but it does define the format of the data file generated by the Query All Tasks command. Therefore it should be considered part of the overall telemetry interface.

38.23.3.22 CFE\_ES\_TaskPriority\_Atom\_t

```
typedef uint16 CFE_ES_TaskPriority_Atom_t
```

Type used for task priority in CFE ES as including the commands/telemetry messages.

Note

the valid range is only 0-255 (same as OSAL) but a wider type is used for backward compatibility in binary formats of messages.

Definition at line 377 of file cfe\_es\_extern\_typedefs.h.

38.23.4 Enumeration Type Documentation

38.23.4.1 CFE\_ES\_AppState

enum CFE\_ES\_AppState

Label definitions associated with CFE\_ES\_AppState\_Enum\_t.

# Enumerator

CFE_ES_AppState_UNDEFINED	Initial state before app thread is started.
CFE_ES_AppState_EARLY_INIT	App thread has started, app performing early initialization of its own data.
CFE_ES_AppState_LATE_INIT	Early/Local initialization is complete. First sync point.
CFE_ES_AppState_RUNNING	All initialization is complete. Second sync point.
CFE_ES_AppState_WAITING	Application is waiting on a Restart/Reload/Delete request.
CFE_ES_AppState_STOPPED	Application is stopped.
CFE_ES_AppState_MAX	Reserved entry, marker for the maximum state.

Definition at line 275 of file cfe\_es\_extern\_typedefs.h.

38.23.4.2 CFE\_ES\_AppType

enum CFE\_ES\_AppType

Label definitions associated with CFE\_ES\_AppType\_Enum\_t.

### Enumerator

CFE_ES_AppType_CORE	CFE core application.
CFE_ES_AppType_EXTERNAL	CFE external application.
CFE_ES_AppType_LIBRARY	CFE library.

Definition at line 95 of file cfe\_es\_extern\_typedefs.h.

# 38.23.4.3 CFE\_ES\_ExceptionAction

```
enum CFE_ES_ExceptionAction
```

Label definitions associated with CFE\_ES\_ExceptionAction\_Enum\_t.

### Enumerator

CFE_ES_ExceptionAction_RESTART_APP	Restart application if exception occurs.
CFE_ES_ExceptionAction_PROC_RESTART	Restart processor if exception occurs.

Definition at line 71 of file cfe\_es\_extern\_typedefs.h.

# 38.23.4.4 CFE\_ES\_LogEntryType

```
enum CFE_ES_LogEntryType
```

Label definitions associated with CFE\_ES\_LogEntryType\_Enum\_t.

### Enumerator

CFE_ES_LogEntryType_CORE	Log entry from a core subsystem.
CFE_ES_LogEntryType_APPLICATION	Log entry from an application.

Definition at line 251 of file cfe\_es\_extern\_typedefs.h.

#### 38.23.4.5 CFE\_ES\_LogMode

enum CFE\_ES\_LogMode

Label definitions associated with CFE\_ES\_LogMode\_Enum\_t.

## Enumerator

CFE_ES_LogMode_OVERWRITE	Overwrite Log Mode.
CFE_ES_LogMode_DISCARD	Discard Log Mode.

Definition at line 47 of file cfe\_es\_extern\_typedefs.h.

# 38.23.4.6 CFE\_ES\_RunStatus

enum CFE\_ES\_RunStatus

 $Label\ definitions\ associated\ with\ CFE\_ES\_RunStatus\_Enum\_t.$ 

### Enumerator

CFE_ES_RunStatus_UNDEFINED	Reserved value, should not be used.
CFE_ES_RunStatus_APP_RUN	Indicates that the Application should continue to run.
CFE_ES_RunStatus_APP_EXIT	Indicates that the Application wants to exit normally.
CFE_ES_RunStatus_APP_ERROR	Indicates that the Application is quitting with an error.
CFE_ES_RunStatus_SYS_EXCEPTION	The cFE App caused an exception.
CFE_ES_RunStatus_SYS_RESTART	The system is requesting a restart of the cFE App.
CFE_ES_RunStatus_SYS_RELOAD	The system is requesting a reload of the cFE App.
CFE_ES_RunStatus_SYS_DELETE	The system is requesting that the cFE App is stopped.
CFE_ES_RunStatus_CORE_APP_INIT_ERROR	Indicates that the Core Application could not Init.
CFE_ES_RunStatus_CORE_APP_RUNTIME_ERROR	Indicates that the Core Application had a runtime failure.
CFE_ES_RunStatus_MAX	Reserved value, marker for the maximum state.

Definition at line 124 of file cfe\_es\_extern\_typedefs.h.

# 38.23.4.7 CFE\_ES\_SystemState

enum CFE\_ES\_SystemState

Label definitions associated with CFE\_ES\_SystemState\_Enum\_t.

### Enumerator

CFE_ES_SystemState_UNDEFINED	reserved
CFE_ES_SystemState_EARLY_INIT	single threaded mode while setting up CFE itself
CFE_ES_SystemState_CORE_STARTUP	core apps (CFE_ES_ObjectTable) are starting (multi-threaded)
CFE_ES_SystemState_CORE_READY	core is ready, starting other external apps/libraries (if any)
CFE_ES_SystemState_APPS_INIT	startup apps have all completed their early init, but not necessarily operational yet
CFE_ES_SystemState_OPERATIONAL	normal operation mode; all apps are RUNNING
CFE_ES_SystemState_SHUTDOWN	reserved for future use, all apps would be STOPPED
CFE_ES_SystemState_MAX	Reserved value, marker for the maximum state.

Definition at line 193 of file cfe\_es\_extern\_typedefs.h.

# 38.24 cfe/modules/core\_api/fsw/inc/cfe\_evs.h File Reference

```
#include "common_types.h"
#include "cfe_error.h"
#include "cfe_evs_api_typedefs.h"
#include "cfe_es_api_typedefs.h"
#include "cfe time api typedefs.h"
```

#### Macros

- #define CFE\_EVS\_Send(E, T, ...) CFE\_EVS\_SendEvent((E), CFE\_EVS\_EventType\_##T, \_\_VA\_ARGS\_\_)
- #define CFE\_EVS\_SendDbg(E, ...) CFE\_EVS\_Send(E, DEBUG, \_\_VA\_ARGS\_\_)
- #define CFE EVS SendInfo(E, ...) CFE EVS Send(E, INFORMATION, VA ARGS )
- #define CFE EVS SendErr(E, ...) CFE EVS Send(E, ERROR, VA ARGS )
- #define CFE\_EVS\_SendCrit(E, ...) CFE\_EVS\_Send(E, CRITICAL, \_\_VA\_ARGS\_\_)

#### **Functions**

- CFE\_Status\_t CFE\_EVS\_Register (const void \*Filters, uint16 NumEventFilters, uint16 FilterScheme)

  Register an application for receiving event services.
- CFE\_Status\_t CFE\_EVS\_SendEvent (uint16 EventID, uint16 EventType, const char \*Spec,...) OS\_PRINTF(3
   Generate a software event.
- CFE\_Status\_t CFE\_Status\_t CFE\_EVS\_SendEventWithAppID (uint16 EventID, uint16 EventType, CFE\_ES\_
   — AppId t AppID, const char \*Spec,...) OS PRINTF(4

Generate a software event given the specified Application ID.

• CFE\_Status\_t CFE\_Status\_t CFE\_Status\_t CFE\_EVS\_SendTimedEvent (CFE\_TIME\_SysTime\_t Time, uint16 EventID, uint16 EventType, const char \*Spec,...) OS\_PRINTF(4

Generate a software event with a specific time tag.

CFE\_Status\_t CFE\_EVS\_ResetFilter (uint16 EventID)

Resets the calling application's event filter for a single event ID.

• CFE\_Status\_t CFE\_EVS\_ResetAllFilters (void)

Resets all of the calling application's event filters.

## 38.24.1 Detailed Description

Title: Event Services API Application Library Header File

Purpose: Unit specification for Event services library functions and macros.

Design Notes:

References: Flight Software Branch C Coding Standard Version 1.0a

### 38.24.2 Macro Definition Documentation

# 38.24.2.1 CFE\_EVS\_Send

Definition at line 48 of file cfe\_evs.h.

### 38.24.2.2 CFE\_EVS\_SendCrit

Definition at line 52 of file cfe\_evs.h.

# 38.24.2.3 CFE\_EVS\_SendDbg

Definition at line 49 of file cfe\_evs.h.

# 38.24.2.4 CFE\_EVS\_SendErr

Definition at line 51 of file cfe\_evs.h.

# 38.24.2.5 CFE\_EVS\_SendInfo

Definition at line 50 of file cfe\_evs.h.

# 38.25 cfe/modules/core\_api/fsw/inc/cfe\_evs\_api\_typedefs.h File Reference

```
#include "common_types.h"
#include "cfe_evs_extern_typedefs.h"
```

#### **Data Structures**

• struct CFE EVS BinFilter

Event message filter definition structure.

#### **Macros**

#### **Common Event Filter Mask Values**

Message is sent if (previous event count) & MASK == 0

#define CFE EVS NO FILTER 0x0000

Stops any filtering. All messages are sent.

#define CFE\_EVS\_FIRST\_ONE\_STOP 0xFFFF

Sends the first event. All remaining messages are filtered.

#define CFE EVS FIRST TWO STOP 0xFFFE

Sends the first 2 events. All remaining messages are filtered.

#define CFE\_EVS\_FIRST\_4\_STOP 0xFFFC

Sends the first 4 events. All remaining messages are filtered.

#define CFE\_EVS\_FIRST\_8\_STOP 0xFFF8

Sends the first 8 events. All remaining messages are filtered.

• #define CFE\_EVS\_FIRST\_16\_STOP 0xFFF0

Sends the first 16 events. All remaining messages are filtered.

#define CFE\_EVS\_FIRST\_32\_STOP 0xFFE0

Sends the first 32 events. All remaining messages are filtered.

#define CFE\_EVS\_FIRST\_64\_STOP 0xFFC0

Sends the first 64 events. All remaining messages are filtered.

#define CFE\_EVS\_EVERY\_OTHER\_ONE 0x0001

Sends every other event.

#define CFE\_EVS\_EVERY\_OTHER\_TWO 0x0002

Sends two, filters one, sends two, filters one, etc.

#define CFE\_EVS\_EVERY\_FOURTH\_ONE 0x0003

Sends every fourth event message. All others are filtered.

## **Typedefs**

typedef struct CFE\_EVS\_BinFilter CFE\_EVS\_BinFilter\_t

Event message filter definition structure.

#### 38.25.1 Detailed Description

Title: Event Services API Application Library Header File

Purpose: Unit specification for Event services library functions and macros.

Design Notes:

References: Flight Software Branch C Coding Standard Version 1.0a

#### 38.25.2 Macro Definition Documentation

#### 38.25.2.1 CFE\_EVS\_EVERY\_FOURTH\_ONE

#define CFE\_EVS\_EVERY\_FOURTH\_ONE 0x0003

Sends every fourth event message. All others are filtered.

Definition at line 56 of file cfe\_evs\_api\_typedefs.h.

### 38.25.2.2 CFE\_EVS\_EVERY\_OTHER\_ONE

#define CFE\_EVS\_EVERY\_OTHER\_ONE 0x0001

Sends every other event.

Definition at line 54 of file cfe\_evs\_api\_typedefs.h.

# 38.25.2.3 CFE\_EVS\_EVERY\_OTHER\_TWO

#define CFE\_EVS\_EVERY\_OTHER\_TWO 0x0002

Sends two, filters one, sends two, filters one, etc.

Definition at line 55 of file cfe\_evs\_api\_typedefs.h.

### 38.25.2.4 CFE\_EVS\_FIRST\_16\_STOP

#define CFE\_EVS\_FIRST\_16\_STOP 0xFFF0

Sends the first 16 events. All remaining messages are filtered.

Definition at line 51 of file cfe\_evs\_api\_typedefs.h.

#### 38.25.2.5 CFE\_EVS\_FIRST\_32\_STOP

#define CFE\_EVS\_FIRST\_32\_STOP 0xFFE0

Sends the first 32 events. All remaining messages are filtered.

Definition at line 52 of file cfe\_evs\_api\_typedefs.h.

38.25.2.6 CFE\_EVS\_FIRST\_4\_STOP

#define CFE\_EVS\_FIRST\_4\_STOP 0xFFFC

Sends the first 4 events. All remaining messages are filtered.

Definition at line 49 of file cfe\_evs\_api\_typedefs.h.

38.25.2.7 CFE\_EVS\_FIRST\_64\_STOP

#define CFE\_EVS\_FIRST\_64\_STOP 0xFFC0

Sends the first 64 events. All remaining messages are filtered.

Definition at line 53 of file cfe\_evs\_api\_typedefs.h.

38.25.2.8 CFE\_EVS\_FIRST\_8\_STOP

#define CFE\_EVS\_FIRST\_8\_STOP 0xFFF8

Sends the first 8 events. All remaining messages are filtered.

Definition at line 50 of file cfe\_evs\_api\_typedefs.h.

38.25.2.9 CFE\_EVS\_FIRST\_ONE\_STOP

#define CFE\_EVS\_FIRST\_ONE\_STOP 0xFFFF

Sends the first event. All remaining messages are filtered.

Definition at line 47 of file cfe\_evs\_api\_typedefs.h.

38.25.2.10 CFE\_EVS\_FIRST\_TWO\_STOP

#define CFE\_EVS\_FIRST\_TWO\_STOP 0xFFFE

Sends the first 2 events. All remaining messages are filtered.

Definition at line 48 of file cfe\_evs\_api\_typedefs.h.

```
38.25.2.11 CFE_EVS_NO_FILTER
#define CFE_EVS_NO_FILTER 0x0000
Stops any filtering. All messages are sent.
Definition at line 46 of file cfe_evs_api_typedefs.h.
38.25.3 Typedef Documentation
38.25.3.1 CFE_EVS_BinFilter_t
typedef struct CFE_EVS_BinFilter CFE_EVS_BinFilter_t
Event message filter definition structure.
38.26
       cfe/modules/core api/fsw/inc/cfe evs extern typedefs.h File Reference
#include "common_types.h"
Typedefs

    typedef uint8 CFE EVS MsgFormat Enum t

         Identifies format of log messages.

    typedef uint8 CFE_EVS_LogMode_Enum_t

         Identifies handling of log messages after storage is filled.

    typedef uint16 CFE EVS EventType Enum t

         Identifies type of event message.

    typedef uint8 CFE_EVS_EventFilter_Enum_t

         Identifies event filter schemes.

    typedef uint8 CFE_EVS_EventOutput_Enum_t

         Identifies event output port.
Enumerations
   enum CFE_EVS_MsgFormat { CFE_EVS_MsgFormat_SHORT = 0, CFE_EVS_MsgFormat_LONG = 1 }
         Label definitions associated with CFE_EVS_MsgFormat_Enum_t.

    enum CFE_EVS_LogMode { CFE_EVS_LogMode_OVERWRITE = 0, CFE_EVS_LogMode_DISCARD = 1 }

         Label definitions associated with CFE_EVS_LogMode_Enum_t.
   • enum CFE_EVS_EventType { CFE_EVS_EventType_DEBUG = 1, CFE_EVS_EventType_INFORMATION = 2,
      CFE_EVS_EventType_ERROR = 3, CFE_EVS_EventType_CRITICAL = 4 }
         Label definitions associated with CFE_EVS_EventType_Enum_t.
    enum CFE_EVS_EventFilter { CFE_EVS_EventFilter_BINARY = 0 }
         Label definitions associated with CFE_EVS_EventFilter_Enum_t.

    enum CFE_EVS_EventOutput { CFE_EVS_EventOutput_PORT1 = 1, CFE_EVS_EventOutput_PORT2 = 2, C←

      FE_EVS_EventOutput_PORT3 = 3, CFE_EVS_EventOutput_PORT4 = 4 }
         Label definitions associated with CFE_EVS_EventOutput_Enum_t.
```

```
38.26.1 Detailed Description

Declarations and prototypes for cfe_evs_extern_typedefs module
```

38.26.2 Typedef Documentation

38.26.2.1 CFE\_EVS\_EventFilter\_Enum\_t

```
typedef uint8 CFE_EVS_EventFilter_Enum_t
```

Identifies event filter schemes.

See also

```
enum CFE_EVS_EventFilter
```

Definition at line 141 of file cfe\_evs\_extern\_typedefs.h.

```
38.26.2.2 CFE_EVS_EventOutput_Enum_t
```

```
typedef uint8 CFE_EVS_EventOutput_Enum_t
```

Identifies event output port.

See also

```
enum CFE_EVS_EventOutput
```

Definition at line 175 of file cfe\_evs\_extern\_typedefs.h.

```
38.26.2.3 CFE_EVS_EventType_Enum_t
```

```
typedef uint16 CFE_EVS_EventType_Enum_t
```

Identifies type of event message.

See also

```
enum CFE_EVS_EventType
```

Definition at line 122 of file cfe\_evs\_extern\_typedefs.h.

```
38.26.2.4 CFE_EVS_LogMode_Enum_t
typedef uint8 CFE_EVS_LogMode_Enum_t
Identifies handling of log messages after storage is filled.
See also
     enum CFE_EVS_LogMode
Definition at line 88 of file cfe_evs_extern_typedefs.h.
38.26.2.5 CFE_EVS_MsgFormat_Enum_t
typedef uint8 CFE_EVS_MsgFormat_Enum_t
Identifies format of log messages.
See also
     enum CFE_EVS_MsgFormat
Definition at line 64 of file cfe_evs_extern_typedefs.h.
38.26.3 Enumeration Type Documentation
38.26.3.1 CFE_EVS_EventFilter
enum CFE_EVS_EventFilter
Label definitions associated with CFE_EVS_EventFilter_Enum_t.
Enumerator
  CFE EVS EventFilter BINARY
                                   Binary event filter.
Definition at line 127 of file cfe_evs_extern_typedefs.h.
38.26.3.2 CFE_EVS_EventOutput
```

enum CFE\_EVS\_EventOutput

Label definitions associated with CFE\_EVS\_EventOutput\_Enum\_t.

### Enumerator

CFE_EVS_EventOutput_PORT1	Output Port 1.
CFE_EVS_EventOutput_PORT2	Output Port 2.
CFE_EVS_EventOutput_PORT3	Output Port 3.
CFE_EVS_EventOutput_PORT4	Output Port 4.

Definition at line 146 of file cfe\_evs\_extern\_typedefs.h.

38.26.3.3 CFE\_EVS\_EventType

enum CFE\_EVS\_EventType

Label definitions associated with CFE\_EVS\_EventType\_Enum\_t.

### Enumerator

CFE_EVS_EventType_DEBUG	Events that are intended only for debugging, not nominal operations.
CFE_EVS_EventType_INFORMATION	Events that identify a state change or action that is not an error.
CFE_EVS_EventType_ERROR	Events that identify an error but are not catastrophic (e.g bad command.
CFE_EVS_EventType_CRITICAL	Events that identify errors that are unrecoverable autonomously.

Definition at line 93 of file cfe\_evs\_extern\_typedefs.h.

38.26.3.4 CFE\_EVS\_LogMode

enum CFE\_EVS\_LogMode

Label definitions associated with CFE\_EVS\_LogMode\_Enum\_t.

# Enumerator

CFE_EVS_LogMode_OVERWRITE	Overwrite Log Mode.
CFE_EVS_LogMode_DISCARD	Discard Log Mode.

Definition at line 69 of file cfe\_evs\_extern\_typedefs.h.

38.26.3.5 CFE\_EVS\_MsgFormat

enum CFE\_EVS\_MsgFormat

Label definitions associated with CFE\_EVS\_MsgFormat\_Enum\_t.

#### Enumerator

CFE_EVS_MsgFormat_SHORT	Short Format Messages.
CFE_EVS_MsgFormat_LONG	Long Format Messages.

Definition at line 45 of file cfe\_evs\_extern\_typedefs.h.

#### 38.27 cfe/modules/core api/fsw/inc/cfe fs.h File Reference

```
#include "common_types.h"
#include "osconfig.h"
#include "cfe_platform_cfg.h"
#include "cfe_error.h"
#include "cfe_fs_api_typedefs.h"
#include "cfe_fs_extern_typedefs.h"
#include "cfe_time_api_typedefs.h"
```

#### **Functions**

• CFE Status t CFE FS ReadHeader (CFE FS Header t \*Hdr, osal id t FileDes)

Read the contents of the Standard cFE File Header.

void CFE\_FS\_InitHeader (CFE\_FS\_Header\_t \*Hdr, const char \*Description, uint32 SubType)

Initializes the contents of the Standard cFE File Header.

CFE Status t CFE FS WriteHeader (osal id t FileDes, CFE FS Header t \*Hdr)

Write the specified Standard cFE File Header to the specified file.

• CFE\_Status\_t CFE\_FS\_SetTimestamp (osal\_id\_t FileDes, CFE\_TIME\_SysTime\_t NewTimestamp)

Modifies the Time Stamp field in the Standard cFE File Header for the specified file.

const char \* CFE\_FS\_GetDefaultMountPoint (CFE\_FS\_FileCategory\_t FileCategory)

Get the default virtual mount point for a file category.

const char \* CFE FS GetDefaultExtension (CFE FS FileCategory t FileCategory)

Get the default filename extension for a file category.

int32 CFE\_FS\_ParseInputFileNameEx (char \*OutputBuffer, const char \*InputBuffer, size\_t OutputBufSize, size
 \_t InputBufSize, const char \*DefaultInput, const char \*DefaultPath, const char \*DefaultExtension)

Parse a filename input from an input buffer into a local buffer.

int32 CFE\_FS\_ParseInputFileName (char \*OutputBuffer, const char \*InputName, size\_t OutputBufSize, CFE\_←
FS\_FileCategory\_t FileCategory)

Parse a filename string from the user into a local buffer.

CFE\_Status\_t CFE\_FS\_ExtractFilenameFromPath (const char \*OriginalPath, char \*FileNameOnly)

Extracts the filename from a unix style path and filename string.

int32 CFE\_FS\_BackgroundFileDumpRequest (CFE\_FS\_FileWriteMetaData\_t \*Meta)

Register a background file dump request.

bool CFE\_FS\_BackgroundFileDumplsPending (const CFE\_FS\_FileWriteMetaData\_t \*Meta)

Query if a background file write request is currently pending.

### 38.27.1 Detailed Description

Purpose: cFE File Services (FS) library API header file

Author: S.Walling/Microtel

## 38.28 cfe/modules/core\_api/fsw/inc/cfe\_fs\_api\_typedefs.h File Reference

```
#include "common_types.h"
#include "osconfig.h"
#include "cfe_fs_extern_typedefs.h"
```

#### **Data Structures**

• struct CFE\_FS\_FileWriteMetaData

External Metadata/State object associated with background file writes.

#### **Typedefs**

- typedef bool(\* CFE FS FileWriteGetData t) (void \*Meta, uint32 RecordNum, void \*\*Buffer, size t \*BufSize)
- typedef void(\* CFE\_FS\_FileWriteOnEvent\_t) (void \*Meta, CFE\_FS\_FileWriteEvent\_t Event, int32 Status, uint32 RecordNum, size\_t BlockSize, size\_t Position)
- typedef struct CFE FS FileWriteMetaData CFE FS FileWriteMetaData t

External Metadata/State object associated with background file writes.

#### **Enumerations**

```
    enum CFE_FS_FileCategory_t {
        CFE_FS_FileCategory_UNKNOWN, CFE_FS_FileCategory_DYNAMIC_MODULE, CFE_FS_FileCategory_BI
        NARY_DATA_DUMP, CFE_FS_FileCategory_TEXT_LOG,
        CFE_FS_FileCategory_SCRIPT, CFE_FS_FileCategory_TEMP, CFE_FS_FileCategory_MAX }
```

Generalized file types/categories known to FS.

```
    enum CFE_FS_FileWriteEvent_t {
        CFE_FS_FileWriteEvent_UNDEFINED, CFE_FS_FileWriteEvent_COMPLETE, CFE_FS_FileWriteEvent_CR←
        EATE_ERROR, CFE_FS_FileWriteEvent_HEADER_WRITE_ERROR,
        CFE_FS_FileWriteEvent_RECORD_WRITE_ERROR, CFE_FS_FileWriteEvent_MAX }
```

#### 38.28.1 Detailed Description

Purpose: cFE File Services (FS) library API header file

Author: S.Walling/Microtel

# 38.28.2 Typedef Documentation

#### 38.28.2.1 CFE\_FS\_FileWriteGetData\_t

```
typedef bool(* CFE_FS_FileWriteGetData_t) (void *Meta, uint32 RecordNum, void **Buffer, size_\leftrightarrow t *BufSize)
```

Data Getter routine provided by requester

Outputs a data block. Should return true if the file is complete (last record/EOF), otherwise return false.

#### **Parameters**

in,out	Meta	Pointer to the metadata object	
in	RecordNum	Incrementing record number counter	
out	Buffer	Pointer to buffer data block, should be set by implementation	
out	BufSize	Pointer to buffer data size, should be set by implementation	

#### Returns

End of file status

## **Return values**

	if at last data record, and output file should be closed
false	if not at last record, more data records to write

### Note

The implementation of this function must always set the "Buffer" and "BufSize" outputs. If no data is available, they may be set to NULL and 0, respectively.

Definition at line 100 of file cfe\_fs\_api\_typedefs.h.

#### 38.28.2.2 CFE\_FS\_FileWriteMetaData\_t

```
typedef struct CFE_FS_FileWriteMetaData CFE_FS_FileWriteMetaData_t
```

External Metadata/State object associated with background file writes.

Applications intending to schedule background file write jobs should instantiate this object in static/global data memory. This keeps track of the state of the file write request(s).

# 38.28.2.3 CFE\_FS\_FileWriteOnEvent\_t

typedef void(\* CFE\_FS\_FileWriteOnEvent\_t) (void \*Meta, CFE\_FS\_FileWriteEvent\_t Event, int32 Status,
uint32 RecordNum, size\_t BlockSize, size\_t Position)

Event generator routine provided by requester

Invoked from certain points in the file write process. Implementation may invoke CFE\_EVS\_SendEvent() appropriately to inform of progress.

## **Parameters**

in,out	Meta	Pointer to the metadata object
in	Event	Generalized type of event to report (not actual event ID)
in	Status	Generalized status code (may be from OSAL or CFE)
in	RecordNum	Record number counter at which event occurred
in	BlockSize	Size of record being processed when event occurred (if applicable)
in	Position	File position/size when event occurred

Definition at line 116 of file cfe\_fs\_api\_typedefs.h.

## 38.28.3 Enumeration Type Documentation

#### 38.28.3.1 CFE\_FS\_FileCategory\_t

enum CFE\_FS\_FileCategory\_t

Generalized file types/categories known to FS.

This defines different categories of files, where they may reside in different default locations of the virtualized file system.

This is different from, and should not be confused with, the "SubType" field in the FS header. This value is only used at runtime for FS APIs and should not actually appear in any output file or message.

## **Enumerator**

CFE_FS_FileCategory_UNKNOWN	Placeholder, unknown file category
CFE_FS_FileCategory_DYNAMIC_MODULE	Dynamically loadable apps/libraries (e.gso, .o, .dll, etc)
CFE_FS_FileCategory_BINARY_DATA_DUMP	Binary log file generated by various data dump commands
CFE_FS_FileCategory_TEXT_LOG	Text-based log file generated by various commands
CFE_FS_FileCategory_SCRIPT	Text-based Script files (e.g. ES startup script)
CFE_FS_FileCategory_TEMP	Temporary/Ephemeral files
CFE_FS_FileCategory_MAX	Placeholder, keep last

Definition at line 50 of file cfe\_fs\_api\_typedefs.h.

## 38.28.3.2 CFE\_FS\_FileWriteEvent\_t

enum CFE\_FS\_FileWriteEvent\_t

#### Enumerator

CFE_FS_FileWriteEvent_UNDEFINED	
CFE_FS_FileWriteEvent_COMPLETE	File is completed successfully
CFE_FS_FileWriteEvent_CREATE_ERROR	Unable to create/open file
CFE_FS_FileWriteEvent_HEADER_WRITE_ERROR	Unable to write FS header
CFE_FS_FileWriteEvent_RECORD_WRITE_ERROR	Unable to write data record
CFE_FS_FileWriteEvent_MAX	

Definition at line 70 of file cfe\_fs\_api\_typedefs.h.

# 38.29 cfe/modules/core\_api/fsw/inc/cfe\_fs\_extern\_typedefs.h File Reference

#include "common\_types.h"

#### **Data Structures**

• struct CFE\_FS\_Header

Standard cFE File header structure definition.

#### Macros

• #define CFE\_FS\_HDR\_DESC\_MAX\_LEN 32

Max length of description field in a standard cFE File Header.

• #define CFE\_FS\_FILE\_CONTENT\_ID 0x63464531

Magic Number for cFE compliant files (= 'cFE1')

# **Typedefs**

• typedef uint32 CFE\_FS\_SubType\_Enum\_t

Content descriptor for File Headers.

typedef struct CFE\_FS\_Header CFE\_FS\_Header\_t

Standard cFE File header structure definition.

#### **Enumerations**

Standard cFE File header structure definition.

```
enum CFE FS SubType {
     CFE FS SubType ES ERLOG = 1, CFE FS SubType ES SYSLOG = 2, CFE FS SubType ES QUERYALL
     = 3, CFE FS SubType ES PERFDATA = 4,
     CFE_FS_SubType_ES_CDS_REG = 6, CFE_FS_SubType_TBL_REG = 9, CFE_FS_SubType_TBL_IMG = 8,
     CFE FS SubType EVS APPDATA = 15,
     CFE_FS_SubType_EVS_EVENTLOG = 16, CFE_FS_SubType_SB_PIPEDATA = 20, CFE_FS_SubType_SB_←
     ROUTEDATA = 21, CFE FS SubType SB MAPDATA = 22,
     CFE_FS_SubType_ES_QUERYALLTASKS = 23 }
         File subtypes used within cFE.
38.29.1 Detailed Description
Declarations and prototypes for cfe_fs_extern_typedefs module
38.29.2 Macro Definition Documentation
38.29.2.1 CFE FS FILE CONTENT ID
#define CFE_FS_FILE_CONTENT_ID 0x63464531
Magic Number for cFE compliant files (= 'cFE1')
Definition at line 53 of file cfe_fs_extern_typedefs.h.
38.29.2.2 CFE FS HDR DESC MAX LEN
#define CFE_FS_HDR_DESC_MAX_LEN 32
Max length of description field in a standard cFE File Header.
Definition at line 51 of file cfe fs extern typedefs.h.
38.29.3 Typedef Documentation
38.29.3.1 CFE_FS_Header_t
typedef struct CFE_FS_Header CFE_FS_Header_t
```

38.29.3.2 CFE\_FS\_SubType\_Enum\_t

typedef uint32 CFE\_FS\_SubType\_Enum\_t

Content descriptor for File Headers.

See also

enum CFE\_FS\_SubType

Definition at line 201 of file cfe\_fs\_extern\_typedefs.h.

38.29.4 Enumeration Type Documentation

38.29.4.1 CFE\_FS\_SubType

enum CFE\_FS\_SubType

File subtypes used within cFE.

This defines all the file subtypes used by cFE. Note apps can extend as needed but need to avoid conflicts (app context not currently included in the file header).

## Enumerator

CFE_FS_SubType_ES_ERLOG	Executive Services Exception/Reset Log Type. Executive Services Exception/Reset Log File which is generated in response to a \$sc_\$cpu_ES_WriteERLog2File command.
CFE_FS_SubType_ES_SYSLOG	Executive Services System Log Type. Executive Services System Log File which is generated in response to a \$sc_\$cpu_ES_WriteSysLog2File command.
CFE_FS_SubType_ES_QUERYALL	Executive Services Information on All Applications File. Executive Services Information on All Applications File which is generated in response to a \$sc_\$cpu_ES_WriteAppInfo2File command.
CFE_FS_SubType_ES_PERFDATA	Executive Services Performance Data File. Executive Services Performance Analyzer Data File which is generated in response to a \$sc_\$cpu_ES_StopLAData command.
CFE_FS_SubType_ES_CDS_REG	Executive Services Critical Data Store Registry Dump File.  Executive Services Critical Data Store Registry Dump File which is generated in response to a \$sc_\$cpu_ES_WriteCDS2File command.
CFE_FS_SubType_TBL_REG	Table Services Registry Dump File. Table Services Registry Dump File which is generated in response to a \$sc_\$cpu_TBL_WriteReg2File command.
CFE_FS_SubType_TBL_IMG	Table Services Table Image File. Table Services Table Image File which is generated either on the ground or in response to a \$sc_\$cpu_TBL_DUMP command.

#### Enumerator

CFE_FS_SubType_EVS_APPDATA	Event Services Application Data Dump File. Event Services Application Data Dump File which is generated in response to a \$sc_\$cpu_EVS_WriteAppData2File command.
CFE_FS_SubType_EVS_EVENTLOG	Event Services Local Event Log Dump File. Event Services Local Event Log Dump File which is generated in response to a \$sc_\$cpu_EVS_WriteLog2File command.
CFE_FS_SubType_SB_PIPEDATA	Software Bus Pipe Data Dump File. Software Bus Pipe Data Dump File which is generated in response to a \$sc_\$cpu_SB_WritePipe2File command.
CFE_FS_SubType_SB_ROUTEDATA	Software Bus Message Routing Data Dump File. Software Bus Message Routing Data Dump File which is generated in response to a \$sc_\$cpu_SB_WriteRouting2File command.
CFE_FS_SubType_SB_MAPDATA	Software Bus Message Mapping Data Dump File. Software Bus Message Mapping Data Dump File which is generated in response to a \$sc_\$cpu_SB_WriteMap2File command.
CFE_FS_SubType_ES_QUERYALLTASKS	Executive Services Query All Tasks Data File. Executive Services Query All Tasks Data File which is generated in response to a \$sc_\$cpu_ES_WriteTaskInfo2File command.

Definition at line 63 of file cfe\_fs\_extern\_typedefs.h.

# 38.30 cfe/modules/core\_api/fsw/inc/cfe\_msg.h File Reference

```
#include "common_types.h"
#include "cfe_error.h"
#include "cfe_msg_hdr.h"
#include "cfe_msg_api_typedefs.h"
#include "cfe_es_api_typedefs.h"
#include "cfe_sb_api_typedefs.h"
#include "cfe_time_api_typedefs.h"
```

#### **Functions**

CFE\_Status\_t CFE\_MSG\_Init (CFE\_MSG\_Message\_t \*MsgPtr, CFE\_SB\_MsgId\_t MsgId, CFE\_MSG\_Size\_
 t Size)

Initialize a message.

- CFE\_Status\_t CFE\_MSG\_GetSize (const CFE\_MSG\_Message\_t \*MsgPtr, CFE\_MSG\_Size\_t \*Size)

  Gets the total size of a message.
- CFE\_Status\_t CFE\_MSG\_SetSize (CFE\_MSG\_Message\_t \*MsgPtr, CFE\_MSG\_Size\_t Size) Sets the total size of a message.
- CFE\_Status\_t CFE\_MSG\_GetType (const CFE\_MSG\_Message\_t \*MsgPtr, CFE\_MSG\_Type\_t \*Type)
   Gets the message type.
- CFE\_Status\_t CFE\_MSG\_SetType (CFE\_MSG\_Message\_t \*MsgPtr, CFE\_MSG\_Type\_t Type)
   Sets the message type.

Gets the message header version.

CFE\_Status\_t CFE\_MSG\_SetHeaderVersion (CFE\_MSG\_Message\_t \*MsgPtr, CFE\_MSG\_HeaderVersion\_
 t Version)

Sets the message header version.

 CFE\_Status\_t CFE\_MSG\_GetHasSecondaryHeader (const CFE\_MSG\_Message\_t \*MsgPtr, bool \*Has⇔ Secondary)

Gets the message secondary header boolean.

- CFE\_Status\_t CFE\_MSG\_SetHasSecondaryHeader (CFE\_MSG\_Message\_t \*MsgPtr, bool HasSecondary)

  Sets the message secondary header boolean.
- CFE\_Status\_t CFE\_MSG\_GetApId (const CFE\_MSG\_Message\_t \*MsgPtr, CFE\_MSG\_ApId\_t \*ApId)
   Gets the message application ID.
- CFE\_Status\_t CFE\_MSG\_SetApId (CFE\_MSG\_Message\_t \*MsgPtr, CFE\_MSG\_ApId\_t ApId)

  Sets the message application ID.
- CFE\_Status\_t CFE\_MSG\_GetSegmentationFlag (const CFE\_MSG\_Message\_t \*MsgPtr, CFE\_MSG\_← SegmentationFlag\_t \*SegFlag)

Gets the message segmentation flag.

CFE\_Status\_t CFE\_MSG\_SetSegmentationFlag (CFE\_MSG\_Message\_t \*MsgPtr, CFE\_MSG\_Segmentation ← Flag\_t SegFlag)

Sets the message segmentation flag.

CFE\_Status\_t CFE\_MSG\_GetSequenceCount (const CFE\_MSG\_Message\_t \*MsgPtr, CFE\_MSG\_Sequence ← Count t \*SeqCnt)

Gets the message sequence count.

CFE\_Status\_t CFE\_MSG\_SetSequenceCount (CFE\_MSG\_Message\_t \*MsgPtr, CFE\_MSG\_SequenceCount
 t SeqCnt)

Sets the message sequence count.

- CFE\_MSG\_SequenceCount\_t CFE\_MSG\_GetNextSequenceCount (CFE\_MSG\_SequenceCount\_t SeqCnt)
   Gets the next sequence count value (rolls over if appropriate)

Gets the message EDS version.

- CFE\_Status\_t CFE\_MSG\_SetEDSVersion (CFE\_MSG\_Message\_t \*MsgPtr, CFE\_MSG\_EDSVersion\_t Version)

  Sets the message EDS version.
- CFE\_Status\_t CFE\_MSG\_GetEndian (const CFE\_MSG\_Message\_t \*MsgPtr, CFE\_MSG\_Endian\_t \*Endian)

  Gets the message endian.
- CFE\_Status\_t CFE\_MSG\_SetEndian (CFE\_MSG\_Message\_t \*MsgPtr, CFE\_MSG\_Endian\_t Endian)

  Sets the message endian.
- CFE\_Status\_t CFE\_MSG\_GetPlaybackFlag (const CFE\_MSG\_Message\_t \*MsgPtr, CFE\_MSG\_PlaybackFlag
   — t \*PlayFlag)

Gets the message playback flag.

CFE\_Status\_t CFE\_MSG\_SetPlaybackFlag (CFE\_MSG\_Message\_t \*MsgPtr, CFE\_MSG\_PlaybackFlag\_
 t PlayFlag)

Sets the message playback flag.

CFE\_Status\_t CFE\_MSG\_GetSubsystem (const CFE\_MSG\_Message\_t \*MsgPtr, CFE\_MSG\_Subsystem\_
 t \*Subsystem)

Gets the message subsystem.

CFE\_Status\_t CFE\_MSG\_SetSubsystem (CFE\_MSG\_Message\_t \*MsgPtr, CFE\_MSG\_Subsystem\_t Subsystem)

Sets the message subsystem.

• CFE\_Status\_t CFE\_MSG\_GetSystem (const CFE\_MSG\_Message\_t \*MsgPtr, CFE\_MSG\_System\_t \*System) Gets the message system.

- CFE\_Status\_t CFE\_MSG\_SetSystem (CFE\_MSG\_Message\_t \*MsgPtr, CFE\_MSG\_System\_t System)
   Sets the message system.
- CFE\_Status\_t CFE\_MSG\_GenerateChecksum (CFE\_MSG\_Message\_t \*MsgPtr)

Calculates and sets the checksum of a message.

- CFE\_Status\_t CFE\_MSG\_ValidateChecksum (const CFE\_MSG\_Message\_t \*MsgPtr, bool \*IsValid)
   Validates the checksum of a message.
- CFE\_Status\_t CFE\_MSG\_SetFcnCode (CFE\_MSG\_Message\_t \*MsgPtr, CFE\_MSG\_FcnCode\_t FcnCode)

  Sets the function code field in a message.
- CFE\_Status\_t CFE\_MSG\_GetFcnCode (const CFE\_MSG\_Message\_t \*MsgPtr, CFE\_MSG\_FcnCode\_t \*Fcn← Code)

Gets the function code field from a message.

- CFE\_Status\_t CFE\_MSG\_GetMsgTime (const CFE\_MSG\_Message\_t \*MsgPtr, CFE\_TIME\_SysTime\_t \*Time)

  Gets the time field from a message.
- CFE\_Status\_t CFE\_MSG\_SetMsgTime (CFE\_MSG\_Message\_t \*MsgPtr, CFE\_TIME\_SysTime\_t NewTime) Sets the time field in a message.
- CFE\_Status\_t CFE\_MSG\_GetMsgld (const CFE\_MSG\_Message\_t \*MsgPtr, CFE\_SB\_Msgld\_t \*Msgld)
   Gets the message id from a message.
- CFE\_Status\_t CFE\_MSG\_SetMsgld (CFE\_MSG\_Message\_t \*MsgPtr, CFE\_SB\_Msgld\_t Msgld)

  Sets the message id bits in a message.
- CFE\_Status\_t CFE\_MSG\_GetTypeFromMsgld (CFE\_SB\_Msgld\_t Msgld, CFE\_MSG\_Type\_t \*Type)
   Gets message type using message ID.

## 38.30.1 Detailed Description

Message access APIs

38.31 cfe/modules/core api/fsw/inc/cfe msg api typedefs.h File Reference

```
#include "common_types.h"
#include "cfe_error.h"
```

#### Macros

- #define CFE\_MSG\_BAD\_ARGUMENT CFE\_SB\_BAD\_ARGUMENT
  - Error bad argument.
- #define CFE MSG NOT IMPLEMENTED CFE SB NOT IMPLEMENTED

Error - not implemented.

#define CFE\_MSG\_WRONG\_MSG\_TYPE CFE\_SB\_WRONG\_MSG\_TYPE

Error - wrong type.

Message size, note CCSDS maximum is UINT16 MAX+7.

## **Typedefs**

typedef size\_t CFE\_MSG\_Size\_t

• typedef uint32 CFE\_MSG\_Checksum\_t

```
Message checksum (Oversized to avoid redefine)

    typedef uint16 CFE MSG FcnCode t

         Message function code.

    typedef uint16 CFE_MSG_HeaderVersion_t

         Message header version.

    typedef uint16 CFE_MSG_ApId_t

         Message application ID.

    typedef uint16 CFE MSG SequenceCount t

         Message sequence count.

    typedef uint16 CFE MSG EDSVersion t

         Message EDS version.

    typedef uint16 CFE MSG Subsystem t

         Message subsystem.

    typedef uint16 CFE MSG System t

         Message system.

    typedef enum CFE_MSG_Type CFE_MSG_Type_t

         Message type.

    typedef enum CFE_MSG_SegmentationFlag CFE_MSG_SegmentationFlag_t

         Segmentation flags.

    typedef enum CFE MSG Endian CFE MSG Endian t

         Endian flag.

    typedef enum CFE MSG PlaybackFlag CFE MSG PlaybackFlag t

         Playback flag.

    typedef union CFE_MSG_Message CFE_MSG_Message_t

         cFS generic base message
    • typedef struct CFE_MSG_CommandHeader CFE_MSG_CommandHeader_t
         cFS command header

    typedef struct CFE MSG TelemetryHeader CFE MSG TelemetryHeader t

         cFS telemetry header
Enumerations

    enum CFE MSG Type { CFE MSG Type Invalid, CFE MSG Type Cmd, CFE MSG Type Tlm }

         Message type.

    enum CFE MSG SegmentationFlag {

     CFE_MSG_SegFlag_Invalid, CFE_MSG_SegFlag_Continue, CFE_MSG_SegFlag_First, CFE_MSG_SegFlag.
      Last.
     CFE_MSG_SegFlag_Unsegmented }
         Segmentation flags.

    enum CFE MSG Endian { CFE MSG Endian Invalid, CFE MSG Endian Big, CFE MSG Endian Little }

         Endian flag.
    • enum CFE MSG PlaybackFlag { CFE MSG PlayFlag Invalid, CFE MSG PlayFlag Original, CFE MSG \leftarrow
      PlayFlag_Playback }
         Playback flag.
```

# 38.31.1 Detailed Description

Typedefs for Message API

• Separate from API so these can be adjusted for custom implementations

38.31.2 Macro Definition Documentation

38.31.2.1 CFE\_MSG\_BAD\_ARGUMENT

#define CFE\_MSG\_BAD\_ARGUMENT CFE\_SB\_BAD\_ARGUMENT

Error - bad argument.

Definition at line 41 of file cfe\_msg\_api\_typedefs.h.

38.31.2.2 CFE\_MSG\_NOT\_IMPLEMENTED

#define CFE\_MSG\_NOT\_IMPLEMENTED CFE\_SB\_NOT\_IMPLEMENTED

Error - not implemented.

Definition at line 42 of file cfe\_msg\_api\_typedefs.h.

38.31.2.3 CFE\_MSG\_WRONG\_MSG\_TYPE

#define CFE\_MSG\_WRONG\_MSG\_TYPE CFE\_SB\_WRONG\_MSG\_TYPE

Error - wrong type.

Definition at line 43 of file cfe\_msg\_api\_typedefs.h.

38.31.3 Typedef Documentation

```
38.31.3.1 CFE_MSG_ApId_t
typedef uint16 CFE_MSG_ApId_t
Message application ID.
Definition at line 52 of file cfe_msg_api_typedefs.h.
38.31.3.2 CFE_MSG_Checksum_t
typedef uint32 CFE_MSG_Checksum_t
Message checksum (Oversized to avoid redefine)
Definition at line 49 of file cfe_msg_api_typedefs.h.
38.31.3.3 CFE_MSG_CommandHeader_t
typedef struct CFE_MSG_CommandHeader CFE_MSG_CommandHeader_t
cFS command header
Definition at line 109 of file cfe_msg_api_typedefs.h.
38.31.3.4 CFE_MSG_EDSVersion_t
typedef uint16 CFE_MSG_EDSVersion_t
Message EDS version.
Definition at line 54 of file cfe_msg_api_typedefs.h.
38.31.3.5 CFE_MSG_Endian_t
typedef enum CFE_MSG_Endian CFE_MSG_Endian_t
Endian flag.
```

```
38.31.3.6 CFE_MSG_FcnCode_t
typedef uint16 CFE_MSG_FcnCode_t
Message function code.
Definition at line 50 of file cfe_msg_api_typedefs.h.
38.31.3.7 CFE_MSG_HeaderVersion_t
typedef uint16 CFE_MSG_HeaderVersion_t
Message header version.
Definition at line 51 of file cfe_msg_api_typedefs.h.
38.31.3.8 CFE_MSG_Message_t
typedef union CFE_MSG_Message CFE_MSG_Message_t
cFS generic base message
Definition at line 104 of file cfe_msg_api_typedefs.h.
38.31.3.9 CFE_MSG_PlaybackFlag_t
typedef enum CFE_MSG_PlaybackFlag CFE_MSG_PlaybackFlag_t
Playback flag.
38.31.3.10 CFE_MSG_SegmentationFlag_t
typedef enum CFE_MSG_SegmentationFlag CFE_MSG_SegmentationFlag_t
Segmentation flags.
```

```
38.31.3.11 CFE_MSG_SequenceCount_t
typedef uint16 CFE_MSG_SequenceCount_t
Message sequence count.
Definition at line 53 of file cfe_msg_api_typedefs.h.
38.31.3.12 CFE_MSG_Size_t
typedef size_t CFE_MSG_Size_t
Message size, note CCSDS maximum is UINT16_MAX+7.
Definition at line 48 of file cfe_msg_api_typedefs.h.
38.31.3.13 CFE_MSG_Subsystem_t
typedef uint16 CFE_MSG_Subsystem_t
Message subsystem.
Definition at line 55 of file cfe_msg_api_typedefs.h.
38.31.3.14 CFE_MSG_System_t
typedef uint16 CFE_MSG_System_t
Message system.
Definition at line 56 of file cfe_msg_api_typedefs.h.
38.31.3.15 CFE_MSG_TelemetryHeader_t
typedef struct CFE_MSG_TelemetryHeader CFE_MSG_TelemetryHeader_t
cFS telemetry header
Definition at line 114 of file cfe_msg_api_typedefs.h.
typedef enum CFE_MSG_Type CFE_MSG_Type_t
Message type.
38.31.4 Enumeration Type Documentation
38.31.4.1 CFE_MSG_Endian
enum CFE_MSG_Endian
Endian flag.
```

## Enumerator

CFE_MSG_Endian_Invalid	Invalid endian setting.
CFE_MSG_Endian_Big	Big endian.
CFE_MSG_Endian_Little	Little endian.

Definition at line 77 of file cfe\_msg\_api\_typedefs.h.

# 38.31.4.2 CFE\_MSG\_PlaybackFlag

enum CFE\_MSG\_PlaybackFlag

# Playback flag.

## Enumerator

CFE_MSG_PlayFlag_Invalid	Invalid playback setting.
CFE_MSG_PlayFlag_Original	Original.
CFE_MSG_PlayFlag_Playback	Playback.

Definition at line 85 of file cfe\_msg\_api\_typedefs.h.

# 38.31.4.3 CFE\_MSG\_SegmentationFlag

enum CFE\_MSG\_SegmentationFlag

# Segmentation flags.

### Enumerator

CFE_MSG_SegFlag_Invalid	Invalid segmentation flag.
CFE_MSG_SegFlag_Continue	Continuation segment of User Data.
CFE_MSG_SegFlag_First	First segment of User Data.
CFE_MSG_SegFlag_Last	Last segment of User Data.
CFE_MSG_SegFlag_Unsegmented	Unsegmented data.

Definition at line 67 of file cfe\_msg\_api\_typedefs.h.

# 38.31.4.4 CFE\_MSG\_Type

enum CFE\_MSG\_Type

Message type.

#### Enumerator

CFE_MSG_Type_Invalid	Message type invalid, undefined, not implemented.
CFE_MSG_Type_Cmd	Command message type.
CFE_MSG_Type_TIm	Telemetry message type.

Definition at line 59 of file cfe msg api typedefs.h.

## 38.32 cfe/modules/core api/fsw/inc/cfe resourceid.h File Reference

```
#include "cfe_resourceid_api_typedefs.h"
```

#### **Functions**

uint32 CFE\_ResourceId\_GetBase (CFE\_ResourceId\_t ResourceId)

Get the Base value (type/category) from a resource ID value.

uint32 CFE\_ResourceId\_GetSerial (CFE\_ResourceId\_t ResourceId)

Get the Serial Number (sequential ID) from a resource ID value.

CFE\_ResourceId\_t CFE\_ResourceId\_FindNext (CFE\_ResourceId\_t StartId, uint32 TableSize, bool(\*Check← Func)(CFE ResourceId\_t))

Locate the next resource ID which does not map to an in-use table entry.

• int32 CFE\_ResourceId\_ToIndex (CFE\_ResourceId\_t Id, uint32 BaseValue, uint32 TableSize, uint32 \*Idx)

Internal routine to aid in converting an ES resource ID to an array index.

#### Resource ID test/conversion macros and inline functions

- #define CFE\_RESOURCEID\_TO\_ULONG(id) CFE\_ResourceId\_ToInteger(CFE\_RESOURCEID\_UNWRAP(id))
   Convert a derived (app-specific) ID directly into an "unsigned long".

Determine if a derived (app-specific) ID is defined or not.

#define CFE\_RESOURCEID\_TEST\_EQUAL(id1, id2) CFE\_ResourceId\_Equal(CFE\_RESOURCEID\_UNWRAP(id1), CFE\_RESOURCEID\_UNWRAP(id2))

Determine if two derived (app-specific) IDs are equal.

static unsigned long CFE\_ResourceId\_ToInteger (CFE\_ResourceId\_t id)

Convert a resource ID to an integer.

static CFE\_ResourceId\_t CFE\_ResourceId\_FromInteger (unsigned long Value)

Convert an integer to a resource ID.

static bool CFE Resourceld Equal (CFE Resourceld t id1, CFE Resourceld t id2)

Compare two Resource ID values for equality.

• static bool CFE\_ResourceId\_IsDefined (CFE\_ResourceId\_t id)

Check if a resource ID value is defined.

## 38.32.1 Detailed Description

Contains global prototypes and definitions related to resource management and related CFE resource IDs.

A CFE ES Resource ID is a common way to identify CFE-managed resources such as apps, tasks, counters, memory pools, CDS blocks, and other entities.

Simple operations are provided as inline functions, which should alleviate the need to do direct manipulation of resource IDs:

- · Check for undefined ID value
- · Check for equality of two ID values
- Convert ID to simple integer (typically for printing/logging)
- Convert simple integer to ID (inverse of above)

#### 38.32.2 Macro Definition Documentation

#### 38.32.2.1 CFE\_RESOURCEID\_TEST\_DEFINED

Determine if a derived (app-specific) ID is defined or not.

This generic routine is implemented as a macro so it is agnostic to the actual argument type, and it will evaluate correctly so long as the argument type is based on the CFE RESOURCEID BASE TYPE.

Definition at line 72 of file cfe resourceid.h.

## 38.32.2.2 CFE\_RESOURCEID\_TEST\_EQUAL

Determine if two derived (app-specific) IDs are equal.

This generic routine is implemented as a macro so it is agnostic to the actual argument type, and it will evaluate correctly so long as the argument type is based on the CFE RESOURCEID BASE TYPE.

Definition at line 80 of file cfe\_resourceid.h.

# 38.32.2.3 CFE\_RESOURCEID\_TO\_ULONG

Convert a derived (app-specific) ID directly into an "unsigned long".

This generic routine is implemented as a macro so it is agnostic to the actual argument type, and it will evaluate correctly so long as the argument type is based on the CFE\_RESOURCEID\_BASE\_TYPE.

There is no inverse of this macro, as it depends on the actual derived type desired. Applications needing to recreate an ID from an integer should use CFE\_ResourceId\_FromInteger() combined with a cast/conversion to the correct/intended derived type, as needed.

#### Note

This evaluates as an "unsigned long" such that it can be used in printf()-style functions with the "%lx" modifier without extra casting, as this is the most typical use-case for representing an ID as an integer.

Definition at line 64 of file cfe resourceid.h.

#### 38.32.3 Function Documentation

## 38.32.3.1 CFE\_ResourceId\_Equal()

Compare two Resource ID values for equality.

## **Parameters**

in	id1	Resource ID to check
in	id2	Resource ID to check

#### Returns

true if id1 and id2 are equal, false otherwise.

Definition at line 135 of file cfe\_resourceid.h.

Referenced by CFE\_ResourceId\_IsDefined().

## 38.32.3.2 CFE\_ResourceId\_FindNext()

Locate the next resource ID which does not map to an in-use table entry.

This begins searching from StartId which should be the most recently issued ID for the resource category. This will then search for the next ID which does *not* map to a table entry that is in use. That is, it does not alias any valid ID when converted to an array index.

returns an undefined ID value if no open slots are available

#### **Parameters**

in	StartId	the last issued ID for the resource category (app, lib, etc).
in	TableSize	the maximum size of the target table
in	CheckFunc	a function to check if the given ID is available

#### Returns

Next ID value which does not map to a valid entry

#### Return values

CFE_RESOURCEID_UNDEFINED	if no open slots or bad arguments.

Referenced by CFE\_Resourceld\_IsDefined().

## 38.32.3.3 CFE\_ResourceId\_FromInteger()

Convert an integer to a resource ID.

This is the inverse of CFE\_Resourceld\_ToInteger(), and reconstitutes the original CFE\_Resourceld\_t value from the integer representation.

This may be used, for instance, where an ID value is parsed from a text file or message using C library APIs such as scanf() or strtoul().

#### See also

CFE\_ResourceId\_ToInteger()

#### **Parameters**

in	Value	Integer value to convert
----	-------	--------------------------

#### Returns

ID value corresponding to integer

Definition at line 123 of file cfe\_resourceid.h.

#### 38.32.3.4 CFE\_ResourceId\_GetBase()

Get the Base value (type/category) from a resource ID value.

This masks out the ID serial number to obtain the base value, which is different for each resource type.

#### Note

The value is NOT shifted or otherwise adjusted.

# **Parameters**

in	Resource←	the resource ID to decode
	ld	

## Returns

The base value associated with that ID

Referenced by CFE\_ResourceId\_IsDefined().

# 38.32.3.5 CFE\_ResourceId\_GetSerial()

Get the Serial Number (sequential ID) from a resource ID value.

This masks out the ID base value to obtain the serial number, which is different for each entity created.

#### **Parameters**

in	Resource←	the resource ID to decode
	ld	

#### Returns

The serial number associated with that ID

Referenced by CFE Resourceld IsDefined().

# 38.32.3.6 CFE\_Resourceld\_IsDefined()

Check if a resource ID value is defined.

The constant CFE\_RESOURCEID\_UNDEFINED represents an undefined ID value, such that the expression:

```
CFE_ResourceId_IsDefined(CFE_RESOURCEID_UNDEFINED)
```

Always returns false.

# **Parameters**

in	id	Resource ID to check
----	----	----------------------


## Returns

True if the ID may refer to a defined entity, false if invalid/undefined.

Definition at line 153 of file cfe\_resourceid.h.

References CFE\_ResourceId\_Equal(), CFE\_ResourceId\_FindNext(), CFE\_ResourceId\_GetBase(), CFE\_Resource ← Id\_GetSerial(), CFE\_ResourceId\_ToIndex(), and CFE\_RESOURCEID\_UNDEFINED.

Here is the call graph for this function:



# 38.32.3.7 CFE\_ResourceId\_ToIndex()

Internal routine to aid in converting an ES resource ID to an array index.

## **Parameters**

in	ld	The resource ID	
in	BaseValue	The respective ID base value corresponding to the ID type	
in	TableSize	The actual size of the internal table (MAX index value + 1)	
out	ldx	The output index	

#### Returns

Execution status, see cFE Return Code Defines

## Return values

CFE_SUCCESS	Successful execution.
CFE_ES_BAD_ARGUMENT	Bad Argument.
CFE_ES_ERR_RESOURCEID_NOT_VALID	Resource ID is not valid.

Referenced by CFE\_ResourceId\_IsDefined().

## 38.32.3.8 CFE\_Resourceld\_ToInteger()

Convert a resource ID to an integer.

This is primarily intended for logging purposes, such was writing to debug console, event messages, or log files, using printf-like APIs.

For compatibility with C library APIs, this returns an "unsigned long" type and should be used with the "%lx" format specifier in a printf format string.

#### Note

No assumptions should be made about the actual integer value, such as its base/range. It may be printed, but should not be modified or tested/compared using other arithmetic ops, and should never be used as the index to an array or table. See the related function CFE\_ResourceId\_ToIndex() for cases where a zero-based array/table index is needed.

### See also

CFE Resourceld FromInteger()

#### **Parameters**

in	id	Resource ID to convert
----	----	------------------------

#### Returns

Integer value corresponding to ID

Definition at line 104 of file cfe\_resourceid.h.

## 38.33 cfe/modules/core api/fsw/inc/cfe resourceid api typedefs.h File Reference

```
#include "cfe_resourceid_typedef.h"
```

#### **Macros**

# Resource ID predefined values

- #define CFE\_RESOURCEID\_UNDEFINED ((CFE\_ResourceId\_t)CFE\_RESOURCEID\_WRAP(0))

  A resource ID value that represents an undefined/unused resource.
- #define CFE\_RESOURCEID\_RESERVED ((CFE\_ResourceId\_t)CFE\_RESOURCEID\_WRAP(0xFFFFFFF))

  A resource ID value that represents a reserved entry.

## 38.33.1 Detailed Description

Contains global prototypes and definitions related to resource management and related CFE resource IDs.

A CFE ES Resource ID is a common way to identify CFE-managed resources such as apps, tasks, counters, memory pools, CDS blocks, and other entities.

Simple operations are provided as inline functions, which should alleviate the need to do direct manipulation of resource IDs:

- · Check for undefined ID value
- · Check for equality of two ID values
- Convert ID to simple integer (typically for printing/logging)
- Convert simple integer to ID (inverse of above)

#### 38.33.2 Macro Definition Documentation

#### 38.33.2.1 CFE\_RESOURCEID\_RESERVED

```
#define CFE_RESOURCEID_RESERVED ((CFE_ResourceId_t)CFE_RESOURCEID_WRAP(0xFFFFFFFF))
```

A resource ID value that represents a reserved entry.

This is not a valid value for any resource type, but is used to mark table entries that are not available for use. For instance, this may be used while setting up an entry initially.

Definition at line 76 of file cfe\_resourceid\_api\_typedefs.h.

# 38.33.2.2 CFE\_RESOURCEID\_UNDEFINED

```
#define CFE_RESOURCEID_UNDEFINED ((CFE_ResourceId_t)CFE_RESOURCEID_WRAP(0))
```

A resource ID value that represents an undefined/unused resource.

This constant may be used to initialize local variables of the CFE\_ResourceId\_t type to a safe value that will not alias a valid ID.

By design, this value is also the result of zeroing a CFE\_ResourceId\_t type via standard functions like memset(), such that objects initialized using this method will also be set to safe values.

Definition at line 67 of file cfe\_resourceid\_api\_typedefs.h.

Referenced by CFE Resourceld IsDefined().

# 38.34 cfe/modules/core\_api/fsw/inc/cfe\_sb.h File Reference

```
#include "common_types.h"
#include "cfe_error.h"
#include "cfe_sb_api_typedefs.h"
#include "cfe_es_api_typedefs.h"
```

#### Macros

```
    #define CFE_BIT(x) (1 << (x))</li>
    Places a one at bit positions 0 - 31.
```

• #define CFE\_SET(i, x) ((i)  $\mid$ = CFE\_BIT(x))

Sets bit x of i.

#define CFE\_CLR(i, x) ((i) &= ∼CFE\_BIT(x))

Clears bit x of i.

#define CFE\_TST(i, x) (((i)&CFE\_BIT(x)) != 0)

true(non zero) if bit x of i is set

### **Functions**

- CFE\_Status\_t CFE\_SB\_CreatePipe (CFE\_SB\_PipeId\_t \*PipeIdPtr, uint16 Depth, const char \*PipeName)

  Creates a new software bus pipe.
- CFE Status t CFE SB DeletePipe (CFE SB Pipeld t Pipeld)

Delete a software bus pipe.

• CFE\_Status\_t CFE\_SB\_PipeId\_ToIndex (CFE\_SB\_PipeId\_t PipeID, uint32 \*Idx)

Obtain an index value correlating to an SB Pipe ID.

CFE\_Status\_t CFE\_SB\_SetPipeOpts (CFE\_SB\_PipeId\_t PipeId, uint8 Opts)

Set options on a pipe.

• CFE\_Status\_t CFE\_SB\_GetPipeOpts (CFE\_SB\_PipeId\_t PipeId, uint8 \*OptsPtr)

Get options on a pipe.

- CFE\_Status\_t CFE\_SB\_GetPipeName (char \*PipeNameBuf, size\_t PipeNameSize, CFE\_SB\_PipeId\_t PipeId)

  Get the pipe name for a given id.
- CFE\_Status\_t CFE\_SB\_GetPipeIdByName (CFE\_SB\_PipeId\_t \*PipeIdPtr, const char \*PipeName)

  Get pipe id by pipe name.
- CFE\_Status\_t CFE\_SB\_SubscribeEx (CFE\_SB\_Msgld\_t Msgld, CFE\_SB\_Pipeld\_t Pipeld, CFE\_SB\_Qos\_← t Quality, uint16 MsgLim)

Subscribe to a message on the software bus.

• CFE\_Status\_t CFE\_SB\_Subscribe (CFE\_SB\_Msgld\_t Msgld, CFE\_SB\_Pipeld\_t Pipeld)

Subscribe to a message on the software bus with default parameters.

 $\bullet \ \ \mathsf{CFE\_SB\_SubscribeLocal} \ (\mathsf{CFE\_SB\_Msgld\_t} \ \mathsf{Msgld}, \ \mathsf{CFE\_SB\_Pipeld\_t} \ \mathsf{Pipeld}, \ \mathsf{uint16} \ \mathsf{MsgLim})$ 

Subscribe to a message while keeping the request local to a cpu.

CFE\_Status\_t CFE\_SB\_Unsubscribe (CFE\_SB\_Msgld\_t Msgld, CFE\_SB\_Pipeld\_t Pipeld)

Remove a subscription to a message on the software bus.

CFE\_Status\_t CFE\_SB\_UnsubscribeLocal (CFE\_SB\_Msgld\_t Msgld, CFE\_SB\_Pipeld\_t Pipeld)

Remove a subscription to a message on the software bus on the current CPU.

CFE\_Status\_t CFE\_SB\_TransmitMsg (const CFE\_MSG\_Message\_t \*MsgPtr, bool IncrementSequenceCount)
 Transmit a message.

• CFE\_Status\_t CFE\_SB\_ReceiveBuffer (CFE\_SB\_Buffer\_t \*\*BufPtr, CFE\_SB\_PipeId\_t PipeId, int32 TimeOut)

\*\*Receive a message from a software bus pipe.\*\*

• CFE\_SB\_Buffer\_t \* CFE\_SB\_AllocateMessageBuffer (size\_t MsgSize)

Get a buffer pointer to use for "zero copy" SB sends.

• CFE Status t CFE SB ReleaseMessageBuffer (CFE SB Buffer t \*BufPtr)

Release an unused "zero copy" buffer pointer.

CFE\_Status\_t CFE\_SB\_TransmitBuffer (CFE\_SB\_Buffer\_t \*BufPtr, bool IncrementSequenceCount)

Transmit a buffer.

void CFE\_SB\_SetUserDataLength (CFE\_MSG\_Message\_t \*MsgPtr, size\_t DataLength)

Sets the length of user data in a software bus message.

void CFE\_SB\_TimeStampMsg (CFE\_MSG\_Message\_t \*MsgPtr)

Sets the time field in a software bus message with the current spacecraft time.

int32 CFE\_SB\_MessageStringSet (char \*DestStringPtr, const char \*SourceStringPtr, size\_t DestMaxSize, size
 t SourceMaxSize)

Copies a string into a software bus message.

void \* CFE\_SB\_GetUserData (CFE\_MSG\_Message\_t \*MsgPtr)

Get a pointer to the user data portion of a software bus message.

size t CFE SB GetUserDataLength (const CFE MSG Message t \*MsgPtr)

Gets the length of user data in a software bus message.

int32 CFE\_SB\_MessageStringGet (char \*DestStringPtr, const char \*SourceStringPtr, const char \*DefaultString, size\_t DestMaxSize, size\_t SourceMaxSize)

Copies a string out of a software bus message.

bool CFE SB IsValidMsgld (CFE SB Msgld t Msgld)

Identifies whether a given CFE\_SB\_Msgld\_t is valid.

static bool CFE\_SB\_Msgld\_Equal (CFE\_SB\_Msgld\_t Msgld1, CFE\_SB\_Msgld\_t Msgld2)

Identifies whether two CFE\_SB\_Msgld\_t values are equal.

static CFE\_SB\_Msgld\_Atom\_t CFE\_SB\_MsgldToValue (CFE\_SB\_Msgld\_t Msgld)

Converts a CFE\_SB\_Msgld\_t to a normal integer.

static CFE SB Msgld t CFE SB ValueToMsgld (CFE SB Msgld Atom t MsgldValue)

Converts a normal integer into a CFE\_SB\_Msgld\_t.

## 38.34.1 Detailed Description

Purpose: This header file contains all definitions for the cFE Software Bus Application Programmer's Interface.

Author: R.McGraw/SSI

#### 38.34.2 Macro Definition Documentation

# 38.34.2.1 CFE\_BIT

```
#define CFE_BIT( x ) (1 << (x))
```

Places a one at bit positions 0 - 31.

Definition at line 46 of file cfe\_sb.h.

# 38.34.2.2 CFE\_CLR

Clears bit x of i.

Definition at line 48 of file cfe\_sb.h.

# 38.34.2.3 CFE\_SET

Sets bit x of i.

Definition at line 47 of file cfe\_sb.h.

## 38.34.2.4 CFE\_TST

true(non zero) if bit x of i is set

Definition at line 49 of file cfe\_sb.h.

# 38.35 cfe/modules/core\_api/fsw/inc/cfe\_sb\_api\_typedefs.h File Reference

```
#include "common_types.h"
#include "cfe_sb_extern_typedefs.h"
#include "cfe_msg_api_typedefs.h"
#include "cfe_resourceid_api_typedefs.h"
#include "cfe_msg_hdr.h"
```

#### **Data Structures**

union CFE SB Msg

Software Bus generic message.

#### Macros

• #define CFE SB POLL 0

Option used with CFE\_SB\_ReceiveBuffer to request immediate pipe status.

• #define CFE SB PEND FOREVER -1

Option used with CFE\_SB\_ReceiveBuffer to force a wait for next message.

• #define CFE SB SUBSCRIPTION 0

Subtype specifier used in CFE\_SB\_SingleSubscriptionTIm\_t by SBN App.

#define CFE SB UNSUBSCRIPTION 1

Subtype specified used in CFE\_SB\_SingleSubscriptionTlm\_t by SBN App.

#define CFE\_SB\_MSGID\_WRAP\_VALUE(val)

Translation macro to convert from Msgld integer values to opaque/abstract API values.

#define CFE\_SB\_MSGID\_C(val) ((CFE\_SB\_Msgld\_t)CFE\_SB\_MSGID\_WRAP\_VALUE(val))

Translation macro to convert to Msgld integer values from a literal.

#define CFE\_SB\_MSGID\_UNWRAP\_VALUE(mid) ((mid).Value)

Translation macro to convert to Msgld integer values from opaque/abstract API values.

#define CFE\_SB\_MSGID\_RESERVED CFE\_SB\_MSGID\_WRAP\_VALUE(0)

Reserved value for CFE\_SB\_Msgld\_t that will not match any valid Msgld.

• #define CFE SB INVALID MSG ID CFE SB MSGID C(0)

A literal of the CFE SB Msgld t type representing an invalid ID.

#define CFE\_SB\_PIPEID\_C(val) ((CFE\_SB\_PipeId\_t)CFE\_RESOURCEID\_WRAP(val))

Cast/Convert a generic CFE\_ResourceId\_t to a CFE\_SB\_PipeId\_t.

• #define CFE\_SB\_INVALID\_PIPE CFE\_SB\_PIPEID\_C(CFE\_RESOURCEID\_UNDEFINED)

A CFE\_SB\_PipeId\_t value which is always invalid.

• #define CFE\_SB\_PIPEOPTS\_IGNOREMINE 0x00000001

Messages sent by the app that owns this pipe will not be sent to this pipe.

#define CFE\_SB\_DEFAULT\_QOS ((CFE\_SB\_Qos\_t) {0})

Default Qos macro.

## **Typedefs**

typedef union CFE SB Msg CFE SB Buffer t

Software Bus generic message.

# 38.35.1 Detailed Description

Purpose: This header file contains all definitions for the cFE Software Bus Application Programmer's Interface.

Author: R.McGraw/SSI

#### 38.35.2 Macro Definition Documentation

```
38.35.2.1 CFE_SB_DEFAULT_QOS
```

```
#define CFE_SB_DEFAULT_QOS ((CFE_SB_Qos_t) {0})
```

Default Qos macro.

Definition at line 137 of file cfe sb api typedefs.h.

### 38.35.2.2 CFE\_SB\_INVALID\_MSG\_ID

```
#define CFE_SB_INVALID_MSG_ID CFE_SB_MSGID_C(0)
```

A literal of the CFE\_SB\_Msgld\_t type representing an invalid ID.

This value should be used for runtime initialization of CFE\_SB\_Msgld\_t values.

## Note

This may be a compound literal in a future revision. Per C99, compound literals are Ivalues, not rvalues, so this value should not be used in static/compile-time data initialization. For static data initialization purposes (rvalue), CFE\_SB\_MSGID\_RESERVED should be used instead. However, in the current implementation, they are equivalent.

Definition at line 115 of file cfe\_sb\_api\_typedefs.h.

## 38.35.2.3 CFE\_SB\_INVALID\_PIPE

```
#define CFE_SB_INVALID_PIPE CFE_SB_PIPEID_C(CFE_RESOURCEID_UNDEFINED)
```

A CFE SB Pipeld t value which is always invalid.

This may be used as a safe initializer for CFE\_SB\_PipeId\_t values

Definition at line 127 of file cfe\_sb\_api\_typedefs.h.

```
38.35.2.4 CFE_SB_MSGID_C
```

Translation macro to convert to Msgld integer values from a literal.

This ensures that the literal is interpreted as the CFE\_SB\_Msgld\_t type, rather than the default type associated with that literal (e.g. int/unsigned int).

Note

Due to constraints in C99 this style of initializer can only be used at runtime, not for static/compile-time initializers.

See also

```
CFE SB ValueToMsgld()
```

Definition at line 82 of file cfe\_sb\_api\_typedefs.h.

Referenced by CFE\_SB\_ValueToMsgld().

```
38.35.2.5 CFE SB MSGID RESERVED
```

```
#define CFE_SB_MSGID_RESERVED CFE_SB_MSGID_WRAP_VALUE(0)
```

Reserved value for CFE\_SB\_Msgld\_t that will not match any valid Msgld.

This rvalue macro can be used for static/compile-time data initialization to ensure that the initialized value does not alias to a valid Msgld object.

Definition at line 102 of file cfe sb api typedefs.h.

```
38.35.2.6 CFE SB MSGID UNWRAP VALUE
```

Translation macro to convert to Msqld integer values from opaque/abstract API values.

This conversion exists in macro form to allow compile-time evaluation for constants, and should not be used directly in application code.

For applications, use the CFE SB MsgldToValue() inline function instead.

See also

```
CFE SB MsgldToValue()
```

Definition at line 94 of file cfe sb api typedefs.h.

Referenced by CFE\_SB\_MsgId\_Equal(), and CFE\_SB\_MsgIdToValue().

# 38.35.2.7 CFE\_SB\_MSGID\_WRAP\_VALUE

#### Value:

Translation macro to convert from Msgld integer values to opaque/abstract API values.

This conversion exists in macro form to allow compile-time evaluation for constants, and should not be used directly in application code.

For applications, use the CFE\_SB\_ValueToMsgld() inline function instead.

### See also

```
CFE_SB_ValueToMsgld()
```

Definition at line 66 of file cfe\_sb\_api\_typedefs.h.

# 38.35.2.8 CFE\_SB\_PEND\_FOREVER

```
#define CFE_SB_PEND_FOREVER -1
```

Option used with CFE\_SB\_ReceiveBuffer to force a wait for next message.

Definition at line 48 of file cfe\_sb\_api\_typedefs.h.

# 38.35.2.9 CFE\_SB\_PIPEID\_C

Cast/Convert a generic CFE\_ResourceId\_t to a CFE\_SB\_PipeId\_t.

Definition at line 120 of file cfe\_sb\_api\_typedefs.h.

```
38.35.2.10 CFE_SB_POLL
#define CFE_SB_POLL 0
Option used with CFE_SB_ReceiveBuffer to request immediate pipe status.
Definition at line 47 of file cfe sb api typedefs.h.
38.35.2.11 CFE_SB_SUBSCRIPTION
#define CFE_SB_SUBSCRIPTION 0
Subtype specifier used in CFE_SB_SingleSubscriptionTIm_t by SBN App.
Definition at line 49 of file cfe_sb_api_typedefs.h.
38.35.2.12 CFE_SB_UNSUBSCRIPTION
#define CFE_SB_UNSUBSCRIPTION 1
Subtype specified used in CFE_SB_SingleSubscriptionTIm_t by SBN App.
Definition at line 50 of file cfe_sb_api_typedefs.h.
38.35.3 Typedef Documentation
38.35.3.1 CFE_SB_Buffer_t
typedef union CFE_SB_Msg CFE_SB_Buffer_t
Software Bus generic message.
38.36
       cfe/modules/core_api/fsw/inc/cfe_sb_extern_typedefs.h File Reference
```

```
#include "common_types.h"
#include "cfe_mission_cfg.h"
#include "cfe_resourceid_typedef.h"
```

#### **Data Structures**

```
    struct CFE_SB_Msgld_t
    CFE_SB_Msgld_t type definition.
    struct CFE_SB_Qos_t
```

Quality Of Service Type Definition.

#### **Macros**

#define CFE\_SB\_SUB\_ENTRIES\_PER\_PKT 20
 Configuration parameter used by SBN App.

#### **Typedefs**

```
• typedef uint8 CFE_SB_QosPriority_Enum_t

Selects the priority level for message routing.
```

typedef uint8 CFE\_SB\_QosReliability\_Enum\_t
 Selects the reliability level for message routing.

L ( : : : : OFF OF F

• typedef uint16 CFE\_SB\_RouteId\_Atom\_t

An integer type that should be used for indexing into the Routing Table.

typedef uint32 CFE\_SB\_Msgld\_Atom\_t

CFE\_SB\_Msgld\_Atom\_t primitive type definition.

typedef CFE\_RESOURCEID\_BASE\_TYPE CFE\_SB\_Pipeld\_t

CFE\_SB\_PipeId\_t to primitive type definition.

#### **Enumerations**

```
    enum CFE_SB_QosPriority { CFE_SB_QosPriority_LOW = 0, CFE_SB_QosPriority_HIGH = 1 }
    Label definitions associated with CFE_SB_QosPriority_Enum_t.
```

enum CFE\_SB\_QosReliability { CFE\_SB\_QosReliability\_LOW = 0, CFE\_SB\_QosReliability\_HIGH = 1 }
 Label definitions associated with CFE\_SB\_QosReliability\_Enum\_t.

## 38.36.1 Detailed Description

Declarations and prototypes for cfe\_sb\_extern\_typedefs module

## 38.36.2 Macro Definition Documentation

```
38.36.2.1 CFE_SB_SUB_ENTRIES_PER_PKT
```

```
#define CFE_SB_SUB_ENTRIES_PER_PKT 20
```

Configuration parameter used by SBN App.

Definition at line 44 of file cfe\_sb\_extern\_typedefs.h.

38.36.3 Typedef Documentation

```
38.36.3.1 CFE_SB_Msgld_Atom_t
```

```
typedef uint32 CFE_SB_MsgId_Atom_t
```

CFE\_SB\_Msgld\_Atom\_t primitive type definition.

This is an integer type capable of holding any Message ID value Note: This value is limited via CFE\_PLATFORM\_S → B HIGHEST VALID MSGID

Definition at line 105 of file cfe\_sb\_extern\_typedefs.h.

```
38.36.3.2 CFE_SB_Pipeld_t
```

```
typedef CFE_RESOURCEID_BASE_TYPE CFE_SB_PipeId_t
```

CFE SB Pipeld t to primitive type definition.

Software Bus pipe identifier used in many SB APIs, as well as SB Telemetry messages and data files.

Definition at line 128 of file cfe\_sb\_extern\_typedefs.h.

```
38.36.3.3 CFE_SB_QosPriority_Enum_t
```

```
typedef uint8 CFE_SB_QosPriority_Enum_t
```

Selects the priority level for message routing.

See also

```
enum CFE SB QosPriority
```

Definition at line 68 of file cfe\_sb\_extern\_typedefs.h.

38.36.3.4 CFE\_SB\_QosReliability\_Enum\_t

typedef uint8 CFE\_SB\_QosReliability\_Enum\_t

Selects the reliability level for message routing.

See also

enum CFE\_SB\_QosReliability

Definition at line 92 of file cfe\_sb\_extern\_typedefs.h.

38.36.3.5 CFE SB Routeld Atom t

typedef uint16 CFE\_SB\_RouteId\_Atom\_t

An integer type that should be used for indexing into the Routing Table.

Definition at line 97 of file cfe\_sb\_extern\_typedefs.h.

38.36.4 Enumeration Type Documentation

38.36.4.1 CFE\_SB\_QosPriority

enum CFE\_SB\_QosPriority

Label definitions associated with CFE\_SB\_QosPriority\_Enum\_t.

Enumerator

CFE_SB_QosPriority_LOW	Normal priority level.
CFE_SB_QosPriority_HIGH	High priority.

Definition at line 49 of file cfe\_sb\_extern\_typedefs.h.

38.36.4.2 CFE\_SB\_QosReliability

enum CFE\_SB\_QosReliability

Label definitions associated with CFE\_SB\_QosReliability\_Enum\_t.

#### Enumerator

CFE_SB_QosReliability_LOW	Normal (best-effort) reliability.
CFE_SB_QosReliability_HIGH	High reliability.

Definition at line 73 of file cfe sb extern typedefs.h.

## 38.37 cfe/modules/core\_api/fsw/inc/cfe\_tbl.h File Reference

```
#include "common_types.h"
#include "cfe_error.h"
#include "cfe_tbl_api_typedefs.h"
#include "cfe_sb_api_typedefs.h"
```

#### **Functions**

CFE\_Status\_t CFE\_TBL\_Register (CFE\_TBL\_Handle\_t \*TblHandlePtr, const char \*Name, size\_t Size, uint16
 TblOptionFlags, CFE\_TBL\_CallbackFuncPtr\_t TblValidationFuncPtr)

Register a table with cFE to obtain Table Management Services.

CFE Status t CFE TBL Share (CFE TBL Handle t \*TblHandlePtr, const char \*TblName)

Obtain handle of table registered by another application.

• CFE Status t CFE TBL Unregister (CFE TBL Handle t TblHandle)

Unregister a table.

• CFE\_Status\_t CFE\_TBL\_Load (CFE\_TBL\_Handle\_t TblHandle, CFE\_TBL\_SrcEnum\_t SrcType, const void \*SrcDataPtr)

Load a specified table with data from specified source.

CFE\_Status\_t CFE\_TBL\_Update (CFE\_TBL\_Handle\_t TblHandle)

Update contents of a specified table, if an update is pending.

CFE Status t CFE TBL Validate (CFE TBL Handle t TblHandle)

Perform steps to validate the contents of a table image.

CFE\_Status\_t CFE\_TBL\_Manage (CFE\_TBL\_Handle\_t TblHandle)

Perform standard operations to maintain a table.

CFE\_Status\_t CFE\_TBL\_DumpToBuffer (CFE\_TBL\_Handle\_t TblHandle)

Copies the contents of a Dump Only Table to a shared buffer.

CFE\_Status\_t CFE\_TBL\_Modified (CFE\_TBL\_Handle\_t TblHandle)

Notify cFE Table Services that table contents have been modified by the Application.

CFE\_Status\_t CFE\_TBL\_GetAddress (void \*\*TblPtr, CFE\_TBL\_Handle\_t TblHandle)

Obtain the current address of the contents of the specified table.

CFE\_Status\_t CFE\_TBL\_ReleaseAddress (CFE\_TBL\_Handle\_t TblHandle)

Release previously obtained pointer to the contents of the specified table.

CFE\_Status\_t CFE\_TBL\_GetAddresses (void \*\*TblPtrs[], uint16 NumTables, const CFE\_TBL\_Handle\_t Tbl
 Handles[])

Obtain the current addresses of an array of specified tables.

CFE\_Status\_t CFE\_TBL\_ReleaseAddresses (uint16 NumTables, const CFE\_TBL\_Handle\_t TblHandles[])

Release the addresses of an array of specified tables.

• CFE\_Status\_t CFE\_TBL\_GetStatus (CFE\_TBL\_Handle\_t TblHandle)

Obtain current status of pending actions for a table.

CFE Status t CFE TBL GetInfo (CFE TBL Info t \*TbIInfoPtr, const char \*TbIName)

Obtain characteristics/information of/about a specified table.

Instruct cFE Table Services to notify Application via message when table requires management.

### 38.37.1 Detailed Description

Title: Table Services API Application Library Header File

Purpose: Unit specification for Table services library functions and macros.

Design Notes:

References: Flight Software Branch C Coding Standard Version 1.0a

Notes:

# 38.38 cfe/modules/core\_api/fsw/inc/cfe\_tbl\_api\_typedefs.h File Reference

```
#include "common_types.h"
#include "cfe_mission_cfg.h"
#include "cfe_tbl_extern_typedefs.h"
#include "cfe_time_extern_typedefs.h"
```

#### **Data Structures**

• struct CFE\_TBL\_Info

Table Info.

#### **Macros**

#define CFE\_TBL\_OPT\_BUFFER\_MSK (0x0001)

Table buffer mask.

#define CFE\_TBL\_OPT\_SNGL\_BUFFER (0x0000)

Single buffer table.

#define CFE\_TBL\_OPT\_DBL\_BUFFER (0x0001)

Double buffer table.

#define CFE\_TBL\_OPT\_LD\_DMP\_MSK (0x0002)

Table load/dump mask.

• #define CFE\_TBL\_OPT\_LOAD\_DUMP (0x0000)

Load/Dump table.

#define CFE\_TBL\_OPT\_DUMP\_ONLY (0x0002)

Dump only table.

• #define CFE\_TBL\_OPT\_USR\_DEF\_MSK (0x0004)

Table user defined mask.

#define CFE TBL OPT NOT USR DEF (0x0000)

Not user defined table.

#define CFE\_TBL\_OPT\_USR\_DEF\_ADDR (0x0006)

User Defined table,.

#define CFE\_TBL\_OPT\_CRITICAL\_MSK (0x0008)

Table critical mask.

#define CFE TBL OPT NOT CRITICAL (0x0000)

Not critical table.

#define CFE\_TBL\_OPT\_CRITICAL (0x0008)

Critical table.

#define CFE\_TBL\_OPT\_DEFAULT (CFE\_TBL\_OPT\_SNGL\_BUFFER | CFE\_TBL\_OPT\_LOAD\_DUMP)
 Default table options.

#define CFE\_TBL\_MAX\_FULL\_NAME\_LEN (CFE\_MISSION\_TBL\_MAX\_FULL\_NAME\_LEN)

Table maximum full name length.

• #define CFE TBL BAD TABLE HANDLE (CFE TBL Handle t)0xFFFF

Bad table handle.

# **Typedefs**

typedef int32(\* CFE\_TBL\_CallbackFuncPtr\_t) (void \*TblPtr)

Table Callback Function.

typedef int16 CFE\_TBL\_Handle\_t

Table Handle primitive.

typedef enum CFE\_TBL\_SrcEnum CFE\_TBL\_SrcEnum\_t

Table Source.

typedef struct CFE\_TBL\_Info CFE\_TBL\_Info\_t

Table Info.

#### **Enumerations**

enum CFE\_TBL\_SrcEnum { CFE\_TBL\_SRC\_FILE = 0, CFE\_TBL\_SRC\_ADDRESS }
 Table Source.

38.38.1 Detailed Description

Title: Table Services API Application Library Header File

Purpose: Unit specification for Table services library functions and macros.

Design Notes:

References: Flight Software Branch C Coding Standard Version 1.0a

Notes:

# 38.38.2 Macro Definition Documentation

```
38.38.2.1 CFE_TBL_BAD_TABLE_HANDLE
```

```
#define CFE_TBL_BAD_TABLE_HANDLE (CFE_TBL_Handle_t) 0xFFFF
```

Bad table handle.

Definition at line 81 of file cfe tbl api typedefs.h.

```
38.38.2.2 CFE_TBL_MAX_FULL_NAME_LEN
```

```
#define CFE_TBL_MAX_FULL_NAME_LEN (CFE_MISSION_TBL_MAX_FULL_NAME_LEN)
```

Table maximum full name length.

The full length of table names is defined at the mission scope. This is defined here to support applications that depend on cfe\_tbl.h providing this value.

Definition at line 78 of file cfe\_tbl\_api\_typedefs.h.

38.38.3 Typedef Documentation

```
38.38.3.1 CFE_TBL_CallbackFuncPtr_t
```

```
typedef int32(* CFE_TBL_CallbackFuncPtr_t) (void *TblPtr)
```

Table Callback Function.

Definition at line 86 of file cfe\_tbl\_api\_typedefs.h.

```
38.38.3.2 CFE_TBL_Handle_t
```

```
typedef int16 CFE_TBL_Handle_t
```

Table Handle primitive.

Definition at line 89 of file cfe\_tbl\_api\_typedefs.h.

```
38.38.3.3 CFE_TBL_Info_t

typedef struct CFE_TBL_Info CFE_TBL_Info_t

Table Info.

38.38.3.4 CFE_TBL_SrcEnum_t

typedef enum CFE_TBL_SrcEnum_CFE_TBL_SrcEnum_t

Table Source.
```

38.38.4 Enumeration Type Documentation

38.38.4.1 CFE\_TBL\_SrcEnum

enum CFE\_TBL\_SrcEnum

Table Source.

# Enumerator

CFE_TBL_SRC_FILE	File source When this option is selected, the SrcDataPtr will be interpreted as a pointer to a null terminated character string. The string should specify the full path and filename of the file containing the initial data contents of the table.
CFE_TBL_SRC_ADDRESS	Address source When this option is selected, the SrcDataPtr will be interpreted as a pointer to a memory location that is the beginning of the initialization data for loading the table OR, in the case of a "user defined" dump only table, the address of the active table itself. The block of memory is assumed to be of the same size specified in the CFE_TBL_Register function Size parameter.

Definition at line 92 of file cfe\_tbl\_api\_typedefs.h.

# 38.39 cfe/modules/core\_api/fsw/inc/cfe\_tbl\_extern\_typedefs.h File Reference

```
#include "common_types.h"
#include "cfe_es_extern_typedefs.h"
#include "cfe_mission_cfg.h"
```

# **Data Structures**

• struct CFE\_TBL\_File\_Hdr

The definition of the header fields that are included in CFE Table Data files.

# **Typedefs**

- typedef uint16 CFE\_TBL\_BufferSelect\_Enum\_t
   Selects the buffer to operate on for validate or dump commands.
- typedef struct CFE\_TBL\_File\_Hdr CFE\_TBL\_File\_Hdr\_t

The definition of the header fields that are included in CFE Table Data files.

## **Enumerations**

• enum CFE\_TBL\_BufferSelect { CFE\_TBL\_BufferSelect\_INACTIVE = 0, CFE\_TBL\_BufferSelect\_ACTIVE = 1 } Label definitions associated with CFE\_TBL\_BufferSelect\_Enum\_t.

# 38.39.1 Detailed Description

Declarations and prototypes for cfe tbl extern typedefs module

38.39.2 Typedef Documentation

```
38.39.2.1 CFE_TBL_BufferSelect_Enum_t
```

```
typedef uint16 CFE_TBL_BufferSelect_Enum_t
```

Selects the buffer to operate on for validate or dump commands.

See also

```
enum CFE_TBL_BufferSelect
```

Definition at line 66 of file cfe tbl extern typedefs.h.

```
38.39.2.2 CFE_TBL_File_Hdr_t
```

```
typedef struct CFE_TBL_File_Hdr CFE_TBL_File_Hdr_t
```

The definition of the header fields that are included in CFE Table Data files.

This header follows the CFE\_FS header and precedes the actual table data.

38.39.3 Enumeration Type Documentation

```
38.39.3.1 CFE_TBL_BufferSelect
```

```
enum CFE_TBL_BufferSelect
```

Label definitions associated with CFE\_TBL\_BufferSelect\_Enum\_t.

## Enumerator

CFE_TBL_BufferSelect_INACTIVE	Select the Inactive buffer for validate or dump.
CFE_TBL_BufferSelect_ACTIVE	Select the Active buffer for validate or dump.

Definition at line 47 of file cfe\_tbl\_extern\_typedefs.h.

# 38.40 cfe/modules/core api/fsw/inc/cfe tbl filedef.h File Reference

```
#include "cfe_mission_cfg.h"
#include "common_types.h"
#include "cfe_tbl_extern_typedefs.h"
#include "cfe_fs_extern_typedefs.h"
```

## **Data Structures**

struct CFE\_TBL\_FileDef

# Macros

• #define CFE TBL FILEDEF(ObjName, TblName, Desc, Filename)

# **Typedefs**

• typedef struct CFE\_TBL\_FileDef CFE\_TBL\_FileDef\_t

## 38.40.1 Detailed Description

Title: ELF2CFETBL Utility Header File for Table Images

Purpose: This header file provides a data structure definition and macro definition required in source code that is intended to be compiled into a cFE compatible Table Image file.

# Design Notes:

Typically, a user would include this file in a ".c" file that contains nothing but a desired instantiation of values for a table image along with the macro defined below. After compilation, the resultant elf file can be processed using the 'elf2cfetbl' utility to generate a file that can be loaded onto a cFE flight system and successfully loaded into a table using the cFE Table Services.

References: Flight Software Branch C Coding Standard Version 1.0a

Notes:

## 38.40.2 Macro Definition Documentation

## Value:

The CFE\_TBL\_FILEDEF macro can be used to simplify the declaration of a table image when using the elf2cfetbl utility.

Note that the macro adds a NULL at the end to ensure that it is null-terminated. (C allows a struct to be statically initialized with a string exactly the length of the array, which loses the null terminator.) This means the actual length limit of the fields are the above LEN -1.

An example of the source code and how this macro would be used is as follows:

```
#include "cfe_tbl_filedef.h"

typedef struct MyTblStruct
{
    int         Int1;
    int         Int2;
    int         Int3;
    char         Char1;
} MyTblStruct_t;

MyTblStruct_t MyTblStruct = { 0x01020304, 0x05060708, 0x090A0B0C, 0x0D };

CFE_TBL_FILEDEF(MyTblStruct, MyApp.TableName, Table Utility Test Table, MyTblDefault.bin )
```

Definition at line 97 of file cfe\_tbl\_filedef.h.

# 38.40.3 Typedef Documentation

# 38.40.3.1 CFE\_TBL\_FileDef\_t

```
typedef struct CFE_TBL_FileDef CFE_TBL_FileDef_t
```

# 38.41 cfe/modules/core\_api/fsw/inc/cfe\_time.h File Reference

```
#include "common_types.h"
#include "cfe_error.h"
#include "cfe_time_api_typedefs.h"
#include "cfe_es_api_typedefs.h"
```

#### Macros

#define CFE\_TIME\_Copy(m, t)
 Time Copy.

## **Functions**

CFE TIME SysTime t CFE TIME GetTime (void)

Get the current spacecraft time.

CFE\_TIME\_SysTime\_t CFE\_TIME\_GetTAI (void)

Get the current TAI (MET + SCTF) time.

CFE\_TIME\_SysTime\_t CFE\_TIME\_GetUTC (void)

Get the current UTC (MET + SCTF - Leap Seconds) time.

CFE\_TIME\_SysTime\_t CFE\_TIME\_GetMET (void)

Get the current value of the Mission Elapsed Time (MET).

• uint32 CFE TIME GetMETseconds (void)

Get the current seconds count of the mission-elapsed time.

uint32 CFE\_TIME\_GetMETsubsecs (void)

Get the current sub-seconds count of the mission-elapsed time.

CFE\_TIME\_SysTime\_t CFE\_TIME\_GetSTCF (void)

Get the current value of the spacecraft time correction factor (STCF).

int16 CFE\_TIME\_GetLeapSeconds (void)

Get the current value of the leap seconds counter.

CFE\_TIME\_ClockState\_Enum\_t CFE\_TIME\_GetClockState (void)

Get the current state of the spacecraft clock.

uint16 CFE TIME GetClockInfo (void)

Provides information about the spacecraft clock.

• CFE\_TIME\_SysTime\_t CFE\_TIME\_Add (CFE\_TIME\_SysTime\_t Time1, CFE\_TIME\_SysTime\_t Time2)

Adds two time values.

CFE\_TIME\_SysTime\_t CFE\_TIME\_Subtract (CFE\_TIME\_SysTime\_t Time1, CFE\_TIME\_SysTime\_t Time2)

Subtracts two time values.

- CFE\_TIME\_Compare\_t CFE\_TIME\_Compare (CFE\_TIME\_SysTime\_t TimeA, CFE\_TIME\_SysTime\_t TimeB)

  Compares two time values.
- CFE TIME SysTime t CFE TIME MET2SCTime (CFE TIME SysTime t METTime)

Convert specified MET into Spacecraft Time.

uint32 CFE TIME Sub2MicroSecs (uint32 SubSeconds)

Converts a sub-seconds count to an equivalent number of microseconds.

uint32 CFE TIME Micro2SubSecs (uint32 MicroSeconds)

Converts a number of microseconds to an equivalent sub-seconds count.

void CFE TIME ExternalTone (void)

Provides the 1 Hz signal from an external source.

void CFE\_TIME\_ExternalMET (CFE\_TIME\_SysTime\_t NewMET)

Provides the Mission Elapsed Time from an external source.

void CFE\_TIME\_ExternalGPS (CFE\_TIME\_SysTime\_t NewTime, int16 NewLeaps)

Provide the time from an external source that has data common to GPS receivers.

void CFE TIME ExternalTime (CFE TIME SysTime t NewTime)

Provide the time from an external source that measures time relative to a known epoch.

CFE Status t CFE TIME RegisterSynchCallback (CFE TIME SynchCallbackPtr t CallbackFuncPtr)

Registers a callback function that is called whenever time synchronization occurs.

CFE\_Status\_t CFE\_TIME\_UnregisterSynchCallback (CFE\_TIME\_SynchCallbackPtr\_t CallbackFuncPtr)

Unregisters a callback function that is called whenever time synchronization occurs.

void CFE\_TIME\_Print (char \*PrintBuffer, CFE\_TIME\_SysTime\_t TimeToPrint)

Print a time value as a string.

void CFE TIME Local1HzISR (void)

This function is called via a timer callback set up at initialization of the TIME service.

# 38.41.1 Detailed Description

Purpose: cFE Time Services (TIME) library API header file

Author: S.Walling/Microtel

Notes:

## 38.41.2 Macro Definition Documentation

## 38.41.2.1 CFE\_TIME\_Copy

```
#define CFE_TIME_Copy( \it{m}, \it{t} )
```

# Value:

```
{
     (m)->Seconds = (t)->Seconds; \
     (m)->Subseconds = (t)->Subseconds; \
}
```

Time Copy.

Macro to copy systime into another systime. Preferred to use this macro as it does not require the two arguments to be exactly the same type, it will work with any two structures that define "Seconds" and "Subseconds" members.

Definition at line 50 of file cfe time.h.

# 38.42 cfe/modules/core\_api/fsw/inc/cfe\_time\_api\_typedefs.h File Reference

```
#include "common_types.h"
#include "cfe_time_extern_typedefs.h"
```

## Macros

#define CFE\_TIME\_PRINTED\_STRING\_SIZE 24
 Required size of buffer to be passed into CFE\_TIME\_Print (includes null terminator)

# **Typedefs**

- typedef enum CFE\_TIME\_Compare CFE\_TIME\_Compare\_t
   Enumerated types identifying the relative relationships of two times.
- typedef int32(\* CFE\_TIME\_SynchCallbackPtr\_t) (void)

Time Synchronization Callback Function Ptr Type.

## **Enumerations**

• enum CFE\_TIME\_Compare { CFE\_TIME\_A\_LT\_B = -1, CFE\_TIME\_EQUAL = 0, CFE\_TIME\_A\_GT\_B = 1 } Enumerated types identifying the relative relationships of two times.

## 38.42.1 Detailed Description

Purpose: cFE Time Services (TIME) library API header file

Author: S.Walling/Microtel

Notes:

38.42.2 Macro Definition Documentation

```
38.42.2.1 CFE_TIME_PRINTED_STRING_SIZE
```

```
#define CFE_TIME_PRINTED_STRING_SIZE 24
```

Required size of buffer to be passed into CFE\_TIME\_Print (includes null terminator)

Definition at line 46 of file cfe time api typedefs.h.

# 38.42.3 Typedef Documentation

```
38.42.3.1 CFE_TIME_Compare_t

typedef enum CFE_TIME_Compare CFE_TIME_Compare_t
```

Enumerated types identifying the relative relationships of two times.

## Description

Since time fields contain numbers that are relative to an epoch time, then it is possible for a time value to be "negative". This can lead to some confusion about what relationship exists between two time values. To resolve this confusion, the cFE provides the API CFE TIME Compare which returns these enumerated values.

```
38.42.3.2 CFE_TIME_SynchCallbackPtr_t

typedef int32(* CFE_TIME_SynchCallbackPtr_t) (void)
```

Time Synchronization Callback Function Ptr Type.

# Description

Applications that wish to get direct notification of the receipt of the cFE Time Synchronization signal (typically a 1 Hz signal), must register a callback function with the following prototype via the CFE\_TIME\_RegisterSynchCallback API.

Definition at line 77 of file cfe\_time\_api\_typedefs.h.

38.42.4 Enumeration Type Documentation

```
38.42.4.1 CFE_TIME_Compare
enum CFE_TIME_Compare
```

Enumerated types identifying the relative relationships of two times.

# Description

Since time fields contain numbers that are relative to an epoch time, then it is possible for a time value to be "negative". This can lead to some confusion about what relationship exists between two time values. To resolve this confusion, the cFE provides the API CFE\_TIME\_Compare which returns these enumerated values.

## Enumerator

	The first specified time is considered to be before the second specified time.	
CFE_TIME_A_LT_B		
CFE_TIME_EQUAL	The two specified times are considered to be equal.	
CFE_TIME_A_GT↔	The first specified time is considered to be after the second specified time.	
_B		

Definition at line 62 of file cfe\_time\_api\_typedefs.h.

# 38.43 cfe/modules/core\_api/fsw/inc/cfe\_time\_extern\_typedefs.h File Reference

```
#include "common_types.h"
```

## **Data Structures**

• struct CFE\_TIME\_SysTime

Data structure used to hold system time values.

# **Typedefs**

typedef struct CFE TIME SysTime CFE TIME SysTime t

Data structure used to hold system time values.

• typedef uint8 CFE\_TIME\_FlagBit\_Enum\_t

Bit positions of the various clock state flags.

typedef int16 CFE\_TIME\_ClockState\_Enum\_t

Enumerated types identifying the quality of the current time.

typedef uint8 CFE\_TIME\_SourceSelect\_Enum\_t

Clock Source Selection Parameters.

typedef uint8 CFE\_TIME\_ToneSignalSelect\_Enum\_t

Tone Signal Selection Parameters.

• typedef uint8 CFE\_TIME\_AdjustDirection\_Enum\_t

STCF adjustment direction (for both one-time and 1Hz adjustments)

• typedef uint8 CFE\_TIME\_FlywheelState\_Enum\_t

Fly-wheel status values.

typedef uint8 CFE\_TIME\_SetState\_Enum\_t

Clock status values (has the clock been set to correct time)

## **Enumerations**

```
enum CFE TIME FlagBit {
     CFE TIME FlagBit CLKSET = 0, CFE TIME FlagBit FLYING = 1, CFE TIME FlagBit SRCINT = 2, CFE T↔
     IME FlagBit SIGPRI = 3,
     CFE TIME FlagBit SRVFLY = 4, CFE TIME FlagBit CMDFLY = 5, CFE TIME FlagBit ADDADJ = 6, CFE ↔
     TIME_FlagBit_ADD1HZ = 7,
     CFE TIME FlagBit ADDTCL = 8, CFE TIME FlagBit SERVER = 9, CFE TIME FlagBit GDTONE = 10 }
        Label definitions associated with CFE_TIME_FlagBit_Enum_t.

    enum CFE TIME ClockState { CFE TIME ClockState INVALID = -1, CFE TIME ClockState VALID = 0, CF←

     E TIME ClockState FLYWHEEL = 1 }
        Label definitions associated with CFE_TIME_ClockState_Enum_t.
   ERNAL = 2
        Label definitions associated with CFE TIME SourceSelect Enum t.

    enum CFE TIME ToneSignalSelect { CFE TIME ToneSignalSelect PRIMARY = 1, CFE TIME ToneSignal

     Select_REDUNDANT = 2 }
        Label definitions associated with CFE_TIME_ToneSignalSelect_Enum_t.

    enum CFE TIME AdjustDirection { CFE TIME AdjustDirection ADD = 1, CFE TIME AdjustDirection SUBT

     RACT = 2
        Label definitions associated with CFE_TIME_AdjustDirection_Enum_t.

    enum CFE_TIME_FlywheelState { CFE_TIME_FlywheelState_NO_FLY = 0, CFE_TIME_FlywheelState_IS_FLY

     = 1 }
        Label definitions associated with CFE_TIME_FlywheelState_Enum_t.
   enum CFE_TIME_SetState { CFE_TIME_SetState_NOT_SET = 0, CFE_TIME_SetState_WAS_SET = 1 }
        Label definitions associated with CFE_TIME_SetState_Enum_t.
38.43.1 Detailed Description
Declarations and prototypes for cfe time extern typedefs module
38.43.2 Typedef Documentation
38.43.2.1 CFE_TIME_AdjustDirection_Enum_t
typedef uint8 CFE_TIME_AdjustDirection_Enum_t
STCF adjustment direction (for both one-time and 1Hz adjustments)
See also
    enum CFE TIME AdjustDirection
Definition at line 251 of file cfe time extern typedefs.h.
```

```
38.43.2.2 CFE_TIME_ClockState_Enum_t
```

```
typedef int16 CFE_TIME_ClockState_Enum_t
```

Enumerated types identifying the quality of the current time.

#### Description

The CFE\_TIME\_ClockState\_Enum\_t enumerations identify the three recognized states of the current time. If the clock has never been successfully synchronized with the primary onboard clock source, the time is considered to be CFE\_TIME\_ClockState\_INVALID. If the time is currently synchronized (i.e. - the primary synchronization mechanism has not been dropped for any significant amount of time), then the current time is considered to be C← FE\_TIME\_ClockState\_VALID. If the time had, at some point in the past, been synchronized, but the synchronization with the primary onboard clock has since been lost, then the time is considered to be CFE\_TIME\_ClockState ← FLYWHEEL. Since different clocks drift at different rates from one another, the accuracy of the time while in CFE\_TIME\_ClockState\_FLYWHEEL is dependent upon the time spent in that state.

## See also

```
enum CFE_TIME_ClockState
```

Definition at line 179 of file cfe\_time\_extern\_typedefs.h.

```
38.43.2.3 CFE_TIME_FlagBit_Enum_t
```

```
typedef uint8 CFE_TIME_FlagBit_Enum_t
```

Bit positions of the various clock state flags.

See also

```
enum CFE_TIME_FlagBit
```

Definition at line 126 of file cfe time extern typedefs.h.

```
38.43.2.4 CFE_TIME_FlywheelState_Enum_t
```

```
typedef uint8 CFE_TIME_FlywheelState_Enum_t
```

Fly-wheel status values.

See also

```
enum CFE_TIME_FlywheelState
```

Definition at line 275 of file cfe\_time\_extern\_typedefs.h.

```
38.43.2.5 CFE_TIME_SetState_Enum_t
 typedef uint8 CFE_TIME_SetState_Enum_t
 Clock status values (has the clock been set to correct time)
 See also
      enum CFE_TIME_SetState
 Definition at line 299 of file cfe_time_extern_typedefs.h.
38.43.2.6 CFE_TIME_SourceSelect_Enum_t
 typedef uint8 CFE_TIME_SourceSelect_Enum_t
 Clock Source Selection Parameters.
 See also
      enum CFE_TIME_SourceSelect
 Definition at line 203 of file cfe time extern typedefs.h.
38.43.2.7 CFE_TIME_SysTime_t
 typedef struct CFE_TIME_SysTime CFE_TIME_SysTime_t
 Data structure used to hold system time values.
Description
     The CFE TIME SysTime t data structure is used to hold time values. Time is referred to as the elapsed time
     (in seconds and subseconds) since a specified epoch time. The subseconds field contains the number of 2^(-32)
     second intervals that have elapsed since the epoch.
38.43.2.8 CFE_TIME_ToneSignalSelect_Enum_t
 typedef uint8 CFE_TIME_ToneSignalSelect_Enum_t
 Tone Signal Selection Parameters.
 See also
      enum CFE_TIME_ToneSignalSelect
 Definition at line 227 of file cfe_time_extern_typedefs.h.
 38.43.3 Enumeration Type Documentation
38.43.3.1 CFE_TIME_AdjustDirection
 enum CFE_TIME_AdjustDirection
```

Label definitions associated with CFE\_TIME\_AdjustDirection\_Enum\_t.

# Enumerator

CFE_TIME_AdjustDirection_ADD	Add time adjustment.
CFE_TIME_AdjustDirection_SUBTRACT	Subtract time adjustment.

Definition at line 232 of file cfe\_time\_extern\_typedefs.h.

38.43.3.2 CFE\_TIME\_ClockState

enum CFE\_TIME\_ClockState

Label definitions associated with CFE\_TIME\_ClockState\_Enum\_t.

# Enumerator

CFE_TIME_ClockState_INVALID	The spacecraft time has not been set since the last clock reset. Times returned by clock routines have no relationship to any ground-based time reference.
CFE_TIME_ClockState_VALID	The spacecraft time has been set at least once since the last clock reset, and it is synchronized with the primary on-board time base. Times returned by clock routines can be trusted.
CFE_TIME_ClockState_FLYWHEEL	The spacecraft time has been set at least once since the last clock reset, but it is not currently synchronized with the primary on-board time base. Times returned by clock routines are a "best guess" based on a non-optimal oscillator.

Definition at line 131 of file cfe\_time\_extern\_typedefs.h.

38.43.3.3 CFE\_TIME\_FlagBit

enum CFE\_TIME\_FlagBit

Label definitions associated with CFE\_TIME\_FlagBit\_Enum\_t.

# Enumerator

CFE_TIME_FlagBit_CLKSET	The spacecraft time has been set.	
CFE_TIME_FlagBit_FLYING	This instance of Time Services is flywheeling.	
CFE_TIME_FlagBit_SRCINT		
CFE_TIME_FlagBit_SIGPRI	The clock signal is set to primary.	
CFE_TIME_FlagBit_SRVFLY	The Time Server is in flywheel mode.	
CFE_TIME_FlagBit_CMDFLY	MDFLY This instance of Time Services was commanded into flywheel mode.	
CFE_TIME_FlagBit_ADDADJ	DADJ One time STCF Adjustment is to be done in positive direction.	
CFE_TIME_FlagBit_ADD1HZ	CFE_TIME_FlagBit_ADD1HZ	
CFE_TIME_FlagBit_ADDTCL	CFE_TIME_FlagBit_ADDTCL	
CFE_TIME_FlagBit_SERVER	This instance of Time Services is a Time Server.	ated by Doxygen
CFE_TIME_FlagBit_GDTONE	The tone received is good compared to the last tone received.	

Definition at line 62 of file cfe\_time\_extern\_typedefs.h.

38.43.3.4 CFE\_TIME\_FlywheelState

enum CFE\_TIME\_FlywheelState

Label definitions associated with CFE\_TIME\_FlywheelState\_Enum\_t.

# Enumerator

CFE_TIME_FlywheelState_NO_FLY	Not in flywheel state.
CFE_TIME_FlywheelState_IS_FLY	In flywheel state.

Definition at line 256 of file cfe\_time\_extern\_typedefs.h.

38.43.3.5 CFE\_TIME\_SetState

enum CFE\_TIME\_SetState

Label definitions associated with CFE\_TIME\_SetState\_Enum\_t.

# Enumerator

CFE_TIME_SetState_NOT_SET	Spacecraft time has not been set.
CFE_TIME_SetState_WAS_SET	Spacecraft time has been set.

Definition at line 280 of file cfe time extern typedefs.h.

38.43.3.6 CFE\_TIME\_SourceSelect

enum CFE\_TIME\_SourceSelect

Label definitions associated with CFE\_TIME\_SourceSelect\_Enum\_t.

# Enumerator

CFE_TIME_SourceSelect_INTERNAL	Use Internal Source.
CFE_TIME_SourceSelect_EXTERNAL	Use External Source.

Definition at line 184 of file cfe\_time\_extern\_typedefs.h.

# 38.43.3.7 CFE\_TIME\_ToneSignalSelect

```
enum CFE_TIME_ToneSignalSelect
```

Label definitions associated with CFE\_TIME\_ToneSignalSelect\_Enum\_t.

## Enumerator

CFE_TIME_ToneSignalSelect_PRIMARY	Primary Source.
CFE_TIME_ToneSignalSelect_REDUNDANT	Redundant Source.

Definition at line 208 of file cfe\_time\_extern\_typedefs.h.

# 38.44 cfe/modules/core\_api/fsw/inc/cfe\_version.h File Reference

#### **Macros**

• #define CFE BUILD NUMBER 39

Development: Number of development commits since baseline.

#define CFE\_BUILD\_BASELINE "v7.0.0-rc4"

Development: Reference git tag for build number.

• #define CFE\_MAJOR\_VERSION 6

Major release version (Former for Revision == 99)

#define CFE\_MINOR\_VERSION 7

Minor release version (Former for Revision == 99)

• #define CFE\_REVISION 0

ONLY APPLY for OFFICIAL releases. Revision number.

• #define CFE\_MISSION\_REV 0xFF

Mission revision.

• #define CFE STR HELPER(x) #x

Convert argument to string.

• #define CFE\_STR(x) CFE\_STR\_HELPER(x)

Expand macro before conversion.

#define CFE\_SRC\_VERSION CFE\_BUILD\_BASELINE "+dev" CFE\_STR(CFE\_BUILD\_NUMBER)

Short Build Version String.

• #define CFE\_VERSION\_STRING " cFE DEVELOPMENT BUILD " CFE\_SRC\_VERSION " (Codename: Draco), Last Official Release: cfe v6.7.0"

Long Build Version String.

# 38.44.1 Detailed Description

Provide version identifiers for the cFE core. See Version Numbers for further details.

# 38.44.2 Macro Definition Documentation

# 38.44.2.1 CFE\_BUILD\_BASELINE

#define CFE\_BUILD\_BASELINE "v7.0.0-rc4"

Development: Reference git tag for build number.

Definition at line 32 of file cfe\_version.h.

## 38.44.2.2 CFE\_BUILD\_NUMBER

#define CFE\_BUILD\_NUMBER 39

Development: Number of development commits since baseline.

Definition at line 31 of file cfe\_version.h.

# 38.44.2.3 CFE\_MAJOR\_VERSION

#define CFE\_MAJOR\_VERSION 6

Major release version (Former for Revision == 99)

Definition at line 35 of file cfe\_version.h.

# 38.44.2.4 CFE\_MINOR\_VERSION

#define CFE\_MINOR\_VERSION 7

Minor release version (Former for Revision == 99)

Definition at line 36 of file cfe\_version.h.

# 38.44.2.5 CFE\_MISSION\_REV

#define CFE\_MISSION\_REV 0xFF

Mission revision.

Set to 0 on OFFICIAL releases, and set to 255 (0xFF) on development versions. Values 1-254 are reserved for mission use to denote patches/customizations as needed.

Definition at line 45 of file cfe\_version.h.

# 38.44.2.6 CFE\_REVISION

```
#define CFE_REVISION 0
```

ONLY APPLY for OFFICIAL releases. Revision number.

Definition at line 37 of file cfe\_version.h.

# 38.44.2.7 CFE\_SRC\_VERSION

```
#define CFE_SRC_VERSION CFE_BUILD_BASELINE "+dev" CFE_STR(CFE_BUILD_NUMBER)
```

Short Build Version String.

Short string identifying the build, see Version Numbers for suggested format for development and official releases.

Definition at line 56 of file cfe version.h.

## 38.44.2.8 CFE STR

Expand macro before conversion.

Definition at line 48 of file cfe\_version.h.

## 38.44.2.9 CFE\_STR\_HELPER

Convert argument to string.

Definition at line 47 of file cfe\_version.h.

## 38.44.2.10 CFE\_VERSION\_STRING

```
#define CFE_VERSION_STRING " cFE DEVELOPMENT BUILD " CFE_SRC_VERSION " (Codename: Draco), Last Official Release: cfe v6.7.0"
```

Long Build Version String.

Long freeform string identifying the build, see Version Numbers for suggested format for development and official releases.

Definition at line 64 of file cfe version.h.

# 38.45 cfe/modules/es/fsw/inc/cfe\_es\_events.h File Reference

Macros

#### ES event IDs

```
• #define CFE ES INIT INF EID 1
```

ES Initialization Event ID.

#define CFE ES INITSTATS INF EID 2

ES Initialization Statistics Information Event ID.

• #define CFE ES NOOP INF EID 3

ES No-op Command Success Event ID.

#define CFE ES RESET INF EID 4

ES Reset Counters Command Success Event ID.

#define CFE ES START INF EID 6

ES Start Application Command Success Event ID.

#define CFE\_ES\_STOP\_DBG\_EID 7

ES Stop Application Command Request Success Event ID.

#define CFE ES STOP INF EID 8

ES Stop Application Completed Event ID.

• #define CFE ES RESTART APP DBG EID 9

ES Restart Application Command Request Success Event ID.

• #define CFE ES RESTART APP INF EID 10

ES Restart Application Completed Event ID.

#define CFE ES RELOAD APP DBG EID 11

ES Reload Application Command Request Success Event ID.

#define CFE\_ES\_RELOAD\_APP\_INF\_EID 12

ES Reload Application Complete Event ID.

#define CFE\_ES\_EXIT\_APP\_INF\_EID 13

ES Nominal Exit Application Complete Event ID.

#define CFE\_ES\_ERREXIT\_APP\_INF\_EID 14

ES Error Exit Application Complete Event ID.

• #define CFE ES ONE APP EID 15

ES Query One Application Command Success Event ID.

• #define CFE ES ALL APPS EID 16

ES Query All Applications Command Success Event ID.

#define CFE\_ES\_SYSLOG1\_INF\_EID 17

ES Clear System Log Command Success Event ID.

• #define CFE ES SYSLOG2 EID 18

ES Write System Log Command Success Event ID.

• #define CFE\_ES\_ERLOG1\_INF\_EID 19

ES Clear Exception Reset Log Command Success Event ID.

• #define CFE\_ES\_ERLOG2\_EID 20

ES Write Exception Reset Log Complete Event ID.

#define CFE\_ES\_MID\_ERR\_EID 21

ES Invalid Message ID Received Event ID.

• #define CFE\_ES\_CC1\_ERR\_EID 22

ES Invalid Command Code Received Event ID.

#define CFE ES LEN ERR EID 23

ES Invalid Command Length Event ID.

• #define CFE\_ES\_BOOT\_ERR\_EID 24

ES Restart Command Invalid Restart Type Event ID.

• #define CFE\_ES\_START\_ERR\_EID 26

ES Start Application Command Application Creation Failed Event ID.

 #define CFE\_ES\_START\_INVALID\_FILENAME\_ERR\_EID 27 ES Start Application Command Invalid Filename Event ID. #define CFE ES START INVALID ENTRY POINT ERR EID 28 ES Start Application Command Entry Point NULL Event ID. #define CFE\_ES\_START\_NULL\_APP\_NAME\_ERR\_EID 29 ES Start Application Command App Name NULL Event ID. #define CFE\_ES\_START\_PRIORITY\_ERR\_EID 31 ES Start Application Command Priority Too Large Event ID. • #define CFE ES START EXC ACTION ERR EID 32 ES Start Application Command Exception Action Invalid Event ID. #define CFE\_ES\_ERREXIT\_APP\_ERR\_EID 33 ES Error Exit Application Cleanup Failed Event ID. • #define CFE ES STOP ERR1 EID 35 ES Stop Application Command Request Failed Event ID. • #define CFE ES STOP ERR2 EID 36 ES Stop Application Command Get AppID By Name Failed Event ID. #define CFE ES STOP ERR3 EID 37 ES Stop Application Cleanup Failed Event ID. • #define CFE\_ES\_RESTART\_APP\_ERR1\_EID 38 ES Restart Application Command Request Failed Event ID. • #define CFE ES RESTART APP ERR2 EID 39 ES Restart Application Command Get ApplD By Name Failed Event ID. #define CFE ES RESTART APP ERR3 EID 40 ES Restart Application Startup Failed Event ID. #define CFE ES RESTART APP ERR4 EID 41 ES Restart Application Cleanup Failed Event ID. #define CFE ES RELOAD APP ERR1 EID 42 ES Reload Application Command Request Failed Event ID. #define CFE ES RELOAD APP ERR2 EID 43 ES Reload Application Command Get ApplD By Name Failed Event ID. #define CFE\_ES\_RELOAD\_APP\_ERR3\_EID 44 ES Reload Application Startup Failed Event ID. • #define CFE ES RELOAD APP ERR4 EID 45 ES Reload Application Cleanup Failed Event ID. #define CFE ES EXIT APP ERR EID 46 ES Exit Application Cleanup Failed Event ID. #define CFE ES PCR ERR1 EID 47 ES Process Control Invalid Exception State Event ID. #define CFE ES PCR ERR2 EID 48 ES Process Control Unknown State Event ID. #define CFE ES ONE ERR EID 49 ES Query One Application Data Command Transmit Message Failed Event ID. #define CFE ES ONE APPID ERR EID 50 ES Query One Application Data Command Get ApplD By Name Failed Event ID. #define CFE ES OSCREATE ERR EID 51 ES Query All Application Data Command File Creation Failed Event ID. #define CFE ES WRHDR ERR EID 52 ES Query All Application Data Command File Write Header Failed Event ID. #define CFE ES TASKWR ERR EID 53 ES Query All Application Data Command File Write App Data Failed Event ID. #define CFE ES SYSLOG2 ERR EID 55 ES Write System Log Command Filename Parse or File Creation Failed Event ID. • #define CFE ES ERLOG2 ERR EID 56 ES Write Exception Reset Log Command Request or File Creation Failed Event ID.

#define CFE ES PERF STARTCMD EID 57

```
ES Start Performance Analyzer Data Collection Command Success Event ID.
• #define CFE_ES_PERF_STARTCMD_ERR_EID 58
     ES Start Performance Analyzer Data Collection Command Idle Check Failed Event ID.

    #define CFE ES PERF STARTCMD TRIG ERR EID 59

     ES Start Performance Analyzer Data Collection Command Invalid Trigger Event ID.

    #define CFE ES PERF STOPCMD EID 60

     ES Stop Performance Analyzer Data Collection Command Request Success Event ID.

    #define CFE_ES_PERF_STOPCMD_ERR2_EID 62

     ES Stop Performance Analyzer Data Collection Command Request Idle Check Failed Event ID.
• #define CFE ES PERF FILTMSKCMD EID 63
     ES Set Performance Analyzer Filter Mask Command Success Event ID.

    #define CFE_ES_PERF_FILTMSKERR_EID 64

     ES Set Performance Analyzer Filter Mask Command Invalid Index Event ID.
• #define CFE ES PERF TRIGMSKCMD EID 65
     ES Set Performance Analyzer Trigger Mask Command Success Event ID.

    #define CFE_ES_PERF_TRIGMSKERR_EID 66

     ES Set Performance Analyzer Trigger Mask Command Invalid Mask Event ID.

    #define CFE ES PERF LOG ERR EID 67

     ES Stop Performance Analyzer Data Collection Command Filename Parse or File Create Failed Event ID.

    #define CFE_ES_PERF_DATAWRITTEN_EID 68

     Performance Log Write Success Event ID.

    #define CFE ES CDS REGISTER ERR EID 69

     ES Register CDS API Failed Event ID.

    #define CFE ES SYSLOGMODE EID 70

     ES Set System Log Overwrite Mode Command Success Event ID.
• #define CFE_ES_ERR_SYSLOGMODE EID 71
     ES Set System Log Overwrite Mode Command Failed Event ID.

    #define CFE_ES_RESET_PR_COUNT_EID 72

     ES Set Processor Reset Counter to Zero Command Success Event ID.

    #define CFE ES SET MAX PR COUNT EID 73

     ES Set Maximum Processor Reset Limit Command Success Event ID.

    #define CFE ES FILEWRITE ERR EID 74

     ES File Write Failed Event ID.

    #define CFE ES CDS DELETE ERR EID 76

     ES Delete CDS Command Delete Failed Event ID.

    #define CFE ES CDS NAME ERR EID 77

     ES Delete CDS Command Lookup CDS Failed Event ID.

    #define CFE ES CDS DELETED INFO EID 78

     ES Delete CDS Command Success Event ID.

    #define CFE ES CDS DELETE TBL ERR EID 79

     ES Delete CDS Command For Critical Table Event ID.

    #define CFE_ES_CDS_OWNER_ACTIVE_EID 80

     ES Delete CDS Command With Active Owner Event ID.

    #define CFE ES TLM POOL STATS INFO EID 81

     ES Telemeter Memory Statistics Command Success Event ID.

    #define CFE ES INVALID POOL HANDLE ERR EID 82

     ES Telemeter Memory Statistics Command Invalid Handle Event ID.

    #define CFE ES CDS REG DUMP INF EID 83

     ES Write Critical Data Store Registry Command Success Event ID.

    #define CFE ES CDS DUMP ERR EID 84

     ES Write Critical Data Store Registry Command Record Write Failed Event ID.

    #define CFE ES WRITE CFE HDR ERR EID 85

     ES Write Critical Data Store Registry Command Header Write Failed Event ID.

    #define CFE_ES_CREATING_CDS_DUMP_ERR_EID 86
```

ES Write Critical Data Store Registry Command Filename Parse or File Create Failed Event ID.

• #define CFE\_ES\_TASKINFO\_EID 87 ES Write All Task Data Command Success Event ID. #define CFE ES TASKINFO OSCREATE ERR EID 88 ES Write All Task Data Command Filename Parse or File Create Failed Event ID. • #define CFE ES TASKINFO WRHDR ERR EID 89 ES Write All Task Data Command Write Header Failed Event ID. #define CFE ES TASKINFO WR ERR EID 90 ES Write All Task Data Command Write Data Failed Event ID. • #define CFE\_ES\_VERSION\_INF\_EID 91 cFS Version Information Event ID • #define CFE\_ES\_BUILD\_INF\_EID 92 cFS Build Information Event ID • #define CFE\_ES\_ERLOG\_PENDING\_ERR\_EID 93 ES Write Exception Reset Log Command Already In Progress Event ID. 38.45.1 Detailed Description cFE Executive Services Event IDs 38.45.2 Macro Definition Documentation 38.45.2.1 CFE\_ES\_ALL\_APPS\_EID #define CFE\_ES\_ALL\_APPS\_EID 16 ES Query All Applications Command Success Event ID. Type: DEBUG Cause: ES Query All Applications Command success.

Definition at line 208 of file cfe es events.h.

```
38.45.2.2 CFE_ES_BOOT_ERR_EID
 #define CFE_ES_BOOT_ERR_EID 24
ES Restart Command Invalid Restart Type Event ID.
Type: ERROR
Cause:
ES cFE Restart Command failure due to invalid restart type.
 Definition at line 296 of file cfe es events.h.
38.45.2.3 CFE_ES_BUILD_INF_EID
 #define CFE_ES_BUILD_INF_EID 92
cFS Build Information Event ID
Type: INFORMATION
Cause:
ES Initialization complete and response to ES NO-OP Command.
```

The Build field identifies the build date, time, hostname and user identifier of the build host machine for the current running binary. The first string is the build date/time, and the second string is formatted as "user@hostname"

This additionally reports the configuration name that was selected by the user, which may affect various platform/mission limits.

By default, if not specified/overridden, the default values of these variables will be: BUILDDATE ==> the output of "date +%Y%m%d%H%M" HOSTNAME ==> the output of "hostname" USER ==> the output of "whoami"

The values can be overridden by setting an environment variable with the names above to the value desired for the field when running "make".

Definition at line 1049 of file cfe\_es\_events.h.

```
38.45.2.4 CFE_ES_CC1_ERR_EID
 #define CFE_ES_CC1_ERR_EID 22
 ES Invalid Command Code Received Event ID.
Type: ERROR
Cause:
Invalid command code for message ID CFE_ES_CMD_MID received on the ES message pipe.
Definition at line 274 of file cfe_es_events.h.
38.45.2.5 CFE_ES_CDS_DELETE_ERR_EID
 #define CFE_ES_CDS_DELETE_ERR_EID 76
ES Delete CDS Command Delete Failed Event ID.
Type: ERROR
Cause:
ES Delete CDS Command failed while deleting, see reported status code or system log for details.
 Definition at line 836 of file cfe_es_events.h.
38.45.2.6 CFE_ES_CDS_DELETE_TBL_ERR_EID
 #define CFE_ES_CDS_DELETE_TBL_ERR_EID 79
ES Delete CDS Command For Critical Table Event ID.
Type: ERROR
Cause:
 Delete CDS Command failure due to the specified CDS name being a critical table. Critical Table images can only be
```

deleted via a Table Services command, CFE\_TBL\_DELETE\_CDS\_CC.

Definition at line 873 of file cfe\_es\_events.h.

```
38.45.2.7 CFE_ES_CDS_DELETED_INFO_EID
 #define CFE_ES_CDS_DELETED_INFO_EID 78
ES Delete CDS Command Success Event ID.
Type: INFORMATION
Cause:
ES Delete CDS Command success.
Definition at line 859 of file cfe_es_events.h.
38.45.2.8 CFE ES CDS DUMP ERR EID
 #define CFE_ES_CDS_DUMP_ERR_EID 84
ES Write Critical Data Store Registry Command Record Write Failed Event ID.
Type: ERROR
Cause:
ES Write Critical Data Store Registry Command failed to write CDS record.
Definition at line 931 of file cfe_es_events.h.
38.45.2.9 CFE_ES_CDS_NAME_ERR_EID
 #define CFE_ES_CDS_NAME_ERR_EID 77
ES Delete CDS Command Lookup CDS Failed Event ID.
Type: ERROR
Cause:
```

ES Delete CDS Command failed due to the specified CDS name not found in the CDS Registry.

Generated by Doxygen

Definition at line 848 of file cfe\_es\_events.h.

```
38.45.2.10 CFE_ES_CDS_OWNER_ACTIVE_EID
 #define CFE_ES_CDS_OWNER_ACTIVE_EID 80
ES Delete CDS Command With Active Owner Event ID.
Type: ERROR
Cause:
ES Delete CDS Command failure due to the specifies CDS name is registered to an active application.
Definition at line 885 of file cfe_es_events.h.
38.45.2.11 CFE_ES_CDS_REG_DUMP_INF_EID
 #define CFE_ES_CDS_REG_DUMP_INF_EID 83
ES Write Critical Data Store Registry Command Success Event ID.
Type: DEBUG
Cause:
ES Write Critical Data Store Registry Command success.
Definition at line 919 of file cfe_es_events.h.
38.45.2.12 CFE_ES_CDS_REGISTER_ERR_EID
 #define CFE_ES_CDS_REGISTER_ERR_EID 69
ES Register CDS API Failed Event ID.
Type: ERROR
Cause:
CFE_ES_RegisterCDS API failure, see reported status code or system log for details.
```

Definition at line 768 of file cfe\_es\_events.h.

Generated by Doxygen

```
38.45.2.13 CFE_ES_CREATING_CDS_DUMP_ERR_EID
 #define CFE_ES_CREATING_CDS_DUMP_ERR_EID 86
ES Write Critical Data Store Registry Command Filename Parse or File Create Failed Event ID.
Type: ERROR
Cause:
ES Write Critical Data Store Registry Command failed to parse filename or open/create the file. OVERLOADED
Definition at line 955 of file cfe_es_events.h.
38.45.2.14 CFE_ES_ERLOG1_INF_EID
 #define CFE_ES_ERLOG1_INF_EID 19
ES Clear Exception Reset Log Command Success Event ID.
Type: INFORMATION
Cause:
ES Clear Exception Reset Log Command success.
Definition at line 241 of file cfe_es_events.h.
38.45.2.15 CFE_ES_ERLOG2_EID
 #define CFE_ES_ERLOG2_EID 20
ES Write Exception Reset Log Complete Event ID.
Type: DEBUG
Cause:
Request to write the Exception Reset log successfully completed.
```

Definition at line 252 of file cfe\_es\_events.h.

```
38.45.2.16 CFE_ES_ERLOG2_ERR_EID
 #define CFE_ES_ERLOG2_ERR_EID 56
ES Write Exception Reset Log Command Request or File Creation Failed Event ID.
Type: ERROR
Cause:
ES Write Exception Reset Log Command request failed or file creation failed. OVERLOADED
Definition at line 628 of file cfe_es_events.h.
38.45.2.17 CFE_ES_ERLOG_PENDING_ERR_EID
 #define CFE_ES_ERLOG_PENDING_ERR_EID 93
ES Write Exception Reset Log Command Already In Progress Event ID.
Type: ERROR
Cause:
ES Write Exception Reset Log Command failure due to a write already being in progress.
Definition at line 1061 of file cfe_es_events.h.
38.45.2.18 CFE_ES_ERR_SYSLOGMODE_EID
 #define CFE_ES_ERR_SYSLOGMODE_EID 71
ES Set System Log Overwrite Mode Command Failed Event ID.
Type: ERROR
Cause:
ES Set System Log Overwrite Mode Command failed due to invalid mode requested.
```

Definition at line 791 of file cfe\_es\_events.h.

38.45.2.19 CFE_ES_ERREXIT_APP_ERR_EID
#define CFE_ES_ERREXIT_APP_ERR_EID 33
ES Error Exit Application Cleanup Failed Event ID.
Type: ERROR
Cause:
Error request to exit an application failed during application cleanup. Application and related resources will be in undefined state.
Definition at line 381 of file cfe_es_events.h.
38.45.2.20 CFE_ES_ERREXIT_APP_INF_EID
#define CFE_ES_ERREXIT_APP_INF_EID 14
ES Error Exit Application Complete Event ID.
Type: INFORMATION
Cause:
Error request to exit an application successfully completed. This event indicates the Application exited due to an error condition. The details of the error that occurred should be given by the Application through an event message, System

Generated by Doxygen

Log entry, or both.

Definition at line 186 of file cfe\_es\_events.h.

# 38.45.2.21 CFE\_ES\_EXIT\_APP\_ERR\_EID #define CFE\_ES\_EXIT\_APP\_ERR\_EID 46 ES Exit Application Cleanup Failed Event ID. Type: ERROR

Cause:

Nominal request to exit an application failed during application cleanup. Application and related resources will be in undefined state.

Definition at line 524 of file cfe es events.h.

```
38.45.2.22 CFE_ES_EXIT_APP_INF_EID
```

#define CFE\_ES\_EXIT\_APP\_INF\_EID 13

ES Nominal Exit Application Complete Event ID.

Type: INFORMATION

Cause:

Nominal request to exit an application successfully completed. This event indicates the Application exited due to a nominal exit condition.

Definition at line 172 of file cfe\_es\_events.h.

```
38.45.2.23 CFE_ES_FILEWRITE_ERR_EID
```

#define CFE\_ES\_FILEWRITE\_ERR\_EID 74

ES File Write Failed Event ID.

Type: ERROR

Cause:

ES File Write failure writing data to file. OVERLOADED

Definition at line 824 of file cfe\_es\_events.h.

```
38.45.2.24 CFE_ES_INIT_INF_EID
 #define CFE_ES_INIT_INF_EID 1
 ES Initialization Event ID.
Type: INFORMATION
Cause:
 Executive Services Task initialization complete.
 Definition at line 44 of file cfe_es_events.h.
 38.45.2.25 CFE_ES_INITSTATS_INF_EID
 #define CFE_ES_INITSTATS_INF_EID 2
 ES Initialization Statistics Information Event ID.
Type: INFORMATION
Cause:
 Executive Services Task initialization complete.
 Definition at line 55 of file cfe_es_events.h.
 38.45.2.26 CFE_ES_INVALID_POOL_HANDLE_ERR_EID
 #define CFE_ES_INVALID_POOL_HANDLE_ERR_EID 82
 ES Telemeter Memory Statistics Command Invalid Handle Event ID.
Type: ERROR
Cause:
```

ES Telemeter Memory Statistics Command failure due to an invalid memory handle.

Generated by Doxygen

Definition at line 908 of file cfe\_es\_events.h.

```
38.45.2.27 CFE_ES_LEN_ERR_EID
 #define CFE_ES_LEN_ERR_EID 23
 ES Invalid Command Length Event ID.
Type: ERROR
Cause:
 Invalid length for the command code in message ID CFE_ES_CMD_MID received on the ES message pipe.
 Definition at line 285 of file cfe_es_events.h.
 38.45.2.28 CFE_ES_MID_ERR_EID
 #define CFE_ES_MID_ERR_EID 21
 ES Invalid Message ID Received Event ID.
Type: ERROR
Cause:
 Invalid message ID received on the ES message pipe.
 Definition at line 263 of file cfe_es_events.h.
 38.45.2.29 CFE_ES_NOOP_INF_EID
 #define CFE_ES_NOOP_INF_EID 3
 ES No-op Command Success Event ID.
Type: INFORMATION
Cause:
 ES No-op Command success.
```

Definition at line 66 of file cfe\_es\_events.h.

```
38.45.2.30 CFE_ES_ONE_APP_EID
 #define CFE_ES_ONE_APP_EID 15
ES Query One Application Command Success Event ID.
Type: DEBUG
Cause:
ES Query One Application Command success.
Definition at line 197 of file cfe_es_events.h.
38.45.2.31 CFE_ES_ONE_APPID_ERR_EID
 #define CFE_ES_ONE_APPID_ERR_EID 50
ES Query One Application Data Command Get ApplD By Name Failed Event ID.
Type: ERROR
Cause:
ES Query One Application Data Command failed to get application ID from application name. Message will not be sent.
Definition at line 571 of file cfe_es_events.h.
38.45.2.32 CFE_ES_ONE_ERR_EID
 #define CFE_ES_ONE_ERR_EID 49
ES Query One Application Data Command Transmit Message Failed Event ID.
Type: ERROR
Cause:
ES Query One Application Data Command failed during message transmission.
```

Definition at line 559 of file cfe\_es\_events.h.

```
38.45.2.33 CFE_ES_OSCREATE_ERR_EID
 #define CFE_ES_OSCREATE_ERR_EID 51
ES Query All Application Data Command File Creation Failed Event ID.
Type: ERROR
Cause:
ES Query All Application Data Command failed to create file.
Definition at line 582 of file cfe_es_events.h.
38.45.2.34 CFE_ES_PCR_ERR1_EID
 #define CFE_ES_PCR_ERR1_EID 47
ES Process Control Invalid Exception State Event ID.
Type: ERROR
Cause:
Invalid Exception state encountered when processing requests for application state changes. Exceptions are processed
immediately, so this state should never occur during routine processing.
Definition at line 536 of file cfe_es_events.h.
38.45.2.35 CFE_ES_PCR_ERR2_EID
 #define CFE_ES_PCR_ERR2_EID 48
ES Process Control Unknown State Event ID.
Type: ERROR
Cause:
Unknown state encountered when processing requests for application state changes.
Definition at line 547 of file cfe_es_events.h.
```

```
38.45.2.36 CFE_ES_PERF_DATAWRITTEN_EID
 #define CFE_ES_PERF_DATAWRITTEN_EID 68
Performance Log Write Success Event ID.
Type: DEBUG
Cause:
Request to write the performance log successfully completed.
Definition at line 757 of file cfe_es_events.h.
38.45.2.37 CFE_ES_PERF_FILTMSKCMD_EID
 #define CFE_ES_PERF_FILTMSKCMD_EID 63
ES Set Performance Analyzer Filter Mask Command Success Event ID.
Type: DEBUG
Cause:
ES Set Performance Analyzer Filter Mask Command success.
Definition at line 699 of file cfe_es_events.h.
38.45.2.38 CFE_ES_PERF_FILTMSKERR_EID
 #define CFE_ES_PERF_FILTMSKERR_EID 64
ES Set Performance Analyzer Filter Mask Command Invalid Index Event ID.
Type: ERROR
Cause:
```

ES Set Performance Analyzer Filter Mask Command failed filter index range check.

Generated by Doxygen

Definition at line 711 of file cfe\_es\_events.h.

```
38.45.2.39 CFE_ES_PERF_LOG_ERR_EID
 #define CFE_ES_PERF_LOG_ERR_EID 67
ES Stop Performance Analyzer Data Collection Command Filename Parse or File Create Failed Event ID.
Type: ERROR
Cause:
ES Stop Performance Analyzer Data Collection Command failed either parsing the file name or during open/creation of
the file. OVERLOADED
 Definition at line 746 of file cfe es events.h.
38.45.2.40 CFE_ES_PERF_STARTCMD_EID
 #define CFE_ES_PERF_STARTCMD_EID 57
ES Start Performance Analyzer Data Collection Command Success Event ID.
Type: DEBUG
Cause:
ES Start Performance Analyzer Data Collection Command success.
Definition at line 639 of file cfe_es_events.h.
38.45.2.41 CFE ES PERF_STARTCMD_ERR_EID
 #define CFE_ES_PERF_STARTCMD_ERR_EID 58
ES Start Performance Analyzer Data Collection Command Idle Check Failed Event ID.
Type: ERROR
Cause:
ES Start Performance Analyzer Data Collection Command failed due to already being started.
```

Definition at line 651 of file cfe\_es\_events.h.

38.45.2.42 CFE\_ES\_PERF\_STARTCMD\_TRIG\_ERR\_EID #define CFE\_ES\_PERF\_STARTCMD\_TRIG\_ERR\_EID 59 ES Start Performance Analyzer Data Collection Command Invalid Trigger Event ID. Type: ERROR Cause: ES Start Performance Analyzer Data Collection Command failed due to invalid trigger mode. Definition at line 663 of file cfe\_es\_events.h. 38.45.2.43 CFE\_ES\_PERF\_STOPCMD\_EID #define CFE\_ES\_PERF\_STOPCMD\_EID 60 ES Stop Performance Analyzer Data Collection Command Request Success Event ID. Type: DEBUG Cause: ES Stop Performance Analyzer Data Collection Command success. Note this event signifies the request to stop and write the performance data has been successfully submitted. The successful completion will generate a CFE\_ES\_P← ERF\_DATAWRITTEN\_EID event. Definition at line 676 of file cfe es events.h. 38.45.2.44 CFE\_ES\_PERF\_STOPCMD\_ERR2\_EID #define CFE\_ES\_PERF\_STOPCMD\_ERR2\_EID 62 ES Stop Performance Analyzer Data Collection Command Request Idle Check Failed Event ID. Type: ERROR Cause:

ES Stop Performance Analyzer Data Collection Command failed due to a write already in progress.

Definition at line 688 of file cfe\_es\_events.h.

```
38.45.2.45 CFE_ES_PERF_TRIGMSKCMD_EID
 #define CFE_ES_PERF_TRIGMSKCMD_EID 65
ES Set Performance Analyzer Trigger Mask Command Success Event ID.
Type: DEBUG
Cause:
ES Set Performance Analyzer Trigger Mask Command success.
Definition at line 722 of file cfe_es_events.h.
38.45.2.46 CFE_ES_PERF_TRIGMSKERR_EID
 #define CFE_ES_PERF_TRIGMSKERR_EID 66
ES Set Performance Analyzer Trigger Mask Command Invalid Mask Event ID.
Type: ERROR
Cause:
ES Set Performance Analyzer Trigger Mask Command failed the mask range check.
 Definition at line 734 of file cfe es events.h.
38.45.2.47 CFE_ES_RELOAD_APP_DBG_EID
 #define CFE_ES_RELOAD_APP_DBG_EID 11
ES Reload Application Command Request Success Event ID.
Type: DEBUG
Cause:
ES Reload Application Command success. Note this event signifies the request to reload the application has been
successfully submitted. The successful completion will generate a CFE_ES_RELOAD_APP_INF_EID event.
 Definition at line 149 of file cfe_es_events.h.
```

```
38.45.2.48 CFE_ES_RELOAD_APP_ERR1_EID
 #define CFE_ES_RELOAD_APP_ERR1_EID 42
ES Reload Application Command Request Failed Event ID.
Type: ERROR
Cause:
ES Reload Application Command request failed.
Definition at line 475 of file cfe_es_events.h.
38.45.2.49 CFE_ES_RELOAD_APP_ERR2_EID
 #define CFE_ES_RELOAD_APP_ERR2_EID 43
ES Reload Application Command Get AppID By Name Failed Event ID.
Type: ERROR
Cause:
ES Reload Application Command failed to get application ID from application name. The application will not be reloaded.
Definition at line 487 of file cfe_es_events.h.
38.45.2.50 CFE_ES_RELOAD_APP_ERR3_EID
 #define CFE_ES_RELOAD_APP_ERR3_EID 44
ES Reload Application Startup Failed Event ID.
Type: ERROR
Cause:
Request to reload an application failed during application startup. The application will not be reloaded.
 Definition at line 499 of file cfe_es_events.h.
```

```
38.45.2.51 CFE_ES_RELOAD_APP_ERR4_EID
 #define CFE_ES_RELOAD_APP_ERR4_EID 45
ES Reload Application Cleanup Failed Event ID.
Type: ERROR
Cause:
 Request to reload an application failed during application cleanup. The application will not be reloaded and will be in an
undefined state along with it's associated resources.
 Definition at line 512 of file cfe_es_events.h.
38.45.2.52 CFE_ES_RELOAD_APP_INF_EID
 #define CFE_ES_RELOAD_APP_INF_EID 12
ES Reload Application Complete Event ID.
Type: INFORMATION
Cause:
Request to reload an application successfully completed.
Definition at line 160 of file cfe_es_events.h.
38.45.2.53 CFE_ES_RESET_INF_EID
 #define CFE_ES_RESET_INF_EID 4
ES Reset Counters Command Success Event ID.
Type: INFORMATION
Cause:
ES Reset Counters Command success.
```

Definition at line 77 of file cfe\_es\_events.h.

```
38.45.2.54 CFE_ES_RESET_PR_COUNT_EID
 #define CFE_ES_RESET_PR_COUNT_EID 72
ES Set Processor Reset Counter to Zero Command Success Event ID.
Type: INFORMATION
Cause:
ES Set Processor Reset Counter to Zero Command success.
Definition at line 802 of file cfe es events.h.
38.45.2.55 CFE_ES_RESTART_APP_DBG_EID
 #define CFE_ES_RESTART_APP_DBG_EID 9
ES Restart Application Command Request Success Event ID.
Type: DEBUG
Cause:
ES Restart Application Command success. Note this event signifies the request to restart the application has been
 successfully submitted. The successful completion will generate a CFE_ES_RESTART_APP_INF_EID event.
 Definition at line 125 of file cfe es events.h.
38.45.2.56 CFE_ES_RESTART_APP_ERR1_EID
 #define CFE_ES_RESTART_APP_ERR1_EID 38
ES Restart Application Command Request Failed Event ID.
Type: ERROR
Cause:
ES Restart Application Command request failed.
Definition at line 427 of file cfe_es_events.h.
```

# 38.45.2.57 CFE\_ES\_RESTART\_APP\_ERR2\_EID #define CFE\_ES\_RESTART\_APP\_ERR2\_EID 39 ES Restart Application Command Get AppID By Name Failed Event ID. Type: ERROR Cause: ES Restart Application Command failed to get application ID from application name. The application will not be restarted. Definition at line 439 of file cfe\_es\_events.h. 38.45.2.58 CFE\_ES\_RESTART\_APP\_ERR3\_EID #define CFE\_ES\_RESTART\_APP\_ERR3\_EID 40 ES Restart Application Startup Failed Event ID. Type: ERROR Cause: Request to restart an application failed during application startup. The application will not be restarted. Definition at line 451 of file cfe\_es\_events.h. 38.45.2.59 CFE\_ES\_RESTART\_APP\_ERR4\_EID #define CFE\_ES\_RESTART\_APP\_ERR4\_EID 41 ES Restart Application Cleanup Failed Event ID. Type: ERROR

Request to restart an application failed during application cleanup. The application will not be restarted and will be in an undefined state along with it's associated resources.

Definition at line 464 of file cfe\_es\_events.h.

Cause:

```
38.45.2.60 CFE_ES_RESTART_APP_INF_EID
 #define CFE_ES_RESTART_APP_INF_EID 10
ES Restart Application Completed Event ID.
Type: INFORMATION
Cause:
Request to restart an application successfully completed.
Definition at line 136 of file cfe es events.h.
38.45.2.61 CFE_ES_SET_MAX_PR_COUNT_EID
 #define CFE_ES_SET_MAX_PR_COUNT_EID 73
ES Set Maximum Processor Reset Limit Command Success Event ID.
Type: INFORMATION
Cause:
ES Set Maximum Processor Reset Limit Command success.
Definition at line 813 of file cfe_es_events.h.
38.45.2.62 CFE_ES_START_ERR_EID
 #define CFE_ES_START_ERR_EID 26
ES Start Application Command Application Creation Failed Event ID.
Type: ERROR
Cause:
```

ES Start Application Command failure during application creation after successful parameter validation.

Definition at line 308 of file cfe\_es\_events.h.

# 38.45.2.63 CFE\_ES\_START\_EXC\_ACTION\_ERR\_EID #define CFE\_ES\_START\_EXC\_ACTION\_ERR\_EID 32 ES Start Application Command Exception Action Invalid Event ID. Type: ERROR Cause: ES Start Application Command failure due to invalid application exception action. Definition at line 369 of file cfe\_es\_events.h. 38.45.2.64 CFE\_ES\_START\_INF\_EID #define CFE\_ES\_START\_INF\_EID 6 ES Start Application Command Success Event ID. Type: INFORMATION Cause: ES Start Application Command success. Definition at line 88 of file cfe\_es\_events.h. 38.45.2.65 CFE\_ES\_START\_INVALID\_ENTRY\_POINT\_ERR\_EID #define CFE\_ES\_START\_INVALID\_ENTRY\_POINT\_ERR\_EID 28 ES Start Application Command Entry Point NULL Event ID. Type: ERROR Cause: ES Start Application Command failure due to a NULL Application Entry Point.

Definition at line 332 of file cfe\_es\_events.h.

```
38.45.2.66 CFE_ES_START_INVALID_FILENAME_ERR_EID
 #define CFE_ES_START_INVALID_FILENAME_ERR_EID 27
ES Start Application Command Invalid Filename Event ID.
Type: ERROR
Cause:
ES Start Application Command failure due to invalid filename.
Definition at line 320 of file cfe_es_events.h.
38.45.2.67 CFE_ES_START_NULL_APP_NAME_ERR_EID
 #define CFE_ES_START_NULL_APP_NAME_ERR_EID 29
ES Start Application Command App Name NULL Event ID.
Type: ERROR
Cause:
ES Start Application Command failure due to NULL Application Name.
 Definition at line 344 of file cfe es events.h.
38.45.2.68 CFE_ES_START_PRIORITY_ERR_EID
 #define CFE_ES_START_PRIORITY_ERR_EID 31
ES Start Application Command Priority Too Large Event ID.
Type: ERROR
Cause:
ES Start Application Command failure due to a requested application priority greater than the maximum priority allowed
```

for tasks as defined by the OS Abstraction Layer (OS\_MAX\_PRIORITY).

Definition at line 357 of file cfe\_es\_events.h.

```
38.45.2.69 CFE_ES_STOP_DBG_EID
 #define CFE_ES_STOP_DBG_EID 7
ES Stop Application Command Request Success Event ID.
Type: DEBUG
Cause:
ES Stop Application Command success. Note this event signifies the request to delete the application has been
successfully submitted. The successful completion will generate a CFE_ES_STOP_INF_EID event.
 Definition at line 101 of file cfe_es_events.h.
38.45.2.70 CFE_ES_STOP_ERR1_EID
 #define CFE_ES_STOP_ERR1_EID 35
ES Stop Application Command Request Failed Event ID.
Type: ERROR
Cause:
ES Stop Application Command request failed.
Definition at line 392 of file cfe_es_events.h.
38.45.2.71 CFE ES STOP ERR2 EID
 #define CFE_ES_STOP_ERR2_EID 36
ES Stop Application Command Get AppID By Name Failed Event ID.
Type: ERROR
Cause:
ES Stop Application Command failed to get application ID from application name. The application will not be deleted.
```

Definition at line 404 of file cfe\_es\_events.h.

```
38.45.2.72 CFE_ES_STOP_ERR3_EID
 #define CFE_ES_STOP_ERR3_EID 37
ES Stop Application Cleanup Failed Event ID.
Type: ERROR
Cause:
Request to delete an application failed during application cleanup. Application and related resources will be in undefined
state.
 Definition at line 416 of file cfe_es_events.h.
38.45.2.73 CFE_ES_STOP_INF_EID
 #define CFE_ES_STOP_INF_EID 8
ES Stop Application Completed Event ID.
Type: INFORMATION
Cause:
Request to delete an application successfully completed.
Definition at line 112 of file cfe_es_events.h.
38.45.2.74 CFE_ES_SYSLOG1_INF_EID
 #define CFE_ES_SYSLOG1_INF_EID 17
ES Clear System Log Command Success Event ID.
Type: INFORMATION
Cause:
ES Clear System Log Command success.
Definition at line 219 of file cfe_es_events.h.
```

```
38.45.2.75 CFE_ES_SYSLOG2_EID
 #define CFE_ES_SYSLOG2_EID 18
ES Write System Log Command Success Event ID.
Type: DEBUG
Cause:
ES Write System Log Command success.
Definition at line 230 of file cfe_es_events.h.
38.45.2.76 CFE_ES_SYSLOG2_ERR_EID
 #define CFE_ES_SYSLOG2_ERR_EID 55
ES Write System Log Command Filename Parse or File Creation Failed Event ID.
Type: ERROR
Cause:
ES Write System Log Command failed parsing file name or creating the file. OVERLOADED
Definition at line 616 of file cfe_es_events.h.
38.45.2.77 CFE_ES_SYSLOGMODE_EID
 #define CFE_ES_SYSLOGMODE_EID 70
ES Set System Log Overwrite Mode Command Success Event ID.
Type: DEBUG
Cause:
ES Set System Log Overwrite Mode Command success.
```

Definition at line 779 of file cfe\_es\_events.h.

Generated by Doxygen

```
38.45.2.78 CFE_ES_TASKINFO_EID
 #define CFE_ES_TASKINFO_EID 87
ES Write All Task Data Command Success Event ID.
Type: DEBUG
Cause:
ES Write All Task Data Command success.
Definition at line 966 of file cfe_es_events.h.
38.45.2.79 CFE_ES_TASKINFO_OSCREATE_ERR_EID
 #define CFE_ES_TASKINFO_OSCREATE_ERR_EID 88
ES Write All Task Data Command Filename Parse or File Create Failed Event ID.
Type: ERROR
Cause:
ES Write All Task Data Command failed to parse the filename or open/create the file.
Definition at line 978 of file cfe_es_events.h.
38.45.2.80 CFE_ES_TASKINFO_WR_ERR_EID
 #define CFE_ES_TASKINFO_WR_ERR_EID 90
ES Write All Task Data Command Write Data Failed Event ID.
Type: ERROR
Cause:
```

Generated by Doxygen

ES Write All Task Data Command failed to write task data to file.

Definition at line 1002 of file cfe\_es\_events.h.

```
38.45.2.81 CFE_ES_TASKINFO_WRHDR_ERR_EID
 #define CFE_ES_TASKINFO_WRHDR_ERR_EID 89
ES Write All Task Data Command Write Header Failed Event ID.
Type: ERROR
Cause:
ES Write All Task Data Command failed to write file header.
Definition at line 990 of file cfe_es_events.h.
38.45.2.82 CFE_ES_TASKWR_ERR_EID
 #define CFE_ES_TASKWR_ERR_EID 53
ES Query All Application Data Command File Write App Data Failed Event ID.
Type: ERROR
Cause:
ES Query All Application Data Command failed to write file application data.
Definition at line 604 of file cfe_es_events.h.
38.45.2.83 CFE_ES_TLM_POOL_STATS_INFO_EID
 #define CFE_ES_TLM_POOL_STATS_INFO_EID 81
ES Telemeter Memory Statistics Command Success Event ID.
Type: DEBUG
Cause:
ES Telemeter Memory Statistics Command success.
```

Definition at line 896 of file cfe\_es\_events.h.

38.45.2.84 CFE_ES_VERSION_INF_EID
#define CFE_ES_VERSION_INF_EID 91
cFS Version Information Event ID
Type: INFORMATION
Cause:
ES Initialization complete and response to ES NO-OP Command .
A separate version info event will be generated for every module which is statically linked into the CFE core executable (e.g. OSAL, PSP, MSG, SBR, etc).
The version information reported in this event is derived from the source revision control system at build time, as opposed to manually-assigned semantic version numbers. It is intended to uniquely identify the actual source code that is currently running, to the extent this is possible.
The Mission version information also identifies the build configuration name, if available.
Definition at line 1023 of file cfe_es_events.h.
38.45.2.85 CFE_ES_WRHDR_ERR_EID
#define CFE_ES_WRHDR_ERR_EID 52
ES Query All Application Data Command File Write Header Failed Event ID.
Type: ERROR
Cause:
ES Query All Application Data Command failed to write file header.
Definition at line 593 of file cfe. es. events h

```
38.45.2.86 CFE_ES_WRITE_CFE_HDR_ERR_EID
```

```
#define CFE_ES_WRITE_CFE_HDR_ERR_EID 85
```

ES Write Critical Data Store Registry Command Header Write Failed Event ID.

Type: ERROR

Cause:

ES Write Critical Data Store Registry Command failed to write header.

Definition at line 943 of file cfe\_es\_events.h.

# 38.46 cfe/modules/es/fsw/inc/cfe\_es\_msg.h File Reference

```
#include "common_types.h"
#include "cfe_msg_hdr.h"
#include "cfe_es_extern_typedefs.h"
```

## **Data Structures**

• struct CFE\_ES\_NoArgsCmd

Generic "no arguments" command.

• struct CFE\_ES\_RestartCmd\_Payload

Restart cFE Command Payload.

struct CFE\_ES\_RestartCmd

Restart cFE Command.

struct CFE ES FileNameCmd Payload

Generic file name command payload.

• struct CFE\_ES\_FileNameCmd

Generic file name command.

struct CFE\_ES\_OverWriteSysLogCmd\_Payload

Overwrite/Discard System Log Configuration Command Payload.

• struct CFE\_ES\_OverWriteSysLogCmd

Overwrite/Discard System Log Configuration Command Payload.

struct CFE\_ES\_StartAppCmd\_Payload

Start Application Command Payload.

struct CFE\_ES\_StartApp

Start Application Command.

struct CFE\_ES\_AppNameCmd\_Payload

Generic application name command payload.

struct CFE\_ES\_AppNameCmd

Generic application name command.

struct CFE\_ES\_AppReloadCmd\_Payload

Reload Application Command Payload.

struct CFE\_ES\_ReloadAppCmd

Reload Application Command.

struct CFE\_ES\_SetMaxPRCountCmd\_Payload

Set Maximum Processor Reset Count Command Payload.

struct CFE ES SetMaxPRCountCmd

Set Maximum Processor Reset Count Command.

struct CFE\_ES\_DeleteCDSCmd\_Payload

Delete Critical Data Store Command Payload.

• struct CFE\_ES\_DeleteCDSCmd

Delete Critical Data Store Command.

struct CFE ES StartPerfCmd Payload

Start Performance Analyzer Command Payload.

struct CFE\_ES\_StartPerfDataCmd

Start Performance Analyzer Command.

struct CFE\_ES\_StopPerfCmd\_Payload

Stop Performance Analyzer Command Payload.

struct CFE\_ES\_StopPerfDataCmd

Stop Performance Analyzer Command.

struct CFE\_ES\_SetPerfFilterMaskCmd\_Payload

Set Performance Analyzer Filter Mask Command Payload.

struct CFE\_ES\_SetPerfFilterMaskCmd

Set Performance Analyzer Filter Mask Command.

struct CFE\_ES\_SetPerfTrigMaskCmd\_Payload

Set Performance Analyzer Trigger Mask Command Payload.

struct CFE\_ES\_SetPerfTriggerMaskCmd

Set Performance Analyzer Trigger Mask Command.

struct CFE\_ES\_SendMemPoolStatsCmd\_Payload

Send Memory Pool Statistics Command Payload.

• struct CFE\_ES\_SendMemPoolStatsCmd

Send Memory Pool Statistics Command.

struct CFE\_ES\_DumpCDSRegistryCmd\_Payload

Dump CDS Registry Command Payload.

struct CFE\_ES\_DumpCDSRegistryCmd

Dump CDS Registry Command.

- struct CFE\_ES\_OneAppTIm\_Payload
- struct CFE ES OneAppTIm
- struct CFE\_ES\_PoolStatsTlm\_Payload
- struct CFE\_ES\_MemStatsTIm
- struct CFE\_ES\_HousekeepingTlm\_Payload
- struct CFE ES HousekeepingTlm

#### Macros

#### **Executive Services Command Codes**

```
    #define CFE ES NOOP CC 0

    #define CFE ES RESET COUNTERS CC 1

    #define CFE ES RESTART CC 2

    #define CFE ES START APP CC 4

• #define CFE ES STOP APP CC 5

    #define CFE ES RESTART APP CC 6

• #define CFE ES RELOAD APP CC 7
• #define CFE ES QUERY ONE CC 8
• #define CFE ES QUERY ALL CC 9

    #define CFE ES CLEAR SYSLOG CC 10

    #define CFE ES WRITE SYSLOG CC 11

    #define CFE ES CLEAR ER LOG CC 12

    #define CFE ES WRITE ER LOG CC 13

    #define CFE_ES_START_PERF_DATA_CC 14

• #define CFE_ES_STOP_PERF_DATA_CC 15
• #define CFE_ES_SET_PERF_FILTER_MASK_CC 16

    #define CFE_ES_SET_PERF_TRIGGER_MASK_CC 17

• #define CFE ES OVER WRITE SYSLOG CC 18

    #define CFE ES RESET PR COUNT CC 19

    #define CFE ES SET MAX PR COUNT CC 20

    #define CFE ES DELETE CDS CC 21
```

#define CFE\_ES\_SEND\_MEM\_POOL\_STATS\_CC 22
#define CFE\_ES\_DUMP\_CDS\_REGISTRY\_CC 23
#define CFE\_ES\_QUERY\_ALL\_TASKS\_CC 24

## **Typedefs**

typedef struct CFE\_ES\_NoArgsCmd CFE\_ES\_NoArgsCmd\_t
 Generic "no arguments" command.
 typedef CFE\_ES\_NoArgsCmd\_t CFE\_ES\_NoopCmd\_t
 typedef CFE\_ES\_NoArgsCmd\_t CFE\_ES\_ResetCountersCmd\_t
 typedef CFE\_ES\_NoArgsCmd\_t CFE\_ES\_ClearSysLogCmd\_t
 typedef CFE\_ES\_NoArgsCmd\_t CFE\_ES\_ClearSysLogCmd\_t

typedef CFE\_ES\_NoArgsCmd\_t CFE\_ES\_ResetPRCountCmd\_t

• typedef struct CFE\_ES\_RestartCmd\_Payload CFE\_ES\_RestartCmd\_Payload\_t

Restart cFE Command Payload.

typedef struct CFE\_ES\_RestartCmd CFE\_ES\_RestartCmd\_t

Restart cFE Command.

typedef struct CFE\_ES\_FileNameCmd\_Payload CFE\_ES\_FileNameCmd\_Payload\_t

Generic file name command payload.

• typedef struct CFE\_ES\_FileNameCmd CFE\_ES\_FileNameCmd\_t

Generic file name command.

- typedef CFE\_ES\_FileNameCmd\_t CFE\_ES\_QueryAllCmd\_t
- typedef CFE\_ES\_FileNameCmd\_t CFE\_ES\_QueryAllTasksCmd\_t
- typedef CFE\_ES\_FileNameCmd\_t CFE\_ES\_WriteSysLogCmd\_t
- typedef CFE ES FileNameCmd t CFE ES WriteERLogCmd t
- typedef struct CFE ES OverWriteSysLogCmd Payload CFE ES OverWriteSysLogCmd Payload t

Overwrite/Discard System Log Configuration Command Payload.

typedef struct CFE ES OverWriteSysLogCmd CFE ES OverWriteSysLogCmd t

```
Overwrite/Discard System Log Configuration Command Payload.

    typedef struct CFE_ES_StartAppCmd_Payload CFE_ES_StartAppCmd_Payload_t

     Start Application Command Payload.

    typedef struct CFE ES StartApp CFE ES StartAppCmd t

     Start Application Command.

    typedef struct CFE_ES_AppNameCmd_Payload CFE_ES_AppNameCmd_Payload_t

     Generic application name command payload.

    typedef struct CFE_ES_AppNameCmd CFE_ES_AppNameCmd_t

     Generic application name command.

    typedef CFE ES AppNameCmd t CFE ES StopAppCmd t

    typedef CFE ES AppNameCmd t CFE ES RestartAppCmd t

    typedef CFE_ES_AppNameCmd_t CFE_ES_QueryOneCmd_t

    typedef struct CFE_ES_AppReloadCmd_Payload CFE_ES_AppReloadCmd_Payload_t

     Reload Application Command Payload.

    typedef struct CFE_ES_ReloadAppCmd CFE_ES_ReloadAppCmd_t

     Reload Application Command.

    typedef struct CFE ES SetMaxPRCountCmd Payload CFE ES SetMaxPRCountCmd Payload t

     Set Maximum Processor Reset Count Command Payload.

    typedef struct CFE ES SetMaxPRCountCmd CFE ES SetMaxPRCountCmd t

     Set Maximum Processor Reset Count Command.

    typedef struct CFE ES DeleteCDSCmd Payload CFE ES DeleteCDSCmd Payload t

     Delete Critical Data Store Command Payload.

    typedef struct CFE ES DeleteCDSCmd CFE ES DeleteCDSCmd t

     Delete Critical Data Store Command.

    typedef struct CFE ES StartPerfCmd Payload CFE ES StartPerfCmd Payload t

     Start Performance Analyzer Command Payload.

    typedef struct CFE ES StartPerfDataCmd CFE ES StartPerfDataCmd t

     Start Performance Analyzer Command.

    typedef struct CFE ES StopPerfCmd Payload CFE ES StopPerfCmd Payload t

     Stop Performance Analyzer Command Payload.

    typedef struct CFE ES StopPerfDataCmd CFE ES StopPerfDataCmd t

     Stop Performance Analyzer Command.

    typedef struct CFE_ES_SetPerfFilterMaskCmd_Payload CFE_ES_SetPerfFilterMaskCmd_Payload_t

     Set Performance Analyzer Filter Mask Command Payload.

    typedef struct CFE_ES_SetPerfFilterMaskCmd CFE_ES_SetPerfFilterMaskCmd_t

     Set Performance Analyzer Filter Mask Command.

    typedef struct CFE_ES_SetPerfTrigMaskCmd_Payload CFE_ES_SetPerfTrigMaskCmd_Payload_t

     Set Performance Analyzer Trigger Mask Command Payload.

    typedef struct CFE_ES_SetPerfTriggerMaskCmd CFE_ES_SetPerfTriggerMaskCmd_t

     Set Performance Analyzer Trigger Mask Command.

    typedef struct CFE ES SendMemPoolStatsCmd Payload CFE ES SendMemPoolStatsCmd Payload t

     Send Memory Pool Statistics Command Payload.

    typedef struct CFE ES SendMemPoolStatsCmd CFE ES SendMemPoolStatsCmd t

     Send Memory Pool Statistics Command.

    typedef struct CFE_ES_DumpCDSRegistryCmd_Payload CFE_ES_DumpCDSRegistryCmd_Payload_t

     Dump CDS Registry Command Payload.
```

typedef struct CFE ES DumpCDSRegistryCmd CFE ES DumpCDSRegistryCmd t

Dump CDS Registry Command.

- typedef struct CFE ES OneAppTlm Payload CFE ES OneAppTlm Payload t
- typedef struct CFE ES OneAppTIm CFE ES OneAppTIm t
- typedef struct CFE ES PoolStatsTlm Payload CFE ES PoolStatsTlm Payload t
- typedef struct CFE\_ES\_MemStatsTlm CFE\_ES\_MemStatsTlm\_t
- typedef struct CFE\_ES\_HousekeepingTlm\_Payload CFE\_ES\_HousekeepingTlm\_Payload\_t
- typedef struct CFE ES HousekeepingTlm CFE ES HousekeepingTlm t

## 38.46.1 Detailed Description

Purpose: cFE Executive Services (ES) Command and Telemetry packet definition file.

References: Flight Software Branch C Coding Standard Version 1.0a cFE Flight Software Application Developers Guide Notes:

38.46.2 Macro Definition Documentation

```
38.46.2.1 CFE_ES_CLEAR_ER_LOG_CC
```

#define CFE\_ES\_CLEAR\_ER\_LOG\_CC 12

Name Clears the contents of the Exception and Reset Log

Description

This command causes the contents of the Executive Services Exception and Reset Log to be cleared.

Command Mnemonic(s) \$sc\_\$cpu\_ES\_ClearERLog

Command Structure

CFE\_ES\_ClearERLogCmd\_t

**Command Verification** 

Successful execution of this command may be verified with the following telemetry:

- \$sc\_\$cpu\_ES\_CMDPC command execution counter will increment
- The CFE ES ERLOG1 INF EID informational event message will be generated.
- \$sc\_\$cpu\_ES\_ERLOGINDEX Index into Exception Reset Log goes to zero

# **Error Conditions**

There are no error conditions for this command. If the Executive Services receives the command, the event is sent (although it may be filtered by EVS) and the counter is incremented unconditionally.

Criticality

This command is not dangerous. However, any previously logged data will be lost.

See also

CFE ES CLEAR SYSLOG CC, CFE ES WRITE SYSLOG CC, CFE ES WRITE ER LOG CC

Definition at line 552 of file cfe es msg.h.

38.46.2.2 CFE\_ES\_CLEAR\_SYSLOG\_CC

#define CFE\_ES\_CLEAR\_SYSLOG\_CC 10

Name Clear Executive Services System Log

## Description

This command clears the contents of the Executive Services System Log.

Command Mnemonic(s) \$sc\_\$cpu\_ES\_ClearSysLog

## **Command Structure**

CFE\_ES\_ClearSysLogCmd\_t

## **Command Verification**

Successful execution of this command may be verified with the following telemetry:

- \$sc\_\$cpu\_ES\_CMDPC command execution counter will increment
- The CFE ES SYSLOG1 INF EID informational event message will be generated.
- \$sc\_\$cpu\_ES\_SYSLOGBYTEUSED System Log Bytes Used will go to zero
- \$sc\_\$cpu\_ES\_SYSLOGENTRIES Number of System Log Entries will go to zero

## **Error Conditions**

There are no error conditions for this command. If the Executive Services receives the command, the event is sent (although it may be filtered by EVS) and the counter is incremented unconditionally.

## Criticality

This command is not dangerous. However, any previously logged data will be lost.

## See also

CFE\_ES\_WRITE\_SYSLOG\_CC, CFE\_ES\_CLEAR\_ER\_LOG\_CC, CFE\_ES\_WRITE\_ER\_LOG\_CC, CFE\_ES↔
OVER WRITE SYSLOG CC

Definition at line 475 of file cfe\_es\_msg.h.

```
38.46.2.3 CFE_ES_DELETE_CDS_CC
```

```
#define CFE_ES_DELETE_CDS_CC 21
```

## Name Delete Critical Data Store

## Description

This command allows the user to delete a Critical Data Store that was created by an Application that is now no longer executing.

Command Mnemonic(s) \$sc \$cpu ES DeleteCDS

## **Command Structure**

```
CFE_ES_DeleteCDSCmd_t
```

## **Command Verification**

Successful execution of this command may be verified with the following telemetry:

- \$sc\_\$cpu\_ES\_CMDPC command execution counter will increment
- The CFE ES CDS DELETED INFO EID informational event message will be generated.
- The specified CDS should no longer appear in a CDS Registry dump generated upon receipt of the CFE\_←
  ES DUMP CDS REGISTRY CC command

## **Error Conditions**

This command may fail for the following reason(s):

- The specified CDS is the CDS portion of a Critical Table
- · The specified CDS is not found in the CDS Registry
- · The specified CDS is associated with an Application that is still active
- · An error occurred while accessing the CDS memory (see the System Log for more details)

Evidence of failure may be found in the following telemetry:

- \$sc\_\$cpu\_ES\_CMDEC command error counter will increment
- A command specific error event message is issued for all error cases

## Criticality

This command is not critical because it is not possible to delete a CDS that is associated with an active application. However, deleting a CDS does eliminate any "history" that an application may be wishing to keep.

## See also

```
CFE_ES_DUMP_CDS_REGISTRY_CC, CFE_TBL_DELETE_CDS_CC
```

Definition at line 921 of file cfe es msg.h.

38.46.2.4 CFE\_ES\_DUMP\_CDS\_REGISTRY\_CC

#define CFE\_ES\_DUMP\_CDS\_REGISTRY\_CC 23

Name Dump Critical Data Store Registry to a File

## Description

This command allows the user to dump the Critical Data Store Registry to an onboard file.

Command Mnemonic(s) \$sc\_\$cpu\_ES\_WriteCDS2File

## **Command Structure**

CFE\_ES\_DumpCDSRegistryCmd\_t

#### **Command Verification**

Successful execution of this command may be verified with the following telemetry:

- \$sc\_\$cpu\_ES\_CMDPC command execution counter will increment
- The CFE\_ES\_CDS\_REG\_DUMP\_INF\_EID debug event message will be generated.
- The file specified in the command (or the default specified by the CFE\_PLATFORM\_ES\_DEFAULT\_CDS\_

  REG\_DUMP\_FILE configuration parameter) will be updated with the latest information.

## **Error Conditions**

This command may fail for the following reason(s):

- · The file name specified could not be parsed
- · Error occurred while creating or writing to the dump file

Evidence of failure may be found in the following telemetry:

- \$sc\_\$cpu\_ES\_CMDEC command error counter will increment
- · A command specific error event message is issued for all error cases

## Criticality

This command is not inherently dangerous. It will create a new file in the file system (or overwrite an existing one) and could, if performed repeatedly without sufficient file management by the operator, fill the file system.

# See also

CFE\_ES\_DELETE\_CDS\_CC, CFE\_TBL\_DELETE\_CDS\_CC

Definition at line 1002 of file cfe\_es\_msg.h.

```
38.46.2.5 CFE_ES_NOOP_CC
```

```
#define CFE_ES_NOOP_CC 0
```

## Name Executive Services No-Op

# Description

This command performs no other function than to increment the command execution counter. The command may be used to verify general aliveness of the Executive Services task.

Command Mnemonic(s) \$sc\_\$cpu\_ES\_NOOP

## **Command Structure**

```
CFE ES NoopCmd t
```

## **Command Verification**

Successful execution of this command may be verified with the following telemetry:

- \$sc\_\$cpu\_ES\_CMDPC command execution counter will increment
- The CFE ES BUILD INF EID informational event message will be generated
- The CFE\_ES\_NOOP\_INF\_EID informational event message will be generated

# **Error Conditions**

This command may fail for the following reason(s):

· The command packet length is incorrect

Evidence of failure may be found in the following telemetry:

- \$sc\_\$cpu\_ES\_CMDEC command error counter will increment
- the CFE ES LEN ERR EID error event message will be generated

## Criticality

None

See also

Definition at line 85 of file cfe\_es\_msg.h.

38.46.2.6 CFE\_ES\_OVER\_WRITE\_SYSLOG\_CC

#define CFE\_ES\_OVER\_WRITE\_SYSLOG\_CC 18

Name Set Executive Services System Log Mode to Discard/Overwrite

## Description

This command allows the user to configure the Executive Services to either discard new System Log messages when it is full or to overwrite the oldest messages.

Command Mnemonic(s) \$sc\_\$cpu\_ES\_OverwriteSysLogMode

## **Command Structure**

CFE ES OverWriteSysLogCmd t

## **Command Verification**

Successful execution of this command may be verified with the following telemetry:

- \$sc\_\$cpu\_ES\_CMDPC command execution counter will increment
- \$sc\_\$cpu\_ES\_SYSLOGMODE Current System Log Mode should reflect the commanded value
- The CFE\_ES\_SYSLOGMODE\_EID debug event message will be generated.

# **Error Conditions**

This command may fail for the following reason(s):

• The desired mode is neither CFE\_ES\_LogMode\_OVERWRITE or CFE\_ES\_LogMode\_DISCARD

Evidence of failure may be found in the following telemetry:

- \$sc\_\$cpu\_ES\_CMDEC command error counter will increment
- · A command specific error event message is issued for all error cases

## Criticality

None. (It should be noted that "Overwrite" mode would allow a message identifying the cause of a problem to be lost by a subsequent flood of additional messages).

#### See also

CFE ES CLEAR SYSLOG CC, CFE ES WRITE SYSLOG CC

Definition at line 804 of file cfe\_es\_msg.h.

```
38.46.2.7 CFE_ES_QUERY_ALL_CC
```

```
#define CFE_ES_QUERY_ALL_CC 9
```

Name Writes all Executive Services Information on all loaded modules to a File

## Description

This command takes the information kept by Executive Services on all of the registered applications and libraries and writes it to the specified file.

Command Mnemonic(s) \$sc\_\$cpu\_ES\_WriteAppInfo2File

## **Command Structure**

```
CFE ES QueryAllCmd t
```

#### **Command Verification**

Successful execution of this command may be verified with the following telemetry:

- \$sc \$cpu ES CMDPC command execution counter will increment
- The CFE ES ALL APPS EID debug event message will be generated.
- The file specified in the command (or the default specified by the CFE\_PLATFORM\_ES\_DEFAULT\_APP\_

  LOG\_FILE configuration parameter) will be updated with the latest information.

## **Error Conditions**

This command may fail for the following reason(s):

- · The specified FileName cannot be parsed
- · An Error occurs while trying to write to the file

Evidence of failure may be found in the following telemetry:

- \$sc\_\$cpu\_ES\_CMDEC command error counter will increment
- · A command specific error event message is issued for all error cases

# Criticality

This command is not inherently dangerous. It will create a new file in the file system (or overwrite an existing one) and could, if performed repeatedly without sufficient file management by the operator, fill the file system.

## See also

```
CFE_ES_QUERY_ONE_CC, CFE_ES_QUERY_ALL_TASKS_CC
```

Definition at line 440 of file cfe\_es\_msg.h.

38.46.2.8 CFE\_ES\_QUERY\_ALL\_TASKS\_CC

#define CFE\_ES\_QUERY\_ALL\_TASKS\_CC 24

Name Writes a list of All Executive Services Tasks to a File

## Description

This command takes the information kept by Executive Services on all of the registered tasks and writes it to the specified file.

Command Mnemonic(s) \$sc\_\$cpu\_ES\_WriteTaskInfo2File

## **Command Structure**

CFE ES QueryAllTasksCmd t

#### **Command Verification**

Successful execution of this command may be verified with the following telemetry:

- \$sc\_\$cpu\_ES\_CMDPC command execution counter will increment
- The CFE ES TASKINFO EID debug event message will be generated.
- The file specified in the command (or the default specified by the CFE\_PLATFORM\_ES\_DEFAULT\_TASK
   —LOG\_FILE configuration parameter) will be updated with the latest information.

## **Error Conditions**

This command may fail for the following reason(s):

- · The file name specified could not be parsed
- · An Error occurs while trying to write to the file

Evidence of failure may be found in the following telemetry:

- \$sc\_\$cpu\_ES\_CMDEC command error counter will increment
- · A command specific error event message is issued for all error cases

# Criticality

This command is not inherently dangerous. It will create a new file in the file system (or overwrite an existing one) and could, if performed repeatedly without sufficient file management by the operator, fill the file system.

#### See also

CFE\_ES\_QUERY\_ALL\_CC, CFE\_ES\_QUERY\_ONE\_CC

Definition at line 1044 of file cfe\_es\_msg.h.

```
38.46.2.9 CFE_ES_QUERY_ONE_CC
```

```
#define CFE_ES_QUERY_ONE_CC 8
```

Name Request Executive Services Information on a specified module

# Description

This command takes the information kept by Executive Services on the specified application or library and telemeters it to the ground.

Command Mnemonic(s) \$sc\_\$cpu\_ES\_QueryApp

**Command Structure** 

```
CFE ES QueryOneCmd t
```

## **Command Verification**

Successful execution of this command may be verified with the following telemetry:

- \$sc\_\$cpu\_ES\_CMDPC command execution counter will increment
- The CFE ES ONE APP EID debug event message will be generated.
- Receipt of the CFE\_ES\_OneAppTIm\_t telemetry packet

# **Error Conditions**

This command may fail for the following reason(s):

· The specified name is not recognized as an active application or library

Evidence of failure may be found in the following telemetry:

- \$sc\_\$cpu\_ES\_CMDEC command error counter will increment
- · A command specific error event message is issued for all error cases

## Criticality

None

See also

CFE\_ES\_QUERY\_ALL\_CC, CFE\_ES\_QUERY\_ALL\_TASKS\_CC

Definition at line 398 of file cfe\_es\_msg.h.

38.46.2.10 CFE\_ES\_RELOAD\_APP\_CC

#define CFE\_ES\_RELOAD\_APP\_CC 7

Name Stops, Unloads, Loads from the command specified File and Restarts an Application

## Description

This command halts and removes the specified Application from the system. Then it immediately loads the Application from the command specified file and restarts it. This command is especially useful for restarting a Command Ingest Application since once it has been stopped, no further commands can come in to restart it.

Command Mnemonic(s) \$sc \$cpu ES ReloadApp

**Command Structure** 

CFE\_ES\_ReloadAppCmd\_t

#### **Command Verification**

Successful execution of this command may be verified with the following telemetry:

- \$sc\_\$cpu\_ES\_CMDPC command execution counter will increment
- The CFE\_ES\_RELOAD\_APP\_DBG\_EID debug event message will be generated. NOTE: This event message only identifies that the reload process has been initiated, not that it has completed.

## **Error Conditions**

This command may fail for the following reason(s):

- · The specified application filename string cannot be parsed
- The specified application name is not recognized as an active application
- The specified application is one of the cFE's Core applications (ES, EVS, SB, TBL, TIME)

Evidence of failure may be found in the following telemetry:

- \$sc\_\$cpu\_ES\_CMDEC command error counter will increment
- A command specific error event message is issued for all error cases
- Additional information on the reason for command failure may be found in the System Log

## Criticality

This command is not inherently dangerous, however the restarting of certain applications (e.g. - Spacecraft Attitude and Control) may have a detrimental effect on the spacecraft.

See also

CFE\_ES\_START\_APP\_CC, CFE\_ES\_STOP\_APP\_CC, CFE\_ES\_RESTART\_APP\_CC

Definition at line 362 of file cfe es msg.h.

```
38.46.2.11 CFE_ES_RESET_COUNTERS_CC
```

```
#define CFE_ES_RESET_COUNTERS_CC 1
```

## Name Executive Services Reset Counters

## Description

This command resets the following counters within the Executive Services housekeeping telemetry:

- · Command Execution Counter
- · Command Error Counter

Command Mnemonic(s) \$sc\_\$cpu\_ES\_ResetCtrs

## **Command Structure**

```
CFE ES ResetCountersCmd t
```

#### **Command Verification**

Successful execution of this command may be verified with the following telemetry:

- \$sc\_\$cpu\_ES\_CMDPC command execution counter and error counter will be reset to zero
- The CFE ES RESET INF EID informational event message will be generated

# **Error Conditions**

There are no error conditions for this command. If the Executive Services receives the command, the event is sent (although it may be filtered by EVS) and the counter is incremented unconditionally.

# Criticality

This command is not inherently dangerous. However, it is possible for ground systems and on-board safing procedures to be designed such that they react to changes in the counter values that are reset by this command.

## See also

```
CFE_ES_RESET_PR_COUNT_CC
```

Definition at line 122 of file cfe\_es\_msg.h.

38.46.2.12 CFE\_ES\_RESET\_PR\_COUNT\_CC

#define CFE\_ES\_RESET\_PR\_COUNT\_CC 19

Name Resets the Processor Reset Counter to Zero

## Description

This command allows the user to reset the Processor Reset Counter to zero. The Processor Reset Counter counts the number of Processor Resets that have occurred so as to identify when a Processor Reset should automatically be upgraded to a full Power-On Reset.

Command Mnemonic(s) \$sc\_\$cpu\_ES\_ResetPRCnt

## **Command Structure**

CFE\_ES\_ResetPRCountCmd\_t

## **Command Verification**

Successful execution of this command may be verified with the following telemetry:

- \$sc\_\$cpu\_ES\_CMDPC command execution counter will increment
- \$sc\_\$cpu\_ES\_ProcResetCnt Current number of processor resets will go to zero
- The CFE\_ES\_RESET\_PR\_COUNT\_EID informational event message will be generated.

## **Error Conditions**

There are no error conditions for this command. If the Executive Services receives the command, the event is sent (although it may be filtered by EVS) and the counter is incremented unconditionally.

## Criticality

This command is not critical. The only impact would be that the system would have to have more processor resets before an automatic power-on reset occurred.

#### See also

CFE\_ES\_SET\_MAX\_PR\_COUNT\_CC, CFE\_ES\_RESET\_COUNTERS\_CC

Definition at line 841 of file cfe\_es\_msg.h.

```
38.46.2.13 CFE_ES_RESTART_APP_CC
```

```
#define CFE_ES_RESTART_APP_CC 6
```

Name Stops, Unloads, Loads using the previous File name, and Restarts an Application

## Description

This command halts and removes the specified Application from the system. Then it immediately loads the Application from the same filename last used to start. This command is especially useful for restarting a Command Ingest Application since once it has been stopped, no further commands can come in to restart it.

Command Mnemonic(s) \$sc \$cpu ES ResetApp

#### **Command Structure**

```
CFE_ES_RestartAppCmd_t
```

#### **Command Verification**

Successful execution of this command may be verified with the following telemetry:

- \$sc\_\$cpu\_ES\_CMDPC command execution counter will increment
- The CFE\_ES\_RESTART\_APP\_DBG\_EID debug event message will be generated. NOTE: This event message only identifies that the restart process has been initiated, not that it has completed.

## **Error Conditions**

This command may fail for the following reason(s):

- · The original file is missing
- The specified application name is not recognized as an active application
- The specified application is one of the cFE's Core applications (ES, EVS, SB, TBL, TIME)

Evidence of failure may be found in the following telemetry:

- \$sc\_\$cpu\_ES\_CMDEC command error counter will increment
- A command specific error event message is issued for all error cases
- Additional information on the reason for command failure may be found in the System Log

## Criticality

This command is not inherently dangerous, however the restarting of certain applications (e.g. - Spacecraft Attitude and Control) may have a detrimental effect on the spacecraft.

## See also

```
CFE_ES_START_APP_CC, CFE_ES_STOP_APP_CC, CFE_ES_RELOAD_APP_CC
```

Definition at line 316 of file cfe es msg.h.

38.46.2.14 CFE\_ES\_RESTART\_CC

#define CFE\_ES\_RESTART\_CC 2

Name Executive Services Processor / Power-On Reset

## Description

This command restarts the cFE in one of two modes. The Power-On Reset will cause the cFE to restart as though the power were first applied to the processor. The Processor Reset will attempt to retain the contents of the volatile disk and the contents of the Critical Data Store. NOTE: If a requested Processor Reset should cause the Processor Reset Counter (\$sc\_\$cpu\_ES\_ProcResetCnt) to exceed OR EQUAL the limit CFE\_PLATFORM\_ES\_MAX — PROCESSOR\_RESETS (which is reported in housekeeping telemetry as \$sc\_\$cpu\_ES\_MaxProcResets), the command is AUTOMATICALLY upgraded to a Power-On Reset.

Command Mnemonic(s) \$sc \$cpu ES ProcessorReset, \$sc \$cpu ES PowerOnReset

**Command Structure** 

CFE ES RestartCmd t

#### **Command Verification**

Successful execution of this command may be verified with the following telemetry:

- \$sc\_\$cpu\_ES\_ProcResetCnt processor reset counter will increment (processor reset) or reset to zero
  (power-on reset)
- \$sc\_\$cpu\_ES\_ResetType processor reset type will be updated
- \$sc\_\$cpu\_ES\_ResetSubtype processor reset subtype will be updated
- New entries in the Exception Reset Log and System Log can be found NOTE: Verification of a Power-On Reset is shown through the loss of data nominally retained through a Processor Reset

NOTE: Since the reset of the processor resets the command execution counter (\$sc\_\$cpu\_ES\_CMDPC), this counter CANNOT be used to verify command execution.

## **Error Conditions**

This command may fail for the following reason(s):

The Restart Type was not a recognized value.

Evidence of failure may be found in the following telemetry:

- \$sc\_\$cpu\_ES\_CMDEC command error counter will increment
- the CFE\_ES\_BOOT\_ERR\_EID error event message will be generated

## Criticality

This command is, by definition, dangerous. Significant loss of data will occur. All processes and the cFE itself will be stopped and restarted. With the Power-On reset option, all data on the volatile disk and the contents of the Critical Data Store will be lost.

See also

CFE ES RESET PR COUNT CC, CFE ES SET MAX PR COUNT CC

Definition at line 174 of file cfe es msg.h.

# 38.46.2.15 CFE\_ES\_SEND\_MEM\_POOL\_STATS\_CC

```
#define CFE_ES_SEND_MEM_POOL_STATS_CC 22
```

Name Telemeter Memory Pool Statistics

## Description

This command allows the user to obtain a snapshot of the statistics maintained for a specified memory pool.

Command Mnemonic(s) \$sc\_\$cpu\_ES\_PoolStats

## **Command Structure**

CFE\_ES\_SendMemPoolStatsCmd\_t

## **Command Verification**

Successful execution of this command may be verified with the following telemetry:

- \$sc\_\$cpu\_ES\_CMDPC command execution counter will increment
- The CFE\_ES\_TLM\_POOL\_STATS\_INFO\_EID debug event message will be generated.
- The Memory Pool Statistics Telemetry Packet is produced

# **Error Conditions**

This command may fail for the following reason(s):

· The specified handle is not associated with a known memory pool

Evidence of failure may be found in the following telemetry:

- \$sc\_\$cpu\_ES\_CMDEC command error counter will increment
- · A command specific error event message is issued for all error cases

## Criticality

An incorrect Memory Pool Handle value can cause a system crash. Extreme care should be taken to ensure the memory handle value used in the command is correct.

See also

Definition at line 960 of file cfe\_es\_msg.h.

38.46.2.16 CFE\_ES\_SET\_MAX\_PR\_COUNT\_CC

#define CFE\_ES\_SET\_MAX\_PR\_COUNT\_CC 20

Name Configure the Maximum Number of Processor Resets before a Power-On Reset

## Description

This command allows the user to specify the number of Processor Resets that are allowed before the next Processor Reset is upgraded to a Power-On Reset.

Command Mnemonic(s) \$sc\_\$cpu\_ES\_SetMaxPRCnt

## **Command Structure**

CFE ES SetMaxPRCountCmd t

#### **Command Verification**

Successful execution of this command may be verified with the following telemetry:

- \$sc\_\$cpu\_ES\_CMDPC command execution counter will increment
- \$sc\_\$cpu\_ES\_MaxProcResets Current maximum number of processor resets before an automatic power-on reset will go to the command specified value.
- The CFE\_ES\_SET\_MAX\_PR\_COUNT\_EID informational event message will be generated.

## **Error Conditions**

There are no error conditions for this command. If the Executive Services receives the command, the event is sent (although it may be filtered by EVS) and the counter is incremented unconditionally.

## Criticality

If the operator were to set the Maximum Processor Reset Count to too high a value, the processor would require an inordinate number of consecutive processor resets before an automatic power-on reset would occur. This could potentially leave the spacecraft without any control for a significant amount of time if a processor reset fails to clear a problem.

## See also

CFE ES RESET PR COUNT CC

Definition at line 879 of file cfe es msg.h.

# 38.46.2.17 CFE\_ES\_SET\_PERF\_FILTER\_MASK\_CC

```
#define CFE_ES_SET_PERF_FILTER_MASK_CC 16
```

Name Set Performance Analyzer's Filter Masks

## Description

This command sets the Performance Analyzer's Filter Masks.

Command Mnemonic(s) \$sc\_\$cpu\_ES\_LAFilterMask

### **Command Structure**

CFE ES SetPerfFilterMaskCmd t

### **Command Verification**

Successful execution of this command may be verified with the following telemetry:

- \$sc\_\$cpu\_ES\_CMDPC command execution counter will increment
- \$sc\_\$cpu\_ES\_PerfFltrMask[MaskCnt] the current performance filter mask value(s) should reflect the commanded value
- The CFE\_ES\_PERF\_FILTMSKCMD\_EID debug event message will be generated.

# **Error Conditions**

This command may fail for the following reason(s):

· The Filter Mask ID number is out of range

Evidence of failure may be found in the following telemetry:

- \$sc\_\$cpu\_ES\_CMDEC command error counter will increment
- · A command specific error event message is issued for all error cases

# Criticality

Changing the filter masks may cause a small change in the Performance Analyzer's CPU utilization.

#### See also

CFE\_ES\_START\_PERF\_DATA\_CC, CFE\_ES\_STOP\_PERF\_DATA\_CC, CFE\_ES\_SET\_PERF\_TRIGGER\_M↔ ASK\_CC

Definition at line 727 of file cfe\_es\_msg.h.

38.46.2.18 CFE\_ES\_SET\_PERF\_TRIGGER\_MASK\_CC

#define CFE\_ES\_SET\_PERF\_TRIGGER\_MASK\_CC 17

Name Set Performance Analyzer's Trigger Masks

### Description

This command sets the Performance Analyzer's Trigger Masks.

Command Mnemonic(s) \$sc\_\$cpu\_ES\_LATriggerMask

## **Command Structure**

CFE\_ES\_SetPerfTriggerMaskCmd\_t

# **Command Verification**

Successful execution of this command may be verified with the following telemetry:

- \$sc\_\$cpu\_ES\_CMDPC command execution counter will increment
- \$sc\_\$cpu\_ES\_PerfTrigMask[MaskCnt] the current performance trigger mask value(s) should reflect the commanded value
- The CFE\_ES\_PERF\_TRIGMSKCMD\_EID debug event message will be generated.

# **Error Conditions**

This command may fail for the following reason(s):

· The Trigger Mask ID number is out of range

Evidence of failure may be found in the following telemetry:

- \$sc\_\$cpu\_ES\_CMDEC command error counter will increment
- · A command specific error event message is issued for all error cases

# Criticality

Changing the trigger masks may cause a small change in the Performance Analyzer's CPU utilization.

#### See also

CFE\_ES\_START\_PERF\_DATA\_CC, CFE\_ES\_STOP\_PERF\_DATA\_CC, CFE\_ES\_SET\_PERF\_FILTER\_MA⇔ SK CC

Definition at line 764 of file cfe\_es\_msg.h.

# 38.46.2.19 CFE\_ES\_START\_APP\_CC

```
#define CFE_ES_START_APP_CC 4
```

### Name Load and Start an Application

## Description

This command starts the specified application with the specified start address, stack size, etc options.

# Command Mnemonic(s) \$sc\_\$cpu\_ES\_StartApp

### **Command Structure**

```
CFE_ES_StartAppCmd_t
```

### **Command Verification**

Successful execution of this command may be verified with the following telemetry:

- \$sc\_\$cpu\_ES\_CMDPC command execution counter will increment
- The CFE\_ES\_START\_INF\_EID informational event message will be generated

### **Error Conditions**

This command may fail for the following reason(s):

- · The specified application filename string cannot be parsed
- · The specified application entry point is an empty string
- · The specified application name is an empty string
- · The specified priority is greater than 255
- The Operating System was unable to load the specified application file

Evidence of failure may be found in the following telemetry:

- \$sc\_\$cpu\_ES\_CMDEC command error counter will increment
- · A command specific error event message is issued for all error cases

## Criticality

This command is not inherently dangerous although system resources could be taxed beyond their limits with the starting of erroneous or invalid applications.

# See also

```
CFE_ES_STOP_APP_CC, CFE_ES_RESTART_APP_CC, CFE_ES_RELOAD_APP_CC
```

Definition at line 217 of file cfe es msg.h.

## 38.46.2.20 CFE\_ES\_START\_PERF\_DATA\_CC

#define CFE\_ES\_START\_PERF\_DATA\_CC 14

### Name Start Performance Analyzer

### Description

This command causes the Performance Analyzer to begin collecting data using the specified trigger mode.

# Command Mnemonic(s) \$sc\_\$cpu\_ES\_StartLAData

#### **Command Structure**

CFE\_ES\_StartPerfDataCmd\_t

### **Command Verification**

Successful execution of this command may be verified with the following telemetry:

- \$sc\_\$cpu\_ES\_CMDPC command execution counter will increment
- \$sc\_\$cpu\_ES\_PerfState Current performance analyzer state will change to either WAITING FOR TRIGGER or, if conditions are appropriate fast enough, TRIGGERED.
- \$sc\_\$cpu\_ES\_PerfMode Performance Analyzer Mode will change to the commanded trigger mode (TRIGGER START, TRIGGER CENTER, or TRIGGER END).
- \$sc\_\$cpu\_ES\_PerfTrigCnt Performance Trigger Count will go to zero
- \$sc\_\$cpu\_ES\_PerfDataStart Data Start Index will go to zero
- \$sc\_\$cpu\_ES\_PerfDataEnd Data End Index will go to zero
- \$sc\_\$cpu\_ES\_PerfDataCnt Performance Data Counter will go to zero
- The CFE ES PERF STARTCMD EID debug event message will be generated.

# **Error Conditions**

This command may fail for the following reason(s):

- A previous CFE\_ES\_STOP\_PERF\_DATA\_CC command has not completely finished.
- An invalid trigger mode is requested.

Evidence of failure may be found in the following telemetry:

- \$sc\_\$cpu\_ES\_CMDEC command error counter will increment
- A command specific error event message is issued for all error cases

### Criticality

This command is not inherently dangerous but may cause a small increase in CPU utilization as the performance analyzer data is collected.

# See also

 $\label{eq:cfe_es_stop_perf_data_cc} CFE\_ES\_SET\_PERF\_FILTER\_MASK\_CC, CFE\_ES\_SET\_PERF\_TRIGG \\ \leftarrow ER\_MASK\_CC$ 

Definition at line 640 of file cfe\_es\_msg.h.

```
38.46.2.21 CFE_ES_STOP_APP_CC
```

```
#define CFE_ES_STOP_APP_CC 5
```

#### Name Stop and Unload Application

#### Description

This command halts and removes the specified Application from the system. **NOTE:** This command should never be used on the Command Ingest application. This would prevent further commands from entering the system. If Command Ingest needs to be stopped and restarted, use CFE\_ES\_RESTART\_APP\_CC or CFE\_ES\_RELOAD  $\leftarrow$  APP\_CC.

Command Mnemonic(s) \$sc\_\$cpu\_ES\_StopApp

## **Command Structure**

```
CFE ES StopAppCmd t
```

# **Command Verification**

Successful execution of this command may be verified with the following telemetry:

- \$sc\_\$cpu\_ES\_CMDPC command execution counter will increment
- The CFE\_ES\_STOP\_DBG\_EID debug event message will be generated. NOTE: This event message only
  identifies that the stop request has been initiated, not that it has completed.
- Once the stop has successfully completed, the list of Applications and Tasks created in response to the \$sc\_\$cpu\_ES\_WriteAppInfo2File, \$sc\_\$cpu\_ES\_WriteTaskInfo2File should no longer contain the specified application.
- \$sc\_\$cpu\_ES\_RegTasks number of tasks will decrease after tasks associated with app (main task and any child tasks) are stopped
- \$sc\_\$cpu\_ES\_ReqExtApps external application counter will decrement after app is cleaned up

### **Error Conditions**

This command may fail for the following reason(s):

- The specified application name is not recognized as an active application
- The specified application is one of the cFE's Core applications (ES, EVS, SB, TBL, TIME)

Evidence of failure may be found in the following telemetry:

- \$sc\_\$cpu\_ES\_CMDEC command error counter will increment
- · A command specific error event message is issued for all error cases
- · Additional information on the reason for command failure may be found in the System Log

# Criticality

This command is not inherently dangerous, however the removal of certain applications (e.g. - Spacecraft Attitude and Control) may have a detrimental effect on the spacecraft.

### See also

```
CFE_ES_START_APP_CC, CFE_ES_RESTART_APP_CC, CFE_ES_RELOAD_APP_CC
```

Definition at line 270 of file cfe es msg.h.

38.46.2.22 CFE\_ES\_STOP\_PERF\_DATA\_CC

#define CFE\_ES\_STOP\_PERF\_DATA\_CC 15

Name Stop Performance Analyzer and write data file

#### Description

This command stops the Performance Analyzer from collecting any more data, and writes all previously collected performance data to a log file.

Command Mnemonic(s) \$sc\_\$cpu\_ES\_StopLAData

**Command Structure** 

CFE\_ES\_StopPerfDataCmd\_t

**Command Verification** 

Successful execution of this command may be verified with the following telemetry:

- \$sc\_\$cpu\_ES\_CMDPC command execution counter will increment
- \$sc\_\$cpu\_ES\_PerfState Current performance analyzer state will change to IDLE.
- The CFE\_ES\_PERF\_STOPCMD\_EID debug event message will be generated to indicate that data collection has been stopped. NOTE: Performance log data is written to the file as a background job. This event indicates that the file write process is initiated, not that it has completed.
- The file specified in the command (or the default specified by the CFE\_PLATFORM\_ES\_DEFAULT\_PERF
   — DUMP\_FILENAME configuration parameter) will be updated with the latest information.

### **Error Conditions**

This command may fail for the following reason(s):

- · The file name specified could not be parsed
- · Log data from a previous Stop Performance Analyzer command is still being written to a file.

Evidence of failure may be found in the following telemetry:

- \$sc \$cpu ES CMDEC command error counter will increment
- · A command specific error event message is issued for all error cases

NOTE: The performance analyzer data collection will still be stopped in the event of an error parsing the log file name or writing the log file.

## Criticality

This command is not inherently dangerous. However, depending on configuration, performance data log files may be large in size and thus may fill the available storage.

See also

CFE\_ES\_START\_PERF\_DATA\_CC, CFE\_ES\_SET\_PERF\_FILTER\_MASK\_CC, CFE\_ES\_SET\_PERF\_TRIG↔ GER\_MASK\_CC

Definition at line 690 of file cfe es msg.h.

```
38.46.2.23 CFE_ES_WRITE_ER_LOG_CC
```

```
#define CFE_ES_WRITE_ER_LOG_CC 13
```

Name Writes Exception and Reset Log to a File

### Description

This command causes the contents of the Executive Services Exception and Reset Log to be written to the specified file.

Command Mnemonic(s) \$sc\_\$cpu\_ES\_WriteERLog2File

#### **Command Structure**

```
CFE_ES_WriteERLogCmd_t
```

#### **Command Verification**

Successful execution of this command may be verified with the following telemetry:

- \$sc\_\$cpu\_ES\_CMDPC command execution counter will increment
- The CFE ES ERLOG2 EID debug event message will be generated.
- The file specified in the command (or the default specified by the CFE\_PLATFORM\_ES\_DEFAULT\_ER\_L
   —
   OG\_FILE configuration parameter) will be updated with the latest information.

### **Error Conditions**

This command may fail for the following reason(s):

- A previous request to write the ER log has not yet completed
- · The specified FileName cannot be parsed
- · An Error occurs while trying to write to the file

Evidence of failure may be found in the following telemetry:

- \$sc\_\$cpu\_ES\_CMDEC command error counter will increment
- · A command specific error event message is issued for all error cases

## Criticality

This command is not inherently dangerous. It will create a new file in the file system (or overwrite an existing one) and could, if performed repeatedly without sufficient file management by the operator, fill the file system.

#### See also

CFE\_ES\_CLEAR\_SYSLOG\_CC, CFE\_ES\_WRITE\_SYSLOG\_CC, CFE\_ES\_CLEAR\_ER\_LOG\_CC

Definition at line 595 of file cfe\_es\_msg.h.

38.46.2.24 CFE\_ES\_WRITE\_SYSLOG\_CC

#define CFE\_ES\_WRITE\_SYSLOG\_CC 11

Name Writes contents of Executive Services System Log to a File

### Description

This command causes the contents of the Executive Services System Log to be written to a log file.

Command Mnemonic(s) \$sc\_\$cpu\_ES\_WriteSysLog2File

#### **Command Structure**

CFE\_ES\_WriteSysLogCmd\_t

#### **Command Verification**

Successful execution of this command may be verified with the following telemetry:

- \$sc\_\$cpu\_ES\_CMDPC command execution counter will increment
- The CFE ES SYSLOG2 EID debug event message will be generated.
- The file specified in the command (or the default specified by the CFE\_PLATFORM\_ES\_DEFAULT\_SYSL
   — OG\_FILE configuration parameter) will be updated with the latest information.

### **Error Conditions**

This command may fail for the following reason(s):

- The specified FileName cannot be parsed
- · An Error occurs while trying to write to the file

Evidence of failure may be found in the following telemetry:

- \$sc\_\$cpu\_ES\_CMDEC command error counter will increment
- · A command specific error event message is issued for all error cases

### Criticality

This command is not inherently dangerous. It will create a new file in the file system (or overwrite an existing one) and could, if performed repeatedly without sufficient file management by the operator, fill the file system.

### See also

CFE\_ES\_CLEAR\_SYSLOG\_CC, CFE\_ES\_CLEAR\_ER\_LOG\_CC, CFE\_ES\_WRITE\_ER\_LOG\_CC, CFE\_ES ← \_OVER\_WRITE\_SYSLOG\_CC

Definition at line 518 of file cfe es msg.h.

38.46.3 Typedef Documentation

```
38.46.3.1 CFE_ES_AppNameCmd_Payload_t
typedef struct CFE_ES_AppNameCmd_Payload CFE_ES_AppNameCmd_Payload_t
Generic application name command payload.
For command details, see CFE_ES_STOP_APP_CC, CFE_ES_RESTART_APP_CC, CFE_ES_QUERY_ONE_CC
38.46.3.2 CFE_ES_AppNameCmd_t
typedef struct CFE_ES_AppNameCmd CFE_ES_AppNameCmd_t
Generic application name command.
38.46.3.3 CFE_ES_AppReloadCmd_Payload_t
typedef struct CFE_ES_AppReloadCmd_Payload CFE_ES_AppReloadCmd_Payload_t
Reload Application Command Payload.
For command details, see CFE_ES_RELOAD_APP_CC
38.46.3.4 CFE_ES_ClearERLogCmd_t
typedef CFE_ES_NoArgsCmd_t CFE_ES_ClearERLogCmd_t
Definition at line 1076 of file cfe_es_msg.h.
38.46.3.5 CFE_ES_ClearSysLogCmd_t
{\tt typedef\ CFE\_ES\_NoArgsCmd\_t\ CFE\_ES\_ClearSysLogCmd\_t}
Definition at line 1075 of file cfe_es_msg.h.
38.46.3.6 CFE_ES_DeleteCDSCmd_Payload_t
typedef struct CFE_ES_DeleteCDSCmd_Payload CFE_ES_DeleteCDSCmd_Payload_t
Delete Critical Data Store Command Payload.
For command details, see CFE ES DELETE CDS CC
```

```
38.46.3.7 CFE_ES_DeleteCDSCmd_t
typedef struct CFE_ES_DeleteCDSCmd CFE_ES_DeleteCDSCmd_t
Delete Critical Data Store Command.
38.46.3.8 CFE_ES_DumpCDSRegistryCmd_Payload_t
typedef struct CFE_ES_DumpCDSRegistryCmd_Payload CFE_ES_DumpCDSRegistryCmd_Payload_t
Dump CDS Registry Command Payload.
For command details, see CFE_ES_DUMP_CDS_REGISTRY_CC
38.46.3.9 CFE_ES_DumpCDSRegistryCmd_t
typedef struct CFE_ES_DumpCDSRegistryCmd CFE_ES_DumpCDSRegistryCmd_t
Dump CDS Registry Command.
38.46.3.10 CFE_ES_FileNameCmd_Payload_t
typedef struct CFE_ES_FileNameCmd_Payload CFE_ES_FileNameCmd_Payload_t
Generic file name command payload.
This format is shared by several executive services commands. For command details, see CFE ES QUERY ALL CC,
CFE_ES_QUERY_ALL_TASKS_CC, CFE_ES_WRITE_SYSLOG_CC, and CFE_ES_WRITE_ER_LOG_CC
38.46.3.11 CFE_ES_FileNameCmd_t
typedef struct CFE_ES_FileNameCmd CFE_ES_FileNameCmd_t
Generic file name command.
38.46.3.12 CFE_ES_HousekeepingTlm_Payload_t
typedef struct CFE_ES_HousekeepingTlm_Payload CFE_ES_HousekeepingTlm_Payload_t
Name Executive Services Housekeeping Packet
```

```
38.46.3.13 CFE_ES_HousekeepingTlm_t
typedef struct CFE_ES_HousekeepingTlm CFE_ES_HousekeepingTlm_t
38.46.3.14 CFE_ES_MemStatsTIm_t
typedef struct CFE_ES_MemStatsTlm CFE_ES_MemStatsTlm_t
38.46.3.15 CFE_ES_NoArgsCmd_t
typedef struct CFE_ES_NoArgsCmd CFE_ES_NoArgsCmd_t
Generic "no arguments" command.
This command structure is used for commands that do not have any parameters. This includes:
  1. The Housekeeping Request Message
  2. The No-Op Command (For details, see CFE_ES_NOOP_CC)
  3. The Reset Counters Command (For details, see CFE_ES_RESET_COUNTERS_CC)
38.46.3.16 CFE_ES_NoopCmd_t
typedef CFE_ES_NoArgsCmd_t CFE_ES_NoopCmd_t
Definition at line 1073 of file cfe_es_msg.h.
38.46.3.17 CFE_ES_OneAppTIm_Payload_t
typedef struct CFE_ES_OneAppTlm_Payload CFE_ES_OneAppTlm_Payload_t
Name Single Application Information Packet
38.46.3.18 CFE_ES_OneAppTIm_t
typedef struct CFE_ES_OneAppTlm CFE_ES_OneAppTlm_t
```

```
38.46.3.19 CFE_ES_OverWriteSysLogCmd_Payload_t
typedef struct CFE_ES_OverWriteSysLogCmd_Payload CFE_ES_OverWriteSysLogCmd_Payload_t
Overwrite/Discard System Log Configuration Command Payload.
For command details, see CFE_ES_OVER_WRITE_SYSLOG_CC
38.46.3.20 CFE_ES_OverWriteSysLogCmd_t
typedef struct CFE_ES_OverWriteSysLogCmd CFE_ES_OverWriteSysLogCmd_t
Overwrite/Discard System Log Configuration Command Payload.
38.46.3.21 CFE_ES_PoolStatsTlm_Payload_t
typedef struct CFE_ES_PoolStatsTlm_Payload CFE_ES_PoolStatsTlm_Payload_t
Name Memory Pool Statistics Packet
38.46.3.22 CFE_ES_QueryAllCmd_t
typedef CFE_ES_FileNameCmd_t CFE_ES_QueryAllCmd_t
Definition at line 1127 of file cfe_es_msg.h.
38.46.3.23 CFE_ES_QueryAllTasksCmd_t
typedef CFE_ES_FileNameCmd_t CFE_ES_QueryAllTasksCmd_t
Definition at line 1128 of file cfe_es_msg.h.
38.46.3.24 CFE_ES_QueryOneCmd_t
typedef CFE_ES_AppNameCmd_t CFE_ES_QueryOneCmd_t
Definition at line 1213 of file cfe_es_msg.h.
```

```
38.46.3.25 CFE_ES_ReloadAppCmd_t
typedef struct CFE_ES_ReloadAppCmd CFE_ES_ReloadAppCmd_t
Reload Application Command.
38.46.3.26 CFE_ES_ResetCountersCmd_t
typedef CFE_ES_NoArgsCmd_t CFE_ES_ResetCountersCmd_t
Definition at line 1074 of file cfe_es_msg.h.
38.46.3.27 CFE_ES_ResetPRCountCmd_t
typedef CFE_ES_NoArgsCmd_t CFE_ES_ResetPRCountCmd_t
Definition at line 1077 of file cfe_es_msg.h.
38.46.3.28 CFE_ES_RestartAppCmd_t
typedef CFE_ES_AppNameCmd_t CFE_ES_RestartAppCmd_t
Definition at line 1212 of file cfe es msg.h.
38.46.3.29 CFE_ES_RestartCmd_Payload_t
typedef struct CFE_ES_RestartCmd_Payload CFE_ES_RestartCmd_Payload_t
Restart cFE Command Payload.
For command details, see CFE ES RESTART CC
38.46.3.30 CFE_ES_RestartCmd_t
typedef struct CFE_ES_RestartCmd CFE_ES_RestartCmd_t
Restart cFE Command.
```

```
38.46.3.31 CFE_ES_SendMemPoolStatsCmd_Payload_t
typedef struct CFE_ES_SendMemPoolStatsCmd_Payload CFE_ES_SendMemPoolStatsCmd_Payload_t
Send Memory Pool Statistics Command Payload.
For command details, see CFE_ES_SEND_MEM_POOL_STATS_CC
38.46.3.32 CFE ES SendMemPoolStatsCmd t
typedef struct CFE_ES_SendMemPoolStatsCmd CFE_ES_SendMemPoolStatsCmd_t
Send Memory Pool Statistics Command.
38.46.3.33 CFE_ES_SetMaxPRCountCmd_Payload_t
typedef struct CFE_ES_SetMaxPRCountCmd_Payload CFE_ES_SetMaxPRCountCmd_Payload_t
Set Maximum Processor Reset Count Command Payload.
For command details, see CFE ES SET MAX PR COUNT CC
38.46.3.34 CFE_ES_SetMaxPRCountCmd_t
typedef struct CFE_ES_SetMaxPRCountCmd CFE_ES_SetMaxPRCountCmd_t
Set Maximum Processor Reset Count Command.
38.46.3.35 CFE ES SetPerfFilterMaskCmd Payload t
typedef struct CFE_ES_SetPerfFilterMaskCmd_Payload CFE_ES_SetPerfFilterMaskCmd_Payload_t
Set Performance Analyzer Filter Mask Command Payload.
For command details, see CFE ES SET PERF FILTER MASK CC
38.46.3.36 CFE_ES_SetPerfFilterMaskCmd_t
typedef struct CFE_ES_SetPerfFilterMaskCmd CFE_ES_SetPerfFilterMaskCmd_t
Set Performance Analyzer Filter Mask Command.
```

```
38.46.3.37 CFE_ES_SetPerfTriggerMaskCmd_t
typedef struct CFE_ES_SetPerfTriggerMaskCmd CFE_ES_SetPerfTriggerMaskCmd_t
Set Performance Analyzer Trigger Mask Command.
38.46.3.38 CFE_ES_SetPerfTrigMaskCmd_Payload_t
typedef struct CFE_ES_SetPerfTrigMaskCmd_Payload CFE_ES_SetPerfTrigMaskCmd_Payload_t
Set Performance Analyzer Trigger Mask Command Payload.
For command details, see CFE ES SET PERF TRIGGER MASK CC
38.46.3.39 CFE_ES_StartAppCmd_Payload_t
typedef struct CFE_ES_StartAppCmd_Payload CFE_ES_StartAppCmd_Payload_t
Start Application Command Payload.
For command details, see CFE ES START APP CC
38.46.3.40 CFE_ES_StartAppCmd_t
typedef struct CFE_ES_StartApp CFE_ES_StartAppCmd_t
Start Application Command.
38.46.3.41 CFE ES StartPerfCmd Payload t
typedef struct CFE_ES_StartPerfCmd_Payload CFE_ES_StartPerfCmd_Payload_t
Start Performance Analyzer Command Payload.
For command details, see CFE ES START PERF DATA CC
38.46.3.42 CFE_ES_StartPerfDataCmd_t
typedef struct CFE_ES_StartPerfDataCmd CFE_ES_StartPerfDataCmd_t
Start Performance Analyzer Command.
```

```
38.46.3.43 CFE_ES_StopAppCmd_t
typedef CFE_ES_AppNameCmd_t CFE_ES_StopAppCmd_t
Definition at line 1211 of file cfe_es_msg.h.
38.46.3.44 CFE_ES_StopPerfCmd_Payload_t
typedef struct CFE_ES_StopPerfCmd_Payload CFE_ES_StopPerfCmd_Payload_t
Stop Performance Analyzer Command Payload.
For command details, see CFE_ES_STOP_PERF_DATA_CC
38.46.3.45 CFE_ES_StopPerfDataCmd_t
typedef struct CFE_ES_StopPerfDataCmd CFE_ES_StopPerfDataCmd_t
Stop Performance Analyzer Command.
38.46.3.46 CFE_ES_WriteERLogCmd_t
typedef CFE_ES_FileNameCmd_t CFE_ES_WriteERLogCmd_t
Definition at line 1130 of file cfe_es_msg.h.
38.46.3.47 CFE_ES_WriteSysLogCmd_t
{\tt typedef\ CFE\_ES\_FileNameCmd\_t\ CFE\_ES\_WriteSysLogCmd\_t}
Definition at line 1129 of file cfe_es_msg.h.
```

# 38.47 cfe/modules/evs/fsw/inc/cfe\_evs\_events.h File Reference

Macros

### **EVS** event IDs

• #define CFE EVS NOOP EID 0

EVS No-op Command Success Event ID.

#define CFE EVS STARTUP EID 1

EVS Initialization Event ID.

#define CFE EVS ERR WRLOGFILE EID 2

EVS Write Event Log Command File Write Entry Failed Event ID.

#define CFE EVS ERR CRLOGFILE EID 3

EVS Write Event Log Command Filename Parse or File Create Failed Event ID.

• #define CFE EVS ERR MSGID EID 5

EVS Invalid Message ID Received Event ID.

#define CFE EVS ERR EVTIDNOREGS EID 6

EVS Command Event Not Registered For Filtering Event ID.

• #define CFE\_EVS\_ERR\_APPNOREGS EID 7

EVS Command Application Not Registered With EVS Event ID.

#define CFE EVS ERR ILLAPPIDRANGE EID 8

EVS Command Get Application Data Failure Event ID.

• #define CFE\_EVS\_ERR\_NOAPPIDFOUND\_EID 9

EVS Command Get Application ID Failure Event ID.

#define CFE EVS ERR ILLEGALFMTMOD EID 10

EVS Set Event Format Command Invalid Format Event ID.

#define CFE\_EVS\_ERR\_MAXREGSFILTER\_EID 11

EVS Add Filter Command Max Filters Exceeded Event ID.

#define CFE\_EVS\_ERR\_WRDATFILE\_EID 12

EVS Write Application Data Command Write Data Failure Event ID.

• #define CFE EVS ERR CRDATFILE EID 13

EVS Write Application Data Command Filename Parse or File Create Failed Event ID.

• #define CFE EVS ERR CC EID 15

EVS Invalid Command Code Received Event ID.

#define CFE EVS RSTCNT EID 16

EVS Reset Counters Command Success Event ID.

#define CFE\_EVS\_SETFILTERMSK\_EID 17

EVS Set Filter Command Success Event ID.

#define CFE\_EVS\_ENAPORT\_EID 18

EVS Enable Ports Command Success Event ID.

• #define CFE\_EVS\_DISPORT\_EID 19

EVS Disable Ports Command Success Event ID.

#define CFE\_EVS\_ENAEVTTYPE\_EID 20

EVS Enable Event Type Command Success Event ID.

#define CFE\_EVS\_DISEVTTYPE\_EID 21

EVS Disable Event Type Command Success Event ID.

#define CFE\_EVS\_SETEVTFMTMOD\_EID 22

EVS Set Event Format Mode Command Success Event ID.

#define CFE EVS ENAAPPEVTTYPE EID 23

EVS Enable App Event Type Command Success Event ID.

• #define CFE\_EVS\_DISAPPENTTYPE\_EID 24

EVS Disable App Event Type Command Success Event ID.

• #define CFE\_EVS\_ENAAPPEVT\_EID 25

EVS Enable App Events Command Success Event ID.

• #define CFE\_EVS\_DISAPPEVT\_EID 26

```
EVS Disable App Events Command Success Event ID.

    #define CFE EVS RSTEVTCNT EID 27

             EVS Reset App Event Counter Command Success Event ID.

    #define CFE EVS RSTFILTER EID 28

             EVS Reset App Event Filter Command Success Event ID.

    #define CFE EVS RSTALLFILTER EID 29

             EVS Reset All Filters Command Success Event ID.
       • #define CFE EVS ADDFILTER EID 30
             EVS Add Event Filter Command Success Event ID.

    #define CFE EVS DELFILTER EID 31

             EVS Delete Event Filter Command Success Event ID.

    #define CFE EVS WRDAT EID 32

             EVS Write Application Data Command Success Event ID.

    #define CFE EVS WRLOG EID 33

             EVS Write Event Log Command Success Event ID.

    #define CFE EVS EVT FILTERED EID 37

             EVS Add Filter Command Duplicate Registration Event ID.
       • #define CFE EVS LOGMODE EID 38
             EVS Set Log Mode Command Success Event ID.

    #define CFE EVS ERR LOGMODE EID 39

             EVS Set Log Mode Command Invalid Mode Event ID.

    #define CFE_EVS_ERR_INVALID_BITMASK_EID 40

             EVS Port Or Event Type Bitmask Invalid Event ID.

    #define CFE EVS ERR UNREGISTERED EVS APP 41

             EVS Send Event API App Not Registered With EVS Event ID.
       • #define CFE EVS FILTER MAX EID 42
             EVS Filter Max Count Reached Event ID.

    #define CFE EVS LEN ERR EID 43

             EVS Invalid Command Length Event ID.
38.47.1 Detailed Description
 cFE Event Services Event IDs
 38.47.2 Macro Definition Documentation
38.47.2.1 CFE_EVS_ADDFILTER_EID
 #define CFE EVS ADDFILTER EID 30
 EVS Add Event Filter Command Success Event ID.
Type: DEBUG
Cause:
EVS Add Event Filter Command success.
 Definition at line 358 of file cfe evs events.h.
```

```
38.47.2.2 CFE_EVS_DELFILTER_EID
 #define CFE_EVS_DELFILTER_EID 31
 EVS Delete Event Filter Command Success Event ID.
Type: DEBUG
Cause:
 EVS Delete Event Filter Command success.
 Definition at line 369 of file cfe_evs_events.h.
 38.47.2.3 CFE EVS DISAPPENTTYPE EID
 #define CFE_EVS_DISAPPENTTYPE_EID 24
 EVS Disable App Event Type Command Success Event ID.
Type: DEBUG
Cause:
 EVS Disable App Event Type Command success.
 Definition at line 292 of file cfe_evs_events.h.
 38.47.2.4 CFE_EVS_DISAPPEVT_EID
 #define CFE_EVS_DISAPPEVT_EID 26
 EVS Disable App Events Command Success Event ID.
Type: DEBUG
Cause:
 EVS Disable App Events Command success.
```

Definition at line 314 of file cfe\_evs\_events.h.

```
38.47.2.5 CFE_EVS_DISEVTTYPE_EID
 #define CFE_EVS_DISEVTTYPE_EID 21
 EVS Disable Event Type Command Success Event ID.
Type: DEBUG
Cause:
 EVS Disable Event Type Command success.
 Definition at line 259 of file cfe_evs_events.h.
 38.47.2.6 CFE_EVS_DISPORT_EID
 #define CFE_EVS_DISPORT_EID 19
 EVS Disable Ports Command Success Event ID.
Type: DEBUG
Cause:
 EVS Disable Ports Command success.
 Definition at line 237 of file cfe_evs_events.h.
 38.47.2.7 CFE_EVS_ENAAPPEVT_EID
 #define CFE_EVS_ENAAPPEVT_EID 25
 EVS Enable App Events Command Success Event ID.
Type: DEBUG
Cause:
 EVS Enable App Events Command success.
```

Definition at line 303 of file cfe\_evs\_events.h.

```
38.47.2.8 CFE_EVS_ENAAPPEVTTYPE_EID
 #define CFE_EVS_ENAAPPEVTTYPE_EID 23
 EVS Enable App Event Type Command Success Event ID.
Type: DEBUG
Cause:
 EVS Enable App Event Type Command success.
 Definition at line 281 of file cfe_evs_events.h.
 38.47.2.9 CFE_EVS_ENAEVTTYPE_EID
 #define CFE_EVS_ENAEVTTYPE_EID 20
 EVS Enable Event Type Command Success Event ID.
Type: DEBUG
Cause:
 EVS Enable Event Type Command success.
 Definition at line 248 of file cfe_evs_events.h.
 38.47.2.10 CFE_EVS_ENAPORT_EID
 #define CFE_EVS_ENAPORT_EID 18
 EVS Enable Ports Command Success Event ID.
Type: DEBUG
Cause:
 EVS Enable Ports Command success.
```

Definition at line 226 of file cfe\_evs\_events.h.

```
38.47.2.11 CFE_EVS_ERR_APPNOREGS_EID
 #define CFE_EVS_ERR_APPNOREGS_EID 7
EVS Command Application Not Registered With EVS Event ID.
Type: ERROR
Cause:
An EVS command handler failure due to the referenced application not being registered with EVS. OVERLOADED
 Definition at line 112 of file cfe evs events.h.
38.47.2.12 CFE_EVS_ERR_CC_EID
 #define CFE_EVS_ERR_CC_EID 15
EVS Invalid Command Code Received Event ID.
Type: ERROR
Cause:
Invalid command code for message ID CFE_EVS_CMD_MID received on the EVS message pipe.
Definition at line 193 of file cfe_evs_events.h.
38.47.2.13 CFE_EVS_ERR_CRDATFILE_EID
 #define CFE_EVS_ERR_CRDATFILE_EID 13
EVS Write Application Data Command Filename Parse or File Create Failed Event ID.
Type: ERROR
Cause:
```

Write Application Data Command failed to parse the filename or open/create the file. OVERLOADED Definition at line 182 of file cfe\_evs\_events.h.

```
38.47.2.14 CFE_EVS_ERR_CRLOGFILE_EID
 #define CFE_EVS_ERR_CRLOGFILE_EID 3
EVS Write Event Log Command Filename Parse or File Create Failed Event ID.
Type: ERROR
Cause:
EVS Write Event Log Command failure parsing the file name or during open/creation of the file. OVERLOADED
Definition at line 79 of file cfe_evs_events.h.
38.47.2.15 CFE_EVS_ERR_EVTIDNOREGS_EID
 #define CFE_EVS_ERR_EVTIDNOREGS_EID 6
EVS Command Event Not Registered For Filtering Event ID.
Type: ERROR
Cause:
An EVS command handler failure due to the event not being registered for filtering. OVERLOADED
Definition at line 101 of file cfe_evs_events.h.
38.47.2.16 CFE_EVS_ERR_ILLAPPIDRANGE_EID
 #define CFE_EVS_ERR_ILLAPPIDRANGE_EID 8
EVS Command Get Application Data Failure Event ID.
Type: ERROR
Cause:
An EVS command handler failure retrieving the application data. OVERLOADED
```

Definition at line 123 of file cfe\_evs\_events.h.

```
38.47.2.17 CFE_EVS_ERR_ILLEGALFMTMOD_EID
 #define CFE_EVS_ERR_ILLEGALFMTMOD_EID 10
EVS Set Event Format Command Invalid Format Event ID.
Type: ERROR
Cause:
EVS Set Event Format Command failure due to invalid format argument.
Definition at line 146 of file cfe_evs_events.h.
38.47.2.18 CFE EVS ERR INVALID BITMASK EID
 #define CFE_EVS_ERR_INVALID_BITMASK_EID 40
EVS Port Or Event Type Bitmask Invalid Event ID.
Type: ERROR
Cause:
Invalid bitmask for EVS port or event type. OVERLOADED
Definition at line 437 of file cfe_evs_events.h.
38.47.2.19 CFE_EVS_ERR_LOGMODE_EID
 #define CFE_EVS_ERR_LOGMODE_EID 39
EVS Set Log Mode Command Invalid Mode Event ID.
Type: ERROR
Cause:
```

Generated by Doxygen

EVS Set Log Mode Command failure due to invalid log mode.

Definition at line 426 of file cfe\_evs\_events.h.

```
38.47.2.20 CFE_EVS_ERR_MAXREGSFILTER_EID
 #define CFE_EVS_ERR_MAXREGSFILTER_EID 11
EVS Add Filter Command Max Filters Exceeded Event ID.
Type: ERROR
Cause:
EVS Add Filter Command failure due to exceeding the maximum number of filters.
Definition at line 158 of file cfe_evs_events.h.
38.47.2.21 CFE EVS ERR MSGID EID
 #define CFE_EVS_ERR_MSGID_EID 5
EVS Invalid Message ID Received Event ID.
Type: ERROR
Cause:
Invalid message ID received on the EVS message pipe.
Definition at line 90 of file cfe_evs_events.h.
38.47.2.22 CFE_EVS_ERR_NOAPPIDFOUND_EID
 #define CFE_EVS_ERR_NOAPPIDFOUND_EID 9
EVS Command Get Application ID Failure Event ID.
Type: ERROR
Cause:
An EVS command handler failure retrieving the application ID. OVERLOADED
```

Definition at line 134 of file cfe\_evs\_events.h.

```
38.47.2.23 CFE_EVS_ERR_UNREGISTERED_EVS_APP
 #define CFE_EVS_ERR_UNREGISTERED_EVS_APP 41
EVS Send Event API App Not Registered With EVS Event ID.
Type: ERROR
Cause:
An EVS Send Event API called for application not registered with EVS.
Definition at line 448 of file cfe_evs_events.h.
38.47.2.24 CFE_EVS_ERR_WRDATFILE_EID
 #define CFE_EVS_ERR_WRDATFILE_EID 12
EVS Write Application Data Command Write Data Failure Event ID.
Type: ERROR
Cause:
Write Application Data Command failure to write application EVS data.
Definition at line 170 of file cfe_evs_events.h.
38.47.2.25 CFE_EVS_ERR_WRLOGFILE_EID
 #define CFE_EVS_ERR_WRLOGFILE_EID 2
EVS Write Event Log Command File Write Entry Failed Event ID.
Type: ERROR
Cause:
EVS Write Event Log Command failure writing data to the file.
```

Definition at line 67 of file cfe\_evs\_events.h.

```
38.47.2.26 CFE_EVS_EVT_FILTERED_EID
 #define CFE_EVS_EVT_FILTERED_EID 37
EVS Add Filter Command Duplicate Registration Event ID.
Type: ERROR
Cause:
EVS Add Filter Command failure due to event already being registered for filtering.
Definition at line 403 of file cfe evs events.h.
38.47.2.27 CFE_EVS_FILTER_MAX_EID
 #define CFE_EVS_FILTER_MAX_EID 42
EVS Filter Max Count Reached Event ID.
Type: INFORMATIONAL
Cause:
Filter count for the event reached CFE_EVS_MAX_FILTER_COUNT and is latched until filter is reset.
Definition at line 459 of file cfe_evs_events.h.
38.47.2.28 CFE_EVS_LEN_ERR_EID
 #define CFE_EVS_LEN_ERR_EID 43
EVS Invalid Command Length Event ID.
Type: ERROR
Cause:
Invalid length for the command code in message ID CFE_EVS_CMD_MID received on the EVS message pipe.
```

Definition at line 470 of file cfe\_evs\_events.h.

```
38.47.2.29 CFE_EVS_LOGMODE_EID
 #define CFE_EVS_LOGMODE_EID 38
 EVS Set Log Mode Command Success Event ID.
Type: DEBUG
Cause:
 EVS Set Log Mode Command success.
 Definition at line 414 of file cfe_evs_events.h.
 38.47.2.30 CFE_EVS_NOOP_EID
 #define CFE_EVS_NOOP_EID 0
 EVS No-op Command Success Event ID.
Type: INFORMATION
Cause:
 EVS NO-OP command success.
 Definition at line 44 of file cfe_evs_events.h.
 38.47.2.31 CFE_EVS_RSTALLFILTER_EID
 #define CFE_EVS_RSTALLFILTER_EID 29
 EVS Reset All Filters Command Success Event ID.
Type: DEBUG
Cause:
 EVS Reset All Filters Command success.
```

Generated by Doxygen

Definition at line 347 of file cfe\_evs\_events.h.

```
38.47.2.32 CFE_EVS_RSTCNT_EID
 #define CFE_EVS_RSTCNT_EID 16
 EVS Reset Counters Command Success Event ID.
Type: DEBUG
Cause:
 EVS Reset Counters Command success.
 Definition at line 204 of file cfe_evs_events.h.
 38.47.2.33 CFE_EVS_RSTEVTCNT_EID
 #define CFE_EVS_RSTEVTCNT_EID 27
 EVS Reset App Event Counter Command Success Event ID.
Type: DEBUG
Cause:
 EVS Reset App Event Counter Command success.
 Definition at line 325 of file cfe_evs_events.h.
 38.47.2.34 CFE_EVS_RSTFILTER_EID
 #define CFE_EVS_RSTFILTER_EID 28
 EVS Reset App Event Filter Command Success Event ID.
Type: DEBUG
Cause:
 EVS Reset App Event Filter Command success.
```

Definition at line 336 of file cfe\_evs\_events.h.

Generated by Doxygen

```
38.47.2.35 CFE_EVS_SETEVTFMTMOD_EID
 #define CFE_EVS_SETEVTFMTMOD_EID 22
 EVS Set Event Format Mode Command Success Event ID.
Type: DEBUG
Cause:
 EVS Set Event Format Mode Command success.
 Definition at line 270 of file cfe_evs_events.h.
 38.47.2.36 CFE_EVS_SETFILTERMSK_EID
 #define CFE_EVS_SETFILTERMSK_EID 17
 EVS Set Filter Command Success Event ID.
Type: DEBUG
Cause:
 EVS Set Filter Command success.
 Definition at line 215 of file cfe_evs_events.h.
 38.47.2.37 CFE_EVS_STARTUP_EID
 #define CFE_EVS_STARTUP_EID 1
 EVS Initialization Event ID.
Type: INFORMATION
Cause:
 Event Services Task initialization complete.
 Definition at line 55 of file cfe_evs_events.h.
```

```
38.47.2.38 CFE_EVS_WRDAT_EID
 #define CFE_EVS_WRDAT_EID 32
EVS Write Application Data Command Success Event ID.
Type: DEBUG
Cause:
EVS Write Application Data Command success.
Definition at line 380 of file cfe_evs_events.h.
38.47.2.39 CFE_EVS_WRLOG_EID
 #define CFE_EVS_WRLOG_EID 33
EVS Write Event Log Command Success Event ID.
Type: DEBUG
Cause:
EVS Write Event Log Command success.
Definition at line 391 of file cfe_evs_events.h.
       cfe/modules/evs/fsw/inc/cfe_evs_msg.h File Reference
 #include "common_types.h"
 #include "cfe_msg_hdr.h"
 #include "cfe_evs_extern_typedefs.h"
```

#include "cfe\_es\_extern\_typedefs.h"

### **Data Structures**

struct CFE\_EVS\_NoArgsCmd

Command with no additional arguments.

struct CFE EVS LogFileCmd Payload

Write Event Log to File Command Payload.

struct CFE EVS WriteLogDataFileCmd

Write Event Log to File Command.

struct CFE\_EVS\_AppDataCmd\_Payload

Write Event Services Application Information to File Command Payload.

struct CFE\_EVS\_WriteAppDataFileCmd

Write Event Services Application Information to File Command.

struct CFE\_EVS\_SetLogMode\_Payload

Set Log Mode Command Payload.

struct CFE EVS SetLogModeCmd

Set Log Mode Command.

struct CFE EVS SetEventFormatCode Payload

Set Event Format Mode Command Payload.

struct CFE\_EVS\_SetEventFormatModeCmd

Set Event Format Mode Command.

struct CFE EVS BitMaskCmd Payload

Generic Bitmask Command Payload.

• struct CFE\_EVS\_BitMaskCmd

Generic Bitmask Command.

struct CFE\_EVS\_AppNameCmd\_Payload

Generic App Name Command Payload.

struct CFE\_EVS\_AppNameCmd

Generic App Name Command.

struct CFE\_EVS\_AppNameEventIDCmd\_Payload

Generic App Name and Event ID Command Payload.

struct CFE\_EVS\_AppNameEventIDCmd

Generic App Name and Event ID Command.

struct CFE\_EVS\_AppNameBitMaskCmd\_Payload

Generic App Name and Bitmask Command Payload.

• struct CFE\_EVS\_AppNameBitMaskCmd

Generic App Name and Bitmask Command.

struct CFE EVS AppNameEventIDMaskCmd Payload

Generic App Name, Event ID, Mask Command Payload.

struct CFE EVS AppNameEventIDMaskCmd

Generic App Name, Event ID, Mask Command.

struct CFE EVS AppTImData

- struct CFE EVS HousekeepingTlm Payload
- struct CFE\_EVS\_HousekeepingTlm
- struct CFE EVS PacketID
- struct CFE\_EVS\_LongEventTlm\_Payload
- struct CFE\_EVS\_ShortEventTlm\_Payload
- struct CFE EVS LongEventTIm
- struct CFE EVS ShortEventTlm

#### Macros

- #define CFE EVS DEBUG BIT 0x0001
- #define CFE EVS INFORMATION BIT 0x0002
- #define CFE EVS ERROR BIT 0x0004
- #define CFE EVS CRITICAL BIT 0x0008
- #define CFE EVS PORT1 BIT 0x0001
- #define CFE EVS PORT2 BIT 0x0002
- #define CFE EVS PORT3 BIT 0x0004
- #define CFE\_EVS\_PORT4\_BIT 0x0008

#### **Event Services Command Codes**

- #define CFE EVS NOOP CC 0
- #define CFE EVS RESET COUNTERS CC 1
- #define CFE EVS ENABLE EVENT TYPE CC 2
- #define CFE EVS DISABLE EVENT TYPE CC 3
- #define CFE EVS SET EVENT FORMAT MODE CC 4
- #define CFE EVS ENABLE APP EVENT TYPE CC 5
- #define CFE\_EVS\_DISABLE\_APP\_EVENT\_TYPE\_CC 6
- #define CFE EVS ENABLE APP EVENTS CC 7
- #define CFE\_EVS\_DISABLE\_APP\_EVENTS\_CC 8
- #define CFE EVS RESET APP COUNTER CC 9
- #define CFE EVS SET FILTER CC 10
- #define CFE EVS ENABLE PORTS CC 11
- #define CFE\_EVS\_DISABLE\_PORTS\_CC 12
- #define CFE EVS RESET FILTER CC 13
- #define CFE EVS RESET ALL FILTERS CC 14
- #define CFE EVS ADD EVENT FILTER CC 15
- #define CFE\_EVS\_DELETE\_EVENT\_FILTER\_CC 16
- #define CFE\_EVS\_WRITE\_APP\_DATA\_FILE\_CC 17
- #define CFE\_EVS\_WRITE\_LOG\_DATA\_FILE\_CC 18
- #define CFE\_EVS\_SET\_LOG\_MODE\_CC 19
- #define CFE EVS CLEAR LOG CC 20

### **Typedefs**

- $\bullet \ \ typedef \ struct \ CFE\_EVS\_NoArgsCmd \ CFE\_EVS\_NoArgsCmd\_t \\$ 
  - Command with no additional arguments.
- typedef CFE EVS NoArgsCmd t CFE EVS NoopCmd t
- typedef CFE\_EVS\_NoArgsCmd\_t CFE\_EVS\_ResetCountersCmd\_t
- typedef CFE\_EVS\_NoArgsCmd\_t CFE\_EVS\_ClearLogCmd\_t
- typedef struct CFE\_EVS\_LogFileCmd\_Payload CFE\_EVS\_LogFileCmd\_Payload\_t
- Write Event Log to File Command Payload.
   typedef struct CFE EVS WriteLogDataFileCmd CFE EVS WriteLogDataFileCmd t
  - Write Event Log to File Command.
- typedef struct CFE EVS AppDataCmd Payload CFE EVS AppDataCmd Payload t
  - Write Event Services Application Information to File Command Payload.
- typedef struct CFE\_EVS\_WriteAppDataFileCmd CFE\_EVS\_WriteAppDataFileCmd\_t
  - Write Event Services Application Information to File Command.
- typedef struct CFE\_EVS\_SetLogMode\_Payload CFE\_EVS\_SetLogMode\_Payload\_t
  - Set Log Mode Command Payload.

```
    typedef struct CFE_EVS_SetLogModeCmd CFE_EVS_SetLogModeCmd_t

     Set Log Mode Command.

    typedef struct CFE EVS SetEventFormatCode Payload CFE EVS SetEventFormatMode Payload t

     Set Event Format Mode Command Payload.

    typedef struct CFE EVS SetEventFormatModeCmd CFE EVS SetEventFormatModeCmd t

     Set Event Format Mode Command.

    typedef struct CFE EVS BitMaskCmd Payload CFE EVS BitMaskCmd Payload t

     Generic Bitmask Command Payload.

    typedef struct CFE EVS BitMaskCmd CFE EVS BitMaskCmd t

     Generic Bitmask Command.

    typedef CFE EVS BitMaskCmd t CFE EVS EnablePortsCmd t

    typedef CFE EVS BitMaskCmd t CFE EVS DisablePortsCmd t

    typedef CFE_EVS_BitMaskCmd_t CFE_EVS_EnableEventTypeCmd_t

    typedef CFE_EVS_BitMaskCmd_t CFE_EVS_DisableEventTypeCmd_t

    typedef struct CFE EVS AppNameCmd Payload CFE EVS AppNameCmd Payload t

     Generic App Name Command Payload.

    typedef struct CFE_EVS_AppNameCmd CFE_EVS_AppNameCmd_t

     Generic App Name Command.

    typedef CFE EVS AppNameCmd t CFE EVS EnableAppEventsCmd t

    typedef CFE EVS AppNameCmd t CFE EVS DisableAppEventsCmd t

    typedef CFE EVS AppNameCmd t CFE EVS ResetAppCounterCmd t

    typedef CFE_EVS_AppNameCmd_t CFE_EVS_ResetAllFiltersCmd_t

    typedef struct CFE_EVS_AppNameEventIDCmd_Payload CFE_EVS_AppNameEventIDCmd_Payload_t

     Generic App Name and Event ID Command Payload.

    typedef struct CFE EVS AppNameEventIDCmd CFE EVS AppNameEventIDCmd t

     Generic App Name and Event ID Command.

    typedef CFE_EVS_AppNameEventIDCmd_t CFE_EVS_ResetFilterCmd_t

    typedef CFE_EVS_AppNameEventIDCmd_t CFE_EVS_DeleteEventFilterCmd_t

    typedef struct CFE_EVS_AppNameBitMaskCmd_Payload CFE_EVS_AppNameBitMaskCmd_Payload_t

     Generic App Name and Bitmask Command Payload.

    typedef struct CFE_EVS_AppNameBitMaskCmd CFE_EVS_AppNameBitMaskCmd_t

     Generic App Name and Bitmask Command.

    typedef CFE EVS AppNameBitMaskCmd t CFE EVS EnableAppEventTypeCmd t

    typedef CFE EVS AppNameBitMaskCmd t CFE EVS DisableAppEventTypeCmd t

    typedef struct CFE EVS AppNameEventIDMaskCmd Payload CFE EVS AppNameEventIDMaskCmd ←

  Payload_t
     Generic App Name, Event ID, Mask Command Payload.

    typedef struct CFE EVS AppNameEventIDMaskCmd CFE EVS AppNameEventIDMaskCmd t

     Generic App Name, Event ID, Mask Command.

    typedef CFE EVS AppNameEventIDMaskCmd t CFE EVS AddEventFilterCmd t

    typedef CFE_EVS_AppNameEventIDMaskCmd_t CFE_EVS_SetFilterCmd_t

    typedef struct CFE EVS AppTImData CFE EVS AppTImData t

    typedef struct CFE EVS HousekeepingTlm Payload CFE EVS HousekeepingTlm Payload t

    typedef struct CFE_EVS_HousekeepingTlm CFE_EVS_HousekeepingTlm_t

    typedef struct CFE EVS PacketID CFE EVS PacketID t

    typedef struct CFE_EVS_LongEventTlm_Payload CFE_EVS_LongEventTlm_Payload_t

• typedef struct CFE EVS ShortEventTlm Payload CFE EVS ShortEventTlm Payload t

    typedef struct CFE EVS LongEventTlm CFE EVS LongEventTlm t
```

typedef struct CFE EVS ShortEventTlm CFE EVS ShortEventTlm t

## 38.48.1 Detailed Description

Title: Event Services Message definition header file Header File

Purpose: Unit specification for Event services command codes and data structures.

Design Notes:

References: Flight Software Branch C Coding Standard Version 1.0a

38.48.2 Macro Definition Documentation

```
38.48.2.1 CFE_EVS_ADD_EVENT_FILTER_CC
```

#define CFE\_EVS\_ADD\_EVENT\_FILTER\_CC 15

Name Add Application Event Filter

### Description

This command adds the given filter for the given application identifier and event identifier. Note: In order for this command to take effect, applications must be registered for Event Service.

Command Mnemonic(s) \$sc\_\$cpu\_EVS\_AddEvtFltr

**Command Structure** 

CFE EVS AddEventFilterCmd t

**Command Verification** 

Successful execution of this command may be verified with the following telemetry:

- \$sc\_\$cpu\_EVS\_CMDPC command execution counter will increment
- The generation of CFE EVS ADDFILTER EID debug event message

**Error Conditions** 

This command may fail for the following reason(s):

- Application name is not valid or not registered with event services
- · Specified event ID is already added to the application event filter
- · Maximum number of event IDs already added to filter

Evidence of failure may be found in the following telemetry:

- \$sc\_\$cpu\_EVS\_CMDEC command error counter will increment
- · An Error specific event message

Criticality

None.

See also

 $\label{lem:cfe_evs_set_filter_cc} CFE\_EVS\_RESET\_FILTER\_CC, \ CFE\_EVS\_RESET\_ALL\_FILTERS\_CC, \ CFE\_EVS\_DELETE\_EVENT\_FILTER\_CC$ 

Definition at line 707 of file cfe\_evs\_msg.h.

# 38.48.2.2 CFE\_EVS\_CLEAR\_LOG\_CC

#define CFE\_EVS\_CLEAR\_LOG\_CC 20

### Name Clear Event Log

### Description

This command clears the contents of the local event log.

Command Mnemonic(s) \$sc\_\$cpu\_EVS\_ClrLog

### **Command Structure**

CFE EVS ClearLogCmd t

#### **Command Verification**

Successful execution of this command may be verified with the following telemetry:

- \$sc\_\$cpu\_EVS\_CMDPC command execution counter will increment
- \$sc\_\$cpu\_EVS\_LOGFULL The LogFullFlag in the Housekeeping telemetry will be cleared
- \$sc\_\$cpu\_EVS\_LOGOVERFLOWC The LogOverflowCounter in the Housekeeping telemetry will be reset to 0

### **Error Conditions**

There are no error conditions for this command. If the Event Services receives the command, the log is cleared.

## Criticality

Clearing the local event log is not particularly hazardous, as the result may be making available space to record valuable event data. However, inappropriately clearing the local event log could result in a loss of critical information. Note: the event log is a back-up log to the on-board recorder.

### See also

CFE\_EVS\_WRITE\_LOG\_DATA\_FILE\_CC, CFE\_EVS\_SET\_LOG\_MODE\_CC

Definition at line 887 of file cfe\_evs\_msg.h.

38.48.2.3 CFE\_EVS\_CRITICAL\_BIT

#define CFE\_EVS\_CRITICAL\_BIT 0x0008

Definition at line 894 of file cfe evs msg.h.

## 38.48.2.4 CFE\_EVS\_DEBUG\_BIT

```
#define CFE_EVS_DEBUG_BIT 0x0001
```

Definition at line 891 of file cfe\_evs\_msg.h.

### 38.48.2.5 CFE\_EVS\_DELETE\_EVENT\_FILTER\_CC

```
#define CFE_EVS_DELETE_EVENT_FILTER_CC 16
```

Name Delete Application Event Filter

### Description

This command removes the given filter for the given application identifier and event identifier. Note: In order for this command to take effect, applications must be registered for Event Service.

Command Mnemonic(s) \$sc\_\$cpu\_EVS\_DelEvtFltr

## **Command Structure**

CFE\_EVS\_DeleteEventFilterCmd\_t

### **Command Verification**

Successful execution of this command may be verified with the following telemetry:

- \$sc\_\$cpu\_EVS\_CMDPC command execution counter will increment
- The generation of CFE\_EVS\_DELFILTER\_EID debug event message

## **Error Conditions**

This command may fail for the following reason(s):

- · Application name is not valid or not registered with event services
- · Specified event ID is not found in the application event filter

Evidence of failure may be found in the following telemetry:

- \$sc\_\$cpu\_EVS\_CMDEC command error counter will increment
- · An Error specific event message

## Criticality

None.

## See also

 $\label{lem:cfe_evs_set_filter_cc} \textbf{CFe_evs_reset\_filter\_cc}, \textbf{CFe\_evs\_reset\_all\_filters\_cc}, \textbf{CFe} \\ \textbf{\_evs\_add\_event\_filter\_cc}$ 

Definition at line 742 of file cfe\_evs\_msg.h.

```
38.48.2.6 CFE_EVS_DISABLE_APP_EVENT_TYPE_CC
```

#define CFE\_EVS\_DISABLE\_APP\_EVENT\_TYPE\_CC 6

Name Disable Application Event Type

### Description

This command disables the command specified event type for the command specified application, preventing the application from sending event messages of the command specified event type through Event Service. An Event Type is defined to be a classification of an Event Message such as debug, informational, critical, and error. Note: In order for this command to take effect, applications must be registered for Event Service.

Command Mnemonic(s) \$sc\_\$cpu\_EVS\_DisAppEvtType, \$sc\_\$cpu\_EVS\_DisAppEvtTypeMask

### **Command Structure**

CFE\_EVS\_DisableAppEventTypeCmd\_t The following bit positions apply to structure member named 'BitMask'. Bit 0 - Debug Bit 1 - Informational Bit 2 - Error Bit 3 - Critical A one in a bit position means the event type will be disabled (or filtered) for the specified application. A zero in a bit position means the filtering state is unchanged for the specified application.

#### **Command Verification**

Successful execution of this command may be verified with the following telemetry:

- \$sc\_\$cpu\_EVS\_CMDPC command execution counter will increment
- The generation of CFE\_EVS\_DISAPPENTTYPE\_EID debug event message
- The clearing of the Event Type Active Flag in The Event Type Active Flag in EVS App Data File

### **Error Conditions**

This command may fail for the following reason(s):

- · BitMask field invalid mask cannot be zero, and only bits 0-3 may be set
- · Application name is not valid or not registered with event services

Evidence of failure may be found in the following telemetry:

- \$sc\_\$cpu\_EVS\_CMDEC command error counter will increment
- An Error specific event message

### Criticality

Disabling an application's event type is not particularly hazardous, as the result may be shutting off unnecessary event messages and possible event flooding of the system. However, inappropriately disabling an application's event type could result in a loss of critical information and missed behavior for the ground system.

## See also

CFE\_EVS\_ENABLE\_EVENT\_TYPE\_CC, CFE\_EVS\_DISABLE\_EVENT\_TYPE\_CC, CFE\_EVS\_ENABLE\_AP←
P\_EVENT\_TYPE\_CC, CFE\_EVS\_ENABLE\_APP\_EVENTS\_CC, CFE\_EVS\_DISABLE\_APP\_EVENTS\_CC

Definition at line 367 of file cfe\_evs\_msg.h.

```
38.48.2.7 CFE_EVS_DISABLE_APP_EVENTS_CC
```

```
#define CFE_EVS_DISABLE_APP_EVENTS_CC 8
```

Name Disable Event Services for an Application

## Description

This command disables the command specified application from sending events through Event Service. Note: In order for this command to take effect, applications must be registered for Event Service.

Command Mnemonic(s) \$sc\_\$cpu\_EVS\_DisAppEvGen

#### **Command Structure**

CFE\_EVS\_DisableAppEventsCmd\_t

#### **Command Verification**

Successful execution of this command may be verified with the following telemetry:

- \$sc\_\$cpu\_EVS\_CMDPC command execution counter will increment
- The generation of CFE EVS DISAPPEVT EID debug event message

## **Error Conditions**

This command may fail for the following reason(s):

· Application name is not valid or not registered with event services

Evidence of failure may be found in the following telemetry:

- \$sc\_\$cpu\_EVS\_CMDEC command error counter will increment
- · An Error specific event message

### Criticality

Disabling an application's events is not particularly hazardous, as the result may be shutting off unnecessary event messages and possible event flooding of the system. However, inappropriately disabling an application's events could result in a loss of critical information and missed behavior for the ground system.

## See also

CFE\_EVS\_ENABLE\_EVENT\_TYPE\_CC, CFE\_EVS\_DISABLE\_EVENT\_TYPE\_CC, CFE\_EVS\_ENABLE\_AP← P\_EVENT\_TYPE\_CC, CFE\_EVS\_DISABLE\_APP\_EVENT\_TYPE\_CC, CFE\_EVS\_ENABLE\_APP\_EVENTS\_CC

Definition at line 445 of file cfe evs msg.h.

## 38.48.2.8 CFE\_EVS\_DISABLE\_EVENT\_TYPE\_CC

#define CFE\_EVS\_DISABLE\_EVENT\_TYPE\_CC 3

### Name Disable Event Type

### Description

This command disables the command specified Event Type preventing event messages of this type to be sent through Event Service. An Event Type is defined to be a classification of an Event Message such as debug, informational, error and critical. This command is a global disable of a particular event type, it applies to all applications.

Command Mnemonic(s) \$sc\_\$cpu\_EVS\_DisEventType, \$sc\_\$cpu\_EVS\_DisEventTypeMask

### **Command Structure**

CFE\_EVS\_DisableEventTypeCmd\_t The following bit positions apply to structure member named 'BitMask'. Bit 0 - Debug Bit 1 - Informational Bit 2 - Error Bit 3 - Critical A one in a bit position means the event type will be disabled (or filtered). A zero in a bit position means the filtering state is unchanged.

### **Command Verification**

Successful execution of this command may be verified with the following telemetry:

- \$sc\_\$cpu\_EVS\_CMDPC command execution counter will increment
- The generation of CFE\_EVS\_DISEVTTYPE\_EID debug message

### **Error Conditions**

This command may fail for the following reason(s):

• BitMask field invalid - mask cannot be zero, and only bits 0-3 may be set

Evidence of failure may be found in the following telemetry:

- \$sc\_\$cpu\_EVS\_CMDEC command error counter will increment
- · An Error specific event message

## Criticality

Disabling an event type is not particularly hazardous, as the result may be shutting off unnecessary event messages and possible event flooding of the system. However, inappropriately disabling an event type could result in a loss of critical information and missed behavior for the ground system.

## See also

CFE\_EVS\_ENABLE\_EVENT\_TYPE\_CC, CFE\_EVS\_ENABLE\_APP\_EVENT\_TYPE\_CC, CFE\_EVS\_DISABL ← E\_APP\_EVENT\_TYPE\_CC, CFE\_EVS\_ENABLE\_APP\_EVENTS\_CC

Definition at line 215 of file cfe evs msg.h.

## 38.48.2.9 CFE\_EVS\_DISABLE\_PORTS\_CC

```
#define CFE_EVS_DISABLE_PORTS_CC 12
```

Name Disable Event Services Output Ports

## Description

This command disables the specified port from outputting event messages.

Command Mnemonic(s) \$sc\_\$cpu\_EVS\_DisPort, \$sc\_\$cpu\_EVS\_DisPortMask

### **Command Structure**

CFE\_EVS\_DisablePortsCmd\_t The following bit positions apply to structure member named 'BitMask'. Bit 0 - Port 1 Bit 1 - Port 2 Bit 2 - Port 3 Bit 3 - Port 4 A one in a bit position means the port will be disabled. A zero in a bit position means the port state is unchanged.

### **Command Verification**

Successful execution of this command may be verified with the following telemetry:

- \$sc\_\$cpu\_EVS\_CMDPC command execution counter will increment
- The generation of CFE\_EVS\_DISPORT\_EID debug event message

### **Error Conditions**

This command may fail for the following reason(s):

• BitMask field invalid - mask cannot be zero, and only bits 0-3 may be set

Evidence of failure may be found in the following telemetry:

- \$sc\_\$cpu\_EVS\_CMDEC command error counter will increment
- · An Error specific event message

## Criticality

None.

# See also

CFE EVS ENABLE PORTS CC

Definition at line 601 of file cfe\_evs\_msg.h.

38.48.2.10 CFE\_EVS\_ENABLE\_APP\_EVENT\_TYPE\_CC

#define CFE\_EVS\_ENABLE\_APP\_EVENT\_TYPE\_CC 5

Name Enable Application Event Type

### Description

This command enables the command specified event type for the command specified application, allowing the application to send event messages of the command specified event type through Event Service. An Event Type is defined to be a classification of an Event Message such as debug, informational, critical, and error. Note: In order for this command to take effect, applications must be registered for Event Service.

Command Mnemonic(s) \$sc\_\$cpu\_EVS\_EnaAppEvtType, \$sc\_\$cpu\_EVS\_EnaAppEvtTypeMask

### **Command Structure**

CFE\_EVS\_EnableAppEventTypeCmd\_t The following bit positions apply to structure member named 'BitMask'. Bit 0 - Debug Bit 1 - Informational Bit 2 - Error Bit 3 - Critical A one in a bit position means the event type will be enabled (or unfiltered) for the specified application. A zero in a bit position means the filtering state is unchanged for the specified application.

#### **Command Verification**

Successful execution of this command may be verified with the following telemetry:

- \$sc\_\$cpu\_EVS\_CMDPC command execution counter will increment
- The generation of CFE\_EVS\_ENAAPPEVTTYPE\_EID debug event message

## **Error Conditions**

This command may fail for the following reason(s):

- BitMask field invalid mask cannot be zero, and only bits 0-3 may be set
- · Application name is not valid or not registered with event services

Evidence of failure may be found in the following telemetry:

- \$sc\_\$cpu\_EVS\_CMDEC command error counter will increment
- · An Error specific event message

### Criticality

Enabling an application event type is not particularly hazardous, as the result may be turning on necessary event messages and communication to the ground system. However, inappropriately enabling an application's event type could result in flooding of the ground system.

### See also

CFE\_EVS\_ENABLE\_EVENT\_TYPE\_CC, CFE\_EVS\_DISABLE\_EVENT\_TYPE\_CC, CFE\_EVS\_DISABLE\_AP←
P\_EVENT\_TYPE\_CC, CFE\_EVS\_ENABLE\_APP\_EVENTS\_CC, CFE\_EVS\_DISABLE\_APP\_EVENTS\_CC

Definition at line 314 of file cfe\_evs\_msg.h.

## 38.48.2.11 CFE\_EVS\_ENABLE\_APP\_EVENTS\_CC

```
#define CFE_EVS_ENABLE_APP_EVENTS_CC 7
```

Name Enable Event Services for an Application

## Description

This command enables the command specified application to send events through the Event Service. Note: In order for this command to take effect, applications must be registered for Event Service.

Command Mnemonic(s) \$sc\_\$cpu\_EVS\_EnaAppEvGen

### **Command Structure**

CFE\_EVS\_EnableAppEventsCmd\_t

### **Command Verification**

Successful execution of this command may be verified with the following telemetry:

- \$sc\_\$cpu\_EVS\_CMDPC command execution counter will increment
- The generation of CFE EVS ENAAPPEVT EID debug event message
- The setting of the Active Flag in The Active Flag in EVS App Data File

### **Error Conditions**

This command may fail for the following reason(s):

· Application name is not valid or not registered with event services

Evidence of failure may be found in the following telemetry:

- \$sc\_\$cpu\_EVS\_CMDEC command error counter will increment
- · An Error specific event message

## Criticality

Enabling an application events is not particularly hazardous, as the result may be turning on necessary event messages and communication to the ground system. However, inappropriately enabling an application's events could result in flooding of the ground system.

### See also

CFE\_EVS\_ENABLE\_EVENT\_TYPE\_CC, CFE\_EVS\_DISABLE\_EVENT\_TYPE\_CC, CFE\_EVS\_ENABLE\_AP←
P\_EVENT\_TYPE\_CC, CFE\_EVS\_DISABLE\_APP\_EVENT\_TYPE\_CC, CFE\_EVS\_DISABLE\_APP\_EVENTS\_←
CC

Definition at line 406 of file cfe\_evs\_msg.h.

## 38.48.2.12 CFE\_EVS\_ENABLE\_EVENT\_TYPE\_CC

#define CFE\_EVS\_ENABLE\_EVENT\_TYPE\_CC 2

### Name Enable Event Type

### Description

This command enables the command specified Event Type allowing event messages of this type to be sent through Event Service. An Event Type is defined to be a classification of an Event Message such as debug, informational, error and critical. This command is a global enable of a particular event type, it applies to all applications.

Command Mnemonic(s) \$sc\_\$cpu\_EVS\_EnaEventType, \$sc\_\$cpu\_EVS\_EnaEventTypeMask

### **Command Structure**

CFE\_EVS\_EnableEventTypeCmd\_t The following bit positions apply to structure member named 'BitMask'. Bit 0 - Debug Bit 1 - Informational Bit 2 - Error Bit 3 - Critical A one in a bit position means the event type will be enabled (or unfiltered). A zero in a bit position means the filtering state is unchanged.

### **Command Verification**

Successful execution of this command may be verified with the following telemetry:

- \$sc\_\$cpu\_EVS\_CMDPC command execution counter will increment
- The generation of CFE\_EVS\_ENAEVTTYPE\_EID debug message

### **Error Conditions**

This command may fail for the following reason(s):

• BitMask field invalid - mask cannot be zero, and only bits 0-3 may be set

Evidence of failure may be found in the following telemetry:

- \$sc\_\$cpu\_EVS\_CMDEC command error counter will increment
- · An Error specific event message

## Criticality

Enabling an event type is not particularly hazardous, as the result may be turning on necessary event messages and communication to the ground system. However, inappropriately enabling an event type could result in flooding of the system.

## See also

Definition at line 166 of file cfe evs msg.h.

## 38.48.2.13 CFE\_EVS\_ENABLE\_PORTS\_CC

```
#define CFE_EVS_ENABLE_PORTS_CC 11
```

Name Enable Event Services Output Ports

## Description

This command enables the command specified port to output event messages

Command Mnemonic(s) \$sc\_\$cpu\_EVS\_EnaPort, \$sc\_\$cpu\_EVS\_EnaPortMask

### **Command Structure**

CFE\_EVS\_EnablePortsCmd\_t The following bit positions apply to structure member named 'BitMask'. Bit 0 - Port 1 Bit 1 - Port 2 Bit 2 - Port 3 Bit 3 - Port 4 A one in a bit position means the port will be enabled. A zero in a bit position means the port state is unchanged.

### **Command Verification**

Successful execution of this command may be verified with the following telemetry:

- \$sc\_\$cpu\_EVS\_CMDPC command execution counter will increment
- The generation of CFE\_EVS\_ENAPORT\_EID debug event message

### **Error Conditions**

This command may fail for the following reason(s):

• BitMask field invalid - mask cannot be zero, and only bits 0-3 may be set

Evidence of failure may be found in the following telemetry:

- \$sc\_\$cpu\_EVS\_CMDEC command error counter will increment
- · An Error specific event message

## Criticality

None.

# See also

CFE EVS DISABLE PORTS CC

Definition at line 562 of file cfe\_evs\_msg.h.

```
38.48.2.14 CFE_EVS_ERROR_BIT
```

#define CFE\_EVS\_ERROR\_BIT 0x0004

Definition at line 893 of file cfe evs msg.h.

## 38.48.2.15 CFE\_EVS\_INFORMATION\_BIT

#define CFE\_EVS\_INFORMATION\_BIT 0x0002

Definition at line 892 of file cfe evs msg.h.

### 38.48.2.16 CFE\_EVS\_NOOP\_CC

#define CFE\_EVS\_NOOP\_CC 0

Name Event Services No-Op

## Description

This command performs no other function than to increment the command execution counter. The command may be used to verify general aliveness of the Event Services task.

Command Mnemonic(s) \$sc \$cpu EVS NOOP

## **Command Structure**

CFE\_EVS\_NoopCmd\_t

### **Command Verification**

Successful execution of this command may be verified with the following telemetry:

- \$sc\_\$cpu\_EVS\_CMDPC command execution counter will increment
- The CFE EVS NOOP EID informational event message will be generated

## **Error Conditions**

There are no error conditions for this command. If the Event Services receives the command, the event is sent (although it may be filtered by EVS itself) and the counter is incremented unconditionally.

## Criticality

None

See also

Definition at line 79 of file cfe\_evs\_msg.h.

#define CFE\_EVS\_PORT1\_BIT 0x0001

Definition at line 897 of file cfe\_evs\_msg.h.

#define CFE\_EVS\_PORT2\_BIT 0x0002

Definition at line 898 of file cfe\_evs\_msg.h.

38.48.2.19 CFE\_EVS\_PORT3\_BIT

#define CFE\_EVS\_PORT3\_BIT 0x0004

Definition at line 899 of file cfe\_evs\_msg.h.

38.48.2.20 CFE\_EVS\_PORT4\_BIT

#define CFE\_EVS\_PORT4\_BIT 0x0008

Definition at line 900 of file cfe evs msg.h.

38.48.2.21 CFE\_EVS\_RESET\_ALL\_FILTERS\_CC

#define CFE\_EVS\_RESET\_ALL\_FILTERS\_CC 14

Name Reset All Event Filters for an Application

Description

This command resets all of the command specified applications event filters. Note: In order for this command to take effect, applications must be registered for Event Service.

Command Mnemonic(s) \$sc\_\$cpu\_EVS\_RstAllFltrs

**Command Structure** 

CFE EVS ResetAllFiltersCmd t

### **Command Verification**

Successful execution of this command may be verified with the following telemetry:

- \$sc\_\$cpu\_EVS\_CMDPC command execution counter will increment
- The generation of CFE\_EVS\_RSTALLFILTER\_EID debug event message

### **Error Conditions**

This command may fail for the following reason(s):

· Application name is not valid or not registered with event services

Evidence of failure may be found in the following telemetry:

- \$sc\_\$cpu\_EVS\_CMDEC command error counter will increment
- · An Error specific event message

### Criticality

None.

### See also

CFE\_EVS\_SET\_FILTER\_CC, CFE\_EVS\_RESET\_FILTER\_CC, CFE\_EVS\_ADD\_EVENT\_FILTER\_CC, CFE\_← EVS\_DELETE\_EVENT\_FILTER\_CC

Definition at line 671 of file cfe evs msg.h.

38.48.2.22 CFE\_EVS\_RESET\_APP\_COUNTER\_CC

#define CFE\_EVS\_RESET\_APP\_COUNTER\_CC 9

Name Reset Application Event Counters

## Description

This command sets the command specified application's event counter to zero. Note: In order for this command to take effect, applications must be registered for Event Service.

Command Mnemonic(s) \$sc\_\$cpu\_EVS\_RstAppCtrs

### **Command Structure**

CFE EVS ResetAppCounterCmd t

### **Command Verification**

Successful execution of this command may be verified with the following telemetry:

- \$sc\_\$cpu\_EVS\_CMDPC command execution counter will increment
- The generation of CFE EVS RSTEVTCNT EID debug event message

#### **Error Conditions**

This command may fail for the following reason(s):

· Application name is not valid or not registered with event services

Evidence of failure may be found in the following telemetry:

- \$sc\_\$cpu\_EVS\_CMDEC command error counter will increment
- · An Error specific event message

### Criticality

This command is not inherently dangerous. However, it is possible for ground systems and on-board safing procedures to be designed such that they react to changes in the counter value that is reset by this command.

### See also

```
CFE_EVS_RESET_COUNTERS_CC
```

Definition at line 481 of file cfe\_evs\_msg.h.

```
38.48.2.23 CFE_EVS_RESET_COUNTERS_CC
```

```
#define CFE_EVS_RESET_COUNTERS_CC 1
```

### Name Event Services Reset Counters

## Description

This command resets the following counters within the Event Services housekeeping telemetry:

- Command Execution Counter (\$sc\_\$cpu\_EVS\_CMDPC)
- Command Error Counter (\$sc\_\$cpu\_EVS\_CMDEC)

Command Mnemonic(s) \$sc\_\$cpu\_EVS\_ResetCtrs

### **Command Structure**

CFE EVS ResetCountersCmd t

### **Command Verification**

Successful execution of this command may be verified with the following telemetry:

- \$sc\_\$cpu\_EVS\_CMDPC command execution counter will be reset to 0
- \$sc\_\$cpu\_EVS\_CMDEC command error counter will be reset to 0
- The CFE EVS RSTCNT EID debug event message will be generated

### **Error Conditions**

There are no error conditions for this command. If the Event Services receives the command, the event is sent (although it may be filtered by EVS) and the counter is incremented unconditionally.

## Criticality

This command is not inherently dangerous. However, it is possible for ground systems and on-board safing procedures to be designed such that they react to changes in the counter values that are reset by this command.

#### See also

```
CFE_EVS_RESET_APP_COUNTER_CC
```

Definition at line 118 of file cfe evs msg.h.

38.48.2.24 CFE\_EVS\_RESET\_FILTER\_CC

#define CFE\_EVS\_RESET\_FILTER\_CC 13

Name Reset an Event Filter for an Application

## Description

This command resets the command specified application's event filter for the command specified event ID. Note: In order for this command to take effect, applications must be registered for Event Service.

Command Mnemonic(s) \$sc\_\$cpu\_EVS\_RstBinFltrCtr

## **Command Structure**

CFE EVS ResetFilterCmd t

## **Command Verification**

Successful execution of this command may be verified with the following telemetry:

- \$sc\_\$cpu\_EVS\_CMDPC command execution counter will increment
- The generation of CFE EVS RSTFILTER EID debug event message

#### **Error Conditions**

This command may fail for the following reason(s):

Application name is not valid or not registered with event services

· Specified event ID is not found in the application event filter

Evidence of failure may be found in the following telemetry:

- \$sc\_\$cpu\_EVS\_CMDEC command error counter will increment
- · An Error specific event message

## Criticality

None.

### See also

CFE\_EVS\_SET\_FILTER\_CC, CFE\_EVS\_RESET\_ALL\_FILTERS\_CC, CFE\_EVS\_ADD\_EVENT\_FILTER\_CC, CFE\_EVS\_DELETE\_EVENT\_FILTER\_CC

Definition at line 637 of file cfe\_evs\_msg.h.

38.48.2.25 CFE\_EVS\_SET\_EVENT\_FORMAT\_MODE\_CC

#define CFE\_EVS\_SET\_EVENT\_FORMAT\_MODE\_CC 4

Name Set Event Format Mode

## Description

This command sets the event format mode to the command specified value. The event format mode may be either short or long. A short event format detaches the Event Data from the event message and only includes the following information in the event packet: Processor ID, Application ID, Event ID, and Event Type. Refer to section 5.3.3.4 for a description of the Event Service event packet contents. Event Data is defined to be data describing an Event that is supplied to the cFE Event Service. ASCII text strings are used as the primary format for Event Data because heritage ground systems use string compares as the basis for their automated alert systems. Two systems, ANSR and SERS were looked at for interface definitions. The short event format is used to accommodate experiences with limited telemetry bandwidth. The long event format includes all event information included within the short format along with the Event Data.

Command Mnemonic(s) \$sc\_\$cpu\_EVS\_SetEvtFmt

### **Command Structure**

CFE EVS SetEventFormatModeCmd t

### **Command Verification**

Successful execution of this command may be verified with the following telemetry:

- \$sc\_\$cpu\_EVS\_CMDPC command execution counter will increment
- The generation of CFE\_EVS\_SETEVTFMTMOD\_EID debug message

## **Error Conditions**

This command may fail for the following reason(s):

· Invalid MsgFormat mode selection

Evidence of failure may be found in the following telemetry:

- \$sc\_\$cpu\_EVS\_CMDEC command error counter will increment
- · An Error specific event message

## Criticality

Setting the event format mode is not particularly hazardous, as the result may be saving necessary bandwidth. However, inappropriately setting the event format mode could result in a loss of information and missed behavior for the ground system

See also

Definition at line 262 of file cfe\_evs\_msg.h.

38.48.2.26 CFE\_EVS\_SET\_FILTER\_CC

#define CFE\_EVS\_SET\_FILTER\_CC 10

Name Set Application Event Filter

## Description

This command sets the command specified application's event filter mask to the command specified value for the command specified event. Note: In order for this command to take effect, applications must be registered for Event Service.

Command Mnemonic(s) \$sc \$cpu EVS SetBinFltrMask

#### **Command Structure**

```
CFE EVS SetFilterCmd t
```

### **Command Verification**

Successful execution of this command may be verified with the following telemetry:

- \$sc\_\$cpu\_EVS\_CMDPC command execution counter will increment
- The generation of CFE EVS SETFILTERMSK EID debug event message

#### **Error Conditions**

This command may fail for the following reason(s):

- · Application name is not valid or not registered with event services
- · Specified event ID is not found in the application event filter

Evidence of failure may be found in the following telemetry:

- \$sc\_\$cpu\_EVS\_CMDEC command error counter will increment
- · An Error specific event message

### Criticality

Setting an application event filter mask is not particularly hazardous, as the result may be shutting off unnecessary event messages and possible event flooding of the system. However, inappropriately setting an application's event filter mask could result in a loss of critical information and missed behavior for the ground system or flooding of the ground system.

### See also

CFE\_EVS\_RESET\_FILTER\_CC, CFE\_EVS\_RESET\_ALL\_FILTERS\_CC, CFE\_EVS\_ADD\_EVENT\_FILTER\_ $\hookleftarrow$  CC, CFE\_EVS\_DELETE\_EVENT\_FILTER\_CC

Definition at line 523 of file cfe\_evs\_msg.h.

38.48.2.27 CFE\_EVS\_SET\_LOG\_MODE\_CC

#define CFE\_EVS\_SET\_LOG\_MODE\_CC 19

Name Set Logging Mode

## Description

This command sets the logging mode to the command specified value.

Command Mnemonic(s) \$sc \$cpu EVS SetLogMode

#### **Command Structure**

CFE\_EVS\_SetLogModeCmd\_t

#### **Command Verification**

Successful execution of this command may be verified with the following telemetry:

- \$sc\_\$cpu\_EVS\_CMDPC command execution counter will increment
- The generation of CFE EVS LOGMODE EID debug event message

### **Error Conditions**

This command may fail for the following reason(s):

Evidence of failure may be found in the following telemetry:

- \$sc\_\$cpu\_EVS\_CMDEC command error counter will increment
- An Error specific event message

## Criticality

Setting the event logging mode is not particularly hazardous, as the result may be saving valuable event data. However, inappropriately setting the log mode could result in a loss of critical information. Note: the event log is a back-up log to the on-board recorder.

### See also

CFE\_EVS\_WRITE\_LOG\_DATA\_FILE\_CC, CFE\_EVS\_CLEAR\_LOG\_CC

Definition at line 852 of file cfe\_evs\_msg.h.

38.48.2.28 CFE\_EVS\_WRITE\_APP\_DATA\_FILE\_CC

#define CFE\_EVS\_WRITE\_APP\_DATA\_FILE\_CC 17

Name Write Event Services Application Information to File

## Description

This command writes all application data to a file for all applications that have registered with the EVS. The application data includes the Application ID, Active Flag, Event Count, Event Types Active Flag, and Filter Data.

Command Mnemonic(s) \$sc \$cpu EVS WriteAppData2File

#### **Command Structure**

CFE\_EVS\_WriteAppDataFileCmd\_t

#### **Command Verification**

Successful execution of this command may be verified with the following telemetry:

- \$sc\_\$cpu\_EVS\_CMDPC command execution counter will increment
- The generation of CFE EVS WRDAT EID debug event message
- The file specified in the command (or the default specified by the CFE\_PLATFORM\_EVS\_DEFAULT\_APP

   DATA FILE configuration parameter) will be updated with the latest information.

## **Error Conditions**

This command may fail for the following reason(s):

- · The specified FileName cannot be parsed
- · An Error occurs while trying to write to the file

Evidence of failure may be found in the following telemetry:

- \$sc\_\$cpu\_EVS\_CMDEC command error counter will increment
- · An Error specific event message

## Criticality

Writing a file is not particularly hazardous, but if proper file management is not taken, then the file system can fill up if this command is used repeatedly.

### See also

```
CFE EVS WRITE LOG DATA FILE CC, CFE EVS SET LOG MODE CC
```

Definition at line 781 of file cfe evs msg.h.

```
38.48.2.29 CFE_EVS_WRITE_LOG_DATA_FILE_CC
```

```
#define CFE_EVS_WRITE_LOG_DATA_FILE_CC 18
```

Name Write Event Log to File

### Description

This command requests the Event Service to generate a file containing the contents of the local event log.

Command Mnemonic(s) \$sc \$cpu EVS WriteLog2File

#### **Command Structure**

CFE\_EVS\_WriteLogDataFileCmd\_t

### **Command Verification**

Successful execution of this command may be verified with the following telemetry:

- \$sc\_\$cpu\_EVS\_CMDPC command execution counter will increment
- The generation of CFE\_EVS\_WRLOG\_EID debug event message

### **Error Conditions**

This command may fail for the following reason(s):

- · The specified FileName cannot be parsed
- · An Error occurs while trying to write to the file

Evidence of failure may be found in the following telemetry:

- \$sc\_\$cpu\_EVS\_CMDEC command error counter will increment
- · An Error specific event message

### Criticality

Writing a file is not particularly hazardous, but if proper file management is not taken, then the file system can fill up if this command is used repeatedly.

## See also

CFE\_EVS\_WRITE\_APP\_DATA\_FILE\_CC, CFE\_EVS\_SET\_LOG\_MODE\_CC, CFE\_EVS\_CLEAR\_LOG\_CC

Definition at line 816 of file cfe\_evs\_msg.h.

38.48.3 Typedef Documentation

38.48.3.1 CFE\_EVS\_AddEventFilterCmd\_t

typedef CFE\_EVS\_AppNameEventIDMaskCmd\_t CFE\_EVS\_AddEventFilterCmd\_t

Definition at line 1153 of file cfe\_evs\_msg.h.

```
38.48.3.2 CFE_EVS_AppDataCmd_Payload_t
typedef struct CFE_EVS_AppDataCmd_Payload CFE_EVS_AppDataCmd_Payload_t
Write Event Services Application Information to File Command Payload.
For command details, see CFE_EVS_WRITE_APP_DATA_FILE_CC
38.48.3.3 CFE_EVS_AppNameBitMaskCmd_Payload_t
typedef struct CFE_EVS_AppNameBitMaskCmd_Payload CFE_EVS_AppNameBitMaskCmd_Payload_t
Generic App Name and Bitmask Command Payload.
For command details, see CFE_EVS_ENABLE_APP_EVENT_TYPE_CC and/or CFE_EVS_DISABLE_APP_EVENT ←
_TYPE_CC
38.48.3.4 CFE_EVS_AppNameBitMaskCmd_t
typedef struct CFE_EVS_AppNameBitMaskCmd CFE_EVS_AppNameBitMaskCmd_t
Generic App Name and Bitmask Command.
38.48.3.5 CFE_EVS_AppNameCmd_Payload_t
typedef struct CFE_EVS_AppNameCmd_Payload CFE_EVS_AppNameCmd_Payload_t
Generic App Name Command Payload.
For command details, see CFE EVS ENABLE APP EVENTS CC, CFE EVS DISABLE APP EVENTS CC, CFE ←
_EVS_RESET_APP_COUNTER_CC and/or CFE_EVS_RESET_ALL_FILTERS_CC
38.48.3.6 CFE_EVS_AppNameCmd_t
typedef struct CFE_EVS_AppNameCmd CFE_EVS_AppNameCmd_t
Generic App Name Command.
38.48.3.7 CFE_EVS_AppNameEventIDCmd_Payload_t
typedef struct CFE_EVS_AppNameEventIDCmd_Payload CFE_EVS_AppNameEventIDCmd_Payload_t
Generic App Name and Event ID Command Payload.
```

For command details, see CFE EVS RESET FILTER CC and CFE EVS DELETE EVENT FILTER CC

```
38.48.3.8 CFE_EVS_AppNameEventIDCmd_t
typedef struct CFE_EVS_AppNameEventIDCmd CFE_EVS_AppNameEventIDCmd_t
Generic App Name and Event ID Command.
38.48.3.9 CFE_EVS_AppNameEventIDMaskCmd_Payload_t
typedef struct CFE_EVS_AppNameEventIDMaskCmd_Payload CFE_EVS_AppNameEventIDMaskCmd_Payload_t
Generic App Name, Event ID, Mask Command Payload.
For command details, see CFE EVS SET FILTER CC, CFE EVS ADD EVENT FILTER CC and/or CFE EVS ←
DELETE_EVENT_FILTER_CC
38.48.3.10 CFE_EVS_AppNameEventIDMaskCmd_t
typedef struct CFE_EVS_AppNameEventIDMaskCmd CFE_EVS_AppNameEventIDMaskCmd_t
Generic App Name, Event ID, Mask Command.
38.48.3.11 CFE_EVS_AppTImData_t
typedef struct CFE_EVS_AppTlmData CFE_EVS_AppTlmData_t
38.48.3.12 CFE_EVS_BitMaskCmd_Payload_t
typedef struct CFE_EVS_BitMaskCmd_Payload CFE_EVS_BitMaskCmd_Payload_t
Generic Bitmask Command Payload.
For command details, see CFE_EVS_ENABLE_EVENT_TYPE_CC, CFE_EVS_DISABLE_EVENT_TYPE_CC, CFE
_EVS_ENABLE_PORTS_CC and/or CFE_EVS_DISABLE_PORTS_CC
38.48.3.13 CFE_EVS_BitMaskCmd_t
typedef struct CFE_EVS_BitMaskCmd CFE_EVS_BitMaskCmd_t
Generic Bitmask Command.
```

```
38.48.3.14 CFE_EVS_ClearLogCmd_t
 typedef CFE_EVS_NoArgsCmd_t CFE_EVS_ClearLogCmd_t
Definition at line 919 of file cfe evs msg.h.
38.48.3.15 CFE_EVS_DeleteEventFilterCmd_t
 typedef CFE_EVS_AppNameEventIDCmd_t CFE_EVS_DeleteEventFilterCmd_t
Definition at line 1093 of file cfe_evs_msg.h.
38.48.3.16 CFE_EVS_DisableAppEventsCmd_t
typedef CFE_EVS_AppNameCmd_t CFE_EVS_DisableAppEventsCmd_t
Definition at line 1062 of file cfe_evs_msg.h.
38.48.3.17 CFE_EVS_DisableAppEventTypeCmd_t
{\tt typedef\ CFE\_EVS\_AppNameBitMaskCmd\_t\ CFE\_EVS\_DisableAppEventTypeCmd\_t\ CFE\_EVS\_DisableAppEvenTypeCmd\_t\ CFE\_EVS\_DisableAppEvenTypeCmd\_t\ CFE\_EVS\_DisableAppEvenTypeCmd\_t\ 
Definition at line 1123 of file cfe evs msg.h.
38.48.3.18 CFE_EVS_DisableEventTypeCmd_t
 typedef CFE_EVS_BitMaskCmd_t CFE_EVS_DisableEventTypeCmd_t
Definition at line 1033 of file cfe_evs_msg.h.
38.48.3.19 CFE_EVS_DisablePortsCmd_t
 typedef CFE_EVS_BitMaskCmd_t CFE_EVS_DisablePortsCmd_t
Definition at line 1031 of file cfe_evs_msg.h.
```

```
38.48.3.20 CFE_EVS_EnableAppEventsCmd_t
typedef CFE_EVS_AppNameCmd_t CFE_EVS_EnableAppEventsCmd_t
Definition at line 1061 of file cfe_evs_msg.h.
38.48.3.21 CFE_EVS_EnableAppEventTypeCmd_t
typedef CFE_EVS_AppNameBitMaskCmd_t CFE_EVS_EnableAppEventTypeCmd_t
Definition at line 1122 of file cfe_evs_msg.h.
38.48.3.22 CFE_EVS_EnableEventTypeCmd_t
typedef CFE_EVS_BitMaskCmd_t CFE_EVS_EnableEventTypeCmd_t
Definition at line 1032 of file cfe_evs_msg.h.
38.48.3.23 CFE_EVS_EnablePortsCmd_t
typedef CFE_EVS_BitMaskCmd_t CFE_EVS_EnablePortsCmd_t
Definition at line 1030 of file cfe_evs_msg.h.
38.48.3.24 CFE_EVS_HousekeepingTIm_Payload_t
typedef struct CFE_EVS_HousekeepingTlm_Payload CFE_EVS_HousekeepingTlm_Payload_t
Name Event Services Housekeeping Telemetry Packet
38.48.3.25 CFE_EVS_HousekeepingTlm_t
typedef struct CFE_EVS_HousekeepingTlm CFE_EVS_HousekeepingTlm_t
```

```
38.48.3.26 CFE_EVS_LogFileCmd_Payload_t
typedef struct CFE_EVS_LogFileCmd_Payload CFE_EVS_LogFileCmd_Payload_t
Write Event Log to File Command Payload.
For command details, see CFE EVS WRITE LOG DATA FILE CC
38.48.3.27 CFE_EVS_LongEventTIm_Payload_t
typedef struct CFE_EVS_LongEventTlm_Payload CFE_EVS_LongEventTlm_Payload_t
Name Event Message Telemetry Packet (Long format)
38.48.3.28 CFE_EVS_LongEventTlm_t
typedef struct CFE_EVS_LongEventTlm CFE_EVS_LongEventTlm_t
38.48.3.29 CFE_EVS_NoArgsCmd_t
typedef struct CFE_EVS_NoArgsCmd CFE_EVS_NoArgsCmd_t
Command with no additional arguments.
38.48.3.30 CFE_EVS_NoopCmd_t
typedef CFE_EVS_NoArgsCmd_t CFE_EVS_NoopCmd_t
Definition at line 917 of file cfe evs msg.h.
38.48.3.31 CFE_EVS_PacketID_t
typedef struct CFE_EVS_PacketID CFE_EVS_PacketID_t
Telemetry packet structures
38.48.3.32 CFE_EVS_ResetAllFiltersCmd_t
typedef CFE_EVS_AppNameCmd_t CFE_EVS_ResetAllFiltersCmd_t
Definition at line 1064 of file cfe_evs_msg.h.
```

```
38.48.3.33 CFE_EVS_ResetAppCounterCmd_t
typedef CFE_EVS_AppNameCmd_t CFE_EVS_ResetAppCounterCmd_t
Definition at line 1063 of file cfe evs msg.h.
38.48.3.34 CFE_EVS_ResetCountersCmd_t
typedef CFE_EVS_NoArgsCmd_t CFE_EVS_ResetCountersCmd_t
Definition at line 918 of file cfe_evs_msg.h.
38.48.3.35 CFE_EVS_ResetFilterCmd_t
typedef CFE_EVS_AppNameEventIDCmd_t CFE_EVS_ResetFilterCmd_t
Definition at line 1092 of file cfe_evs_msg.h.
38.48.3.36 CFE_EVS_SetEventFormatMode_Payload_t
typedef struct CFE_EVS_SetEventFormatCode_Payload CFE_EVS_SetEventFormatMode_Payload_t
Set Event Format Mode Command Payload.
For command details, see CFE_EVS_SET_EVENT_FORMAT_MODE_CC
38.48.3.37 CFE_EVS_SetEventFormatModeCmd_t
{\tt typedef \ struct \ CFE\_EVS\_SetEventFormatModeCmd\_CFE\_EVS\_SetEventFormatModeCmd\_t}
Set Event Format Mode Command.
38.48.3.38 CFE_EVS_SetFilterCmd_t
typedef CFE_EVS_AppNameEventIDMaskCmd_t CFE_EVS_SetFilterCmd_t
Definition at line 1154 of file cfe_evs_msg.h.
```

```
38.48.3.39 CFE_EVS_SetLogMode_Payload_t
typedef struct CFE_EVS_SetLogMode_Payload CFE_EVS_SetLogMode_Payload_t
Set Log Mode Command Payload.
For command details, see CFE_EVS_SET_LOG_MODE_CC
38.48.3.40 CFE_EVS_SetLogModeCmd_t
typedef struct CFE_EVS_SetLogModeCmd CFE_EVS_SetLogModeCmd_t
Set Log Mode Command.
38.48.3.41 CFE_EVS_ShortEventTlm_Payload_t
typedef struct CFE_EVS_ShortEventTlm_Payload CFE_EVS_ShortEventTlm_Payload_t
Name Event Message Telemetry Packet (Short format)
38.48.3.42 CFE_EVS_ShortEventTIm_t
typedef struct CFE_EVS_ShortEventTlm CFE_EVS_ShortEventTlm_t
38.48.3.43 CFE_EVS_WriteAppDataFileCmd_t
typedef struct CFE_EVS_WriteAppDataFileCmd CFE_EVS_WriteAppDataFileCmd_t
Write Event Services Application Information to File Command.
38.48.3.44 CFE_EVS_WriteLogDataFileCmd_t
typedef struct CFE_EVS_WriteLogDataFileCmd CFE_EVS_WriteLogDataFileCmd_t
Write Event Log to File Command.
38.49 cfe/modules/msg/fsw/inc/ccsds_hdr.h File Reference
#include "common_types.h"
```

## **Data Structures**

```
    struct CCSDS_PrimaryHeader
```

CCSDS packet primary header.

• struct CCSDS\_ExtendedHeader

CCSDS packet extended header.

### **Typedefs**

- typedef struct CCSDS\_PrimaryHeader CCSDS\_PrimaryHeader\_t CCSDS packet primary header.
- typedef struct CCSDS\_ExtendedHeader CCSDS\_ExtendedHeader\_t
   CCSDS packet extended header.

## 38.49.1 Detailed Description

Define CCSDS packet header types

- · Avoid direct access for portability, use APIs
- · Used to construct message structures

# 38.49.2 Typedef Documentation

```
38.49.2.1 CCSDS_ExtendedHeader_t
```

```
{\tt typedef \ struct \ CCSDS\_ExtendedHeader \ CCSDS\_ExtendedHeader\_t}
```

CCSDS packet extended header.

```
38.49.2.2 CCSDS_PrimaryHeader_t
```

```
typedef struct CCSDS_PrimaryHeader CCSDS_PrimaryHeader_t
```

CCSDS packet primary header.

38.50 cfe/modules/resourceid/fsw/inc/cfe\_core\_resourceid\_basevalues.h File Reference

```
#include "cfe_resourceid_basevalue.h"
```

#### **Enumerations**

enum {

CFE\_RESOURCEID\_ES\_TASKID\_BASE\_OFFSET = OS\_OBJECT\_TYPE\_OS\_TASK, CFE\_RESOURCEID\_←
ES\_APPID\_BASE\_OFFSET = OS\_OBJECT\_TYPE\_USER + 1, CFE\_RESOURCEID\_ES\_LIBID\_BASE\_OFF←
SET = OS\_OBJECT\_TYPE\_USER + 2, CFE\_RESOURCEID\_ES\_COUNTID\_BASE\_OFFSET = OS\_OBJECT←
\_TYPE\_USER + 3,

CFE\_RESOURCEID\_ES\_POOLID\_BASE\_OFFSET = OS\_OBJECT\_TYPE\_USER + 4, CFE\_RESOURCEID ←
\_ES\_CDSBLOCKID\_BASE\_OFFSET = OS\_OBJECT\_TYPE\_USER + 5, CFE\_RESOURCEID\_SB\_PIPEID\_R ←
ESOURCE\_BASE\_OFFSET = OS\_OBJECT\_TYPE\_USER + 6, CFE\_RESOURCEID\_CONFIGID\_BASE\_OF ←
FSET = OS\_OBJECT\_TYPE\_USER + 7}

enum {

CFE\_ES\_TASKID\_BASE = CFE\_RESOURCEID\_MAKE\_BASE(CFE\_RESOURCEID\_ES\_TASKID\_BASE\_O ← FFSET), CFE\_ES\_APPID\_BASE = CFE\_RESOURCEID\_MAKE\_BASE(CFE\_RESOURCEID\_ES\_APPID\_BA ← SE\_OFFSET), CFE\_ES\_LIBID\_BASE = CFE\_RESOURCEID\_MAKE\_BASE(CFE\_RESOURCEID\_ES\_LIBID ← BASE\_OFFSET), CFE\_ES\_COUNTID\_BASE = CFE\_RESOURCEID\_MAKE\_BASE(CFE\_RESOURCEID\_E ← S\_COUNTID\_BASE\_OFFSET),

CFE\_ES\_POOLID\_BASE = CFE\_RESOURCEID\_MAKE\_BASE(CFE\_RESOURCEID\_ES\_POOLID\_BASE\_O ← FFSET), CFE\_ES\_CDSBLOCKID\_BASE = CFE\_RESOURCEID\_MAKE\_BASE(CFE\_RESOURCEID\_ES\_CD ← SBLOCKID\_BASE\_OFFSET), CFE\_SB\_PIPEID\_BASE = CFE\_RESOURCEID\_MAKE\_BASE(CFE\_RESOUR ← CEID\_SB\_PIPEID\_RESOURCE\_BASE\_OFFSET), CFE\_CONFIGID\_BASE = CFE\_RESOURCEID\_MAKE\_B ← ASE(CFE\_RESOURCEID\_CONFIGID\_BASE\_OFFSET) }

#### 38.50.1 Detailed Description

Contains CFE internal prototypes and definitions related to resource management and related CFE resource IDs.

A CFE ES Resource ID is a common way to identify CFE-managed resources such as apps, tasks, counters, memory pools, CDS blocks, and other entities.

38.51 cfe/modules/resourceid/fsw/inc/cfe resourceid basevalue.h File Reference

```
#include "cfe_resourceid_typedef.h"
#include "osapi-idmap.h"
```

## Macros

- #define CFE RESOURCEID SHIFT OS OBJECT TYPE SHIFT
- #define CFE RESOURCEID MAX OS OBJECT INDEX MASK
- #define CFE\_RESOURCEID\_MAKE\_BASE(offset) (CFE\_RESOURCEID\_MARK | ((offset) << CFE\_RESOU← RCEID\_SHIFT))

A macro to generate a CFE resource ID base value from an offset.

## 38.51.1 Detailed Description

An implementation of CFE resource ID base values/limits that will be compatible with OSAL IDs. This is intended as a transitional tool to provide runtime value uniqueness, particularly when the "simple" (compatible) resource ID implementation is used. In this mode, compiler type checking is disabled, and so OSAL IDs can be silently interchanged with CFE IDs.

However, by ensuring uniqueness in the runtime values, any ID handling errors may at least be detectable at runtime.

This still works fine with the "strict" resource ID option, but is less important as the compiler type checking should prevent this type of error before the code even runs.

The downside to this implementation is that it has a dependency on the OSAL ID structure.

38.51.2 Macro Definition Documentation

#### 38.51.2.1 CFE RESOURCEID MAKE BASE

A macro to generate a CFE resource ID base value from an offset.

Each CFE ID range is effectively an extension of OSAL ID ranges by starting at OS OBJECT TYPE USER.

Definition at line 75 of file cfe resourceid basevalue.h.

## 38.51.2.2 CFE\_RESOURCEID\_MAX

```
#define CFE_RESOURCEID_MAX OS_OBJECT_INDEX_MASK
```

Definition at line 67 of file cfe\_resourceid\_basevalue.h.

## 38.51.2.3 CFE\_RESOURCEID\_SHIFT

```
#define CFE_RESOURCEID_SHIFT OS_OBJECT_TYPE_SHIFT
```

Definition at line 66 of file cfe resourceid basevalue.h.

## 38.52 cfe/modules/sb/fsw/inc/cfe\_sb\_events.h File Reference

Macros

### SB event IDs

• #define CFE SB INIT EID 1

SB Initialization Event ID.

#define CFE SB CR PIPE BAD ARG EID 2

SB Create Pipe API Bad Argument Event ID.

#define CFE SB MAX PIPES MET EID 3

SB Create Pipe API Max Pipes Exceeded Event ID.

#define CFE SB CR PIPE ERR EID 4

SB Create Pipe API Queue Create Failure Event ID.

#define CFE SB PIPE ADDED EID 5

SB Create Pipe API Success Event ID.

#define CFE SB SUB ARG ERR EID 6

SB Subscribe API Bad Argument Event ID.

#define CFE SB DUP SUBSCRIP EID 7

SB Subscribe API Duplicate Msgld Subscription Event ID.

#define CFE\_SB\_MAX\_MSGS\_MET\_EID 8

SB Subscribe API Max Subscriptions Exceeded Event ID.

• #define CFE SB MAX DESTS MET EID 9

SB Subscribe API Max Destinations Exceeded Event ID.

#define CFE\_SB\_SUBSCRIPTION\_RCVD\_EID\_10

SB Subscribe API Success Event ID.

#define CFE SB UNSUB ARG ERR EID 11

SB Unsubscribe API Bad Argument Event ID.

#define CFE\_SB\_UNSUB\_NO\_SUBS\_EID 12

SB Unsubscribe API No Msgld Subscription Event ID.

#define CFE\_SB\_SEND\_BAD\_ARG\_EID 13

SB Transmit API Bad Argument Event ID.

• #define CFE SB SEND NO SUBS EID 14

SB Transmit API No Msgld Subscribers Event ID.

#define CFE\_SB\_MSG\_TOO\_BIG\_EID 15

SB Transmit API Message Size Limit Exceeded Event ID.

• #define CFE\_SB\_GET\_BUF\_ERR\_EID 16

SB Transmit API Buffer Request Failure Event ID.

• #define CFE SB MSGID LIM ERR EID 17

SB Transmit API Msgld Pipe Limit Exceeded Event ID.

#define CFE\_SB\_RCV\_BAD\_ARG\_EID 18

SB Receive Buffer API Bad Argument Event ID.

#define CFE\_SB\_BAD\_PIPEID\_EID 19

SB Receive Buffer API Invalid Pipe Event ID.

#define CFE\_SB\_DEST\_BLK\_ERR\_EID 20

SB Subscribe API Get Destination Block Failure Event ID.

#define CFE\_SB\_SEND\_INV\_MSGID\_EID 21

SB Transmit API Invalid Msgld Event ID.

• #define CFE SB SUBSCRIPTION RPT EID 22

SB Subscription Report Sent Event ID.

#define CFE\_SB\_HASHCOLLISION\_EID 23

SB Subscribe API Message Table Hash Collision Event ID.

• #define CFE\_SB\_Q\_FULL\_ERR\_EID 25

SB Transmit API Pipe Overflow Event ID.

```
    #define CFE_SB_Q_WR_ERR_EID 26

     SB Transmit API Queue Write Failure Event ID.

    #define CFE SB Q RD ERR EID 27

     SB Transmit API Queue Read Failure Event ID.

    #define CFE_SB_CMD0_RCVD_EID 28

     SB No-op Command Success Event ID.

    #define CFE_SB_CMD1_RCVD_EID 29

     SB Reset Counters Command Success Event ID.

    #define CFE SB SND STATS EID 32

     SB Send Statistics Command Success Event ID.

    #define CFE_SB_ENBL_RTE1_EID 33

     SB Enable Route Command Invalid Msgld/PipeID Pair Event ID.

    #define CFE_SB_ENBL_RTE2_EID 34

     SB Enable Route Command Success Event ID.

    #define CFE SB ENBL RTE3 EID 35

     SB Enable Route Command Invalid Msgld or Pipe Event ID.

    #define CFE SB DSBL RTE1 EID 36

     SB Disable Route Command Invalid Msgld/Pipeld Pair Event ID.

    #define CFE_SB_DSBL_RTE2_EID 37

     SB Disable Route Command Success Event ID.

    #define CFE_SB_DSBL_RTE3_EID 38

     SB Disable Route Command Invalid Msgld or Pipe Event ID.

    #define CFE SB SND RTG EID 39

     SB File Write Success Event ID.

    #define CFE_SB_SND_RTG_ERR1_EID 40

     SB File Write Create File Failure Event ID.

    #define CFE SB BAD CMD CODE EID 42

     SB Invalid Command Code Received Event ID.

    #define CFE SB BAD MSGID EID 43

     SB Invalid Message ID Received Event ID.

    #define CFE_SB_FULL_SUB_PKT_EID 44

     SB Send Previous Subscriptions Command Full Packet Sent Event ID.

    #define CFE_SB_PART_SUB_PKT_EID 45

     SB Send Previous Subscriptions Command Partial Packet Sent Event ID.

    #define CFE SB DEL PIPE ERR1 EID 46

     SB Pipe Delete API Bad Argument Event ID.

    #define CFE SB PIPE DELETED EID 47

     SB Pipe Delete API Success Event ID.

    #define CFE_SB_SUBSCRIPTION_REMOVED_EID 48

     SB Unsubscribe API Success Event ID.

    #define CFE SB FILEWRITE ERR EID 49

     SB File Write Failed Event ID.

    #define CFE_SB_SUB_INV_PIPE_EID 50

     SB Subscribe API Invalid Pipe Event ID.

    #define CFE_SB_SUB_INV_CALLER_EID 51

     SB Subscribe API Not Owner Event ID.

    #define CFE SB UNSUB INV PIPE EID 52

     SB Unsubscribe API Invalid Pipe Event ID.

    #define CFE SB UNSUB INV CALLER EID 53

     SB Unsubscribe API Not Owner Event ID.

    #define CFE SB DEL PIPE ERR2 EID 54

     SB Delete Pipe API Not Owner Event ID.

    #define CFE SB SETPIPEOPTS ID ERR EID 55

     SB Set Pipe Opts API Invalid Pipe Event ID.

    #define CFE SB SETPIPEOPTS OWNER ERR EID 56
```

SB Set Pipe Opts API Not Owner Event ID. #define CFE\_SB\_SETPIPEOPTS\_EID 57 SB Set Pipe Opts API Success Event ID. #define CFE SB GETPIPEOPTS ID ERR EID 58 SB Get Pipe Opts API Invalid Pipe Event ID. #define CFE SB GETPIPEOPTS PTR ERR EID 59 SB Get Pipe Opts API Invalid Pointer Event ID. • #define CFE SB GETPIPEOPTS EID 60 SB Get Pipe Opts API Success Event ID. #define CFE\_SB\_GETPIPENAME\_EID 62 SB Get Pipe Name API Success Event ID. #define CFE\_SB\_GETPIPENAME\_NULL\_PTR\_EID 63 SB Get Pipe Name API Invalid Pointer Event ID. #define CFE SB GETPIPENAME ID ERR EID 64 SB Get Pipe Name API Invalid Pipe or Resource Event ID. #define CFE\_SB\_GETPIPEIDBYNAME\_EID 65 SB Get Pipe ID By Name API Success Event ID. #define CFE SB GETPIPEIDBYNAME NULL ERR EID 66 SB Get Pipe ID By Name API Invalid Pointer Event ID. #define CFE\_SB\_GETPIPEIDBYNAME\_NAME\_ERR\_EID 67 SB Get Pipe ID By Name API Name Not Found Or ID Not Matched Event ID. #define CFE SB LEN ERR EID 68 SB Invalid Command Length Event ID. #define CFE SB CR PIPE NAME TAKEN EID 69 SB Create Pipe API Name Taken Event ID. #define CFE\_SB\_CR\_PIPE\_NO\_FREE\_EID 70 SB Create Pipe API Queues Exhausted Event ID. 38.52.1 Detailed Description cFE Software Bus Services Event IDs 38.52.2 Macro Definition Documentation 38.52.2.1 CFE\_SB\_BAD\_CMD\_CODE\_EID #define CFE\_SB\_BAD\_CMD\_CODE\_EID 42 SB Invalid Command Code Received Event ID. Type: ERROR Cause: Invalid command code for message ID CFE SB CMD MID or CFE SB SUB RPT CTRL MID received on the SB message pipe. OVERLOADED Definition at line 463 of file cfe\_sb\_events.h.

```
38.52.2.2 CFE_SB_BAD_MSGID_EID
 #define CFE_SB_BAD_MSGID_EID 43
 SB Invalid Message ID Received Event ID.
Type: ERROR
Cause:
 Invalid message ID received on the SB message pipe.
 Definition at line 474 of file cfe_sb_events.h.
 38.52.2.3 CFE_SB_BAD_PIPEID_EID
 #define CFE_SB_BAD_PIPEID_EID 19
 SB Receive Buffer API Invalid Pipe Event ID.
Type: ERROR
Cause:
 CFE_SB_ReceiveBuffer API failure due to an invalid Pipe ID.
 Definition at line 246 of file cfe_sb_events.h.
 38.52.2.4 CFE_SB_CMD0_RCVD_EID
 #define CFE_SB_CMD0_RCVD_EID 28
 SB No-op Command Success Event ID.
Type: INFORMATION
Cause:
 SB NO-OP Command success.
```

Generated by Doxygen

Definition at line 337 of file cfe\_sb\_events.h.

```
38.52.2.5 CFE_SB_CMD1_RCVD_EID
 #define CFE_SB_CMD1_RCVD_EID 29
 SB Reset Counters Command Success Event ID.
Type: DEBUG
Cause:
 SB Reset Counters Command success.
 Definition at line 348 of file cfe_sb_events.h.
 38.52.2.6 CFE_SB_CR_PIPE_BAD_ARG_EID
 #define CFE_SB_CR_PIPE_BAD_ARG_EID 2
 SB Create Pipe API Bad Argument Event ID.
Type: ERROR
Cause:
 CFE_SB_CreatePipe API failure due to a bad input argument.
 Definition at line 55 of file cfe_sb_events.h.
 38.52.2.7 CFE_SB_CR_PIPE_ERR_EID
 #define CFE_SB_CR_PIPE_ERR_EID 4
 SB Create Pipe API Queue Create Failure Event ID.
Type: ERROR
Cause:
 CFE_SB_CreatePipe API failure creating the queue.
 Definition at line 77 of file cfe_sb_events.h.
```

```
38.52.2.8 CFE_SB_CR_PIPE_NAME_TAKEN_EID
 #define CFE_SB_CR_PIPE_NAME_TAKEN_EID 69
 SB Create Pipe API Name Taken Event ID.
Type: ERROR
Cause:
 CFE_SB_CreatePipe API failure due to pipe name taken.
 Definition at line 752 of file cfe_sb_events.h.
 38.52.2.9 CFE_SB_CR_PIPE_NO_FREE_EID
 #define CFE_SB_CR_PIPE_NO_FREE_EID 70
 SB Create Pipe API Queues Exhausted Event ID.
Type: ERROR
Cause:
 CFE_SB_CreatePipe API failure due to no free queues.
 Definition at line 763 of file cfe_sb_events.h.
 38.52.2.10 CFE_SB_DEL_PIPE_ERR1_EID
 #define CFE_SB_DEL_PIPE_ERR1_EID 46
 SB Pipe Delete API Bad Argument Event ID.
Type: ERROR
Cause:
 An SB Delete Pipe API failed due to an invalid input argument.
```

Definition at line 509 of file cfe\_sb\_events.h.

```
38.52.2.11 CFE_SB_DEL_PIPE_ERR2_EID
 #define CFE_SB_DEL_PIPE_ERR2_EID 54
 SB Delete Pipe API Not Owner Event ID.
Type: ERROR
Cause:
 An SB Delete Pipe API failed due to not being the pipe owner.
 Definition at line 597 of file cfe_sb_events.h.
 38.52.2.12 CFE_SB_DEST_BLK_ERR_EID
 #define CFE_SB_DEST_BLK_ERR_EID 20
 SB Subscribe API Get Destination Block Failure Event ID.
Type: ERROR
Cause:
 An SB Subscribe API call failed to get a destination block.
 Definition at line 257 of file cfe_sb_events.h.
 38.52.2.13 CFE_SB_DSBL_RTE1_EID
 #define CFE_SB_DSBL_RTE1_EID 36
 SB Disable Route Command Invalid Msgld/Pipeld Pair Event ID.
Type: ERROR
Cause:
 SB Disable Route Command failure due to the Message ID not being subscribed to the pipe.
```

Definition at line 406 of file cfe\_sb\_events.h.

Generated by Doxygen

```
38.52.2.14 CFE_SB_DSBL_RTE2_EID
 #define CFE_SB_DSBL_RTE2_EID 37
 SB Disable Route Command Success Event ID.
Type: DEBUG
Cause:
 SB Disable Route Command success.
 Definition at line 417 of file cfe_sb_events.h.
 38.52.2.15 CFE_SB_DSBL_RTE3_EID
 #define CFE_SB_DSBL_RTE3_EID 38
 SB Disable Route Command Invalid Msgld or Pipe Event ID.
Type: ERROR
Cause:
 SB Disable Route Command failure due to an invalid Msgld or Pipe.
 Definition at line 429 of file cfe_sb_events.h.
 38.52.2.16 CFE_SB_DUP_SUBSCRIP_EID
 #define CFE_SB_DUP_SUBSCRIP_EID 7
 SB Subscribe API Duplicate Msgld Subscription Event ID.
Type: INFORMATION
Cause:
 An SB Subscribe API was called with a Message ID that was already subscribed on the pipe on the pipe.
```

Definition at line 111 of file cfe\_sb\_events.h.

```
38.52.2.17 CFE_SB_ENBL_RTE1_EID
 #define CFE_SB_ENBL_RTE1_EID 33
 SB Enable Route Command Invalid Msgld/PipeID Pair Event ID.
Type: ERROR
Cause:
 SB Enable Route Command failure due to the Message ID not being subscribed to the pipe.
 Definition at line 371 of file cfe_sb_events.h.
 38.52.2.18 CFE_SB_ENBL_RTE2_EID
 #define CFE_SB_ENBL_RTE2_EID 34
 SB Enable Route Command Success Event ID.
Type: DEBUG
Cause:
 SB Enable Route Command success.
 Definition at line 382 of file cfe_sb_events.h.
 38.52.2.19 CFE_SB_ENBL_RTE3_EID
 #define CFE_SB_ENBL_RTE3_EID 35
 SB Enable Route Command Invalid Msgld or Pipe Event ID.
Type: ERROR
Cause:
 SB Enable Route Command failure due to an invalid Msgld or Pipe.
```

Definition at line 394 of file cfe\_sb\_events.h.

```
38.52.2.20 CFE_SB_FILEWRITE_ERR_EID
 #define CFE_SB_FILEWRITE_ERR_EID 49
 SB File Write Failed Event ID.
Type: ERROR
Cause:
 An SB file write failure encountered when writing to the file.
 Definition at line 542 of file cfe_sb_events.h.
 38.52.2.21 CFE_SB_FULL_SUB_PKT_EID
 #define CFE_SB_FULL_SUB_PKT_EID 44
 SB Send Previous Subscriptions Command Full Packet Sent Event ID.
Type: DEBUG
Cause:
 SB Send Previous Subscriptions Command processing sent a full subscription packet.
 Definition at line 486 of file cfe_sb_events.h.
 38.52.2.22 CFE_SB_GET_BUF_ERR_EID
 #define CFE_SB_GET_BUF_ERR_EID 16
 SB Transmit API Buffer Request Failure Event ID.
Type: ERROR
Cause:
 An SB Transmit API call buffer request failed.
```

Definition at line 212 of file cfe\_sb\_events.h.

```
38.52.2.23 CFE_SB_GETPIPEIDBYNAME_EID
 #define CFE_SB_GETPIPEIDBYNAME_EID 65
SB Get Pipe ID By Name API Success Event ID.
Type: DEBUG
Cause:
CFE_SB_GetPipeIdByName success.
Definition at line 707 of file cfe_sb_events.h.
38.52.2.24 CFE_SB_GETPIPEIDBYNAME_NAME_ERR_EID
 #define CFE_SB_GETPIPEIDBYNAME_NAME_ERR_EID 67
SB Get Pipe ID By Name API Name Not Found Or ID Not Matched Event ID.
Type: ERROR
Cause:
CFE_SB_GetPipeIdByName failure due to name not found or ID mismatch. OVERLOADED
Definition at line 729 of file cfe_sb_events.h.
38.52.2.25 CFE_SB_GETPIPEIDBYNAME_NULL_ERR_EID
 #define CFE_SB_GETPIPEIDBYNAME_NULL_ERR_EID 66
SB Get Pipe ID By Name API Invalid Pointer Event ID.
Type: ERROR
Cause:
CFE_SB_GetPipeIdByName failure due to invalid pointer.
 Definition at line 718 of file cfe_sb_events.h.
```

```
38.52.2.26 CFE_SB_GETPIPENAME_EID
 #define CFE_SB_GETPIPENAME_EID 62
SB Get Pipe Name API Success Event ID.
Type: DEBUG
Cause:
CFE_SB_GetPipeName success.
Definition at line 674 of file cfe_sb_events.h.
38.52.2.27 CFE_SB_GETPIPENAME_ID_ERR_EID
 #define CFE_SB_GETPIPENAME_ID_ERR_EID 64
SB Get Pipe Name API Invalid Pipe or Resource Event ID.
Type: ERROR
Cause:
CFE_SB_GetPipeName failure due to invalid pipe ID or failure in retrieving resource name. OVERLOADED
Definition at line 696 of file cfe_sb_events.h.
38.52.2.28 CFE_SB_GETPIPENAME_NULL_PTR_EID
 #define CFE_SB_GETPIPENAME_NULL_PTR_EID 63
SB Get Pipe Name API Invalid Pointer Event ID.
Type: ERROR
Cause:
CFE_SB_GetPipeName failure due to invalid pointer.
Definition at line 685 of file cfe_sb_events.h.
```

```
38.52.2.29 CFE_SB_GETPIPEOPTS_EID
 #define CFE_SB_GETPIPEOPTS_EID 60
 SB Get Pipe Opts API Success Event ID.
Type: DEBUG
Cause:
 CFE_SB_GetPipeOpts success.
 Definition at line 663 of file cfe_sb_events.h.
 38.52.2.30 CFE_SB_GETPIPEOPTS_ID_ERR_EID
 #define CFE_SB_GETPIPEOPTS_ID_ERR_EID 58
 SB Get Pipe Opts API Invalid Pipe Event ID.
Type: ERROR
Cause:
 CFE_SB_GetPipeOpts failure due to invalid pipe ID.
 Definition at line 641 of file cfe_sb_events.h.
 38.52.2.31 CFE_SB_GETPIPEOPTS_PTR_ERR_EID
 #define CFE_SB_GETPIPEOPTS_PTR_ERR_EID 59
 SB Get Pipe Opts API Invalid Pointer Event ID.
Type: ERROR
Cause:
 CFE_SB_GetPipeOpts failure due to invalid pointer.
```

Definition at line 652 of file cfe\_sb\_events.h.

```
38.52.2.32 CFE_SB_HASHCOLLISION_EID
 #define CFE_SB_HASHCOLLISION_EID 23
SB Subscribe API Message Table Hash Collision Event ID.
Type: DEBUG
Cause:
An SB Subscribe API call caused a message table hash collision, which will impact message transmission performance.
This can be resolved by deconflicting MsgId values or increasing CFE_PLATFORM_SB_MAX_MSG_IDS.
 Definition at line 292 of file cfe sb events.h.
#define CFE_SB_INIT_EID 1
SB Initialization Event ID.
Type: INFORMATION
Cause:
 Software Bus Services Task initialization complete.
 Definition at line 44 of file cfe_sb_events.h.
38.52.2.34 CFE_SB_LEN_ERR_EID
 #define CFE_SB_LEN_ERR_EID 68
SB Invalid Command Length Event ID.
Type: ERROR
Cause:
```

Invalid length for the command code in message ID CFE SB CMD MID or CFE SB SUB RPT CTRL MID received

Generated by Doxygen

on the SB message pipe.

Definition at line 741 of file cfe\_sb\_events.h.

```
38.52.2.35 CFE_SB_MAX_DESTS_MET_EID
 #define CFE_SB_MAX_DESTS_MET_EID 9
SB Subscribe API Max Destinations Exceeded Event ID.
Type: ERROR
Cause:
An SB Subscribe API was called with a message id that already has the maximum allowed number of destinations.
Definition at line 135 of file cfe_sb_events.h.
38.52.2.36 CFE_SB_MAX_MSGS_MET_EID
 #define CFE_SB_MAX_MSGS_MET_EID 8
SB Subscribe API Max Subscriptions Exceeded Event ID.
Type: ERROR
Cause:
An SB Subscribe API was called on a pipe that already has the maximum allowed number of subscriptions.
Definition at line 123 of file cfe_sb_events.h.
38.52.2.37 CFE_SB_MAX_PIPES_MET_EID
 #define CFE_SB_MAX_PIPES_MET_EID 3
SB Create Pipe API Max Pipes Exceeded Event ID.
Type: ERROR
Cause:
CFE_SB_CreatePipe API failure to do maximum number of pipes being exceeded.
```

Definition at line 66 of file cfe\_sb\_events.h.

```
38.52.2.38 CFE_SB_MSG_TOO_BIG_EID
 #define CFE_SB_MSG_TOO_BIG_EID 15
SB Transmit API Message Size Limit Exceeded Event ID.
Type: ERROR
Cause:
An SB Transmit API was called with a message that is too big.
Definition at line 201 of file cfe_sb_events.h.
38.52.2.39 CFE_SB_MSGID_LIM_ERR_EID
 #define CFE_SB_MSGID_LIM_ERR_EID 17
SB Transmit API Msgld Pipe Limit Exceeded Event ID.
Type: ERROR
Cause:
An SB Transmit API call failed to deliver the Msgld to a pipe due to the limit for the number of messages with that Msgld
for that pipe being exceeded.
Definition at line 224 of file cfe_sb_events.h.
38.52.2.40 CFE_SB_PART_SUB_PKT_EID
 #define CFE_SB_PART_SUB_PKT_EID 45
SB Send Previous Subscriptions Command Partial Packet Sent Event ID.
Type: DEBUG
Cause:
SB Send Previous Subscriptions Command processing sent a partial subscription packet.
```

Definition at line 498 of file cfe\_sb\_events.h.

```
38.52.2.41 CFE_SB_PIPE_ADDED_EID
 #define CFE_SB_PIPE_ADDED_EID 5
 SB Create Pipe API Success Event ID.
Type: DEBUG
Cause:
 CFE_SB_CreatePipe API successfully completed.
 Definition at line 88 of file cfe_sb_events.h.
 38.52.2.42 CFE_SB_PIPE_DELETED_EID
 #define CFE_SB_PIPE_DELETED_EID 47
 SB Pipe Delete API Success Event ID.
Type: DEBUG
Cause:
 An SB Delete Pipe API successfully completed.
 Definition at line 520 of file cfe_sb_events.h.
 38.52.2.43 CFE_SB_Q_FULL_ERR_EID
 #define CFE_SB_Q_FULL_ERR_EID 25
 SB Transmit API Pipe Overflow Event ID.
Type: ERROR
Cause:
 An SB Transmit API call failed to deliver the Message ID to a pipe due to the pipe queue being full.
```

Definition at line 304 of file cfe\_sb\_events.h.

```
38.52.2.44 CFE_SB_Q_RD_ERR_EID
 #define CFE_SB_Q_RD_ERR_EID 27
 SB Transmit API Queue Read Failure Event ID.
Type: ERROR
Cause:
 An SB Transmit API called failed due to a pipe queue read failure.
 Definition at line 326 of file cfe_sb_events.h.
 38.52.2.45 CFE_SB_Q_WR_ERR_EID
 #define CFE_SB_Q_WR_ERR_EID 26
 SB Transmit API Queue Write Failure Event ID.
Type: ERROR
Cause:
 An SB Transmit API call failed due to a pipe queue write failure.
 Definition at line 315 of file cfe_sb_events.h.
 38.52.2.46 CFE_SB_RCV_BAD_ARG_EID
 #define CFE_SB_RCV_BAD_ARG_EID 18
 SB Receive Buffer API Bad Argument Event ID.
Type: ERROR
Cause:
```

CFE\_SB\_ReceiveBuffer API failure due to a bad input argument.

Definition at line 235 of file cfe\_sb\_events.h.

```
38.52.2.47 CFE_SB_SEND_BAD_ARG_EID
 #define CFE_SB_SEND_BAD_ARG_EID 13
 SB Transmit API Bad Argument Event ID.
Type: ERROR
Cause:
 An SB Transmit API failed due to an invalid input argument.
 Definition at line 179 of file cfe_sb_events.h.
 38.52.2.48 CFE_SB_SEND_INV_MSGID_EID
 #define CFE_SB_SEND_INV_MSGID_EID 21
 SB Transmit API Invalid Msgld Event ID.
Type: ERROR
Cause:
 An SB Transmit API was called with an invalid message ID.
 Definition at line 268 of file cfe_sb_events.h.
 38.52.2.49 CFE_SB_SEND_NO_SUBS_EID
 #define CFE_SB_SEND_NO_SUBS_EID 14
 SB Transmit API No Msgld Subscribers Event ID.
Type: INFORMATION
Cause:
 An SB Transmit API was called with a Message ID with no subscriptions.
 Definition at line 190 of file cfe_sb_events.h.
```

```
38.52.2.50 CFE_SB_SETPIPEOPTS_EID
 #define CFE_SB_SETPIPEOPTS_EID 57
 SB Set Pipe Opts API Success Event ID.
Type: DEBUG
Cause:
 CFE_SB_SetPipeOpts success.
 Definition at line 630 of file cfe_sb_events.h.
 38.52.2.51 CFE_SB_SETPIPEOPTS_ID_ERR_EID
 #define CFE_SB_SETPIPEOPTS_ID_ERR_EID 55
 SB Set Pipe Opts API Invalid Pipe Event ID.
Type: ERROR
Cause:
 CFE_SB_SetPipeOpts API failure due to an invalid pipe ID
 Definition at line 608 of file cfe_sb_events.h.
 38.52.2.52 CFE_SB_SETPIPEOPTS_OWNER_ERR_EID
 #define CFE_SB_SETPIPEOPTS_OWNER_ERR_EID 56
 SB Set Pipe Opts API Not Owner Event ID.
Type: ERROR
Cause:
 CFE_SB_SetPipeOpts API failure due to not being the pipe owner.
```

Definition at line 619 of file cfe\_sb\_events.h.

```
38.52.2.53 CFE_SB_SND_RTG_EID
 #define CFE_SB_SND_RTG_EID 39
 SB File Write Success Event ID.
Type: DEBUG
Cause:
 An SB file write successfully completed. OVERLOADED
 Definition at line 440 of file cfe_sb_events.h.
 38.52.2.54 CFE_SB_SND_RTG_ERR1_EID
 #define CFE_SB_SND_RTG_ERR1_EID 40
 SB File Write Create File Failure Event ID.
Type: ERROR
Cause:
 An SB file write failure due to file creation error. OVERLOADED
 Definition at line 451 of file cfe_sb_events.h.
 38.52.2.55 CFE_SB_SND_STATS_EID
 #define CFE_SB_SND_STATS_EID 32
 SB Send Statistics Command Success Event ID.
Type: DEBUG
Cause:
 SB Send Statistics Command success.
```

Definition at line 359 of file cfe\_sb\_events.h.

```
38.52.2.56 CFE_SB_SUB_ARG_ERR_EID
 #define CFE_SB_SUB_ARG_ERR_EID 6
 SB Subscribe API Bad Argument Event ID.
Type: ERROR
Cause:
 An SB Subscribe API failed due to an invalid input argument.
 Definition at line 99 of file cfe_sb_events.h.
 38.52.2.57 CFE_SB_SUB_INV_CALLER_EID
 #define CFE_SB_SUB_INV_CALLER_EID 51
 SB Subscribe API Not Owner Event ID.
Type: ERROR
Cause:
 An SB Subscribe API failed due to not being the pipe owner.
 Definition at line 564 of file cfe_sb_events.h.
 38.52.2.58 CFE_SB_SUB_INV_PIPE_EID
 #define CFE_SB_SUB_INV_PIPE_EID 50
 SB Subscribe API Invalid Pipe Event ID.
Type: ERROR
Cause:
 An SB Subscribe API failed due to an invalid pipe ID.
```

Definition at line 553 of file cfe\_sb\_events.h.

```
38.52.2.59 CFE_SB_SUBSCRIPTION_RCVD_EID
 #define CFE_SB_SUBSCRIPTION_RCVD_EID 10
 SB Subscribe API Success Event ID.
Type: DEBUG
Cause:
 An SB Subscribe API completed successfully.
 Definition at line 146 of file cfe_sb_events.h.
 38.52.2.60 CFE_SB_SUBSCRIPTION_REMOVED_EID
 #define CFE_SB_SUBSCRIPTION_REMOVED_EID 48
 SB Unsubscribe API Success Event ID.
Type: DEBUG
Cause:
 An SB Unsubscribe API successfully completed.
 Definition at line 531 of file cfe_sb_events.h.
 38.52.2.61 CFE_SB_SUBSCRIPTION_RPT_EID
 #define CFE_SB_SUBSCRIPTION_RPT_EID 22
 SB Subscription Report Sent Event ID.
Type: DEBUG
Cause:
 SB Subscription Report sent in response to a successful subscription.
```

Definition at line 279 of file cfe\_sb\_events.h.

```
38.52.2.62 CFE_SB_UNSUB_ARG_ERR_EID
 #define CFE_SB_UNSUB_ARG_ERR_EID 11
 SB Unsubscribe API Bad Argument Event ID.
Type: ERROR
Cause:
 An SB Unsubscribe API failed due to an invalid input argument.
 Definition at line 157 of file cfe_sb_events.h.
 38.52.2.63 CFE_SB_UNSUB_INV_CALLER_EID
 #define CFE_SB_UNSUB_INV_CALLER_EID 53
 SB Unsubscribe API Not Owner Event ID.
Type: ERROR
Cause:
 An SB Unsubscribe API failed due to not being the pipe owner.
 Definition at line 586 of file cfe_sb_events.h.
 38.52.2.64 CFE_SB_UNSUB_INV_PIPE_EID
 #define CFE_SB_UNSUB_INV_PIPE_EID 52
 SB Unsubscribe API Invalid Pipe Event ID.
Type: ERROR
Cause:
 An SB Unsubscribe API failed due to an invalid pipe ID.
```

Definition at line 575 of file cfe\_sb\_events.h.

```
38.52.2.65 CFE_SB_UNSUB_NO_SUBS_EID

#define CFE_SB_UNSUB_NO_SUBS_EID 12

SB Unsubscribe API No Msqld Subscription Event ID.
```

Type: INFORMATION

Cause:

An SB Unsubscribe API was called with a Message ID that wasn't subscribed on the pipe Definition at line 168 of file cfe sb events.h.

## 38.53 cfe/modules/sb/fsw/inc/cfe\_sb\_msg.h File Reference

```
#include "common_types.h"
#include "cfe_msg_hdr.h"
#include "cfe_sb_extern_typedefs.h"
#include "cfe_es_extern_typedefs.h"
```

### **Data Structures**

• struct CFE\_SB\_WriteFileInfoCmd\_Payload

Write File Info Command Payload.

• struct CFE\_SB\_WriteFileInfoCmd

Write File Info Command.

struct CFE\_SB\_RouteCmd\_Payload

Enable/Disable Route Command Payload.

struct CFE\_SB\_RouteCmd

Enable/Disable Route Command.

- struct CFE SB HousekeepingTlm Payload
- struct CFE SB HousekeepingTlm
- struct CFE\_SB\_PipeDepthStats

SB Pipe Depth Statistics.

struct CFE\_SB\_PipeInfoEntry

SB Pipe Information File Entry.

- struct CFE\_SB\_StatsTlm\_Payload
- struct CFE\_SB\_StatsTIm
- struct CFE\_SB\_RoutingFileEntry

SB Routing File Entry.

struct CFE\_SB\_MsgMapFileEntry

SB Map File Entry.

- struct CFE\_SB\_SingleSubscriptionTlm\_Payload
- struct CFE\_SB\_SingleSubscriptionTlm
- struct CFE\_SB\_SubEntries

SB Previous Subscriptions Entry.

- · struct CFE SB AllSubscriptionsTlm Payload
- struct CFE SB AllSubscriptionsTlm

#### Macros

- #define CFE SB NOOP CC 0
- #define CFE SB RESET COUNTERS CC 1
- #define CFE SB SEND SB STATS CC 2
- #define CFE SB WRITE ROUTING INFO CC 3
- #define CFE SB ENABLE ROUTE CC 4
- #define CFE SB DISABLE ROUTE CC 5
- #define CFE SB WRITE PIPE INFO CC 7
- #define CFE SB WRITE MAP INFO CC 8
- #define CFE SB ENABLE SUB REPORTING CC 9
- #define CFE SB DISABLE SUB REPORTING CC 10
- #define CFE SB SEND PREV SUBS CC 11

### **Typedefs**

- typedef CFE MSG CommandHeader t CFE SB NoopCmd t
- typedef CFE MSG CommandHeader t CFE SB ResetCountersCmd t
- typedef CFE MSG CommandHeader t CFE SB EnableSubReportingCmd t
- typedef CFE\_MSG\_CommandHeader\_t CFE\_SB\_DisableSubReportingCmd\_t
- typedef CFE\_MSG\_CommandHeader\_t CFE\_SB\_SendSbStatsCmd\_t
- typedef CFE\_MSG\_CommandHeader\_t CFE\_SB\_SendPrevSubsCmd\_t
- typedef struct CFE SB WriteFileInfoCmd Payload CFE SB WriteFileInfoCmd Payload t

Write File Info Command Payload.

typedef struct CFE\_SB\_WriteFileInfoCmd CFE\_SB\_WriteFileInfoCmd\_t

Write File Info Command.

- typedef CFE SB WriteFileInfoCmd t CFE SB WriteRoutingInfoCmd t
- typedef CFE\_SB\_WriteFileInfoCmd\_t CFE\_SB\_WritePipeInfoCmd\_t
- typedef CFE\_SB\_WriteFileInfoCmd\_t CFE\_SB\_WriteMapInfoCmd\_t
- typedef struct CFE\_SB\_RouteCmd\_Payload CFE\_SB\_RouteCmd\_Payload\_t

Enable/Disable Route Command Payload.

typedef struct CFE SB RouteCmd CFE SB RouteCmd t

Enable/Disable Route Command.

- typedef CFE SB RouteCmd t CFE SB EnableRouteCmd t
- typedef CFE\_SB\_RouteCmd\_t CFE\_SB\_DisableRouteCmd\_t
- typedef struct CFE\_SB\_HousekeepingTlm\_Payload CFE\_SB\_HousekeepingTlm\_Payload\_t
- typedef struct CFE\_SB\_HousekeepingTIm CFE\_SB\_HousekeepingTIm\_t
- typedef struct CFE SB PipeDepthStats CFE SB PipeDepthStats t

SB Pipe Depth Statistics.

typedef struct CFE\_SB\_PipeInfoEntry CFE\_SB\_PipeInfoEntry\_t

SB Pipe Information File Entry.

- typedef struct CFE\_SB\_StatsTlm\_Payload CFE\_SB\_StatsTlm\_Payload\_t
- typedef struct CFE\_SB\_StatsTIm CFE\_SB\_StatsTIm\_t
- typedef struct CFE SB RoutingFileEntry CFE SB RoutingFileEntry t

SB Routing File Entry.

typedef struct CFE\_SB\_MsgMapFileEntry CFE\_SB\_MsgMapFileEntry\_t

SB Map File Entry.

- typedef struct CFE SB SingleSubscriptionTlm Payload CFE SB SingleSubscriptionTlm Payload t
- typedef struct CFE\_SB\_SingleSubscriptionTlm CFE\_SB\_SingleSubscriptionTlm\_t
- typedef struct CFE\_SB\_SubEntries CFE\_SB\_SubEntries\_t

SB Previous Subscriptions Entry.

- typedef struct CFE SB AllSubscriptionsTlm Payload CFE SB AllSubscriptionsTlm Payload t
- typedef struct CFE SB AllSubscriptionsTlm CFE SB AllSubscriptionsTlm t

## 38.53.1 Detailed Description

Purpose: This header file contains structure definitions for all SB command and telemetry packets

Author: R.McGraw/SSI

38.53.2 Macro Definition Documentation

38.53.2.1 CFE\_SB\_DISABLE\_ROUTE\_CC

#define CFE\_SB\_DISABLE\_ROUTE\_CC 5

Name Disable Software Bus Route

## Description

This command will disable a particular destination. The destination is specified in terms of MsgID and PipeID. The MsgId and PipeID are parameters in the command. All destinations are enabled by default.

Command Mnemonic(s) \$sc\_\$cpu\_SB\_DisRoute

**Command Structure** 

CFE SB DisableRouteCmd\_t

**Command Verification** 

Successful execution of this command may be verified with the following telemetry:

- \$sc\_\$cpu\_SB\_CMDPC command execution counter will increment
- View routing information CFE SB WRITE ROUTING INFO CC to verify enable/disable state change
- The CFE\_SB\_DSBL\_RTE2\_EID debug event message will be generated
- · Destination will stop receiving messages

### **Error Conditions**

This command may fail for the following reason(s):

- · the Msgld or Pipeld parameters do not pass validation
- · the destination does not exist.

Evidence of failure may be found in the following telemetry:

- \$sc\_\$cpu\_SB\_CMDEC command error counter will increment
- A command specific error event message is issued for all error cases. See CFE\_SB\_DSBL\_RTE1\_EID or CF← E SB DSBL RTE3 EID

# Criticality

This command is not intended to be used in nominal conditions. It is possible to get into a state where a destination cannot be re-enabled without resetting the processor. For instance, sending this command with CFE\_SB\_CM D\_MID and the SB\_Cmd\_Pipe would inhibit any ground commanding to the software bus until the processor was reset. There are similar problems that may occur when using this command.

Definition at line 283 of file cfe sb msg.h.

38.53.2.2 CFE\_SB\_DISABLE\_SUB\_REPORTING\_CC

#define CFE\_SB\_DISABLE\_SUB\_REPORTING\_CC 10

Name Disable Subscription Reporting Command

## Description

This command will disable subscription reporting and is intended to be used only by the CFS SBN (Software Bus Networking) Application. It is not intended to be sent from the ground or used by operations. When subscription reporting is enabled, SB will generate and send a software bus packet for each subscription received. The software bus packet that is sent contains the information received in the subscription API. This subscription report is needed by SBN if offboard routing is required.

Command Mnemonic(s) \$sc \$cpu SB DisSubRptg

## **Command Structure**

CFE\_SB\_DisableSubReportingCmd\_t

## **Command Verification**

Successful execution of this command will result in the suppression of packets (with the CFE\_SB\_ONESUB\_TL M\_MID Msgld) for each subscription received by SB through the subscription APIs.

**Error Conditions** 

None

Criticality

None

See also

CFE\_SB\_SingleSubscriptionTlm\_t, CFE\_SB\_ENABLE\_SUB\_REPORTING\_CC, CFE\_SB\_SEND\_PREV\_SUB 

S\_CC

Definition at line 440 of file cfe\_sb\_msg.h.

# 38.53.2.3 CFE\_SB\_ENABLE\_ROUTE\_CC

```
#define CFE_SB_ENABLE_ROUTE_CC 4
```

### Name Enable Software Bus Route

# Description

This command will enable a particular destination. The destination is specified in terms of MsgID and PipeID. The MsgId and PipeID are parameters in the command. All destinations are enabled by default. This command is needed only after a CFE\_SB\_DISABLE\_ROUTE\_CC command is used.

Command Mnemonic(s) \$sc\_\$cpu\_SB\_EnaRoute

### **Command Structure**

CFE\_SB\_EnableRouteCmd\_t

#### **Command Verification**

Successful execution of this command may be verified with the following telemetry:

- \$sc \$cpu SB CMDPC command execution counter will increment
- View routing information CFE\_SB\_WRITE\_ROUTING\_INFO\_CC to verify enable/disable state change
- The CFE\_SB\_ENBL\_RTE2\_EID debug event message will be generated
- · Destination will begin receiving messages

### **Error Conditions**

This command may fail for the following reason(s):

- · the Msgld or Pipeld parameters do not pass validation
- · the destination does not exist.

Evidence of failure may be found in the following telemetry:

- \$sc\_\$cpu\_SB\_CMDEC command error counter will increment
- A command specific error event message is issued for all error cases. See CFE\_SB\_ENBL\_RTE1\_EID or CF
   E\_SB\_ENBL\_RTE3\_EID

## Criticality

This command is not inherently dangerous.

Definition at line 242 of file cfe\_sb\_msg.h.

38.53.2.4 CFE\_SB\_ENABLE\_SUB\_REPORTING\_CC

#define CFE\_SB\_ENABLE\_SUB\_REPORTING\_CC 9

Name Enable Subscription Reporting Command

## Description

This command will enable subscription reporting and is intended to be used only by the CFS SBN (Software Bus Networking) Application. It is not intended to be sent from the ground or used by operations. When subscription reporting is enabled, SB will generate and send a software bus packet for each subscription received. The software bus packet that is sent contains the information received in the subscription API. This subscription report is needed by SBN if offboard routing is required.

Command Mnemonic(s) \$sc\_\$cpu\_SB\_EnaSubRptg

## **Command Structure**

CFE\_SB\_EnableSubReportingCmd\_t

## **Command Verification**

Successful execution of this command will result in the sending of a packet (with the CFE\_SB\_ONESUB\_TLM\_MID Msgld) for each subscription received by SB through the subscription APIs.

**Error Conditions** 

None

Criticality

None

See also

CFE\_SB\_SingleSubscriptionTlm\_t, CFE\_SB\_DISABLE\_SUB\_REPORTING\_CC, CFE\_SB\_SEND\_PREV\_SU← BS\_CC

Definition at line 407 of file cfe\_sb\_msg.h.

```
38.53.2.5 CFE_SB_NOOP_CC

#define CFE_SB_NOOP_CC 0

Name Software Bus No-Op
```

## Description

This command performs no other function than to increment the command execution counter. The command may be used to verify general aliveness of the Software Bus task.

Command Mnemonic(s) \$sc\_\$cpu\_SB\_NOOP

### **Command Structure**

CFE\_SB\_NoopCmd\_t

## **Command Verification**

Successful execution of this command may be verified with the following telemetry:

- \$sc\_\$cpu\_SB\_CMDPC command execution counter will increment
- The CFE\_SB\_CMD0\_RCVD\_EID informational event message will be generated

## **Error Conditions**

There are no error conditions for this command. If the Software Bus receives the command, the event is sent (although it may be filtered by EVS) and the counter is incremented unconditionally.

# Criticality

None

See also

Definition at line 78 of file cfe\_sb\_msg.h.

```
38.53.2.6 CFE_SB_RESET_COUNTERS_CC
```

```
#define CFE_SB_RESET_COUNTERS_CC 1
```

### Name Software Bus Reset Counters

#### Description

This command resets the following counters within the Software Bus housekeeping telemetry:

- Command Execution Counter (\$sc \$cpu SB CMDPC)
- Command Error Counter (\$sc \$cpu SB CMDEC)
- No Subscribers Counter (\$sc \$cpu SB NoSubEC)
- Duplicate Subscriptions Counter (\$sc\_\$cpu\_SB\_DupSubCnt)
- Msg Send Error Counter (\$sc\_\$cpu\_SB\_MsgSndEC)
- Msg Receive Error Counter (\$sc \$cpu SB MsgRecEC)
- Internal Error Counter (\$sc \$cpu SB InternalEC)
- Create Pipe Error Counter (\$sc\_\$cpu\_SB\_NewPipeEC)
- Subscribe Error Counter (\$sc \$cpu SB SubscrEC)
- Pipe Overflow Error Counter (\$sc\_\$cpu\_SB\_PipeOvrEC)
- Msg Limit Error Counter (\$sc\_\$cpu\_SB\_MsgLimEC)

## Command Mnemonic(s) \$sc\_\$cpu\_SB\_ResetCtrs

### **Command Structure**

```
CFE SB ResetCountersCmd t
```

## **Command Verification**

Successful execution of this command may be verified with the following telemetry:

- \$sc\_\$cpu\_SB\_CMDPC command execution counter will be reset to 0
- All other counters listed in description will be reset to 0
- The CFE SB CMD1 RCVD EID informational event message will be generated

## **Error Conditions**

There are no error conditions for this command. If the Software Bus receives the command, the event is sent (although it may be filtered by EVS) and the counter is incremented unconditionally.

### Criticality

This command is not inherently dangerous. However, it is possible for ground systems and on-board safing procedures to be designed such that they react to changes in the counter values that are reset by this command.

See also

Definition at line 125 of file cfe\_sb\_msg.h.

38.53.2.7 CFE\_SB\_SEND\_PREV\_SUBS\_CC

#define CFE\_SB\_SEND\_PREV\_SUBS\_CC 11

Name Send Previous Subscriptions Command

This command generates a series of packets that contain information

regarding all subscriptions previously received by SB. This command is intended to be used only by the CFS S $\leftarrow$  BN(Software Bus Networking) Application. It is not intended to be sent from the ground or used by operations. When this command is received the software bus will generate and send a series of packets containing information about all subscription previously received.

Command Mnemonic(s) \$sc \$cpu SB SendPrevSubs

### **Command Structure**

CFE SB SendPrevSubsCmd t

## **Command Verification**

Successful execution of this command will result in a series of packets (with the CFE\_SB\_ALLSUBS\_TLM\_MID Msgld) being sent on the software bus.

**Error Conditions** 

None

Criticality

None

See also

 ${\sf CFE\_SB\_AllSubscriptionsTlm\_t,\ CFE\_SB\_ENABLE\_SUB\_REPORTING\_CC,\ CFE\_SB\_DISABLE\_SUB\_REP} \\ {\sf ORTING\ CC}$ 

Definition at line 472 of file cfe\_sb\_msg.h.

38.53.2.8 CFE\_SB\_SEND\_SB\_STATS\_CC

#define CFE\_SB\_SEND\_SB\_STATS\_CC 2

Name Send Software Bus Statistics

# Description

This command will cause the SB task to send a statistics packet containing current utilization figures and high water marks which may be useful for checking the margin of the SB platform configuration settings.

Command Mnemonic(s) \$sc\_\$cpu\_SB\_DumpStats

### **Command Structure**

CFE\_SB\_SendSbStatsCmd\_t

### **Command Verification**

Successful execution of this command may be verified with the following telemetry:

- \$sc\_\$cpu\_SB\_CMDPC command execution counter will increment
- Receipt of statistics packet with Msgld CFE\_SB\_STATS\_TLM\_MID
- The CFE\_SB\_SND\_STATS\_EID debug event message will be generated

# **Error Conditions**

There are no error conditions for this command. If the Software Bus receives the command, the debug event is sent and the counter is incremented unconditionally.

# Criticality

This command is not inherently dangerous. It will create and send a message on the software bus. If performed repeatedly, it is possible that receiver pipes may overflow.

See also

Definition at line 159 of file cfe\_sb\_msg.h.

```
38.53.2.9 CFE_SB_WRITE_MAP_INFO_CC
```

```
#define CFE_SB_WRITE_MAP_INFO_CC 8
```

Name Write Map Info to a File

This command will create a file containing the software bus message

map information. The message map is a lookup table (an array of uint16s)that allows fast access to the correct routing table element during a software bus send operation. This is diagnostic information that may be needed due to the dynamic nature of the cFE software bus. An absolute path and filename may be specified in the command. If this command field contains an empty string (NULL terminator as the first character) the default file path and name is used. The default file path and name is defined in the platform configuration file as CFE\_PLATFORM\_SB\_DE FAULT MAP FILENAME.

Command Mnemonic(s) \$sc\_\$cpu\_SB\_WriteMap2File

### **Command Structure**

CFE\_SB\_WriteMapInfoCmd\_t

#### **Command Verification**

Successful execution of this command may be verified with the following telemetry:

- \$sc\_\$cpu\_SB\_CMDPC command execution counter will increment. NOTE: the command counter is incremented when the request is accepted, before writing the file, which is performed as a background task.
- The file specified in the command (or the default specified by the CFE\_PLATFORM\_SB\_DEFAULT\_MAP\_ FILENAME configuration parameter) will be updated with the latest information.
- The CFE SB SND RTG EID debug event message will be generated

#### **Error Conditions**

This command may fail for the following reason(s):

- · A previous request to write a software bus information file has not yet completed
- The specified FileName cannot be parsed

Evidence of failure may be found in the following telemetry:

- \$sc\_\$cpu\_SB\_CMDEC command error counter will increment
- A command specific error event message is issued for all error cases. See CFE\_SB\_SND\_RTG\_ERR1\_EID and CFE\_SB\_FILEWRITE\_ERR\_EID

## Criticality

This command is not inherently dangerous. It will create a new file in the file system and could, if performed repeatedly without sufficient file management by the operator, fill the file system.

Definition at line 374 of file cfe\_sb\_msg.h.

38.53.2.10 CFE\_SB\_WRITE\_PIPE\_INFO\_CC

#define CFE\_SB\_WRITE\_PIPE\_INFO\_CC 7

Name Write Pipe Info to a File

### Description

This command will create a file containing the software bus pipe information. The pipe information contains information about every pipe that has been created through the CFE\_SB\_CreatePipe API. An absolute path and filename may be specified in the command. If this command field contains an empty string (NULL terminator as the first character) the default file path and name is used. The default file path and name is defined in the platform configuration file as CFE\_PLATFORM\_SB\_DEFAULT\_PIPE\_FILENAME.

Command Mnemonic(s) \$sc \$cpu SB WritePipe2File

#### **Command Structure**

CFE\_SB\_WritePipeInfoCmd\_t

#### **Command Verification**

Successful execution of this command may be verified with the following telemetry:

- \$sc\_\$cpu\_SB\_CMDPC command execution counter will increment. NOTE: the command counter is incremented when the request is accepted, before writing the file, which is performed as a background task.
- The file specified in the command (or the default specified by the CFE\_PLATFORM\_SB\_DEFAULT\_PIPE\_ FILENAME configuration parameter) will be updated with the latest information.
- The CFE\_SB\_SND\_RTG\_EID debug event message will be generated

## **Error Conditions**

This command may fail for the following reason(s):

- · A previous request to write a software bus information file has not yet completed
- · The specified FileName cannot be parsed

Evidence of failure may be found in the following telemetry:

- \$sc\_\$cpu\_SB\_CMDEC command error counter will increment
- A command specific error event message is issued for all error cases. See CFE\_SB\_SND\_RTG\_ERR1\_EID and CFE\_SB\_FILEWRITE\_ERR\_EID

### Criticality

This command is not inherently dangerous. It will create a new file in the file system and could, if performed repeatedly without sufficient file management by the operator, fill the file system.

Definition at line 328 of file cfe\_sb\_msg.h.

38.53.2.11 CFE\_SB\_WRITE\_ROUTING\_INFO\_CC

```
#define CFE_SB_WRITE_ROUTING_INFO_CC 3
```

Name Write Software Bus Routing Info to a File

### Description

This command will create a file containing the software bus routing information. The routing information contains information about every subscription that has been received through the SB subscription APIs. An absolute path and filename may be specified in the command. If this command field contains an empty string (NULL terminator as the first character) the default file path and name is used. The default file path and name is defined in the platform configuration file as CFE\_PLATFORM\_SB\_DEFAULT\_ROUTING\_FILENAME.

Command Mnemonic(s) \$sc\_\$cpu\_SB\_WriteRouting2File

#### **Command Structure**

CFE\_SB\_WriteRoutingInfoCmd\_t

#### **Command Verification**

Successful execution of this command may be verified with the following telemetry:

- \$sc\_\$cpu\_SB\_CMDPC command execution counter will increment. NOTE: the command counter is incremented when the request is accepted, before writing the file, which is performed as a background task.
- The file specified in the command (or the default specified by the CFE\_PLATFORM\_SB\_DEFAULT\_ROUT → ING FILENAME configuration parameter) will be updated with the latest information.
- The CFE SB SND RTG EID debug event message will be generated

### **Error Conditions**

This command may fail for the following reason(s):

- · A previous request to write a software bus information file has not yet completed
- · The specified FileName cannot be parsed

Evidence of failure may be found in the following telemetry:

- \$sc\_\$cpu\_SB\_CMDEC command error counter will increment
- A command specific error event message is issued for all error cases. See CFE\_SB\_SND\_RTG\_ERR1\_EID and CFE\_SB\_FILEWRITE\_ERR\_EID

## Criticality

This command is not inherently dangerous. It will create a new file in the file system and could, if performed repeatedly without sufficient file management by the operator, fill the file system.

Definition at line 204 of file cfe sb msg.h.

38.53.3 Typedef Documentation

```
38.53.3.1 CFE_SB_AllSubscriptionsTIm_Payload_t
```

```
typedef struct CFE_SB_AllSubscriptionsTlm_Payload CFE_SB_AllSubscriptionsTlm_Payload_t
```

Name SB Previous Subscriptions Packet

This structure defines the pkt(s) sent by SB that contains a list of all current subscriptions. This pkt is generated on cmd and intended to be used primarily by the Software Bus Networking Application (SBN). Typically, when the cmd is received there are more subscriptions than can fit in one pkt. The complete list of subscriptions is sent via a series of segmented pkts.

```
38.53.3.2 CFE_SB_AllSubscriptionsTlm_t
```

```
{\tt typedef\ struct\ CFE\_SB\_AllSubscriptionsTlm\ CFE\_SB\_AllSubscriptionsTlm\_t}
```

```
38.53.3.3 CFE_SB_DisableRouteCmd_t
```

```
{\tt typedef\ CFE\_SB\_RouteCmd\_t\ CFE\_SB\_DisableRouteCmd\_t}
```

Definition at line 547 of file cfe\_sb\_msg.h.

38.53.3.4 CFE\_SB\_DisableSubReportingCmd\_t

typedef CFE\_MSG\_CommandHeader\_t CFE\_SB\_DisableSubReportingCmd\_t

Definition at line 488 of file cfe\_sb\_msg.h.

38.53.3.5 CFE\_SB\_EnableRouteCmd\_t

typedef CFE\_SB\_RouteCmd\_t CFE\_SB\_EnableRouteCmd\_t

Definition at line 546 of file cfe\_sb\_msg.h.

```
38.53.3.6 CFE_SB_EnableSubReportingCmd_t
typedef CFE_MSG_CommandHeader_t CFE_SB_EnableSubReportingCmd_t
Definition at line 487 of file cfe_sb_msg.h.
38.53.3.7 CFE_SB_HousekeepingTlm_Payload_t
typedef struct CFE_SB_HousekeepingTlm_Payload CFE_SB_HousekeepingTlm_Payload_t
Name Software Bus task housekeeping Packet
38.53.3.8 CFE_SB_HousekeepingTlm_t
typedef struct CFE_SB_HousekeepingTlm CFE_SB_HousekeepingTlm_t
38.53.3.9 CFE_SB_MsgMapFileEntry_t
typedef struct CFE_SB_MsgMapFileEntry CFE_SB_MsgMapFileEntry_t
SB Map File Entry.
Structure of one element of the map information in response to CFE_SB_WRITE_MAP_INFO_CC
38.53.3.10 CFE_SB_NoopCmd_t
typedef CFE_MSG_CommandHeader_t CFE_SB_NoopCmd_t
Definition at line 485 of file cfe_sb_msg.h.
38.53.3.11 CFE_SB_PipeDepthStats_t
typedef struct CFE_SB_PipeDepthStats CFE_SB_PipeDepthStats_t
SB Pipe Depth Statistics.
Used in SB Statistics Telemetry Packet CFE SB StatsTlm t
```

```
38.53.3.12 CFE_SB_PipeInfoEntry_t
```

```
typedef struct CFE_SB_PipeInfoEntry CFE_SB_PipeInfoEntry_t
```

SB Pipe Information File Entry.

This statistics structure is output as part of the CFE SB "Send Pipe Info" command (CFE SB SEND PIPE INFO CC).

Previous versions of CFE simply wrote the internal CFE\_SB\_PipeD\_t object to the file, but this also contains information such as pointers which are not relevant outside the running CFE process.

By defining the pipe info structure separately, it also provides some independence, such that the internal CFE\_SB\_ $\leftarrow$  PipeD t definition can evolve without changing the binary format of the information file.

```
38.53.3.13 CFE_SB_ResetCountersCmd_t
```

```
typedef CFE_MSG_CommandHeader_t CFE_SB_ResetCountersCmd_t
```

Definition at line 486 of file cfe\_sb\_msg.h.

```
38.53.3.14 CFE_SB_RouteCmd_Payload_t
```

```
typedef struct CFE_SB_RouteCmd_Payload CFE_SB_RouteCmd_Payload_t
```

Enable/Disable Route Command Payload.

This structure contains a definition used by two SB commands, 'Enable Route' CFE\_SB\_ENABLE\_ROUTE\_CC and 'Disable Route' CFE\_SB\_DISABLE\_ROUTE\_CC. A route is the destination pipe for a particular message and is therefore defined as a Msgld and Pipeld combination.

```
38.53.3.15 CFE SB RouteCmd t
```

```
typedef struct CFE_SB_RouteCmd CFE_SB_RouteCmd_t
```

Enable/Disable Route Command.

```
38.53.3.16 CFE_SB_RoutingFileEntry_t
```

```
{\tt typedef\ struct\ CFE\_SB\_RoutingFileEntry\ CFE\_SB\_RoutingFileEntry\_t}
```

SB Routing File Entry.

Structure of one element of the routing information in response to CFE SB WRITE ROUTING INFO CC

```
38.53.3.17 CFE_SB_SendPrevSubsCmd_t
typedef CFE_MSG_CommandHeader_t CFE_SB_SendPrevSubsCmd_t
Definition at line 490 of file cfe_sb_msg.h.
38.53.3.18 CFE_SB_SendSbStatsCmd_t
typedef CFE_MSG_CommandHeader_t CFE_SB_SendSbStatsCmd_t
Definition at line 489 of file cfe_sb_msg.h.
38.53.3.19 CFE_SB_SingleSubscriptionTIm_Payload_t
typedef struct CFE_SB_SingleSubscriptionTlm_Payload CFE_SB_SingleSubscriptionTlm_Payload_t
Name SB Subscription Report Packet
This structure defines the pkt sent by SB when a subscription or a request to unsubscribe is received while subscription
reporting is enabled. By default subscription reporting is disabled. This feature is intended to be used primarily by
Software Bus Networking Application (SBN)
See also
     CFE SB ENABLE SUB REPORTING CC, CFE SB DISABLE SUB REPORTING CC
38.53.3.20 CFE_SB_SingleSubscriptionTIm_t
typedef struct CFE_SB_SingleSubscriptionTlm CFE_SB_SingleSubscriptionTlm_t
38.53.3.21 CFE_SB_StatsTIm_Payload_t
typedef struct CFE_SB_StatsTlm_Payload CFE_SB_StatsTlm_Payload_t
Name SB Statistics Telemetry Packet
SB Statistics packet sent in response to CFE SB SEND SB STATS CC
```

```
38.53.3.22 CFE_SB_StatsTIm_t
typedef struct CFE_SB_StatsTlm CFE_SB_StatsTlm_t
38.53.3.23 CFE_SB_SubEntries_t
typedef struct CFE_SB_SubEntries CFE_SB_SubEntries_t
SB Previous Subscriptions Entry.
This structure defines an entry used in the CFE_SB_PrevSubsPkt_t Intended to be used primarily by Software Bus
Networking Application (SBN)
Used in structure definition CFE_SB_AllSubscriptionsTIm_t
38.53.3.24 CFE_SB_WriteFileInfoCmd_Payload_t
typedef struct CFE_SB_WriteFileInfoCmd_Payload CFE_SB_WriteFileInfoCmd_Payload_t
Write File Info Command Payload.
This structure contains a generic definition used by SB commands that write to a file
38.53.3.25 CFE_SB_WriteFileInfoCmd_t
typedef struct CFE_SB_WriteFileInfoCmd CFE_SB_WriteFileInfoCmd_t
Write File Info Command.
38.53.3.26 CFE_SB_WriteMapInfoCmd_t
typedef CFE_SB_WriteFileInfoCmd_t CFE_SB_WriteMapInfoCmd_t
Definition at line 516 of file cfe_sb_msg.h.
38.53.3.27 CFE_SB_WritePipeInfoCmd_t
typedef CFE_SB_WriteFileInfoCmd_t CFE_SB_WritePipeInfoCmd_t
Definition at line 515 of file cfe_sb_msg.h.
```

```
38.53.3.28 CFE_SB_WriteRoutingInfoCmd_t
typedef CFE_SB_WriteFileInfoCmd_t CFE_SB_WriteRoutingInfoCmd_t
Definition at line 514 of file cfe sb msg.h.
38.54
       cfe/modules/tbl/fsw/inc/cfe tbl events.h File Reference
Macros
   TBL event IDs

    #define CFE TBL INIT INF EID 1

            TB Initialization Event ID.

    #define CFE_TBL_NOOP_INF_EID 10

            TBL No-op Command Success Event ID.
      • #define CFE TBL RESET INF EID 11
            TBL Reset Counters Command Success Event ID.

    #define CFE TBL FILE LOADED INF EID 12

            TBL Load Table Command Success Event ID.
      • #define CFE TBL OVERWRITE DUMP INF EID 13
            TBL Write Table To Existing File Success Event ID.

    #define CFE_TBL_WRITE_DUMP_INF_EID 14

            TBL Write Table To New File Success Event ID.

    #define CFE TBL OVERWRITE REG DUMP INF EID 15

            TBL Write Table Registry To Existing File Success Event ID.

    #define CFE_TBL_VAL_REQ_MADE_INF_EID 16

            TBL Validate Table Request Success Event ID.
      • #define CFE TBL LOAD PEND REQ INF EID 17
            TBL Load Table Pending Notification Success Event ID.

    #define CFE_TBL_TLM_REG_CMD_INF_EID 18

            TBL Telemeter Table Registry Entry Command Success Event ID.

    #define CFE TBL LOAD ABORT INF EID 21

            TBL Abort Table Load Success Event ID.

    #define CFE_TBL_WRITE_REG_DUMP_INF_EID 22

            TBL Write Table Registry To New File Success Event ID.
      • #define CFE TBL ASSUMED VALID INF EID 23
            TBL Validate Table Valid Due To No Validation Function Event ID.

    #define CFE_TBL_LOAD_SUCCESS_INF_EID 35

            TBL Load Table API Success Event ID.
      • #define CFE_TBL_VALIDATION_INF_EID 36
            TBL Validate Table Success Event ID.

    #define CFE_TBL_UPDATE_SUCCESS_INF_EID 37

            TBL Update Table Success Event ID.

    #define CFE TBL CDS DELETED INFO EID 38

            TBL Delete Table CDS Command Success Event ID.

    #define CFE_TBL_MID_ERR_EID 50

            TBL Invalid Message ID Received Event ID.

    #define CFE_TBL_CC1_ERR_EID 51

            TBL Invalid Command Code Received Event ID.

    #define CFE TBL LEN ERR EID 52

            TBL Invalid Command Length Event ID.
```

#define CFE TBL FILE ACCESS ERR EID 53

```
TBL Load Table File Open Failure Event ID.

    #define CFE_TBL_FILE_STD_HDR_ERR_EID 54

     TBL Load Table File Read Standard Header Failure Event ID.

    #define CFE TBL FILE TBL HDR ERR EID 55

     TBL Load Table File Read Table Header Failure Event ID.

    #define CFE TBL FAIL HK SEND ERR EID 56

     TBL Send Housekeeping Command Transmit Failure Event ID.

    #define CFE_TBL_NO_SUCH_TABLE_ERR_EID 57

     TBL Table Name Not Found Event ID.

    #define CFE TBL FILE TYPE ERR EID 58

     TBL Load Table Invalid File Content ID Event ID.

    #define CFE TBL FILE SUBTYPE ERR EID 59

     TBL Load Table Invalid File Subtype Event ID.

    #define CFE_TBL_NO_WORK_BUFFERS_ERR_EID 60

     TBL Load Or Dump Table No Working Buffers Available Event ID.

    #define CFE TBL INTERNAL ERROR ERR EID 61

     TBL Load Table Command Get Working Buffer Internal Failure Event ID.

    #define CFE_TBL_CREATING_DUMP_FILE_ERR_EID 62

     TBL Write File Creation Failure Event ID.

    #define CFE_TBL_WRITE_CFE_HDR_ERR_EID 63

     TBL Write Standard File Header Failure Event ID.

    #define CFE TBL WRITE TBL HDR ERR EID 64

     TBL Write Table File Header Failure Event ID.

    #define CFE_TBL_WRITE_TBL_IMG_ERR_EID 65

     TBL Write Table File Data Failure Event ID.
• #define CFE_TBL_NO_INACTIVE_BUFFER_ERR_EID 66
     TBL Validate Or Write Table Command No Inactive Buffer Event ID.

    #define CFE_TBL_TOO_MANY_VALIDATIONS_ERR_EID 67

     TBL Validate Table Command Result Storage Exceeded Event ID.

    #define CFE_TBL_WRITE_TBL_REG_ERR_EID 68

     TBL Write Table Registry File Data Failure Event ID.

    #define CFE_TBL_LOAD_ABORT_ERR_EID 69

     TBL Abort Table Load No Load Started Event ID.

    #define CFE_TBL_ACTIVATE_ERR_EID 70

     TBL Activate Table Command No Inactive Buffer Event ID.

    #define CFE TBL FILE INCOMPLETE ERR EID 71

     TBL Load Table Incomplete Load Event ID.

    #define CFE TBL LOAD EXCEEDS SIZE ERR EID 72

     TBL Load Table File Exceeds Table Size Event ID.

    #define CFE_TBL_ZERO_LENGTH_LOAD_ERR_EID 73

     TBL Load Table File Zero Length Event ID.

    #define CFE TBL PARTIAL LOAD ERR EID 74

     TBL Load Table Uninitialized Partial Load Event ID.

    #define CFE_TBL_FILE_TOO_BIG_ERR_EID 75

     TBL Load Table File Excess Data Event ID.

    #define CFE TBL TOO MANY DUMPS ERR EID 76

     TBL Write Table Command Dump Only Control Blocks Exceeded Event ID.

    #define CFE_TBL_DUMP_PENDING_ERR_EID 77

     TBL Write Table Command Already In Progress Event ID.
• #define CFE_TBL_ACTIVATE_DUMP_ONLY ERR EID 78
     TBL Activate Table Command For Dump Only Table Event ID.

    #define CFE TBL LOADING A DUMP ONLY ERR EID 79

     TBL Load Table For Dump Only Table Event ID.

    #define CFE TBL ILLEGAL BUFF PARAM ERR EID 80

     TBL Validate Or Write Table Command Invalid Buffer Event ID.
```

```
    #define CFE_TBL_UNVALIDATED_ERR_EID 81

            TBL Activate Table Command Inactive Image Not Validated Event ID.
      • #define CFE TBL IN REGISTRY ERR EID 82
            TBL Delete Table CDS Command For Registered Table Event ID.

    #define CFE TBL NOT CRITICAL TBL ERR EID 83

            TBL Delete Table CDS Command Invalid CDS Type Event ID.
      • #define CFE TBL NOT IN CRIT REG ERR EID 84
            TBL Delete Table CDS Command Not In Critical Table Registry Event ID.

    #define CFE TBL CDS NOT FOUND ERR EID 85

            TBL Delete Table CDS Command Not In CDS Registry Event ID.

    #define CFE TBL CDS DELETE ERR EID 86

            TBL Delete Table CDS Command Internal Error Event ID.

    #define CFE TBL CDS OWNER ACTIVE ERR EID 87

            TBL Delete Table CDS Command App Active Event ID.

    #define CFE TBL LOADING PENDING ERR EID 88

            TBL Load Table Command Load Pending Event ID.

    #define CFE TBL FAIL NOTIFY SEND ERR EID 89

            TBL Send Notification Transmit Failed Event ID.

    #define CFE_TBL_REGISTER_ERR_EID 90

            TBL Register Table Failed Event ID.
      • #define CFE_TBL_SHARE_ERR_EID 91
            TBL Share Table Failed Event ID.

    #define CFE TBL UNREGISTER ERR EID 92

            TBL Unregister Table Failed Event ID.

    #define CFE TBL LOAD VAL ERR EID 93

            TBL Validation Function Invalid Return Code Event ID.

    #define CFE TBL LOAD TYPE ERR EID 94

            TBL Load Table API Invalid Source Type Event ID.
      • #define CFE TBL UPDATE ERR EID 95
            TBL Update Table Failed Event ID.

    #define CFE_TBL_VALIDATION_ERR_EID 96

            TBL Validate Table Validation Failed Event ID.

    #define CFE TBL SPACECRAFT ID ERR EID 97

            TBL Read Header Invalid Spacecraft ID Event ID.
      • #define CFE_TBL_PROCESSOR_ID_ERR_EID 98
            TBL Read Header Invalid Processor ID Event ID.
      • #define CFE TBL LOAD IN PROGRESS ERR EID 100
            TBL Load Table API Load Already In Progress Event ID.

    #define CFE_TBL_LOAD_FILENAME_LONG_ERR_EID 101

            TBL Load Table Filename Too Long Event ID.

    #define CFE TBL LOAD TBLNAME MISMATCH ERR EID 102

            TBL Load Table Name Mismatch Event ID.

    #define CFE TBL HANDLE ACCESS ERR EID 103

            TBL Load Table API Access Violation Event ID.
38.54.1 Detailed Description
cFE Table Services Event IDs
38.54.2 Macro Definition Documentation
```

```
38.54.2.1 CFE_TBL_ACTIVATE_DUMP_ONLY_ERR_EID
 #define CFE_TBL_ACTIVATE_DUMP_ONLY_ERR_EID 78
TBL Activate Table Command For Dump Only Table Event ID.
Type: ERROR
Cause:
TBL Activate Table Command failure due to table being dump only.
Definition at line 558 of file cfe_tbl_events.h.
38.54.2.2 CFE_TBL_ACTIVATE_ERR_EID
 #define CFE_TBL_ACTIVATE_ERR_EID 70
TBL Activate Table Command No Inactive Buffer Event ID.
Type: ERROR
Cause:
TBL Activate Table Command failure due to no associated inactive buffer.
Definition at line 464 of file cfe_tbl_events.h.
38.54.2.3 CFE_TBL_ASSUMED_VALID_INF_EID
 #define CFE_TBL_ASSUMED_VALID_INF_EID 23
TBL Validate Table Valid Due To No Validation Function Event ID.
Type: INFORMATION
Cause:
```

TBL Validate Table Command marking table as valid due to no validation function being registered.

Generated by Doxygen

Definition at line 182 of file cfe\_tbl\_events.h.

```
38.54.2.4 CFE_TBL_CC1_ERR_EID
 #define CFE_TBL_CC1_ERR_EID 51
TBL Invalid Command Code Received Event ID.
Type: ERROR
Cause:
Invalid command code for message ID CFE_TBL_CMD_MID received on the TBL message pipe.
Definition at line 248 of file cfe_tbl_events.h.
38.54.2.5 CFE_TBL_CDS_DELETE_ERR_EID
 #define CFE_TBL_CDS_DELETE_ERR_EID 86
TBL Delete Table CDS Command Internal Error Event ID.
Type: ERROR
Cause:
TBL Delete Table CDS Command failure due to an internal error. See the system log for more information.
Definition at line 654 of file cfe_tbl_events.h.
38.54.2.6 CFE_TBL_CDS_DELETED_INFO_EID
 #define CFE_TBL_CDS_DELETED_INFO_EID 38
TBL Delete Table CDS Command Success Event ID.
Type: INFORMATION
Cause:
TBL Delete Table CDS Command success.
Definition at line 226 of file cfe_tbl_events.h.
```

```
38.54.2.7 CFE_TBL_CDS_NOT_FOUND_ERR_EID
 #define CFE_TBL_CDS_NOT_FOUND_ERR_EID 85
TBL Delete Table CDS Command Not In CDS Registry Event ID.
Type: ERROR
Cause:
TBL Delete Table CDS Command failure due to the table name not found in the CDS registry.
 Definition at line 642 of file cfe tbl events.h.
38.54.2.8 CFE_TBL_CDS_OWNER_ACTIVE_ERR_EID
 #define CFE_TBL_CDS_OWNER_ACTIVE_ERR_EID 87
TBL Delete Table CDS Command App Active Event ID.
Type: ERROR
Cause:
TBL Delete Table CDS Command failure due to the owning application being active.
 Definition at line 666 of file cfe_tbl_events.h.
38.54.2.9 CFE_TBL_CREATING_DUMP_FILE_ERR_EID
 #define CFE_TBL_CREATING_DUMP_FILE_ERR_EID 62
TBL Write File Creation Failure Event ID.
Type: ERROR
Cause:
TBL Write Table or Table Registry File failed to create file. OVERLOADED
```

Definition at line 371 of file cfe\_tbl\_events.h.

```
38.54.2.10 CFE_TBL_DUMP_PENDING_ERR_EID
 #define CFE_TBL_DUMP_PENDING_ERR_EID 77
TBL Write Table Command Already In Progress Event ID.
Type: ERROR
Cause:
TBL Write Table Command failure due to a dump already in progress for the same table.
Definition at line 546 of file cfe tbl events.h.
38.54.2.11 CFE_TBL_FAIL_HK_SEND_ERR_EID
 #define CFE_TBL_FAIL_HK_SEND_ERR_EID 56
TBL Send Housekeeping Command Transmit Failure Event ID.
Type: ERROR
Cause:
TBL Send Housekeeping Command failure transmitting the housekeeping message.
Definition at line 304 of file cfe_tbl_events.h.
38.54.2.12 CFE_TBL_FAIL_NOTIFY_SEND_ERR_EID
 #define CFE_TBL_FAIL_NOTIFY_SEND_ERR_EID 89
TBL Send Notification Transmit Failed Event ID.
Type: ERROR
Cause:
TBL send notification transmit message failure.
Definition at line 688 of file cfe_tbl_events.h.
```

```
38.54.2.13 CFE_TBL_FILE_ACCESS_ERR_EID
 #define CFE_TBL_FILE_ACCESS_ERR_EID 53
TBL Load Table File Open Failure Event ID.
Type: ERROR
Cause:
Load Table failure opening the file. OVERLOADED
 Definition at line 270 of file cfe tbl events.h.
38.54.2.14 CFE_TBL_FILE_INCOMPLETE_ERR_EID
 #define CFE_TBL_FILE_INCOMPLETE_ERR_EID 71
TBL Load Table Incomplete Load Event ID.
Type: ERROR
Cause:
TBL Load Table failure due to inability to read the size of data specified in the table header from file. OVERLOADED
 Definition at line 476 of file cfe_tbl_events.h.
38.54.2.15 CFE_TBL_FILE_LOADED_INF_EID
 #define CFE_TBL_FILE_LOADED_INF_EID 12
TBL Load Table Command Success Event ID.
Type: INFORMATION
Cause:
TBL Load Table Command successfully loaded the new table data to the working buffer.
```

Definition at line 78 of file cfe\_tbl\_events.h.

```
38.54.2.16 CFE_TBL_FILE_STD_HDR_ERR_EID
 #define CFE_TBL_FILE_STD_HDR_ERR_EID 54
 TBL Load Table File Read Standard Header Failure Event ID.
Type: ERROR
Cause:
 Load Table failure reading the file standard header.
 Definition at line 281 of file cfe_tbl_events.h.
 38.54.2.17 CFE_TBL_FILE_SUBTYPE_ERR_EID
 #define CFE_TBL_FILE_SUBTYPE_ERR_EID 59
 TBL Load Table Invalid File Subtype Event ID.
Type: ERROR
Cause:
 TBL Load Table Failure due to invalid file subtype.
 Definition at line 337 of file cfe_tbl_events.h.
 38.54.2.18 CFE_TBL_FILE_TBL_HDR_ERR_EID
 #define CFE_TBL_FILE_TBL_HDR_ERR_EID 55
 TBL Load Table File Read Table Header Failure Event ID.
Type: ERROR
Cause:
 Load Table failure reading the file table header.
 Definition at line 292 of file cfe_tbl_events.h.
```

```
38.54.2.19 CFE_TBL_FILE_TOO_BIG_ERR_EID
 #define CFE_TBL_FILE_TOO_BIG_ERR_EID 75
TBL Load Table File Excess Data Event ID.
Type: ERROR
Cause:
TBL Load Table failure due to the file header specified size of data being smaller than the actual data contained in the
file. OVERLOADED
Definition at line 522 of file cfe_tbl_events.h.
38.54.2.20 CFE_TBL_FILE_TYPE_ERR_EID
 #define CFE_TBL_FILE_TYPE_ERR_EID 58
TBL Load Table Invalid File Content ID Event ID.
Type: ERROR
Cause:
TBL Load Table failure due to invalid file content ID.
Definition at line 326 of file cfe_tbl_events.h.
38.54.2.21 CFE_TBL_HANDLE_ACCESS_ERR_EID
 #define CFE_TBL_HANDLE_ACCESS_ERR_EID 103
TBL Load Table API Access Violation Event ID.
Type: ERROR
Cause:
CFE_TBL_Load API failure due to the application not owning the table.
Definition at line 831 of file cfe_tbl_events.h.
```

```
38.54.2.22 CFE_TBL_ILLEGAL_BUFF_PARAM_ERR_EID
 #define CFE_TBL_ILLEGAL_BUFF_PARAM_ERR_EID 80
TBL Validate Or Write Table Command Invalid Buffer Event ID.
Type: ERROR
Cause:
TBL Validate Table Command or TBL Write Table Command failure due to an invalid buffer selection. OVERLOADED
Definition at line 582 of file cfe tbl events.h.
38.54.2.23 CFE_TBL_IN_REGISTRY_ERR_EID
 #define CFE_TBL_IN_REGISTRY_ERR_EID 82
TBL Delete Table CDS Command For Registered Table Event ID.
Type: ERROR
Cause:
TBL Delete Table CDS Command failure due to the table being currently registered.
Definition at line 606 of file cfe_tbl_events.h.
38.54.2.24 CFE_TBL_INIT_INF_EID
 #define CFE_TBL_INIT_INF_EID 1
TB Initialization Event ID.
Type: INFORMATION
Cause:
Table Services Task initialization complete.
 Definition at line 44 of file cfe_tbl_events.h.
```

```
38.54.2.25 CFE_TBL_INTERNAL_ERROR_ERR_EID
 #define CFE_TBL_INTERNAL_ERROR_ERR_EID 61
TBL Load Table Command Get Working Buffer Internal Failure Event ID.
Type: ERROR
Cause:
TBL Load Table Command failure due to internal get working buffer error.
Definition at line 360 of file cfe tbl events.h.
38.54.2.26 CFE_TBL_LEN_ERR_EID
 #define CFE_TBL_LEN_ERR_EID 52
TBL Invalid Command Length Event ID.
Type: ERROR
Cause:
Invalid length for the message ID and command code received on the TBL message pipe.
Definition at line 259 of file cfe_tbl_events.h.
38.54.2.27 CFE_TBL_LOAD_ABORT_ERR_EID
 #define CFE_TBL_LOAD_ABORT_ERR_EID 69
TBL Abort Table Load No Load Started Event ID.
Type: ERROR
Cause:
```

TBL Abort Table Load Command failure due to no load in progress.

Definition at line 452 of file cfe\_tbl\_events.h.

38.54.2.28 CFE_TBL_LOAD_ABORT_INF_EID
#define CFE_TBL_LOAD_ABORT_INF_EID 21
TBL Abort Table Load Success Event ID.
Type: INFORMATION
Cause:
TBL Abort Table Load Command success.
Definition at line 159 of file cfe_tbl_events.h.
38.54.2.29 CFE_TBL_LOAD_EXCEEDS_SIZE_ERR_EID
#define CFE_TBL_LOAD_EXCEEDS_SIZE_ERR_EID 72
TBL Load Table File Exceeds Table Size Event ID.
Type: ERROR
Cause:
TBL Load Table failure due to the file header specified offset and/or size of data exceeding the table size. OVERLOADED
Definition at line 488 of file cfe_tbl_events.h.
38.54.2.30 CFE_TBL_LOAD_FILENAME_LONG_ERR_EID
#define CFE_TBL_LOAD_FILENAME_LONG_ERR_EID 101
TBL Load Table Filename Too Long Event ID.
Type: ERROR
Cause:
Load table filename too long.
Definition at line 809 of file cfe_tbl_events.h.

```
38.54.2.31 CFE_TBL_LOAD_IN_PROGRESS_ERR_EID
 #define CFE_TBL_LOAD_IN_PROGRESS_ERR_EID 100
TBL Load Table API Load Already In Progress Event ID.
Type: ERROR
Cause:
CFE_TBL_Load API failure due to load already in progress.
 Definition at line 798 of file cfe tbl events.h.
38.54.2.32 CFE_TBL_LOAD_PEND_REQ_INF_EID
 #define CFE_TBL_LOAD_PEND_REQ_INF_EID 17
TBL Load Table Pending Notification Success Event ID.
Type: DEBUG
Cause:
TBL load table pending notification successfully sent.
 Definition at line 136 of file cfe_tbl_events.h.
38.54.2.33 CFE_TBL_LOAD_SUCCESS_INF_EID
 #define CFE_TBL_LOAD_SUCCESS_INF_EID 35
TBL Load Table API Success Event ID.
Type: DEBUG (the first time) and INFORMATION (normally)
Cause:
CFE_TBL_Load API success for dump only or normal table. OVERLOADED
 Definition at line 193 of file cfe_tbl_events.h.
```

```
38.54.2.34 CFE_TBL_LOAD_TBLNAME_MISMATCH_ERR_EID
 #define CFE_TBL_LOAD_TBLNAME_MISMATCH_ERR_EID 102
 TBL Load Table Name Mismatch Event ID.
Type: ERROR
Cause:
 Load table name in the table file header does not match the specified table name.
 Definition at line 820 of file cfe tbl events.h.
 38.54.2.35 CFE_TBL_LOAD_TYPE_ERR_EID
 #define CFE_TBL_LOAD_TYPE_ERR_EID 94
 TBL Load Table API Invalid Source Type Event ID.
Type: ERROR
Cause:
 CFE_TBL_Load API valid due to invalid source type.
 Definition at line 743 of file cfe_tbl_events.h.
 38.54.2.36 CFE_TBL_LOAD_VAL_ERR_EID
 #define CFE_TBL_LOAD_VAL_ERR_EID 93
 TBL Validation Function Invalid Return Code Event ID.
Type: ERROR
Cause:
 Invalid table validation function return code.
 Definition at line 732 of file cfe_tbl_events.h.
```

```
38.54.2.37 CFE_TBL_LOADING_A_DUMP_ONLY_ERR_EID
 #define CFE_TBL_LOADING_A_DUMP_ONLY_ERR_EID 79
TBL Load Table For Dump Only Table Event ID.
Type: ERROR
Cause:
TBL Load Table failure due to table being dump only. OVERLOADED
Definition at line 569 of file cfe_tbl_events.h.
38.54.2.38 CFE_TBL_LOADING_PENDING_ERR_EID
 #define CFE_TBL_LOADING_PENDING_ERR_EID 88
TBL Load Table Command Load Pending Event ID.
Type: ERROR
Cause:
TBL Load Table Command failed due to a load already pending.
Definition at line 677 of file cfe_tbl_events.h.
38.54.2.39 CFE_TBL_MID_ERR_EID
 #define CFE_TBL_MID_ERR_EID 50
TBL Invalid Message ID Received Event ID.
Type: ERROR
Cause:
Invalid message ID received on the TBL message pipe.
Definition at line 237 of file cfe_tbl_events.h.
```

```
38.54.2.40 CFE_TBL_NO_INACTIVE_BUFFER_ERR_EID
 #define CFE_TBL_NO_INACTIVE_BUFFER_ERR_EID 66
TBL Validate Or Write Table Command No Inactive Buffer Event ID.
Type: ERROR
Cause:
TBL Validate Table Command or TBL Write Table Command failure due to requesting non-existent inactive buffer.
 OVERLOADED
Definition at line 417 of file cfe_tbl_events.h.
38.54.2.41 CFE_TBL_NO_SUCH_TABLE_ERR_EID
 #define CFE_TBL_NO_SUCH_TABLE_ERR_EID 57
TBL Table Name Not Found Event ID.
Type: ERROR
Cause:
TBL command handler unable to find table name. OVERLOADED
Definition at line 315 of file cfe tbl events.h.
38.54.2.42 CFE_TBL_NO_WORK_BUFFERS_ERR_EID
 #define CFE_TBL_NO_WORK_BUFFERS_ERR_EID 60
TBL Load Or Dump Table No Working Buffers Available Event ID.
Type: ERROR
Cause:
TBL Load or Dump failure due to no working buffers available or internal error. OVERLOADED
 Definition at line 348 of file cfe_tbl_events.h.
```

```
38.54.2.43 CFE_TBL_NOOP_INF_EID
 #define CFE_TBL_NOOP_INF_EID 10
TBL No-op Command Success Event ID.
Type: INFORMATION
Cause:
NO-OP TBL No-op Command success.
Definition at line 55 of file cfe_tbl_events.h.
38.54.2.44 CFE_TBL_NOT_CRITICAL_TBL_ERR_EID
 #define CFE_TBL_NOT_CRITICAL_TBL_ERR_EID 83
TBL Delete Table CDS Command Invalid CDS Type Event ID.
Type: ERROR
Cause:
TBL Delete Table CDS Command failure due to CDS being in the table registry but not registered as a table within ES.
Definition at line 618 of file cfe_tbl_events.h.
38.54.2.45 CFE_TBL_NOT_IN_CRIT_REG_ERR_EID
 #define CFE_TBL_NOT_IN_CRIT_REG_ERR_EID 84
TBL Delete Table CDS Command Not In Critical Table Registry Event ID.
Type: ERROR
Cause:
TBL Delete Table CDS Command failure due to the table not being in the critical table registry.
```

Definition at line 630 of file cfe\_tbl\_events.h.

```
38.54.2.46 CFE_TBL_OVERWRITE_DUMP_INF_EID
 #define CFE_TBL_OVERWRITE_DUMP_INF_EID 13
TBL Write Table To Existing File Success Event ID.
Type: INFORMATION
Cause:
TBL write table to an existing file success.
 Definition at line 89 of file cfe tbl events.h.
38.54.2.47 CFE_TBL_OVERWRITE_REG_DUMP_INF_EID
 #define CFE_TBL_OVERWRITE_REG_DUMP_INF_EID 15
TBL Write Table Registry To Existing File Success Event ID.
Type: DEBUG
Cause:
TBL Write Table Registry to an existing file completed successfully.
 Definition at line 111 of file cfe_tbl_events.h.
38.54.2.48 CFE_TBL_PARTIAL_LOAD_ERR_EID
 #define CFE_TBL_PARTIAL_LOAD_ERR_EID 74
TBL Load Table Uninitialized Partial Load Event ID.
Type: ERROR
Cause:
TBL Load Table failure due to attempting a partial load to an uninitialized table. OVERLOADED
```

Definition at line 510 of file cfe\_tbl\_events.h.

```
38.54.2.49 CFE_TBL_PROCESSOR_ID_ERR_EID
 #define CFE_TBL_PROCESSOR_ID_ERR_EID 98
 TBL Read Header Invalid Processor ID Event ID.
Type: ERROR
Cause:
 Invalid processor ID in table file header.
 Definition at line 787 of file cfe_tbl_events.h.
 38.54.2.50 CFE_TBL_REGISTER_ERR_EID
 #define CFE_TBL_REGISTER_ERR_EID 90
 TBL Register Table Failed Event ID.
Type: ERROR
Cause:
 TBL table registration failure. See system log for more information.
 Definition at line 699 of file cfe_tbl_events.h.
 38.54.2.51 CFE_TBL_RESET_INF_EID
 #define CFE_TBL_RESET_INF_EID 11
 TBL Reset Counters Command Success Event ID.
Type: DEBUG
Cause:
 TBL Reset Counters Command success.
```

Definition at line 66 of file cfe\_tbl\_events.h.

```
38.54.2.52 CFE_TBL_SHARE_ERR_EID
 #define CFE_TBL_SHARE_ERR_EID 91
TBL Share Table Failed Event ID.
Type: ERROR
Cause:
TBL share table failure. See system log for more information.
Definition at line 710 of file cfe_tbl_events.h.
38.54.2.53 CFE_TBL_SPACECRAFT_ID_ERR_EID
 #define CFE_TBL_SPACECRAFT_ID_ERR_EID 97
TBL Read Header Invalid Spacecraft ID Event ID.
Type: ERROR
Cause:
Invalid spacecraft ID in table file header.
Definition at line 776 of file cfe_tbl_events.h.
38.54.2.54 CFE_TBL_TLM_REG_CMD_INF_EID
 #define CFE_TBL_TLM_REG_CMD_INF_EID 18
TBL Telemeter Table Registry Entry Command Success Event ID.
Type: DEBUG
Cause:
TBL Telemeter Table Registry Entry command successfully set the table registry index to telemeter in the next house-
keeping packet.
```

Definition at line 148 of file cfe\_tbl\_events.h.

Generated by Doxygen

```
38.54.2.55 CFE_TBL_TOO_MANY_DUMPS_ERR_EID
 #define CFE_TBL_TOO_MANY_DUMPS_ERR_EID 76
TBL Write Table Command Dump Only Control Blocks Exceeded Event ID.
Type: ERROR
Cause:
TBL Write Table Command failure due to exceeding the allocated number of control blocks available to write a dump
only table.
 Definition at line 534 of file cfe_tbl_events.h.
38.54.2.56 CFE_TBL_TOO_MANY_VALIDATIONS_ERR_EID
 #define CFE_TBL_TOO_MANY_VALIDATIONS_ERR_EID 67
TBL Validate Table Command Result Storage Exceeded Event ID.
Type: ERROR
Cause:
TBL Validate Table Command failure due to exceeding result storage.
Definition at line 429 of file cfe_tbl_events.h.
38.54.2.57 CFE TBL UNREGISTER ERR EID
 #define CFE_TBL_UNREGISTER_ERR_EID 92
TBL Unregister Table Failed Event ID.
Type: ERROR
Cause:
TBL unregister table failure. See system log for more information.
 Definition at line 721 of file cfe_tbl_events.h.
```

# 38.54.2.58 CFE\_TBL\_UNVALIDATED\_ERR\_EID #define CFE\_TBL\_UNVALIDATED\_ERR\_EID 81 TBL Activate Table Command Inactive Image Not Validated Event ID. Type: ERROR Cause: TBL Activate Table Command failure due to the inactive image not being validated. Definition at line 594 of file cfe\_tbl\_events.h. 38.54.2.59 CFE\_TBL\_UPDATE\_ERR\_EID #define CFE\_TBL\_UPDATE\_ERR\_EID 95 TBL Update Table Failed Event ID. Type: ERROR Cause: TBL update table failure due to an internal error. OVERLOADED Definition at line 754 of file cfe\_tbl\_events.h. 38.54.2.60 CFE\_TBL\_UPDATE\_SUCCESS\_INF\_EID #define CFE\_TBL\_UPDATE\_SUCCESS\_INF\_EID 37 TBL Update Table Success Event ID. Type: INFORMATION Cause: Table update successfully completed. Definition at line 215 of file cfe\_tbl\_events.h.

```
38.54.2.61 CFE_TBL_VAL_REQ_MADE_INF_EID
 #define CFE_TBL_VAL_REQ_MADE_INF_EID 16
TBL Validate Table Request Success Event ID.
Type: DEBUG
Cause:
TBL Validate Table Command success. Note this event signifies the request to validate the table has been successfully
submitted. Completion will generate a CFE_TBL_VALIDATION_INF_EID or CFE_TBL_VALIDATION_ERR_EID event
messages.
Definition at line 125 of file cfe_tbl_events.h.
38.54.2.62 CFE_TBL_VALIDATION_ERR_EID
 #define CFE_TBL_VALIDATION_ERR_EID 96
TBL Validate Table Validation Failed Event ID.
Type: ERROR
Cause:
TBL validate table function indicates validation failed. OVERLOADED
Definition at line 765 of file cfe tbl events.h.
38.54.2.63 CFE_TBL_VALIDATION_INF_EID
 #define CFE_TBL_VALIDATION_INF_EID 36
TBL Validate Table Success Event ID.
Type: INFORMATION
Cause:
```

Table active or inactive image successfully validated by the registered validation function. OVERLOADED Definition at line 204 of file cfe\_tbl\_events.h.

```
38.54.2.64 CFE_TBL_WRITE_CFE_HDR_ERR_EID
 #define CFE_TBL_WRITE_CFE_HDR_ERR_EID 63
TBL Write Standard File Header Failure Event ID.
Type: ERROR
Cause:
TBL Write Table or Table Registry File failure writing the standard file header. OVERLOADED
Definition at line 382 of file cfe tbl events.h.
38.54.2.65 CFE_TBL_WRITE_DUMP_INF_EID
 #define CFE_TBL_WRITE_DUMP_INF_EID 14
TBL Write Table To New File Success Event ID.
Type: INFORMATION
Cause:
TBL write table to a new file success.
Definition at line 100 of file cfe tbl events.h.
38.54.2.66 CFE_TBL_WRITE_REG_DUMP_INF_EID
 #define CFE_TBL_WRITE_REG_DUMP_INF_EID 22
TBL Write Table Registry To New File Success Event ID.
Type: DEBUG
Cause:
TBL Write Table Registry to a new file completed successfully.
```

Definition at line 170 of file cfe\_tbl\_events.h.

```
38.54.2.67 CFE_TBL_WRITE_TBL_HDR_ERR_EID
 #define CFE_TBL_WRITE_TBL_HDR_ERR_EID 64
 TBL Write Table File Header Failure Event ID.
Type: ERROR
Cause:
 TBL Write Table failure writing the table image file header.
 Definition at line 393 of file cfe_tbl_events.h.
 38.54.2.68 CFE_TBL_WRITE_TBL_IMG_ERR_EID
 #define CFE_TBL_WRITE_TBL_IMG_ERR_EID 65
 TBL Write Table File Data Failure Event ID.
Type: ERROR
Cause:
 TBL Write Table failure writing the table data.
 Definition at line 404 of file cfe tbl events.h.
 38.54.2.69 CFE_TBL_WRITE_TBL_REG_ERR_EID
 #define CFE_TBL_WRITE_TBL_REG_ERR_EID 68
 TBL Write Table Registry File Data Failure Event ID.
Type: ERROR
Cause:
 TB Write Table Registry failure writing file data.
```

Definition at line 440 of file cfe\_tbl\_events.h.

```
38.54.2.70 CFE_TBL_ZERO_LENGTH_LOAD_ERR_EID
```

```
#define CFE_TBL_ZERO_LENGTH_LOAD_ERR_EID 73
```

TBL Load Table File Zero Length Event ID.

Type: ERROR

Cause:

TBL Load Table failure due to the file header specified size of data being zero.

Definition at line 499 of file cfe tbl events.h.

# 38.55 cfe/modules/tbl/fsw/inc/cfe\_tbl\_msg.h File Reference

```
#include "common_types.h"
#include "cfe_msg_hdr.h"
#include "cfe_tbl_extern_typedefs.h"
#include "cfe_time_extern_typedefs.h"
```

#### **Data Structures**

struct CFE\_TBL\_NoArgsCmd

Generic "no arguments" command.

• struct CFE\_TBL\_LoadCmd\_Payload

Load Table Command Payload.

struct CFE\_TBL\_LoadCmd

Load Table Command.

• struct CFE\_TBL\_DumpCmd\_Payload

Dump Table Command Payload.

- struct CFE\_TBL\_DumpCmd
- struct CFE\_TBL\_ValidateCmd\_Payload

Validate Table Command Payload.

struct CFE\_TBL\_ValidateCmd

Validate Table Command.

struct CFE\_TBL\_ActivateCmd\_Payload

Activate Table Command Payload.

• struct CFE\_TBL\_ActivateCmd

Activate Table Command.

struct CFE\_TBL\_DumpRegistryCmd\_Payload

Dump Registry Command Payload.

```
    struct CFE_TBL_DumpRegistryCmd

     Dump Registry Command.

    struct CFE TBL SendRegistryCmd Payload

     Send Table Registry Command Payload.

    struct CFE TBL SendRegistryCmd

     Send Table Registry Command.

    struct CFE_TBL_DelCDSCmd_Payload

     Delete Critical Table CDS Command Payload.

    struct CFE_TBL_DeleteCDSCmd
```

Delete Critical Table CDS Command.

struct CFE TBL AbortLoadCmd Payload

Abort Load Command Payload.

struct CFE TBL AbortLoadCmd

Abort Load Command.

struct CFE TBL NotifyCmd Payload

Table Management Notification Command Payload.

- struct CFE TBL NotifyCmd
- struct CFE TBL HousekeepingTlm Payload
- struct CFE TBL HousekeepingTlm
- struct CFE TBL TblRegPacket Payload
- struct CFE\_TBL\_TableRegistryTlm

#### Macros

### **Table Services Command Codes**

- #define CFE\_TBL\_NOOP\_CC 0 #define CFE\_TBL\_RESET\_COUNTERS\_CC 1 #define CFE\_TBL\_LOAD\_CC 2 #define CFE\_TBL\_DUMP\_CC 3 #define CFE\_TBL\_VALIDATE\_CC 4 #define CFE TBL ACTIVATE CC 5 #define CFE TBL DUMP REGISTRY CC 6
- #define CFE TBL SEND REGISTRY CC 7
- #define CFE TBL DELETE CDS CC 8
- #define CFE TBL ABORT LOAD CC 9

#### **Typedefs**

- typedef struct CFE\_TBL\_NoArgsCmd CFE\_TBL\_NoArgsCmd\_t
  - Generic "no arguments" command.
- typedef CFE TBL NoArgsCmd t CFE TBL NoopCmd t
- typedef CFE TBL NoArgsCmd t CFE TBL ResetCountersCmd t
- typedef struct CFE TBL LoadCmd Payload CFE TBL LoadCmd Payload t

Load Table Command Payload.

typedef struct CFE\_TBL\_LoadCmd CFE\_TBL\_LoadCmd\_t

Load Table Command.

typedef struct CFE TBL DumpCmd Payload CFE TBL DumpCmd Payload t

Dump Table Command Payload.

```
    typedef struct CFE_TBL_DumpCmd CFE_TBL_DumpCmd_t

    typedef struct CFE TBL ValidateCmd Payload CFE TBL ValidateCmd Payload t

         Validate Table Command Payload.

    typedef struct CFE_TBL_ValidateCmd CFE_TBL_ValidateCmd_t

         Validate Table Command.
    • typedef struct CFE_TBL_ActivateCmd_Payload CFE_TBL_ActivateCmd_Payload_t
         Activate Table Command Payload.

    typedef struct CFE TBL ActivateCmd CFE TBL ActivateCmd t

         Activate Table Command.

    typedef struct CFE TBL DumpRegistryCmd Payload CFE TBL DumpRegistryCmd Payload t

         Dump Registry Command Payload.

    typedef struct CFE TBL DumpRegistryCmd CFE TBL DumpRegistryCmd t

         Dump Registry Command.

    typedef struct CFE_TBL_SendRegistryCmd_Payload CFE_TBL_SendRegistryCmd_Payload_t

         Send Table Registry Command Payload.
    • typedef struct CFE_TBL_SendRegistryCmd CFE_TBL_SendRegistryCmd_t
         Send Table Registry Command.

    typedef struct CFE TBL DelCDSCmd Payload CFE TBL DelCDSCmd Payload t

         Delete Critical Table CDS Command Payload.
    • typedef struct CFE TBL DeleteCDSCmd CFE TBL DeleteCDSCmd t
         Delete Critical Table CDS Command.

    typedef struct CFE TBL AbortLoadCmd Payload CFE TBL AbortLoadCmd Payload t

         Abort Load Command Payload.

    typedef struct CFE_TBL_AbortLoadCmd CFE_TBL_AbortLoadCmd_t

         Abort Load Command.

    typedef struct CFE TBL NotifyCmd Payload CFE TBL NotifyCmd Payload t

         Table Management Notification Command Payload.

    typedef struct CFE TBL NotifyCmd CFE TBL NotifyCmd t

    typedef struct CFE TBL HousekeepingTlm Payload CFE TBL HousekeepingTlm Payload t

    typedef struct CFE_TBL HousekeepingTlm CFE_TBL HousekeepingTlm_t

    typedef struct CFE TBL TblRegPacket Payload CFE TBL TblRegPacket Payload t

    typedef struct CFE TBL TableRegistryTlm CFE TBL TableRegistryTlm t

38.55.1 Detailed Description
Purpose: cFE Table Services (TBL) SB message definitions header file
Author: D.Kobe/Hammers
Notes:
38.55.2 Macro Definition Documentation
```

## 38.55.2.1 CFE\_TBL\_ABORT\_LOAD\_CC

#define CFE\_TBL\_ABORT\_LOAD\_CC 9

#### Name Abort Table Load

## Description

This command will cause Table Services to discard the contents of a table buffer that was previously loaded with the data in a file as specified by a Table Load command. For single buffered tables, the allocated shared working buffer is freed and becomes available for other Table Load commands.

## Command Mnemonic(s) \$sc\_\$cpu\_TBL\_LOADABORT

## **Command Structure**

CFE\_TBL\_AbortLoadCmd\_t

#### **Command Verification**

Successful execution of this command may be verified with the following telemetry:

- \$sc\_\$cpu\_TBL\_CMDPC command execution counter will increment
- The CFE\_TBL\_LOAD\_ABORT\_INF\_EID informational event message is generated
- If the load was aborted for a single buffered table, the \$sc\_\$cpu\_TBL\_NumFreeShrBuf telemetry point should increment

## **Error Conditions**

This command may fail for the following reason(s):

- · The specified table name was not found in the table registry.
- The specified table did not have a load in progress to be aborted.

Evidence of failure may be found in the following telemetry:

- \$sc \$cpu TBL CMDEC command error counter will increment
- · Error specific event message

#### Criticality

This command will cause the loss of data put into an inactive table buffer.

#### See also

CFE TBL LOAD CC, CFE TBL DUMP CC, CFE TBL VALIDATE CC, CFE TBL ACTIVATE CC

Definition at line 475 of file cfe\_tbl\_msg.h.

# 38.55.2.2 CFE\_TBL\_ACTIVATE\_CC

```
#define CFE_TBL_ACTIVATE_CC 5
```

#### Name Activate Table

## Description

This command will cause Table Services to notify a table's owner that an update is pending. The owning application will then update the contents of the active table buffer with the contents of the associated inactive table buffer at a time of their convenience.

# Command Mnemonic(s) \$sc\_\$cpu\_TBL\_ACTIVATE

## **Command Structure**

```
CFE TBL ActivateCmd t
```

#### **Command Verification**

Successful execution of this command may be verified with the following telemetry:

- \$sc\_\$cpu\_TBL\_CMDPC command execution counter will increment
- The CFE\_TBL\_UPDATE\_SUCCESS\_INF\_EID informational event message will be generated

## **Error Conditions**

This command may fail for the following reason(s):

- The specified table name was not found in the table registry.
- The table was registered as a "dump only" type and thus cannot be activated
- The table buffer has not been validated.

Evidence of failure may be found in the following telemetry:

- \$sc\_\$cpu\_TBL\_CMDEC command error counter will increment
- · Command specific error event message are issued for all error cases

#### Criticality

This command will cause the contents of the specified table to be updated with the contents in the inactive table buffer.

#### See also

```
CFE TBL LOAD CC, CFE TBL DUMP CC, CFE TBL VALIDATE CC, CFE TBL ABORT LOAD CC
```

Definition at line 313 of file cfe\_tbl\_msg.h.

```
38.55.2.3 CFE_TBL_DELETE_CDS_CC
```

```
#define CFE_TBL_DELETE_CDS_CC 8
```

Name Delete Critical Table from Critical Data Store

## Description

This command will delete the Critical Data Store (CDS) associated with the specified Critical Table. Note that any table still present in the Table Registry is unable to be deleted from the Critical Data Store. All Applications that are accessing the critical table must release and unregister their access before the CDS can be deleted.

Command Mnemonic(s) \$sc\_\$cpu\_TBL\_DeleteCDS

#### **Command Structure**

```
CFE TBL DeleteCDSCmd t
```

#### **Command Verification**

Successful execution of this command may be verified with the following telemetry:

- \$sc\_\$cpu\_TBL\_CMDPC command execution counter will increment
- The CFE\_TBL\_CDS\_DELETED\_INFO\_EID informational event message will be generated

## **Error Conditions**

This command may fail for the following reason(s):

- The specified table name was not found in the critical data store registry
- The specified table name WAS found in the table registry (all registrations/sharing of the table must be unregistered before the table's CDS can be deleted)
- · The table's owning application is still active

Evidence of failure may be found in the following telemetry:

- \$sc\_\$cpu\_TBL\_CMDEC command error counter will increment
- · Error specific event message

#### Criticality

This command will cause the loss of the specified table's contents before the owning Application was terminated.

#### See also

```
CFE ES DUMP CDS REGISTRY CC, CFE ES DELETE CDS CC
```

Definition at line 436 of file cfe\_tbl\_msg.h.

```
38.55.2.4 CFE_TBL_DUMP_CC
```

```
#define CFE_TBL_DUMP_CC 3
```

#### Name Dump Table

## Description

This command will cause the Table Services to put the contents of the specified table buffer into the command specified file.

Command Mnemonic(s) \$sc \$cpu TBL DUMP

## **Command Structure**

```
CFE TBL DumpCmd t
```

## **Command Verification**

Successful execution of this command may be verified with the following telemetry:

- \$sc\_\$cpu\_TBL\_CMDPC command execution counter will increment
- Either the CFE\_TBL\_OVERWRITE\_DUMP\_INF\_EID OR the CFE\_TBL\_WRITE\_DUMP\_INF\_EID informational event message will be generated

#### **Error Conditions**

This command may fail for the following reason(s):

- · A single buffered table's inactive buffer was requested to be dumped and no such buffer is currently allocated.
- Error occurred during write operation to file. Possible causes might be insufficient space in the file system or the filename or file path is improperly specified.
- The specified table name was not found in the table registry.

Evidence of failure may be found in the following telemetry:

- \$sc \$cpu TBL CMDEC command error counter will increment
- · A command specific error event message is issued for all error cases

# Criticality

This command is not inherently dangerous. It will create a new file in the file system and could, if performed repeatedly without sufficient file management by the operator, fill the file system.

## See also

```
CFE_TBL_LOAD_CC, CFE_TBL_VALIDATE_CC, CFE_TBL_ACTIVATE_CC, CFE_TBL_ABORT_LOAD_CC
```

Definition at line 216 of file cfe\_tbl\_msg.h.

38.55.2.5 CFE\_TBL\_DUMP\_REGISTRY\_CC

#define CFE\_TBL\_DUMP\_REGISTRY\_CC 6

Name Dump Table Registry

## Description

This command will cause Table Services to write some of the contents of the Table Registry to the command specified file. This allows the operator to see the current state and configuration of all tables that have been registered with the cFE.

Command Mnemonic(s) \$sc\_\$cpu\_TBL\_WriteReg2File

#### **Command Structure**

CFE TBL DumpRegistryCmd t

#### **Command Verification**

Successful execution of this command may be verified with the following telemetry:

- \$sc\_\$cpu\_TBL\_CMDPC command execution counter will increment
- The generation of either CFE\_TBL\_OVERWRITE\_REG\_DUMP\_INF\_EID or CFE\_TBL\_WRITE\_REG\_DU

  MP INF EID debug event messages
- · The specified file should appear (or be updated) at the specified location in the file system

#### **Error Conditions**

This command may fail for the following reason(s):

- · A table registry dump is already in progress, not yet completed
- · The specified DumpFilename could not be parsed
- Error occurred during write operation to file. Possible causes might be insufficient space in the file system or the filename or file path is improperly specified.

Evidence of failure may be found in the following telemetry:

- \$sc\_\$cpu\_TBL\_CMDEC command error counter will increment
- · An Error specific event message

# Criticality

This command is not inherently dangerous. It will create a new file in the file system and could, if performed repeatedly without sufficient file management by the operator, fill the file system.

## See also

CFE\_TBL\_SEND\_REGISTRY\_CC

Definition at line 357 of file cfe tbl msg.h.

```
38.55.2.6 CFE_TBL_LOAD_CC
```

```
#define CFE_TBL_LOAD_CC 2
```

#### Name Load Table

#### Description

This command loads the contents of the specified file into an inactive buffer for the table specified within the file.

Command Mnemonic(s) \$sc \$cpu TBL Load

#### **Command Structure**

```
CFE_TBL_LoadCmd_t
```

#### **Command Verification**

Successful execution of this command may be verified with the following telemetry:

- \$sc\_\$cpu\_TBL\_CMDPC command execution counter will increment
- The CFE\_TBL\_FILE\_LOADED\_INF\_EID informational event message will be generated

#### **Error Conditions**

This command can fail for the following reasons:

- Table name found in table image file's table header is not found in table registry (ie The table associated with the table image in the file has not been registered by an application).
- The table image file has an invalid or incorrect size. The size of the image file must match the size field within in the header, and must also match the expected size of the table indicated in the registry.
- No working buffers are available for the load. This would indicate that too many single-buffered table loads are in progress at the same time.
- An attempt is being made to load an uninitialized table with a file containing only a partial table image.
- The table image file was unable to be opened. Either the file does not exist at the specified location, the filename is in error, or the file system has been corrupted.

Evidence of failure may be found in the following telemetry:

- \$sc\_\$cpu\_TBL\_CMDEC command error counter will increment
- · Command specific error event messages are issued for all error cases

# Criticality

This command is not inherently dangerous. It is performing the first step of loading a table and can be aborted (using the Abort Table Load command described below) without affecting the contents of the active table image.

## See also

```
CFE_TBL_DUMP_CC, CFE_TBL_VALIDATE_CC, CFE_TBL_ACTIVATE_CC, CFE_TBL_ABORT_LOAD_CC
```

Definition at line 173 of file cfe tbl msg.h.

38.55 cfe/modules/tbl/fsw/inc/cfe\_tbl\_msg.h File Reference 38.55.2.7 CFE\_TBL\_NOOP\_CC #define CFE\_TBL\_NOOP\_CC 0 Name Table No-Op Description This command performs no other function than to increment the command execution counter. The command may be used to verify general aliveness of the Table Services task. Command Mnemonic(s) \$sc\_\$cpu\_TBL\_NOOP

#### **Command Structure**

CFE\_TBL\_NoopCmd\_t

#### **Command Verification**

Successful execution of this command may be verified with the following telemetry:

- \$sc\_\$cpu\_TBL\_CMDPC command execution counter will increment
- The CFE\_TBL\_NOOP\_INF\_EID informational event message will be generated

## **Error Conditions**

There are no error conditions for this command. If the Table Services receives the command, the event is sent (although it may be filtered by EVS) and the counter is incremented unconditionally.

# Criticality

None

See also

Definition at line 82 of file cfe\_tbl\_msg.h.

# 38.55.2.8 CFE\_TBL\_RESET\_COUNTERS\_CC

```
#define CFE_TBL_RESET_COUNTERS_CC 1
```

## Name Table Reset Counters

## Description

This command resets the following counters within the Table Services housekeeping telemetry:

- Command Execution Counter (\$sc \$cpu TBL CMDPC)
- Command Error Counter (\$sc\_\$cpu\_TBL\_CMDEC)
- Successful Table Validations Counter (\$sc \$cpu TBL ValSuccessCtr)
- Failed Table Validations Counter (\$sc \$cpu TBL ValFailedCtr)
- Number of Table Validations Requested (\$sc \$cpu TBL ValReqCtr)
- Number of completed table validations (\$sc\_\$cpu\_TBL\_ValCompltdCtr)

Command Mnemonic(s) \$sc\_\$cpu\_TBL\_ResetCtrs

## **Command Structure**

CFE TBL ResetCountersCmd t

# **Command Verification**

Successful execution of this command may be verified with the following telemetry:

- \$sc\_\$cpu\_TBL\_CMDPC command execution counter will be reset to 0
- The CFE TBL RESET INF EID debug event message will be generated

### **Error Conditions**

There are no error conditions for this command. If the Table Services receives the command, the event is sent (although it may be filtered by EVS) and the counter is incremented unconditionally.

## Criticality

This command is not inherently dangerous. However, it is possible for ground systems and on-board safing procedures to be designed such that they react to changes in the counter values that are reset by this command.

See also

Definition at line 123 of file cfe\_tbl\_msg.h.

38.55.2.9 CFE\_TBL\_SEND\_REGISTRY\_CC

#define CFE\_TBL\_SEND\_REGISTRY\_CC 7

Name Telemeter One Table Registry Entry

# Description

This command will cause Table Services to telemeter the contents of the Table Registry for the command specified table.

Command Mnemonic(s) \$sc\_\$cpu\_TBL\_TLMReg

**Command Structure** 

CFE\_TBL\_SendRegistryCmd\_t

**Command Verification** 

Successful execution of this command may be verified with the following telemetry:

- \$sc\_\$cpu\_TBL\_CMDPC command execution counter will increment
- Receipt of a Table Registry Info Packet (see CFE\_TBL\_TableRegistryTIm\_t)
- The CFE\_TBL\_TLM\_REG\_CMD\_INF\_EID debug event message will be generated

# **Error Conditions**

This command may fail for the following reason(s):

· The specified table name was not found in the table registry.

Evidence of failure may be found in the following telemetry:

- \$sc\_\$cpu\_TBL\_CMDEC command error counter will increment
- · Error specific event message

# Criticality

This command is not inherently dangerous. It will generate additional telemetry.

See also

CFE\_TBL\_DUMP\_REGISTRY\_CC

Definition at line 392 of file cfe\_tbl\_msg.h.

# 38.55.2.10 CFE\_TBL\_VALIDATE\_CC

```
#define CFE_TBL_VALIDATE_CC 4
```

## Name Validate Table

#### Description

This command will cause Table Services to calculate the Data Integrity Value for the specified table and to notify the owning application that the table's validation function should be executed. The results of both the Data Integrity Value computation and the validation function are reported in Table Services Housekeeping Telemetry.

# Command Mnemonic(s) \$sc\_\$cpu\_TBL\_VALIDATE

#### **Command Structure**

```
CFE TBL ValidateCmd t
```

## **Command Verification**

Successful execution of this command may be verified with the following telemetry:

- \$sc \$cpu TBL CMDPC command execution counter will increment
- \$sc\_\$cpu\_TBL\_ValReqCtr table validation request counter will increment
- \$sc\_\$cpu\_TBL\_LastValCRC calculated data integrity value will be updated
- The CFE\_TBL\_VAL\_REQ\_MADE\_INF\_EID debug event message (indicating the application is being notified
  of a validation request)

If the specified table has an associated validation function, then the following telemetry will also change:

- Either \$sc\_\$cpu\_TBL\_ValSuccessCtr OR \$sc\_\$cpu\_TBL\_ValFailedCtr will increment
- \$sc\_\$cpu\_TBL\_ValCompltdCtr table validations performed counter will increment
- \$sc\_\$cpu\_TB1\_LastValS table validation function return status will update
- The CFE\_TBL\_VALIDATION\_INF\_EID informational event message (indicating the validation function return status) will be generated

#### **Error Conditions**

This command may fail for the following reason(s):

- · A single buffered table's inactive buffer was requested to be validated and no such buffer is currently allocated.
- Too many validations have been requested simultaneously. The operator must wait for one or more applications to perform their table validation functions before trying again.
- The specified table name was not found in the table registry.

Evidence of failure may be found in the following telemetry:

- \$sc \$cpu TBL CMDEC command error counter will increment
- Command specific error event message are issued for all error cases

## Criticality

The success or failure of a table validation does not have any immediate impact on table contents. The results are sent to the operator in telemetry and the operator must determine whether the results are acceptable and send a command to activate the validated table image.

```
See also
     CFE_TBL_LOAD_CC, CFE_TBL_DUMP_CC, CFE_TBL_ACTIVATE_CC, CFE_TBL_ABORT_LOAD_CC
Definition at line 273 of file cfe_tbl_msg.h.
38.55.3 Typedef Documentation
38.55.3.1 CFE_TBL_AbortLoadCmd_Payload_t
typedef struct CFE_TBL_AbortLoadCmd_Payload CFE_TBL_AbortLoadCmd_Payload_t
Abort Load Command Payload.
For command details, see CFE_TBL_ABORT_LOAD_CC
38.55.3.2 CFE_TBL_AbortLoadCmd_t
typedef struct CFE_TBL_AbortLoadCmd CFE_TBL_AbortLoadCmd_t
Abort Load Command.
38.55.3.3 CFE_TBL_ActivateCmd_Payload_t
typedef struct CFE_TBL_ActivateCmd_Payload CFE_TBL_ActivateCmd_Payload_t
Activate Table Command Payload.
For command details, see CFE_TBL_ACTIVATE_CC
38.55.3.4 CFE_TBL_ActivateCmd_t
typedef struct CFE_TBL_ActivateCmd CFE_TBL_ActivateCmd_t
Activate Table Command.
38.55.3.5 CFE_TBL_DelCDSCmd_Payload_t
typedef struct CFE_TBL_DelCDSCmd_Payload CFE_TBL_DelCDSCmd_Payload_t
```

Delete Critical Table CDS Command Payload.

For command details, see CFE\_TBL\_DELETE\_CDS\_CC

```
38.55.3.6 CFE_TBL_DeleteCDSCmd_t
typedef struct CFE_TBL_DeleteCDSCmd CFE_TBL_DeleteCDSCmd_t
Delete Critical Table CDS Command.
38.55.3.7 CFE_TBL_DumpCmd_Payload_t
typedef struct CFE_TBL_DumpCmd_Payload CFE_TBL_DumpCmd_Payload_t
Dump Table Command Payload.
For command details, see CFE_TBL_DUMP_CC
38.55.3.8 CFE_TBL_DumpCmd_t
typedef struct CFE_TBL_DumpCmd CFE_TBL_DumpCmd_t
/brief Dump Table Command
38.55.3.9 CFE_TBL_DumpRegistryCmd_Payload_t
typedef struct CFE_TBL_DumpRegistryCmd_Payload CFE_TBL_DumpRegistryCmd_Payload_t
Dump Registry Command Payload.
For command details, see CFE_TBL_DUMP_REGISTRY_CC
38.55.3.10 CFE_TBL_DumpRegistryCmd_t
typedef struct CFE_TBL_DumpRegistryCmd CFE_TBL_DumpRegistryCmd_t
Dump Registry Command.
38.55.3.11 CFE_TBL_HousekeepingTlm_Payload_t
typedef struct CFE_TBL_HousekeepingTlm_Payload CFE_TBL_HousekeepingTlm_Payload_t
```

Name Table Services Housekeeping Packet

```
38.55.3.12 CFE_TBL_HousekeepingTlm_t
typedef struct CFE_TBL_HousekeepingTlm CFE_TBL_HousekeepingTlm_t
38.55.3.13 CFE_TBL_LoadCmd_Payload_t
typedef struct CFE_TBL_LoadCmd_Payload CFE_TBL_LoadCmd_Payload_t
Load Table Command Payload.
For command details, see CFE TBL LOAD CC
38.55.3.14 CFE_TBL_LoadCmd_t
typedef struct CFE_TBL_LoadCmd CFE_TBL_LoadCmd_t
Load Table Command.
38.55.3.15 CFE_TBL_NoArgsCmd_t
typedef struct CFE_TBL_NoArgsCmd CFE_TBL_NoArgsCmd_t
Generic "no arguments" command.
This command structure is used for commands that do not have any parameters. This includes:
  1. The Housekeeping Request Message
  2. The No-Op Command (For details, see CFE_TBL_NOOP_CC)
  3. The Reset Counters Command (For details, see CFE_TBL_RESET_COUNTERS_CC)
38.55.3.16 CFE_TBL_NoopCmd_t
typedef CFE_TBL_NoArgsCmd_t CFE_TBL_NoopCmd_t
```

Definition at line 502 of file cfe\_tbl\_msg.h.

```
38.55.3.17     CFE_TBL_NotifyCmd_Payload_t

typedef struct CFE_TBL_NotifyCmd_Payload CFE_TBL_NotifyCmd_Payload_t
```

Table Management Notification Command Payload.

## Description

Whenever an application that owns a table calls the CFE\_TBL\_NotifyByMessage API following the table registration, Table services will generate the following command message with the application specified message ID, command code and parameter whenever the table requires management (e.g. - loads and validations).

```
38.55.3.18 CFE_TBL_NotifyCmd_t
typedef struct CFE_TBL_NotifyCmd CFE_TBL_NotifyCmd_t
/brief Table Management Notification Command
38.55.3.19 CFE_TBL_ResetCountersCmd_t
typedef CFE_TBL_NoArgsCmd_t CFE_TBL_ResetCountersCmd_t
Definition at line 503 of file cfe_tbl_msg.h.
38.55.3.20 CFE_TBL_SendRegistryCmd_Payload_t
typedef struct CFE_TBL_SendRegistryCmd_Payload CFE_TBL_SendRegistryCmd_Payload_t
Send Table Registry Command Payload.
For command details, see CFE_TBL_SEND_REGISTRY_CC
38.55.3.21 CFE_TBL_SendRegistryCmd_t
typedef struct CFE_TBL_SendRegistryCmd CFE_TBL_SendRegistryCmd_t
Send Table Registry Command.
38.55.3.22 CFE_TBL_TableRegistryTlm_t
typedef struct CFE_TBL_TableRegistryTlm CFE_TBL_TableRegistryTlm_t
```

```
38.55.3.23 CFE_TBL_TblRegPacket_Payload_t
typedef struct CFE_TBL_TblRegPacket_Payload CFE_TBL_TblRegPacket_Payload_t
Name Table Registry Info Packet
38.55.3.24 CFE_TBL_ValidateCmd_Payload_t
typedef struct CFE_TBL_ValidateCmd_Payload CFE_TBL_ValidateCmd_Payload_t
Validate Table Command Payload.
For command details, see CFE TBL VALIDATE CC
38.55.3.25 CFE_TBL_ValidateCmd_t
typedef struct CFE_TBL_ValidateCmd CFE_TBL_ValidateCmd_t
Validate Table Command.
       cfe/modules/time/fsw/inc/cfe_time_events.h File Reference
Macros
    TIME event IDs
      • #define CFE TIME INIT EID 1
            TIME Initialization Event ID.

    #define CFE TIME NOOP EID 4

            TIME No-op Command Success Event ID.

    #define CFE_TIME_RESET_EID 5

            TIME Reset Counters Command Success Event ID.

    #define CFE TIME DIAG EID 6

            TIME Request Diagnostics Command Success Event ID.
      • #define CFE_TIME_STATE_EID 7
            TIME Set Time State Command Success Event ID.

    #define CFE_TIME_SOURCE_EID 8

            TIME Set Time Source Command Success Event ID.
      • #define CFE_TIME_SIGNAL_EID 9
            TIME Set Tone Source Command Success Event ID.

    #define CFE_TIME_DELAY_EID 11

            TIME Add or Subtract Delay Command Success Event ID.

    #define CFE_TIME_TIME_EID 12

            TIME Set Time Command Success Event ID.
      • #define CFE_TIME_MET_EID 13
            TIME Set Mission Elapsed Time Command Success Event ID.

    #define CFE TIME STCF EID 14

            TIME Set Spacecraft Time Correlation Factor Command Success Event ID.
```

```
    #define CFE_TIME_DELTA_EID 15

      TIME Add or Subtract Single STCF Adjustment Command Success Event ID.

    #define CFE TIME 1HZ EID 16

     TIME Add or Subtract STCF Adjustment Each Second Command Success Event ID.

    #define CFE TIME LEAPS EID 17

     TIME Set Leap Seconds Command Success Event ID.

    #define CFE TIME FLY ON EID 20

     TIME Entered FLYWHEEL Mode Event ID.

    #define CFE TIME FLY OFF EID 21

      TIME Exited FLYWHEEL Mode Event ID.

    #define CFE TIME ID ERR EID 26

     TIME Invalid Message ID Received Event ID.

    #define CFE TIME CC ERR EID 27

     TIME Invalid Command Code Received Event ID.

    #define CFE_TIME_STATE_ERR_EID 30

     TIME Set Clock State Command Invalid State Event ID.

    #define CFE_TIME_SOURCE_ERR_EID 31

     TIME Set Clock Source Command Invalid Source Event ID.

    #define CFE TIME SIGNAL ERR EID 32

      TIME Set Clock Tone Source Command Invalid Source Event ID.

    #define CFE TIME DELAY ERR EID 33

      TIME Add or Subtract Tone Delay Command Invalid Time Value Event ID.

    #define CFE TIME TIME ERR EID 34

      TIME Set Spacecraft Time Command Invalid Time Value Event ID.

    #define CFE TIME MET ERR EID 35

     TIME Set Mission Elapsed Time Command Invalid Time Value Event ID.

    #define CFE TIME STCF ERR EID 36

     TIME Set Spacecraft Time Correlation Factor Command Invalid Time Value Event ID.

    #define CFE_TIME_DELTA_ERR_EID 37

      TIME Add or Subtract Single STCF Adjustment Command Invalid Time Value Event ID.

    #define CFE_TIME_SOURCE_CFG_EID 40

     TIME Set Clock Source Command Incompatible Mode Event ID.

    #define CFE TIME SIGNAL CFG EID 41

     TIME Set Clock Signal Command Incompatible Mode Event ID.

    #define CFE TIME DELAY CFG EID 42

     TIME Add or Subtract Tone Delay Command Incompatible Mode Event ID.

    #define CFE TIME TIME CFG EID 43

      TIME Set Spacecraft Time Command Incompatible Mode Event ID.
• #define CFE TIME MET CFG EID 44
      TIME Set Mission Elapsed Time Command Incompatible Mode Event ID.

    #define CFE_TIME_STCF_CFG_EID 45

     TIME Set Spacecraft Time Correlation Factor Command Incompatible Mode Event ID.

    #define CFE TIME LEAPS CFG EID 46

     TIME Set Leap Seconds Command Incompatible Mode Event ID.

    #define CFE TIME DELTA CFG EID 47

     TIME Add or Subtract Single STCF Adjustment Command Incompatible Mode Event ID.

    #define CFE TIME 1HZ CFG EID 48

      TIME Add or Subtract STCF Adjustment Each Second Command Incompatible Mode Event ID.

    #define CFE TIME LEN ERR EID 49

     TIME Invalid Command Length Event ID.
```

38.56.1 Detailed Description

cFE Time Services Event IDs

38.56.2 Macro Definition Documentation

38.56.2.1 CFE\_TIME\_1HZ\_CFG\_EID

#define CFE\_TIME\_1HZ\_CFG\_EID 48

TIME Add or Subtract STCF Adjustment Each Second Command Incompatible Mode Event ID.

Type: ERROR

Cause:

TIME Add STCF Adjustment Each Second Command OR TIME Subtract STCF Adjustment Each Second Command failure due to being in an incompatible mode.

Definition at line 440 of file cfe\_time\_events.h.

38.56.2.2 CFE\_TIME\_1HZ\_EID

#define CFE\_TIME\_1HZ\_EID 16

TIME Add or Subtract STCF Adjustment Each Second Command Success Event ID.

Type: INFORMATION

Cause:

TIME Add STCF Adjustment Each Second Command OR TIME Subtract STCF Adjustment Each Second Command success.

Definition at line 179 of file cfe\_time\_events.h.

```
38.56.2.3 CFE_TIME_CC_ERR_EID
 #define CFE_TIME_CC_ERR_EID 27
TIME Invalid Command Code Received Event ID.
Type: ERROR
Cause:
Invalid command code for message ID CFE_TIME_CMD_MID received on the TIME message pipe.
Definition at line 234 of file cfe time events.h.
38.56.2.4 CFE_TIME_DELAY_CFG_EID
 #define CFE_TIME_DELAY_CFG_EID 42
TIME Add or Subtract Tone Delay Command Incompatible Mode Event ID.
Type: ERROR
Cause:
TIME Add Tone Delay Command OR TIME Subtract Tone Delay Command failure due to being in an incompatible
mode.
Definition at line 366 of file cfe time events.h.
38.56.2.5 CFE_TIME_DELAY_EID
 #define CFE_TIME_DELAY_EID 11
TIME Add or Subtract Delay Command Success Event ID.
Type: INFORMATION
Cause:
TIME Add Time Delay Command OR a Subtract Time Delay Command success.
Definition at line 122 of file cfe_time_events.h.
```

```
38.56.2.6 CFE_TIME_DELAY_ERR_EID
 #define CFE_TIME_DELAY_ERR_EID 33
TIME Add or Subtract Tone Delay Command Invalid Time Value Event ID.
Type: ERROR
Cause:
TIME Add Tone Delay Command OR TIME Subtract Tone Delay Command failure due to an invalid time value.
Definition at line 280 of file cfe_time_events.h.
38.56.2.7 CFE_TIME_DELTA_CFG_EID
 #define CFE_TIME_DELTA_CFG_EID 47
TIME Add or Subtract Single STCF Adjustment Command Incompatible Mode Event ID.
Type: ERROR
Cause:
TIME Add Single STCF Adjustment Command OR TIME Subtract Single STCF Adjustment Command failure due to
being in an incompatible mode.
 Definition at line 427 of file cfe_time_events.h.
38.56.2.8 CFE_TIME_DELTA_EID
 #define CFE_TIME_DELTA_EID 15
TIME Add or Subtract Single STCF Adjustment Command Success Event ID.
Type: INFORMATION
Cause:
```

TIME Add Single STCF Adjustment Command OR TIME Subtract Single STCF Adjustment Command success.

Definition at line 167 of file cfe\_time\_events.h.

```
38.56.2.9 CFE_TIME_DELTA_ERR_EID
 #define CFE_TIME_DELTA_ERR_EID 37
TIME Add or Subtract Single STCF Adjustment Command Invalid Time Value Event ID.
Type: ERROR
Cause:
TIME Add Single STCF Adjustment Command OR TIME Subtract Single STCF Adjustment Command failure due to
an invalid time value.
 Definition at line 329 of file cfe_time_events.h.
38.56.2.10 CFE_TIME_DIAG_EID
 #define CFE_TIME_DIAG_EID 6
TIME Request Diagnostics Command Success Event ID.
Type: DEBUG
Cause:
TIME Request Diagnostics Command success.
Definition at line 77 of file cfe_time_events.h.
38.56.2.11 CFE_TIME_FLY_OFF_EID
 #define CFE_TIME_FLY_OFF_EID 21
TIME Exited FLYWHEEL Mode Event ID.
Type: INFORMATION
Cause:
TIME Exited FLYWHEEL Mode.
 Definition at line 212 of file cfe_time_events.h.
```

```
38.56.2.12 CFE_TIME_FLY_ON_EID
 #define CFE_TIME_FLY_ON_EID 20
 TIME Entered FLYWHEEL Mode Event ID.
Type: INFORMATION
Cause:
 TIME Entered FLYWHEEL Mode.
 Definition at line 201 of file cfe_time_events.h.
 38.56.2.13 CFE_TIME_ID_ERR_EID
 #define CFE_TIME_ID_ERR_EID 26
 TIME Invalid Message ID Received Event ID.
Type: ERROR
Cause:
 Invalid message ID received on the TIME message pipe.
 Definition at line 223 of file cfe_time_events.h.
 38.56.2.14 CFE_TIME_INIT_EID
 #define CFE_TIME_INIT_EID 1
 TIME Initialization Event ID.
Type: INFORMATION
Cause:
 Time Services Task Initialization complete.
 Definition at line 44 of file cfe_time_events.h.
```

```
38.56.2.15 CFE_TIME_LEAPS_CFG_EID
 #define CFE_TIME_LEAPS_CFG_EID 46
TIME Set Leap Seconds Command Incompatible Mode Event ID.
Type: ERROR
Cause:
TIME Set Leap Seconds Command failure due to being in an incompatible mode.
Definition at line 414 of file cfe_time_events.h.
38.56.2.16 CFE_TIME_LEAPS_EID
 #define CFE_TIME_LEAPS_EID 17
TIME Set Leap Seconds Command Success Event ID.
Type: INFORMATION
Cause:
TIME Set Leap Seconds Command success.
Definition at line 190 of file cfe_time_events.h.
38.56.2.17 CFE_TIME_LEN_ERR_EID
 #define CFE_TIME_LEN_ERR_EID 49
TIME Invalid Command Length Event ID.
Type: ERROR
Cause:
Invalid length for the command code in message ID CFE_TIME_CMD_MID received on the TIME message pipe.
Definition at line 452 of file cfe_time_events.h.
```

```
38.56.2.18 CFE_TIME_MET_CFG_EID
 #define CFE_TIME_MET_CFG_EID 44
TIME Set Mission Elapsed Time Command Incompatible Mode Event ID.
Type: ERROR
Cause:
TIME Set Mission Elapsed Time Command failure due to being in an incompatible mode.
Definition at line 390 of file cfe_time_events.h.
38.56.2.19 CFE_TIME_MET_EID
 #define CFE_TIME_MET_EID 13
TIME Set Mission Elapsed Time Command Success Event ID.
Type: INFORMATION
Cause:
TIME Set Mission Elapsed Time Command success.
Definition at line 144 of file cfe_time_events.h.
38.56.2.20 CFE_TIME_MET_ERR_EID
 #define CFE_TIME_MET_ERR_EID 35
TIME Set Mission Elapsed Time Command Invalid Time Value Event ID.
Type: ERROR
Cause:
```

Generated by Doxygen

Definition at line 304 of file cfe\_time\_events.h.

TIME Set Mission Elapsed Time Command failure due to an invalid time value.

```
38.56.2.21 CFE_TIME_NOOP_EID
 #define CFE_TIME_NOOP_EID 4
 TIME No-op Command Success Event ID.
Type: INFORMATION
Cause:
 TIME NO-OP Command success.
 Definition at line 55 of file cfe_time_events.h.
 38.56.2.22 CFE_TIME_RESET_EID
 #define CFE_TIME_RESET_EID 5
 TIME Reset Counters Command Success Event ID.
Type: DEBUG
Cause:
 TIME Reset Counters Command success.
 Definition at line 66 of file cfe_time_events.h.
 38.56.2.23 CFE_TIME_SIGNAL_CFG_EID
 #define CFE_TIME_SIGNAL_CFG_EID 41
 TIME Set Clock Signal Command Incompatible Mode Event ID.
Type: ERROR
Cause:
```

TIME Set Clock Signal Command failure due to being in an incompatible mode.

Definition at line 353 of file cfe\_time\_events.h.

```
38.56.2.24 CFE_TIME_SIGNAL_EID
 #define CFE_TIME_SIGNAL_EID 9
TIME Set Tone Source Command Success Event ID.
Type: INFORMATION
Cause:
TIME Set Clock Tone Source Command success.
Definition at line 110 of file cfe_time_events.h.
38.56.2.25 CFE_TIME_SIGNAL_ERR_EID
 #define CFE_TIME_SIGNAL_ERR_EID 32
TIME Set Clock Tone Source Command Invalid Source Event ID.
Type: ERROR
Cause:
Set Clock Tone Source Command failed due to invalid source requested.
 Definition at line 267 of file cfe time events.h.
38.56.2.26 CFE_TIME_SOURCE_CFG_EID
 #define CFE_TIME_SOURCE_CFG_EID 40
TIME Set Clock Source Command Incompatible Mode Event ID.
Type: ERROR
Cause:
```

TIME Set Clock Source Command failure due to being in an incompatible mode.

Generated by Doxygen

Definition at line 341 of file cfe\_time\_events.h.

```
38.56.2.27 CFE_TIME_SOURCE_EID
 #define CFE_TIME_SOURCE_EID 8
 TIME Set Time Source Command Success Event ID.
Type: INFORMATION
Cause:
 TIME Set Time Source Command success.
 Definition at line 99 of file cfe_time_events.h.
 38.56.2.28 CFE_TIME_SOURCE_ERR_EID
 #define CFE_TIME_SOURCE_ERR_EID 31
 TIME Set Clock Source Command Invalid Source Event ID.
Type: ERROR
Cause:
 TIME Set Clock Source Command failed due to invalid source requested.
 Definition at line 256 of file cfe_time_events.h.
 38.56.2.29 CFE_TIME_STATE_EID
 #define CFE_TIME_STATE_EID 7
 TIME Set Time State Command Success Event ID.
Type: INFORMATION
Cause:
 TIME Set Time State Command success.
```

Definition at line 88 of file cfe\_time\_events.h.

```
38.56.2.30 CFE_TIME_STATE_ERR_EID
 #define CFE_TIME_STATE_ERR_EID 30
TIME Set Clock State Command Invalid State Event ID.
Type: ERROR
Cause:
TIME Set Clock State Command failed due to invalid state requested.
Definition at line 245 of file cfe_time_events.h.
38.56.2.31 CFE_TIME_STCF_CFG_EID
 #define CFE_TIME_STCF_CFG_EID 45
TIME Set Spacecraft Time Correlation Factor Command Incompatible Mode Event ID.
Type: ERROR
Cause:
TIME Set Spacecraft Time Correlation Factor Command failure due to being in an incompatible mode.
Definition at line 402 of file cfe_time_events.h.
38.56.2.32 CFE_TIME_STCF_EID
 #define CFE_TIME_STCF_EID 14
TIME Set Spacecraft Time Correlation Factor Command Success Event ID.
Type: INFORMATION
Cause:
TIME Set Spacecraft Time Correlation Factor Command success.
```

Generated by Doxygen

Definition at line 155 of file cfe\_time\_events.h.

```
38.56.2.33 CFE_TIME_STCF_ERR_EID
 #define CFE_TIME_STCF_ERR_EID 36
TIME Set Spacecraft Time Correlation Factor Command Invalid Time Value Event ID.
Type: ERROR
Cause:
TIME Set Spacecraft Time Correlation Factor Command failure due to an invalid time value.
Definition at line 316 of file cfe time events.h.
38.56.2.34 CFE_TIME_TIME_CFG_EID
 #define CFE_TIME_TIME_CFG_EID 43
TIME Set Spacecraft Time Command Incompatible Mode Event ID.
Type: ERROR
Cause:
TIME Set Spacecraft Time Command failure due to being in an incompatible mode.
Definition at line 378 of file cfe_time_events.h.
38.56.2.35 CFE_TIME_TIME_EID
 #define CFE_TIME_TIME_EID 12
TIME Set Time Command Success Event ID.
Type: INFORMATION
Cause:
TIME Set Time Command success.
Definition at line 133 of file cfe_time_events.h.
```

```
38.56.2.36 CFE_TIME_TIME_ERR_EID
```

```
#define CFE_TIME_TIME_ERR_EID 34
```

TIME Set Spacecraft Time Command Invalid Time Value Event ID.

Type: ERROR

Cause:

TIME Set Spacecraft Time Command failure due to an invalid time value.

Definition at line 292 of file cfe\_time\_events.h.

# 38.57 cfe/modules/time/fsw/inc/cfe\_time\_msg.h File Reference

```
#include "common_types.h"
#include "cfe_msg_hdr.h"
#include "cfe_time_extern_typedefs.h"
```

## **Data Structures**

• struct CFE\_TIME\_NoArgsCmd

Generic no argument command.

• struct CFE\_TIME\_LeapsCmd\_Payload

Set leap seconds command payload.

struct CFE\_TIME\_SetLeapSecondsCmd

Set leap seconds command.

struct CFE\_TIME\_StateCmd\_Payload

Set clock state command payload.

• struct CFE\_TIME\_SetStateCmd

Set clock state command.

struct CFE\_TIME\_SourceCmd\_Payload

Set time data source command payload.

struct CFE\_TIME\_SetSourceCmd

Set time data source command.

struct CFE\_TIME\_SignalCmd\_Payload

Set tone signal source command payload.

struct CFE\_TIME\_SetSignalCmd

Set tone signal source command.

struct CFE\_TIME\_TimeCmd\_Payload

Generic seconds, microseconds command payload.

• struct CFE\_TIME\_TimeCmd

Generic seconds, microseconds argument command.

struct CFE TIME OneHzAdjustmentCmd Payload

Generic seconds, subseconds command payload.

struct CFE TIME OneHzAdjustmentCmd

Generic seconds, subseconds adjustment command.

struct CFE TIME ToneDataCmd Payload

Time at tone data command payload.

struct CFE\_TIME\_ToneDataCmd

Time at tone data command.

- struct CFE\_TIME\_HousekeepingTlm\_Payload
- struct CFE\_TIME\_HousekeepingTlm
- struct CFE\_TIME\_DiagnosticTIm\_Payload
- struct CFE TIME DiagnosticTIm

## Macros

• #define CFE TIME FLAG CLKSET 0x8000

The spacecraft time has been set.

#define CFE TIME FLAG FLYING 0x4000

This instance of Time Services is flywheeling.

#define CFE TIME FLAG SRCINT 0x2000

The clock source is set to "internal".

• #define CFE TIME FLAG SIGPRI 0x1000

The clock signal is set to "primary".

#define CFE TIME FLAG SRVFLY 0x0800

The Time Server is in flywheel mode.

#define CFE\_TIME\_FLAG\_CMDFLY 0x0400

This instance of Time Services was commanded into flywheel mode.

#define CFE TIME FLAG ADDADJ 0x0200

One time STCF Adjustment is to be done in positive direction.

• #define CFE\_TIME\_FLAG\_ADD1HZ 0x0100

1 Hz STCF Adjustment is to be done in a positive direction

#define CFE TIME FLAG ADDTCL 0x0080

Time Client Latency is applied in a positive direction.

• #define CFE\_TIME\_FLAG\_SERVER 0x0040

This instance of Time Services is a Time Server.

• #define CFE\_TIME\_FLAG\_GDTONE 0x0020

The tone received is good compared to the last tone received.

• #define CFE\_TIME\_FLAG\_REFERR 0x0010

GetReference read error, will be set if unable to get a consistent ref value.

#define CFE\_TIME\_FLAG\_UNUSED 0x000F

Reserved flags - should be zero.

#### **Time Services Command Codes**

#define CFE TIME NOOP CC 0 /\* no-op command \*/

```
• #define CFE_TIME_RESET_COUNTERS_CC 1 /* reset counters */

    #define CFE TIME SEND DIAGNOSTIC TLM CC 2 /* request diagnostic hk telemetry */

      • #define CFE_TIME_SET_SOURCE_CC 3 /* set clock source (int vs ext) */

    #define CFE TIME SET STATE CC 4 /* set clock state */

    #define CFE_TIME_ADD_DELAY_CC 5 /* add tone delay value */

      • #define CFE_TIME_SUB_DELAY_CC 6 /* sub tone delay value */

    #define CFE_TIME_SET_TIME_CC 7 /* set time */

      • #define CFE_TIME_SET_MET_CC 8 /* set MET */
      • #define CFE_TIME_SET_STCF_CC 9 /* set STCF */

    #define CFE_TIME_SET_LEAP_SECONDS_CC 10 /* set Leap Seconds */

    #define CFE TIME ADD ADJUST CC 11 /* add one time STCF adjustment */

    #define CFE TIME SUB ADJUST CC 12 /* subtract one time STCF adjustment */

      • #define CFE_TIME_ADD_1HZ_ADJUSTMENT_CC 13 /* add 1Hz STCF adjustment */

    #define CFE TIME SUB 1HZ ADJUSTMENT CC 14 /* subtract 1Hz STCF adjustment */

      • #define CFE_TIME_SET_SIGNAL_CC 15 /* set clock signal (pri vs red) */
Typedefs

    typedef struct CFE TIME NoArgsCmd CFE TIME NoArgsCmd t

         Generic no argument command.

    typedef CFE_TIME_NoArgsCmd_t CFE_TIME_NoopCmd_t

   • typedef CFE TIME NoArgsCmd t CFE TIME ResetCountersCmd t

    typedef CFE TIME NoArgsCmd t CFE TIME SendDiagnosticCmd t

    typedef CFE TIME NoArgsCmd t CFE TIME 1HzCmd t

    typedef CFE TIME NoArgsCmd t CFE TIME ToneSignalCmd t

    typedef CFE TIME NoArgsCmd t CFE TIME FakeToneCmd t

    typedef struct CFE TIME LeapsCmd Payload CFE TIME LeapsCmd Payload t

         Set leap seconds command payload.
   • typedef struct CFE_TIME_SetLeapSecondsCmd CFE_TIME_SetLeapSecondsCmd_t
         Set leap seconds command.

    typedef struct CFE TIME StateCmd Payload CFE TIME StateCmd Payload t

         Set clock state command payload.

    typedef struct CFE_TIME_SetStateCmd CFE_TIME_SetStateCmd_t

         Set clock state command.

    typedef struct CFE_TIME_SourceCmd_Payload CFE_TIME_SourceCmd_Payload_t

         Set time data source command payload.
```

typedef struct CFE\_TIME\_SetSourceCmd CFE\_TIME\_SetSourceCmd\_t

Set time data source command.

 typedef struct CFE TIME SignalCmd Payload CFE TIME SignalCmd Payload t Set tone signal source command payload.

 typedef struct CFE TIME SetSignalCmd CFE TIME SetSignalCmd t Set tone signal source command.

typedef struct CFE TIME TimeCmd Payload CFE TIME TimeCmd Payload t

Generic seconds, microseconds command payload.

typedef struct CFE TIME TimeCmd CFE TIME TimeCmd t

Generic seconds, microseconds argument command.

- typedef CFE\_TIME\_TimeCmd\_t CFE\_TIME\_AddDelayCmd\_t
- typedef CFE\_TIME\_TimeCmd\_t CFE\_TIME\_SubDelayCmd\_t
- typedef CFE TIME TimeCmd t CFE TIME SetMETCmd t
- typedef CFE TIME TimeCmd t CFE TIME SetSTCFCmd t

```
    typedef CFE_TIME_TimeCmd_t CFE_TIME_AddAdjustCmd_t
```

- typedef CFE\_TIME\_TimeCmd\_t CFE\_TIME\_SubAdjustCmd\_t
- typedef CFE\_TIME\_TimeCmd\_t CFE\_TIME\_SetTimeCmd\_t
- typedef struct CFE\_TIME\_OneHzAdjustmentCmd\_Payload CFE\_TIME\_OneHzAdjustmentCmd\_Payload\_t

Generic seconds, subseconds command payload.

typedef struct CFE\_TIME\_OneHzAdjustmentCmd CFE\_TIME\_OneHzAdjustmentCmd\_t

Generic seconds, subseconds adjustment command.

- typedef CFE\_TIME\_OneHzAdjustmentCmd\_t CFE\_TIME\_Add1HZAdjustmentCmd\_t
- typedef CFE\_TIME\_OneHzAdjustmentCmd\_t CFE\_TIME\_Sub1HZAdjustmentCmd\_t
- typedef struct CFE\_TIME\_ToneDataCmd\_Payload CFE\_TIME\_ToneDataCmd\_Payload\_t

Time at tone data command payload.

typedef struct CFE\_TIME\_ToneDataCmd CFE\_TIME\_ToneDataCmd\_t

Time at tone data command.

- typedef struct CFE TIME HousekeepingTIm Payload CFE TIME HousekeepingTIm Payload t
- typedef struct CFE\_TIME\_HousekeepingTIm CFE\_TIME\_HousekeepingTIm\_t
- typedef struct CFE TIME DiagnosticTlm Payload CFE TIME DiagnosticTlm Payload t
- typedef struct CFE\_TIME\_DiagnosticTlm CFE\_TIME\_DiagnosticTlm\_t

## 38.57.1 Detailed Description

Purpose: cFE Time Services (TIME) SB message definitions header file

Author: S.Walling/Microtel

Notes:

38.57.2 Macro Definition Documentation

```
38.57.2.1 CFE_TIME_ADD_1HZ_ADJUSTMENT_CC
```

#define CFE\_TIME\_ADD\_1HZ\_ADJUSTMENT\_CC 13 /\* add 1Hz STCF adjustment \*/

Name Add Delta to Spacecraft Time Correlation Factor each 1Hz

## Description

This command has been updated to take actual sub-seconds ( $1/2^3$ 2 seconds) rather than micro-seconds as an input argument. This change occurred after the determination was made that one micro-second is too large an increment for a constant 1Hz adjustment.

This command continuously adjusts the Spacecraft Time Correlation Factor (STCF) every second, by adding the specified value. The adjustment to the STCF is applied in the Time Service local 1Hz interrupt handler. As the local 1Hz interrupt is not synchronized to the tone signal, one cannot say when the adjustment will occur, other than once a second, at about the same time relative to the tone.

There was some debate about whether the maximum 1Hz clock drift correction factor would ever need to exceed some small fraction of a second. But, the decision was made to provide the capability to make 1Hz adjustments greater than one second and leave it to the ground system to provide mission specific limits.

Command Mnemonic(s) \$sc\_\$cpu\_TIME\_Add1HzSTCF

#### **Command Structure**

CFE\_TIME\_Add1HZAdjustmentCmd\_t

#### **Command Verification**

Successful execution of this command may be verified with the following telemetry:

- \$sc\_\$cpu\_TIME\_CMDPC command execution counter will increment
- \$sc\_\$cpu\_TIME\_STCFSecs Housekeeping Telemetry point indicating new STCF seconds value
- \$sc\_\$cpu\_TIME\_STCFSubsecs Housekeeping Telemetry point indicating new STCF subseconds value
- The CFE TIME 1HZ EID informational event message will be generated

## **Error Conditions**

· Platform receiving the command is not a Time Server

Evidence of Failure may be found in the following telemetry:

- \$sc\_\$cpu\_TIME\_CMDEC command error counter will increment
- Error specific event message will be issued (CFE TIME 1HZ CFG EID)

## Criticality

Inappropriately setting the clock may result in other sub-systems performing incorrect time based calculations. The specific risk is dependent upon the behavior of those sub-systems.

## See also

CFE\_TIME\_ADD\_ADJUST\_CC, CFE\_TIME\_SUB\_ADJUST\_CC, CFE\_TIME\_SUB\_1HZ\_ADJUSTMENT\_CC

Definition at line 614 of file cfe\_time\_msg.h.

```
38.57.2.2 CFE_TIME_ADD_ADJUST_CC
```

#define CFE\_TIME\_ADD\_ADJUST\_CC 11 /\* add one time STCF adjustment \*/

Name Add Delta to Spacecraft Time Correlation Factor

## Description

This command adjusts the Spacecraft Time Correlation Factor (STCF) by adding the specified value. The new STCF takes effect immediately upon execution of this command.

Command Mnemonic(s) \$sc \$cpu TIME AddSTCFAdj

#### **Command Structure**

CFE TIME AddAdjustCmd t

#### **Command Verification**

Successful execution of this command may be verified with the following telemetry:

- \$sc \$cpu TIME CMDPC command execution counter will increment
- \$sc\_\$cpu\_TIME\_STCFSecs Housekeeping Telemetry point indicating new STCF seconds value
- \$sc\_\$cpu\_TIME\_STCFSubsecs Housekeeping Telemetry point indicating new STCF subseconds value
- The CFE TIME DELTA EID informational event message will be generated

## **Error Conditions**

- · An invalid number of microseconds was specified (must be less than 1 million)
- Platform receiving the command is not a Time Server

Evidence of Failure may be found in the following telemetry:

- \$sc\_\$cpu\_TIME\_CMDEC command error counter will increment
- Error specific event messages will be issued (CFE\_TIME\_DELTA\_ERR\_EID or CFE\_TIME\_DELTA\_CFG\_←
   EID)

## Criticality

Inappropriately setting the clock may result in other sub-systems performing incorrect time based calculations. The specific risk is dependent upon the behavior of those sub-systems.

## See also

CFE\_TIME\_ADD\_ADJUST\_CC, CFE\_TIME\_SUB\_ADJUST\_CC, CFE\_TIME\_ADD\_1HZ\_ADJUSTMENT\_CC, CFE\_TIME\_SUB\_1HZ\_ADJUSTMENT\_CC

Definition at line 534 of file cfe\_time\_msg.h.

```
38.57.2.3 CFE_TIME_ADD_DELAY_CC
```

#define CFE\_TIME\_ADD\_DELAY\_CC 5 /\* add tone delay value \*/

## Name Add Time to Tone Time Delay

#### Description

This command is used to factor out a known, predictable latency between the Time Server and a particular Time Client. The correction is applied (added) to the current time calculation for Time Clients, so this command has no meaning for Time Servers. Each Time Client can have a unique latency setting. The latency value is a positive number of seconds and microseconds that represent the deviation from the time maintained by the Time Server.

Command Mnemonic(s) \$sc\_\$cpu\_TIME\_AddClockLat

## **Command Structure**

```
CFE_TIME_AddDelayCmd_t
```

#### **Command Verification**

Successful execution of this command may be verified with the following telemetry:

- \$sc\_\$cpu\_TIME\_CMDPC command execution counter will increment
- \$sc\_\$cpu\_TIME\_DLatentS, \$sc\_\$cpu\_TIME\_DLatentSs Housekeeping Telemetry point indicating command specified values
- \$sc\_\$cpu\_TIME\_DLatentDir Diagnostic Telemetry point indicating commanded latency direction
- The CFE\_TIME\_DELAY\_EID informational event message will be generated

#### **Error Conditions**

- An invalid number of microseconds was specified (must be less than 1 million)
- · Platform receiving the command is not a Time Client

Evidence of Failure may be found in the following telemetry:

- \$sc \$cpu TIME CMDEC command error counter will increment
- Error specific event messages will be issued (CFE\_TIME\_DELAY\_CFG\_EID or CFE\_TIME\_DELAY\_ERR
   — EID)

## Criticality

Inappropriately setting the clock may result in other sub-systems performing incorrect time based calculations. The specific risk is dependent upon the behavior of those sub-systems.

## See also

```
CFE_TIME_SUB_DELAY_CC
```

Definition at line 303 of file cfe\_time\_msg.h.

```
38.57.2.4 CFE_TIME_NOOP_CC
```

#define CFE\_TIME\_NOOP\_CC 0 /\* no-op command \*/

# Name Time No-Op

# Description

This command performs no other function than to increment the command execution counter. The command may be used to verify general aliveness of the Time Services task.

## Command Mnemonic(s) \$sc\_\$cpu\_TIME\_NOOP

#### **Command Structure**

```
CFE_TIME_NoopCmd_t
```

## **Command Verification**

Successful execution of this command may be verified with the following telemetry:

- \$sc\_\$cpu\_TIME\_CMDPC command execution counter will increment
- The CFE TIME NOOP EID informational event message will be generated

## **Error Conditions**

There are no error conditions for this command. If the Time Services receives the command, the event is sent (although it may be filtered by EVS) and the counter is incremented unconditionally.

# Criticality

None

See also

Definition at line 79 of file cfe\_time\_msg.h.

```
38.57.2.5 CFE_TIME_RESET_COUNTERS_CC
```

```
#define CFE_TIME_RESET_COUNTERS_CC 1 /* reset counters */
```

## Name Time Reset Counters

## Description

This command resets the following counters within the Time Services Housekeeping Telemetry:

- Command Execution Counter (\$sc\_\$cpu\_TIME\_CMDPC)
- Command Error Counter (\$sc\_\$cpu\_TIME\_CMDEC) This command also resets the following counters within the Time Services Diagnostic Telemetry:
- Tone Signal Detected Software Bus Message Counter (\$sc\_\$cpu\_TIME\_DTSDetCNT)
- Time at the Tone Data Software Bus Message Counter (\$sc\_\$cpu\_TIME\_DTatTCNT)
- Tone Signal/Data Verify Counter (\$sc\_\$cpu\_TIME\_DVerifyCNT)
- Tone Signal/Data Error Counter (\$sc\_\$cpu\_TIME\_DVerifyER)
- Tone Signal Interrupt Counter (\$sc\_\$cpu\_TIME\_DTsISRCNT)
- Tone Signal Interrupt Error Counter (\$sc \$cpu TIME DTsISRERR)
- Tone Signal Task Counter (\$sc \$cpu TIME DTsTaskCNT)

- Local 1 Hz Interrupt Counter (\$sc\_\$cpu\_TIME\_D1HzISRCNT)
- Local 1 Hz Task Counter (\$sc\_\$cpu\_TIME\_D1HzTaskCNT)
- Reference Time Version Counter (\$sc\_\$cpu\_TIME\_DVersionCNT)

# Command Mnemonic(s) \$sc\_\$cpu\_TIME\_ResetCtrs

#### **Command Structure**

```
CFE_TIME_ResetCountersCmd_t
```

#### **Command Verification**

Successful execution of this command may be verified with the following telemetry:

- \$sc\_\$cpu\_TIME\_CMDPC command execution counter will reset to 0
- \$sc\_\$cpu\_TIME\_CMDEC command error counter will reset to 0
- The CFE\_TIME\_RESET\_EID informational event message will be generated

## **Error Conditions**

There are no error conditions for this command. If the Time Services receives the command, the event is sent (although it may be filtered by EVS) and the counter is reset unconditionally.

## Criticality

None

See also

Definition at line 124 of file cfe\_time\_msg.h.

```
38.57.2.6 CFE TIME SEND DIAGNOSTIC TLM CC
```

```
#define CFE_TIME_SEND_DIAGNOSTIC_TLM_CC 2 /* request diagnostic hk telemetry */
```

## Name Request TIME Diagnostic Telemetry

## Description

This command requests that the Time Service generate a message containing various data values not included in the normal Time Service housekeeping message. The command requests only a single copy of the diagnostic message. Refer to CFE\_TIME\_DiagnosticTIm\_t for a description of the Time Service diagnostic message contents.

## Command Mnemonic(s) \$sc \$cpu TIME RequestDiag

#### **Command Structure**

```
CFE TIME SendDiagnosticCmd t
```

## **Command Verification**

Successful execution of this command may be verified with the following telemetry:

- \$sc\_\$cpu\_TIME\_CMDPC command execution counter will increment
- Sequence Counter for CFE TIME DiagnosticTlm t will increment
- The CFE TIME DIAG EID debug event message will be generated

## **Error Conditions**

There are no error conditions for this command. If the Time Services receives the command, the event and telemetry is sent (although one or both may be filtered by EVS and TO) and the counter is incremented unconditionally.

## Criticality

None

See also

Definition at line 158 of file cfe time msg.h.

```
38.57.2.7 CFE_TIME_SET_LEAP_SECONDS_CC
```

```
#define CFE_TIME_SET_LEAP_SECONDS_CC 10 /* set Leap Seconds */
```

## Name Set Leap Seconds

## Description

This command sets the spacecraft Leap Seconds to the specified value. Leap Seconds may be positive or negative, and there is no limit to the value except, of course, the limit imposed by the 16 bit signed integer data type. The new Leap Seconds value takes effect immediately upon execution of this command.

Command Mnemonic(s) \$sc\_\$cpu\_TIME\_SetClockLeap

## **Command Structure**

CFE\_TIME\_SetLeapSecondsCmd\_t

## **Command Verification**

Successful execution of this command may be verified with the following telemetry:

• \$sc\_\$cpu\_TIME\_CMDPC - command execution counter will increment

- \$sc\_\$cpu\_TIME\_LeapSecs Housekeeping Telemetry point indicating new Leap seconds value
- The CFE\_TIME\_LEAPS\_EID informational event message will be generated

## **Error Conditions**

· Platform receiving the command is not a Time Server

Evidence of Failure may be found in the following telemetry:

- \$sc\_\$cpu\_TIME\_CMDEC command error counter will increment
- Error specific event messages will be issued (CFE TIME LEAPS CFG EID)

## Criticality

Inappropriately setting the clock may result in other sub-systems performing incorrect time based calculations. The specific risk is dependent upon the behavior of those sub-systems.

#### See also

```
CFE_TIME_SET_TIME_CC, CFE_TIME_SET_MET_CC, CFE_TIME_SET_STCF_CC
```

Definition at line 498 of file cfe\_time\_msg.h.

```
38.57.2.8 CFE_TIME_SET_MET_CC

#define CFE_TIME_SET_MET_CC 8 /* set MET */
```

Name Set Mission Elapsed Time

## Description

This command sets the Mission Elapsed Timer (MET) to the specified value.

Note that the MET (as implemented for cFE Time Service) is a logical representation and not a physical timer. Thus, setting the MET is not dependent on whether the hardware supports a MET register that can be written to.

Note also that Time Service "assumes" that during normal operation, the MET is synchronized to the tone signal. Therefore, unless operating in FLYWHEEL mode, the sub-seconds portion of the MET will be set to zero at the next tone signal interrupt.

The new MET takes effect immediately upon execution of this command.

Command Mnemonic(s) \$sc\_\$cpu\_TIME\_SetClockMET

## **Command Structure**

CFE TIME SetMETCmd t

### **Command Verification**

Successful execution of this command may be verified with the following telemetry:

- \$sc\_\$cpu\_TIME\_CMDPC command execution counter will increment
- \$sc\_\$cpu\_TIME\_METSecs Housekeeping Telemetry point indicating new MET seconds value
- \$sc\_\$cpu\_TIME\_METSubsecs Housekeeping Telemetry point indicating new MET subseconds value
- The CFE TIME MET EID informational event message will be generated

## **Error Conditions**

- · An invalid number of microseconds was specified (must be less than 1 million)
- · Platform receiving the command is not a Time Server

Evidence of Failure may be found in the following telemetry:

- \$sc\_\$cpu\_TIME\_CMDEC command error counter will increment
- Error specific event messages will be issued (CFE\_TIME\_MET\_CFG\_EID or CFE\_TIME\_MET\_ERR\_EID)

## Criticality

Inappropriately setting the clock may result in other sub-systems performing incorrect time based calculations. The specific risk is dependent upon the behavior of those sub-systems.

## See also

```
CFE TIME SET TIME CC, CFE TIME SET STCF CC, CFE TIME SET LEAP SECONDS CC
```

Definition at line 426 of file cfe time msg.h.

```
38.57.2.9 CFE_TIME_SET_SIGNAL_CC
```

```
\#define CFE_TIME_SET_SIGNAL_CC 15 /* set clock signal (pri vs red) */
```

# Name Set Tone Signal Source

## Description

This command selects the Time Service tone signal source. Although the list of potential tone signal sources is mission specific, a common choice is the selection of primary or redundant tone signal. The selection may be available to both the Time Server and Time Clients, depending on hardware configuration.

## Notes:

• This command is only valid when the CFE\_PLATFORM\_TIME\_CFG\_SIGNAL configuration parameter in the cfe\_platform\_cfg.h file has been set to true.

Command Mnemonic(s) \$sc \$cpu TIME SetSignal

#### **Command Structure**

```
CFE TIME SetSignalCmd t
```

## **Command Verification**

Successful execution of this command may be verified with the following telemetry:

- \$sc\_\$cpu\_TIME\_CMDPC command execution counter will increment
- \$sc\_\$cpu\_TIME\_DSignal Diagnostic Telemetry point will indicate the command specified value
- The CFE\_TIME\_SIGNAL\_EID informational event message will be generated

## **Error Conditions**

- Invalid Signal selection (a value other than CFE\_TIME\_ToneSignalSelect\_PRIMARY or CFE\_TIME\_Tone

   SignalSelect\_REDUNDANT was specified)
- · Multiple Tone Signal Sources not available on this platform

Evidence of failure may be found in the following telemetry:

- \$sc\_\$cpu\_TIME\_CMDEC Command Error counter will increment
- Error specific event message (either CFE\_TIME\_SIGNAL\_CFG\_EID or CFE\_TIME\_SIGNAL\_ERR\_EID)

## Criticality

Although tone signal source selection is important, this command is not critical

### See also

```
CFE_TIME_SET_STATE_CC, CFE_TIME_SET_SOURCE_CC
```

Definition at line 704 of file cfe time msg.h.

```
38.57.2.10 CFE_TIME_SET_SOURCE_CC
```

```
#define CFE_TIME_SET_SOURCE_CC 3 /* set clock source (int vs ext) */
```

#### Name Set Time Source

## Description

This command selects the Time Service clock source. Although the list of potential clock sources is mission specific and defined via configuration parameters, this command provides a common method for switching between the local processor clock and an external source for time data.

When commanded to accept external time data (GPS, MET, spacecraft time, etc.), the Time Server will enable input via an API function specific to the configuration definitions for the particular source. When commanded to use internal time data, the Time Server will ignore the external data. However, the Time Server will continue to use the API function as the trigger to generate a "time at the tone" command packet regardless of the internal/external command selection.

Notes:

• Operating in FLYWHEEL mode is not considered a choice related to clock source, but rather an element of the clock state. See below for a description of the CFE\_TIME\_SET\_STATE\_CC command.

• This command is only valid when the CFE\_PLATFORM\_TIME\_CFG\_SOURCE configuration parameter in the cfe\_platform\_cfg.h file has been set to true.

Command Mnemonic(s) \$sc \$cpu TIME SetSource

#### **Command Structure**

CFE TIME SetSourceCmd t

#### **Command Verification**

Successful execution of this command may be verified with the following telemetry:

- \$sc\_\$cpu\_TIME\_CMDPC command execution counter will increment
- \$sc \$cpu TIME DSource Diagnostic Telemetry point will indicate the command specified value
- The CFE\_TIME\_SOURCE\_EID informational event message will be generated

# **Error Conditions**

- Invalid Source selection (a value other than CFE\_TIME\_SourceSelect\_INTERNAL or CFE\_TIME\_Source
   Select EXTERNAL was specified)
- · Time source selection not allowed on this platform

Evidence of failure may be found in the following telemetry:

- \$sc\_\$cpu\_TIME\_CMDEC Command Error counter will increment
- Error specific event message (either CFE\_TIME\_SOURCE\_CFG\_EID or CFE\_TIME\_SOURCE\_ERR\_EID)

## Criticality

Although clock source selection is important, this command is not critical.

### See also

CFE\_TIME\_SET\_STATE\_CC, CFE\_TIME\_SET\_SIGNAL\_CC

Definition at line 208 of file cfe time msg.h.

```
38.57.2.11 CFE_TIME_SET_STATE_CC
```

```
#define CFE_TIME_SET_STATE_CC 4 /* set clock state */
```

## Name Set Time State

## Description

This command indirectly affects the Time Service on-board determination of clock state. Clock state is a combination of factors, most significantly whether the spacecraft time has been accurately set, and whether Time Service is operating in FLYWHEEL mode.

This command may be used to notify the Time Server that spacecraft time is now correct, or that time is no longer correct. This information will be distributed to Time Clients, and in turn, to any interested sub-systems.

Also, this command may be used to force a Time Server or Time Client into FLYWHEEL mode. Use of FL← YWHEEL mode is mainly for debug purposes although in extreme circumstances, it may be of value to force Time Service not to rely on normal time updates. Note that when commanded into FLYWHEEL mode, the Time Service will remain so until receipt of another "set state" command setting the state into a mode other than FLYWHEEL.

Note also that setting the clock state to VALID or INVALID on a Time Client that is currently getting time updates from the Time Server will have very limited effect. As soon as the Time Client receives the next time update, the VALID/INVALID selection will be set to that of the Time Server. However, setting a Time Client to FLYWHEEL cannot be overridden by the Time Server since the Time Client will ignore time updates from the Time Server while in FLYWHEEL mode.

## Command Mnemonic(s) \$sc\_\$cpu\_TIME\_SetState

### **Command Structure**

```
CFE TIME SetStateCmd t
```

#### **Command Verification**

Successful execution of this command may be verified with the following telemetry:

- \$sc \$cpu TIME CMDPC command execution counter will increment
- \$sc\_\$cpu\_TIME\_StateF1g, \$sc\_\$cpu\_TIME\_FlagSet, \$sc\_\$cpu\_TIME\_FlagFly, \$sc\_\$cpu\_TIME\_← FlagSrc, \$sc\_\$cpu\_TIME\_FlagPri, \$sc\_\$cpu\_TIME\_FlagSfly, \$sc\_\$cpu\_TIME\_FlagCfly, \$sc\_\$cpu\_TIME\_← \_\_FlagAdjd, \$sc\_\$cpu\_TIME\_Flag1Hzd, \$sc\_\$cpu\_TIME\_FlagClat, \$sc\_\$cpu\_TIME\_FlagSorC, \$sc\_\$cpu\_← TIME\_FlagNIU Housekeeping Telemetry point "may" indicate the command specified value (see above)
- The CFE TIME STATE EID informational event message will be generated

## **Error Conditions**

- Invalid State selection (a value other than CFE\_TIME\_ClockState\_INVALID, CFE\_TIME\_ClockState\_VALID or CFE\_TIME\_ClockState\_FLYWHEEL was specified)
- Time source selection not allowed on this platform

Evidence of failure may be found in the following telemetry:

• \$sc \$cpu TIME CMDEC - Command Error counter will increment

• Error specific event message (CFE\_TIME\_STATE\_ERR\_EID)

## Criticality

Setting Time Service into FLYWHEEL mode is not particularly hazardous, as the result may be that the calculation of spacecraft time is done using a less than optimal timer. However, inappropriately setting the clock state to  $V \leftarrow$  ALID (indicating that spacecraft time is accurate) may result in other sub-systems performing incorrect time based calculations. The specific risk is dependent upon the behavior of those sub-systems.

#### See also

```
CFE_TIME_SET_SOURCE_CC, CFE_TIME_SET_SIGNAL_CC
```

Definition at line 265 of file cfe\_time\_msg.h.

```
38.57.2.12 CFE_TIME_SET_STCF_CC
#define CFE_TIME_SET_STCF_CC 9 /* set STCF */
```

Name Set Spacecraft Time Correlation Factor

#### Description

This command sets the Spacecraft Time Correlation Factor (STCF) to the specified value. This command differs from the previously described SET CLOCK in the nature of the command argument. This command sets the STCF value directly, rather than extracting the STCF from a value representing the total of MET, STCF and optionally, Leap Seconds. The new STCF takes effect immediately upon execution of this command.

Command Mnemonic(s) \$sc\_\$cpu\_TIME\_SetClockSTCF

#### **Command Structure**

```
CFE_TIME_SetSTCFCmd_t
```

## **Command Verification**

Successful execution of this command may be verified with the following telemetry:

- \$sc\_\$cpu\_TIME\_CMDPC command execution counter will increment
- \$sc\_\$cpu\_TIME\_STCFSecs Housekeeping Telemetry point indicating new STCF seconds value
- \$sc\_\$cpu\_TIME\_STCFSubsecs Housekeeping Telemetry point indicating new STCF subseconds value
- The CFE TIME STCF EID informational event message will be generated

#### **Error Conditions**

An invalid number of microseconds was specified (must be less than 1 million)

· Platform receiving the command is not a Time Server

Evidence of Failure may be found in the following telemetry:

- \$sc\_\$cpu\_TIME\_CMDEC command error counter will increment
- Error specific event messages will be issued (CFE\_TIME\_STCF\_CFG\_EID or CFE\_TIME\_STCF\_ERR\_EID)

## Criticality

Inappropriately setting the clock may result in other sub-systems performing incorrect time based calculations. The specific risk is dependent upon the behavior of those sub-systems.

#### See also

```
CFE TIME SET TIME CC, CFE TIME SET MET CC, CFE TIME SET LEAP SECONDS CC
```

Definition at line 463 of file cfe time msg.h.

```
38.57.2.13 CFE_TIME_SET_TIME_CC
```

```
#define CFE_TIME_SET_TIME_CC 7 /* set time */
```

## Name Set Spacecraft Time

#### Description

This command sets the spacecraft clock to a new value, regardless of the current setting (time jam). The new time value represents the desired offset from the mission-defined time epoch and takes effect immediately upon execution of this command. Time Service will calculate a new STCF value based on the current MET and the desired new time using one of the following:

If Time Service is configured to compute current time as TAI

- STCF = (new time) (current MET)
- (current time) = (current MET) + STCF

If Time Service is configured to compute current time as UTC

- STCF = ((new time) (current MET)) + (Leap Seconds)
- (current time) = ((current MET) + STCF) (Leap Seconds)

Command Mnemonic(s) \$sc\_\$cpu\_TIME\_SetClock

#### **Command Structure**

```
CFE TIME SetTimeCmd t
```

#### **Command Verification**

Successful execution of this command may be verified with the following telemetry:

- \$sc\_\$cpu\_TIME\_CMDPC command execution counter will increment
- \$sc\_\$cpu\_TIME\_STCFSecs Housekeeping Telemetry point indicating newly calculated STCF seconds value
- \$sc\_\$cpu\_TIME\_STCFSubsecs Housekeeping Telemetry point indicating newly calculated STCF subseconds value
- The CFE TIME TIME EID informational event message will be generated

#### **Error Conditions**

- An invalid number of microseconds was specified (must be less than 1 million)
- · Platform receiving the command is not a Time Server

Evidence of Failure may be found in the following telemetry:

- \$sc \$cpu TIME CMDEC command error counter will increment
- Error specific event messages will be issued (CFE\_TIME\_TIME\_CFG\_EID or CFE\_TIME\_TIME\_ERR\_EID)

## Criticality

Inappropriately setting the clock may result in other sub-systems performing incorrect time based calculations. The specific risk is dependent upon the behavior of those sub-systems.

#### See also

```
CFE_TIME_SET_MET_CC, CFE_TIME_SET_STCF_CC, CFE_TIME_SET_LEAP_SECONDS_CC
```

Definition at line 386 of file cfe\_time\_msg.h.

```
38.57.2.14 CFE_TIME_SUB_1HZ_ADJUSTMENT_CC
```

```
#define CFE_TIME_SUB_1HZ_ADJUSTMENT_CC 14 /* subtract 1Hz STCF adjustment */
```

Name Subtract Delta from Spacecraft Time Correlation Factor each 1Hz

# Description

This command has been updated to take actual sub-seconds ( $1/2^3$ 2 seconds) rather than micro-seconds as an input argument. This change occurred after the determination was made that one micro-second is too large an increment for a constant 1Hz adjustment.

This command continuously adjusts the Spacecraft Time Correlation Factor (STCF) every second, by subtracting the specified value. The adjustment to the STCF is applied in the Time Service local 1Hz interrupt handler. As the local 1Hz interrupt is not synchronized to the tone signal, one cannot say when the adjustment will occur, other than once a second, at about the same time relative to the tone.

There was some debate about whether the maximum 1Hz clock drift correction factor would ever need to exceed some small fraction of a second. But, the decision was made to provide the capability to make 1Hz adjustments greater than one second and leave it to the ground system to provide mission specific limits.

Command Mnemonic(s) \$sc\_\$cpu\_TIME\_Sub1HzSTCF

#### **Command Structure**

CFE TIME Sub1HZAdjustmentCmd t

#### **Command Verification**

Successful execution of this command may be verified with the following telemetry: Successful execution of this command may be verified with the following telemetry:

- \$sc\_\$cpu\_TIME\_CMDPC command execution counter will increment
- \$sc\_\$cpu\_TIME\_STCFSecs Housekeeping Telemetry point indicating new STCF seconds value
- \$sc\_\$cpu\_TIME\_STCFSubsecs Housekeeping Telemetry point indicating new STCF subseconds value
- The CFE TIME 1HZ EID informational event message will be generated

#### **Error Conditions**

Platform receiving the command is not a Time Server

Evidence of Failure may be found in the following telemetry:

- \$sc\_\$cpu\_TIME\_CMDEC command error counter will increment
- Error specific event message will be issued (CFE\_TIME\_1HZ\_CFG\_EID)

#### Criticality

Inappropriately setting the clock may result in other sub-systems performing incorrect time based calculations. The specific risk is dependent upon the behavior of those sub-systems.

#### See also

CFE TIME ADD ADJUST CC, CFE TIME SUB ADJUST CC, CFE TIME ADD 1HZ ADJUSTMENT CC

Definition at line 662 of file cfe\_time\_msg.h.

38.57.2.15 CFE\_TIME\_SUB\_ADJUST\_CC

#define CFE\_TIME\_SUB\_ADJUST\_CC 12 /\* subtract one time STCF adjustment \*/

Name Subtract Delta from Spacecraft Time Correlation Factor

# Description

This command adjusts the Spacecraft Time Correlation Factor (STCF) by subtracting the specified value. The new STCF takes effect immediately upon execution of this command.

# Command Mnemonic(s) \$sc\_\$cpu\_TIME\_SubSTCFAdj

#### **Command Structure**

```
CFE_TIME_SubAdjustCmd_t
```

#### **Command Verification**

Successful execution of this command may be verified with the following telemetry:

- \$sc\_\$cpu\_TIME\_CMDPC command execution counter will increment
- \$sc\_\$cpu\_TIME\_STCFSecs Housekeeping Telemetry point indicating new STCF seconds value
- \$sc\_\$cpu\_TIME\_STCFSubsecs Housekeeping Telemetry point indicating new STCF subseconds value
- The CFE TIME DELTA EID informational event message will be generated

#### **Error Conditions**

- An invalid number of microseconds was specified (must be less than 1 million)
- · Platform receiving the command is not a Time Server

Evidence of Failure may be found in the following telemetry:

- \$sc\_\$cpu\_TIME\_CMDEC command error counter will increment
- Error specific event messages will be issued (CFE\_TIME\_DELTA\_ERR\_EID or CFE\_TIME\_DELTA\_CFG\_ ← EID)

## Criticality

Inappropriately setting the clock may result in other sub-systems performing incorrect time based calculations. The specific risk is dependent upon the behavior of those sub-systems.

## See also

```
{\sf CFE\_TIME\_ADD\_ADJUST\_CC}, {\sf CFE\_TIME\_ADD\_1HZ\_ADJUSTMENT\_CC}, {\sf CFE\_TIME\_SUB\_1HZ\_ADJUST} {\hookleftarrow} {\sf MENT\_CC}
```

Definition at line 568 of file cfe\_time\_msg.h.

```
38.57.2.16 CFE TIME SUB DELAY CC
```

```
\#define CFE_TIME_SUB_DELAY_CC 6 /* sub tone delay value */
```

Name Subtract Time from Tone Time Delay

#### Description

This command is used to factor out a known, predictable latency between the Time Server and a particular Time Client. The correction is applied (subtracted) to the current time calculation for Time Clients, so this command has no meaning for Time Servers. Each Time Client can have a unique latency setting. The latency value is a positive number of seconds and microseconds that represent the deviation from the time maintained by the Time Server.

Note that it is unimaginable that the seconds value will ever be anything but zero.

Command Mnemonic(s) \$sc\_\$cpu\_TIME\_SubClockLat

#### **Command Structure**

CFE\_TIME\_SubDelayCmd\_t

#### **Command Verification**

Successful execution of this command may be verified with the following telemetry:

- \$sc\_\$cpu\_TIME\_CMDPC command execution counter will increment
- \$sc\_\$cpu\_TIME\_DLatentS, \$sc\_\$cpu\_TIME\_DLatentSs Housekeeping Telemetry point indicating command specified values
- \$sc\_\$cpu\_TIME\_DLatentDir Diagnostic Telemetry point indicating commanded latency direction
- The CFE\_TIME\_DELAY\_EID informational event message will be generated

#### **Error Conditions**

- An invalid number of microseconds was specified (must be less than 1 million)
- · Platform receiving the command is not a Time Client

Evidence of Failure may be found in the following telemetry:

- \$sc\_\$cpu\_TIME\_CMDEC command error counter will increment
- Error specific event messages will be issued (CFE\_TIME\_DELAY\_CFG\_EID or CFE\_TIME\_DELAY\_ERR ← EID)

## Criticality

Inappropriately setting the clock may result in other sub-systems performing incorrect time based calculations. The specific risk is dependent upon the behavior of those sub-systems.

See also

CFE\_TIME\_ADD\_DELAY\_CC

Definition at line 341 of file cfe\_time\_msg.h.

38.57.3 Typedef Documentation

```
38.57.3.1 CFE_TIME_1HzCmd_t
typedef CFE_TIME_NoArgsCmd_t CFE_TIME_1HzCmd_t
Definition at line 745 of file cfe_time_msg.h.
38.57.3.2 CFE_TIME_Add1HZAdjustmentCmd_t
typedef CFE_TIME_OneHzAdjustmentCmd_t CFE_TIME_Add1HZAdjustmentCmd_t
Definition at line 880 of file cfe_time_msg.h.
38.57.3.3 CFE_TIME_AddAdjustCmd_t
typedef CFE_TIME_TimeCmd_t CFE_TIME_AddAdjustCmd_t
Definition at line 852 of file cfe_time_msg.h.
38.57.3.4 CFE_TIME_AddDelayCmd_t
typedef CFE_TIME_TimeCmd_t CFE_TIME_AddDelayCmd_t
Definition at line 848 of file cfe_time_msg.h.
38.57.3.5 CFE_TIME_DiagnosticTIm_Payload_t
typedef struct CFE_TIME_DiagnosticTlm_Payload CFE_TIME_DiagnosticTlm_Payload_t
Name Time Services Diagnostics Packet
38.57.3.6 CFE_TIME_DiagnosticTIm_t
typedef struct CFE_TIME_DiagnosticTlm CFE_TIME_DiagnosticTlm_t
```

```
38.57.3.7 CFE_TIME_FakeToneCmd_t
typedef CFE_TIME_NoArgsCmd_t CFE_TIME_FakeToneCmd_t
Definition at line 747 of file cfe_time_msg.h.
38.57.3.8 CFE_TIME_HousekeepingTlm_Payload_t
typedef struct CFE_TIME_HousekeepingTlm_Payload CFE_TIME_HousekeepingTlm_Payload_t
Name Time Services Housekeeping Packet
38.57.3.9 CFE_TIME_HousekeepingTIm_t
{\tt typedef\ struct\ CFE\_TIME\_HousekeepingTlm\ CFE\_TIME\_HousekeepingTlm\_t}
38.57.3.10 CFE_TIME_LeapsCmd_Payload_t
typedef struct CFE_TIME_LeapsCmd_Payload CFE_TIME_LeapsCmd_Payload_t
Set leap seconds command payload.
38.57.3.11 CFE_TIME_NoArgsCmd_t
typedef struct CFE_TIME_NoArgsCmd CFE_TIME_NoArgsCmd_t
Generic no argument command.
38.57.3.12 CFE_TIME_NoopCmd_t
typedef CFE_TIME_NoArgsCmd_t CFE_TIME_NoopCmd_t
Definition at line 742 of file cfe_time_msg.h.
```

```
38.57.3.13 CFE_TIME_OneHzAdjustmentCmd_Payload_t
typedef struct CFE_TIME_OneHzAdjustmentCmd_Payload CFE_TIME_OneHzAdjustmentCmd_Payload_t
Generic seconds, subseconds command payload.
38.57.3.14 CFE TIME OneHzAdjustmentCmd t
typedef struct CFE_TIME_OneHzAdjustmentCmd CFE_TIME_OneHzAdjustmentCmd_t
Generic seconds, subseconds adjustment command.
38.57.3.15 CFE_TIME_ResetCountersCmd_t
typedef CFE_TIME_NoArgsCmd_t CFE_TIME_ResetCountersCmd_t
Definition at line 743 of file cfe_time_msg.h.
38.57.3.16 CFE_TIME_SendDiagnosticCmd_t
typedef CFE_TIME_NoArgsCmd_t CFE_TIME_SendDiagnosticCmd_t
Definition at line 744 of file cfe time msg.h.
38.57.3.17 CFE_TIME_SetLeapSecondsCmd_t
typedef struct CFE_TIME_SetLeapSecondsCmd CFE_TIME_SetLeapSecondsCmd_t
Set leap seconds command.
38.57.3.18 CFE_TIME_SetMETCmd_t
typedef CFE_TIME_TimeCmd_t CFE_TIME_SetMETCmd_t
Definition at line 850 of file cfe_time_msg.h.
```

```
38.57.3.19 CFE_TIME_SetSignalCmd_t
typedef struct CFE_TIME_SetSignalCmd CFE_TIME_SetSignalCmd_t
Set tone signal source command.
38.57.3.20 CFE_TIME_SetSourceCmd_t
typedef struct CFE_TIME_SetSourceCmd CFE_TIME_SetSourceCmd_t
Set time data source command.
38.57.3.21 CFE_TIME_SetStateCmd_t
typedef struct CFE_TIME_SetStateCmd CFE_TIME_SetStateCmd_t
Set clock state command.
38.57.3.22 CFE_TIME_SetSTCFCmd_t
typedef CFE_TIME_TimeCmd_t CFE_TIME_SetSTCFCmd_t
Definition at line 851 of file cfe time msg.h.
38.57.3.23 CFE_TIME_SetTimeCmd_t
typedef CFE_TIME_TimeCmd_t CFE_TIME_SetTimeCmd_t
Definition at line 854 of file cfe_time_msg.h.
38.57.3.24 CFE_TIME_SignalCmd_Payload_t
typedef struct CFE_TIME_SignalCmd_Payload CFE_TIME_SignalCmd_Payload_t
Set tone signal source command payload.
```

```
38.57.3.25 CFE_TIME_SourceCmd_Payload_t
typedef struct CFE_TIME_SourceCmd_Payload CFE_TIME_SourceCmd_Payload_t
Set time data source command payload.
38.57.3.26 CFE_TIME_StateCmd_Payload_t
typedef struct CFE_TIME_StateCmd_Payload CFE_TIME_StateCmd_Payload_t
Set clock state command payload.
38.57.3.27 CFE_TIME_Sub1HZAdjustmentCmd_t
typedef CFE_TIME_OneHzAdjustmentCmd_t CFE_TIME_Sub1HZAdjustmentCmd_t
Definition at line 881 of file cfe_time_msg.h.
38.57.3.28 CFE_TIME_SubAdjustCmd_t
typedef CFE_TIME_TimeCmd_t CFE_TIME_SubAdjustCmd_t
Definition at line 853 of file cfe time msg.h.
38.57.3.29 CFE_TIME_SubDelayCmd_t
typedef CFE_TIME_TimeCmd_t CFE_TIME_SubDelayCmd_t
Definition at line 849 of file cfe time msg.h.
38.57.3.30 CFE_TIME_TimeCmd_Payload_t
typedef struct CFE_TIME_TimeCmd_Payload CFE_TIME_TimeCmd_Payload_t
Generic seconds, microseconds command payload.
```

```
38.57.3.31 CFE_TIME_TimeCmd_t
typedef struct CFE_TIME_TimeCmd CFE_TIME_TimeCmd_t
Generic seconds, microseconds argument command.
38.57.3.32 CFE_TIME_ToneDataCmd_Payload_t
typedef struct CFE_TIME_ToneDataCmd_Payload CFE_TIME_ToneDataCmd_Payload_t
Time at tone data command payload.
38.57.3.33 CFE TIME ToneDataCmd t
typedef struct CFE_TIME_ToneDataCmd CFE_TIME_ToneDataCmd_t
Time at tone data command.
38.57.3.34 CFE_TIME_ToneSignalCmd_t
typedef CFE_TIME_NoArgsCmd_t CFE_TIME_ToneSignalCmd_t
Definition at line 746 of file cfe_time_msg.h.
38.58
      osal/src/os/inc/common_types.h File Reference
#include <stdint.h>
#include <stddef.h>
#include <stdbool.h>
```

#### **Macros**

- #define CompileTimeAssert(Condition, Message) typedef char Message[(Condition) ? 1 : -1]
- #define EXTENSION
- #define OS USED
- #define OS\_PRINTF(n, m)
- #define OSAL\_SIZE\_C(X) ((size\_t)(X))
- #define OSAL\_BLOCKCOUNT\_C(X) ((osal\_blockcount\_t)(X))
- #define OSAL\_INDEX\_C(X) ((osal\_index\_t)(X))
- #define OSAL\_OBJTYPE\_C(X) ((osal\_objtype\_t)(X))
- #define OSAL\_STATUS\_C(X) ((osal\_status\_t)(X))

## **Typedefs**

- typedef int8 t int8
- typedef int16 t int16
- typedef int32\_t int32
- typedef int64\_t int64
- typedef uint8\_t uint8
- typedef uint16\_t uint16
- typedef uint32\_t uint32
- typedef uint64 t uint64
- typedef intptr t intptr
- typedef uintptr t cpuaddr
- typedef size\_t cpusize
- · typedef ptrdiff t cpudiff
- typedef uint32\_t osal\_id\_t
- typedef size t osal blockcount t
- typedef uint32 osal index t
- · typedef uint32 osal\_objtype\_t
- typedef int32 osal\_status\_t
- typedef void(\* OS\_ArgCallback\_t) (osal\_id\_t object\_id, void \*arg)

General purpose OSAL callback function.

#### **Functions**

- CompileTimeAssert (sizeof(uint8)==1, TypeUint8WrongSize)
- CompileTimeAssert (sizeof(uint16)==2, TypeUint16WrongSize)
- CompileTimeAssert (sizeof(uint32)==4, TypeUint32WrongSize)
- CompileTimeAssert (sizeof(uint64)==8, TypeUint64WrongSize)
- CompileTimeAssert (sizeof(int8)==1, Typeint8WrongSize)
- CompileTimeAssert (sizeof(int16)==2, Typeint16WrongSize)
- CompileTimeAssert (sizeof(int32)==4, Typeint32WrongSize)
- CompileTimeAssert (sizeof(int64)==8, Typeint64WrongSize)
- CompileTimeAssert (sizeof(cpuaddr) >=sizeof(void \*), TypePtrWrongSize)

# 38.58.1 Detailed Description

Purpose: Unit specification for common types.

Design Notes: Assumes make file has defined processor family

38.58.2 Macro Definition Documentation

```
38.58.2.1 _EXTENSION_
```

```
#define _EXTENSION_
```

Definition at line 67 of file common\_types.h.

## 38.58.2.2 CompileTimeAssert

Definition at line 50 of file common\_types.h.

#### 38.58.2.3 OS\_PRINTF

```
#define OS_PRINTF( n_{\star} m )
```

Definition at line 69 of file common\_types.h.

# 38.58.2.4 OS\_USED

```
#define OS_USED
```

Definition at line 68 of file common\_types.h.

# 38.58.2.5 OSAL\_BLOCKCOUNT\_C

Definition at line 160 of file common\_types.h.

## 38.58.2.6 OSAL\_INDEX\_C

Definition at line 161 of file common\_types.h.

# 38.58.2.7 OSAL\_OBJTYPE\_C

Definition at line 162 of file common\_types.h.

# 38.58.2.8 OSAL\_SIZE\_C

Definition at line 159 of file common\_types.h.

# 38.58.2.9 OSAL\_STATUS\_C

Definition at line 163 of file common\_types.h.

38.58.3 Typedef Documentation

# 38.58.3.1 cpuaddr

```
typedef uintptr_t cpuaddr
```

Definition at line 90 of file common\_types.h.

# 38.58.3.2 cpudiff

```
typedef ptrdiff_t cpudiff
```

Definition at line 92 of file common\_types.h.

```
38.58.3.3 cpusize
typedef size_t cpusize
Definition at line 91 of file common_types.h.
38.58.3.4 int16
typedef int16_t int16
Definition at line 82 of file common_types.h.
38.58.3.5 int32
typedef int32_t int32
Definition at line 83 of file common_types.h.
38.58.3.6 int64
typedef int64_t int64
Definition at line 84 of file common_types.h.
38.58.3.7 int8
typedef int8_t int8
Definition at line 81 of file common_types.h.
38.58.3.8 intptr
typedef intptr_t intptr
```

Definition at line 89 of file common\_types.h.

```
38.58.3.9 OS_ArgCallback_t

typedef void(* OS_ArgCallback_t) (osal_id_t object_id, void *arg)
```

General purpose OSAL callback function.

This may be used by multiple APIS

Definition at line 131 of file common\_types.h.

```
38.58.3.10 osal_blockcount_t
typedef size_t osal_blockcount_t
```

A type used to represent a number of blocks or buffers

This is used with file system and queue implementations.

Definition at line 104 of file common\_types.h.

```
38.58.3.11 osal_id_t
typedef uint32_t osal_id_t
```

A type to be used for OSAL resource identifiers.

Definition at line 97 of file common types.h.

```
38.58.3.12 osal_index_t
typedef uint32 osal_index_t
```

A type used to represent an index into a table structure

This is used when referring directly to a table index as opposed to an object ID. It is primarily intended for internal use, but is also output from public APIs such as OS\_ObjectIdToArrayIndex().

Definition at line 114 of file common\_types.h.

```
38.58.3.13 osal_objtype_t
typedef uint32 osal_objtype_t
A type used to represent the runtime type or category of an OSAL object
Definition at line 119 of file common_types.h.
38.58.3.14 osal_status_t
typedef int32 osal_status_t
The preferred type to represent OSAL status codes defined in osapi-error.h
Definition at line 124 of file common_types.h.
38.58.3.15 uint16
typedef uint16_t uint16
Definition at line 86 of file common_types.h.
38.58.3.16 uint32
typedef uint32_t uint32
Definition at line 87 of file common_types.h.
38.58.3.17 uint64
typedef uint64_t uint64
Definition at line 88 of file common_types.h.
38.58.3.18 uint8
typedef uint8_t uint8
```

Definition at line 85 of file common\_types.h.

# 38.58.4 Function Documentation

```
38.58.4.1 CompileTimeAssert() [1/9]
CompileTimeAssert (
             sizeof(uint8) = =1,
             TypeUint8WrongSize )
38.58.4.2 CompileTimeAssert() [2/9]
CompileTimeAssert (
             sizeof(uint16) = =2,
             TypeUint16WrongSize )
38.58.4.3 CompileTimeAssert() [3/9]
CompileTimeAssert (
             sizeof(uint32) = =4,
             TypeUint32WrongSize )
38.58.4.4 CompileTimeAssert() [4/9]
CompileTimeAssert (
             sizeof(uint64) = =8,
             TypeUint64WrongSize )
38.58.4.5 CompileTimeAssert() [5/9]
CompileTimeAssert (
             sizeof(int8) = =1,
             Typeint8WrongSize )
38.58.4.6 CompileTimeAssert() [6/9]
CompileTimeAssert (
             sizeof(int16) = =2,
             Typeint16WrongSize )
```

```
38.58.4.7 CompileTimeAssert() [7/9]
CompileTimeAssert (
             sizeof(int32) = =4,
             Typeint32WrongSize )
38.58.4.8 CompileTimeAssert() [8/9]
CompileTimeAssert (
             sizeof(int64) = =8,
             Typeint64WrongSize )
38.58.4.9 CompileTimeAssert() [9/9]
CompileTimeAssert (
             sizeof(cpuaddr) >=sizeof(void *) ,
             TypePtrWrongSize )
       osal/src/os/inc/osapi-binsem.h File Reference
```

```
#include "osconfig.h"
#include "common_types.h"
```

## **Data Structures**

• struct OS\_bin\_sem\_prop\_t OSAL binary semaphore properties.

#### **Macros**

• #define OS\_SEM\_FULL 1 Semaphore full state. • #define OS\_SEM\_EMPTY 0 Semaphore empty state.

#### **Functions**

• int32 OS\_BinSemCreate (osal\_id\_t \*sem\_id, const char \*sem\_name, uint32 sem\_initial\_value, uint32 options)

Creates a binary semaphore.

• int32 OS BinSemFlush (osal id t sem id)

Unblock all tasks pending on the specified semaphore.

• int32 OS\_BinSemGive (osal\_id\_t sem\_id)

Increment the semaphore value.

int32 OS\_BinSemTake (osal\_id\_t sem\_id)

Decrement the semaphore value.

int32 OS\_BinSemTimedWait (osal\_id\_t sem\_id, uint32 msecs)

Decrement the semaphore value with a timeout.

int32 OS\_BinSemDelete (osal\_id\_t sem\_id)

Deletes the specified Binary Semaphore.

int32 OS\_BinSemGetIdByName (osal\_id\_t \*sem\_id, const char \*sem\_name)

Find an existing semaphore ID by name.

• int32 OS\_BinSemGetInfo (osal\_id\_t sem\_id, OS\_bin\_sem\_prop\_t \*bin\_prop)

Fill a property object buffer with details regarding the resource.

#### 38.59.1 Detailed Description

Declarations and prototypes for binary semaphores

## 38.60 osal/src/os/inc/osapi-bsp.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
```

## **Functions**

- void OS\_BSP\_SetResourceTypeConfig (uint32 ResourceType, uint32 ConfigOptionValue)
- uint32 OS\_BSP\_GetResourceTypeConfig (uint32 ResourceType)
- uint32 OS\_BSP\_GetArgC (void)
- char \*const \* OS\_BSP\_GetArgV (void)
- void OS\_BSP\_SetExitCode (int32 code)

## 38.60.1 Detailed Description

Declarations and prototypes for OSAL BSP

# 38.61 osal/src/os/inc/osapi-clock.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
```

#### **Data Structures**

• struct OS time t

OSAL time interval structure.

#### **Enumerations**

enum { OS\_TIME\_TICK\_RESOLUTION\_NS = 100, OS\_TIME\_TICKS\_PER\_SECOND = 1000000000 / OS\_TI

 ME\_TICK\_RESOLUTION\_NS, OS\_TIME\_TICKS\_PER\_MSEC = 1000000 / OS\_TIME\_TICK\_RESOLUTION\_
 NS, OS\_TIME\_TICKS\_PER\_USEC = 1000 / OS\_TIME\_TICK\_RESOLUTION\_NS }

Multipliers/divisors to convert ticks into standardized units.

#### **Functions**

int32 OS GetLocalTime (OS time t \*time struct)

Get the local time.

int32 OS SetLocalTime (const OS time t \*time struct)

Set the local time.

static int64 OS TimeGetTotalSeconds (OS time t tm)

Get interval from an OS\_time\_t object normalized to whole number of seconds.

static int64 OS\_TimeGetTotalMilliseconds (OS\_time\_t tm)

Get interval from an OS\_time\_t object normalized to millisecond units.

static int64 OS\_TimeGetTotalMicroseconds (OS\_time\_t tm)

Get interval from an OS\_time\_t object normalized to microsecond units.

static int64 OS\_TimeGetTotalNanoseconds (OS\_time\_t tm)

Get interval from an OS\_time\_t object normalized to nanosecond units.

static int64 OS\_TimeGetFractionalPart (OS\_time\_t tm)

Get subseconds portion (fractional part only) from an OS\_time\_t object.

static uint32 OS\_TimeGetSubsecondsPart (OS\_time\_t tm)

Get 32-bit normalized subseconds (fractional part only) from an OS\_time\_t object.

static uint32 OS TimeGetMillisecondsPart (OS time t tm)

Get milliseconds portion (fractional part only) from an OS time t object.

static uint32 OS TimeGetMicrosecondsPart (OS time t tm)

Get microseconds portion (fractional part only) from an  $OS\_time\_t$  object.

static uint32 OS\_TimeGetNanosecondsPart (OS\_time\_t tm)

Get nanoseconds portion (fractional part only) from an OS\_time\_t object.

static OS time t OS TimeAssembleFromNanoseconds (int64 seconds, uint32 nanoseconds)

Assemble/Convert a number of seconds + nanoseconds into an OS\_time\_t interval.

static OS time t OS TimeAssembleFromMicroseconds (int64 seconds, uint32 microseconds)

Assemble/Convert a number of seconds + microseconds into an OS\_time\_t interval.

• static OS\_time\_t OS\_TimeAssembleFromMilliseconds (int64 seconds, uint32 milliseconds)

Assemble/Convert a number of seconds + milliseconds into an OS\_time\_t interval.

static OS time t OS TimeAssembleFromSubseconds (int64 seconds, uint32 subseconds)

Assemble/Convert a number of seconds + subseconds into an OS\_time\_t interval.

static OS\_time\_t OS\_TimeAdd (OS\_time\_t time1, OS\_time\_t time2)

Computes the sum of two time intervals.

• static OS\_time\_t OS\_TimeSubtract (OS\_time\_t time1, OS\_time\_t time2)

Computes the difference between two time intervals.

#### 38.61.1 Detailed Description

Declarations and prototypes for osapi-clock module

38.61.2 Enumeration Type Documentation

#### 38.61.2.1 anonymous enum

anonymous enum

Multipliers/divisors to convert ticks into standardized units.

Various fixed conversion factor constants used by the conversion routines

A 100ns tick time allows max intervals of about +/- 14000 years in a 64-bit signed integer value.

#### Note

Applications should not directly use these values, but rather use conversion routines below to obtain standardized units (seconds/microseconds/etc).

#### **Enumerator**

OS_TIME_TICK_RESOLUTION_NS	
OS_TIME_TICKS_PER_SECOND	
OS_TIME_TICKS_PER_MSEC	
OS_TIME_TICKS_PER_USEC	

Definition at line 63 of file osapi-clock.h.

# 38.62 osal/src/os/inc/osapi-common.h File Reference

#include "osconfig.h"

```
#include "common_types.h"
```

#### **Typedefs**

• typedef int32(\* OS\_EventHandler\_t) (OS\_Event\_t event, osal\_id\_t object\_id, void \*data)

A callback routine for event handling.

#### **Enumerations**

```
    enum OS_Event_t {
        OS_EVENT_RESERVED = 0, OS_EVENT_RESOURCE_ALLOCATED, OS_EVENT_RESOURCE_CREATED,
        OS_EVENT_RESOURCE_DELETED,
        OS_EVENT_TASK_STARTUP, OS_EVENT_MAX }
```

A set of events that can be used with BSP event callback routines.

#### **Functions**

void OS\_Application\_Startup (void)

Application startup.

void OS\_Application\_Run (void)

Application run.

• int32 OS\_API\_Init (void)

Initialization of API.

void OS\_API\_Teardown (void)

Teardown/de-initialization of OSAL API.

void OS\_IdleLoop (void)

Background thread implementation - waits forever for events to occur.

void OS\_DeleteAllObjects (void)

delete all resources created in OSAL.

void OS\_ApplicationShutdown (uint8 flag)

Initiate orderly shutdown.

void OS\_ApplicationExit (int32 Status)

Exit/Abort the application.

int32 OS\_RegisterEventHandler (OS\_EventHandler\_t handler)

Callback routine registration.

## 38.62.1 Detailed Description

Declarations and prototypes for general OSAL functions that are not part of a subsystem

38.62.2 Typedef Documentation

```
38.62.2.1 OS_EventHandler_t
```

```
typedef int32(* OS_EventHandler_t) (OS_Event_t event, osal_id_t object_id, void *data)
```

A callback routine for event handling.

# **Parameters**

in	event	The event that occurred	
in	object⊷	The associated object_id, or 0 if not associated with an object	
	_id		
in,out	data	An abstract data/context object associated with the event, or NULL.	

# Returns

status Execution status, see OSAL Return Code Defines.

Definition at line 100 of file osapi-common.h.

38.62.3 Enumeration Type Documentation

38.62.3.1 OS\_Event\_t

enum OS\_Event\_t

A set of events that can be used with BSP event callback routines.

## Enumerator

OS_EVENT_RESOURCE_ALLOCATED  OS_EVENT_RESOURCE_ALLOCATED  Tresource/id has been newly allocated but not yet created. This event is invoked from WITHIN the locked region, in the context of the task which is allocating the resource. If the handler returns non-success, the error will be returned to the caller and the creation process is aborted.  OS_EVENT_RESOURCE_CREATED  Tresource/id has been fully created/finalized.  Invoked outside locked region, in the context of the task which created the resource.  Data object is not used, passed as NULL.  Return value is ignored - this is for information purposes only.  OS_EVENT_RESOURCE_DELETED  Tresource/id has been deleted.  Invoked outside locked region, in the context of the task which deleted the resource.  Data object is not used, passed as NULL.  Return value is ignored - this is for information purposes only.  OS_EVENT_TASK_STARTUP  New task is starting.  Invoked outside locked region, in the context of the task which is currently starting, before the entry point is called.  Data object is not used, passed as NULL.  If the handler returns non-success, task startup is aborted and the entry point is not called.  OS_EVENT_MAX  Placeholder for end of enum, not used		
This event is invoked from WITHIN the locked region, in the context of the task which is allocating the resource. If the handler returns non-success, the error will be returned to the caller and the creation process is aborted.  OS_EVENT_RESOURCE_CREATED  resource/id has been fully created/finalized. Invoked outside locked region, in the context of the task which created the resource.  Data object is not used, passed as NULL. Return value is ignored - this is for information purposes only.  OS_EVENT_RESOURCE_DELETED  resource/id has been deleted. Invoked outside locked region, in the context of the task which deleted the resource.  Data object is not used, passed as NULL. Return value is ignored - this is for information purposes only.  OS_EVENT_TASK_STARTUP  New task is starting. Invoked outside locked region, in the context of the task which is currently starting, before the entry point is called.  Data object is not used, passed as NULL. If the handler returns non-success, task startup is aborted and the entry point is not called.	OS_EVENT_RESERVED	no-op/reserved event id value
Invoked outside locked region, in the context of the task which created the resource.  Data object is not used, passed as NULL. Return value is ignored - this is for information purposes only.  OS_EVENT_RESOURCE_DELETED  resource/id has been deleted. Invoked outside locked region, in the context of the task which deleted the resource. Data object is not used, passed as NULL. Return value is ignored - this is for information purposes only.  OS_EVENT_TASK_STARTUP  New task is starting. Invoked outside locked region, in the context of the task which is currently starting, before the entry point is called. Data object is not used, passed as NULL. If the handler returns non-success, task startup is aborted and the entry point is not called.	OS_EVENT_RESOURCE_ALLOCATED	This event is invoked from WITHIN the locked region, in the context of the task which is allocating the resource.  If the handler returns non-success, the error will be returned to the
Invoked outside locked region, in the context of the task which deleted the resource.  Data object is not used, passed as NULL. Return value is ignored - this is for information purposes only.  OS_EVENT_TASK_STARTUP  New task is starting. Invoked outside locked region, in the context of the task which is currently starting, before the entry point is called.  Data object is not used, passed as NULL. If the handler returns non-success, task startup is aborted and the entry point is not called.	OS_EVENT_RESOURCE_CREATED	Invoked outside locked region, in the context of the task which created the resource.  Data object is not used, passed as NULL.
Invoked outside locked region, in the context of the task which is currently starting, before the entry point is called.  Data object is not used, passed as NULL.  If the handler returns non-success, task startup is aborted and the entry point is not called.	OS_EVENT_RESOURCE_DELETED	Invoked outside locked region, in the context of the task which deleted the resource.  Data object is not used, passed as NULL.
OS_EVENT_MAX placeholder for end of enum, not used	OS_EVENT_TASK_STARTUP	Invoked outside locked region, in the context of the task which is currently starting, before the entry point is called.  Data object is not used, passed as NULL.  If the handler returns non-success, task startup is aborted and the
	OS_EVENT_MAX	placeholder for end of enum, not used

Definition at line 36 of file osapi-common.h.

# 38.63 osal/src/os/inc/osapi-constants.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
```

#### Macros

- #define OS\_PEND (-1)
- #define OS CHECK (0)
- #define OS\_OBJECT\_ID\_UNDEFINED ((osal\_id\_t) {0})

Initializer for the osal\_id\_t type which will not match any valid value.

• #define OS\_OBJECT\_CREATOR\_ANY OS\_OBJECT\_ID\_UNDEFINED

Constant that may be passed to OS\_ForEachObject()/OS\_ForEachObjectOfType() to match any creator (i.e. get all objects)

#define OS\_MAX\_LOCAL\_PATH\_LEN (OS\_MAX\_PATH\_LEN + OS\_FS\_PHYS\_NAME\_LEN)

Maximum length of a local/native path name string.

## 38.63.1 Detailed Description

General constants for OSAL that are shared across subsystems

38.63.2 Macro Definition Documentation

```
38.63.2.1 OS_CHECK
```

```
#define OS_CHECK (0)
```

Definition at line 37 of file osapi-constants.h.

```
38.63.2.2 OS_MAX_LOCAL_PATH_LEN
```

```
#define OS_MAX_LOCAL_PATH_LEN (OS_MAX_PATH_LEN + OS_FS_PHYS_NAME_LEN)
```

Maximum length of a local/native path name string.

This is a concatenation of the OSAL virtual path with the system mount point or device name

Definition at line 56 of file osapi-constants.h.

```
38.63.2.3 OS_OBJECT_CREATOR_ANY
```

```
#define OS_OBJECT_CREATOR_ANY OS_OBJECT_ID_UNDEFINED
```

Constant that may be passed to OS\_ForEachObject()/OS\_ForEachObjectOfType() to match any creator (i.e. get all objects)

Definition at line 48 of file osapi-constants.h.

## 38.63.2.4 OS\_OBJECT\_ID\_UNDEFINED

```
#define OS_OBJECT_ID_UNDEFINED ((osal_id_t) {0})
```

Initializer for the osal\_id\_t type which will not match any valid value.

Definition at line 42 of file osapi-constants.h.

# 38.63.2.5 OS\_PEND

```
#define OS_PEND (-1)
```

Definition at line 36 of file osapi-constants.h.

## 38.64 osal/src/os/inc/osapi-countsem.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
```

#### **Data Structures**

• struct OS\_count\_sem\_prop\_t

OSAL counting semaphore properties.

## **Functions**

- int32 OS\_CountSemCreate (osal\_id\_t \*sem\_id, const char \*sem\_name, uint32 sem\_initial\_value, uint32 options)

  Creates a counting semaphore.
- int32 OS\_CountSemGive (osal\_id\_t sem\_id)

Increment the semaphore value.

int32 OS\_CountSemTake (osal\_id\_t sem\_id)

Decrement the semaphore value.

int32 OS\_CountSemTimedWait (osal\_id\_t sem\_id, uint32 msecs)

Decrement the semaphore value with timeout.

int32 OS\_CountSemDelete (osal\_id\_t sem\_id)

Deletes the specified counting Semaphore.

• int32 OS\_CountSemGetIdByName (osal\_id\_t \*sem\_id, const char \*sem\_name)

Find an existing semaphore ID by name.

int32 OS\_CountSemGetInfo (osal\_id\_t sem\_id, OS\_count\_sem\_prop\_t \*count\_prop)

Fill a property object buffer with details regarding the resource.

# 38.64.1 Detailed Description

Declarations and prototypes for counting semaphores

# 38.65 osal/src/os/inc/osapi-dir.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
```

#### **Data Structures**

struct os\_dirent\_t
 Directory entry.

#### **Macros**

#define OS\_DIRENTRY\_NAME(x) ((x).FileName)
 Access filename part of the dirent structure.

## **Functions**

int32 OS DirectoryOpen (osal id t \*dir id, const char \*path)

Opens a directory.

int32 OS\_DirectoryClose (osal\_id\_t dir\_id)

Closes an open directory.

• int32 OS DirectoryRewind (osal id t dir id)

Rewinds an open directory.

• int32 OS\_DirectoryRead (osal\_id\_t dir\_id, os\_dirent\_t \*dirent)

Reads the next name in the directory.

int32 OS mkdir (const char \*path, uint32 access)

Makes a new directory.

int32 OS\_rmdir (const char \*path)

Removes a directory from the file system.

## 38.65.1 Detailed Description

Declarations and prototypes for directories

## 38.65.2 Macro Definition Documentation

```
38.65.2.1 OS_DIRENTRY_NAME
```

Access filename part of the dirent structure.

Definition at line 40 of file osapi-dir.h.

# 38.66 osal/src/os/inc/osapi-error.h File Reference

```
#include "common_types.h"
```

#### Macros

• #define OS\_ERROR\_NAME\_LENGTH 35

Error string name length.

• #define OS\_SUCCESS (0)

Successful execution.

• #define OS\_ERROR (-1)

Failed execution.

• #define OS\_INVALID\_POINTER (-2)

Invalid pointer.

#define OS\_ERROR\_ADDRESS\_MISALIGNED (-3)

Address misalignment.

#define OS\_ERROR\_TIMEOUT (-4)

Error timeout.

• #define OS INVALID INT NUM (-5)

Invalid Interrupt number.

• #define OS\_SEM\_FAILURE (-6)

Semaphore failure.

#define OS SEM TIMEOUT (-7)

Semaphore timeout.

#define OS\_QUEUE\_EMPTY (-8)

Queue empty.

#define OS\_QUEUE\_FULL (-9)

Queue full.

#define OS\_QUEUE\_TIMEOUT (-10)

Queue timeout.

#define OS\_QUEUE\_INVALID\_SIZE (-11)

Queue invalid size.

• #define OS\_QUEUE\_ID\_ERROR (-12)

Queue ID error.

#define OS\_ERR\_NAME\_TOO\_LONG (-13)

name length including null terminator greater than OS\_MAX\_API\_NAME

```
    #define OS_ERR_NO_FREE_IDS (-14)

     No free IDs.

    #define OS_ERR_NAME_TAKEN (-15)

     Name taken.

    #define OS_ERR_INVALID_ID (-16)

     Invalid ID.

    #define OS ERR NAME NOT FOUND (-17)

     Name not found.

    #define OS_ERR_SEM_NOT_FULL (-18)

     Semaphore not full.

    #define OS_ERR_INVALID_PRIORITY (-19)

     Invalid priority.

    #define OS INVALID SEM VALUE (-20)

     Invalid semaphore value.

    #define OS_ERR_FILE (-27)

     File error.

    #define OS ERR NOT IMPLEMENTED (-28)

     Not implemented.

    #define OS_TIMER_ERR_INVALID_ARGS (-29)

     Timer invalid arguments.

    #define OS_TIMER_ERR_TIMER_ID (-30)

     Timer ID error.

    #define OS_TIMER_ERR_UNAVAILABLE (-31)

     Timer unavailable.

    #define OS_TIMER_ERR_INTERNAL (-32)

     Timer internal error.

    #define OS_ERR_OBJECT_IN_USE (-33)

     Object in use.

    #define OS_ERR_BAD_ADDRESS (-34)

     Bad address.

    #define OS_ERR_INCORRECT_OBJ_STATE (-35)

     Incorrect object state.

    #define OS_ERR_INCORRECT_OBJ_TYPE (-36)

     Incorrect object type.

    #define OS ERR STREAM DISCONNECTED (-37)

     Stream disconnected.

    #define OS_ERR_OPERATION_NOT_SUPPORTED (-38)

     Requested operation not support on supplied object(s)

    #define OS ERR INVALID SIZE (-40)

     Invalid Size.

    #define OS_ERR_OUTPUT_TOO_LARGE (-41)

     Size of output exceeds limit.

    #define OS ERR INVALID ARGUMENT (-42)

     Invalid argument value (other than ID or size)

    #define OS_FS_ERR_PATH_TOO_LONG (-103)

     FS path too long.

    #define OS_FS_ERR_NAME_TOO_LONG (-104)
```

```
FS name too long.
```

• #define OS\_FS\_ERR\_DRIVE\_NOT\_CREATED (-106)

FS drive not created.

#define OS FS ERR DEVICE NOT FREE (-107)

FS device not free.

#define OS\_FS\_ERR\_PATH\_INVALID (-108)

FS path invalid.

## **Typedefs**

typedef char os\_err\_name\_t[OS\_ERROR\_NAME\_LENGTH]

For the OS\_GetErrorName() function, to ensure everyone is making an array of the same length.

#### **Functions**

static long OS\_StatusToInteger (osal\_status\_t Status)

Convert a status code to a native "long" type.

• int32 OS\_GetErrorName (int32 error\_num, os\_err\_name\_t \*err\_name)

Convert an error number to a string.

38.66.1 Detailed Description

OSAL error code definitions

38.66.2 Macro Definition Documentation

38.66.2.1 OS\_ERROR\_NAME\_LENGTH

#define OS\_ERROR\_NAME\_LENGTH 35

Error string name length.

The sizes of strings in OSAL functions are built with this limit in mind. Always check the uses of os\_err\_name\_t when changing this value.

Definition at line 37 of file osapi-error.h.

38.66.3 Typedef Documentation

```
38.66.3.1 os_err_name_t
typedef char os_err_name_t[OS_ERROR_NAME_LENGTH]
```

For the OS\_GetErrorName() function, to ensure everyone is making an array of the same length.

Implementation note for developers:

The sizes of strings in OSAL functions are built with this OS\_ERROR\_NAME\_LENGTH limit in mind. Always check the uses of os\_err\_name\_t when changing this value.

Definition at line 49 of file osapi-error.h.

# 38.67 osal/src/os/inc/osapi-file.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
#include "osapi-clock.h"
```

#### **Data Structures**

struct OS\_file\_prop\_t

OSAL file properties.

struct os\_fstat\_t

File system status.

#### **Macros**

- #define OS READ ONLY 0
- #define OS WRITE ONLY 1
- #define OS\_READ\_WRITE 2
- #define OS\_SEEK\_SET 0
- #define OS\_SEEK\_CUR 1
- #define OS\_SEEK\_END 2
- #define OS\_FILESTAT\_MODE(x) ((x).FileModeBits)

Access file stat mode bits.

#define OS\_FILESTAT\_ISDIR(x) ((x).FileModeBits & OS\_FILESTAT\_MODE\_DIR)

File stat is directory logical.

#define OS\_FILESTAT\_EXEC(x) ((x).FileModeBits & OS\_FILESTAT\_MODE\_EXEC)

File stat is executable logical.

#define OS\_FILESTAT\_WRITE(x) ((x).FileModeBits & OS\_FILESTAT\_MODE\_WRITE)

File stat is write enabled logical.

#define OS\_FILESTAT\_READ(x) ((x).FileModeBits & OS\_FILESTAT\_MODE\_READ)

File stat is read enabled logical.

#define OS\_FILESTAT\_SIZE(x) ((x).FileSize)

Access file stat size field.

#define OS\_FILESTAT\_TIME(x) (OS\_TimeGetTotalSeconds((x).FileTime))

Access file stat time field as a whole number of seconds.

#### **Enumerations**

enum { OS\_FILESTAT\_MODE\_EXEC = 0x00001, OS\_FILESTAT\_MODE\_WRITE = 0x00002, OS\_FILESTAT 
 — MODE\_READ = 0x00004, OS\_FILESTAT\_MODE\_DIR = 0x10000 }

File stat mode bits.

enum OS\_file\_flag\_t { OS\_FILE\_FLAG\_NONE = 0x00, OS\_FILE\_FLAG\_CREATE = 0x01, OS\_FILE\_FLAG\_T ← RUNCATE = 0x02 }

Flags that can be used with opening of a file (bitmask)

#### **Functions**

int32 OS\_OpenCreate (osal\_id\_t \*filedes, const char \*path, int32 flags, int32 access\_mode)

Open or create a file.

int32 OS close (osal id t filedes)

Closes an open file handle.

int32 OS\_read (osal\_id\_t filedes, void \*buffer, size\_t nbytes)

Read from a file handle.

int32 OS\_write (osal\_id\_t filedes, const void \*buffer, size\_t nbytes)

Write to a file handle.

• int32 OS\_TimedRead (osal\_id\_t filedes, void \*buffer, size\_t nbytes, int32 timeout)

File/Stream input read with a timeout.

int32 OS\_TimedWrite (osal\_id\_t filedes, const void \*buffer, size\_t nbytes, int32 timeout)

File/Stream output write with a timeout.

int32 OS chmod (const char \*path, uint32 access mode)

Changes the permissions of a file.

• int32 OS\_stat (const char \*path, os\_fstat\_t \*filestats)

Obtain information about a file or directory.

int32 OS\_lseek (osal\_id\_t filedes, int32 offset, uint32 whence)

Seeks to the specified position of an open file.

int32 OS remove (const char \*path)

Removes a file from the file system.

• int32 OS rename (const char \*old filename, const char \*new filename)

Renames a file.

• int32 OS\_cp (const char \*src, const char \*dest)

Copies a single file from src to dest.

int32 OS\_mv (const char \*src, const char \*dest)

Move a single file from src to dest.

int32 OS\_FDGetInfo (osal\_id\_t filedes, OS\_file\_prop\_t \*fd\_prop)

Obtain information about an open file.

int32 OS\_FileOpenCheck (const char \*Filename)

Checks to see if a file is open.

int32 OS\_CloseAllFiles (void)

Close all open files.

int32 OS\_CloseFileByName (const char \*Filename)

Close a file by filename.

# 38.67.1 Detailed Description

Declarations and prototypes for file objects

#### 38.67.2 Macro Definition Documentation

## 38.67.2.1 OS\_FILESTAT\_EXEC

```
#define OS_FILESTAT_EXEC( x \ ) \ ((x). \\ FileModeBits \& OS_FILESTAT\_MODE\_EXEC)
```

File stat is executable logical.

Definition at line 94 of file osapi-file.h.

## 38.67.2.2 OS\_FILESTAT\_ISDIR

```
#define OS_FILESTAT_ISDIR(  x \ ) \ ((x). \\ \mbox{FileModeBits \& OS_FILESTAT\_MODE\_DIR})
```

File stat is directory logical.

Definition at line 92 of file osapi-file.h.

#### 38.67.2.3 OS\_FILESTAT\_MODE

Access file stat mode bits.

Definition at line 90 of file osapi-file.h.

# 38.67.2.4 OS\_FILESTAT\_READ

File stat is read enabled logical.

Definition at line 98 of file osapi-file.h.

# 38.67.2.5 OS\_FILESTAT\_SIZE

Access file stat size field.

Definition at line 100 of file osapi-file.h.

## 38.67.2.6 OS\_FILESTAT\_TIME

Access file stat time field as a whole number of seconds.

Definition at line 102 of file osapi-file.h.

# 38.67.2.7 OS\_FILESTAT\_WRITE

```
#define OS_FILESTAT_WRITE(  x \ ) \ ((x). \\ FileModeBits \ \& \ OS_FILESTAT\_MODE\_WRITE)
```

File stat is write enabled logical.

Definition at line 96 of file osapi-file.h.

# 38.67.3 Enumeration Type Documentation

# 38.67.3.1 anonymous enum

anonymous enum

File stat mode bits.

We must also define replacements for the stat structure's mode bits. This is currently just a small subset since the OSAL just presents a very simplified view of the filesystem to the upper layers. And since not all OS'es are POSIX, the more POSIX-specific bits are not relevant anyway.

#### Enumerator

OS_FILESTAT_MODE_EXEC	
OS_FILESTAT_MODE_WRITE	
OS_FILESTAT_MODE_READ	
OS FILESTAT MODE DIR	

Definition at line 81 of file osapi-file.h.

```
38.67.3.2 OS_file_flag_t
enum OS_file_flag_t
```

Flags that can be used with opening of a file (bitmask)

#### Enumerator

OS_FILE_FLAG_NONE	
OS_FILE_FLAG_CREATE	
OS_FILE_FLAG_TRUNCATE	

Definition at line 107 of file osapi-file.h.

# 38.68 osal/src/os/inc/osapi-filesys.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
```

## **Data Structures**

- struct os\_fsinfo\_t
   OSAL file system info.
- struct OS\_statvfs\_t

## Macros

- #define OS\_CHK\_ONLY 0
- #define OS\_REPAIR 1

## **Functions**

- int32 OS\_FileSysAddFixedMap (osal\_id\_t \*filesys\_id, const char \*phys\_path, const char \*virt\_path)
  - Create a fixed mapping between an existing directory and a virtual OSAL mount point.
- int32 OS\_mkfs (char \*address, const char \*devname, const char \*volname, size\_t blocksize, osal\_blockcount\_t numblocks)

Makes a file system on the target.

• int32 OS mount (const char \*devname, const char \*mountpoint)

Mounts a file system.

 int32 OS\_initfs (char \*address, const char \*devname, const char \*volname, size\_t blocksize, osal\_blockcount\_t numblocks)

Initializes an existing file system.

int32 OS\_rmfs (const char \*devname)

Removes a file system.

int32 OS unmount (const char \*mountpoint)

Unmounts a mounted file system.

int32 OS\_FileSysStatVolume (const char \*name, OS\_statvfs\_t \*statbuf)

Obtains information about size and free space in a volume.

• int32 OS\_chkfs (const char \*name, bool repair)

Checks the health of a file system and repairs it if necessary.

• int32 OS\_FS\_GetPhysDriveName (char \*PhysDriveName, const char \*MountPoint)

Obtains the physical drive name associated with a mount point.

• int32 OS\_TranslatePath (const char \*VirtualPath, char \*LocalPath)

Translates an OSAL Virtual file system path to a host Local path.

int32 OS\_GetFsInfo (os\_fsinfo\_t \*filesys\_info)

Returns information about the file system.

38.68.1 Detailed Description

Declarations and prototypes for file systems

38.68.2 Macro Definition Documentation

38.68.2.1 OS\_CHK\_ONLY

#define OS\_CHK\_ONLY 0

Unused, API takes bool

Definition at line 33 of file osapi-filesys.h.

38.68.2.2 OS\_REPAIR

#define OS\_REPAIR 1

Unused, API takes bool

Definition at line 34 of file osapi-filesys.h.

# 38.69 osal/src/os/inc/osapi-heap.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
```

#### **Data Structures**

struct OS\_heap\_prop\_t
 OSAL heap properties.

#### **Functions**

• int32 OS\_HeapGetInfo (OS\_heap\_prop\_t \*heap\_prop)

Return current info on the heap.

## 38.69.1 Detailed Description

Declarations and prototypes for heap functions

## 38.70 osal/src/os/inc/osapi-idmap.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
```

#### Macros

• #define OS\_OBJECT\_INDEX\_MASK 0xFFFF

Object index mask.

#define OS\_OBJECT\_TYPE\_SHIFT 16

Object type shift.

• #define OS\_OBJECT\_TYPE\_UNDEFINED 0x00

Object type undefined.

#define OS\_OBJECT\_TYPE\_OS\_TASK 0x01

Object task type.

• #define OS\_OBJECT\_TYPE\_OS\_QUEUE 0x02

Object queue type.

#define OS\_OBJECT\_TYPE\_OS\_COUNTSEM 0x03

Object counting semaphore type.

#define OS\_OBJECT\_TYPE\_OS\_BINSEM 0x04

Object binary semaphore type.

#define OS\_OBJECT\_TYPE\_OS\_MUTEX 0x05

Object mutex type.

#define OS\_OBJECT\_TYPE\_OS\_STREAM 0x06

Object stream type.

#define OS OBJECT TYPE OS DIR 0x07

Object directory type.

#define OS OBJECT TYPE OS TIMEBASE 0x08

Object timebase type.

#define OS\_OBJECT\_TYPE\_OS\_TIMECB 0x09

Object timer callback type.

#define OS OBJECT TYPE OS MODULE 0x0A

Object module type.

• #define OS\_OBJECT\_TYPE\_OS\_FILESYS 0x0B

Object file system type.

#define OS\_OBJECT\_TYPE\_OS\_CONSOLE 0x0C

Object console type.

#define OS\_OBJECT\_TYPE\_USER 0x10

Object user type.

#### **Functions**

static unsigned long OS ObjectIdToInteger (osal id t object id)

Obtain an integer value corresponding to an object ID.

• static osal\_id\_t OS\_ObjectIdFromInteger (unsigned long value)

Obtain an osal ID corresponding to an integer value.

static bool OS\_ObjectIdEqual (osal\_id\_t object\_id1, osal\_id\_t object\_id2)

Check two OSAL object ID values for equality.

static bool OS\_ObjectIdDefined (osal\_id\_t object\_id)

Check if an object ID is defined.

int32 OS\_GetResourceName (osal\_id\_t object\_id, char \*buffer, size\_t buffer\_size)

Obtain the name of an object given an arbitrary object ID.

osal\_objtype\_t OS\_IdentifyObject (osal\_id\_t object\_id)

Obtain the type of an object given an arbitrary object ID.

• int32 OS\_ConvertToArrayIndex (osal\_id\_t object\_id, osal\_index\_t \*ArrayIndex)

Converts an abstract ID into a number suitable for use as an array index.

int32 OS\_ObjectIdToArrayIndex (osal\_objtype\_t idtype, osal\_id\_t object\_id, osal\_index\_t \*ArrayIndex)

Converts an abstract ID into a number suitable for use as an array index.

void OS ForEachObject (osal id t creator id, OS ArgCallback t callback ptr, void \*callback arg)

call the supplied callback function for all valid object IDs

 void OS\_ForEachObjectOfType (osal\_objtype\_t objtype, osal\_id\_t creator\_id, OS\_ArgCallback\_t callback\_ptr, void \*callback\_arg)

call the supplied callback function for valid object IDs of a specific type

# 38.70.1 Detailed Description

Declarations and prototypes for object IDs

## 38.70.2 Macro Definition Documentation

#### 38.70.2.1 OS\_OBJECT\_INDEX\_MASK

```
#define OS_OBJECT_INDEX_MASK 0xFFFF
```

Object index mask.

Definition at line 34 of file osapi-idmap.h.

```
38.70.2.2 OS_OBJECT_TYPE_SHIFT
```

```
#define OS_OBJECT_TYPE_SHIFT 16
```

Object type shift.

Definition at line 35 of file osapi-idmap.h.

# 38.71 osal/src/os/inc/osapi-macros.h File Reference

```
#include <stdio.h>
#include <stdlib.h>
#include <string.h>
#include "osconfig.h"
#include "common_types.h"
#include "osapi-printf.h"
```

# Macros

- #define BUGREPORT(...) OS\_printf(\_\_VA\_ARGS\_\_)
- #define BUGCHECK(cond, errcode)

Basic Bug-Checking macro.

#define ARGCHECK(cond, errcode)

Generic argument checking macro for non-critical values.

#define LENGTHCHECK(str, len, errcode) ARGCHECK(memchr(str, "\0', len), errcode)
 String length limit check macro.

Macro definitions that are used across all OSAL subsystems

38.71.1 Detailed Description

#### 38.71.2 Macro Definition Documentation

#### 38.71.2.1 ARGCHECK

```
#define ARGCHECK(

cond,

errcode)
```

#### Value:

Generic argument checking macro for non-critical values.

This macro checks a conditional that is expected to be true, and return a value if it evaluates false.

ARGCHECK can be used to check for out of range or other invalid argument conditions which may (validly) occur at runtime and do not necessarily indicate bugs in the application.

These argument checks are NOT considered fatal errors. The application continues to run normally. This does not report the error on the console.

As such, ARGCHECK actions are always compiled in - not selectable at compile-time.

See also

**BUGCHECK** for checking critical values that indicate bugs

Definition at line 124 of file osapi-macros.h.

## 38.71.2.2 BUGCHECK

#### Value:

Basic Bug-Checking macro.

This macro checks a conditional, and if it is FALSE, then it generates a report - which may in turn contain additional actions.

BUGCHECK should only be used for conditions which are critical and must always be true. If such a condition is ever false then it indicates a bug in the application which must be resolved. It may or may not be possible to continue operation if a bugcheck fails.

See also

**ARGCHECK** for checking non-critical values

Definition at line 98 of file osapi-macros.h.

#### 38.71.2.3 BUGREPORT

Definition at line 81 of file osapi-macros.h.

#### 38.71.2.4 LENGTHCHECK

String length limit check macro.

This macro is a specialized version of ARGCHECK that confirms a string will fit into a buffer of the specified length, and return an error code if it will not.

Note

this uses ARGCHECK, thus treating a string too long as a normal runtime (i.e. non-bug) error condition with a typical error return to the caller.

Definition at line 139 of file osapi-macros.h.

# 38.72 osal/src/os/inc/osapi-module.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
```

#### **Data Structures**

• struct OS\_module\_address\_t

OSAL module address properties.

• struct OS\_module\_prop\_t

OSAL module properties.

• struct OS\_static\_symbol\_record\_t

Associates a single symbol name with a memory address.

#### Macros

#define OS\_MODULE\_FLAG\_GLOBAL\_SYMBOLS 0x00

Requests OS\_ModuleLoad() to add the symbols to the global symbol table.

• #define OS\_MODULE\_FLAG\_LOCAL\_SYMBOLS 0x01

Requests OS\_ModuleLoad() to keep the symbols local/private to this module.

## **Functions**

int32 OS\_SymbolLookup (cpuaddr \*symbol\_address, const char \*symbol\_name)

Find the Address of a Symbol.

- int32 OS\_ModuleSymbolLookup (osal\_id\_t module\_id, cpuaddr \*symbol\_address, const char \*symbol\_name)

  Find the Address of a Symbol within a module.
- int32 OS\_SymbolTableDump (const char \*filename, size\_t size\_limit)

Dumps the system symbol table to a file.

- int32 OS\_ModuleLoad (osal\_id\_t \*module\_id, const char \*module\_name, const char \*filename, uint32 flags)

  Loads an object file.
- int32 OS\_ModuleUnload (osal\_id\_t module\_id)

Unloads the module file.

int32 OS\_ModuleInfo (osal\_id\_t module\_id, OS\_module\_prop\_t \*module\_info)

Obtain information about a module.

#### 38.72.1 Detailed Description

Declarations and prototypes for module subsystem

38.72.2 Macro Definition Documentation

## 38.72.2.1 OS\_MODULE\_FLAG\_GLOBAL\_SYMBOLS

```
#define OS_MODULE_FLAG_GLOBAL_SYMBOLS 0x00
```

Requests OS\_ModuleLoad() to add the symbols to the global symbol table.

When supplied as the "flags" argument to OS\_ModuleLoad(), this indicates that the symbols in the loaded module should be added to the global symbol table. This will make symbols in this library available for use when resolving symbols in future module loads.

This is the default mode of operation for OS ModuleLoad().

#### Note

On some operating systems, use of this option may make it difficult to unload the module in the future, if the symbols are in use by other entities.

Definition at line 51 of file osapi-module.h.

38.72.2.2 OS\_MODULE\_FLAG\_LOCAL\_SYMBOLS

```
#define OS_MODULE_FLAG_LOCAL_SYMBOLS 0x01
```

Requests OS ModuleLoad() to keep the symbols local/private to this module.

When supplied as the "flags" argument to OS\_ModuleLoad(), this indicates that the symbols in the loaded module should NOT be added to the global symbol table. This means the symbols in the loaded library will not be available for use by other modules.

Use this option is recommended for cases where no other entities will need to reference symbols within this module. This helps ensure that the module can be more safely unloaded in the future, by preventing other modules from binding to it. It also helps reduce the likelihood of symbol name conflicts among modules.

#### Note

To look up symbols within a module loaded with this flag, use OS\_SymbolLookupInModule() instead of OS\_ SymbolLookup(). Also note that references obtained using this method are not tracked by the OS; the application must ensure that all references obtained in this manner have been cleaned up/released before unloading the module.

Definition at line 73 of file osapi-module.h.

# 38.73 osal/src/os/inc/osapi-mutex.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
```

## **Data Structures**

struct OS\_mut\_sem\_prop\_t
 OSAL mutex properties.

## **Functions**

int32 OS\_MutSemCreate (osal\_id\_t \*sem\_id, const char \*sem\_name, uint32 options)

Creates a mutex semaphore.

int32 OS\_MutSemGive (osal\_id\_t sem\_id)

Releases the mutex object referenced by sem\_id.

int32 OS\_MutSemTake (osal\_id\_t sem\_id)

Acquire the mutex object referenced by sem\_id.

int32 OS\_MutSemDelete (osal\_id\_t sem\_id)

Deletes the specified Mutex Semaphore.

• int32 OS\_MutSemGetIdByName (osal\_id\_t \*sem\_id, const char \*sem\_name)

Find an existing mutex ID by name.

int32 OS\_MutSemGetInfo (osal\_id\_t sem\_id, OS\_mut\_sem\_prop\_t \*mut\_prop)

Fill a property object buffer with details regarding the resource.

# 38.73.1 Detailed Description

Declarations and prototypes for mutexes

# 38.74 osal/src/os/inc/osapi-network.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
```

## **Functions**

• int32 OS\_NetworkGetID (void)

Gets the network ID of the local machine.

• int32 OS\_NetworkGetHostName (char \*host\_name, size\_t name\_len)

Gets the local machine network host name.

#### 38.74.1 Detailed Description

Declarations and prototypes for network subsystem

# 38.75 osal/src/os/inc/osapi-printf.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
```

# **Functions**

• void OS\_printf (const char \*string,...) OS\_PRINTF(1

Abstraction for the system printf() call.

void void OS\_printf\_disable (void)

This function disables the output from OS\_printf.

void OS\_printf\_enable (void)

This function enables the output from OS\_printf.

## 38.75.1 Detailed Description

Declarations and prototypes for printf/console output

# 38.76 osal/src/os/inc/osapi-queue.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
```

#### **Data Structures**

struct OS\_queue\_prop\_t
 OSAL queue properties.

#### **Functions**

int32 OS\_QueueCreate (osal\_id\_t \*queue\_id, const char \*queue\_name, osal\_blockcount\_t queue\_depth, size
 —t data\_size, uint32 flags)

Create a message queue.

int32 OS\_QueueDelete (osal\_id\_t queue\_id)

Deletes the specified message queue.

• int32 OS\_QueueGet (osal\_id\_t queue\_id, void \*data, size\_t size, size\_t \*size\_copied, int32 timeout)

Receive a message on a message queue.

int32 OS\_QueuePut (osal\_id\_t queue\_id, const void \*data, size\_t size, uint32 flags)

Put a message on a message queue.

int32 OS\_QueueGetIdByName (osal\_id\_t \*queue\_id, const char \*queue\_name)

Find an existing queue ID by name.

int32 OS\_QueueGetInfo (osal\_id\_t queue\_id, OS\_queue\_prop\_t \*queue\_prop)

Fill a property object buffer with details regarding the resource.

## 38.76.1 Detailed Description

Declarations and prototypes for queue subsystem

# 38.77 osal/src/os/inc/osapi-select.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
```

## **Data Structures**

struct OS\_FdSet

An abstract structure capable of holding several OSAL IDs.

#### **Enumerations**

enum OS\_StreamState\_t { OS\_STREAM\_STATE\_BOUND = 0x01, OS\_STREAM\_STATE\_CONNECTED = 0x02, OS\_STREAM\_STATE\_READABLE = 0x04, OS\_STREAM\_STATE\_WRITABLE = 0x08 }

For the OS\_SelectSingle() function's in/out StateFlags parameter, the state(s) of the stream and the result of the select is a combination of one or more of these states.

#### **Functions**

int32 OS SelectMultiple (OS FdSet \*ReadSet, OS FdSet \*WriteSet, int32 msecs)

Wait for events across multiple file handles.

int32 OS\_SelectSingle (osal\_id\_t objid, uint32 \*StateFlags, int32 msecs)

Wait for events on a single file handle.

int32 OS\_SelectFdZero (OS\_FdSet \*Set)

Clear a FdSet structure.

int32 OS SelectFdAdd (OS FdSet \*Set, osal id t objid)

Add an ID to an FdSet structure.

int32 OS\_SelectFdClear (OS\_FdSet \*Set, osal\_id\_t objid)

Clear an ID from an FdSet structure.

bool OS\_SelectFdlsSet (const OS\_FdSet \*Set, osal\_id\_t objid)

Check if an FdSet structure contains a given ID.

## 38.77.1 Detailed Description

Declarations and prototypes for select abstraction

38.77.2 Enumeration Type Documentation

38.77.2.1 OS\_StreamState\_t

enum OS\_StreamState\_t

For the OS\_SelectSingle() function's in/out StateFlags parameter, the state(s) of the stream and the result of the select is a combination of one or more of these states.

## See also

OS\_SelectSingle()

## Enumerator

OS_STREAM_STATE_BOUND	whether the stream is bound
OS_STREAM_STATE_CONNECTED	whether the stream is connected
OS_STREAM_STATE_READABLE	whether the stream is readable
OS_STREAM_STATE_WRITABLE	whether the stream is writable

Definition at line 57 of file osapi-select.h.

# 38.78 osal/src/os/inc/osapi-shell.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
```

#### **Functions**

• int32 OS\_ShellOutputToFile (const char \*Cmd, osal\_id\_t filedes)

Executes the command and sends output to a file.

## 38.78.1 Detailed Description

Declarations and prototypes for shell abstraction

# 38.79 osal/src/os/inc/osapi-sockets.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
```

# **Data Structures**

• union OS\_SockAddrData\_t

Storage buffer for generic network address.

struct OS\_SockAddr\_t

Encapsulates a generic network address.

• struct OS\_socket\_prop\_t

Encapsulates socket properties.

## Macros

#define OS\_SOCKADDR\_MAX\_LEN 28

#### **Enumerations**

enum OS\_SocketDomain\_t { OS\_SocketDomain\_INVALID, OS\_SocketDomain\_INET, OS\_SocketDomain\_IN←
 ET6, OS\_SocketDomain\_MAX }

Socket domain.

 enum OS\_SocketType\_t { OS\_SocketType\_INVALID, OS\_SocketType\_DATAGRAM, OS\_SocketType\_STREAM, OS\_SocketType\_MAX }

Socket type.

enum OS\_SocketShutdownMode\_t { OS\_SocketShutdownMode\_NONE = 0, OS\_SocketShutdownMode\_SHU
 T\_READ = 1, OS\_SocketShutdownMode\_SHUT\_WRITE = 2, OS\_SocketShutdownMode\_SHUT\_READWRITE = 3 }

Shutdown Mode.

#### **Functions**

• int32 OS SocketAddrInit (OS SockAddr t \*Addr, OS SocketDomain t Domain)

Initialize a socket address structure to hold an address of the given family.

int32 OS\_SocketAddrToString (char \*buffer, size\_t buflen, const OS\_SockAddr\_t \*Addr)

Get a string representation of a network host address.

int32 OS\_SocketAddrFromString (OS\_SockAddr\_t \*Addr, const char \*string)

Set a network host address from a string representation.

int32 OS SocketAddrGetPort (uint16 \*PortNum, const OS SockAddr t \*Addr)

Get the port number of a network address.

int32 OS SocketAddrSetPort (OS SockAddr t \*Addr, uint16 PortNum)

Set the port number of a network address.

int32 OS\_SocketOpen (osal\_id\_t \*sock\_id, OS\_SocketDomain\_t Domain, OS\_SocketType\_t Type)

Opens a socket.

int32 OS SocketBind (osal id t sock id, const OS SockAddr t \*Addr)

Binds a socket to a given local address.

int32 OS\_SocketConnect (osal\_id\_t sock\_id, const OS\_SockAddr\_t \*Addr, int32 timeout)

Connects a socket to a given remote address.

int32 OS SocketShutdown (osal id t sock id, OS SocketShutdownMode t Mode)

Implement graceful shutdown of a stream socket.

• int32 OS\_SocketAccept (osal\_id\_t sock\_id, osal\_id\_t \*connsock\_id, OS\_SockAddr\_t \*Addr, int32 timeout)

Waits for and accept the next incoming connection on the given socket.

int32 OS\_SocketRecvFrom (osal\_id\_t sock\_id, void \*buffer, size\_t buflen, OS\_SockAddr\_t \*RemoteAddr, int32 timeout)

Reads data from a message-oriented (datagram) socket.

int32 OS\_SocketSendTo (osal\_id\_t sock\_id, const void \*buffer, size\_t buflen, const OS\_SockAddr\_t \*Remote
 — Addr)

Sends data to a message-oriented (datagram) socket.

int32 OS\_SocketGetIdByName (osal\_id\_t \*sock\_id, const char \*sock\_name)

Gets an OSAL ID from a given name.

int32 OS SocketGetInfo (osal id t sock id, OS socket prop t \*sock prop)

Gets information about an OSAL Socket ID.

38.79.1 Detailed Description

Declarations and prototypes for sockets abstraction

38.79.2 Macro Definition Documentation

38.79.2.1 OS\_SOCKADDR\_MAX\_LEN

#define OS\_SOCKADDR\_MAX\_LEN 28

Definition at line 47 of file osapi-sockets.h.

38.79.3 Enumeration Type Documentation

38.79.3.1 OS\_SocketDomain\_t

enum OS\_SocketDomain\_t

Socket domain.

## Enumerator

OS_SocketDomain_INVALID	Invalid.
OS_SocketDomain_INET	IPv4 address family, most commonly used)
OS_SocketDomain_INET6	IPv6 address family, depends on OS/network stack support.
OS SocketDomain MAX	Maximum.

Definition at line 62 of file osapi-sockets.h.

38.79.3.2 OS\_SocketShutdownMode\_t

enum OS\_SocketShutdownMode\_t

Shutdown Mode.

## Enumerator

OS_SocketShutdownMode_NONE	Reserved value, no effect.
OS_SocketShutdownMode_SHUT_READ	Disable future reading.
OS_SocketShutdownMode_SHUT_WRITE	Disable future writing.
OS_SocketShutdownMode_SHUT_READWRITE	Disable future reading or writing.

Definition at line 81 of file osapi-sockets.h.

```
38.79.3.3 OS_SocketType_t
enum OS_SocketType_t
```

## Socket type.

#### Enumerator

OS_SocketType_INVALID	Invalid.
OS_SocketType_DATAGRAM	A connectionless, message-oriented socket.
OS_SocketType_STREAM	A stream-oriented socket with the concept of a connection.
OS_SocketType_MAX	Maximum.

Definition at line 71 of file osapi-sockets.h.

# 38.80 osal/src/os/inc/osapi-task.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
```

## **Data Structures**

struct OS\_task\_prop\_t
 OSAL task properties.

#### Macros

• #define OS\_MAX\_TASK\_PRIORITY 255

Upper limit for OSAL task priorities.

• #define OS FP ENABLED 1

Floating point enabled state for a task.

- #define OSAL\_PRIORITY\_C(X) ((osal\_priority\_t) {X})
- #define OSAL\_STACKPTR\_C(X) ((osal\_stackptr\_t) {X})
- #define OSAL\_TASK\_STACK\_ALLOCATE OSAL\_STACKPTR\_C(NULL)

## **Typedefs**

• typedef uint8\_t osal\_priority\_t

Type to be used for OSAL task priorities.

typedef void \* osal\_stackptr\_t

Type to be used for OSAL stack pointer.

typedef void osal\_task

For task entry point.

#### **Functions**

typedef osal\_task ((\*osal\_task\_entry)(void))

For task entry point.

int32 OS\_TaskCreate (osal\_id\_t \*task\_id, const char \*task\_name, osal\_task\_entry function\_pointer, osal\_
 stackptr\_t stack\_pointer, size\_t stack\_size, osal\_priority\_t priority\_ uint32 flags)

Creates a task and starts running it.

int32 OS\_TaskDelete (osal\_id\_t task\_id)

Deletes the specified Task.

void OS\_TaskExit (void)

Exits the calling task.

int32 OS\_TaskInstallDeleteHandler (osal\_task\_entry function\_pointer)

Installs a handler for when the task is deleted.

int32 OS TaskDelay (uint32 millisecond)

Delay a task for specified amount of milliseconds.

int32 OS\_TaskSetPriority (osal\_id\_t task\_id, osal\_priority\_t new\_priority)

Sets the given task to a new priority.

osal\_id\_t OS\_TaskGetId (void)

Obtain the task id of the calling task.

• int32 OS\_TaskGetIdByName (osal\_id\_t \*task\_id, const char \*task\_name)

Find an existing task ID by name.

int32 OS\_TaskGetInfo (osal\_id\_t task\_id, OS\_task\_prop\_t \*task\_prop)

Fill a property object buffer with details regarding the resource.

int32 OS\_TaskFindIdBySystemData (osal\_id\_t \*task\_id, const void \*sysdata, size\_t sysdata\_size)

Reverse-lookup the OSAL task ID from an operating system ID.

38.80.1 Detailed Description

Declarations and prototypes for task abstraction

38.80.2 Macro Definition Documentation

38.80.2.1 OS\_FP\_ENABLED

#define OS\_FP\_ENABLED 1

Floating point enabled state for a task.

Definition at line 37 of file osapi-task.h.

```
38.80.2.2 OS_MAX_TASK_PRIORITY
```

```
#define OS_MAX_TASK_PRIORITY 255
```

Upper limit for OSAL task priorities.

Definition at line 34 of file osapi-task.h.

```
38.80.2.3 OSAL_PRIORITY_C
```

Definition at line 48 of file osapi-task.h.

```
38.80.2.4 OSAL_STACKPTR_C
```

Definition at line 55 of file osapi-task.h.

```
38.80.2.5 OSAL_TASK_STACK_ALLOCATE
```

```
#define OSAL_TASK_STACK_ALLOCATE OSAL_STACKPTR_C(NULL)
```

Definition at line 56 of file osapi-task.h.

38.80.3 Typedef Documentation

```
38.80.3.1 osal_priority_t
```

```
typedef uint8_t osal_priority_t
```

Type to be used for OSAL task priorities.

OSAL priorities are in reverse order, and range from 0 (highest; will preempt all other tasks) to 255 (lowest; will not preempt any other task).

Definition at line 46 of file osapi-task.h.

```
38.80.3.2 osal_stackptr_t
typedef void* osal_stackptr_t
Type to be used for OSAL stack pointer.
Definition at line 53 of file osapi-task.h.
38.80.3.3 osal_task
typedef void osal_task
For task entry point.
Definition at line 70 of file osapi-task.h.
38.80.4 Function Documentation
38.80.4.1 osal_task()
typedef osal_task (
              (*) (void) osal_task_entry )
For task entry point.
38.81 osal/src/os/inc/osapi-timebase.h File Reference
#include "osconfig.h"
#include "common_types.h"
Data Structures
```

## **Typedefs**

typedef uint32(\* OS\_TimerSync\_t) (osal\_id\_t timer\_id)
 Timer sync.

struct OS\_timebase\_prop\_t
 Time base properties.

#### **Functions**

Create an abstract Time Base resource.

int32 OS\_TimeBaseSet (osal\_id\_t timebase\_id, uint32 start\_time, uint32 interval\_time)

Sets the tick period for simulated time base objects.

• int32 OS\_TimeBaseDelete (osal\_id\_t timebase\_id)

Deletes a time base object.

int32 OS\_TimeBaseGetIdByName (osal\_id\_t \*timebase\_id, const char \*timebase\_name)

Find the ID of an existing time base resource.

int32 OS\_TimeBaseGetInfo (osal\_id\_t timebase\_id, OS\_timebase\_prop\_t \*timebase\_prop)

Obtain information about a timebase resource.

• int32 OS\_TimeBaseGetFreeRun (osal\_id\_t timebase\_id, uint32 \*freerun\_val)

Read the value of the timebase free run counter.

## 38.81.1 Detailed Description

Declarations and prototypes for timebase abstraction

38.81.2 Typedef Documentation

```
38.81.2.1 OS_TimerSync_t
```

```
typedef uint32(* OS_TimerSync_t) (osal_id_t timer_id)
```

Timer sync.

Definition at line 36 of file osapi-timebase.h.

## 38.82 osal/src/os/inc/osapi-timer.h File Reference

```
#include "osconfig.h"
#include "common_types.h"
```

# **Data Structures**

• struct OS\_timer\_prop\_t

Timer properties.

## **Typedefs**

typedef void(\* OS\_TimerCallback\_t) (osal\_id\_t timer\_id)
 Timer callback.

## **Functions**

int32 OS\_TimerCreate (osal\_id\_t \*timer\_id, const char \*timer\_name, uint32 \*clock\_accuracy, OS\_Timer
 — Callback\_t callback\_ptr)

Create a timer object.

int32 OS\_TimerAdd (osal\_id\_t \*timer\_id, const char \*timer\_name, osal\_id\_t timebase\_id, OS\_ArgCallback\_
 t callback\_ptr, void \*callback\_arg)

Add a timer object based on an existing TimeBase resource.

int32 OS\_TimerSet (osal\_id\_t timer\_id, uint32 start\_time, uint32 interval\_time)

Configures a periodic or one shot timer.

int32 OS\_TimerDelete (osal\_id\_t timer\_id)

Deletes a timer resource.

int32 OS\_TimerGetIdByName (osal\_id\_t \*timer\_id, const char \*timer\_name)

Locate an existing timer resource by name.

int32 OS\_TimerGetInfo (osal\_id\_t timer\_id, OS\_timer\_prop\_t \*timer\_prop)

Gets information about an existing timer.

## 38.82.1 Detailed Description

Declarations and prototypes for timer abstraction (app callbacks)

38.82.2 Typedef Documentation

```
38.82.2.1 OS_TimerCallback_t
```

```
typedef void(* OS_TimerCallback_t) (osal_id_t timer_id)
```

Timer callback.

Definition at line 36 of file osapi-timer.h.

## 38.83 osal/src/os/inc/osapi-version.h File Reference

```
#include "common_types.h"
```

#### Macros

- #define OS BUILD NUMBER 15
- #define OS BUILD BASELINE "v6.0.0-rc4"
- #define OS\_MAJOR\_VERSION 5

ONLY APPLY for OFFICIAL releases. Major version number.

#define OS\_MINOR\_VERSION 0

ONLY APPLY for OFFICIAL releases. Minor version number.

• #define OS REVISION 0

ONLY APPLY for OFFICIAL releases. Revision number.

#define OS\_MISSION\_REV 0xFF

Mission revision.

#define OS STR HELPER(x) #x

Helper function to concatenate strings from integer.

#define OS\_STR(x) OS\_STR\_HELPER(x)

Helper function to concatenate strings from integer.

#define OS VERSION OS BUILD BASELINE "+dev" OS STR(OS BUILD NUMBER)

Development Build Version Number.

#define OS VERSION CODENAME "Draco"

Version code name All modular components which are tested/validated together should share the same code name.

#define OS VERSION STRING

Development Build Version String.

Combines the revision components into a single value.

## **Functions**

- const char \* OS GetVersionString (void)
- const char \* OS\_GetVersionCodeName (void)
- void OS\_GetVersionNumber (uint8 VersionNumbers[4])

Obtain the OSAL numeric version number.

• uint32 OS GetBuildNumber (void)

Obtain the OSAL library numeric build number.

## 38.83.1 Detailed Description

Provide version identifiers for Operating System Abstraction Layer

## Note

OSAL follows the same version semantics as cFS, which in turn is based on the Semantic Versioning 2.0 Specification. For more information, see the documentation provided with cFE.

#### 38.83.2 Macro Definition Documentation

38.83.2.1 OS\_BUILD\_BASELINE

#define OS\_BUILD\_BASELINE "v6.0.0-rc4"

Definition at line 40 of file osapi-version.h.

38.83.2.2 OS\_BUILD\_NUMBER

#define OS\_BUILD\_NUMBER 15

Definition at line 39 of file osapi-version.h.

38.83.2.3 OS\_MAJOR\_VERSION

#define OS\_MAJOR\_VERSION 5

ONLY APPLY for OFFICIAL releases. Major version number.

Definition at line 45 of file osapi-version.h.

38.83.2.4 OS\_MINOR\_VERSION

#define OS\_MINOR\_VERSION 0

ONLY APPLY for OFFICIAL releases. Minor version number.

Definition at line 46 of file osapi-version.h.

38.83.2.5 OS\_MISSION\_REV

#define OS\_MISSION\_REV 0xFF

Mission revision.

Set to 0 on OFFICIAL releases, and set to 255 (0xFF) on development versions. Values 1-254 are reserved for mission use to denote patches/customizations as needed.

Definition at line 55 of file osapi-version.h.

```
38.83.2.6 OS_REVISION
```

```
#define OS_REVISION 0
```

ONLY APPLY for OFFICIAL releases. Revision number.

Definition at line 47 of file osapi-version.h.

#### 38.83.2.7 OS\_STR

Helper function to concatenate strings from integer.

Definition at line 61 of file osapi-version.h.

## 38.83.2.8 OS\_STR\_HELPER

Helper function to concatenate strings from integer.

Definition at line 60 of file osapi-version.h.

## 38.83.2.9 OS\_VERSION

```
#define OS_VERSION OS_BUILD_BASELINE "+dev" OS_STR(OS_BUILD_NUMBER)
```

Development Build Version Number.

Baseline git tag + Number of commits since baseline.

Definition at line 66 of file osapi-version.h.

## 38.83.2.10 OS\_VERSION\_CODENAME

```
#define OS_VERSION_CODENAME "Draco"
```

Version code name All modular components which are tested/validated together should share the same code name.

Definition at line 71 of file osapi-version.h.

# 38.83.2.11 OS\_VERSION\_STRING

#define OS\_VERSION\_STRING

#### Value:

Development Build Version String.

Reports the current development build's baseline, number, and name. Also includes a note about the latest official version.

Definition at line 77 of file osapi-version.h.

## 38.83.2.12 OSAL\_API\_VERSION

```
#define OSAL_API_VERSION ((OS_MAJOR_VERSION * 10000) + (OS_MINOR_VERSION * 100) + OS_REVISION)
```

Combines the revision components into a single value.

Applications can check against this number

e.g. "#if OSAL\_API\_VERSION >= 40100" would check if some feature added in OSAL 4.1 is present.

Definition at line 87 of file osapi-version.h.

#### 38.83.3 Function Documentation

#### 38.83.3.1 OS\_GetBuildNumber()

Obtain the OSAL library numeric build number.

The build number is a monotonically increasing number that (coarsely) reflects the number of commits/changes that have been merged since the epoch release. During development cycles this number should increase after each subsequent merge/modification.

Like other version information, this is a fixed number assigned at compile time.

## Returns

The OSAL library build number

# 38.83.3.2 OS\_GetVersionCodeName()

Gets the OSAL version code name

All NASA CFE/CFS components (including CFE framework, OSAL and PSP) that work together will share the same code name.

#### Returns

OSAL code name. This is a fixed value string and is never NULL.

## 38.83.3.3 OS\_GetVersionNumber()

Obtain the OSAL numeric version number.

This retrieves the numeric OSAL version identifier as an array of 4 uint8 values.

The array of numeric values is in order of precedence: [0] = Major Number [1] = Minor Number [2] = Revision Number [3] = Mission Revision

The "Mission Revision" (last output) also indicates whether this is an official release, a patched release, or a development version. 0 indicates an official release 1-254 local patch level (reserved for mission use) 255 indicates a development build

## **Parameters**

	out	VersionNumbers	A fixed-size array to be filled with the version numbers	
--	-----	----------------	--	--

## 38.83.3.4 OS\_GetVersionString()

Gets the OSAL version/baseline ID as a string

This returns the content of the OS\_VERSION macro defined above, and is specifically just the baseline and development build ID (if applicable), without any extra info.

#### Returns

Basic version identifier. This is a fixed value string and is never NULL.

# 38.84 osal/src/os/inc/osapi.h File Reference

```
#include <stdio.h>
#include <stdlib.h>
#include <stdarg.h>
#include "common_types.h"
#include "osapi-version.h"
#include "osconfig.h"
#include "osapi-binsem.h"
#include "osapi-clock.h"
#include "osapi-common.h"
#include "osapi-constants.h"
#include "osapi-countsem.h"
#include "osapi-dir.h"
#include "osapi-error.h"
#include "osapi-file.h"
#include "osapi-filesys.h"
#include "osapi-heap.h"
#include "osapi-macros.h"
#include "osapi-idmap.h"
#include "osapi-module.h"
#include "osapi-mutex.h"
#include "osapi-network.h"
#include "osapi-printf.h"
#include "osapi-queue.h"
#include "osapi-select.h"
#include "osapi-shell.h"
#include "osapi-sockets.h"
#include "osapi-task.h"
#include "osapi-timebase.h"
#include "osapi-timer.h"
#include "osapi-bsp.h"
```

## 38.84.1 Detailed Description

Purpose: Contains functions prototype definitions and variables declarations for the OS Abstraction Layer, Core OS module

# 38.85 psp/fsw/inc/cfe\_psp.h File Reference

```
#include "common_types.h"
#include "osapi.h"
```

#### Macros

- #define CFE\_PSP\_SUCCESS (0)
- #define CFE\_PSP\_ERROR (-1)
- #define CFE PSP INVALID POINTER (-2)
- #define CFE PSP ERROR ADDRESS MISALIGNED (-3)
- #define CFE PSP ERROR TIMEOUT (-4)
- #define CFE\_PSP\_INVALID\_INT\_NUM (-5)
- #define CFE PSP INVALID MEM ADDR (-21)
- #define CFE\_PSP\_INVALID\_MEM\_TYPE (-22)
- #define CFE PSP INVALID MEM RANGE (-23)
- #define CFE PSP INVALID MEM WORDSIZE (-24)
- #define CFE PSP INVALID MEM SIZE (-25)
- #define CFE PSP INVALID MEM ATTR (-26)
- #define CFE PSP ERROR NOT IMPLEMENTED (-27)
- #define CFE\_PSP\_INVALID\_MODULE\_NAME (-28)
- #define CFE\_PSP\_INVALID\_MODULE\_ID (-29)
- #define CFE\_PSP\_NO\_EXCEPTION\_DATA (-30)
- #define CFE PSP PANIC STARTUP 1
- #define CFE PSP PANIC VOLATILE DISK 2
- #define CFE\_PSP\_PANIC\_MEMORY\_ALLOC 3
- #define CFE\_PSP\_PANIC\_NONVOL\_DISK 4
- #define CFE PSP PANIC STARTUP SEM 5
- #define CFE\_PSP\_PANIC\_CORE\_APP 6
- #define CFE\_PSP\_PANIC\_GENERAL\_FAILURE 7
- #define BUFF SIZE 256
- #define SIZE\_BYTE 1
- #define SIZE HALF 2
- #define SIZE WORD 3
- #define CFE PSP MEM RAM 1
- #define CFE PSP MEM EEPROM 2
- #define CFE\_PSP\_MEM\_ANY 3
- #define CFE\_PSP\_MEM\_INVALID 4
- #define CFE\_PSP\_MEM\_ATTR\_WRITE 0x01
- #define CFE\_PSP\_MEM\_ATTR\_READ 0x02
- #define CFE\_PSP\_MEM\_ATTR\_READWRITE 0x03
- #define CFE PSP MEM SIZE BYTE 0x01
- #define CFE PSP MEM SIZE WORD 0x02
- #define CFE PSP MEM SIZE DWORD 0x04
- #define CFE\_PSP\_SOFT\_TIMEBASE\_NAME "cFS-Master"

The name of the software/RTOS timebase for general system timers.

# **Reset Types**

- #define CFE PSP RST TYPE PROCESSOR 1
- #define CFE PSP RST TYPE POWERON 2
- #define CFE\_PSP\_RST\_TYPE\_MAX 3

#### **Reset Sub-Types**

#define CFE PSP RST SUBTYPE POWER CYCLE 1

Reset caused by power having been removed and restored.

• #define CFE PSP RST SUBTYPE PUSH BUTTON 2

Reset caused by reset button on the board.

• #define CFE PSP RST SUBTYPE HW SPECIAL COMMAND 3

Reset was caused by a reset line having been stimulated by a hardware special command.

#define CFE PSP RST SUBTYPE HW WATCHDOG 4

Reset was caused by a watchdog timer expiring.

#define CFE\_PSP\_RST\_SUBTYPE\_RESET\_COMMAND 5

Reset was caused by cFE ES processing a Reset Command.

#define CFE PSP RST SUBTYPE EXCEPTION 6

Reset was caused by a Processor Exception.

#define CFE PSP RST SUBTYPE UNDEFINED RESET 7

Reset was caused in an unknown manner.

#define CFE\_PSP\_RST\_SUBTYPE\_HWDEBUG\_RESET 8

Reset was caused by a JTAG or BDM connection.

#define CFE PSP RST SUBTYPE BANKSWITCH RESET 9

Reset reverted to a cFE POWERON due to a boot bank switch.

#define CFE\_PSP\_RST\_SUBTYPE\_MAX 10

Placeholder to indicate 1+ the maximum value that the PSP will ever use.

#### **Functions**

- void CFE PSP Main (void)
- void CFE PSP GetTime (OS time t \*LocalTime)

Sample/Read a monotonic platform clock with normalization.

- void CFE PSP Restart (uint32 resetType)
- uint32 CFE\_PSP\_GetRestartType (uint32 \*restartSubType)
- void CFE\_PSP\_FlushCaches (uint32 type, void \*address, uint32 size)
- uint32 CFE\_PSP\_GetProcessorId (void)
- uint32 CFE PSP GetSpacecraftId (void)
- const char \* CFE PSP GetProcessorName (void)
- uint32 CFE\_PSP\_Get\_Timer\_Tick (void)
- uint32 CFE\_PSP\_GetTimerTicksPerSecond (void)
- uint32 CFE\_PSP\_GetTimerLow32Rollover (void)
- void CFE\_PSP\_Get\_Timebase (uint32 \*Tbu, uint32 \*Tbl)

Sample/Read a monotonic platform clock without normalization.

- uint32 CFE PSP Get Dec (void)
- int32 CFE PSP GetCDSSize (uint32 \*SizeOfCDS)
- int32 CFE PSP WriteToCDS (const void \*PtrToDataToWrite, uint32 CDSOffset, uint32 NumBytes)
- int32 CFE\_PSP\_ReadFromCDS (void \*PtrToDataToRead, uint32 CDSOffset, uint32 NumBytes)
- int32 CFE\_PSP\_GetResetArea (cpuaddr \*PtrToResetArea, uint32 \*SizeOfResetArea)
- int32 CFE\_PSP\_GetUserReservedArea (cpuaddr \*PtrToUserArea, uint32 \*SizeOfUserArea)
- int32 CFE\_PSP\_GetVolatileDiskMem (cpuaddr \*PtrToVolDisk, uint32 \*SizeOfVolDisk)
- int32 CFE PSP GetKernelTextSegmentInfo (cpuaddr \*PtrToKernelSegment, uint32 \*SizeOfKernelSegment)
- int32 CFE PSP GetCFETextSegmentInfo (cpuaddr \*PtrToCFESegment, uint32 \*SizeOfCFESegment)
- void CFE\_PSP\_WatchdogInit (void)
- void CFE PSP WatchdogEnable (void)
- void CFE\_PSP\_WatchdogDisable (void)
- void CFE\_PSP\_WatchdogService (void)
- uint32 CFE PSP WatchdogGet (void)
- void CFE PSP WatchdogSet (uint32 WatchdogValue)

- void CFE\_PSP\_Panic (int32 ErrorCode)
- int32 CFE PSP InitSSR (uint32 bus, uint32 device, char \*DeviceName)
- int32 CFE PSP Decompress (char \*srcFileName, char \*dstFileName)
- void CFE\_PSP\_AttachExceptions (void)
- void CFE PSP SetDefaultExceptionEnvironment (void)
- uint32 CFE PSP Exception GetCount (void)
- int32 CFE\_PSP\_Exception\_GetSummary (uint32 \*ContextLogId, osal\_id\_t \*TaskId, char \*ReasonBuf, uint32 ReasonSize)
- int32 CFE PSP Exception CopyContext (uint32 ContextLogId, void \*ContextBuf, uint32 ContextSize)
- int32 CFE PSP PortRead8 (cpuaddr PortAddress, uint8 \*ByteValue)
- int32 CFE PSP PortWrite8 (cpuaddr PortAddress, uint8 ByteValue)
- int32 CFE\_PSP\_PortRead16 (cpuaddr PortAddress, uint16 \*uint16Value)
- int32 CFE PSP PortWrite16 (cpuaddr PortAddress, uint16 uint16Value)
- int32 CFE\_PSP\_PortRead32 (cpuaddr PortAddress, uint32 \*uint32Value)
- int32 CFE PSP PortWrite32 (cpuaddr PortAddress, uint32 uint32 Value)
- int32 CFE PSP MemRead8 (cpuaddr MemoryAddress, uint8 \*ByteValue)
- int32 CFE PSP MemWrite8 (cpuaddr MemoryAddress, uint8 ByteValue)
- int32 CFE\_PSP\_MemRead16 (cpuaddr MemoryAddress, uint16 \*uint16Value)
- int32 CFE PSP MemWrite16 (cpuaddr MemoryAddress, uint16 uint16Value)
- int32 CFE PSP MemRead32 (cpuaddr MemoryAddress, uint32 \*uint32Value)
- int32 CFE PSP MemWrite32 (cpuaddr MemoryAddress, uint32 uint32 Value)
- int32 CFE PSP MemCpy (void \*dest, const void \*src, uint32 n)
- int32 CFE PSP MemSet (void \*dest, uint8 value, uint32 n)
- int32 CFE\_PSP\_MemValidateRange (cpuaddr Address, size\_t Size, uint32 MemoryType)
- uint32 CFE PSP MemRanges (void)
- int32 CFE\_PSP\_MemRangeSet (uint32 RangeNum, uint32 MemoryType, cpuaddr StartAddr, size\_t Size, size\_t WordSize, uint32 Attributes)
- int32 CFE\_PSP\_MemRangeGet (uint32 RangeNum, uint32 \*MemoryType, cpuaddr \*StartAddr, size\_t \*Size, size t \*WordSize, uint32 \*Attributes)
- int32 CFE PSP EepromWrite8 (cpuaddr MemoryAddress, uint8 ByteValue)
- int32 CFE\_PSP\_EepromWrite16 (cpuaddr MemoryAddress, uint16 uint16Value)
- int32 CFE PSP EepromWrite32 (cpuaddr MemoryAddress, uint32 uint32Value)
- int32 CFE PSP EepromWriteEnable (uint32 Bank)
- int32 CFE PSP EepromWriteDisable (uint32 Bank)
- int32 CFE PSP EepromPowerUp (uint32 Bank)
- int32 CFE PSP EepromPowerDown (uint32 Bank)
- const char \* CFE\_PSP\_GetVersionString (void)

Obtain the PSP version/baseline identifier string.

const char \* CFE PSP GetVersionCodeName (void)

Obtain the version code name.

void CFE PSP\_GetVersionNumber (uint8 VersionNumbers[4])

Obtain the PSP numeric version numbers as uint8 values.

• uint32 CFE PSP GetBuildNumber (void)

Obtain the PSP library numeric build number.

#### 38.85.1 Macro Definition Documentation

```
38.85.1.1 BUFF_SIZE
```

```
#define BUFF_SIZE 256
```

Definition at line 84 of file cfe\_psp.h.

## 38.85.1.2 CFE\_PSP\_ERROR

```
#define CFE_PSP_ERROR (-1)
```

Definition at line 54 of file cfe\_psp.h.

## 38.85.1.3 CFE\_PSP\_ERROR\_ADDRESS\_MISALIGNED

```
#define CFE_PSP_ERROR_ADDRESS_MISALIGNED (-3)
```

Definition at line 56 of file cfe\_psp.h.

# 38.85.1.4 CFE\_PSP\_ERROR\_NOT\_IMPLEMENTED

```
#define CFE_PSP_ERROR_NOT_IMPLEMENTED (-27)
```

Definition at line 65 of file cfe\_psp.h.

# 38.85.1.5 CFE\_PSP\_ERROR\_TIMEOUT

```
#define CFE_PSP_ERROR_TIMEOUT (-4)
```

Definition at line 57 of file cfe\_psp.h.

# 38.85.1.6 CFE\_PSP\_INVALID\_INT\_NUM

```
#define CFE_PSP_INVALID_INT_NUM (-5)
```

Definition at line 58 of file cfe\_psp.h.

```
38.85.1.7 CFE_PSP_INVALID_MEM_ADDR
```

```
#define CFE_PSP_INVALID_MEM_ADDR (-21)
```

Definition at line 59 of file cfe\_psp.h.

38.85.1.8 CFE\_PSP\_INVALID\_MEM\_ATTR

```
#define CFE_PSP_INVALID_MEM_ATTR (-26)
```

Definition at line 64 of file cfe\_psp.h.

38.85.1.9 CFE\_PSP\_INVALID\_MEM\_RANGE

```
#define CFE_PSP_INVALID_MEM_RANGE (-23)
```

Definition at line 61 of file cfe\_psp.h.

38.85.1.10 CFE\_PSP\_INVALID\_MEM\_SIZE

```
#define CFE_PSP_INVALID_MEM_SIZE (-25)
```

Definition at line 63 of file cfe\_psp.h.

38.85.1.11 CFE\_PSP\_INVALID\_MEM\_TYPE

```
#define CFE_PSP_INVALID_MEM_TYPE (-22)
```

Definition at line 60 of file cfe\_psp.h.

38.85.1.12 CFE\_PSP\_INVALID\_MEM\_WORDSIZE

#define CFE\_PSP\_INVALID\_MEM\_WORDSIZE (-24)

Definition at line 62 of file cfe\_psp.h.

```
38.85.1.13 CFE_PSP_INVALID_MODULE_ID
```

```
#define CFE_PSP_INVALID_MODULE_ID (-29)
```

Definition at line 67 of file cfe\_psp.h.

## 38.85.1.14 CFE\_PSP\_INVALID\_MODULE\_NAME

```
#define CFE_PSP_INVALID_MODULE_NAME (-28)
```

Definition at line 66 of file cfe\_psp.h.

## 38.85.1.15 CFE\_PSP\_INVALID\_POINTER

```
#define CFE_PSP_INVALID_POINTER (-2)
```

Definition at line 55 of file cfe\_psp.h.

# 38.85.1.16 CFE\_PSP\_MEM\_ANY

#define CFE\_PSP\_MEM\_ANY 3

Definition at line 94 of file cfe psp.h.

# 38.85.1.17 CFE\_PSP\_MEM\_ATTR\_READ

#define CFE\_PSP\_MEM\_ATTR\_READ 0x02

Definition at line 101 of file cfe\_psp.h.

# 38.85.1.18 CFE\_PSP\_MEM\_ATTR\_READWRITE

#define CFE\_PSP\_MEM\_ATTR\_READWRITE 0x03

Definition at line 102 of file cfe\_psp.h.

# 38.85.1.19 CFE\_PSP\_MEM\_ATTR\_WRITE

#define CFE\_PSP\_MEM\_ATTR\_WRITE 0x01

Definition at line 100 of file cfe psp.h.

38.85.1.20 CFE\_PSP\_MEM\_EEPROM

#define CFE\_PSP\_MEM\_EEPROM 2

Definition at line 93 of file cfe\_psp.h.

38.85.1.21 CFE\_PSP\_MEM\_INVALID

#define CFE\_PSP\_MEM\_INVALID 4

Definition at line 95 of file cfe\_psp.h.

38.85.1.22 CFE\_PSP\_MEM\_RAM

#define CFE\_PSP\_MEM\_RAM 1

Definition at line 92 of file cfe\_psp.h.

38.85.1.23 CFE\_PSP\_MEM\_SIZE\_BYTE

#define CFE\_PSP\_MEM\_SIZE\_BYTE 0x01

Definition at line 107 of file cfe\_psp.h.

38.85.1.24 CFE\_PSP\_MEM\_SIZE\_DWORD

 $\#define CFE\_PSP\_MEM\_SIZE\_DWORD 0x04$ 

Definition at line 109 of file cfe\_psp.h.

```
38.85.1.25 CFE_PSP_MEM_SIZE_WORD
```

#define CFE\_PSP\_MEM\_SIZE\_WORD 0x02

Definition at line 108 of file cfe psp.h.

38.85.1.26 CFE\_PSP\_NO\_EXCEPTION\_DATA

#define CFE\_PSP\_NO\_EXCEPTION\_DATA (-30)

Definition at line 68 of file cfe\_psp.h.

38.85.1.27 CFE\_PSP\_PANIC\_CORE\_APP

#define CFE\_PSP\_PANIC\_CORE\_APP 6

Definition at line 78 of file cfe\_psp.h.

38.85.1.28 CFE\_PSP\_PANIC\_GENERAL\_FAILURE

#define CFE\_PSP\_PANIC\_GENERAL\_FAILURE 7

Definition at line 79 of file cfe psp.h.

38.85.1.29 CFE\_PSP\_PANIC\_MEMORY\_ALLOC

#define CFE\_PSP\_PANIC\_MEMORY\_ALLOC 3

Definition at line 75 of file cfe\_psp.h.

38.85.1.30 CFE\_PSP\_PANIC\_NONVOL\_DISK

#define CFE\_PSP\_PANIC\_NONVOL\_DISK 4

Definition at line 76 of file cfe\_psp.h.

# 38.85.1.31 CFE\_PSP\_PANIC\_STARTUP

#define CFE\_PSP\_PANIC\_STARTUP 1

Definition at line 73 of file cfe psp.h.

# 38.85.1.32 CFE\_PSP\_PANIC\_STARTUP\_SEM

#define CFE\_PSP\_PANIC\_STARTUP\_SEM 5

Definition at line 77 of file cfe psp.h.

# 38.85.1.33 CFE\_PSP\_PANIC\_VOLATILE\_DISK

#define CFE\_PSP\_PANIC\_VOLATILE\_DISK 2

Definition at line 74 of file cfe\_psp.h.

#### 38.85.1.34 CFE\_PSP\_RST\_SUBTYPE\_BANKSWITCH\_RESET

#define CFE\_PSP\_RST\_SUBTYPE\_BANKSWITCH\_RESET 9

Reset reverted to a cFE POWERON due to a boot bank switch.

Definition at line 144 of file cfe\_psp.h.

# 38.85.1.35 CFE\_PSP\_RST\_SUBTYPE\_EXCEPTION

#define CFE\_PSP\_RST\_SUBTYPE\_EXCEPTION 6

Reset was caused by a Processor Exception.

Definition at line 138 of file cfe\_psp.h.

## 38.85.1.36 CFE\_PSP\_RST\_SUBTYPE\_HW\_SPECIAL\_COMMAND

#define CFE\_PSP\_RST\_SUBTYPE\_HW\_SPECIAL\_COMMAND 3

Reset was caused by a reset line having been stimulated by a hardware special command.

Definition at line 132 of file cfe\_psp.h.

# 38.85.1.37 CFE\_PSP\_RST\_SUBTYPE\_HW\_WATCHDOG

#define CFE\_PSP\_RST\_SUBTYPE\_HW\_WATCHDOG 4

Reset was caused by a watchdog timer expiring.

Definition at line 134 of file cfe\_psp.h.

## 38.85.1.38 CFE\_PSP\_RST\_SUBTYPE\_HWDEBUG\_RESET

#define CFE\_PSP\_RST\_SUBTYPE\_HWDEBUG\_RESET 8

Reset was caused by a JTAG or BDM connection.

Definition at line 142 of file cfe\_psp.h.

## 38.85.1.39 CFE\_PSP\_RST\_SUBTYPE\_MAX

#define CFE\_PSP\_RST\_SUBTYPE\_MAX 10

Placeholder to indicate 1+ the maximum value that the PSP will ever use.

Definition at line 146 of file cfe psp.h.

## 38.85.1.40 CFE\_PSP\_RST\_SUBTYPE\_POWER\_CYCLE

#define CFE\_PSP\_RST\_SUBTYPE\_POWER\_CYCLE 1

Reset caused by power having been removed and restored.

Definition at line 128 of file cfe\_psp.h.

# 38.85.1.41 CFE\_PSP\_RST\_SUBTYPE\_PUSH\_BUTTON

#define CFE\_PSP\_RST\_SUBTYPE\_PUSH\_BUTTON 2

Reset caused by reset button on the board.

Definition at line 130 of file cfe\_psp.h.

# 38.85.1.42 CFE\_PSP\_RST\_SUBTYPE\_RESET\_COMMAND

```
#define CFE_PSP_RST_SUBTYPE_RESET_COMMAND 5
```

Reset was caused by cFE ES processing a Reset Command .

Definition at line 136 of file cfe\_psp.h.

#### 38.85.1.43 CFE\_PSP\_RST\_SUBTYPE\_UNDEFINED\_RESET

```
#define CFE_PSP_RST_SUBTYPE_UNDEFINED_RESET 7
```

Reset was caused in an unknown manner.

Definition at line 140 of file cfe\_psp.h.

#### 38.85.1.44 CFE\_PSP\_RST\_TYPE\_MAX

```
#define CFE_PSP_RST_TYPE_MAX 3
```

Placeholder to indicate 1+ the maximum value that the PSP will ever use.

Definition at line 118 of file cfe psp.h.

#### 38.85.1.45 CFE\_PSP\_RST\_TYPE\_POWERON

```
#define CFE_PSP_RST_TYPE_POWERON 2
```

All memory has been cleared

Definition at line 117 of file cfe psp.h.

# 38.85.1.46 CFE\_PSP\_RST\_TYPE\_PROCESSOR

```
#define CFE_PSP_RST_TYPE_PROCESSOR 1
```

Volatile disk, CDS and User Reserved memory may be valid

Definition at line 116 of file cfe\_psp.h.

```
38.85.1.47 CFE_PSP_SOFT_TIMEBASE_NAME
```

```
#define CFE_PSP_SOFT_TIMEBASE_NAME "cFS-Master"
```

The name of the software/RTOS timebase for general system timers.

This name may be referred to by CFE TIME and/or SCH when setting up its own timers.

Definition at line 154 of file cfe\_psp.h.

# 38.85.1.48 CFE\_PSP\_SUCCESS

```
#define CFE_PSP_SUCCESS (0)
```

Definition at line 53 of file cfe\_psp.h.

# 38.85.1.49 SIZE\_BYTE

```
#define SIZE_BYTE 1
```

Definition at line 85 of file cfe\_psp.h.

#### 38.85.1.50 SIZE\_HALF

```
#define SIZE_HALF 2
```

Definition at line 86 of file cfe\_psp.h.

#### 38.85.1.51 SIZE\_WORD

```
#define SIZE_WORD 3
```

Definition at line 87 of file cfe\_psp.h.

#### 38.85.2 Function Documentation

```
38.85.2.1 CFE_PSP_AttachExceptions()
void CFE_PSP_AttachExceptions (
             void )
38.85.2.2 CFE_PSP_Decompress()
int32 CFE_PSP_Decompress (
             char * srcFileName,
             char * dstFileName )
38.85.2.3 CFE_PSP_EepromPowerDown()
int32 CFE_PSP_EepromPowerDown (
             uint32 Bank )
38.85.2.4 CFE_PSP_EepromPowerUp()
int32 CFE_PSP_EepromPowerUp (
             uint32 Bank )
38.85.2.5 CFE_PSP_EepromWrite16()
int32 CFE_PSP_EepromWrite16 (
             cpuaddr MemoryAddress,
             uint16 uint16Value )
38.85.2.6 CFE_PSP_EepromWrite32()
int32 CFE_PSP_EepromWrite32 (
             cpuaddr MemoryAddress,
             uint32 uint32Value )
38.85.2.7 CFE_PSP_EepromWrite8()
int32 CFE_PSP_EepromWrite8 (
             cpuaddr MemoryAddress,
             uint8 ByteValue )
```

```
38.85.2.8 CFE_PSP_EepromWriteDisable()
int32 CFE_PSP_EepromWriteDisable (
             uint32 Bank )
38.85.2.9 CFE_PSP_EepromWriteEnable()
int32 CFE_PSP_EepromWriteEnable (
             uint32 Bank )
38.85.2.10 CFE_PSP_Exception_CopyContext()
int32 CFE_PSP_Exception_CopyContext (
             uint32 ContextLogId,
             void * ContextBuf,
             uint32 ContextSize )
38.85.2.11 CFE_PSP_Exception_GetCount()
uint32 CFE_PSP_Exception_GetCount (
             void )
38.85.2.12 CFE_PSP_Exception_GetSummary()
int32 CFE_PSP_Exception_GetSummary (
             uint32 * ContextLogId,
             osal_id_t * TaskId,
             char * ReasonBuf,
             uint32 ReasonSize )
38.85.2.13 CFE_PSP_FlushCaches()
void CFE_PSP_FlushCaches (
             uint32 type,
             void * address,
             uint32 size )
```

# 38.85.2.14 CFE\_PSP\_Get\_Dec()

#### 38.85.2.15 CFE\_PSP\_Get\_Timebase()

Sample/Read a monotonic platform clock without normalization.

This is defined as a free-running, monotonically-increasing tick counter. The epoch is not defined, but typically is the system boot time, and the value increases indefinitely as the system runs. The tick period/rate is also not defined.

Rollover events - where the range of representable values is exceeded - are theoretically possible, but would take many years of continuous uptime to occur (typically hundreds of years, if not thousands). System designers should ensure that the actual tick rate and resulting timebase range is sufficiently large to ensure that rollover is not a concern.

#### Note

This is a "raw" value from the underlying platform with minimal/no conversions or normalization applied. Neither the epoch nor the resolution of this tick counter is specified, and it may vary from platform to platform. Use the C← FE\_PSP\_GetTime() function to sample the timebase and also convert the units into a normalized/more consistent form.

#### See also

```
CFE_PSP_GetTime()
```

#### **Parameters**

(	out	Tbu	Buffer to hold the upper 32 bits of a 64-bit tick counter
(	out	Tbl	Buffer to hold the lower 32 bits of a 64-bit tick counter

```
38.85.2.16 CFE_PSP_Get_Timer_Tick()
```

# 38.85.2.17 CFE\_PSP\_GetBuildNumber()

Obtain the PSP library numeric build number.

The build number is a monotonically increasing number that (coarsely) reflects the number of commits/changes that have been merged since the epoch release. During development cycles this number should increase after each subsequent merge/modification.

Like other version information, this is a fixed number assigned at compile time.

#### Returns

The OSAL library build number

# 38.85.2.18 CFE\_PSP\_GetCDSSize()

#### 38.85.2.19 CFE\_PSP\_GetCFETextSegmentInfo()

#### 38.85.2.20 CFE\_PSP\_GetKernelTextSegmentInfo()

# 38.85.2.21 CFE\_PSP\_GetProcessorId()

# 38.85.2.22 CFE\_PSP\_GetProcessorName()

#### 38.85.2.23 CFE\_PSP\_GetResetArea()

#### 38.85.2.24 CFE\_PSP\_GetRestartType()

#### 38.85.2.25 CFE\_PSP\_GetSpacecraftId()

#### 

Sample/Read a monotonic platform clock with normalization.

Outputs an OS\_time\_t value indicating the time elapsed since an epoch. The epoch is not defined, but typically represents the system boot time. The value increases continuously over time and cannot be reset by software.

This is similar to the CFE\_PSP\_Get\_Timebase(), but additionally it normalizes the output value to an OS\_time\_t, thereby providing consistent units to the calling application. Any OSAL-provided routine accepts OS\_time\_t inputs may be used to convert this value into other standardized time units.

Note

This should refer to the same time domain as CFE\_PSP\_Get\_Timebase(), the primary difference being the format and units of the output value.

#### See also

```
CFE_PSP_Get_Timebase()
```

#### **Parameters**

out	LocalTime	Value of PSP tick counter as	1
		OS_time_t	

#### 38.85.2.27 CFE\_PSP\_GetTimerLow32Rollover()

#### 38.85.2.28 CFE\_PSP\_GetTimerTicksPerSecond()

#### 38.85.2.29 CFE\_PSP\_GetUserReservedArea()

# 38.85.2.30 CFE\_PSP\_GetVersionCodeName()

Obtain the version code name.

This retrieves the PSP code name. This is a compatibility indicator for the overall NASA CFS ecosystem. All modular components which are intended to interoperate should report the same code name.

#### Returns

Code name. This is a fixed string and cannot be NULL.

#### 38.85.2.31 CFE\_PSP\_GetVersionNumber()

Obtain the PSP numeric version numbers as uint8 values.

This retrieves the numeric PSP version identifier as an array of 4 uint8 values.

The array of numeric values is in order of precedence: [0] = Major Number [1] = Minor Number [2] = Revision Number [3] = Mission Revision

The "Mission Revision" (last output) also indicates whether this is an official release, a patched release, or a development version. 0 indicates an official release 1-254 local patch level (reserved for mission use) 255 indicates a development build

#### **Parameters**

	out	VersionNumbers	A fixed-size array to be filled with the version numbers	
--	-----	----------------	--	--

#### 38.85.2.32 CFE\_PSP\_GetVersionString()

Obtain the PSP version/baseline identifier string.

This retrieves the PSP version identifier string without extra info

#### Returns

Version string. This is a fixed string and cannot be NULL.

# 38.85.2.33 CFE\_PSP\_GetVolatileDiskMem()

# 38.85.2.34 CFE\_PSP\_InitSSR()

#### 38.85.2.35 CFE\_PSP\_Main()

```
void CFE_PSP_Main (
     void )
```

# 38.85.2.36 CFE\_PSP\_MemCpy()

#### 38.85.2.37 CFE\_PSP\_MemRangeGet()

```
int32 CFE_PSP_MemRangeGet (
            uint32 RangeNum,
            uint32 * MemoryType,
            cpuaddr * StartAddr,
            size_t * Size,
            size_t * WordSize,
            uint32 * Attributes )
```

# 38.85.2.38 CFE\_PSP\_MemRanges()

```
 \begin{array}{ccc} \mbox{uint32 CFE\_PSP\_MemRanges (} \\ \mbox{void )} \end{array}
```

#### 38.85.2.39 CFE\_PSP\_MemRangeSet()

# 38.85.2.40 CFE\_PSP\_MemRead16()

```
38.85.2.41 CFE_PSP_MemRead32()
```

# 38.85.2.42 CFE\_PSP\_MemRead8()

#### 38.85.2.43 CFE\_PSP\_MemSet()

# 38.85.2.44 CFE\_PSP\_MemValidateRange()

#### 38.85.2.45 CFE\_PSP\_MemWrite16()

# 38.85.2.46 CFE\_PSP\_MemWrite32()

```
int32 CFE_PSP_MemWrite8 (
            cpuaddr MemoryAddress,
            uint8 ByteValue )
38.85.2.48 CFE_PSP_Panic()
void CFE_PSP_Panic (
            int32 ErrorCode )
38.85.2.49 CFE_PSP_PortRead16()
int32 CFE_PSP_PortRead16 (
            cpuaddr PortAddress,
            uint16 * uint16Value )
38.85.2.50 CFE_PSP_PortRead32()
int32 CFE_PSP_PortRead32 (
            cpuaddr PortAddress,
            uint32 * uint32Value )
38.85.2.51 CFE_PSP_PortRead8()
int32 CFE_PSP_PortRead8 (
            cpuaddr PortAddress,
            uint8 * ByteValue )
38.85.2.52 CFE_PSP_PortWrite16()
int32 CFE_PSP_PortWrite16 (
            cpuaddr PortAddress,
            uint16 uint16Value )
```

# 38.85.2.54 CFE\_PSP\_PortWrite8()

# 38.85.2.55 CFE\_PSP\_ReadFromCDS()

#### 38.85.2.56 CFE\_PSP\_Restart()

#### 38.85.2.57 CFE\_PSP\_SetDefaultExceptionEnvironment()

# 38.85.2.58 CFE\_PSP\_WatchdogDisable()

#### 38.85.2.59 CFE\_PSP\_WatchdogEnable()

```
\begin{tabular}{ll} \begin{tabular}{ll} void & CFE\_PSP\_WatchdogEnable & ( & void & ) \end{tabular}
```

```
38.85.2.60 CFE_PSP_WatchdogGet()
```

# 38.85.2.61 CFE\_PSP\_WatchdogInit()

# 38.85.2.62 CFE\_PSP\_WatchdogService()

# 38.85.2.63 CFE\_PSP\_WatchdogSet()

# 38.85.2.64 CFE\_PSP\_WriteToCDS()

# Index

_EXTENSION_	CFE_ES_TaskInfo, 542
common_types.h, 1162	CFE_EVS_AppNameBitMaskCmd_Payload, 546
	CFE_EVS_AppNameCmd_Payload, 548
ARGCHECK	CFE_EVS_AppNameEventIDCmd_Payload, 550
osapi-macros.h, 1190	CFE_EVS_AppNameEventIDMaskCmd_Payload
accuracy	552
OS_timebase_prop_t, 709	CFE_EVS_PacketID, 568
OS_timer_prop_t, 711	CFE_SB_PipeInfoEntry, 596
ActiveBuffer	CFE_SB_RoutingFileEntry, 602
CFE_TBL_HousekeepingTlm_Payload, 630	Application
ActiveBufferAddr	CFE_ES_AppNameCmd_Payload, 490
CFE_TBL_TblRegPacket_Payload, 647	CFE_ES_AppReloadCmd_Payload, 491
ActiveTableFlag	CFE_ES_SendMemPoolStatsCmd_Payload, 528
CFE_TBL_DumpCmd_Payload, 623	CFE_ES_StartAppCmd_Payload, 536
CFE_TBL_ValidateCmd_Payload, 653	ApplicationID
ActualLength	CFE_FS_Header, 579
OS_SockAddr_t, 702	AtToneDelay
addr	CFE_TIME_DiagnosticTlm_Payload, 657
OS_module_prop_t, 698	AtToneLatch
AddrData	CFE TIME DiagnosticTlm Payload, 657
OS_SockAddr_t, 702	AtToneLeapSeconds
Address	CFE_TIME_DiagnosticTlm_Payload, 657
CFE_ES_MemAddOff, 514	CFE_TIME_ToneDataCmd_Payload, 687
OS static symbol record t, 705	AtToneMET
AddressesAreValid	
	CFE_TIME_DiagnosticTlm_Payload, 657
CFE_ES_AppInfo, 484	CFE_TIME_ToneDataCmd_Payload, 687
AlignPtr	AtToneSTCF
OS_SockAddrData_t, 703	CFE_TIME_DiagnosticTIm_Payload, 657
AlignU32	CFE_TIME_ToneDataCmd_Payload, 687
OS_SockAddrData_t, 703	AtToneState
AppData	CFE_TIME_ToneDataCmd_Payload, 687
CFE_EVS_HousekeepingTlm_Payload, 559	
AppDataFilename	BSS
CFE_EVS_AppDataCmd_Payload, 544	CFE_ES_AppInfo, 484
AppEnableStatus	BUFF_SIZE
CFE_EVS_AppTImData, 553	cfe_psp.h, 1214
AppEntryPoint	BUGCHECK
CFE_ES_StartAppCmd_Payload, 536	osapi-macros.h, 1190
AppFileName	BUGREPORT
CFE_ES_AppReloadCmd_Payload, 490	osapi-macros.h, 1191
CFE ES StartAppCmd Payload, 536	BitMask
AppID	CFE_EVS_AppNameBitMaskCmd_Payload, 546
CFE_EVS_AppTImData, 553	CFE EVS BitMaskCmd Payload, 557
Appld	block_size
CFE_ES_TaskInfo, 542	OS_statvfs_t, 706
CFE_SB_PipeInfoEntry, 596	BlockSize
Applnfo	CFE_ES_BlockStats, 492
CFE_ES_OneAppTIm_Payload, 520	BlockStats
AppMessageSentCounter	CFE_ES_MemPoolStats, 515
CFE_EVS_AppTImData, 554	blocks_free
AppName	OS_statvfs_t, 706

BootSource	CFE_TIME_FLAG_FLYING, 338
CFE_ES_HousekeepingTlm_Payload, 503	CFE_TIME_FLAG_GDTONE, 338
bss_address	CFE_TIME_FLAG_REFERR, 339
OS_module_address_t, 696	CFE_TIME_FLAG_SERVER, 339
bss_size	CFE_TIME_FLAG_SIGPRI, 339
OS_module_address_t, 697	CFE_TIME_FLAG_SRCINT, 339
Buffer	CFE_TIME_FLAG_SRVFLY, 339
OS_SockAddrData_t, 703	CFE_TIME_FLAG_UNUSED, 339
build/docs/osconfig-example.h, 712	cFE Critical Data Store APIs, 190
ByteAlign4	CFE_ES_CopyToCDS, 190
CFE_TBL_TblRegPacket_Payload, 647	CFE_ES_GetCDSBlockIDByName, 191
ByteAlignPad1	CFE_ES_GetCDSBlockName, 192
CFE_TBL_HousekeepingTlm_Payload, 630	CFE_ES_RegisterCDS, 192
ByteAlignSpare	CFE_ES_RestoreFromCDS, 194
CFE_ES_CDSRegDumpRec, 493	cFE Entry/Exit APIs, 161
	CFE_ES_Main, 161
CCSDS_ExtendedHeader, 481	CFE_ES_ResetCFE, 162
Subsystem, 481	cFE External Time Source APIs, 328
SystemId, 481	CFE_TIME_ExternalGPS, 328
CCSDS_ExtendedHeader_t	CFE_TIME_ExternalMET, 329
ccsds_hdr.h, 1033	CFE_TIME_ExternalTime, 329
CCSDS_PrimaryHeader, 482	CFE_TIME_ExternalTone, 330
Length, 482	CFE_TIME_RegisterSynchCallback, 331
Sequence, 482	CFE_TIME_UnregisterSynchCallback, 331
Streamld, 482	cFE File Header Management APIs, 223
CCSDS_PrimaryHeader_t	CFE_FS_InitHeader, 223
ccsds_hdr.h, 1033	CFE_FS_ReadHeader, 223
cFE Access Table Content APIs, 303	CFE_FS_SetTimestamp, 224
CFE_TBL_GetAddress, 303	CFE_FS_WriteHeader, 225
CFE_TBL_GetAddresses, 304	cFE File Utility APIs, 228
CFE_TBL_ReleaseAddress, 305	CFE_FS_BackgroundFileDumpIsPending, 228
CFE_TBL_ReleaseAddresses, 306	CFE_FS_BackgroundFileDumpRequest, 229
cFE Application Behavior APIs, 166	CFE_FS_ExtractFilenameFromPath, 229
CFE_ES_ExitApp, 166	CFE_FS_GetDefaultExtension, 230
CFE_ES_IncrementTaskCounter, 167	CFE_FS_GetDefaultMountPoint, 231
CFE_ES_RunLoop, 167	CFE_FS_ParseInputFileName, 231
CFE_ES_WaitForStartupSync, 168	CFE_FS_ParseInputFileNameEx, 232
CFE_ES_WaitForSystemState, 169	cFE Generic Counter APIs, 206
cFE Application Control APIs, 163	CFE_ES_DeleteGenCounter, 206
CFE_ES_DeleteApp, 163	CFE_ES_GetGenCount, 207
CFE_ES_ReloadApp, 164	CFE_ES_GetGenCounterIDByName, 208
CFE_ES_RestartApp, 164	CFE_ES_GetGenCounterName, 208
cFE Child Task APIs, 181	CFE_ES_IncrementGenCounter, 209
CFE_ES_CreateChildTask, 181	CFE_ES_RegisterGenCounter, 211
CFE_ES_DeleteChildTask, 182	CFE_ES_SetGenCount, 212
CFE_ES_ExitChildTask, 183	cFE Generic Message APIs, 234
CFE_ES_GetTaskIDByName, 183	CFE_MSG_Init, 234
CFE_ES_GetTaskName, 184	cFE Get Current Time APIs, 315
cFE Clock State Flag Defines, 337	CFE_TIME_GetMETseconds, 315
CFE_TIME_FLAG_ADD1HZ, 337	CFE_TIME_GetMETsubsecs, 316
CFE_TIME_FLAG_ADDADJ, 337	CFE_TIME_GetMET, 315
CFE_TIME_FLAG_ADDTCL, 338	CFE_TIME_GetTAI, 316
CFE_TIME_FLAG_CLKSET, 338	CFE_TIME_GetTime, 317
CFE_TIME_FLAG_CMDFLY, 338	CFE_TIME_GetUTC, 318

cFE Get Table Information APIs, 308	CFE_MSG_SetSystem, 251
CFE_TBL_GetInfo, 308	cFE Message ID APIs, 285
CFE_TBL_GetStatus, 309	CFE_SB_IsValidMsgId, 285
CFE_TBL_NotifyByMessage, 310	CFE_SB_Msgld_Equal, 285
cFE Get Time Information APIs, 319	CFE_SB_MsgldToValue, 286
CFE_TIME_GetClockInfo, 319	CFE_SB_ValueToMsgld, 286
CFE_TIME_GetClockState, 319	cFE Message Id APIs, 258
CFE_TIME_GetLeapSeconds, 320	CFE_MSG_GetMsgld, 258
CFE_TIME_GetSTCF, 320	CFE_MSG_GetTypeFromMsgld, 258
cFE Information APIs, 171	CFE_MSG_SetMsgld, 259
CFE_ES_GetAppIDByName, 172	cFE Message Primary Header APIs, 235
CFE_ES_GetAppID, 171	CFE_MSG_GetApId, 235
CFE_ES_GetAppInfo, 173	CFE_MSG_GetHasSecondaryHeader, 236
CFE_ES_GetAppName, 174	CFE_MSG_GetHeaderVersion, 237
CFE_ES_GetLibIDByName, 174	CFE_MSG_GetNextSequenceCount, 237
CFE_ES_GetLibInfo, 175	CFE_MSG_GetSegmentationFlag, 238
CFE ES GetLibName, 176	CFE_MSG_GetSequenceCount, 238
CFE_ES_GetModuleInfo, 177	CFE MSG GetSize, 239
CFE_ES_GetResetType, 178	CFE_MSG_GetType, 240
CFE ES GetTaskID, 179	CFE_MSG_SetApId, 240
CFE ES GetTaskInfo, 180	CFE MSG SetHasSecondaryHeader, 241
cFE Manage Table Content APIs, 295	CFE_MSG_SetHeaderVersion, 241
CFE_TBL_DumpToBuffer, 295	CFE_MSG_SetSegmentationFlag, 242
CFE_TBL_Load, 296	CFE MSG SetSequenceCount, 243
CFE_TBL_Manage, 297	CFE_MSG_SetSize, 243
CFE_TBL_Modified, 299	CFE_MSG_SetType, 244
CFE_TBL_Update, 300	cFE Message Secondary Header APIs, 252
CFE_TBL_Validate, 301	CFE_MSG_GenerateChecksum, 252
cFE Memory Manager APIs, 195	CFE MSG GetFcnCode, 253
CFE_ES_GetMemPoolStats, 195	CFE_MSG_GetMsgTime, 253
CFE_ES_GetPoolBuf, 196	CFE_MSG_SetFcnCode, 254
CFE_ES_GetPoolBufInfo, 197	CFE_MSG_SetMsgTime, 256
CFE_ES_PoolCreate, 198	CFE_MSG_ValidateChecksum, 257
CFE ES PoolCreateEx, 199	cFE Message Subscription Control APIs, 268
CFE_ES_PoolCreateNoSem, 200	CFE_SB_Subscribe, 268
CFE_ES_PoolDelete, 201	CFE SB SubscribeEx, 269
CFE ES PutPoolBuf, 202	CFE SB SubscribeLocal, 270
cFE Message Characteristics APIs, 280	CFE SB Unsubscribe, 271
CFE_SB_GetUserData, 280	CFE SB UnsubscribeLocal, 272
CFE SB GetUserDataLength, 281	cFE Miscellaneous APIs, 186
CFE_SB_MessageStringGet, 281	CFE_ES_BackgroundWakeup, 186
CFE_SB_MessageStringSet, 282	CFE ES CalculateCRC, 186
CFE_SB_SetUserDataLength, 283	CFE_ES_ProcessAsyncEvent, 188
CFE_SB_TimeStampMsg, 284	CFE_ES_WriteToSysLog, 188
cFE Message Extended Header APIs, 245	cFE Miscellaneous Time APIs, 333
CFE_MSG_GetEDSVersion, 245	CFE_TIME_Local1HzISR, 333
CFE_MSG_GetEndian, 246	CFE TIME Print, 333
CFE MSG GetPlaybackFlag, 246	cFE Performance Monitor APIs, 203
CFE_MSG_GetSubsystem, 247	CFE_ES_PerfLogAdd, 204
CFE_MSG_GetSystem, 248	CFE_ES_PerfLogEntry, 203
CFE_MSG_GetSystem, 248 CFE_MSG_SetEDSVersion, 248	CFE_ES_PerfLogEntry, 203 CFE_ES_PerfLogExit, 203
	<del>-</del>
CFE_MSG_SetEndian, 249	cFE Pipe Management APIs, 261
CFE_MSG_SetPlaybackFlag, 250	CFE_SB_CreatePipe, 261
CFE_MSG_SetSubsystem, 250	CFE_SB_DeletePipe, 262

CFE_SB_GetPipeIdByName, 263	CFE_ES_OPERATION_TIMED_OUT, 134
CFE_SB_GetPipeName, 264	CFE_ES_POOL_BLOCK_INVALID, 134
CFE_SB_GetPipeOpts, 264	CFE_ES_QUEUE_DELETE_ERR, 134
CFE_SB_Pipeld_ToIndex, 266	CFE_ES_RST_ACCESS_ERR, 134
CFE_SB_SetPipeOpts, 267	CFE_ES_TASK_DELETE_ERR, 135
cFE Registration APIs, 214, 289	CFE_ES_TIMER_DELETE_ERR, 135
CFE_EVS_Register, 214	CFE_EVS_APP_FILTER_OVERLOAD, 135
CFE_TBL_Register, 289	CFE_EVS_APP_ILLEGAL_APP_ID, 135
CFE TBL Share, 292	CFE_EVS_APP_NOT_REGISTERED, 136
CFE_TBL_Unregister, 293	CFE_EVS_EVT_NOT_REGISTERED, 136
cFE Reset Event Filter APIs, 221	CFE_EVS_FILE_WRITE_ERROR, 136
CFE EVS ResetAllFilters, 221	CFE_EVS_INVALID_PARAMETER, 136
CFE_EVS_ResetFilter, 221	CFE_EVS_NOT_IMPLEMENTED, 137
cFE Resource ID APIs, 157	CFE_EVS_RESET_AREA_POINTER, 137
CFE_ES_AppID_ToIndex, 157	CFE_EVS_UNKNOWN_FILTER, 137
CFE_ES_CounterID_ToIndex, 158	CFE_FS_BAD_ARGUMENT, 137
CFE_ES_LibID_ToIndex, 158	CFE_FS_FNAME_TOO_LONG, 138
CFE_ES_TaskID_ToIndex, 159	CFE_FS_INVALID_PATH, 138
cFE Resource ID base values, 335	CFE_FS_NOT_IMPLEMENTED, 138
cFE Return Code Defines, 120	CFE_SB_BAD_ARGUMENT, 138
CFE_ES_APP_CLEANUP_ERR, 125	CFE_SB_BUF_ALOC_ERR, 139
CFE_ES_BAD_ARGUMENT, 126	CFE_SB_BUFFER_INVALID, 139
CFE_ES_BIN_SEM_DELETE_ERR, 126	CFE_SB_INTERNAL_ERR, 139
CFE_ES_BUFFER_NOT_IN_POOL, 126	CFE_SB_MAX_DESTS_MET, 139
CFE_ES_CDS_ACCESS_ERROR, 126	CFE_SB_MAX_MSGS_MET, 140
CFE_ES_CDS_ALREADY_EXISTS, 127	CFE_SB_MAX_PIPES_MET, 140
CFE_ES_CDS_BLOCK_CRC_ERR, 127	CFE_SB_MSG_TOO_BIG, 140
CFE_ES_CDS_INSUFFICIENT_MEMORY, 127	CFE_SB_NO_MESSAGE, 140
CFE_ES_CDS_INVALID_NAME, 128	CFE_SB_NOT_IMPLEMENTED, 141
CFE_ES_CDS_INVALID_SIZE, 128	CFE_SB_PIPE_CR_ERR, 141
CFE_ES_CDS_INVALID, 127	CFE_SB_PIPE_RD_ERR, 141
CFE_ES_CDS_OWNER_ACTIVE_ERR, 128	CFE_SB_TIME_OUT, 141
CFE_ES_CDS_WRONG_TYPE_ERR, 128	CFE_SB_WRONG_MSG_TYPE, 142
CFE_ES_COUNT_SEM_DELETE_ERR, 129	CFE_STATUS_BAD_COMMAND_CODE, 142
CFE_ES_ERR_APP_CREATE, 129	CFE_STATUS_EXTERNAL_RESOURCE_FAIL, 142
CFE_ES_ERR_APP_REGISTER, 129	CFE_STATUS_NO_COUNTER_INCREMENT, 142
CFE ES ERR CHILD TASK CREATE, 129	CFE_STATUS_NOT_IMPLEMENTED, 143
CFE_ES_ERR_CHILD_TASK_DELETE_MAIN_T↔	CFE_STATUS_REQUEST_ALREADY_PENDING,
ASK, 130	143
CFE_ES_ERR_CHILD_TASK_DELETE, 130	CFE_STATUS_UNKNOWN_MSG_ID, 143
CFE ES ERR CHILD TASK REGISTER, 130	CFE STATUS WRONG MSG LENGTH, 143
CFE_ES_ERR_DUPLICATE_NAME, 130	CFE SUCCESS, 144
CFE_ES_ERR_LOAD_LIB, 131	CFE_TBL_BAD_ARGUMENT, 144
CFE_ES_ERR_MEM_BLOCK_SIZE, 131	CFE_TBL_ERR_ACCESS, 144
CFE_ES_ERR_NAME_NOT_FOUND, 131	CFE_TBL_ERR_BAD_CONTENT_ID, 144
CFE_ES_ERR_RESOURCEID_NOT_VALID, 131	CFE_TBL_ERR_BAD_PROCESSOR_ID, 145
CFE_ES_ERR_SYS_LOG_FULL, 132	CFE_TBL_ERR_BAD_SPACECRAFT_ID, 145
CFE_ES_ERR_SYS_LOG_TRUNCATED, 132	CFE_TBL_ERR_BAD_SUBTYPE_ID, 145
CFE_ES_FILE_CLOSE_ERR, 132	CFE_TBL_ERR_DUMP_ONLY, 145
CFE_ES_FILE_IO_ERR, 132	CFE_TBL_ERR_DUPLICATE_DIFF_SIZE, 146
CFE_ES_LIB_ALREADY_LOADED, 133	CFE_TBL_ERR_DUPLICATE_NOT_OWNED, 146
CFE_ES_MUT_SEM_DELETE_ERR, 133	CFE_TBL_ERR_FILE_FOR_WRONG_TABLE, 146
CFE_ES_NO_RESOURCE_IDS_AVAILABLE, 133	CFE_TBL_ERR_FILE_SIZE_INCONSISTENT, 146
CFE_ES_NOT_IMPLEMENTED, 133	CFE_TBL_ERR_FILE_TOO_LARGE, 147

	CFE_TBL_ERR_FILENAME_TOO_LONG, 147	CFE_TBL_OPT_DUMP_ONLY, 313
	CFE_TBL_ERR_HANDLES_FULL, 147	CFE_TBL_OPT_LD_DMP_MSK, 313
	CFE_TBL_ERR_ILLEGAL_SRC_TYPE, 147	CFE_TBL_OPT_LOAD_DUMP, 314
	CFE_TBL_ERR_INVALID_HANDLE, 148	CFE_TBL_OPT_NOT_CRITICAL, 314
	CFE_TBL_ERR_INVALID_NAME, 148	CFE_TBL_OPT_NOT_USR_DEF, 314
	CFE_TBL_ERR_INVALID_OPTIONS, 148	CFE_TBL_OPT_SNGL_BUFFER, 314
	CFE_TBL_ERR_INVALID_SIZE, 148	CFE_TBL_OPT_USR_DEF_ADDR, 31
	CFE_TBL_ERR_LOAD_IN_PROGRESS, 149	CFE_TBL_OPT_USR_DEF_MSK, 314
	CFE_TBL_ERR_LOAD_INCOMPLETE, 149	cFE Time Arithmetic APIs, 322
	CFE TBL ERR NEVER LOADED, 149	CFE_TIME_Add, 322
	CFE_TBL_ERR_NO_ACCESS, 149	CFE_TIME_Compare, 323
	CFE_TBL_ERR_NO_BUFFER_AVAIL, 150	CFE_TIME_Subtract, 324
	CFE_TBL_ERR_NO_STD_HEADER, 150	cFE Time Conversion APIs, 325
	CFE_TBL_ERR_NO_TBL_HEADER, 150	CFE_TIME_MET2SCTime, 325
	CFE_TBL_ERR_PARTIAL_LOAD, 150	CFE_TIME_Micro2SubSecs, 325
	CFE_TBL_ERR_REGISTRY_FULL, 151	CFE_TIME_Sub2MicroSecs, 326
	CFE_TBL_ERR_SHORT_FILE, 151	cFE Zero Copy APIs, 277
	CFE_TBL_ERR_UNREGISTERED, 151	CFE_SB_AllocateMessageBuffer, 277
		CFE_SB_ReleaseMessageBuffer, 278
	CFE_TBL_INFO_DUMP_PENDING, 151 CFE_TBL_INFO_NO_UPDATE_PENDING, 152	
		CFE_SB_TransmitBuffer, 278
	CFE_TBL_INFO_NO_VALIDATION_PENDING, 152	CFE_BIT
	CFE_TBL_INFO_RECOVERED_TBL, 152	cfe_sb.h, 886
	CFE_TBL_INFO_TABLE_LOCKED, 152	CFE_BUILD_BASELINE
	CFE_TBL_INFO_UPDATE_PENDING, 153	cfe_version.h, 915
	CFE_TBL_INFO_UPDATED, 153	CFE_BUILD_NUMBER
	CFE_TBL_INFO_VALIDATION_PENDING, 153	cfe_version.h, 915
	CFE_TBL_MESSAGE_ERROR, 153	CFE_CLR
	CFE_TBL_NOT_IMPLEMENTED, 154	cfe_sb.h, 887
	CFE_TBL_WARN_DUPLICATE, 154	CFE_CONFIGID_UNDEFINED
	CFE_TBL_WARN_NOT_CRITICAL, 154	cfe_config_api_typedefs.h, 815
	CFE_TBL_WARN_PARTIAL_LOAD, 154	CFE_CONFIGID_C
	CFE_TBL_WARN_SHORT_FILE, 155	cfe_config_api_typedefs.h, 815
	CFE_TIME_BAD_ARGUMENT, 155	CFE_Config_Callback_t
	CFE_TIME_CALLBACK_NOT_REGISTERED, 155	cfe_config_api_typedefs.h, 816
	CFE_TIME_INTERNAL_ONLY, 155	CFE_Config_GetIdByName
	CFE_TIME_NOT_IMPLEMENTED, 156	cfe_config.h, 812
	CFE_TIME_OUT_OF_RANGE, 156	CFE_Config_GetName
	CFE_TIME_TOO_MANY_SYNCH_CALLBACKS,	cfe_config.h, 812
	156	CFE_Config_GetObjPointer
cFE	SB Pipe options, 288	cfe_config.h, 813
	CFE_SB_PIPEOPTS_IGNOREMINE, 288	CFE_Config_GetString
cFE	Send Event APIs, 216	cfe_config.h, 813
	CFE EVS SendEvent, 216	CFE_Config_GetValue
	CFE_EVS_SendEventWithAppID, 217	cfe_config.h, 814
	CFE_EVS_SendTimedEvent, 219	CFE_Config_IterateAll
cFE	Send/Receive Message APIs, 274	cfe_config.h, 814
-	CFE_SB_ReceiveBuffer, 274	CFE Configld t
	CFE SB TransmitMsg, 275	cfe_config_api_typedefs.h, 816
cFF	Table Type Defines, 312	CFE_ES_ALL_APPS_EID
J. L	CFE_TBL_OPT_BUFFER_MSK, 312	cfe_es_events.h, 920
	CFE_TBL_OPT_CRITICAL_MSK, 313	CFE_ES_APP_CLEANUP_ERR
	CFE_TBL_OPT_CRITICAL, 312	cFE Return Code Defines, 125
	CFE_TBL_OPT_DBL_BUFFER, 313	
		CFE_ES_APP_RESTART
	CFE TBL OPT DEFAULT, 313	cfe es api typedefs.h, 832

CFE_ES_APP_TLM_MID	CFE_ES_BIN_SEM_DELETE_ERR
cpu1_msgids.h, 722	cFE Return Code Defines, 126
CFE_ES_APPID_UNDEFINED	CFE_ES_BOOT_ERR_EID
cfe_es_api_typedefs.h, 832	cfe_es_events.h, 920
CFE_ES_APPID_C	CFE_ES_BUFFER_NOT_IN_POOL
cfe_es_api_typedefs.h, 832	cFE Return Code Defines, 126
CFE_ES_AppID_ToIndex	CFE_ES_BUILD_INF_EID
cFE Resource ID APIs, 157	cfe_es_events.h, 921
CFE_ES_Appld_t	CFE_ES_BackgroundWakeup
cfe_es_extern_typedefs.h, 840	cFE Miscellaneous APIs, 186
CFE ES Applnfo, 483	CFE_ES_BlockStats, 491
AddressesAreValid, 484	BlockSize, 492
BSS, 484	NumCreated, 492
Code, 484	NumFree, 492
Data, 484	CFE_ES_BlockStats_t
EntryPoint, 485	cfe_es_extern_typedefs.h, 841
ExceptionAction, 485	CFE_ES_CC1_ERR_EID
ExecutionCounter, 485	cfe_es_events.h, 921
FileName, 485	CFE_ES_CDS_ACCESS_ERROR
MainTaskld, 486	cFE Return Code Defines, 126
MainTaskName, 486	CFE_ES_CDS_ALREADY_EXISTS
Name, 486	cFE Return Code Defines, 127
NumOfChildTasks, 486	CFE_ES_CDS_BAD_HANDLE
Priority, 487	cfe es api typedefs.h, 832
Resourceld, 487	CFE_ES_CDS_BLOCK_CRC_ERR
StackSize, 487	cFE Return Code Defines, 127
StartAddress, 487	CFE_ES_CDS_DELETE_ERR_EID
Type, 488	cfe_es_events.h, 922
CFE_ES_AppInfo_t	CFE_ES_CDS_DELETE_TBL_ERR_EID
cfe_es_extern_typedefs.h, 840	cfe_es_events.h, 922
CFE_ES_AppNameCmd, 488	CFE_ES_CDS_DELETED_INFO_EID
CommandHeader, 489	cfe_es_events.h, 922
Payload, 489	CFE_ES_CDS_DUMP_ERR_EID
CFE_ES_AppNameCmd_Payload, 489	cfe_es_events.h, 923
Application, 490	CFE_ES_CDS_INSUFFICIENT_MEMORY
CFE_ES_AppNameCmd_Payload_t	cFE Return Code Defines, 127
cfe_es_msg.h, 978	CFE_ES_CDS_INVALID_NAME
CFE_ES_AppNameCmd_t	cFE Return Code Defines, 128
cfe_es_msg.h, 978	CFE_ES_CDS_INVALID_SIZE
CFE_ES_AppReloadCmd_Payload, 490	cFE Return Code Defines, 128
AppFileName, 490	CFE_ES_CDS_INVALID
Application, 491	cFE Return Code Defines, 127
CFE_ES_AppReloadCmd_Payload_t	CFE_ES_CDS_NAME_ERR_EID
cfe_es_msg.h, 978	cfe_es_events.h, 923
CFE_ES_AppState	CFE_ES_CDS_OWNER_ACTIVE_EID
cfe_es_extern_typedefs.h, 846	cfe_es_events.h, 923
CFE_ES_AppState_Enum_t	CFE_ES_CDS_OWNER_ACTIVE_ERR
cfe_es_extern_typedefs.h, 840	cFE Return Code Defines, 128
CFE_ES_AppType	CFE_ES_CDS_REG_DUMP_INF_EID
cfe_es_extern_typedefs.h, 846	cfe_es_events.h, 924
CFE_ES_AppType_Enum_t	CFE_ES_CDS_REGISTER_ERR_EID
cfe_es_extern_typedefs.h, 840	cfe_es_events.h, 924
CFE_ES_BAD_ARGUMENT	CFE_ES_CDS_WRONG_TYPE_ERR
cFE Return Code Defines, 126	cFE Return Code Defines, 128

CFE ES CDSHANDLE C	Payload, 495
cfe_es_api_typedefs.h, 832	CFE_ES_DeleteCDSCmd_Payload, 495
CFE ES CDSHandle t	CdsName, 496
cfe_es_extern_typedefs.h, 841	CFE_ES_DeleteCDSCmd_Payload_t
CFE_ES_CDSRegDumpRec, 492	cfe_es_msg.h, 978
ByteAlignSpare, 493	CFE_ES_DeleteCDSCmd_t
Handle, 493	cfe_es_msg.h, 978
Name, 493	CFE_ES_DeleteChildTask
Size, 494	cFE Child Task APIs, 182
Table, 494	CFE_ES_DeleteGenCounter
CFE_ES_CDSRegDumpRec_t	cFE Generic Counter APIs, 206
cfe_es_extern_typedefs.h, 841	CFE_ES_DumpCDSRegistryCmd, 496
CFE_ES_CLEAR_ER_LOG_CC	CommandHeader, 497
cfe_es_msg.h, 954	Payload, 497
CFE_ES_CLEAR_SYSLOG_CC	CFE_ES_DumpCDSRegistryCmd_Payload, 497
cfe_es_msg.h, 954	DumpFilename, 498
CFE_ES_CMD_MID	CFE_ES_DumpCDSRegistryCmd_Payload_t
cpu1_msgids.h, 722	cfe_es_msg.h, 979
CFE_ES_COUNT_SEM_DELETE_ERR	CFE_ES_DumpCDSRegistryCmd_t
cFE Return Code Defines, 129	cfe_es_msg.h, 979
CFE_ES_COUNTERID_UNDEFINED	CFE_ES_ERLOG1_INF_EID
cfe_es_api_typedefs.h, 833	cfe_es_events.h, 925
CFE_ES_COUNTERID_C	CFE_ES_ERLOG2_EID
cfe_es_api_typedefs.h, 833	cfe_es_events.h, 925
CFE_ES_CREATING_CDS_DUMP_ERR_EID	CFE_ES_ERLOG2_ERR_EID
cfe_es_events.h, 924	cfe_es_events.h, 925
CFE_ES_CalculateCRC	CFE_ES_ERLOG_PENDING_ERR_EID
cFE Miscellaneous APIs, 186	cfe_es_events.h, 926
CFE_ES_ChildTaskMainFuncPtr_t	CFE_ES_ERR_APP_CREATE
cfe_es_api_typedefs.h, 835	cFE Return Code Defines, 129
CFE_ES_ClearERLogCmd_t	CFE_ES_ERR_APP_REGISTER
cfe_es_msg.h, 978	cFE Return Code Defines, 129
CFE_ES_ClearSysLogCmd_t	CFE_ES_ERR_CHILD_TASK_CREATE
cfe_es_msg.h, 978	cFE Return Code Defines, 129
CFE_ES_CopyToCDS	CFE_ES_ERR_CHILD_TASK_DELETE_MAIN_TASK
cFE Critical Data Store APIs, 190	cFE Return Code Defines, 130
CFE_ES_CounterID_ToIndex	CFE_ES_ERR_CHILD_TASK_DELETE
cFE Resource ID APIs, 158	cFE Return Code Defines, 130
CFE_ES_CounterId_t	CFE_ES_ERR_CHILD_TASK_REGISTER
cfe_es_extern_typedefs.h, 841	cFE Return Code Defines, 130
CFE_ES_CreateChildTask	CFE_ES_ERR_DUPLICATE_NAME
cFE Child Task APIs, 181	cFE Return Code Defines, 130
CFE_ES_DBIT	CFE_ES_ERR_LOAD_LIB
cfe_es.h, 829	cFE Return Code Defines, 131
CFE_ES_DELETE_CDS_CC	CFE_ES_ERR_MEM_BLOCK_SIZE
cfe_es_msg.h, 955	cFE Return Code Defines, 131
CFE_ES_DTEST	CFE_ES_ERR_NAME_NOT_FOUND
cfe_es.h, 829	cFE Return Code Defines, 131
CFE_ES_DUMP_CDS_REGISTRY_CC	CFE_ES_ERR_RESOURCEID_NOT_VALID
cfe_es_msg.h, 956	cFE Return Code Defines, 131
CFE_ES_DeleteApp	CFE_ES_ERR_SYS_LOG_FULL
cFE Application Control APIs, 163	cFE Return Code Defines, 132
CFE_ES_DeleteCDSCmd, 494	CFE_ES_ERR_SYS_LOG_TRUNCATED
CommandHeader, 495	cFE Return Code Defines, 132

CFE_ES_ERR_SYSLOGMODE_EID	cFE Information APIs, 175
cfe_es_events.h, 926	CFE_ES_GetLibName
CFE_ES_ERREXIT_APP_ERR_EID	cFE Information APIs, 176
cfe_es_events.h, 926	CFE_ES_GetMemPoolStats
CFE_ES_ERREXIT_APP_INF_EID	cFE Memory Manager APIs, 195
cfe_es_events.h, 927	CFE_ES_GetModuleInfo
CFE_ES_EXIT_APP_ERR_EID	cFE Information APIs, 177
cfe_es_events.h, 927	CFE_ES_GetPoolBuf
CFE_ES_EXIT_APP_INF_EID	cFE Memory Manager APIs, 196
cfe_es_events.h, 928	CFE ES GetPoolBufInfo
CFE_ES_ExceptionAction	cFE Memory Manager APIs, 197
cfe_es_extern_typedefs.h, 847	CFE ES GetResetType
CFE_ES_ExceptionAction_Enum_t	cFE Information APIs, 178
cfe_es_extern_typedefs.h, 842	CFE_ES_GetTaskIDByName
CFE_ES_ExitApp	cFE Child Task APIs, 183
cFE Application Behavior APIs, 166	CFE_ES_GetTaskID
CFE_ES_ExitChildTask	cFE Information APIs, 179
cFE Child Task APIs, 183	CFE_ES_GetTaskInfo
CFE_ES_FILE_CLOSE_ERR	cFE Information APIs, 180
cFE Return Code Defines, 132	CFE_ES_GetTaskName
CFE_ES_FILE_IO_ERR	cFE Child Task APIs, 184
cFE Return Code Defines, 132	CFE_ES_HK_TLM_MID
CFE_ES_FILEWRITE_ERR_EID	cpu1_msgids.h, 723
cfe_es_events.h, 928	CFE_ES_HousekeepingTlm, 500
CFE_ES_FileNameCmd, 498	Payload, 500
CommandHeader, 498	TelemetryHeader, 500
Payload, 498	CFE_ES_HousekeepingTlm_Payload, 500
CFE_ES_FileNameCmd_Payload, 499	BootSource, 503
FileName, 499	CFECoreChecksum, 503
CFE_ES_FileNameCmd_Payload_t	CFEMajorVersion, 503
cfe_es_msg.h, 979	CFEMinorVersion, 503
cfe_es_msg.h, 979 CFE_ES_FileNameCmd_t	CFEMinorVersion, 503 CFEMissionRevision, 503
CFE_ES_FileNameCmd_t	CFEMissionRevision, 503
CFE_ES_FileNameCmd_t cfe_es_msg.h, 979	CFEMissionRevision, 503 CFERevision, 504
CFE_ES_FileNameCmd_t cfe_es_msg.h, 979 CFE_ES_GetAppIDByName	CFEMissionRevision, 503 CFERevision, 504 CommandCounter, 504
CFE_ES_FileNameCmd_t cfe_es_msg.h, 979 CFE_ES_GetAppIDByName cFE Information APIs, 172	CFEMissionRevision, 503 CFERevision, 504 CommandCounter, 504 CommandErrorCounter, 504
CFE_ES_FileNameCmd_t cfe_es_msg.h, 979 CFE_ES_GetAppIDByName cFE Information APIs, 172 CFE_ES_GetAppID	CFEMissionRevision, 503 CFERevision, 504 CommandCounter, 504 CommandErrorCounter, 504 ERLogEntries, 504
CFE_ES_FileNameCmd_t cfe_es_msg.h, 979 CFE_ES_GetAppIDByName cFE Information APIs, 172 CFE_ES_GetAppID cFE Information APIs, 171	CFEMissionRevision, 503 CFERevision, 504 CommandCounter, 504 CommandErrorCounter, 504 ERLogEntries, 504 ERLogIndex, 505 HeapBlocksFree, 505
CFE_ES_FileNameCmd_t cfe_es_msg.h, 979 CFE_ES_GetAppIDByName cFE Information APIs, 172 CFE_ES_GetAppID cFE Information APIs, 171 CFE_ES_GetAppInfo cFE Information APIs, 173	CFEMissionRevision, 503 CFERevision, 504 CommandCounter, 504 CommandErrorCounter, 504 ERLogEntries, 504 ERLogIndex, 505 HeapBlocksFree, 505 HeapBytesFree, 505
CFE_ES_FileNameCmd_t cfe_es_msg.h, 979  CFE_ES_GetAppIDByName cFE Information APIs, 172  CFE_ES_GetAppID cFE Information APIs, 171  CFE_ES_GetAppInfo cFE Information APIs, 173  CFE_ES_GetAppName	CFEMissionRevision, 503 CFERevision, 504 CommandCounter, 504 CommandErrorCounter, 504 ERLogEntries, 504 ERLogIndex, 505 HeapBlocksFree, 505 HeapMaxBlockSize, 505
CFE_ES_FileNameCmd_t cfe_es_msg.h, 979  CFE_ES_GetAppIDByName cFE Information APIs, 172  CFE_ES_GetAppID cFE Information APIs, 171  CFE_ES_GetAppInfo cFE Information APIs, 173  CFE_ES_GetAppName cFE Information APIs, 174	CFEMissionRevision, 503 CFERevision, 504 CommandCounter, 504 CommandErrorCounter, 504 ERLogEntries, 504 ERLogIndex, 505 HeapBlocksFree, 505 HeapBytesFree, 505 HeapMaxBlockSize, 505 MaxProcessorResets, 506
CFE_ES_FileNameCmd_t cfe_es_msg.h, 979  CFE_ES_GetAppIDByName cFE Information APIs, 172  CFE_ES_GetAppID cFE Information APIs, 171  CFE_ES_GetAppInfo cFE Information APIs, 173  CFE_ES_GetAppName cFE Information APIs, 174  CFE_ES_GetCDSBlockIDByName	CFEMissionRevision, 503 CFERevision, 504 CommandCounter, 504 CommandErrorCounter, 504 ERLogEntries, 504 ERLogIndex, 505 HeapBlocksFree, 505 HeapBytesFree, 505 HeapMaxBlockSize, 505 MaxProcessorResets, 506 OSALMajorVersion, 506
CFE_ES_FileNameCmd_t cfe_es_msg.h, 979  CFE_ES_GetAppIDByName cFE Information APIs, 172  CFE_ES_GetAppID cFE Information APIs, 171  CFE_ES_GetAppInfo cFE Information APIs, 173  CFE_ES_GetAppName cFE Information APIs, 174  CFE_ES_GetCDSBlockIDByName cFE Critical Data Store APIs, 191	CFEMissionRevision, 503 CFERevision, 504 CommandCounter, 504 CommandErrorCounter, 504 ERLogEntries, 504 ERLogIndex, 505 HeapBlocksFree, 505 HeapBytesFree, 505 HeapMaxBlockSize, 505 MaxProcessorResets, 506 OSALMajorVersion, 506
CFE_ES_FileNameCmd_t cfe_es_msg.h, 979  CFE_ES_GetAppIDByName cFE Information APIs, 172  CFE_ES_GetAppID cFE Information APIs, 171  CFE_ES_GetAppInfo cFE Information APIs, 173  CFE_ES_GetAppName cFE Information APIs, 174  CFE_ES_GetCDSBlockIDByName cFE Critical Data Store APIs, 191  CFE_ES_GetCDSBlockName	CFEMissionRevision, 503 CFERevision, 504 CommandCounter, 504 CommandErrorCounter, 504 ERLogEntries, 504 ERLogIndex, 505 HeapBlocksFree, 505 HeapBytesFree, 505 HeapMaxBlockSize, 505 MaxProcessorResets, 506 OSALMajorVersion, 506 OSALMissionRevision, 506
CFE_ES_FileNameCmd_t cfe_es_msg.h, 979  CFE_ES_GetAppIDByName cFE Information APIs, 172  CFE_ES_GetAppID cFE Information APIs, 171  CFE_ES_GetAppInfo cFE Information APIs, 173  CFE_ES_GetAppName cFE Information APIs, 174  CFE_ES_GetCDSBlockIDByName cFE Critical Data Store APIs, 191  CFE_ES_GetCDSBlockName cFE Critical Data Store APIs, 192	CFEMissionRevision, 503 CFERevision, 504 CommandCounter, 504 CommandErrorCounter, 504 ERLogEntries, 504 ERLogIndex, 505 HeapBlocksFree, 505 HeapBytesFree, 505 HeapMaxBlockSize, 505 MaxProcessorResets, 506 OSALMajorVersion, 506 OSALMissionRevision, 506 OSALRevision, 507
CFE_ES_FileNameCmd_t	CFEMissionRevision, 503 CFERevision, 504 CommandCounter, 504 CommandErrorCounter, 504 ERLogEntries, 504 ERLogIndex, 505 HeapBlocksFree, 505 HeapBytesFree, 505 HeapMaxBlockSize, 505 MaxProcessorResets, 506 OSALMajorVersion, 506 OSALMissionRevision, 506 OSALMevision, 507 PSPMajorVersion, 509
CFE_ES_FileNameCmd_t	CFEMissionRevision, 503 CFERevision, 504 CommandCounter, 504 CommandErrorCounter, 504 ERLogEntries, 504 ERLogIndex, 505 HeapBlocksFree, 505 HeapBytesFree, 505 HeapMaxBlockSize, 505 MaxProcessorResets, 506 OSALMajorVersion, 506 OSALMissionRevision, 506 OSALMissionRevision, 506 OSALRevision, 507 PSPMajorVersion, 509 PSPMinorVersion, 510
CFE_ES_FileNameCmd_t	CFEMissionRevision, 503 CFERevision, 504 CommandCounter, 504 CommandErrorCounter, 504 ERLogEntries, 504 ERLogIndex, 505 HeapBlocksFree, 505 HeapBytesFree, 505 HeapMaxBlockSize, 505 MaxProcessorResets, 506 OSALMajorVersion, 506 OSALMissionRevision, 506 OSALRevision, 507 PSPMajorVersion, 509 PSPMissionRevision, 510
CFE_ES_FileNameCmd_t	CFEMissionRevision, 503 CFERevision, 504 CommandCounter, 504 CommandErrorCounter, 504 ERLogEntries, 504 ERLogIndex, 505 HeapBlocksFree, 505 HeapBytesFree, 505 HeapMaxBlockSize, 505 MaxProcessorResets, 506 OSALMajorVersion, 506 OSALMissionRevision, 506 OSALMissionRevision, 506 OSALRevision, 507 PSPMajorVersion, 509 PSPMinorVersion, 510 PSPMissionRevision, 510 PSPRevision, 510
CFE_ES_FileNameCmd_t	CFEMissionRevision, 503 CFERevision, 504 CommandCounter, 504 CommandErrorCounter, 504 ERLogEntries, 504 ERLogIndex, 505 HeapBlocksFree, 505 HeapBytesFree, 505 HeapMaxBlockSize, 505 MaxProcessorResets, 506 OSALMajorVersion, 506 OSALMissionRevision, 506 OSALMissionRevision, 506 OSALRevision, 507 PSPMajorVersion, 509 PSPMinorVersion, 510 PSPRevision, 510 PSPRevision, 510 PSPRevision, 510 PerfDataCount, 507
CFE_ES_FileNameCmd_t	CFEMissionRevision, 503 CFERevision, 504 CommandCounter, 504 CommandErrorCounter, 504 ERLogEntries, 504 ERLogIndex, 505 HeapBlocksFree, 505 HeapBytesFree, 505 HeapMaxBlockSize, 505 MaxProcessorResets, 506 OSALMajorVersion, 506 OSALMissionRevision, 506 OSALMissionRevision, 506 OSALRevision, 507 PSPMajorVersion, 509 PSPMinorVersion, 510 PSPRevision, 510 PSPRevision, 510 PerfDataCount, 507 PerfDataEnd, 507
CFE_ES_FileNameCmd_t	CFEMissionRevision, 503 CFERevision, 504 CommandCounter, 504 CommandErrorCounter, 504 ERLogEntries, 504 ERLogIndex, 505 HeapBlocksFree, 505 HeapBytesFree, 505 HeapMaxBlockSize, 505 MaxProcessorResets, 506 OSALMajorVersion, 506 OSALMissionRevision, 506 OSALMissionRevision, 506 OSALRevision, 507 PSPMajorVersion, 509 PSPMinorVersion, 510 PSPMissionRevision, 510 PSPRevision, 510 PerfDataCount, 507 PerfDataEnd, 507 PerfDataStart, 507
CFE_ES_FileNameCmd_t	CFEMissionRevision, 503 CFERevision, 504 CommandCounter, 504 CommandErrorCounter, 504 ERLogEntries, 504 ERLogIndex, 505 HeapBlocksFree, 505 HeapBytesFree, 505 HeapMaxBlockSize, 505 MaxProcessorResets, 506 OSALMajorVersion, 506 OSALMissionRevision, 506 OSALMissionRevision, 506 OSALRevision, 507 PSPMajorVersion, 509 PSPMinorVersion, 510 PSPRevision, 510 PSPRevision, 510 PerfDataCount, 507 PerfDataEnd, 507

PerfMode, 508	cfe_es_api_typedefs.h, 833
PerfState, 508	CFE_ES_MEMHANDLE_C
PerfTriggerCount, 509	cfe_es_api_typedefs.h, 833
PerfTriggerMask, 509	CFE_ES_MEMOFFSET_C
ProcessorResets, 509	cfe_es_extern_typedefs.h, 839
RegisteredCoreApps, 510	CFE_ES_MEMPOOLBUF_C
RegisteredExternalApps, 511	cfe_es_api_typedefs.h, 834
RegisteredLibs, 511	CFE_ES_MEMSTATS_TLM_MID
RegisteredTasks, 511	cpu1_msgids.h, 723
ResetSubtype, 511	CFE_ES_MID_ERR_EID
ResetType, 512	cfe_es_events.h, 930
SysLogBytesUsed, 512	CFE_ES_MUT_SEM_DELETE_ERR
SysLogEntries, 512	cFE Return Code Defines, 133
SysLogMode, 512	CFE_ES_Main
SysLogSize, 513	cFE Entry/Exit APIs, 161
CFE_ES_HousekeepingTlm_Payload_t	CFE_ES_MemAddOff, 513
cfe_es_msg.h, 979	Address, 514
CFE_ES_HousekeepingTlm_t	Size, 514
cfe_es_msg.h, 979	CFE_ES_MemAddOff_t
CFE_ES_INIT_INF_EID	cfe_es_extern_typedefs.h, 843
cfe_es_events.h, 928	CFE_ES_MemAddress_t
CFE_ES_INITSTATS_INF_EID	cfe_es_extern_typedefs.h, 843
cfe_es_events.h, 929	CFE_ES_MemHandle_t
CFE_ES_INVALID_POOL_HANDLE_ERR_EID	cfe_es_extern_typedefs.h, 843
cfe_es_events.h, 929	CFE_ES_MemOffset_t
CFE_ES_IncrementGenCounter	cfe_es_extern_typedefs.h, 843
cFE Generic Counter APIs, 209	CFE_ES_MemPoolBuf_t
CFE_ES_IncrementTaskCounter	cfe_es_api_typedefs.h, 836
cFE Application Behavior APIs, 167	CFE_ES_MemPoolStats, 514
CFE_ES_LEN_ERR_EID	BlockStats, 515
cfe_es_events.h, 929	CheckErrCtr, 515
CFE_ES_LIB_ALREADY_LOADED	NumBlocksRequested, 515
cFE Return Code Defines, 133	NumFreeBytes, 516
CFE_ES_LIBID_UNDEFINED	PoolSize, 516
cfe_es_api_typedefs.h, 833	CFE_ES_MemPoolStats_t
CFE_ES_LIBID_C	cfe_es_extern_typedefs.h, 844
cfe_es_api_typedefs.h, 833	CFE_ES_MemStatsTlm, 516
CFE_ES_LibID_ToIndex	Payload, 517
cFE Resource ID APIs, 158	TelemetryHeader, 517
CFE_ES_LibId_t	CFE_ES_MemStatsTlm_t
cfe_es_extern_typedefs.h, 842	cfe_es_msg.h, 980
CFE_ES_LibraryEntryFuncPtr_t	CFE_ES_NO_MUTEX
cfe_es_api_typedefs.h, 835	cfe_es_api_typedefs.h, 834
CFE_ES_LogEntryType	CFE_ES_NO_RESOURCE_IDS_AVAILABLE
cfe_es_extern_typedefs.h, 847	cFE Return Code Defines, 133
CFE_ES_LogEntryType_Enum_t	CFE_ES_NOOP_CC
cfe_es_extern_typedefs.h, 842	cfe_es_msg.h, 957
CFE_ES_LogMode	CFE_ES_NOOP_INF_EID
cfe_es_extern_typedefs.h, 847	cfe_es_events.h, 930
CFE_ES_LogMode_Enum_t	CFE_ES_NOT_IMPLEMENTED
cfe_es_extern_typedefs.h, 842	cFE Return Code Defines, 133
CFE_ES_MEMADDRESS_C	CFE_ES_NoArgsCmd, 517
cfe_es_extern_typedefs.h, 839	CommandHeader, 518
CFE ES MEMHANDLE UNDEFINED	CFE ES NoArgsCmd t

cfe_es_msg.h, 980	cfe_es_events.h, 935
CFE_ES_NoopCmd_t	CFE_ES_PERF_TRIGMSKCMD_EID
cfe_es_msg.h, 980	cfe_es_events.h, 935
CFE_ES_ONE_APP_EID	CFE_ES_PERF_TRIGMSKERR_EID
cfe_es_events.h, 930	cfe_es_events.h, 936
CFE_ES_ONE_APPID_ERR_EID	CFE_ES_POOL_BLOCK_INVALID
cfe_es_events.h, 931	cFE Return Code Defines, 134
CFE_ES_ONE_ERR_EID	CFE_ES_PerfLogAdd
cfe_es_events.h, 931	cFE Performance Monitor APIs, 204
CFE_ES_OPERATION_TIMED_OUT	CFE_ES_PerfLogEntry
cFE Return Code Defines, 134	cFE Performance Monitor APIs, 203
CFE_ES_OSCREATE_ERR_EID	CFE_ES_PerfLogExit
cfe_es_events.h, 931	cFE Performance Monitor APIs, 203
CFE_ES_OVER_WRITE_SYSLOG_CC	CFE_ES_PoolAlign, 522
cfe_es_msg.h, 958	LongDouble, 522
CFE_ES_OneAppTlm, 518	LongInt, 522
Payload, 519	Ptr, 522
TelemetryHeader, 519	CFE_ES_PoolAlign_t
CFE_ES_OneAppTIm_Payload, 519	cfe_es_api_typedefs.h, 836
Applnfo, 520	CFE_ES_PoolCreate
CFE_ES_OneAppTIm_Payload_t	cFE Memory Manager APIs, 198
cfe_es_msg.h, 980	CFE_ES_PoolCreateEx
CFE_ES_OneAppTIm_t	cFE Memory Manager APIs, 199
cfe_es_msg.h, 980	CFE_ES_PoolCreateNoSem
CFE_ES_OverWriteSysLogCmd, 520	cFE Memory Manager APIs, 200
CommandHeader, 520	CFE_ES_PoolDelete
Payload, 520	cFE Memory Manager APIs, 201
CFE_ES_OverWriteSysLogCmd_Payload, 521	CFE_ES_PoolStatsTlm_Payload, 523
Mode, 521	PoolState 523
CFE_ES_OverWriteSysLogCmd_Payload_t cfe_es_msg.h, 980	PoolStats, 523 CFE_ES_PoolStatsTlm_Payload_t
CFE_ES_OverWriteSysLogCmd_t	cfe_es_msg.h, 981
cfe_es_msg.h, 981	CFE_ES_ProcessAsyncEvent
CFE ES PCR ERR1 EID	cFE Miscellaneous APIs, 188
cfe_es_events.h, 932	CFE ES PutPoolBuf
CFE ES PCR ERR2 EID	cFE Memory Manager APIs, 202
cfe_es_events.h, 932	CFE ES QUERY ALL CC
CFE ES PERF DATAWRITTEN EID	cfe_es_msg.h, 959
cfe_es_events.h, 932	CFE_ES_QUERY_ALL_TASKS_CC
CFE_ES_PERF_FILTMSKCMD_EID	cfe es msg.h, 960
cfe_es_events.h, 933	CFE_ES_QUERY_ONE_CC
CFE_ES_PERF_FILTMSKERR_EID	cfe_es_msg.h, 961
cfe_es_events.h, 933	CFE ES QUEUE DELETE ERR
CFE_ES_PERF_LOG_ERR_EID	cFE Return Code Defines, 134
cfe_es_events.h, 933	CFE_ES_QueryAllCmd_t
CFE_ES_PERF_STARTCMD_EID	cfe_es_msg.h, 981
cfe_es_events.h, 934	CFE_ES_QueryAllTasksCmd_t
CFE_ES_PERF_STARTCMD_ERR_EID	cfe_es_msg.h, 981
cfe_es_events.h, 934	CFE_ES_QueryOneCmd_t
CFE_ES_PERF_STARTCMD_TRIG_ERR_EID	cfe_es_msg.h, 981
cfe_es_events.h, 934	CFE_ES_RELOAD_APP_CC
CFE_ES_PERF_STOPCMD_EID	cfe_es_msg.h, 962
cfe_es_events.h, 935	CFE_ES_RELOAD_APP_DBG_EID
CFE ES PERF STOPCMD ERR2 EID	cfe es events.h, 936

CFE_ES_RELOAD_APP_ERR1_EID	cFE Application Control APIs, 164
cfe_es_events.h, 936	CFE_ES_RestartAppCmd_t
CFE_ES_RELOAD_APP_ERR2_EID	cfe_es_msg.h, 982
cfe_es_events.h, 937	CFE_ES_RestartCmd, 525
CFE_ES_RELOAD_APP_ERR3_EID	CommandHeader, 525
cfe_es_events.h, 937	Payload, 525
CFE_ES_RELOAD_APP_ERR4_EID	CFE_ES_RestartCmd_Payload, 526
cfe_es_events.h, 937	RestartType, 526
CFE_ES_RELOAD_APP_INF_EID	CFE_ES_RestartCmd_Payload_t
cfe_es_events.h, 938	cfe_es_msg.h, 982
CFE_ES_RESET_COUNTERS_CC	CFE_ES_RestartCmd_t
cfe_es_msg.h, 963	cfe_es_msg.h, 982
CFE_ES_RESET_INF_EID	CFE_ES_RestoreFromCDS
cfe_es_events.h, 938	cFE Critical Data Store APIs, 194
CFE_ES_RESET_PR_COUNT_CC	CFE_ES_RunLoop
cfe_es_msg.h, 964	cFE Application Behavior APIs, 167
CFE_ES_RESET_PR_COUNT_EID	CFE_ES_RunStatus
cfe_es_events.h, 938	cfe_es_extern_typedefs.h, 848
CFE_ES_RESTART_APP_CC	CFE_ES_RunStatus_Enum_t
cfe_es_msg.h, 965	cfe_es_extern_typedefs.h, 844
CFE_ES_RESTART_APP_DBG_EID	CFE_ES_SEND_HK_MID
cfe_es_events.h, 939	cpu1_msgids.h, 723
CFE_ES_RESTART_APP_ERR1_EID	CFE_ES_SEND_MEM_POOL_STATS_CC
cfe_es_events.h, 939	cfe_es_msg.h, 967
CFE_ES_RESTART_APP_ERR2_EID	CFE_ES_SET_MAX_PR_COUNT_CC
cfe_es_events.h, 939	cfe_es_msg.h, 968
CFE_ES_RESTART_APP_ERR3_EID	CFE_ES_SET_MAX_PR_COUNT_EID
cfe_es_events.h, 940	cfe_es_events.h, 941
CFE_ES_RESTART_APP_ERR4_EID	CFE_ES_SET_PERF_FILTER_MASK_CC
cfe_es_events.h, 940	cfe_es_msg.h, 969
CFE_ES_RESTART_APP_INF_EID	CFE_ES_SET_PERF_TRIGGER_MASK_CC
cfe_es_events.h, 940	cfe_es_msg.h, 970
CFE_ES_RESTART_CC	CFE_ES_START_APP_CC
cfe_es_msg.h, 966	cfe_es_msg.h, 971
CFE_ES_RST_ACCESS_ERR	CFE_ES_START_ERR_EID
cFE Return Code Defines, 134	cfe_es_events.h, 941
CFE_ES_RegisterCDS	CFE_ES_START_EXC_ACTION_ERR_EID
cFE Critical Data Store APIs, 192	cfe_es_events.h, 941
CFE_ES_RegisterGenCounter	CFE_ES_START_INF_EID
cFE Generic Counter APIs, 211	cfe_es_events.h, 942
CFE_ES_ReloadApp	CFE_ES_START_INVALID_ENTRY_POINT_ERR_EID
cFE Application Control APIs, 164	cfe_es_events.h, 942
CFE_ES_ReloadAppCmd, 524	CFE_ES_START_INVALID_FILENAME_ERR_EID
CommandHeader, 524	cfe_es_events.h, 942
Payload, 524	CFE_ES_START_NULL_APP_NAME_ERR_EID
CFE_ES_ReloadAppCmd_t	cfe_es_events.h, 943
cfe_es_msg.h, 981	CFE_ES_START_PERF_DATA_CC
CFE_ES_ResetCFE	cfe_es_msg.h, 972
cFE Entry/Exit APIs, 162	CFE_ES_START_PRIORITY_ERR_EID
CFE_ES_ResetCountersCmd_t	cfe_es_events.h, 943
cfe_es_msg.h, 982	CFE_ES_STATIC_POOL_TYPE
CFE_ES_ResetPRCountCmd_t	cfe_es_api_typedefs.h, 834
cfe_es_msg.h, 982	CFE_ES_STOP_APP_CC
CFE ES RestartApp	cfe es msg.h, 973

CFE_ES_STOP_DBG_EID	CFE_ES_SetPerfTrigMaskCmd_Payload_t
cfe_es_events.h, 943	cfe_es_msg.h, 984
CFE_ES_STOP_ERR1_EID	CFE_ES_SetPerfTriggerMaskCmd, 532
cfe_es_events.h, 944	CommandHeader, 533
CFE_ES_STOP_ERR2_EID	Payload, 533
cfe_es_events.h, 944	CFE_ES_SetPerfTriggerMaskCmd_t
CFE_ES_STOP_ERR3_EID	cfe_es_msg.h, 983
cfe_es_events.h, 944	CFE_ES_StackPointer_t
CFE_ES_STOP_INF_EID	cfe_es_api_typedefs.h, 836
cfe es events.h, 945	CFE_ES_StartApp, 534
CFE_ES_STOP_PERF_DATA_CC	CommandHeader, 535
cfe_es_msg.h, 974	Payload, 535
CFE_ES_SYSLOG1_INF_EID	CFE_ES_StartAppCmd_Payload, 535
cfe_es_events.h, 945	AppEntryPoint, 536
CFE_ES_SYSLOG2_EID	AppFileName, 536
cfe_es_events.h, 945	Application, 536
CFE_ES_SYSLOG2_ERR_EID	ExceptionAction, 537
cfe es events.h, 946	Priority, 537
CFE ES SYSLOGMODE EID	StackSize, 537
cfe_es_events.h, 946	CFE_ES_StartAppCmd_Payload_t
CFE_ES_SendMemPoolStatsCmd, 527	cfe_es_msg.h, 984
CommandHeader, 527	CFE_ES_StartAppCmd_t
Payload, 527	
	cfe_es_msg.h, 984
CFE_ES_SendMemPoolStatsCmd_Payload, 528	CFE_ES_StartPerfCmd_Payload, 537
Application, 528	TriggerMode, 538
PoolHandle, 528	CFE_ES_StartPerfCmd_Payload_t
CFE_ES_SendMemPoolStatsCmd_Payload_t	cfe_es_msg.h, 984
cfe_es_msg.h, 982	CFE_ES_StartPerfDataCmd, 538
CFE_ES_SendMemPoolStatsCmd_t	CommandHeader, 539
cfe_es_msg.h, 983	Payload, 539
CFE_ES_SetGenCount	CFE_ES_StartPerfDataCmd_t
cFE Generic Counter APIs, 212	cfe_es_msg.h, 984
CFE_ES_SetMaxPRCountCmd, 529	CFE_ES_StopAppCmd_t
CommandHeader, 529	cfe_es_msg.h, 984
Payload, 529	CFE_ES_StopPerfCmd_Payload, 539
CFE_ES_SetMaxPRCountCmd_Payload, 530	DataFileName, 540
MaxPRCount, 530	CFE_ES_StopPerfCmd_Payload_t
CFE_ES_SetMaxPRCountCmd_Payload_t	cfe_es_msg.h, 985
cfe_es_msg.h, 983	CFE_ES_StopPerfDataCmd, 540
CFE_ES_SetMaxPRCountCmd_t	CommandHeader, 541
cfe_es_msg.h, 983	Payload, 541
CFE_ES_SetPerfFilterMaskCmd, 530	CFE_ES_StopPerfDataCmd_t
CommandHeader, 531	cfe_es_msg.h, 985
Payload, 531	CFE_ES_SystemState
CFE_ES_SetPerfFilterMaskCmd_Payload, 531	cfe_es_extern_typedefs.h, 848
FilterMask, 532	CFE_ES_SystemState_Enum_t
FilterMaskNum, 532	cfe_es_extern_typedefs.h, 844
CFE_ES_SetPerfFilterMaskCmd_Payload_t	CFE_ES_TASK_DELETE_ERR
cfe_es_msg.h, 983	cFE Return Code Defines, 135
CFE_ES_SetPerfFilterMaskCmd_t	CFE_ES_TASK_STACK_ALLOCATE
cfe_es_msg.h, 983	cfe_es_api_typedefs.h, 834
CFE_ES_SetPerfTrigMaskCmd_Payload, 533	CFE_ES_TASKID_UNDEFINED
TriggerMask, 534	cfe_es_api_typedefs.h, 835
TriggerMaskNum, 534	CFE ES TASKID C

cfe_es_api_typedefs.h, 835	CFE_ES_WriteSysLogCmd_t
CFE_ES_TASKINFO_EID	cfe_es_msg.h, 985
cfe_es_events.h, 946	CFE_ES_WriteToSysLog
CFE_ES_TASKINFO_OSCREATE_ERR_EID	cFE Miscellaneous APIs, 188
cfe_es_events.h, 947	CFE_EVENTS_SERVICE
CFE_ES_TASKINFO_WR_ERR_EID	cfe_error.h, 823
cfe_es_events.h, 947	CFE_EVS_ADD_EVENT_FILTER_CC
CFE_ES_TASKINFO_WRHDR_ERR_EID	cfe_evs_msg.h, 1004
cfe_es_events.h, 947	CFE_EVS_ADDFILTER_EID
CFE_ES_TASKWR_ERR_EID	cfe_evs_events.h, 987
cfe_es_events.h, 948	CFE_EVS_APP_FILTER_OVERLOAD
CFE_ES_TEST_LONG_MASK	cFE Return Code Defines, 135
cfe_es.h, 830	CFE_EVS_APP_ILLEGAL_APP_ID
CFE_ES_TIMER_DELETE_ERR	cFE Return Code Defines, 135
cFE Return Code Defines, 135	CFE_EVS_APP_NOT_REGISTERED
CFE_ES_TLM_POOL_STATS_INFO_EID	cFE Return Code Defines, 136
cfe_es_events.h, 948	CFE_EVS_AddEventFilterCmd_t
CFE_ES_TaskEntryFuncPtr_t	cfe_evs_msg.h, 1025
cfe_es_api_typedefs.h, 836	CFE_EVS_AppDataCmd_Payload, 544
CFE_ES_TaskID_ToIndex	AppDataFilename, 544
cFE Resource ID APIs, 159	CFE_EVS_AppDataCmd_Payload_t
CFE_ES_TaskId_t	cfe_evs_msg.h, 1025
cfe_es_extern_typedefs.h, 845	CFE_EVS_AppNameBitMaskCmd, 544
CFE_ES_TaskInfo, 541	CommandHeader, 545
Appld, 542	Payload, 545
AppName, 542	CFE_EVS_AppNameBitMaskCmd_Payload, 545
ExecutionCounter, 542	AppName, 546
Priority, 542	BitMask, 546
Spare, 543	Spare, 546
StackSize, 543	CFE_EVS_AppNameBitMaskCmd_Payload_t
Taskld, 543	cfe_evs_msg.h, 1026
TaskName, 543	CFE_EVS_AppNameBitMaskCmd_t
CFE_ES_TaskInfo_t	cfe_evs_msg.h, 1026
cfe_es_extern_typedefs.h, 845	CFE_EVS_AppNameCmd, 547
CFE_ES_TaskPriority_Atom_t	CommandHeader, 547
cfe_es_extern_typedefs.h, 845	Payload, 547
CFE_ES_USE_MUTEX	CFE_EVS_AppNameCmd_Payload, 548
cfe_es_api_typedefs.h, 835	AppName, 548
CFE_ES_VERSION_INF_EID	CFE_EVS_AppNameCmd_Payload_t
cfe_es_events.h, 948	cfe_evs_msg.h, 1026
CFE_ES_WRHDR_ERR_EID	CFE_EVS_AppNameCmd_t
cfe_es_events.h, 949	cfe_evs_msg.h, 1026
CFE_ES_WRITE_CFE_HDR_ERR_EID	CFE_EVS_AppNameEventIDCmd, 549
cfe_es_events.h, 949	CommandHeader, 549
CFE_ES_WRITE_ER_LOG_CC	Payload, 549
cfe_es_msg.h, 975	CFE_EVS_AppNameEventIDCmd_Payload, 550
CFE_ES_WRITE_SYSLOG_CC	AppName, 550
cfe_es_msg.h, 976	EventID, 550
CFE_ES_WaitForStartupSync	CFE_EVS_AppNameEventIDCmd_Payload_t
cFE Application Behavior APIs, 168	cfe_evs_msg.h, 1026
CFE_ES_WaitForSystemState	CFE_EVS_AppNameEventIDCmd_t
cFE Application Behavior APIs, 169	cfe_evs_msg.h, 1026
CFE_ES_WriteERLogCmd_t	CFE_EVS_AppNameEventIDMaskCmd, 551
cfe_es_msg.h, 985	CommandHeader, 551

cfe_evs_events.h, 988
CFE_EVS_DISAPPEVT_EID
cfe_evs_events.h, 988
CFE_EVS_DISEVTTYPE_EID
cfe_evs_events.h, 988
CFE_EVS_DISPORT_EID
cfe_evs_events.h, 989
CFE_EVS_DeleteEventFilterCmd_t
cfe_evs_msg.h, 1028
CFE_EVS_DisableAppEventTypeCmd_t
cfe_evs_msg.h, 1028
CFE_EVS_DisableAppEventsCmd_t
cfe_evs_msg.h, 1028
CFE_EVS_DisableEventTypeCmd_t
cfe_evs_msg.h, 1028
CFE_EVS_DisablePortsCmd_t
cfe_evs_msg.h, 1028
CFE_EVS_ENAAPPEVT_EID
cfe_evs_events.h, 989
CFE_EVS_ENAAPPEVTTYPE_EID
cfe_evs_events.h, 989
CFE_EVS_ENABLE_APP_EVENT_TYPE_CC
cfe_evs_msg.h, 1010
CFE_EVS_ENABLE_APP_EVENTS_CC
cfe_evs_msg.h, 1011
CFE_EVS_ENABLE_EVENT_TYPE_CC
cfe_evs_msg.h, 1012
CFE_EVS_ENABLE_PORTS_CC
cfe_evs_msg.h, 1013
CFE_EVS_ENAEVTTYPE_EID
cfe_evs_events.h, 990
CFE_EVS_ENAPORT_EID
cfe_evs_events.h, 990
CFE EVS ERR APPNOREGS EID
cfe_evs_events.h, 990
CFE_EVS_ERR_CC_EID
cfe evs events.h, 991
CFE EVS ERR CRDATFILE EID
cfe_evs_events.h, 991
CFE EVS ERR CRLOGFILE EID
cfe_evs_events.h, 991
CFE_EVS_ERR_EVTIDNOREGS_EID
cfe_evs_events.h, 992
CFE_EVS_ERR_ILLAPPIDRANGE_EID
cfe_evs_events.h, 992
CFE EVS ERR ILLEGALFMTMOD EID
cfe evs events.h, 992
CFE_EVS_ERR_INVALID_BITMASK_EID
cfe_evs_events.h, 993
CFE_EVS_ERR_LOGMODE_EID
cfe_evs_events.h, 993
CFE_EVS_ERR_MAXREGSFILTER_EID
cfe_evs_events.h, 993
CFE EVS ERR MSGID EID

cfe_evs_events.h, 994	cfe_evs_api_typedefs.h, 853
CFE_EVS_ERR_NOAPPIDFOUND_EID	CFE_EVS_FIRST_ONE_STOP
cfe_evs_events.h, 994	cfe_evs_api_typedefs.h, 853
CFE_EVS_ERR_UNREGISTERED_EVS_APP	CFE_EVS_FIRST_TWO_STOP
cfe_evs_events.h, 994	cfe_evs_api_typedefs.h, 853
CFE_EVS_ERR_WRDATFILE_EID	CFE_EVS_HK_TLM_MID
cfe_evs_events.h, 995	cpu1_msgids.h, 723
CFE_EVS_ERR_WRLOGFILE_EID	CFE_EVS_HousekeepingTlm, 557
cfe_evs_events.h, 995	Payload, 558
CFE_EVS_ERROR_BIT	TelemetryHeader, 558
cfe_evs_msg.h, 1014	CFE_EVS_HousekeepingTlm_Payload, 558
CFE_EVS_EVERY_FOURTH_ONE	AppData, 559
cfe_evs_api_typedefs.h, 852	CommandErrorCounter, 560
CFE_EVS_EVERY_OTHER_ONE	CommandErrorCounter, 560
cfe_evs_api_typedefs.h, 852	LogEnabled, 560
CFE_EVS_EVERY_OTHER_TWO	LogFullFlag, 560
cfe_evs_api_typedefs.h, 852 CFE_EVS_EVT_FILTERED_EID	LogOverflowCounter, 561
	LogOverflowCounter, 561 MessageFormatMode, 561
cfe_evs_events.h, 995	•
CFE_EVS_EVT_NOT_REGISTERED	MessageSendCounter, 561
cFE Return Code Defines, 136	MessageTruncCounter, 562
CFE_EVS_EnableAppEventTypeCmd_t	OutputPort, 562
cfe_evs_msg.h, 1029	Spare1, 562
CFE_EVS_EnableAppEventsCmd_t	Spare2, 562
cfe_evs_msg.h, 1028	Spare3, 563
CFE_EVS_EnableEventTypeCmd_t	UnregisteredAppCounter, 563
cfe_evs_msg.h, 1029	CFE_EVS_HousekeepingTlm_Payload_t
CFE_EVS_EnablePortsCmd_t	cfe_evs_msg.h, 1029
cfe_evs_msg.h, 1029 CFE EVS EventFilter	CFE_EVS_HousekeepingTlm_t
	cfe_evs_msg.h, 1029 CFE_EVS_INFORMATION_BIT
cfe_evs_extern_typedefs.h, 856 CFE_EVS_EventFilter_Enum_t	cfe_evs_msg.h, 1015
cfe_evs_extern_typedefs.h, 855	CFE_EVS_INVALID_PARAMETER
CFE_EVS_EventOutput	cFE Return Code Defines, 136
cfe_evs_extern_typedefs.h, 856	CFE_EVS_LEN_ERR_EID
CFE_EVS_EventOutput_Enum_t	cfe_evs_events.h, 996
cfe_evs_extern_typedefs.h, 855	CFE_EVS_LOGMODE_EID
CFE_EVS_EventType	cfe_evs_events.h, 996
cfe_evs_extern_typedefs.h, 858	CFE EVS LONG EVENT MSG MID
CFE_EVS_EventType_Enum_t	cpu1 msgids.h, 723
cfe_evs_extern_typedefs.h, 855	CFE_EVS_LogFileCmd_Payload, 563
CFE EVS FILE WRITE ERROR	LogFilename, 564
cFE Return Code Defines, 136	CFE_EVS_LogFileCmd_Payload_t
CFE_EVS_FILTER_MAX_EID	cfe_evs_msg.h, 1029
cfe_evs_events.h, 996	CFE_EVS_LogMode
CFE_EVS_FIRST_16_STOP	cfe_evs_extern_typedefs.h, 858
cfe_evs_api_typedefs.h, 852	CFE EVS LogMode Enum t
CFE EVS FIRST 32 STOP	cfe_evs_extern_typedefs.h, 855
cfe_evs_api_typedefs.h, 852	CFE_EVS_LongEventTlm, 564
CFE_EVS_FIRST_4_STOP	Payload, 565
cfe_evs_api_typedefs.h, 852	TelemetryHeader, 565
CFE_EVS_FIRST_64_STOP	CFE_EVS_LongEventTlm_Payload, 565
cfe_evs_api_typedefs.h, 853	Message, 566
CFE_EVS_FIRST_8_STOP	PacketID, 566

Spare1, 566	CFE_EVS_RSTEVTCNT_EID
Spare2, 566	cfe_evs_events.h, 998
CFE_EVS_LongEventTlm_Payload_t	CFE_EVS_RSTFILTER_EID
cfe_evs_msg.h, 1030	cfe_evs_events.h, 998
CFE_EVS_LongEventTlm_t	CFE_EVS_Register
cfe_evs_msg.h, 1030	cFE Registration APIs, 214
CFE_EVS_MsgFormat	CFE_EVS_ResetAllFilters
cfe_evs_extern_typedefs.h, 858	cFE Reset Event Filter APIs, 221
CFE_EVS_MsgFormat_Enum_t	CFE EVS ResetAllFiltersCmd t
cfe_evs_extern_typedefs.h, 856	cfe_evs_msg.h, 1030
CFE_EVS_NO_FILTER	CFE_EVS_ResetAppCounterCmd_t
cfe_evs_api_typedefs.h, 853	cfe_evs_msg.h, 1030
CFE_EVS_NOOP_CC	CFE_EVS_ResetCountersCmd_t
cfe_evs_msg.h, 1015	cfe_evs_msg.h, 1031
CFE_EVS_NOOP_EID	CFE EVS ResetFilter
cfe_evs_events.h, 997	cFE Reset Event Filter APIs, 221
CFE EVS NOT IMPLEMENTED	CFE_EVS_ResetFilterCmd_t
cFE Return Code Defines, 137	cfe_evs_msg.h, 1031
CFE_EVS_NoArgsCmd, 567	CFE_EVS_SEND_HK_MID
CommandHeader, 567	cpu1_msgids.h, 724
CFE_EVS_NoArgsCmd_t	CFE_EVS_SET_EVENT_FORMAT_MODE_CC
cfe_evs_msg.h, 1030	cfe_evs_msg.h, 1020
CFE_EVS_NoopCmd_t	CFE_EVS_SET_FILTER_CC
cfe_evs_msg.h, 1030	cfe_evs_msg.h, 1021
CFE_EVS_PORT1_BIT	CFE_EVS_SET_LOG_MODE_CC
cfe_evs_msg.h, 1015	
CFE_EVS_PORT2_BIT	cfe_evs_msg.h, 1022
	CFE_EVS_SETEVTFMTMOD_EID
cfe_evs_msg.h, 1016	cfe_evs_events.h, 998
CFE_EVS_PORT3_BIT	CFE_EVS_SETFILTERMSK_EID
cfe_evs_msg.h, 1016	cfe_evs_events.h, 999
CFE_EVS_PORT4_BIT	CFE_EVS_SHORT_EVENT_MSG_MID
cfe_evs_msg.h, 1016	cpu1_msgids.h, 724
CFE_EVS_PacketID_t	CFE_EVS_STARTUP_EID
cfe_evs_msg.h, 1030	cfe_evs_events.h, 999
CFE_EVS_PacketID, 567	CFE_EVS_Send
AppName, 568	cfe_evs.h, 849
EventID, 568	CFE_EVS_SendCrit
EventType, 568	cfe_evs.h, 850
ProcessorID, 568	CFE_EVS_SendDbg
SpacecraftID, 569	cfe_evs.h, 850
CFE_EVS_RESET_ALL_FILTERS_CC	CFE_EVS_SendErr
cfe_evs_msg.h, 1016	cfe_evs.h, 850
CFE_EVS_RESET_APP_COUNTER_CC	CFE_EVS_SendEvent
cfe_evs_msg.h, 1017	cFE Send Event APIs, 216
CFE_EVS_RESET_AREA_POINTER	CFE_EVS_SendEventWithAppID
cFE Return Code Defines, 137	cFE Send Event APIs, 217
CFE_EVS_RESET_COUNTERS_CC	CFE_EVS_SendInfo
cfe_evs_msg.h, 1018	cfe_evs.h, 850
CFE_EVS_RESET_FILTER_CC	CFE_EVS_SendTimedEvent
cfe_evs_msg.h, 1019	cFE Send Event APIs, 219
CFE_EVS_RSTALLFILTER_EID	CFE_EVS_SetEventFormatCode_Payload, 569
cfe_evs_events.h, 997	MsgFormat, 570
CFE_EVS_RSTCNT_EID	Spare, 570
cfe evs events.h, 997	CFE EVS SetEventFormatMode Payload t

cfe_evs_msg.h, 1031	cFE File Utility APIs, 228
CFE_EVS_SetEventFormatModeCmd, 570	CFE_FS_BackgroundFileDumpRequest
CommandHeader, 571	cFE File Utility APIs, 229
Payload, 571	CFE_FS_ExtractFilenameFromPath
CFE_EVS_SetEventFormatModeCmd_t	cFE File Utility APIs, 229
cfe_evs_msg.h, 1031	CFE_FS_FILE_CONTENT_ID
CFE_EVS_SetFilterCmd_t	cfe_fs_extern_typedefs.h, 864
cfe_evs_msg.h, 1031	CFE_FS_FNAME_TOO_LONG
CFE_EVS_SetLogMode_Payload, 571	cFE Return Code Defines, 138
LogMode, 572	CFE_FS_FileCategory_t
Spare, <u>572</u>	cfe_fs_api_typedefs.h, 862
CFE_EVS_SetLogMode_Payload_t	CFE_FS_FileWriteEvent_t
cfe_evs_msg.h, 1031	cfe_fs_api_typedefs.h, 863
CFE_EVS_SetLogModeCmd, 572	CFE_FS_FileWriteGetData_t
CommandHeader, 573	cfe_fs_api_typedefs.h, 861
Payload, 573	CFE_FS_FileWriteMetaData, 577
CFE_EVS_SetLogModeCmd_t	Description, 577
cfe_evs_msg.h, 1032	FileName, 577
CFE_EVS_ShortEventTlm, 573	FileSubType, 578
Payload, 573	GetData, 578
TelemetryHeader, 574	IsPending, 578
CFE_EVS_ShortEventTlm_Payload, 574	OnEvent, 578
PacketID, 574	CFE_FS_FileWriteMetaData_t
CFE EVS ShortEventTlm Payload t	cfe fs api typedefs.h, 861
cfe_evs_msg.h, 1032	CFE_FS_FileWriteOnEvent_t
CFE_EVS_ShortEventTIm_t	cfe_fs_api_typedefs.h, 861
cfe_evs_msg.h, 1032	CFE_FS_GetDefaultExtension
CFE_EVS_UNKNOWN_FILTER	cFE File Utility APIs, 230
cFE Return Code Defines, 137	CFE_FS_GetDefaultMountPoint
CFE_EVS_WRDAT_EID	cFE File Utility APIs, 231
cfe_evs_events.h, 999	CFE_FS_HDR_DESC_MAX_LEN
CFE_EVS_WRITE_APP_DATA_FILE_CC	cfe_fs_extern_typedefs.h, 864
cfe_evs_msg.h, 1023	CFE FS Header, 579
CFE EVS WRITE LOG DATA FILE CC	ApplicationID, 579
cfe evs msg.h, 1024	ContentType, 579
CFE EVS WRLOG EID	Description, 580
cfe_evs_events.h, 1000	Length, 580
CFE_EVS_WriteAppDataFileCmd, 575	ProcessorID, 580
CommandHeader, 575	SpacecraftID, 580
Payload, 575	SubType, 580
CFE_EVS_WriteAppDataFileCmd_t	TimeSeconds, 581
cfe_evs_msg.h, 1032	TimeSubSeconds, 581
CFE EVS WriteLogDataFileCmd, 576	CFE FS Header t
CommandHeader, 576	cfe_fs_extern_typedefs.h, 864
Payload, 576	CFE FS INVALID PATH
CFE_EVS_WriteLogDataFileCmd_t	cFE Return Code Defines, 138
cfe_evs_msg.h, 1032	CFE FS InitHeader
CFE_EXECUTIVE_SERVICE	cFE File Header Management APIs, 223
cfe_error.h, 823	CFE_FS_NOT_IMPLEMENTED
CFE_FILE_SERVICE	cFE Return Code Defines, 138
cfe_error.h, 824	CFE_FS_ParseInputFileName
CFE_FS_BAD_ARGUMENT	cFE File Utility APIs, 231
cFE Return Code Defines, 137	CFE_FS_ParseInputFileNameEx
CFF FS BackgroundFileDumpIsPending	cFF File Utility APIs. 232
OLE LO DOUNGIOGIAI IIGIAANIMA GIANIA	VILLING CHILLY OF 18: CULC

0== =0 B	
CFE_FS_ReadHeader	CFE_MISSION_EVS_HK_TLM_MSG
cFE File Header Management APIs, 223	sample_mission_cfg.h, 793
CFE_FS_SetTimestamp	CFE_MISSION_EVS_LONG_EVENT_MSG_MSG
cFE File Header Management APIs, 224	sample_mission_cfg.h, 793
CFE_FS_SubType	CFE_MISSION_EVS_MAIN_PERF_ID
cfe_fs_extern_typedefs.h, 865	sample_perfids.h, 808
CFE_FS_SubType_Enum_t	CFE_MISSION_EVS_MAX_MESSAGE_LENGTH
cfe_fs_extern_typedefs.h, 864	sample_mission_cfg.h, 793
CFE_FS_WriteHeader	CFE_MISSION_EVS_SEND_HK_MSG
cFE File Header Management APIs, 225	sample_mission_cfg.h, 794
CFE_GENERIC_SERVICE	CFE_MISSION_EVS_SHORT_EVENT_MSG_MSG
cfe_error.h, 824	sample_mission_cfg.h, 794
CFE_MAJOR_VERSION	CFE_MISSION_MAX_API_LEN
cfe_version.h, 915	sample_mission_cfg.h, 794
CFE_MAKE_BIG16	CFE_MISSION_MAX_FILE_LEN
cfe_endian.h, 817	sample_mission_cfg.h, 794
CFE_MAKE_BIG32	CFE_MISSION_MAX_PATH_LEN
cfe_endian.h, 817	sample_mission_cfg.h, 795
CFE_MINOR_VERSION	CFE_MISSION_REV
cfe_version.h, 915	cfe_version.h, 915
CFE_MISSION_ES_APP_TLM_MSG	CFE_MISSION_SB_ALLSUBS_TLM_MSG
sample_mission_cfg.h, 788	sample_mission_cfg.h, 795
CFE_MISSION_ES_CDS_MAX_FULL_NAME_LEN	CFE_MISSION_SB_CMD_MSG
sample_mission_cfg.h, 788	sample_mission_cfg.h, 796
CFE_MISSION_ES_CDS_MAX_NAME_LENGTH	CFE_MISSION_SB_HK_TLM_MSG
sample_mission_cfg.h, 789	sample_mission_cfg.h, 796
CFE_MISSION_ES_CMD_MSG	CFE_MISSION_SB_MAIN_PERF_ID
sample_mission_cfg.h, 789	sample_perfids.h, 808
CFE_MISSION_ES_CRC_16	CFE_MISSION_SB_MAX_PIPES
sample_mission_cfg.h, 790	sample_mission_cfg.h, 796
CFE_MISSION_ES_CRC_32	CFE_MISSION_SB_MAX_SB_MSG_SIZE
sample_mission_cfg.h, 790	sample_mission_cfg.h, 796
CFE_MISSION_ES_CRC_8	CFE_MISSION_SB_MSG_LIM_PERF_ID
sample_mission_cfg.h, 790	sample_perfids.h, 808
CFE_MISSION_ES_DEFAULT_CRC	CFE_MISSION_SB_ONESUB_TLM_MSG
sample_mission_cfg.h, 790	sample_mission_cfg.h, 797
CFE_MISSION_ES_HK_TLM_MSG	CFE_MISSION_SB_PIPE_OFLOW_PERF_ID
sample mission cfg.h, 790	sample perfids.h, 808
CFE MISSION ES MAIN PERF ID	CFE_MISSION_SB_SEND_HK_MSG
sample_perfids.h, 807	sample_mission_cfg.h, 797
CFE MISSION ES MAX APPLICATIONS	CFE_MISSION_SB_STATS_TLM_MSG
sample_mission_cfg.h, 791	sample_mission_cfg.h, 797
CFE MISSION ES MEMSTATS TLM MSG	CFE MISSION SB SUB RPT CTRL MSG
sample_mission_cfg.h, 791	
· — — •	sample_mission_cfg.h, 797
CFE_MISSION_ES_PERF_EXIT_BIT	CFE_MISSION_TBL_CMD_MSG
sample_perfids.h, 808	sample_mission_cfg.h, 798
CFE_MISSION_ES_PERF_MAX_IDS	CFE_MISSION_TBL_HK_TLM_MSG
sample_mission_cfg.h, 791	sample_mission_cfg.h, 798
CFE_MISSION_ES_POOL_MAX_BUCKETS	CFE_MISSION_TBL_MAIN_PERF_ID
sample_mission_cfg.h, 792	sample_perfids.h, 809
CFE_MISSION_ES_SEND_HK_MSG	CFE_MISSION_TBL_MAX_FULL_NAME_LEN
sample_mission_cfg.h, 792	sample_mission_cfg.h, 798
CFE_MISSION_EVS_CMD_MSG	CFE_MISSION_TBL_MAX_NAME_LENGTH
sample mission cfg.h. 793	sample mission cfg.h. 798

CFE_MISSION_TBL_REG_TLM_MSG	CFE_MISSION_TIME_LOCAL1HZISR_PERF_ID
sample_mission_cfg.h, 799	sample_perfids.h, 809
CFE_MISSION_TBL_SEND_HK_MSG	CFE_MISSION_TIME_LOCAL1HZTASK_PERF_ID
sample_mission_cfg.h, 799	sample_perfids.h, 809
CFE_MISSION_TEST_CMD_MSG	CFE_MISSION_TIME_MAIN_PERF_ID
sample_mission_cfg.h, 799	sample_perfids.h, 809
CFE_MISSION_TEST_HK_TLM_MSG	CFE MISSION TIME MAX ELAPSED
sample_mission_cfg.h, 799	sample_mission_cfg.h, 805
CFE_MISSION_TIME_1HZ_CMD_MSG	CFE_MISSION_TIME_MIN_ELAPSED
sample_mission_cfg.h, 800	sample_mission_cfg.h, 805
CFE_MISSION_TIME_AT_TONE_WAS	CFE_MISSION_TIME_SEND_CMD_MSG
sample_mission_cfg.h, 800	sample mission cfg.h, 806
CFE_MISSION_TIME_AT_TONE_WILL_BE	CFE_MISSION_TIME_SEND_HK_MSG
sample_mission_cfg.h, 800	sample_mission_cfg.h, 806
CFE_MISSION_TIME_CFG_DEFAULT_TAI	CFE_MISSION_TIME_SENDMET_PERF_ID
sample_mission_cfg.h, 800	sample_perfids.h, 809
·	
CFE_MISSION_TIME_CFG_DEFAULT_UTC	CFE_MISSION_TIME_TONE1HZISR_PERF_ID
sample_mission_cfg.h, 801	sample_perfids.h, 810
CFE_MISSION_TIME_CFG_FAKE_TONE	CFE_MISSION_TIME_TONE1HZTASK_PERF_ID
sample_mission_cfg.h, 801	sample_perfids.h, 810
CFE_MISSION_TIME_CMD_MSG	CFE_MISSION_TIME_TONE_CMD_MSG
sample_mission_cfg.h, 801	sample_mission_cfg.h, 806
CFE_MISSION_TIME_DATA_CMD_MSG	CFE_MSG_ApId_t
sample_mission_cfg.h, 802	cfe_msg_api_typedefs.h, 870
CFE_MISSION_TIME_DEF_DELAY_SECS	CFE_MSG_BAD_ARGUMENT
sample_mission_cfg.h, 802	cfe_msg_api_typedefs.h, 870
CFE_MISSION_TIME_DEF_DELAY_SUBS	CFE_MSG_Checksum_t
sample_mission_cfg.h, 802	cfe_msg_api_typedefs.h, 871
CFE_MISSION_TIME_DEF_LEAPS	CFE_MSG_CommandHeader_t
sample_mission_cfg.h, 802	cfe_msg_api_typedefs.h, 871
CFE_MISSION_TIME_DEF_MET_SECS	CFE_MSG_EDSVersion_t
sample_mission_cfg.h, 802	cfe_msg_api_typedefs.h, 871
CFE_MISSION_TIME_DEF_MET_SUBS	CFE_MSG_Endian
sample mission cfg.h, 803	cfe_msg_api_typedefs.h, 873
CFE_MISSION_TIME_DEF_STCF_SECS	CFE_MSG_Endian_t
sample_mission_cfg.h, 803	cfe_msg_api_typedefs.h, 871
CFE_MISSION_TIME_DEF_STCF_SUBS	CFE_MSG_FcnCode_t
sample_mission_cfg.h, 803	cfe_msg_api_typedefs.h, 871
CFE_MISSION_TIME_DIAG_TLM_MSG	CFE_MSG_GenerateChecksum
sample_mission_cfg.h, 803	cFE Message Secondary Header APIs, 252
·	
CFE_MISSION_TIME_EPOCH_DAY	CFE_MSG_GetApId
sample_mission_cfg.h, 804	cFE Message Primary Header APIs, 235
CFE_MISSION_TIME_EPOCH_HOUR	CFE_MSG_GetEDSVersion
sample_mission_cfg.h, 804	cFE Message Extended Header APIs, 245
CFE_MISSION_TIME_EPOCH_MINUTE	CFE_MSG_GetEndian
sample_mission_cfg.h, 804	cFE Message Extended Header APIs, 246
CFE_MISSION_TIME_EPOCH_SECOND	CFE_MSG_GetFcnCode
sample_mission_cfg.h, 804	cFE Message Secondary Header APIs, 253
CFE_MISSION_TIME_EPOCH_YEAR	CFE_MSG_GetHasSecondaryHeader
sample_mission_cfg.h, 804	cFE Message Primary Header APIs, 236
CFE_MISSION_TIME_FS_FACTOR	CFE_MSG_GetHeaderVersion
sample_mission_cfg.h, 804	cFE Message Primary Header APIs, 237
CFE_MISSION_TIME_HK_TLM_MSG	CFE_MSG_GetMsgld
sample_mission_cfg.h, 805	cFE Message Id APIs, 258

CFE_MSG_GetMsgTime	CFE_MSG_SetPlaybackFlag
cFE Message Secondary Header APIs, 253	cFE Message Extended Header APIs, 250
CFE_MSG_GetNextSequenceCount	CFE_MSG_SetSegmentationFlag
cFE Message Primary Header APIs, 237	cFE Message Primary Header APIs, 242
CFE_MSG_GetPlaybackFlag	CFE_MSG_SetSequenceCount
cFE Message Extended Header APIs, 246	cFE Message Primary Header APIs, 243
CFE_MSG_GetSegmentationFlag	CFE_MSG_SetSize
cFE Message Primary Header APIs, 238	cFE Message Primary Header APIs, 243
CFE_MSG_GetSequenceCount	CFE_MSG_SetSubsystem
cFE Message Primary Header APIs, 238	cFE Message Extended Header APIs, 250
CFE_MSG_GetSize	CFE_MSG_SetSystem
cFE Message Primary Header APIs, 239	cFE Message Extended Header APIs, 251
CFE_MSG_GetSubsystem	CFE_MSG_SetType
cFE Message Extended Header APIs, 247	cFE Message Primary Header APIs, 244
CFE_MSG_GetSystem	CFE_MSG_Size_t
cFE Message Extended Header APIs, 248	cfe_msg_api_typedefs.h, 873
CFE_MSG_GetType	CFE_MSG_Subsystem_t
cFE Message Primary Header APIs, 240	cfe_msg_api_typedefs.h, 873
CFE_MSG_GetTypeFromMsgId	CFE_MSG_System_t
cFE Message Id APIs, 258	cfe_msg_api_typedefs.h, 873
CFE_MSG_HeaderVersion_t	CFE_MSG_TelemetryHeader_t
cfe_msg_api_typedefs.h, 872	cfe_msg_api_typedefs.h, 873
CFE_MSG_Init	CFE MSG Type
cFE Generic Message APIs, 234	cfe_msg_api_typedefs.h, 874
CFE_MSG_Message_t	CFE_MSG_Type_t
cfe_msg_api_typedefs.h, 872	cfe_msg_api_typedefs.h, 873
CFE_MSG_NOT_IMPLEMENTED	CFE_MSG_ValidateChecksum
cfe_msg_api_typedefs.h, 870	cFE Message Secondary Header APIs, 257
CFE_MSG_PlaybackFlag	CFE_MSG_WRONG_MSG_TYPE
cfe_msg_api_typedefs.h, 874	cfe_msg_api_typedefs.h, 870
CFE_MSG_PlaybackFlag_t	CFE_PLATFORM_CMD_MID_BASE_GLOB
cfe_msg_api_typedefs.h, 872	cpu1_msgids.h, 724
CFE_MSG_SegmentationFlag	CFE_PLATFORM_CMD_MID_BASE
cfe_msg_api_typedefs.h, 874	cpu1_msgids.h, 724
CFE_MSG_SegmentationFlag_t	CFE_PLATFORM_CORE_MAX_STARTUP_MSEC
cfe_msg_api_typedefs.h, 872	cpu1_platform_cfg.h, 732
CFE_MSG_SequenceCount_t	CFE_PLATFORM_ENDIAN
cfe_msg_api_typedefs.h, 872	cpu1_platform_cfg.h, 733
CFE MSG SetApId	CFE_PLATFORM_ES_APP_KILL_TIMEOUT
cFE Message Primary Header APIs, 240	cpu1_platform_cfg.h, 733
CFE_MSG_SetEDSVersion	CFE_PLATFORM_ES_APP_SCAN_RATE
cFE Message Extended Header APIs, 248	cpu1 platform cfg.h, 734
CFE MSG SetEndian	CFE_PLATFORM_ES_CDS_MAX_BLOCK_SIZE
cFE Message Extended Header APIs, 249	cpu1_platform_cfg.h, 734
CFE_MSG_SetFonCode	CFE_PLATFORM_ES_CDS_MAX_NUM_ENTRIES
cFE Message Secondary Header APIs, 254	cpu1_platform_cfg.h, 735
	. — — — —
CFE_MSG_SetHasSecondaryHeader	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_01
cFE Message Primary Header APIs, 241	cpu1_platform_cfg.h, 735
CFE_MSG_SetHeaderVersion	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_02
cFE Message Primary Header APIs, 241	cpu1_platform_cfg.h, 735
CFE_MSG_SetMsgld	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_03
cFE Message Id APIs, 259	cpu1_platform_cfg.h, 736
CFE_MSG_SetMsgTime  CFE Message Secondary Header APIs, 256	CFE_PLATFORM_ES_CDS_MEM_BLOCK_SIZE_04
CFE Message Secondary Header APIS 256	cpu1 platform cfg.h. 736

CFE\_PLATFORM\_ES\_CDS\_MEM\_BLOCK\_SIZE\_05 cpu1\_platform\_cfg.h, 743 cpu1 platform cfg.h, 736 CFE PLATFORM ES MAX GEN COUNTERS CFE\_PLATFORM\_ES\_CDS\_MEM\_BLOCK\_SIZE\_06 cpu1 platform cfg.h, 744 CFE PLATFORM\_ES\_MAX\_LIBRARIES cpu1\_platform\_cfg.h, 736 CFE\_PLATFORM\_ES\_CDS\_MEM\_BLOCK\_SIZE\_07 cpu1\_platform\_cfg.h, 744 cpu1 platform cfg.h, 736 CFE PLATFORM ES MAX MEMORY POOLS CFE PLATFORM ES CDS MEM BLOCK SIZE 08 cpu1 platform cfg.h, 744 CFE PLATFORM ES MAX PROCESSOR RESETS cpu1 platform cfg.h, 736 CFE PLATFORM ES CDS MEM BLOCK SIZE 09 cpu1 platform cfg.h, 745 CFE\_PLATFORM\_ES\_MEM\_BLOCK\_SIZE\_01 cpu1\_platform\_cfg.h, 737 CFE\_PLATFORM\_ES\_CDS\_MEM\_BLOCK\_SIZE\_10 cpu1\_platform\_cfg.h, 745 cpu1 platform cfg.h, 737 CFE PLATFORM ES MEM BLOCK SIZE 02 CFE\_PLATFORM\_ES\_CDS\_MEM\_BLOCK\_SIZE\_11 cpu1 platform cfg.h, 746 cpu1 platform cfg.h, 737 CFE PLATFORM ES MEM BLOCK SIZE 03 CFE\_PLATFORM\_ES\_CDS\_MEM\_BLOCK\_SIZE\_12 cpu1 platform cfg.h, 746 CFE\_PLATFORM\_ES\_MEM\_BLOCK\_SIZE\_04 cpu1\_platform\_cfg.h, 737 CFE PLATFORM ES CDS MEM BLOCK SIZE 13 cpu1 platform cfg.h, 746 cpu1\_platform\_cfg.h, 737 CFE PLATFORM ES MEM BLOCK SIZE 05 CFE PLATFORM ES CDS MEM BLOCK SIZE 14 cpu1 platform cfg.h, 746 cpu1\_platform\_cfg.h, 737 CFE\_PLATFORM\_ES\_MEM\_BLOCK\_SIZE\_06 CFE\_PLATFORM\_ES\_CDS\_MEM\_BLOCK\_SIZE\_15 cpu1 platform cfg.h, 747 CFE PLATFORM ES MEM BLOCK SIZE 07 cpu1 platform cfg.h, 738 cpu1 platform cfg.h, 747 CFE PLATFORM ES CDS MEM BLOCK SIZE 16 cpu1 platform cfg.h, 738 CFE PLATFORM ES MEM BLOCK SIZE 08 CFE\_PLATFORM\_ES\_CDS\_SIZE cpu1\_platform\_cfg.h, 747 cpu1 platform cfg.h, 738 CFE PLATFORM ES MEM BLOCK SIZE 09 CFE PLATFORM ES DEFAULT APP LOG FILE cpu1 platform cfg.h, 747 cpu1 platform cfg.h, 738 CFE PLATFORM ES MEM BLOCK SIZE 10 cpu1 platform cfg.h, 747 CFE\_PLATFORM\_ES\_DEFAULT\_CDS\_REG\_DUMP\_← CFE\_PLATFORM\_ES\_MEM\_BLOCK\_SIZE\_11 **FILE** cpu1\_platform\_cfg.h, 747 cpu1\_platform\_cfg.h, 739 CFE PLATFORM ES DEFAULT ER LOG FILE CFE\_PLATFORM\_ES\_MEM\_BLOCK\_SIZE\_12 cpu1 platform cfg.h, 739 cpu1 platform cfg.h, 748 CFE PLATFORM ES MEM BLOCK SIZE 13 CFE PLATFORM ES DEFAULT PERF DUMP FILE← cpu1 platform cfg.h, 748 NAME CFE\_PLATFORM\_ES\_MEM\_BLOCK\_SIZE\_14 cpu1\_platform\_cfg.h, 739 CFE PLATFORM ES DEFAULT POR SYSLOG MO← cpu1 platform cfg.h, 748 DE CFE PLATFORM ES MEM BLOCK SIZE 15 cpu1\_platform\_cfg.h, 740 cpu1\_platform\_cfg.h, 748 CFE PLATFORM ES DEFAULT PR SYSLOG MODE CFE\_PLATFORM\_ES\_MEM\_BLOCK\_SIZE\_16 cpu1\_platform\_cfg.h, 740 cpu1\_platform\_cfg.h, 748 CFE\_PLATFORM\_ES\_DEFAULT\_STACK\_SIZE CFE PLATFORM ES MEMPOOL ALIGN SIZE MIN cpu1 platform cfg.h, 741 cpu1 platform cfg.h, 748 CFE\_PLATFORM\_ES\_DEFAULT\_SYSLOG\_FILE CFE PLATFORM ES NONVOL DISK MOUNT STRI← cpu1 platform cfg.h, 741 NG CFE\_PLATFORM\_ES\_DEFAULT\_TASK\_LOG\_FILE cpu1\_platform\_cfg.h, 749 cpu1 platform cfg.h, 742 CFE PLATFORM ES NONVOL STARTUP FILE CFE PLATFORM ES ER LOG ENTRIES cpu1 platform cfg.h, 749 CFE PLATFORM\_ES\_OBJECT\_TABLE\_SIZE cpu1 platform cfg.h, 742 CFE\_PLATFORM\_ES\_ER\_LOG\_MAX\_CONTEXT\_SIZE cpu1\_platform\_cfg.h, 749 CFE\_PLATFORM\_ES\_PERF\_CHILD\_MS\_DELAY cpu1\_platform\_cfg.h, 743 CFE PLATFORM ES MAX APPLICATIONS cpu1 platform cfg.h, 750 CFE PLATFORM ES PERF CHILD PRIORITY cpu1 platform cfg.h, 743 CFE PLATFORM ES MAX BLOCK SIZE cpu1 platform cfg.h, 750

CFE_PLATFORM_ES_PERF_CHILD_STACK_SIZE	cpu1_platform_cfg.h, 760
cpu1_platform_cfg.h, 750	CFE_PLATFORM_EVS_DEFAULT_TYPE_FLAG
CFE_PLATFORM_ES_PERF_DATA_BUFFER_SIZE	cpu1_platform_cfg.h, 761
cpu1_platform_cfg.h, 751	CFE_PLATFORM_EVS_LOG_MAX
CFE_PLATFORM_ES_PERF_ENTRIES_BTWN_DLYS	cpu1_platform_cfg.h, 761
cpu1_platform_cfg.h, 751	CFE_PLATFORM_EVS_MAX_EVENT_FILTERS
CFE_PLATFORM_ES_PERF_FILTMASK_ALL	cpu1_platform_cfg.h, 761
	CFE_PLATFORM_EVS_PORT_DEFAULT
cpu1_platform_cfg.h, 751	
CFE_PLATFORM_ES_PERF_FILTMASK_INIT	cpu1_platform_cfg.h, 762
cpu1_platform_cfg.h, 752	CFE_PLATFORM_EVS_START_TASK_PRIORITY
CFE_PLATFORM_ES_PERF_FILTMASK_NONE	cpu1_platform_cfg.h, 762
cpu1_platform_cfg.h, 752	CFE_PLATFORM_EVS_START_TASK_STACK_SIZE
CFE_PLATFORM_ES_PERF_TRIGMASK_ALL	cpu1_platform_cfg.h, 762
cpu1_platform_cfg.h, 752	CFE_PLATFORM_SB_BUF_MEMORY_BYTES
CFE_PLATFORM_ES_PERF_TRIGMASK_INIT	cpu1_platform_cfg.h, 763
cpu1_platform_cfg.h, 753	CFE_PLATFORM_SB_DEFAULT_MAP_FILENAME
CFE_PLATFORM_ES_PERF_TRIGMASK_NONE	cpu1_platform_cfg.h, 763
cpu1_platform_cfg.h, 753	CFE_PLATFORM_SB_DEFAULT_MSG_LIMIT
CFE_PLATFORM_ES_POOL_MAX_BUCKETS	cpu1_platform_cfg.h, 764
cpu1_platform_cfg.h, 753	CFE_PLATFORM_SB_DEFAULT_PIPE_FILENAME
CFE_PLATFORM_ES_RAM_DISK_MOUNT_STRING	cpu1_platform_cfg.h, 764
cpu1_platform_cfg.h, 754	CFE_PLATFORM_SB_DEFAULT_ROUTING_FILENA←
CFE_PLATFORM_ES_RAM_DISK_NUM_SECTORS	ME
cpu1_platform_cfg.h, 754	cpu1_platform_cfg.h, 765
CFE_PLATFORM_ES_RAM_DISK_PERCENT_RESE↔	CFE_PLATFORM_SB_FILTER_MASK1
RVED	cpu1_platform_cfg.h, 765
cpu1_platform_cfg.h, 754	CFE_PLATFORM_SB_FILTER_MASK2
CFE_PLATFORM_ES_RAM_DISK_SECTOR_SIZE	cpu1_platform_cfg.h, 765
cpu1_platform_cfg.h, 755	CFE_PLATFORM_SB_FILTER_MASK3
CFE_PLATFORM_ES_RESET_AREA_SIZE	cpu1_platform_cfg.h, 766
cpu1_platform_cfg.h, 755	CFE_PLATFORM_SB_FILTER_MASK4
CFE_PLATFORM_ES_START_TASK_PRIORITY	cpu1_platform_cfg.h, 766
cpu1_platform_cfg.h, 756	CFE_PLATFORM_SB_FILTER_MASK5
CFE_PLATFORM_ES_START_TASK_STACK_SIZE	cpu1_platform_cfg.h, 766
cpu1_platform_cfg.h, 756	CFE_PLATFORM_SB_FILTER_MASK6
CFE_PLATFORM_ES_STARTUP_SCRIPT_TIMEOUT ←	cpu1_platform_cfg.h, 766
_MSEC	CFE_PLATFORM_SB_FILTER_MASK7
cpu1_platform_cfg.h, 757	cpu1_platform_cfg.h, 766
CFE_PLATFORM_ES_STARTUP_SYNC_POLL_MSEC	CFE_PLATFORM_SB_FILTER_MASK8
cpu1_platform_cfg.h, 757	cpu1_platform_cfg.h, 766
CFE_PLATFORM_ES_SYSTEM_LOG_SIZE	CFE_PLATFORM_SB_FILTERED_EVENT1
cpu1_platform_cfg.h, 758	cpu1_platform_cfg.h, 767
CFE_PLATFORM_ES_USER_RESERVED_SIZE	CFE_PLATFORM_SB_FILTERED_EVENT2
cpu1_platform_cfg.h, 758	cpu1_platform_cfg.h, 767
CFE_PLATFORM_ES_VOLATILE_STARTUP_FILE	CFE_PLATFORM_SB_FILTERED_EVENT3
cpu1_platform_cfg.h, 759	cpu1_platform_cfg.h, 767
CFE_PLATFORM_EVS_DEFAULT_APP_DATA_FILE	CFE_PLATFORM_SB_FILTERED_EVENT4
cpu1_platform_cfg.h, 759	cpu1_platform_cfg.h, 767
CFE_PLATFORM_EVS_DEFAULT_LOG_FILE	CFE_PLATFORM_SB_FILTERED_EVENT5
cpu1_platform_cfg.h, 760	cpu1_platform_cfg.h, 767
CFE_PLATFORM_EVS_DEFAULT_LOG_MODE	CFE_PLATFORM_SB_FILTERED_EVENT6
cpu1_platform_cfg.h, 760	cpu1_platform_cfg.h, 768
CFE_PLATFORM_EVS_DEFAULT_MSG_FORMAT_←	CFE_PLATFORM_SB_FILTERED_EVENT7
MODE	cpu1 platform cfg.h. 768

CFE_PLATFORM_SB_FILTERED_EVENT8	CFE_PLATFORM_TBL_MAX_DBL_TABLE_SIZE
cpu1_platform_cfg.h, 768	cpu1_platform_cfg.h, 774
CFE_PLATFORM_SB_HIGHEST_VALID_MSGID	CFE_PLATFORM_TBL_MAX_NUM_HANDLES
cpu1_platform_cfg.h, 768	cpu1_platform_cfg.h, 775
CFE_PLATFORM_SB_MAX_BLOCK_SIZE	CFE_PLATFORM_TBL_MAX_NUM_TABLES
cpu1_platform_cfg.h, 768	cpu1_platform_cfg.h, 775
CFE_PLATFORM_SB_MAX_DEST_PER_PKT	CFE_PLATFORM_TBL_MAX_NUM_VALIDATIONS
cpu1_platform_cfg.h, 769	cpu1_platform_cfg.h, 775
CFE_PLATFORM_SB_MAX_MSG_IDS	CFE_PLATFORM_TBL_MAX_SIMULTANEOUS_LOADS
cpu1_platform_cfg.h, 769	cpu1_platform_cfg.h, 776
CFE_PLATFORM_SB_MAX_PIPES	CFE_PLATFORM_TBL_MAX_SNGL_TABLE_SIZE
cpu1_platform_cfg.h, 769	cpu1 platform cfg.h, 776
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_01	CFE_PLATFORM_TBL_START_TASK_PRIORITY
cpu1_platform_cfg.h, 770	cpu1_platform_cfg.h, 777
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_02	CFE_PLATFORM_TBL_START_TASK_STACK_SIZE
cpu1_platform_cfg.h, 770	cpu1_platform_cfg.h, 777
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_03	CFE_PLATFORM_TBL_U32FROM4CHARS
cpu1_platform_cfg.h, 770	cpu1_platform_cfg.h, 777
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_04	CFE_PLATFORM_TBL_VALID_PRID_1
cpu1_platform_cfg.h, 771	cpu1_platform_cfg.h, 778
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_05	CFE_PLATFORM_TBL_VALID_PRID_2
cpu1_platform_cfg.h, 771	cpu1_platform_cfg.h, 778
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_06	CFE_PLATFORM_TBL_VALID_PRID_3
cpu1_platform_cfg.h, 771	
	cpu1_platform_cfg.h, 778
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_07	CFE_PLATFORM_TBL_VALID_PRID_4
cpu1_platform_cfg.h, 771	cpu1_platform_cfg.h, 778
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_08	CFE_PLATFORM_TBL_VALID_PRID_COUNT
cpu1_platform_cfg.h, 771	cpu1_platform_cfg.h, 779
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_09	CFE_PLATFORM_TBL_VALID_SCID_1
cpu1_platform_cfg.h, 771	cpu1_platform_cfg.h, 779
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_10	CFE_PLATFORM_TBL_VALID_SCID_2
cpu1_platform_cfg.h, 772	cpu1_platform_cfg.h, 779
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_11	CFE_PLATFORM_TBL_VALID_SCID_COUNT
cpu1_platform_cfg.h, 772	cpu1_platform_cfg.h, 780
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_12	CFE_PLATFORM_TIME_1HZ_TASK_PRIORITY
cpu1_platform_cfg.h, 772	cpu1_platform_cfg.h, 780
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_13	CFE_PLATFORM_TIME_1HZ_TASK_STACK_SIZE
cpu1_platform_cfg.h, 772	cpu1_platform_cfg.h, 780
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_14	CFE_PLATFORM_TIME_CFG_CLIENT
cpu1_platform_cfg.h, 772	cpu1_platform_cfg.h, 780
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_15	CFE_PLATFORM_TIME_CFG_LATCH_FLY
cpu1_platform_cfg.h, 772	cpu1_platform_cfg.h, 780
CFE_PLATFORM_SB_MEM_BLOCK_SIZE_16	CFE_PLATFORM_TIME_CFG_SERVER
cpu1_platform_cfg.h, 773	cpu1_platform_cfg.h, 781
CFE_PLATFORM_SB_START_TASK_PRIORITY	CFE_PLATFORM_TIME_CFG_SIGNAL
cpu1_platform_cfg.h, 773	cpu1_platform_cfg.h, 781
CFE_PLATFORM_SB_START_TASK_STACK_SIZE	CFE_PLATFORM_TIME_CFG_SOURCE
cpu1_platform_cfg.h, 773	cpu1_platform_cfg.h, 781
CFE_PLATFORM_TBL_BUF_MEMORY_BYTES	CFE_PLATFORM_TIME_CFG_SRC_GPS
cpu1_platform_cfg.h, 773	cpu1_platform_cfg.h, 782
CFE_PLATFORM_TBL_DEFAULT_REG_DUMP_FILE	CFE_PLATFORM_TIME_CFG_SRC_MET
cpu1_platform_cfg.h, 774	cpu1_platform_cfg.h, 782
CFE_PLATFORM_TBL_MAX_CRITICAL_TABLES	CFE_PLATFORM_TIME_CFG_SRC_TIME
cpu1 platform cfg.h, 774	cpu1 platform cfg.h, 782

CFE_PLATFORM_TIME_CFG_START_FLY	CFE_PSP_Exception_GetSummary
cpu1_platform_cfg.h, 783 CFE_PLATFORM_TIME_CFG_TONE_LIMIT	cfe_psp.h, 1225 CFE_PSP_FlushCaches
cpu1_platform_cfg.h, 783	cfe_psp.h, 1225
CFE_PLATFORM_TIME_CFG_VIRTUAL	CFE_PSP_Get_Dec
cpu1_platform_cfg.h, 783	cfe_psp.h, 1225
CFE_PLATFORM_TIME_MAX_DELTA_SECS	CFE_PSP_Get_Timebase
cpu1_platform_cfg.h, 784	cfe_psp.h, 1226
CFE_PLATFORM_TIME_MAX_DELTA_SUBS	CFE_PSP_Get_Timer_Tick
cpu1_platform_cfg.h, 784	cfe_psp.h, 1226
CFE_PLATFORM_TIME_MAX_LOCAL_SECS	CFE PSP GetBuildNumber
cpu1_platform_cfg.h, 785	cfe psp.h, 1226
CFE_PLATFORM_TIME_MAX_LOCAL_SUBS	CFE_PSP_GetCDSSize
cpu1_platform_cfg.h, 785	cfe_psp.h, 1227
CFE_PLATFORM_TIME_START_TASK_PRIORITY	CFE_PSP_GetCFETextSegmentInfo
cpu1_platform_cfg.h, 785	cfe_psp.h, 1227
CFE_PLATFORM_TIME_START_TASK_STACK_SIZE	CFE_PSP_GetKernelTextSegmentInfo
cpu1_platform_cfg.h, 785	cfe_psp.h, 1227
CFE_PLATFORM_TIME_TONE_TASK_PRIORITY	CFE PSP GetProcessorId
cpu1 platform cfg.h, 786	
	cfe_psp.h, 1227
CFE_PLATFORM_TIME_TONE_TASK_STACK_SIZE	CFE_PSP_GetProcessorName
cpu1_platform_cfg.h, 786	cfe_psp.h, 1227
CFE_PLATFORM_TLM_MID_BASE	CFE_PSP_GetResetArea
cpu1_msgids.h, 725	cfe_psp.h, 1228
CFE_PSP_AttachExceptions	CFE_PSP_GetRestartType
cfe_psp.h, 1223	cfe_psp.h, 1228
CFE_PSP_Decompress	CFE_PSP_GetSpacecraftId
cfe_psp.h, 1224	cfe_psp.h, 1228
CFE_PSP_ERROR_ADDRESS_MISALIGNED	CFE_PSP_GetTime
cfe_psp.h, 1215	cfe_psp.h, 1228
CFE_PSP_ERROR_NOT_IMPLEMENTED	CFE_PSP_GetTimerLow32Rollover
cfe_psp.h, 1215	cfe_psp.h, 1229
CFE_PSP_ERROR_TIMEOUT	CFE_PSP_GetTimerTicksPerSecond
cfe_psp.h, 1215	cfe_psp.h, 1229
CFE_PSP_ERROR	CFE_PSP_GetUserReservedArea
cfe_psp.h, 1215	cfe_psp.h, 1229
CFE_PSP_EepromPowerDown	CFE_PSP_GetVersionCodeName
 cfe_psp.h, 1224	 cfe_psp.h, 1229
CFE_PSP_EepromPowerUp	CFE_PSP_GetVersionNumber
cfe_psp.h, 1224	cfe_psp.h, 1229
CFE_PSP_EepromWrite16	CFE_PSP_GetVersionString
cfe_psp.h, 1224	cfe_psp.h, 1230
CFE_PSP_EepromWrite32	CFE_PSP_GetVolatileDiskMem
cfe_psp.h, 1224	cfe_psp.h, 1230
CFE PSP EepromWrite8	CFE_PSP_INVALID_INT_NUM
cfe_psp.h, 1224	cfe_psp.h, 1215
CFE_PSP_EepromWriteDisable	CFE_PSP_INVALID_MEM_ADDR
cfe_psp.h, 1224	cfe_psp.h, 1215
CFE_PSP_EepromWriteEnable	CFE_PSP_INVALID_MEM_ATTR
cfe_psp.h, 1225	cfe_psp.h, 1216
CFE_PSP_Exception_CopyContext	CFE_PSP_INVALID_MEM_RANGE
cfe_psp.h, 1225	cfe_psp.h, 1216
CFE_PSP_Exception_GetCount	CFE_PSP_INVALID_MEM_SIZE
cfe_psp.h, 1225	cfe_psp.h, 1216

CFE_PSP_INVALID_MEM_TYPE	CFE_PSP_MemWrite32
cfe_psp.h, 1216	cfe_psp.h, 1232
CFE_PSP_INVALID_MEM_WORDSIZE	CFE_PSP_MemWrite8
cfe_psp.h, 1216	cfe_psp.h, 1232
CFE_PSP_INVALID_MODULE_ID	CFE_PSP_NO_EXCEPTION_DATA
cfe_psp.h, 1216	cfe psp.h, 1219
CFE_PSP_INVALID_MODULE_NAME	CFE_PSP_PANIC_CORE_APP
cfe_psp.h, 1217	cfe_psp.h, 1219
CFE_PSP_INVALID_POINTER	CFE_PSP_PANIC_GENERAL_FAILURE
cfe_psp.h, 1217	cfe_psp.h, 1219
CFE_PSP_InitSSR	CFE_PSP_PANIC_MEMORY_ALLOC
cfe_psp.h, 1230	cfe_psp.h, 1219
CFE_PSP_MEM_ANY	CFE_PSP_PANIC_NONVOL_DISK
cfe_psp.h, 1217	cfe_psp.h, 1219
CFE_PSP_MEM_ATTR_READWRITE	CFE_PSP_PANIC_STARTUP_SEM
cfe_psp.h, 1217	
	cfe_psp.h, 1220 CFE_PSP_PANIC_STARTUP
CFE_PSP_MEM_ATTR_READ	
cfe_psp.h, 1217	cfe_psp.h, 1219
CFE_PSP_MEM_ATTR_WRITE	CFE_PSP_PANIC_VOLATILE_DISK
cfe_psp.h, 1217	cfe_psp.h, 1220
CFE_PSP_MEM_EEPROM	CFE_PSP_Panic
cfe_psp.h, 1218	cfe_psp.h, 1233
CFE_PSP_MEM_INVALID	CFE_PSP_PortRead16
cfe_psp.h, 1218	cfe_psp.h, 1233
CFE_PSP_MEM_RAM	CFE_PSP_PortRead32
cfe_psp.h, 1218	cfe_psp.h, 1233
CFE_PSP_MEM_SIZE_BYTE	CFE_PSP_PortRead8
cfe_psp.h, 1218	cfe_psp.h, 1233
CFE_PSP_MEM_SIZE_DWORD	CFE_PSP_PortWrite16
cfe_psp.h, 1218	cfe_psp.h, 1233
CFE_PSP_MEM_SIZE_WORD	CFE_PSP_PortWrite32
cfe_psp.h, 1218	cfe_psp.h, 1233
CFE_PSP_Main	CFE_PSP_PortWrite8
cfe_psp.h, 1230	cfe_psp.h, 1234
CFE_PSP_MemCpy	CFE_PSP_RST_SUBTYPE_BANKSWITCH_RESET
cfe_psp.h, 1230	cfe_psp.h, 1220
CFE_PSP_MemRangeGet	CFE_PSP_RST_SUBTYPE_EXCEPTION
cfe_psp.h, 1231	cfe_psp.h, 1220
CFE PSP MemRangeSet	CFE_PSP_RST_SUBTYPE_HW_SPECIAL_COMMAND
cfe_psp.h, 1231	cfe_psp.h, 1220
CFE_PSP_MemRanges	CFE_PSP_RST_SUBTYPE_HW_WATCHDOG
cfe_psp.h, 1231	cfe_psp.h, 1220
CFE_PSP_MemRead16	CFE_PSP_RST_SUBTYPE_HWDEBUG_RESET
cfe_psp.h, 1231	cfe_psp.h, 1221
CFE_PSP_MemRead32	CFE_PSP_RST_SUBTYPE_MAX
cfe_psp.h, 1231	cfe_psp.h, 1221
	CFE_PSP_RST_SUBTYPE_POWER_CYCLE
CFE_PSP_MemRead8	
cfe_psp.h, 1232	cfe_psp.h, 1221
CFE_PSP_MemSet	CFE_PSP_RST_SUBTYPE_PUSH_BUTTON
cfe_psp.h, 1232	cfe_psp.h, 1221
CFE_PSP_MemValidateRange	CFE_PSP_RST_SUBTYPE_RESET_COMMAND
cfe_psp.h, 1232	cfe_psp.h, 1221
CFE_PSP_MemWrite16	CFE_PSP_RST_SUBTYPE_UNDEFINED_RESET
cfe_psp.h, 1232	cfe_psp.h, 1222

CFE_PSP_RST_TYPE_MAX	CFE_ResourceId_GetBase
cfe_psp.h, 1222	cfe_resourceid.h, 880
CFE_PSP_RST_TYPE_POWERON	CFE_ResourceId_GetSerial
cfe_psp.h, 1222	cfe_resourceid.h, 880
CFE_PSP_RST_TYPE_PROCESSOR	CFE_ResourceId_IsDefined
cfe_psp.h, 1222	cfe_resourceid.h, 881
CFE_PSP_ReadFromCDS	CFE_ResourceId_ToIndex
 cfe_psp.h, 1234	cfe_resourceid.h, 882
CFE_PSP_Restart	CFE_ResourceId_ToInteger
cfe_psp.h, 1234	cfe_resourceid.h, 883
CFE PSP SOFT TIMEBASE NAME	CFE_SB_ALLSUBS_TLM_MID
cfe_psp.h, 1222	cpu1_msgids.h, 725
CFE_PSP_SUCCESS	CFE_SB_AllSubscriptionsTlm, 581
cfe_psp.h, 1223	Payload, 582
CFE_PSP_SetDefaultExceptionEnvironment	TelemetryHeader, 582
cfe_psp.h, 1234	CFE_SB_AllSubscriptionsTlm_Payload, 582
CFE_PSP_WatchdogDisable	Entries, 583
cfe_psp.h, 1234	Entry, 583
CFE_PSP_WatchdogEnable	
	PktSegment, 583
cfe_psp.h, 1234	TotalSegments, 583
CFE_PSP_WatchdogGet	CFE_SB_AllSubscriptionsTlm_Payload_t
cfe_psp.h, 1234	cfe_sb_msg.h, 1073
CFE_PSP_WatchdogInit	CFE_SB_AllSubscriptionsTlm_t
cfe_psp.h, 1235	cfe_sb_msg.h, 1073
CFE_PSP_WatchdogService	CFE_SB_AllocateMessageBuffer
cfe_psp.h, 1235	cFE Zero Copy APIs, 277
CFE_PSP_WatchdogSet	CFE_SB_BAD_ARGUMENT
cfe_psp.h, 1235	cFE Return Code Defines, 138
CFE_PSP_WriteToCDS	CFE_SB_BAD_CMD_CODE_EID
cfe_psp.h, 1235	cfe_sb_events.h, 1038
CFE_RESOURCEID_MAKE_BASE	CFE_SB_BAD_MSGID_EID
cfe_resourceid_basevalue.h, 1035	cfe_sb_events.h, 1038
CFE_RESOURCEID_MAX	CFE_SB_BAD_PIPEID_EID
cfe_resourceid_basevalue.h, 1035	cfe_sb_events.h, 1039
CFE_RESOURCEID_RESERVED	CFE_SB_BUF_ALOC_ERR
cfe_resourceid_api_typedefs.h, 884	cFE Return Code Defines, 139
CFE_RESOURCEID_SHIFT	CFE_SB_BUFFER_INVALID
cfe_resourceid_basevalue.h, 1035	cFE Return Code Defines, 139
CFE_RESOURCEID_TEST_DEFINED	CFE_SB_Buffer_t
cfe_resourceid.h, 877	cfe_sb_api_typedefs.h, 892
CFE RESOURCEID TEST EQUAL	CFE_SB_CMD0_RCVD_EID
cfe_resourceid.h, 877	cfe_sb_events.h, 1039
CFE_RESOURCEID_TO_ULONG	CFE_SB_CMD1_RCVD_EID
cfe_resourceid.h, 877	cfe_sb_events.h, 1039
CFE_RESOURCEID_UNDEFINED	CFE SB CMD MID
cfe_resourceid_api_typedefs.h, 884	cpu1_msgids.h, 725
CFE REVISION	CFE SB CR PIPE BAD ARG EID
cfe_version.h, 915	cfe_sb_events.h, 1040
CFE_ResourceId_Equal	CFE_SB_CR_PIPE_ERR_EID
cfe_resourceid.h, 878	cfe_sb_events.h, 1040
CFE_ResourceId_FindNext	CFE_SB_CR_PIPE_NAME_TAKEN_EID
cfe_resourceid.h, 878	cfe_sb_events.h, 1040
CFE_ResourceId_FromInteger	CFE_SB_CR_PIPE_NO_FREE_EID
cfe_resourceid_Frominteger	cfe_sb_events.h.1041
CIE TEAUUTCIU.H. 0/ 3	CIE OU EVELIO.II. 1041

CFE_SB_CreatePipe	CFE_SB_GETPIPENAME_EID
cFE Pipe Management APIs, 261	cfe_sb_events.h, 1046
CFE_SB_DEFAULT_QOS	CFE_SB_GETPIPENAME_ID_ERR_EID
cfe_sb_api_typedefs.h, 889	cfe_sb_events.h, 1047
CFE_SB_DEL_PIPE_ERR1_EID	CFE_SB_GETPIPENAME_NULL_PTR_EID
cfe_sb_events.h, 1041	cfe_sb_events.h, 1047
CFE_SB_DEL_PIPE_ERR2_EID	CFE_SB_GETPIPEOPTS_EID
cfe_sb_events.h, 1041	cfe_sb_events.h, 1047
CFE SB DEST BLK ERR EID	CFE_SB_GETPIPEOPTS_ID_ERR_EID
cfe_sb_events.h, 1042	cfe_sb_events.h, 1048
CFE_SB_DISABLE_ROUTE_CC	CFE SB GETPIPEOPTS PTR ERR EID
cfe_sb_msg.h, 1062	cfe_sb_events.h, 1048
CFE_SB_DISABLE_SUB_REPORTING_CC	CFE_SB_GetPipeIdByName
cfe_sb_msg.h, 1062	cFE Pipe Management APIs, 263
CFE_SB_DSBL_RTE1_EID	CFE_SB_GetPipeName
cfe_sb_events.h, 1042	cFE Pipe Management APIs, 264
CFE_SB_DSBL_RTE2_EID	CFE_SB_GetPipeOpts
cfe_sb_events.h, 1042	cFE Pipe Management APIs, 264
CFE SB DSBL RTE3 EID	CFE_SB_GetUserData
cfe_sb_events.h, 1043	cFE Message Characteristics APIs, 280
CFE_SB_DUP_SUBSCRIP_EID	CFE SB GetUserDataLength
cfe sb events.h, 1043	cFE Message Characteristics APIs, 281
CFE_SB_DeletePipe	CFE_SB_HASHCOLLISION_EID
cFE Pipe Management APIs, 262	cfe_sb_events.h, 1048
CFE_SB_DisableRouteCmd_t	CFE_SB_HK_TLM_MID
cfe_sb_msg.h, 1073	cpu1_msgids.h, 725
CFE_SB_DisableSubReportingCmd_t	CFE_SB_HousekeepingTlm, 584
cfe_sb_msg.h, 1073	Payload, 584
CFE_SB_ENABLE_ROUTE_CC	TelemetryHeader, 584
cfe_sb_msg.h, 1063	CFE_SB_HousekeepingTlm_Payload, 585
CFE_SB_ENABLE_SUB_REPORTING_CC	CommandCounter, 586
cfe_sb_msg.h, 1064	CommandErrorCounter, 586
CFE_SB_ENBL_RTE1_EID	CreatePipeErrorCounter, 586
cfe_sb_events.h, 1043	DuplicateSubscriptionsCounter, 586
CFE SB ENBL RTE2 EID	GetPipeIdByNameErrorCounter, 587
cfe_sb_events.h, 1044	InternalErrorCounter, 587
CFE_SB_ENBL_RTE3_EID	MemInUse, 587
cfe_sb_events.h, 1044	MemPoolHandle, 587
CFE_SB_EnableRouteCmd_t	MsgLimitErrorCounter, 588
cfe_sb_msg.h, 1073	MsgReceiveErrorCounter, 588
CFE SB EnableSubReportingCmd t	MsgSendErrorCounter, 588
cfe_sb_msg.h, 1073	NoSubscribersCounter, 588
CFE_SB_FILEWRITE_ERR_EID	PipeOptsErrorCounter, 589
cfe_sb_events.h, 1044	PipeOverflowErrorCounter, 589
CFE SB FULL SUB PKT EID	Spare2Align, 589
cfe_sb_events.h, 1045	SubscribeErrorCounter, 589
CFE_SB_GET_BUF_ERR_EID	UnmarkedMem, 590
cfe_sb_events.h, 1045	CFE_SB_HousekeepingTlm_Payload_t
CFE_SB_GETPIPEIDBYNAME_EID	cfe_sb_msg.h, 1074
cfe_sb_events.h, 1045	CFE_SB_HousekeepingTlm_t
CFE_SB_GETPIPEIDBYNAME_NAME_ERR_EID	cfe_sb_msg.h, 1074
cfe_sb_events.h, 1046	CFE_SB_INIT_EID
CFE_SB_GETPIPEIDBYNAME_NULL_ERR_EID	cfe_sb_events.h, 1049
cfe_sb_events.h, 1046	CFE_SB_INTERNAL_ERR

oFF Datum Codo Datingo 100	CEE CD MagManEilaEntry t
cFE Return Code Defines, 139	CFE_SB_MsgMapFileEntry_t
CFE_SB_INVALID_MSG_ID	cfe_sb_msg.h, 1074 CFE SB NO MESSAGE
cfe_sb_api_typedefs.h, 889	
CFE_SB_INVALID_PIPE	cFE Return Code Defines, 140
cfe_sb_api_typedefs.h, 889	CFE_SB_NOOP_CC
CFE_SB_IsValidMsgId	cfe_sb_msg.h, 1065
cFE Message ID APIs, 285	CFE_SB_NOT_IMPLEMENTED
CFE_SB_LEN_ERR_EID	cFE Return Code Defines, 141
cfe_sb_events.h, 1049	CFE_SB_NoopCmd_t
CFE_SB_MAX_DESTS_MET_EID	cfe_sb_msg.h, 1074
cfe_sb_events.h, 1049	CFE_SB_ONESUB_TLM_MID
CFE_SB_MAX_DESTS_MET	cpu1_msgids.h, 725
cFE Return Code Defines, 139	CFE_SB_PART_SUB_PKT_EID
CFE_SB_MAX_MSGS_MET_EID	cfe_sb_events.h, 1051
cfe_sb_events.h, 1050	CFE_SB_PEND_FOREVER
CFE_SB_MAX_MSGS_MET	cfe_sb_api_typedefs.h, 891
cFE Return Code Defines, 140	CFE_SB_PIPE_ADDED_EID
CFE_SB_MAX_PIPES_MET_EID	cfe_sb_events.h, 1051
cfe_sb_events.h, 1050	CFE_SB_PIPE_CR_ERR
CFE_SB_MAX_PIPES_MET	cFE Return Code Defines, 141
cFE Return Code Defines, 140	CFE_SB_PIPE_DELETED_EID
CFE_SB_MSG_TOO_BIG_EID	cfe_sb_events.h, 1052
cfe_sb_events.h, 1050	CFE_SB_PIPE_RD_ERR
CFE_SB_MSG_TOO_BIG	cFE Return Code Defines, 141
cFE Return Code Defines, 140	CFE_SB_PIPEID_C
CFE_SB_MSGID_LIM_ERR_EID	cfe_sb_api_typedefs.h, 891
cfe_sb_events.h, 1051	CFE_SB_PIPEOPTS_IGNOREMINE
CFE_SB_MSGID_RESERVED	cFE SB Pipe options, 288
cfe_sb_api_typedefs.h, 890	CFE_SB_POLL
CFE_SB_MSGID_UNWRAP_VALUE	cfe_sb_api_typedefs.h, 891
cfe_sb_api_typedefs.h, 890	CFE_SB_PipeDepthStats, 593
CFE_SB_MSGID_WRAP_VALUE	CurrentQueueDepth, 594
cfe_sb_api_typedefs.h, 890	MaxQueueDepth, 594
CFE_SB_MSGID_C	PeakQueueDepth, 594
cfe_sb_api_typedefs.h, 889	Pipeld, 595
CFE_SB_MessageStringGet	Spare, 595
cFE Message Characteristics APIs, 281	CFE_SB_PipeDepthStats_t
CFE_SB_MessageStringSet	cfe sb msg.h, 1074
cFE Message Characteristics APIs, 282	CFE SB Pipeld ToIndex
CFE_SB_Msg, 590	cFE Pipe Management APIs, 266
LongDouble, 591	CFE_SB_Pipeld_t
LongInt, 591	cfe_sb_extern_typedefs.h, 894
Msg, 591	CFE SB PipeInfoEntry, 595
CFE_SB_Msgld_Atom_t	Appld, 596
cfe_sb_extern_typedefs.h, 894	AppName, 596
CFE_SB_Msgld_Equal	CurrentQueueDepth, 596
cFE Message ID APIs, 285	MaxQueueDepth, 597
CFE SB Msgld t, 591	Opts, 597
Value, 592	PeakQueueDepth, 597
CFE_SB_MsgldToValue	Pipeld, 597
cFE Message ID APIs, 286	PipeName, 597
CFE_SB_MsgMapFileEntry, 592	SendErrors, 598
Index, 593	Spare, 598
Msgld, 593	CFE_SB_PipeInfoEntry_t
wogia, ooo	

cfe_sb_msg.h, 1074	CFE_SB_SEND_INV_MSGID_EID
CFE_SB_Q_FULL_ERR_EID	cfe_sb_events.h, 1054
cfe_sb_events.h, 1052	CFE_SB_SEND_NO_SUBS_EID
CFE_SB_Q_RD_ERR_EID	cfe_sb_events.h, 1054
cfe_sb_events.h, 1052	CFE_SB_SEND_PREV_SUBS_CC
CFE_SB_Q_WR_ERR_EID	cfe_sb_msg.h, 1067
cfe_sb_events.h, 1053	CFE_SB_SEND_SB_STATS_CC
CFE_SB_Qos_t, 598	cfe_sb_msg.h, 1068
Priority, 599	CFE_SB_SETPIPEOPTS_EID
Reliability, 599	cfe_sb_events.h, 1054
CFE_SB_QosPriority	CFE_SB_SETPIPEOPTS_ID_ERR_EID
cfe_sb_extern_typedefs.h, 895	cfe_sb_events.h, 1055
CFE_SB_QosPriority_Enum_t	CFE_SB_SETPIPEOPTS_OWNER_ERR_EID
cfe_sb_extern_typedefs.h, 894	cfe_sb_events.h, 1055
CFE_SB_QosReliability	CFE_SB_SND_RTG_EID
cfe_sb_extern_typedefs.h, 895	cfe_sb_events.h, 1055
CFE_SB_QosReliability_Enum_t	CFE_SB_SND_RTG_ERR1_EID
cfe_sb_extern_typedefs.h, 894	cfe_sb_events.h, 1056
CFE_SB_RCV_BAD_ARG_EID	CFE_SB_SND_STATS_EID
cfe_sb_events.h, 1053	cfe_sb_events.h, 1056
CFE SB RESET COUNTERS CC	CFE_SB_STATS_TLM_MID
cfe_sb_msg.h, 1066	cpu1 msgids.h, 726
CFE_SB_ReceiveBuffer	CFE_SB_SUB_ARG_ERR_EID
cFE Send/Receive Message APIs, 274	cfe_sb_events.h, 1056
CFE_SB_ReleaseMessageBuffer	CFE_SB_SUB_ENTRIES_PER_PKT
cFE Zero Copy APIs, 278	cfe_sb_extern_typedefs.h, 893
CFE_SB_ResetCountersCmd_t	CFE_SB_SUB_INV_CALLER_EID
cfe_sb_msg.h, 1075	cfe_sb_events.h, 1057
CFE_SB_RouteCmd, 599	CFE_SB_SUB_INV_PIPE_EID
CommandHeader, 600	cfe_sb_events.h, 1057
Payload, 600	CFE_SB_SUB_RPT_CTRL_MID
CFE_SB_RouteCmd_Payload, 600	cpu1_msgids.h, 726 CFE SB SUBSCRIPTION RCVD EID
Msgld, 601	
Pipe, 601	cfe_sb_events.h, 1057
Spare, 601	CFE_SB_SUBSCRIPTION_REMOVED_EID
CFE_SB_RouteCmd_Payload_t	cfe_sb_events.h, 1058
cfe_sb_msg.h, 1075	CFE_SB_SUBSCRIPTION_RPT_EID
CFE_SB_RouteCmd_t	cfe_sb_events.h, 1058
cfe_sb_msg.h, 1075	CFE_SB_SUBSCRIPTION
CFE_SB_Routeld_Atom_t	cfe_sb_api_typedefs.h, 892
cfe_sb_extern_typedefs.h, 895	CFE_SB_SendPrevSubsCmd_t
CFE_SB_RoutingFileEntry, 602	cfe_sb_msg.h, 1075
AppName, 602	CFE_SB_SendSbStatsCmd_t
MsgCnt, 602	cfe_sb_msg.h, 1076
Msgld, 603	CFE_SB_SetPipeOpts
Pipeld, 603	cFE Pipe Management APIs, 267
PipeName, 603	CFE_SB_SetUserDataLength
State, 603	cFE Message Characteristics APIs, 283
CFE_SB_RoutingFileEntry_t	CFE_SB_SingleSubscriptionTlm, 604
cfe_sb_msg.h, 1075	Payload, 604
CFE_SB_SEND_BAD_ARG_EID	TelemetryHeader, 604
cfe_sb_events.h, 1053	CFE_SB_SingleSubscriptionTlm_Payload, 604
CFE_SB_SEND_HK_MID	Msgld, 605
cpu1_msgids.h, 726	Pipe, 605

Qos, 605	CFE_SB_UNSUB_INV_PIPE_EID
SubType, 606	cfe_sb_events.h, 1059
CFE_SB_SingleSubscriptionTlm_Payload_t	CFE_SB_UNSUB_NO_SUBS_EID
cfe_sb_msg.h, 1076	cfe_sb_events.h, 1059
CFE_SB_SingleSubscriptionTlm_t	CFE_SB_UNSUBSCRIPTION
cfe_sb_msg.h, 1076	cfe_sb_api_typedefs.h, 892
CFE_SB_StatsTlm, 606	CFE_SB_Unsubscribe
Payload, 606	cFE Message Subscription Control APIs, 271
TelemetryHeader, 607	CFE SB UnsubscribeLocal
•	cFE Message Subscription Control APIs, 272
CFE_SB_StatsTIm_Payload, 607	•
MaxMemAllowed, 608	CFE_SB_ValueToMsgld
MaxMsgldsAllowed, 608	cFE Message ID APIs, 286
MaxPipeDepthAllowed, 608	CFE_SB_WRITE_MAP_INFO_CC
MaxPipesAllowed, 609	cfe_sb_msg.h, 1069
MaxSubscriptionsAllowed, 609	CFE_SB_WRITE_PIPE_INFO_CC
MemInUse, 609	cfe_sb_msg.h, 1070
MsgldsInUse, 609	CFE_SB_WRITE_ROUTING_INFO_CC
PeakMemInUse, 610	cfe_sb_msg.h, 1071
PeakMsgldsInUse, 610	CFE_SB_WRONG_MSG_TYPE
PeakPipesInUse, 610	cFE Return Code Defines, 142
PeakSBBuffersInUse, 610	CFE_SB_WriteFileInfoCmd, 614
PeakSubscriptionsInUse, 611	CommandHeader, 614
PipeDepthStats, 611	Payload, 614
PipesInUse, 611	CFE_SB_WriteFileInfoCmd_Payload, 615
SBBuffersInUse, 611	Filename, 615
SubscriptionsInUse, 612	CFE_SB_WriteFileInfoCmd_Payload_t
CFE_SB_StatsTlm_Payload_t	cfe_sb_msg.h, 1077
cfe_sb_msg.h, 1076	CFE_SB_WriteFileInfoCmd_t
CFE_SB_StatsTlm_t	cfe_sb_msg.h, 1077
cfe_sb_msg.h, 1076	CFE_SB_WriteMapInfoCmd_t
CFE_SB_SubEntries, 612	cfe_sb_msg.h, 1077
Msgld, 613	CFE_SB_WritePipeInfoCmd_t
Pipe, 613	cfe_sb_msg.h, 1077
Qos, 613	CFE_SB_WriteRoutingInfoCmd_t
CFE_SB_SubEntries_t	cfe_sb_msg.h, 1077
cfe_sb_msg.h, 1077	CFE_SERVICE_BITMASK
CFE_SB_Subscribe	cfe_error.h, 824
cFE Message Subscription Control APIs, 268	CFE_SEVERITY_BITMASK
CFE_SB_SubscribeEx	cfe_error.h, 824
cFE Message Subscription Control APIs, 269	CFE SEVERITY ERROR
CFE SB SubscribeLocal	cfe_error.h, 824
cFE Message Subscription Control APIs, 270	CFE_SEVERITY_INFO
CFE SB TIME OUT	cfe_error.h, 825
cFE Return Code Defines, 141	CFE_SEVERITY_SUCCESS
CFE_SB_TimeStampMsg	cfe_error.h, 825
cFE Message Characteristics APIs, 284	CFE_SET
CFE_SB_TransmitBuffer	cfe_sb.h, 887
cFE Zero Copy APIs, 278	CFE_SOFTWARE_BUS_SERVICE
CFE_SB_TransmitMsg	cfe_error.h, 825
cFE Send/Receive Message APIs, 275	CFE_SRC_VERSION
<del>-</del>	
CFE_SB_UNSUB_ARG_ERR_EID	cfe_version.h, 916
cfe_sb_events.h, 1058	CFE_STATUS_BAD_COMMAND_CODE
CFE_SB_UNSUB_INV_CALLER_EID cfe_sb_events.h. 1059	cFE Return Code Defines, 142 CFE STATUS EXTERNAL RESOURCE FAIL
GE SO EVENIS II 1UDM	CEE STATUS EXTERNAL RESCURCE FAIL

cFE Return Code Defines, 142	cfe_tbl_extern_typedefs.h, 901
CFE_STATUS_NO_COUNTER_INCREMENT	CFE_TBL_BufferSelect_Enum_t
cFE Return Code Defines, 142	cfe_tbl_extern_typedefs.h, 901
CFE_STATUS_NOT_IMPLEMENTED	CFE_TBL_CC1_ERR_EID
cFE Return Code Defines, 143	cfe_tbl_events.h, 1081
CFE_STATUS_REQUEST_ALREADY_PENDING	CFE_TBL_CDS_DELETE_ERR_EID
cFE Return Code Defines, 143	cfe_tbl_events.h, 1082
CFE_STATUS_UNKNOWN_MSG_ID	CFE_TBL_CDS_DELETED_INFO_EID
cFE Return Code Defines, 143	cfe tbl events.h, 1082
CFE_STATUS_WRONG_MSG_LENGTH	CFE_TBL_CDS_NOT_FOUND_ERR_EID
cFE Return Code Defines, 143	cfe_tbl_events.h, 1082
CFE STR HELPER	CFE_TBL_CDS_OWNER_ACTIVE_ERR_EID
cfe_version.h, 916	cfe_tbl_events.h, 1083
CFE_STR	CFE_TBL_CMD_MID
cfe_version.h, 916	cpu1_msgids.h, 726
CFE_SUCCESS	CFE_TBL_CREATING_DUMP_FILE_ERR_EID
cFE Return Code Defines, 144	cfe_tbl_events.h, 1083
CFE_Status_t	CFE_TBL_CallbackFuncPtr_t
cfe_error.h, 826	cfe_tbl_api_typedefs.h, 899
CFE_TABLE_SERVICE	CFE_TBL_DELETE_CDS_CC
cfe_error.h, 825	cfe_tbl_msg.h, 1108
CFE_TBL_ABORT_LOAD_CC	CFE_TBL_DUMP_CC
cfe_tbl_msg.h, 1106	cfe_tbl_msg.h, 1109
CFE_TBL_ACTIVATE_CC	CFE_TBL_DUMP_PENDING_ERR_EID
cfe_tbl_msg.h, 1107	cfe_tbl_events.h, 1083
CFE_TBL_ACTIVATE_DUMP_ONLY_ERR_EID	CFE_TBL_DUMP_REGISTRY_CC
cfe_tbl_events.h, 1080	cfe_tbl_msg.h, 1110
CFE_TBL_ACTIVATE_ERR_EID	CFE_TBL_DelCDSCmd_Payload, 619
cfe_tbl_events.h, 1081	TableName, 620
CFE_TBL_ASSUMED_VALID_INF_EID	CFE_TBL_DelCDSCmd_Payload_t
cfe_tbl_events.h, 1081	cfe_tbl_msg.h, 1117
CFE_TBL_AbortLoadCmd, 615	CFE_TBL_DeleteCDSCmd, 620
CommandHeader, 616	CommandHeader, 620
Payload, 616	Payload, 621
CFE_TBL_AbortLoadCmd_Payload, 616	CFE_TBL_DeleteCDSCmd_t
TableName, 617	cfe_tbl_msg.h, 1117
CFE_TBL_AbortLoadCmd_Payload_t	CFE_TBL_DumpCmd, 621
cfe_tbl_msg.h, 1117	CommandHeader, 621
CFE_TBL_AbortLoadCmd_t	Payload, 622
cfe_tbl_msg.h, 1117	CFE_TBL_DumpCmd_Payload, 622
CFE_TBL_ActivateCmd, 617	ActiveTableFlag, 623
CommandHeader, 618	DumpFilename, 623
Payload, 618	TableName, 623
CFE_TBL_ActivateCmd_Payload, 618	CFE_TBL_DumpCmd_Payload_t
TableName, 619	cfe_tbl_msg.h, 1118
CFE_TBL_ActivateCmd_Payload_t	CFE_TBL_DumpCmd_t
cfe_tbl_msg.h, 1117	cfe_tbl_msg.h, 1118
CFE_TBL_ActivateCmd_t	CFE_TBL_DumpRegistryCmd, 623
cfe_tbl_msg.h, 1117	CommandHeader, 624
CFE_TBL_BAD_ARGUMENT	Payload, 624
cFE Return Code Defines, 144	CFE_TBL_DumpRegistryCmd_Payload, 624
CFE_TBL_BAD_TABLE_HANDLE	DumpFilename, 625
cfe_tbl_api_typedefs.h, 899	CFE_TBL_DumpRegistryCmd_Payload_t
CFE TBL BufferSelect	cfe tbl msg.h, 1118

CFE_TBL_DumpRegistryCmd_t	CFE_TBL_ERR_PARTIAL_LOAD
cfe_tbl_msg.h, 1118	cFE Return Code Defines, 150
CFE_TBL_DumpToBuffer	CFE TBL ERR REGISTRY FULL
cFE Manage Table Content APIs, 295	cFE Return Code Defines, 151
CFE_TBL_ERR_ACCESS	CFE_TBL_ERR_SHORT_FILE
cFE Return Code Defines, 144	cFE Return Code Defines, 151
CFE_TBL_ERR_BAD_CONTENT_ID	CFE_TBL_ERR_UNREGISTERED
cFE Return Code Defines, 144	cFE Return Code Defines, 151
CFE_TBL_ERR_BAD_PROCESSOR_ID	CFE_TBL_FAIL_HK_SEND_ERR_EID
cFE Return Code Defines, 145	cfe_tbl_events.h, 1084
CFE_TBL_ERR_BAD_SPACECRAFT_ID	CFE_TBL_FAIL_NOTIFY_SEND_ERR_EID
cFE Return Code Defines, 145	cfe_tbl_events.h, 1084
CFE_TBL_ERR_BAD_SUBTYPE_ID	CFE_TBL_FILE_ACCESS_ERR_EID
cFE Return Code Defines, 145	cfe_tbl_events.h, 1084
CFE_TBL_ERR_DUMP_ONLY	CFE_TBL_FILE_INCOMPLETE_ERR_EID
cFE Return Code Defines, 145	cfe_tbl_events.h, 1085
CFE_TBL_ERR_DUPLICATE_DIFF_SIZE	CFE_TBL_FILE_LOADED_INF_EID
cFE Return Code Defines, 146	cfe tbl events.h, 1085
CFE TBL ERR DUPLICATE NOT OWNED	CFE_TBL_FILE_STD_HDR_ERR_EID
cFE Return Code Defines, 146	cfe_tbl_events.h, 1085
CFE_TBL_ERR_FILE_FOR_WRONG_TABLE	CFE_TBL_FILE_SUBTYPE_ERR_EID
cFE Return Code Defines, 146	cfe_tbl_events.h, 1086
CFE_TBL_ERR_FILE_SIZE_INCONSISTENT	CFE_TBL_FILE_TBL_HDR_ERR_EID
cFE Return Code Defines, 146	
•	cfe_tbl_events.h, 1086
CFE_TBL_ERR_FILE_TOO_LARGE	CFE_TBL_FILE_TOO_BIG_ERR_EID
cFE Return Code Defines, 147	cfe_tbl_events.h, 1086
CFE_TBL_ERR_FILENAME_TOO_LONG	CFE_TBL_FILE_TYPE_ERR_EID
cFE Return Code Defines, 147	cfe_tbl_events.h, 1087
CFE_TBL_ERR_HANDLES_FULL	CFE_TBL_FILEDEF
cFE Return Code Defines, 147	cfe_tbl_filedef.h, 903
CFE_TBL_ERR_ILLEGAL_SRC_TYPE	CFE_TBL_File_Hdr, 625
cFE Return Code Defines, 147	NumBytes, 626
CFE_TBL_ERR_INVALID_HANDLE	Offset, 626
cFE Return Code Defines, 148	Reserved, 626
CFE_TBL_ERR_INVALID_NAME	TableName, 626
cFE Return Code Defines, 148	CFE_TBL_File_Hdr_t
CFE_TBL_ERR_INVALID_OPTIONS	cfe_tbl_extern_typedefs.h, 901
cFE Return Code Defines, 148	CFE TBL FileDef, 627
CFE_TBL_ERR_INVALID_SIZE	Description, 627
cFE Return Code Defines, 148	ObjectName, 627
CFE TBL ERR LOAD IN PROGRESS	ObjectSize, 627
cFE Return Code Defines, 149	TableName, 628
CFE_TBL_ERR_LOAD_INCOMPLETE	TgtFilename, 628
	_
cFE Return Code Defines, 149	CFE_TBL_FileDef_t
CFE_TBL_ERR_NEVER_LOADED	cfe_tbl_filedef.h, 903
cFE Return Code Defines, 149	CFE_TBL_GetAddress
CFE_TBL_ERR_NO_ACCESS	cFE Access Table Content APIs, 303
cFE Return Code Defines, 149	CFE_TBL_GetAddresses
CFE_TBL_ERR_NO_BUFFER_AVAIL	cFE Access Table Content APIs, 304
cFE Return Code Defines, 150	CFE_TBL_GetInfo
CFE_TBL_ERR_NO_STD_HEADER	cFE Get Table Information APIs, 308
cFE Return Code Defines, 150	CFE_TBL_GetStatus
CFE_TBL_ERR_NO_TBL_HEADER	cFE Get Table Information APIs, 309
cFE Return Code Defines, 150	CFE TBL HANDLE ACCESS ERR EID

( ))   1   1007	( )
cfe_tbl_events.h, 1087	cfe_tbl_events.h, 1088
CFE_TBL_HK_TLM_MID	CFE_TBL_INTERNAL_ERROR_ERR_EID
cpu1_msgids.h, 726	cfe_tbl_events.h, 1088
CFE_TBL_Handle_t	CFE_TBL_Info, 635
cfe_tbl_api_typedefs.h, 899	Crc, 636
CFE_TBL_HousekeepingTlm, 628	Critical, 636
Payload, 629	DoubleBuffered, 637
TelemetryHeader, 629	DumpOnly, 637
CFE_TBL_HousekeepingTlm_Payload, 629	FileCreateTimeSecs, 637
ActiveBuffer, 630	FileCreateTimeSubSecs, 637
ByteAlignPad1, 630	LastFileLoaded, 637
CommandCounter, 631	NumUsers, 638
CommandErrorCounter, 631	Size, 638
FailedValCounter, 631	TableLoadedOnce, 638
LastFileDumped, 631	TimeOfLastUpdate, 638
LastFileLoaded, 632	UserDefAddr, 638
LastTableLoaded, 632	CFE_TBL_Info_t
LastUpdateTime, 632	cfe_tbl_api_typedefs.h, 899
LastUpdatedTable, 632	CFE_TBL_LEN_ERR_EID
LastValCrc, 633	cfe_tbl_events.h, 1089
LastValStatus, 633	CFE_TBL_LOAD_ABORT_ERR_EID
LastValTableName, 633	cfe_tbl_events.h, 1089
MemPoolHandle, 633	CFE_TBL_LOAD_ABORT_INF_EID
NumFreeSharedBufs, 634	cfe_tbl_events.h, 1089
NumLoadPending, 634	CFE_TBL_LOAD_CC
NumTables, 634	cfe_tbl_msg.h, 1111
NumValRequests, 634	CFE_TBL_LOAD_EXCEEDS_SIZE_ERR_EID
SuccessValCounter, 635	cfe_tbl_events.h, 1090
ValidationCounter, 635	CFE_TBL_LOAD_FILENAME_LONG_ERR_EID
CFE_TBL_HousekeepingTlm_Payload_t	cfe_tbl_events.h, 1090
cfe_tbl_msg.h, 1118	CFE_TBL_LOAD_IN_PROGRESS_ERR_EID
CFE_TBL_HousekeepingTlm_t	cfe_tbl_events.h, 1090
cfe_tbl_msg.h, 1118	CFE TBL LOAD PEND REQ INF EID
CFE_TBL_ILLEGAL_BUFF_PARAM_ERR_EID	cfe_tbl_events.h, 1091
cfe_tbl_events.h, 1087	CFE_TBL_LOAD_SUCCESS_INF_EID
CFE_TBL_IN_REGISTRY_ERR_EID	cfe tbl events.h, 1091
cfe_tbl_events.h, 1088	CFE_TBL_LOAD_TBLNAME_MISMATCH_ERR_EID
CFE TBL INFO DUMP PENDING	cfe_tbl_events.h, 1091
cFE Return Code Defines, 151	CFE_TBL_LOAD_TYPE_ERR_EID
CFE_TBL_INFO_NO_UPDATE_PENDING	cfe_tbl_events.h, 1092
cFE Return Code Defines, 152	CFE_TBL_LOAD_VAL_ERR_EID
CFE_TBL_INFO_NO_VALIDATION_PENDING	cfe_tbl_events.h, 1092
cFE Return Code Defines, 152	CFE_TBL_LOADING_A_DUMP_ONLY_ERR_EID
CFE_TBL_INFO_RECOVERED_TBL	cfe_tbl_events.h, 1092
cFE Return Code Defines, 152	CFE_TBL_LOADING_PENDING_ERR_EID
CFE_TBL_INFO_TABLE_LOCKED	cfe_tbl_events.h, 1093
	CFE TBL Load
cFE Return Code Defines, 152	
CFE_TBL_INFO_UPDATE_PENDING	cFE Manage Table Content APIs, 296
cFE Return Code Defines, 153	CFE_TBL_LoadCmd, 639
CFE_TBL_INFO_UPDATED	CommandHeader, 639
cFE Return Code Defines, 153	Payload, 639
CFE_TBL_INFO_VALIDATION_PENDING	CFE_TBL_LoadCmd_Payload, 640
cFE Return Code Defines, 153	LoadFilename, 640
CFE_TBL_INIT_INF_EID	CFE_TBL_LoadCmd_Payload_t

cfe_tbl_msg.h, 1119	CFE_TBL_OPT_DEFAULT
CFE_TBL_LoadCmd_t	cFE Table Type Defines, 313
cfe_tbl_msg.h, 1119	CFE TBL OPT DUMP ONLY
CFE_TBL_MAX_FULL_NAME_LEN	cFE Table Type Defines, 313
cfe_tbl_api_typedefs.h, 899	CFE_TBL_OPT_LD_DMP_MSK
CFE_TBL_MESSAGE_ERROR	cFE Table Type Defines, 313
cFE Return Code Defines, 153	CFE_TBL_OPT_LOAD_DUMP
CFE_TBL_MID_ERR_EID	cFE Table Type Defines, 314
cfe_tbl_events.h, 1093	CFE_TBL_OPT_NOT_CRITICAL
CFE_TBL_Manage	cFE Table Type Defines, 314
cFE Manage Table Content APIs, 297	CFE_TBL_OPT_NOT_USR_DEF
CFE_TBL_Modified	cFE Table Type Defines, 314
cFE Manage Table Content APIs, 299	CFE_TBL_OPT_SNGL_BUFFER
CFE_TBL_NO_INACTIVE_BUFFER_ERR_EID	cFE Table Type Defines, 314
cfe_tbl_events.h, 1093	CFE_TBL_OPT_USR_DEF_ADDR
CFE_TBL_NO_SUCH_TABLE_ERR_EID	cFE Table Type Defines, 314
cfe_tbl_events.h, 1094	CFE_TBL_OPT_USR_DEF_MSK
	cFE Table Type Defines, 314
CFE_TBL_NO_WORK_BUFFERS_ERR_EID	CFE_TBL_OVERWRITE_DUMP_INF_EID
cfe_tbl_events.h, 1094 CFE TBL NOOP CC	
	cfe_tbl_events.h, 1095
cfe_tbl_msg.h, 1112	CFE_TBL_OVERWRITE_REG_DUMP_INF_EID
CFE_TBL_NOOP_INF_EID	cfe_tbl_events.h, 1096
cfe_tbl_events.h, 1094	CFE_TBL_PARTIAL_LOAD_ERR_EID
CFE_TBL_NOT_CRITICAL_TBL_ERR_EID	cfe_tbl_events.h, 1096
cfe_tbl_events.h, 1095	CFE_TBL_PROCESSOR_ID_ERR_EID
CFE_TBL_NOT_IMPLEMENTED	cfe_tbl_events.h, 1096
cFE Return Code Defines, 154	CFE_TBL_REG_TLM_MID
CFE_TBL_NOT_IN_CRIT_REG_ERR_EID	cpu1_msgids.h, 726
cfe_tbl_events.h, 1095	CFE_TBL_REGISTER_ERR_EID
CFE_TBL_NoArgsCmd, 641	cfe_tbl_events.h, 1097
CommandHeader, 641	CFE_TBL_RESET_COUNTERS_CC
CFE_TBL_NoArgsCmd_t	cfe_tbl_msg.h, 1113
cfe_tbl_msg.h, 1119	CFE_TBL_RESET_INF_EID
CFE_TBL_NoopCmd_t	cfe_tbl_events.h, 1097
cfe_tbl_msg.h, 1119	CFE_TBL_Register
CFE_TBL_NotifyByMessage	cFE Registration APIs, 289
cFE Get Table Information APIs, 310	CFE_TBL_ReleaseAddress
CFE_TBL_NotifyCmd, 641	cFE Access Table Content APIs, 305
CommandHeader, 642	CFE_TBL_ReleaseAddresses
Payload, 642	cFE Access Table Content APIs, 306
CFE_TBL_NotifyCmd_Payload, 642	CFE_TBL_ResetCountersCmd_t
Parameter, 643	cfe_tbl_msg.h, 1120
CFE_TBL_NotifyCmd_Payload_t	CFE_TBL_SEND_HK_MID
cfe_tbl_msg.h, 1119	cpu1_msgids.h, 727
CFE_TBL_NotifyCmd_t	CFE_TBL_SEND_REGISTRY_CC
cfe_tbl_msg.h, 1120	cfe_tbl_msg.h, 1114
CFE_TBL_OPT_BUFFER_MSK	CFE_TBL_SHARE_ERR_EID
cFE Table Type Defines, 312	cfe_tbl_events.h, 1097
CFE_TBL_OPT_CRITICAL_MSK	CFE_TBL_SPACECRAFT_ID_ERR_EID
cFE Table Type Defines, 313	cfe_tbl_events.h, 1098
CFE_TBL_OPT_CRITICAL	CFE_TBL_SendRegistryCmd, 643
cFE Table Type Defines, 312	CommandHeader, 644
CFE_TBL_OPT_DBL_BUFFER	Payload, 644
cFE Table Type Defines, 313	CFE_TBL_SendRegistryCmd_Payload, 644

TableName, 645	CFE TBL VAL REQ MADE INF EID
CFE_TBL_SendRegistryCmd_Payload_t	cfe_tbl_events.h, 1100
cfe_tbl_msg.h, 1120	CFE_TBL_VALIDATE_CC
CFE_TBL_SendRegistryCmd_t	cfe_tbl_msg.h, 1115
cfe_tbl_msg.h, 1120	CFE_TBL_VALIDATION_ERR_EID
CFE TBL Share	cfe tbl events.h, 1101
cFE Registration APIs, 292	CFE_TBL_VALIDATION_INF_EID
CFE_TBL_SrcEnum	cfe_tbl_events.h, 1101
cfe_tbl_api_typedefs.h, 900	CFE TBL Validate
CFE_TBL_SrcEnum_t	cFE Manage Table Content APIs, 301
cfe_tbl_api_typedefs.h, 900	CFE TBL ValidateCmd, 652
CFE_TBL_TLM_REG_CMD_INF_EID	CommandHeader, 652
cfe_tbl_events.h, 1098	Payload, 652
CFE_TBL_TOO_MANY_DUMPS_ERR_EID	CFE_TBL_ValidateCmd_Payload, 653
cfe_tbl_events.h, 1098	ActiveTableFlag, 653
CFE_TBL_TOO_MANY_VALIDATIONS_ERR_EID	TableName, 653
cfe_tbl_events.h, 1099	CFE_TBL_ValidateCmd_Payload_t
CFE_TBL_TableRegistryTlm, 645	cfe tbl msg.h, 1121
Payload, 646	CFE_TBL_ValidateCmd_t
TelemetryHeader, 646	cfe_tbl_msg.h, 1121
CFE_TBL_TableRegistryTIm_t	CFE_TBL_WARN_DUPLICATE
cfe_tbl_msg.h, 1120	cFE Return Code Defines, 154
CFE_TBL_TblRegPacket_Payload, 646	CFE_TBL_WARN_NOT_CRITICAL
ActiveBufferAddr, 647	cFE Return Code Defines, 154
ByteAlign4, 647	CFE TBL WARN PARTIAL LOAD
Crc, 648	cFE Return Code Defines, 154
Critical, 648	CFE_TBL_WARN_SHORT_FILE
DoubleBuffered, 648	cFE Return Code Defines, 155
DumpOnly, 648	CFE TBL WRITE CFE HDR ERR EID
FileCreateTimeSecs, 649	cfe_tbl_events.h, 1101
FileCreateTimeSubSecs, 649	CFE_TBL_WRITE_DUMP_INF_EID
InactiveBufferAddr, 649	cfe_tbl_events.h, 1102
LastFileLoaded, 649	CFE TBL WRITE REG DUMP INF EID
LoadPending, 650	cfe_tbl_events.h, 1102
Name, 650	CFE_TBL_WRITE_TBL_HDR_ERR_EID
OwnerAppName, 650	cfe tbl events.h, 1102
Size, 650	CFE_TBL_WRITE_TBL_IMG_ERR_EID
TableLoadedOnce, 651	cfe_tbl_events.h, 1103
TimeOfLastUpdate, 651	CFE_TBL_WRITE_TBL_REG_ERR_EID
ValidationFuncPtr, 651	cfe_tbl_events.h, 1103
CFE_TBL_TblRegPacket_Payload_t	CFE_TBL_ZERO_LENGTH_LOAD_ERR_EID
cfe_tbl_msg.h, 1120	cfe_tbl_events.h, 1103
CFE_TBL_UNREGISTER_ERR_EID	CFE_TEST_CMD_MID
cfe tbl events.h, 1099	cpu1_msgids.h, 727
CFE TBL UNVALIDATED ERR EID	CFE_TEST_HK_TLM_MID
cfe_tbl_events.h, 1099	cpu1_msgids.h, 727
CFE TBL UPDATE ERR EID	CFE_TIME_1HZ_CFG_EID
cfe_tbl_events.h, 1100	cfe_time_events.h, 1123
CFE_TBL_UPDATE_SUCCESS_INF_EID	CFE_TIME_1HZ_CMD_MID
cfe_tbl_events.h, 1100	cpu1_msgids.h, 727
CFE_TBL_Unregister	CFE_TIME_1HZ_EID
cFE Registration APIs, 293	cfe_time_events.h, 1123
CFE_TBL_Update	CFE_TIME_1HzCmd_t
cFE Manage Table Content APIs, 300	cfe_time_msg.h, 1155

CFE_TIME_ADD_1HZ_ADJUSTMENT_CC	cpu1_msgids.h, 728
cfe_time_msg.h, 1138	CFE_TIME_DiagnosticTlm, 654
CFE_TIME_ADD_ADJUST_CC	Payload, 654
cfe_time_msg.h, 1139	TelemetryHeader, 654
CFE_TIME_ADD_DELAY_CC	CFE_TIME_DiagnosticTlm_Payload, 654
cfe_time_msg.h, 1140	AtToneDelay, 657
CFE_TIME_Add	AtToneLatch, 657
cFE Time Arithmetic APIs, 322	AtToneLeapSeconds, 657
CFE_TIME_Add1HZAdjustmentCmd_t	AtToneMET, 657
cfe_time_msg.h, 1156	AtToneSTCF, 657
CFE_TIME_AddAdjustCmd_t	ClockFlyState, 658
cfe_time_msg.h, 1156	ClockSetState, 658
CFE_TIME_AddDelayCmd_t	ClockSignal, 658
cfe_time_msg.h, 1156	ClockSource, 658
CFE_TIME_AdjustDirection	ClockStateAPI, 659
cfe_time_extern_typedefs.h, 911	ClockStateFlags, 659
CFE_TIME_AdjustDirection_Enum_t	CurrentLatch, 659
cfe_time_extern_typedefs.h, 909	CurrentMET, 659
CFE_TIME_BAD_ARGUMENT	CurrentTAI, 660
cFE Return Code Defines, 155	CurrentUTC, 660
CFE_TIME_CALLBACK_NOT_REGISTERED	DataStoreStatus, 660
cFE Return Code Defines, 155	DelayDirection, 660
CFE_TIME_CC_ERR_EID	Forced2Fly, 661
cfe_time_events.h, 1123	LocalIntCounter, 661
CFE_TIME_CMD_MID	LocalTaskCounter, 661
cpu1_msgids.h, 727	MaxElapsed, 661
CFE_TIME_ClockState	MaxLocalClock, 662
cfe_time_extern_typedefs.h, 912	MinElapsed, 662
CFE_TIME_ClockState_Enum_t	OneHzAdjust, 662
cfe_time_extern_typedefs.h, 909	OneHzDirection, 662
CFE_TIME_Compare	OneTimeAdjust, 663
cFE Time Arithmetic APIs, 323	OneTimeDirection, 663
cfe_time_api_typedefs.h, 907	ServerFlyState, 663
CFE_TIME_Compare_t	TimeSinceTone, 663
cfe_time_api_typedefs.h, 907	ToneDataCounter, 664
CFE_TIME_Copy	ToneDataLatch, 664
cfe_time.h, 905	ToneIntCounter, 664
CFE_TIME_DATA_CMD_MID	ToneIntErrorCounter, 664
cpu1_msgids.h, 727	ToneMatchCounter, 665
CFE_TIME_DELAY_CFG_EID	ToneMatchErrorCounter, 665
cfe_time_events.h, 1124	ToneOverLimit, 665
CFE_TIME_DELAY_EID	ToneSignalCounter, 665
cfe_time_events.h, 1124	ToneSignalLatch, 666
CFE_TIME_DELAY_ERR_EID	ToneTaskCounter, 666
cfe_time_events.h, 1124	ToneUnderLimit, 666
CFE_TIME_DELTA_CFG_EID	VersionCounter, 666
cfe_time_events.h, 1125	VirtualMET, 667
CFE_TIME_DELTA_EID	CFE_TIME_DiagnosticTlm_Payload_t
cfe_time_events.h, 1125	cfe_time_msg.h, 1156
CFE_TIME_DELTA_ERR_EID	CFE_TIME_DiagnosticTIm_t
cfe_time_events.h, 1125	cfe_time_msg.h, 1156
CFE_TIME_DIAG_EID	CFE_TIME_ExternalGPS
cfe_time_events.h, 1126	cFE External Time Source APIs, 328
CFE TIME DIAG TLM MID	CFE TIME ExternalMET

cFE External Time Source APIs, 329	cFE Get Current Time APIs, 316
CFE_TIME_ExternalTime	CFE TIME GetMET
cFE External Time Source APIs, 329	cFE Get Current Time APIs, 315
CFE_TIME_ExternalTone	CFE_TIME_GetSTCF
cFE External Time Source APIs, 330	cFE Get Time Information APIs, 320
CFE_TIME_FLAG_ADD1HZ	CFE_TIME_GetTAI
cFE Clock State Flag Defines, 337	cFE Get Current Time APIs, 316
CFE_TIME_FLAG_ADDADJ	CFE_TIME_GetTime
cFE Clock State Flag Defines, 337	cFE Get Current Time APIs, 317
CFE_TIME_FLAG_ADDTCL	CFE_TIME_GetUTC
cFE Clock State Flag Defines, 338	cFE Get Current Time APIs, 318
CFE_TIME_FLAG_CLKSET	CFE_TIME_HK_TLM_MID
cFE Clock State Flag Defines, 338	cpu1_msgids.h, 728
CFE_TIME_FLAG_CMDFLY	CFE_TIME_HousekeepingTlm, 667
cFE Clock State Flag Defines, 338	Payload, 668
CFE_TIME_FLAG_FLYING	TelemetryHeader, 668
cFE Clock State Flag Defines, 338	CFE_TIME_HousekeepingTlm_Payload, 668
CFE_TIME_FLAG_GDTONE	ClockStateAPI, 669
cFE Clock State Flag Defines, 338	ClockStateFlags, 669
CFE_TIME_FLAG_REFERR	CommandCounter, 669
cFE Clock State Flag Defines, 339	CommandErrorCounter, 670
CFE_TIME_FLAG_SERVER	LeapSeconds, 670
cFE Clock State Flag Defines, 339	Seconds1HzAdj, 670
CFE_TIME_FLAG_SIGPRI	SecondsDelay, 670
cFE Clock State Flag Defines, 339	SecondsMET, 671
CFE_TIME_FLAG_SRCINT	SecondsSTCF, 671
cFE Clock State Flag Defines, 339	Subsecs1HzAdj, 671
CFE_TIME_FLAG_SRVFLY	SubsecsDelay, 671
cFE Clock State Flag Defines, 339	SubsecsMET, 672
CFE_TIME_FLAG_UNUSED	SubsecsSTCF, 672
cFE Clock State Flag Defines, 339	CFE_TIME_HousekeepingTlm_Payload_t
CFE_TIME_FLY_OFF_EID	cfe_time_msg.h, 1157
cfe_time_events.h, 1126	CFE_TIME_HousekeepingTlm_t
CFE_TIME_FLY_ON_EID	cfe_time_msg.h, 1157
cfe_time_events.h, 1126	CFE_TIME_ID_ERR_EID
CFE_TIME_FakeToneCmd_t	cfe_time_events.h, 1127
cfe_time_msg.h, 1156	CFE_TIME_INIT_EID
CFE_TIME_FlagBit	cfe_time_events.h, 1127
cfe_time_extern_typedefs.h, 912	CFE_TIME_INTERNAL_ONLY
CFE_TIME_FlagBit_Enum_t	cFE Return Code Defines, 155
cfe_time_extern_typedefs.h, 910	CFE_TIME_LEAPS_CFG_EID
CFE_TIME_FlywheelState	cfe_time_events.h, 1127
cfe_time_extern_typedefs.h, 913	CFE_TIME_LEAPS_EID
CFE_TIME_FlywheelState_Enum_t	cfe_time_events.h, 1128
cfe_time_extern_typedefs.h, 910	CFE_TIME_LEN_ERR_EID
CFE_TIME_GetClockInfo	cfe_time_events.h, 1128
cFE Get Time Information APIs, 319	CFE_TIME_LeapsCmd_Payload, 672
CFE_TIME_GetClockState	LeapSeconds, 673
cFE Get Time Information APIs, 319	CFE_TIME_LeapsCmd_Payload_t
CFE_TIME_GetLeapSeconds	cfe_time_msg.h, 1157
cFE Get Time Information APIs, 320	CFE_TIME_Local1HzISR
CFE_TIME_GetMETseconds	cFE Miscellaneous Time APIs, 333
cFE Get Current Time APIs, 315	CFE_TIME_MET2SCTime
CFE_TIME_GetMETsubsecs	cFE Time Conversion APIs, 325

CFE_TIME_MET_CFG_EID	CFE_TIME_SET_MET_CC
cfe_time_events.h, 1128	cfe_time_msg.h, 1145
CFE_TIME_MET_EID	CFE_TIME_SET_SIGNAL_CC
cfe_time_events.h, 1129	cfe_time_msg.h, 1146
CFE_TIME_MET_ERR_EID	CFE_TIME_SET_SOURCE_CC
cfe_time_events.h, 1129	cfe_time_msg.h, 1147
CFE_TIME_Micro2SubSecs	CFE_TIME_SET_STATE_CC
cFE Time Conversion APIs, 325	cfe_time_msg.h, 1148
CFE_TIME_NOOP_CC	CFE_TIME_SET_STCF_CC
cfe_time_msg.h, 1141	cfe_time_msg.h, 1150
CFE_TIME_NOOP_EID	CFE TIME SET TIME CC
cfe_time_events.h, 1129	cfe_time_msg.h, 1151
CFE_TIME_NOT_IMPLEMENTED	CFE_TIME_SIGNAL_CFG_EID
cFE Return Code Defines, 156	cfe_time_events.h, 1130
CFE_TIME_NoArgsCmd, 673	CFE_TIME_SIGNAL_EID
CommandHeader, 674	cfe_time_events.h, 1130
CFE_TIME_NoArgsCmd_t	CFE_TIME_SIGNAL_ERR_EID
cfe_time_msg.h, 1157	cfe_time_events.h, 1131
CFE TIME NoopCmd t	CFE TIME SOURCE CFG EID
cfe time msg.h, 1157	cfe_time_events.h, 1131
CFE_TIME_OUT_OF_RANGE	CFE_TIME_SOURCE_EID
cFE Return Code Defines, 156	cfe time events.h, 1131
CFE_TIME_OneHzAdjustmentCmd, 674	CFE TIME SOURCE ERR EID
CommandHeader, 674	cfe time events.h, 1132
Payload, 674	CFE_TIME_STATE_EID
CFE_TIME_OneHzAdjustmentCmd_Payload, 675	cfe_time_events.h, 1132
Seconds, 675	CFE_TIME_STATE_ERR_EID
Subseconds, 675	cfe_time_events.h, 1132
CFE_TIME_OneHzAdjustmentCmd_Payload_t	CFE TIME STCF CFG EID
cfe_time_msg.h, 1157	cfe_time_events.h, 1133
CFE_TIME_OneHzAdjustmentCmd_t	CFE_TIME_STCF_EID
cfe_time_msg.h, 1158	cfe_time_events.h, 1133
CFE_TIME_PRINTED_STRING_SIZE	CFE_TIME_STCF_ERR_EID
cfe_time_api_typedefs.h, 906	cfe time events.h, 1133
CFE TIME Print	CFE TIME SUB 1HZ ADJUSTMENT CC
cFE Miscellaneous Time APIs, 333	cfe_time_msg.h, 1152
CFE_TIME_RESET_COUNTERS_CC	CFE_TIME_SUB_ADJUST_CC
cfe_time_msg.h, 1142	cfe time msg.h, 1153
CFE_TIME_RESET_EID	CFE_TIME_SUB_DELAY_CC
cfe_time_events.h, 1130	cfe_time_msg.h, 1154
CFE_TIME_RegisterSynchCallback	CFE_TIME_SendDiagnosticCmd_t
cFE External Time Source APIs, 331	cfe_time_msg.h, 1158
CFE_TIME_ResetCountersCmd_t	CFE_TIME_SetLeapSecondsCmd, 676
cfe_time_msg.h, 1158	CommandHeader, 676
CFE_TIME_SEND_CMD_MID	Payload, 676
cpu1_msgids.h, 728	CFE_TIME_SetLeapSecondsCmd_t
CFE_TIME_SEND_DIAGNOSTIC_TLM_CC	cfe_time_msg.h, 1158
cfe_time_msg.h, 1143	CFE_TIME_SetMETCmd_t
CFE_TIME_SEND_HK_MID	cfe_time_msg.h, 1158
cpu1_msgids.h, 728	CFE_TIME_SetSTCFCmd_t
CFE_TIME_SERVICE	cfe_time_msg.h, 1159
cfe_error.h, 825	CFE_TIME_SetSignalCmd, 677
CFE_TIME_SET_LEAP_SECONDS_CC	CommandHeader, 677
cfe_time_msg.h, 1144	Payload, 677

CFE_TIME_SetSignalCmd_t	cfe_time_events.h, 1134
cfe_time_msg.h, 1158	CFE_TIME_TIME_ERR_EID
CFE TIME SetSourceCmd, 678	cfe time events.h, 1134
CommandHeader, 678	CFE_TIME_TONE_CMD_MID
Payload, 678	cpu1_msgids.h, 728
CFE_TIME_SetSourceCmd_t	CFE_TIME_TOO_MANY_SYNCH_CALLBACKS
cfe_time_msg.h, 1159	cFE Return Code Defines, 156
CFE_TIME_SetState	CFE_TIME_TimeCmd, 683
cfe_time_extern_typedefs.h, 913	CommandHeader, 684
CFE_TIME_SetState_Enum_t	Payload, 684
cfe_time_extern_typedefs.h, 910	CFE_TIME_TimeCmd_Payload, 684
CFE_TIME_SetStateCmd, 679	MicroSeconds, 684
CommandHeader, 679	Seconds, 685
Payload, 679	CFE_TIME_TimeCmd_Payload_t
CFE_TIME_SetStateCmd_t	cfe_time_msg.h, 1160
cfe_time_msg.h, 1159	CFE_TIME_TimeCmd_t
CFE_TIME_SetTimeCmd_t	cfe_time_msg.h, 1160
cfe_time_msg.h, 1159	CFE_TIME_ToneDataCmd, 685
CFE_TIME_SignalCmd_Payload, 680	CommandHeader, 685
ToneSource, 680	Payload, 686
CFE_TIME_SignalCmd_Payload_t	CFE_TIME_ToneDataCmd_Payload, 686
cfe_time_msg.h, 1159	AtToneLeapSeconds, 687
CFE_TIME_SourceCmd_Payload, 681	AtToneMET, 687
TimeSource, 681	AtToneSTCF, 687
CFE_TIME_SourceCmd_Payload_t	AtToneState, 687
cfe_time_msg.h, 1159	CFE_TIME_ToneDataCmd_Payload_t
CFE_TIME_SourceSelect	cfe_time_msg.h, 1161
cfe_time_extern_typedefs.h, 913	CFE_TIME_ToneDataCmd_t
CFE_TIME_SourceSelect_Enum_t	cfe_time_msg.h, 1161
cfe_time_extern_typedefs.h, 911	CFE_TIME_ToneSignalCmd_t
CFE_TIME_StateCmd_Payload, 681	cfe_time_msg.h, 1161
ClockState, 682	CFE_TIME_ToneSignalSelect
CFE_TIME_StateCmd_Payload_t	cfe_time_extern_typedefs.h, 913
cfe_time_msg.h, 1160	CFE_TIME_ToneSignalSelect_Enum_t
CFE_TIME_Sub1HZAdjustmentCmd_t	cfe_time_extern_typedefs.h, 911
cfe_time_msg.h, 1160	CFE_TIME_UnregisterSynchCallback
CFE_TIME_Sub2MicroSecs	cFE External Time Source APIs, 331
cFE Time Conversion APIs, 326	CFE_TST
CFE_TIME_SubAdjustCmd_t	cfe_sb.h, 887
cfe_time_msg.h, 1160	CFE_VERSION_STRING
CFE_TIME_SubDelayCmd_t	cfe_version.h, 916
cfe_time_msg.h, 1160	CFECoreChecksum
CFE_TIME_Subtract	CFE_ES_HousekeepingTlm_Payload, 503
cFE Time Arithmetic APIs, 324	CFEMajorVersion
CFE_TIME_SynchCallbackPtr_t	CFE_ES_HousekeepingTlm_Payload, 503
cfe_time_api_typedefs.h, 907	CFEMinorVersion
CFE_TIME_SysTime, 682	CFE_ES_HousekeepingTlm_Payload, 503
Seconds, 683	CFEMissionRevision
Subseconds, 683	CFE_ES_HousekeepingTlm_Payload, 503
CFE_TIME_SysTime_t	CFERevision
cfe_time_extern_typedefs.h, 911	CFE_ES_HousekeepingTlm_Payload, 504
CFE_TIME_TIME_CFG_EID	ccsds_hdr.h
cfe_time_events.h, 1134	CCSDS_ExtendedHeader_t, 1033
CFE_TIME_TIME_EID	CCSDS_PrimaryHeader_t, 1033
	_ · - · - ·

CdsName	cfe/modules/evs/fsw/inc/cfe_evs_msg.h, 1000
CFE_ES_DeleteCDSCmd_Payload, 496	cfe/modules/msg/fsw/inc/ccsds_hdr.h, 1032
cfe/docs/src/cfe_api.dox, 810	cfe/modules/resourceid/fsw/inc/cfe_core_resourceid_←
cfe/docs/src/cfe_es.dox, 810	basevalues.h, 1033
cfe/docs/src/cfe_evs.dox, 810	cfe/modules/resourceid/fsw/inc/cfe_resourceid_basevalue.
cfe/docs/src/cfe_glossary.dox, 810	h, 1034
cfe/docs/src/cfe_sb.dox, 810	cfe/modules/sb/fsw/inc/cfe_sb_events.h, 1036
cfe/docs/src/cfe_tbl.dox, 810	cfe/modules/sb/fsw/inc/cfe_sb_msg.h, 1060
cfe/docs/src/cfe_time.dox, 810	cfe/modules/tbl/fsw/inc/cfe_tbl_events.h, 1078
cfe/docs/src/cfe_xref.dox, 810	cfe/modules/tbl/fsw/inc/cfe_tbl_msg.h, 1104
cfe/docs/src/cfs_versions.dox, 810	cfe/modules/time/fsw/inc/cfe_time_events.h, 1121
cfe/docs/src/main.dox, 811	cfe/modules/time/fsw/inc/cfe_time_msg.h, 1135
cfe/modules/core_api/fsw/inc/cfe.h, 811	cfe_config.h
cfe/modules/core_api/fsw/inc/cfe_config.h, 811	CFE_Config_GetIdByName, 812
cfe/modules/core_api/fsw/inc/cfe_config_api_typedefs.h,	CFE_Config_GetName, 812
815	CFE_Config_GetObjPointer, 813
cfe/modules/core_api/fsw/inc/cfe_endian.h, 816	CFE_Config_GetString, 813
cfe/modules/core_api/fsw/inc/cfe_error.h, 817	CFE_Config_GetValue, 814
cfe/modules/core_api/fsw/inc/cfe_es.h, 826	CFE_Config_IterateAll, 814
cfe/modules/core_api/fsw/inc/cfe_es_api_typedefs.h, 830	cfe_config_api_typedefs.h
cfe/modules/core_api/fsw/inc/cfe_es_extern_typedefs.h,	CFE_CONFIGID_UNDEFINED, 815
837	CFE_CONFIGID_C, 815
cfe/modules/core_api/fsw/inc/cfe_evs.h, 849	CFE_Config_Callback_t, 816
cfe/modules/core_api/fsw/inc/cfe_evs_api_typedefs.h, 851	CFE_Configld_t, 816
cfe/modules/core_api/fsw/inc/cfe_evs_extern_typedefs.h,	cfe_endian.h
854	CFE_MAKE_BIG16, 817
cfe/modules/core_api/fsw/inc/cfe_fs.h, 859	CFE_MAKE_BIG32, 817
cfe/modules/core_api/fsw/inc/cfe_fs_api_typedefs.h, 860	cfe_error.h
cfe/modules/core_api/fsw/inc/cfe_fs_extern_typedefs.h,	CFE_EVENTS_SERVICE, 823
863	CFE EXECUTIVE SERVICE, 823
cfe/modules/core_api/fsw/inc/cfe_msg.h, 866	CFE_FILE_SERVICE, 824
cfe/modules/core_api/fsw/inc/cfe_msg_api_typedefs.h,	CFE_GENERIC_SERVICE, 824
868	CFE_SERVICE_BITMASK, 824
cfe/modules/core_api/fsw/inc/cfe_resourceid.h, 876	CFE_SEVERITY_BITMASK, 824
cfe/modules/core_api/fsw/inc/cfe_resourceid_api_←	CFE_SEVERITY_ERROR, 824
typedefs.h, 883	CFE_SEVERITY_INFO, 825
cfe/modules/core_api/fsw/inc/cfe_sb.h, 885	CFE_SEVERITY_SUCCESS, 825
cfe/modules/core_api/fsw/inc/cfe_sb_api_typedefs.h, 887	CFE_SOFTWARE_BUS_SERVICE, 825
cfe/modules/core_api/fsw/inc/cfe_sb_extern_typedefs.h,	CFE_Status_t, 826
892	CFE_TABLE_SERVICE, 825
cfe/modules/core_api/fsw/inc/cfe_tbl.h, 896	CFE_TIME_SERVICE, 825
cfe/modules/core_api/fsw/inc/cfe_tbl_api_typedefs.h, 897	cfe_es.h
cfe/modules/core_api/fsw/inc/cfe_tbl_extern_typedefs.h,	CFE_ES_DBIT, 829
900	CFE_ES_DTEST, 829
cfe/modules/core_api/fsw/inc/cfe_tbl_filedef.h, 902	CFE_ES_TEST_LONG_MASK, 830
cfe/modules/core_api/fsw/inc/cfe_time.h, 904	OS_PRINTF, 830
cfe/modules/core_api/fsw/inc/cfe_time_api_typedefs.h,	cfe_es_api_typedefs.h
906	CFE_ES_APP_RESTART, 832
cfe/modules/core_api/fsw/inc/cfe_time_extern_typedefs. $\leftarrow$	CFE_ES_APPID_UNDEFINED, 832
h, 908	CFE_ES_APPID_C, 832
cfe/modules/core_api/fsw/inc/cfe_version.h, 914	CFE_ES_CDS_BAD_HANDLE, 832
cfe/modules/es/fsw/inc/cfe_es_events.h, 917	CFE_ES_CDSHANDLE_C, 832
cfe/modules/es/fsw/inc/cfe_es_msg.h, 950	CFE_ES_COUNTERID_UNDEFINED, 833
cfa/modulas/ave/few/inc/cfa ave avants h 986	CEE ES COUNTERID C 833

CFE_ES_ChildTaskMainFuncPtr_t, 835	CFE_ES_PERF_FILTMSKCMD_EID, 933
CFE_ES_LIBID_UNDEFINED, 833	CFE_ES_PERF_FILTMSKERR_EID, 933
CFE_ES_LIBID_C, 833	CFE_ES_PERF_LOG_ERR_EID, 933
CFE_ES_LibraryEntryFuncPtr_t, 835	CFE_ES_PERF_STARTCMD_EID, 934
CFE_ES_MEMHANDLE_UNDEFINED, 833	CFE_ES_PERF_STARTCMD_ERR_EID, 934
CFE_ES_MEMHANDLE_C, 833	CFE_ES_PERF_STARTCMD_TRIG_ERR_EID, 934
CFE_ES_MEMPOOLBUF_C, 834	CFE_ES_PERF_STOPCMD_EID, 935
CFE_ES_MemPoolBuf_t, 836	CFE_ES_PERF_STOPCMD_ERR2_EID, 935
CFE_ES_NO_MUTEX, 834	CFE_ES_PERF_TRIGMSKCMD_EID, 935
CFE_ES_PoolAlign_t, 836	CFE_ES_PERF_TRIGMSKERR_EID, 936
CFE ES STATIC POOL TYPE, 834	CFE_ES_RELOAD_APP_DBG_EID, 936
CFE_ES_StackPointer_t, 836	CFE_ES_RELOAD_APP_ERR1_EID, 936
CFE_ES_TASK_STACK_ALLOCATE, 834	CFE_ES_RELOAD_APP_ERR2_EID, 937
CFE_ES_TASKID_UNDEFINED, 835	CFE_ES_RELOAD_APP_ERR3_EID, 937
CFE_ES_TASKID_C, 835	CFE_ES_RELOAD_APP_ERR4_EID, 937
CFE_ES_TaskEntryFuncPtr_t, 836	CFE_ES_RELOAD_APP_INF_EID, 938
CFE_ES_USE_MUTEX, 835	CFE ES RESET INF EID, 938
cfe_es_events.h	CFE_ES_RESET_PR_COUNT_EID, 938
CFE_ES_ALL_APPS_EID, 920	CFE ES RESTART APP DBG EID, 939
CFE ES BOOT ERR EID, 920	CFE_ES_RESTART_APP_ERR1_EID, 939
CFE_ES_BUILD_INF_EID, 921	CFE_ES_RESTART_APP_ERR2_EID, 939
CFE_ES_CC1_ERR_EID, 921	CFE ES RESTART APP ERR3 EID, 940
CFE_ES_CDS_DELETE_ERR_EID, 922	CFE_ES_RESTART_APP_ERR4_EID, 940
CFE_ES_CDS_DELETE_TBL_ERR_EID, 922	CFE_ES_RESTART_APP_INF_EID, 940
CFE_ES_CDS_DELETED_INFO_EID, 922	CFE_ES_SET_MAX_PR_COUNT_EID, 941
CFE_ES_CDS_DUMP_ERR_EID, 923	CFE_ES_START_ERR_EID, 941
CFE_ES_CDS_NAME_ERR_EID, 923	CFE_ES_START_EXC_ACTION_ERR_EID, 941
CFE_ES_CDS_OWNER_ACTIVE_EID, 923	CFE_ES_START_INF_EID, 942
CFE_ES_CDS_REG_DUMP_INF_EID, 924	CFE_ES_START_INVALID_ENTRY_POINT_ERR
CFE_ES_CDS_REGISTER_ERR_EID, 924	_EID, 942
CFE_ES_CREATING_CDS_DUMP_ERR_EID, 924	CFE_ES_START_INVALID_FILENAME_ERR_EID,
CFE_ES_ERLOG1_INF_EID, 925	942
CFE_ES_ERLOG2_EID, 925	CFE_ES_START_NULL_APP_NAME_ERR_EID,
CFE_ES_ERLOG2_ERR_EID, 925	943
CFE_ES_ERLOG_PENDING_ERR_EID, 926	CFE_ES_START_PRIORITY_ERR_EID, 943
CFE_ES_ERR_SYSLOGMODE_EID, 926	CFE_ES_STOP_DBG_EID, 943
CFE_ES_ERREXIT_APP_ERR_EID, 926	CFE_ES_STOP_ERR1_EID, 944
CFE_ES_ERREXIT_APP_INF_EID, 927	CFE_ES_STOP_ERR2_EID, 944
CFE_ES_EXIT_APP_ERR_EID, 927	CFE_ES_STOP_ERR3_EID, 944
CFE_ES_EXIT_APP_INF_EID, 928	CFE_ES_STOP_INF_EID, 945
CFE ES FILEWRITE ERR EID, 928	CFE_ES_SYSLOG1_INF_EID, 945
CFE ES INIT INF EID, 928	CFE ES SYSLOG2 EID, 945
CFE_ES_INITSTATS_INF_EID, 929	CFE_ES_SYSLOG2_ERR_EID, 946
CFE_ES_INVALID_POOL_HANDLE_ERR_EID, 929	CFE ES SYSLOGMODE EID, 946
CFE_ES_LEN_ERR_EID, 929	CFE_ES_TASKINFO_EID, 946
CFE_ES_MID_ERR_EID, 930	CFE_ES_TASKINFO_OSCREATE_ERR_EID, 947
CFE_ES_NOOP_INF_EID, 930	CFE_ES_TASKINFO_WR_ERR_EID, 947
CFE ES ONE APP EID, 930	CFE ES TASKINFO WRHDR ERR EID, 947
CFE_ES_ONE_APPID_ERR_EID, 931	CFE_ES_TASKINFO_WARDA_ERA_EID, 947  CFE_ES_TASKWR_ERR_EID, 948
CFE_ES_ONE_ERR_EID, 931	CFE_ES_TLM_POOL_STATS_INFO_EID, 948
CFE_ES_OSCREATE_ERR_EID, 931	CFE_ES_VERSION_INF_EID, 948
CFE_ES_PCR_ERR1_EID, 932	CFE_ES_WRHDR_ERR_EID, 949
CFE_ES_PCR_ERR2_EID, 932	CFE_ES_WRITE_CFE_HDR_ERR_EID, 949
CFE_ES_PERF_DATAWRITTEN_EID, 932	cfe_es_extern_typedefs.h

CFE_ES_AppId_t, 840	CFE_ES_OneAppTlm_Payload_t, 980
CFE_ES_AppInfo_t, 840	CFE_ES_OneAppTIm_t, 980
CFE_ES_AppState, 846	CFE_ES_OverWriteSysLogCmd_Payload_t, 980
CFE_ES_AppState_Enum_t, 840	CFE_ES_OverWriteSysLogCmd_t, 981
CFE_ES_AppType, 846	CFE_ES_PoolStatsTlm_Payload_t, 981
CFE_ES_AppType_Enum_t, 840	CFE_ES_QUERY_ALL_CC, 959
CFE_ES_BlockStats_t, 841	CFE_ES_QUERY_ALL_TASKS_CC, 960
CFE_ES_CDSHandle_t, 841	CFE_ES_QUERY_ONE_CC, 961
CFE_ES_CDSRegDumpRec_t, 841	CFE ES QueryAllCmd t, 981
CFE_ES_CounterId_t, 841	CFE_ES_QueryAllTasksCmd_t, 981
CFE_ES_ExceptionAction, 847	CFE ES QueryOneCmd t, 981
CFE_ES_ExceptionAction_Enum_t, 842	CFE_ES_RELOAD_APP_CC, 962
CFE_ES_LibId_t, 842	CFE_ES_RESET_COUNTERS_CC, 963
CFE_ES_LogEntryType, 847	CFE_ES_RESET_PR_COUNT_CC, 964
CFE_ES_LogEntryType_Enum_t, 842	CFE_ES_RESTART_APP_CC, 965
CFE_ES_LogMode, 847	CFE_ES_RESTART_CC, 966
CFE_ES_LogMode_Enum_t, 842	CFE_ES_ReloadAppCmd_t, 981
CFE_ES_MEMADDRESS_C, 839	CFE_ES_ResetCountersCmd_t, 982
CFE ES MEMOFFSET C, 839	CFE_ES_ResetPRCountCmd_t, 982
CFE_ES_MemAddOff_t, 843	CFE ES RestartAppCmd t, 982
CFE_ES_MemAddress_t, 843	CFE_ES_RestartCmd_Payload_t, 982
CFE_ES_MemHandle_t, 843	CFE ES RestartCmd t, 982
CFE ES MemOffset t, 843	CFE_ES_SEND_MEM_POOL_STATS_CC, 967
CFE ES MemPoolStats t, 844	CFE_ES_SET_MAX_PR_COUNT_CC, 968
CFE_ES_RunStatus, 848	CFE_ES_SET_PERF_FILTER_MASK_CC, 969
CFE_ES_RunStatus_Enum_t, 844	CFE_ES_SET_PERF_TRIGGER_MASK_CC, 970
CFE_ES_SystemState, 848	CFE_ES_START_APP_CC, 971
·	CFE_ES_START_PERF_DATA_CC, 972
CFE_ES_SystemState_Enum_t, 844 CFE_ES_TaskId_t, 845	CFE_ES_STOP_APP_CC, 973
CFE_ES_TaskInfo_t, 845	CFE_ES_STOP_AFF_CC, 975 CFE_ES_STOP_PERF_DATA_CC, 974
CFE_ES_TaskPriority_Atom_t, 845	CFE_ES_SIOF_FERF_DATA_CC, 974  CFE_ES_SendMemPoolStatsCmd_Payload_t, 982
cfe_es_msg.h	CFE_ES_SendMemPoolStatsCmd_t, 983
CFE_ES_AppNameCmd_Payload_t, 978	CFE_ES_SetMaxPRCountCmd_Payload_t, 983
CFE_ES_AppNameCmd_t, 978	CFE_ES_SetMaxPRCountCmd_t, 983
CFE_ES_AppReloadCmd_Payload_t, 978	CFE_ES_SetPerfFilterMaskCmd_Payload_t, 983
CFE_ES_CLEAR_ER_LOG_CC, 954	CFE_ES_SetPerfFilterMaskCmd_t, 983
CFE_ES_CLEAR_SYSLOG_CC, 954	CFE_ES_SetPerfTrigMaskCmd_Payload_t, 984
CFE_ES_ClearERLogCmd_t, 978	CFE_ES_SetPerfTriggerMaskCmd_t, 983
CFE_ES_ClearSysLogCmd_t, 978	CFE_ES_StartAppCmd_Payload_t, 984
CFE_ES_DELETE_CDS_CC, 955	CFE_ES_StartAppCmd_t, 984
CFE_ES_DUMP_CDS_REGISTRY_CC, 956	CFE_ES_StartPerfCmd_Payload_t, 984
CFE_ES_DeleteCDSCmd_Payload_t, 978	CFE_ES_StartPerfDataCmd_t, 984
CFE_ES_DeleteCDSCmd_t, 978	CFE_ES_StopAppCmd_t, 984
CFE_ES_DumpCDSRegistryCmd_Payload_t, 979	CFE_ES_StopPerfCmd_Payload_t, 985
CFE_ES_DumpCDSRegistryCmd_t, 979	CFE_ES_StopPerfDataCmd_t, 985
CFE_ES_FileNameCmd_Payload_t, 979	CFE_ES_WRITE_ER_LOG_CC, 975
CFE_ES_FileNameCmd_t, 979	CFE_ES_WRITE_SYSLOG_CC, 976
CFE_ES_HousekeepingTlm_Payload_t, 979	CFE_ES_WriteERLogCmd_t, 985
CFE_ES_HousekeepingTlm_t, 979	CFE_ES_WriteSysLogCmd_t, 985
CFE_ES_MemStatsTIm_t, 980	cfe_evs.h
CFE_ES_NOOP_CC, 957	CFE_EVS_Send, 849
CFE_ES_NoArgsCmd_t, 980	CFE_EVS_SendCrit, 850
CFE_ES_NoopCmd_t, 980	CFE_EVS_SendDbg, 850
CFE_ES_OVER_WRITE_SYSLOG_CC, 958	CFE_EVS_SendErr, 850

CFE_EVS_SendInfo, 850	cfe_evs_extern_typedefs.h
cfe_evs_api_typedefs.h	CFE_EVS_EventFilter, 856
CFE_EVS_BinFilter_t, 854	CFE_EVS_EventFilter_Enum_t, 855
CFE_EVS_EVERY_FOURTH_ONE, 852	CFE_EVS_EventOutput, 856
CFE_EVS_EVERY_OTHER_ONE, 852	CFE_EVS_EventOutput_Enum_t, 855
CFE_EVS_EVERY_OTHER_TWO, 852	CFE_EVS_EventType, 858
CFE_EVS_FIRST_16_STOP, 852	CFE_EVS_EventType_Enum_t, 855
CFE_EVS_FIRST_32_STOP, 852	CFE_EVS_LogMode, 858
CFE_EVS_FIRST_4_STOP, 852	CFE_EVS_LogMode_Enum_t, 855
CFE_EVS_FIRST_64_STOP, 853	CFE_EVS_MsgFormat, 858
CFE EVS FIRST 8 STOP, 853	CFE EVS MsgFormat Enum t, 856
CFE_EVS_FIRST_ONE_STOP, 853	cfe_evs_msg.h
CFE_EVS_FIRST_TWO_STOP, 853	CFE_EVS_ADD_EVENT_FILTER_CC, 1004
CFE_EVS_NO_FILTER, 853	CFE_EVS_AddEventFilterCmd_t, 1025
cfe_evs_events.h	CFE_EVS_AppDataCmd_Payload_t, 1025
CFE_EVS_ADDFILTER_EID, 987	CFE_EVS_AppNameBitMaskCmd_Payload_t, 1026
CFE_EVS_DELFILTER_EID, 987	CFE EVS AppNameBitMaskCmd t, 1026
CFE EVS DISAPPENTTYPE EID, 988	CFE_EVS_AppNameCmd_Payload_t, 1026
CFE_EVS_DISAPPEVT_EID, 988	CFE_EVS_AppNameCmd_t, 1026
CFE EVS DISEVTTYPE EID, 988	CFE_EVS_AppNameEventIDCmd_Payload_t, 1026
CFE_EVS_DISPORT_EID, 989	CFE_EVS_AppNameEventIDCmd_t, 1026
CFE_EVS_ENAAPPEVT_EID, 989	CFE_EVS_AppNameEventIDMaskCmd_Payload_t,
CFE_EVS_ENAAPPEVTTYPE_EID, 989	1027
CFE EVS ENAEVTTYPE EID, 990	CFE_EVS_AppNameEventIDMaskCmd_t, 1027
CFE EVS ENAPORT EID, 990	CFE_EVS_AppTImData_t, 1027
CFE_EVS_ERR_APPNOREGS_EID, 990	CFE_EVS_BitMaskCmd_Payload_t, 1027
CFE_EVS_ERR_CC_EID, 991	CFE_EVS_BitMaskCmd_t, 1027
CFE_EVS_ERR_CRDATFILE_EID, 991	CFE_EVS_CLEAR_LOG_CC, 1004
CFE EVS ERR CRLOGFILE EID, 991	CFE EVS CRITICAL BIT, 1005
CFE EVS ERR EVTIDNOREGS EID, 992	CFE_EVS_ClearLogCmd_t, 1027
CFE_EVS_ERR_ILLAPPIDRANGE_EID, 992	CFE_EVS_DEBUG_BIT, 1005
CFE_EVS_ERR_ILLEGALFMTMOD_EID, 992	CFE_EVS_DELETE_EVENT_FILTER_CC, 1006
CFE_EVS_ERR_INVALID_BITMASK_EID, 993	CFE_EVS_DISABLE_APP_EVENT_TYPE_CC,
CFE_EVS_ERR_LOGMODE_EID, 993	1006
CFE EVS ERR MAXREGSFILTER EID, 993	CFE_EVS_DISABLE_APP_EVENTS_CC, 1007
CFE_EVS_ERR_MSGID_EID, 994	CFE EVS DISABLE EVENT TYPE CC, 1008
CFE_EVS_ERR_NOAPPIDFOUND_EID, 994	CFE_EVS_DISABLE_PORTS_CC, 1009
CFE EVS ERR UNREGISTERED EVS APP, 994	CFE_EVS_DeleteEventFilterCmd_t, 1028
CFE EVS ERR WRDATFILE EID, 995	CFE_EVS_DisableAppEventTypeCmd_t, 1028
CFE_EVS_ERR_WRLOGFILE_EID, 995	CFE_EVS_DisableAppEventsCmd_t, 1028
CFE_EVS_EVT_FILTERED_EID, 995	CFE_EVS_DisableEventTypeCmd_t, 1028
CFE_EVS_FILTER_MAX_EID, 996	CFE_EVS_DisablePortsCmd_t, 1028
CFE EVS LEN ERR EID, 996	CFE_EVS_ENABLE_APP_EVENT_TYPE_CC, 1010
CFE EVS LOGMODE EID, 996	CFE EVS ENABLE APP EVENTS CC, 1011
CFE EVS NOOP EID, 997	CFE_EVS_ENABLE_EVENT_TYPE_CC, 1012
:	
CFE_EVS_RSTALLFILTER_EID, 997	CFE_EVS_ENABLE_PORTS_CC, 1013
CFE_EVS_RSTCNT_EID, 997	CFE_EVS_ERROR_BIT, 1014
CFE_EVS_RSTEVTCNT_EID, 998	CFE_EVS_EnableAppEventTypeCmd_t, 1029
CFE_EVS_RSTFILTER_EID, 998	CFE_EVS_EnableAppEventsCmd_t, 1028
CFE_EVS_SETEVTFMTMOD_EID, 998	CFE_EVS_EnableEventTypeCmd_t, 1029
CFE_EVS_SETFILTERMSK_EID, 999	CFE_EVS_EnablePortsCmd_t, 1029
CFE_EVS_STARTUP_EID, 999	CFE_EVS_HousekeepingTlm_Payload_t, 1029
CFE_EVS_WRDAT_EID, 999	CFE_EVS_HousekeepingTlm_t, 1029
CFE EVS WRLOG EID, 1000	CFE EVS INFORMATION BIT, 1015

CFE_EVS_LogFileCmd_Payload_t, 1029	CFE_MSG_FcnCode_t, 871
CFE_EVS_LongEventTlm_Payload_t, 1030	CFE_MSG_HeaderVersion_t, 872
CFE_EVS_LongEventTlm_t, 1030	CFE MSG Message t, 872
<del>-</del> <del>-</del>	
CFE_EVS_NOOP_CC, 1015	CFE_MSG_NOT_IMPLEMENTED, 870
CFE_EVS_NoArgsCmd_t, 1030	CFE_MSG_PlaybackFlag, 874
CFE_EVS_NoopCmd_t, 1030	CFE_MSG_PlaybackFlag_t, 872
CFE_EVS_PORT1_BIT, 1015	CFE_MSG_SegmentationFlag, 874
CFE_EVS_PORT2_BIT, 1016	CFE_MSG_SegmentationFlag_t, 872
CFE_EVS_PORT3_BIT, 1016	CFE_MSG_SequenceCount_t, 872
CFE_EVS_PORT4_BIT, 1016	CFE_MSG_Size_t, 873
CFE_EVS_PacketID_t, 1030	CFE_MSG_Subsystem_t, 873
CFE_EVS_RESET_ALL_FILTERS_CC, 1016	CFE_MSG_System_t, 873
CFE_EVS_RESET_APP_COUNTER_CC, 1017	CFE_MSG_TelemetryHeader_t, 873
CFE_EVS_RESET_COUNTERS_CC, 1018	CFE_MSG_Type, 874
CFE_EVS_RESET_FILTER_CC, 1019	CFE_MSG_Type_t, 873
CFE_EVS_ResetAllFiltersCmd_t, 1030	CFE_MSG_WRONG_MSG_TYPE, 870
CFE_EVS_ResetAppCounterCmd_t, 1030	cfe_psp.h
CFE_EVS_ResetCountersCmd_t, 1031	BUFF_SIZE, 1214
CFE_EVS_ResetFilterCmd_t, 1031	CFE_PSP_AttachExceptions, 1223
CFE_EVS_SET_EVENT_FORMAT_MODE_CC,	CFE_PSP_Decompress, 1224
1020	CFE_PSP_ERROR_ADDRESS_MISALIGNED,
CFE EVS SET FILTER CC, 1021	1215
CFE_EVS_SET_LOG_MODE_CC, 1022	CFE_PSP_ERROR_NOT_IMPLEMENTED, 1215
CFE_EVS_SetEventFormatMode_Payload_t, 1031	CFE_PSP_ERROR_TIMEOUT, 1215
CFE_EVS_SetEventFormatModeCmd_t, 1031	CFE PSP ERROR, 1215
CFE_EVS_SetFilterCmd_t, 1031	CFE_PSP_EepromPowerDown, 1224
CFE_EVS_SetLogMode_Payload_t, 1031	CFE_PSP_EepromPowerUp, 1224
CFE_EVS_SetLogModeCmd_t, 1032	CFE_PSP_EepromWrite16, 1224
CFE_EVS_ShortEventTlm_Payload_t, 1032	CFE_PSP_EepromWrite32, 1224
	_ ·
CFE_EVS_ShortEventTlm_t, 1032	CFE_PSP_EepromWrite8, 1224
CFE_EVS_WRITE_APP_DATA_FILE_CC, 1023	CFE_PSP_EepromWriteDisable, 1224
CFE_EVS_WRITE_LOG_DATA_FILE_CC, 1024	CFE_PSP_EepromWriteEnable, 1225
CFE_EVS_WriteAppDataFileCmd_t, 1032	CFE_PSP_Exception_CopyContext, 1225
CFE_EVS_WriteLogDataFileCmd_t, 1032	CFE_PSP_Exception_GetCount, 1225
cfe_fs_api_typedefs.h	CFE_PSP_Exception_GetSummary, 1225
CFE_FS_FileCategory_t, 862	CFE_PSP_FlushCaches, 1225
CFE_FS_FileWriteEvent_t, 863	CFE_PSP_Get_Dec, 1225
CFE_FS_FileWriteGetData_t, 861	CFE_PSP_Get_Timebase, 1226
CFE_FS_FileWriteMetaData_t, 861	CFE_PSP_Get_Timer_Tick, 1226
CFE_FS_FileWriteOnEvent_t, 861	CFE_PSP_GetBuildNumber, 1226
cfe_fs_extern_typedefs.h	CFE_PSP_GetCDSSize, 1227
CFE_FS_FILE_CONTENT_ID, 864	CFE_PSP_GetCFETextSegmentInfo, 1227
CFE_FS_HDR_DESC_MAX_LEN, 864	CFE_PSP_GetKernelTextSegmentInfo, 1227
CFE_FS_Header_t, 864	CFE_PSP_GetProcessorId, 1227
CFE_FS_SubType, 865	CFE_PSP_GetProcessorName, 1227
CFE_FS_SubType_Enum_t, 864	CFE_PSP_GetResetArea, 1228
cfe_msg_api_typedefs.h	CFE_PSP_GetRestartType, 1228
CFE_MSG_ApId_t, 870	CFE_PSP_GetSpacecraftId, 1228
CFE_MSG_BAD_ARGUMENT, 870	CFE PSP GetTime, 1228
CFE_MSG_Checksum_t, 871	CFE_PSP_GetTimerLow32Rollover, 1229
CFE_MSG_CommandHeader_t, 871	CFE_PSP_GetTimerTicksPerSecond, 1229
CFE_MSG_EDSVersion_t, 871	CFE PSP GetUserReservedArea, 1229
CFE_MSG_Endian, 873	CFE_PSP_GetVersionCodeName, 1229
CFE_MSG_Endian_t, 871	CFE_PSP_GetVersionNumber, 1229
OI L_WOG_EHUIAH_I, O/ I	OFE_FOF_GetversionNumber, 1229

CFE_PSP_GetVersionString, 1230	CFE_PSP_RST_SUBTYPE_HW_SPECIAL_COM
CFE_PSP_GetVolatileDiskMem, 1230	MAND, 1220
CFE_PSP_INVALID_INT_NUM, 1215	CFE_PSP_RST_SUBTYPE_HW_WATCHDOG,
CFE_PSP_INVALID_MEM_ADDR, 1215	1220
CFE_PSP_INVALID_MEM_ATTR, 1216	CFE_PSP_RST_SUBTYPE_HWDEBUG_RESET,
CFE_PSP_INVALID_MEM_RANGE, 1216	1221
CFE_PSP_INVALID_MEM_SIZE, 1216	CFE_PSP_RST_SUBTYPE_MAX, 1221
CFE_PSP_INVALID_MEM_TYPE, 1216	CFE_PSP_RST_SUBTYPE_POWER_CYCLE, 1221
CFE_PSP_INVALID_MEM_WORDSIZE, 1216	CFE_PSP_RST_SUBTYPE_PUSH_BUTTON, 1221
CFE_PSP_INVALID_MODULE_ID, 1216	CFE_PSP_RST_SUBTYPE_RESET_COMMAND,
CFE_PSP_INVALID_MODULE_NAME, 1217	1221
CFE_PSP_INVALID_POINTER, 1217	CFE_PSP_RST_SUBTYPE_UNDEFINED_RESET,
CFE_PSP_InitSSR, 1230	1222
CFE_PSP_MEM_ANY, 1217	CFE_PSP_RST_TYPE_MAX, 1222
CFE_PSP_MEM_ATTR_READWRITE, 1217	CFE_PSP_RST_TYPE_POWERON, 1222
CFE_PSP_MEM_ATTR_READ, 1217	CFE_PSP_RST_TYPE_PROCESSOR, 1222
CFE_PSP_MEM_ATTR_WRITE, 1217	CFE_PSP_ReadFromCDS, 1234
CFE_PSP_MEM_EEPROM, 1218	CFE_PSP_Restart, 1234
CFE_PSP_MEM_INVALID, 1218	CFE_PSP_SOFT_TIMEBASE_NAME, 1222
CFE_PSP_MEM_RAM, 1218	CFE_PSP_SUCCESS, 1223
CFE_PSP_MEM_SIZE_BYTE, 1218	CFE_PSP_SetDefaultExceptionEnvironment, 1234
CFE_PSP_MEM_SIZE_DWORD, 1218	CFE_PSP_WatchdogDisable, 1234
CFE_PSP_MEM_SIZE_WORD, 1218	CFE_PSP_WatchdogEnable, 1234
CFE_PSP_Main, 1230	CFE_PSP_WatchdogGet, 1234
CFE_PSP_MemCpy, 1230	CFE_PSP_WatchdogInit, 1235
CFE_PSP_MemRangeGet, 1231	CFE_PSP_WatchdogService, 1235
CFE_PSP_MemRangeSet, 1231	CFE_PSP_WatchdogSet, 1235
CFE_PSP_MemRanges, 1231	CFE_PSP_WriteToCDS, 1235
CFE_PSP_MemRead16, 1231	SIZE_BYTE, 1223
CFE_PSP_MemRead32, 1231	SIZE_HALF, 1223
CFE_PSP_MemRead8, 1232	SIZE_WORD, 1223
CFE_PSP_MemSet, 1232	cfe_resourceid.h
CFE_PSP_MemValidateRange, 1232	CFE_RESOURCEID_TEST_DEFINED, 877
CFE PSP MemWrite16, 1232	CFE RESOURCEID TEST EQUAL, 877
CFE PSP MemWrite32, 1232	CFE_RESOURCEID_TO_ULONG, 877
CFE_PSP_MemWrite8, 1232	CFE_ResourceId_Equal, 878
	CFE Resourceld FindNext, 878
CFE_PSP_NO_EXCEPTION_DATA, 1219	
CFE_PSP_PANIC_CORE_APP, 1219	CFE_ResourceId_FromInteger, 879
CFE_PSP_PANIC_GENERAL_FAILURE, 1219	CFE_ResourceId_GetBase, 880
CFE_PSP_PANIC_MEMORY_ALLOC, 1219	CFE_ResourceId_GetSerial, 880
CFE_PSP_PANIC_NONVOL_DISK, 1219	CFE_ResourceId_IsDefined, 881
CFE_PSP_PANIC_STARTUP_SEM, 1220	CFE_ResourceId_ToIndex, 882
CFE_PSP_PANIC_STARTUP, 1219	CFE_Resourceld_ToInteger, 883
CFE_PSP_PANIC_VOLATILE_DISK, 1220	cfe_resourceid_api_typedefs.h
CFE_PSP_Panic, 1233	CFE_RESOURCEID_RESERVED, 884
CFE_PSP_PortRead16, 1233	CFE_RESOURCEID_UNDEFINED, 884
CFE_PSP_PortRead32, 1233	cfe_resourceid_basevalue.h
CFE_PSP_PortRead8, 1233	CFE_RESOURCEID_MAKE_BASE, 1035
CFE_PSP_PortWrite16, 1233	CFE_RESOURCEID_MAX, 1035
CFE_PSP_PortWrite32, 1233	CFE_RESOURCEID_SHIFT, 1035
CFE_PSP_PortWrite8, 1234	cfe_sb.h
CFE_PSP_RST_SUBTYPE_BANKSWITCH_RES↔	CFE_BIT, 886
ET, 1220	CFE_CLR, 887
CFE PSP RST SUBTYPE EXCEPTION, 1220	CFE SET, 887

CFE_TST, 887	CFE_SB_MAX_PIPES_MET_EID, 1050
cfe_sb_api_typedefs.h	CFE_SB_MSG_TOO_BIG_EID, 1050
CFE_SB_Buffer_t, 892	CFE_SB_MSGID_LIM_ERR_EID, 1051
CFE_SB_DEFAULT_QOS, 889	CFE_SB_PART_SUB_PKT_EID, 1051
CFE_SB_INVALID_MSG_ID, 889	CFE_SB_PIPE_ADDED_EID, 1051
CFE_SB_INVALID_PIPE, 889	CFE_SB_PIPE_DELETED_EID, 1052
CFE_SB_MSGID_RESERVED, 890	CFE_SB_Q_FULL_ERR_EID, 1052
CFE_SB_MSGID_UNWRAP_VALUE, 890	CFE_SB_Q_RD_ERR_EID, 1052
CFE_SB_MSGID_WRAP_VALUE, 890	CFE_SB_Q_WR_ERR_EID, 1053
CFE_SB_MSGID_C, 889	CFE_SB_RCV_BAD_ARG_EID, 1053
CFE_SB_PEND_FOREVER, 891	CFE SB SEND BAD ARG EID, 1053
CFE_SB_PIPEID_C, 891	CFE_SB_SEND_INV_MSGID_EID, 1054
CFE_SB_POLL, 891	CFE_SB_SEND_NO_SUBS_EID, 1054
CFE_SB_SUBSCRIPTION, 892	CFE_SB_SETPIPEOPTS_EID, 1054
CFE_SB_UNSUBSCRIPTION, 892	CFE_SB_SETPIPEOPTS_ID_ERR_EID, 1055
cfe_sb_events.h	CFE_SB_SETPIPEOPTS_OWNER_ERR_EID, 1055
CFE SB BAD CMD CODE EID, 1038	CFE_SB_SND_RTG_EID, 1055
:	CFE SB SND RTG ERR1 EID, 1056
CFE_SB_BAD_MSGID_EID, 1038	:
CFE_SB_BAD_PIPEID_EID, 1039	CFE_SB_SND_STATS_EID, 1056
CFE_SB_CMD0_RCVD_EID, 1039	CFE_SB_SUB_ARG_ERR_EID, 1056
CFE_SB_CMD1_RCVD_EID, 1039	CFE_SB_SUB_INV_CALLER_EID, 1057
CFE_SB_CR_PIPE_BAD_ARG_EID, 1040	CFE_SB_SUB_INV_PIPE_EID, 1057
CFE_SB_CR_PIPE_ERR_EID, 1040	CFE_SB_SUBSCRIPTION_RCVD_EID, 1057
CFE_SB_CR_PIPE_NAME_TAKEN_EID, 1040	CFE_SB_SUBSCRIPTION_REMOVED_EID, 1058
CFE_SB_CR_PIPE_NO_FREE_EID, 1041	CFE_SB_SUBSCRIPTION_RPT_EID, 1058
CFE_SB_DEL_PIPE_ERR1_EID, 1041	CFE_SB_UNSUB_ARG_ERR_EID, 1058
CFE_SB_DEL_PIPE_ERR2_EID, 1041	CFE_SB_UNSUB_INV_CALLER_EID, 1059
CFE_SB_DEST_BLK_ERR_EID, 1042	CFE_SB_UNSUB_INV_PIPE_EID, 1059
CFE_SB_DSBL_RTE1_EID, 1042	CFE_SB_UNSUB_NO_SUBS_EID, 1059
CFE_SB_DSBL_RTE2_EID, 1042	cfe_sb_extern_typedefs.h
CFE_SB_DSBL_RTE3_EID, 1043	CFE_SB_Msgld_Atom_t, 894
CFE_SB_DUP_SUBSCRIP_EID, 1043	CFE_SB_Pipeld_t, 894
CFE_SB_ENBL_RTE1_EID, 1043	CFE_SB_QosPriority, 895
CFE_SB_ENBL_RTE2_EID, 1044	CFE_SB_QosPriority_Enum_t, 894
CFE_SB_ENBL_RTE3_EID, 1044	CFE_SB_QosReliability, 895
CFE_SB_FILEWRITE_ERR_EID, 1044	CFE_SB_QosReliability_Enum_t, 894
CFE_SB_FULL_SUB_PKT_EID, 1045	CFE_SB_Routeld_Atom_t, 895
CFE SB GET BUF ERR EID, 1045	CFE_SB_SUB_ENTRIES_PER_PKT, 893
CFE SB GETPIPEIDBYNAME EID, 1045	cfe_sb_msg.h
CFE_SB_GETPIPEIDBYNAME_NAME_ERR_EID,	CFE_SB_AllSubscriptionsTlm_Payload_t, 1073
1046	CFE_SB_AllSubscriptionsTlm_t, 1073
CFE_SB_GETPIPEIDBYNAME_NULL_ERR_EID,	CFE_SB_DISABLE_ROUTE_CC, 1062
1046	CFE_SB_DISABLE_SUB_REPORTING_CC, 1062
CFE_SB_GETPIPENAME_EID, 1046	CFE SB DisableRouteCmd t, 1073
CFE SB GETPIPENAME ID ERR EID, 1047	CFE_SB_DisableSubReportingCmd_t, 1073
CFE SB GETPIPENAME NULL PTR EID, 1047	CFE_SB_ENABLE_ROUTE_CC, 1063
CFE_SB_GETPIPEOPTS_EID, 1047	CFE SB ENABLE SUB REPORTING CC, 1064
CFE_SB_GETPIPEOPTS_ID_ERR_EID, 1048	CFE SB EnableRouteCmd t, 1073
CFE_SB_GETPIPEOPTS_PTR_ERR_EID, 1048	CFE_SB_EnableSubReportingCmd_t, 1073
CFE_SB_HASHCOLLISION_EID, 1048	CFE_SB_HousekeepingTlm_Payload_t, 1074
CFE_SB_INIT_EID, 1049	CFE_SB_HousekeepingTlm_t, 1074
CFE_SB_LEN_ERR_EID, 1049	CFE_SB_MsgMapFileEntry_t, 1074
CFE_SB_MAX_DESTS_MET_EID, 1049	CFE_SB_NOOP_CC, 1065
CFE_SB_MAX_MSGS_MET_EID, 1050	CFE_SB_NoopCmd_t, 1074

CFE_SB_PipeDepthStats_t, 1074	CFE_TBL_FILE_TYPE_ERR_EID, 1087
CFE_SB_PipeInfoEntry_t, 1074	CFE_TBL_HANDLE_ACCESS_ERR_EID, 1087
CFE_SB_RESET_COUNTERS_CC, 1066	CFE_TBL_ILLEGAL_BUFF_PARAM_ERR_EID,
CFE_SB_ResetCountersCmd_t, 1075	1087
CFE_SB_RouteCmd_Payload_t, 1075	CFE_TBL_IN_REGISTRY_ERR_EID, 1088
CFE_SB_RouteCmd_t, 1075	CFE_TBL_INIT_INF_EID, 1088
CFE_SB_RoutingFileEntry_t, 1075	CFE_TBL_INTERNAL_ERROR_ERR_EID, 1088
CFE_SB_SEND_PREV_SUBS_CC, 1067	CFE_TBL_LEN_ERR_EID, 1089
CFE_SB_SEND_SB_STATS_CC, 1068	CFE_TBL_LOAD_ABORT_ERR_EID, 1089
CFE_SB_SendPrevSubsCmd_t, 1075	CFE TBL LOAD ABORT INF EID, 1089
CFE_SB_SendSbStatsCmd_t, 1076	CFE_TBL_LOAD_EXCEEDS_SIZE_ERR_EID, 1090
CFE_SB_SingleSubscriptionTlm_Payload_t, 1076	CFE_TBL_LOAD_FILENAME_LONG_ERR_EID,
CFE_SB_SingleSubscriptionTlm_t, 1076	1090
CFE_SB_StatsTlm_Payload_t, 1076	CFE_TBL_LOAD_IN_PROGRESS_ERR_EID, 1090
CFE_SB_StatsTIm_t, 1076	CFE_TBL_LOAD_PEND_REQ_INF_EID, 1091
CFE_SB_SubEntries_t, 1077	CFE_TBL_LOAD_SUCCESS_INF_EID, 1091
CFE SB WRITE MAP INFO CC, 1069	CFE_TBL_LOAD_TBLNAME_MISMATCH_ERR_←
CFE_SB_WRITE_PIPE_INFO_CC, 1070	EID, 1091
CFE SB WRITE ROUTING INFO CC, 1071	CFE TBL LOAD TYPE ERR EID, 1092
CFE_SB_WriteFileInfoCmd_Payload_t, 1077	CFE_TBL_LOAD_VAL_ERR_EID, 1092
	CFE TBL LOADING A DUMP ONLY ERR EID,
CFE_SB_WriteFileInfoCmd_t, 1077	
CFE_SB_WriteMapInfoCmd_t, 1077	1092
CFE_SB_WritePipeInfoCmd_t, 1077	CFE_TBL_LOADING_PENDING_ERR_EID, 1093
CFE_SB_WriteRoutingInfoCmd_t, 1077	CFE_TBL_MID_ERR_EID, 1093
cfe_tbl_api_typedefs.h	CFE_TBL_NO_INACTIVE_BUFFER_ERR_EID,
CFE_TBL_BAD_TABLE_HANDLE, 899	1093
CFE_TBL_CallbackFuncPtr_t, 899	CFE_TBL_NO_SUCH_TABLE_ERR_EID, 1094
CFE_TBL_Handle_t, 899	CFE_TBL_NO_WORK_BUFFERS_ERR_EID, 1094
CFE_TBL_Info_t, 899	CFE_TBL_NOOP_INF_EID, 1094
CFE_TBL_MAX_FULL_NAME_LEN, 899	CFE_TBL_NOT_CRITICAL_TBL_ERR_EID, 1095
CFE_TBL_SrcEnum, 900	CFE_TBL_NOT_IN_CRIT_REG_ERR_EID, 1095
CFE_TBL_SrcEnum_t, 900	CFE_TBL_OVERWRITE_DUMP_INF_EID, 1095
cfe_tbl_events.h	CFE_TBL_OVERWRITE_REG_DUMP_INF_EID,
CFE_TBL_ACTIVATE_DUMP_ONLY_ERR_EID,	1096
1080	CFE_TBL_PARTIAL_LOAD_ERR_EID, 1096
CFE_TBL_ACTIVATE_ERR_EID, 1081	CFE_TBL_PROCESSOR_ID_ERR_EID, 1096
CFE_TBL_ASSUMED_VALID_INF_EID, 1081	CFE_TBL_REGISTER_ERR_EID, 1097
CFE_TBL_CC1_ERR_EID, 1081	CFE_TBL_RESET_INF_EID, 1097
CFE_TBL_CDS_DELETE_ERR_EID, 1082	CFE_TBL_SHARE_ERR_EID, 1097
CFE_TBL_CDS_DELETED_INFO_EID, 1082	CFE_TBL_SPACECRAFT_ID_ERR_EID, 1098
CFE_TBL_CDS_NOT_FOUND_ERR_EID, 1082	CFE_TBL_TLM_REG_CMD_INF_EID, 1098
CFE_TBL_CDS_OWNER_ACTIVE_ERR_EID, 1083	CFE_TBL_TOO_MANY_DUMPS_ERR_EID, 1098
CFE_TBL_CREATING_DUMP_FILE_ERR_EID,	CFE_TBL_TOO_MANY_VALIDATIONS_ERR_EID,
1083	1099
CFE_TBL_DUMP_PENDING_ERR_EID, 1083	CFE TBL UNREGISTER ERR EID, 1099
CFE_TBL_FAIL_HK_SEND_ERR_EID, 1084	CFE_TBL_UNVALIDATED_ERR_EID, 1099
CFE_TBL_FAIL_NOTIFY_SEND_ERR_EID, 1084	CFE_TBL_UPDATE_ERR_EID, 1100
CFE_TBL_FILE_ACCESS_ERR_EID, 1084	CFE_TBL_UPDATE_SUCCESS_INF_EID, 1100
CFE_TBL_FILE_INCOMPLETE_ERR_EID, 1085	CFE_TBL_VAL_REQ_MADE_INF_EID, 1100
CFE_TBL_FILE_LOADED_INF_EID, 1085	CFE_TBL_VALIDATION_ERR_EID, 1101
CFE_TBL_FILE_STD_HDR_ERR_EID, 1085	CFE_TBL_VALIDATION_INF_EID, 1101
CFE_TBL_FILE_SUBTYPE_ERR_EID, 1086	CFE_TBL_WRITE_CFE_HDR_ERR_EID, 1101
CFE_TBL_FILE_TBL_HDR_ERR_EID, 1086	CFE_TBL_WRITE_DUMP_INF_EID, 1102
CFE TBL FILE TOO BIG ERR EID, 1086	CFE TBL WRITE REG DUMP INF EID, 1102

CFE TBL WRITE TBL HDR ERR EID, 1102	cfe time events.h
CFE_TBL_WRITE_TBL_IMG_ERR_EID, 1103	CFE_TIME_1HZ_CFG_EID, 1123
CFE_TBL_WRITE_TBL_REG_ERR_EID, 1103	CFE_TIME_1HZ_EID, 1123
CFE_TBL_ZERO_LENGTH_LOAD_ERR_EID, 1103	CFE_TIME_CC_ERR_EID, 1123
cfe_tbl_extern_typedefs.h	CFE_TIME_DELAY_CFG_EID, 1124
CFE_TBL_BufferSelect, 901	CFE_TIME_DELAY_EID, 1124
CFE_TBL_BufferSelect_Enum_t, 901	CFE_TIME_DELAY_ERR_EID, 1124
CFE_TBL_File_Hdr_t, 901	CFE_TIME_DELTA_CFG_EID, 1125
cfe_tbl_filedef.h	CFE_TIME_DELTA_EID, 1125
CFE_TBL_FILEDEF, 903	CFE_TIME_DELTA_ERR_EID, 1125
CFE_TBL_FileDef_t, 903	CFE_TIME_DIAG_EID, 1126
cfe_tbl_msg.h	CFE_TIME_FLY_OFF_EID, 1126
CFE_TBL_ABORT_LOAD_CC, 1106	CFE_TIME_FLY_ON_EID, 1126
CFE_TBL_ACTIVATE_CC, 1107	CFE_TIME_ID_ERR_EID, 1127
CFE_TBL_AbortLoadCmd_Payload_t, 1117	CFE_TIME_INIT_EID, 1127
CFE_TBL_AbortLoadCmd_t, 1117	CFE_TIME_LEAPS_CFG_EID, 1127
CFE_TBL_ActivateCmd_Payload_t, 1117	CFE_TIME_LEAPS_EID, 1128
CFE_TBL_ActivateCmd_t, 1117	CFE TIME LEN ERR EID, 1128
CFE_TBL_DELETE_CDS_CC, 1108	CFE_TIME_MET_CFG_EID, 1128
CFE TBL DUMP CC, 1109	CFE TIME MET EID, 1129
CFE_TBL_DUMP_REGISTRY_CC, 1110	CFE_TIME_MET_ERR_EID, 1129
CFE_TBL_DelCDSCmd_Payload_t, 1117	CFE_TIME_NOOP_EID, 1129
CFE_TBL_DeleteCDSCmd_t, 1117	CFE_TIME_RESET_EID, 1130
CFE_TBL_DumpCmd_Payload_t, 1118	CFE_TIME_SIGNAL_CFG_EID, 1130
CFE_TBL_DumpCmd_t, 1118	CFE_TIME_SIGNAL_EID, 1130
CFE_TBL_DumpRegistryCmd_Payload_t, 1118	CFE_TIME_SIGNAL_ERR_EID, 1131
CFE_TBL_DumpRegistryCmd_t, 1118	CFE_TIME_SOURCE_CFG_EID, 1131
CFE_TBL_HousekeepingTlm_Payload_t, 1118	CFE_TIME_SOURCE_EID, 1131
CFE_TBL_HousekeepingTlm_t, 1118	CFE_TIME_SOURCE_ERR_EID, 1132
CFE_TBL_LOAD_CC, 1111	CFE TIME STATE EID, 1132
CFE_TBL_LoadCmd_Payload_t, 1119	CFE_TIME_STATE_ERR_EID, 1132
CFE_TBL_LoadCmd_t, 1119	CFE_TIME_STCF_CFG_EID, 1133
CFE TBL NOOP CC, 1112	CFE TIME STCF EID, 1133
CFE_TBL_NoArgsCmd_t, 1119	CFE_TIME_STCF_ERR_EID, 1133
<del>-</del>	
CFE_TBL_NoopCmd_t, 1119	CFE_TIME_TIME_CFG_EID, 1134
CFE_TBL_NotifyCmd_Payload_t, 1119	CFE_TIME_TIME_EID, 1134
CFE_TBL_NotifyCmd_t, 1120	CFE_TIME_TIME_ERR_EID, 1134
CFE_TBL_RESET_COUNTERS_CC, 1113	cfe_time_extern_typedefs.h
CFE_TBL_ResetCountersCmd_t, 1120	CFE_TIME_AdjustDirection, 911
CFE_TBL_SEND_REGISTRY_CC, 1114	CFE_TIME_AdjustDirection_Enum_t, 909
CFE_TBL_SendRegistryCmd_Payload_t, 1120	CFE_TIME_ClockState, 912
CFE_TBL_SendRegistryCmd_t, 1120	CFE_TIME_ClockState_Enum_t, 909
CFE_TBL_TableRegistryTlm_t, 1120	CFE_TIME_FlagBit, 912
CFE_TBL_TblRegPacket_Payload_t, 1120	CFE_TIME_FlagBit_Enum_t, 910
CFE_TBL_VALIDATE_CC, 1115	CFE_TIME_FlywheelState, 913
CFE TBL ValidateCmd Payload t, 1121	CFE_TIME_FlywheelState_Enum_t, 910
CFE TBL ValidateCmd t, 1121	CFE_TIME_SetState, 913
cfe_time.h	CFE_TIME_SetState_Enum_t, 910
CFE_TIME_Copy, 905	CFE_TIME_SetState_Endin_t, 910  CFE_TIME_SourceSelect, 913
cfe_time_api_typedefs.h	CFE_TIME_SucTime_t_011
CFE_TIME_Compare, 907	CFE_TIME_SysTime_t, 911
CFE_TIME_Compare_t, 907	CFE_TIME_ToneSignalSelect, 913
CFE_TIME_PRINTED_STRING_SIZE, 906	CFE_TIME_ToneSignalSelect_Enum_t, 911
CFE_TIME_SynchCallbackPtr_t, 907	cfe_time_msg.h

CFE_TIME_ADD_DILAY_CC, 1139 CFE_TIME_ADD_DELAY_CC, 1140 CFE_TIME_ADD_DELAY_CC, 1140 CFE_TIME_ADD_DELAY_CC, 1140 CFE_TIME_ADD_DELAY_CC, 1140 CFE_TIME_ADD_DELAY_CC, 1140 CFE_TIME_ADD_DELAY_CC, 1140 CFE_TIME_ADD_DELAY_CC, 1156 CFE_TIME_DiagnosticTIm_Payload_t, 1156 CFE_TIME_DiagnosticTIm_Payload_t, 1156 CFE_TIME_DiagnosticTIm_Payload_t, 1157 CFE_TIME_HousekeepingTim_Payload_t, 1157 CFE_TIME_LeapsCmd_Payload_t, 1157 CFE_TIME_NoOpCmd_t, 1157 CFE_TIME_NOOPC_CC, 1141 CFE_TIME_NOOPC_CC, 1141 CFE_TIME_NOOPC_CC, 1141 CFE_TIME_SEND_DIAGNOSTIC_TLM_CC, 1142 CFE_TIME_SEND_DIAGNOSTIC_TLM_CC, 1143 CFE_TIME_SET_MELC, 1145 CFE_TIME_SET_MELC, 1145 CFE_TIME_SET_NECC, 1142 CFE_TIME_SET_NECC, 1143 CFE_TIME_SET_NECC, 1144 CFE_TIME_SET_NECC, 1145 CFE_TIME_SET_NECC, 1146 CFE_TIME_SET_NECC		CFE TIME 1HzCmd t, 1155	CFE_MINOR_VERSION, 915
CFE_TIME_ADD_DELAY_CC, 1140 CFE_TIME_ADD_DELAY_CC, 1140 CFE_TIME_ADdAdjustmentCmd_t, 1156 CFE_TIME_AddAdjustCmd_t, 1156 CFE_TIME_DiagnositcTim_Payload_t, 1156 CFE_TIME_DiagnositcTim_Payload_t, 1156 CFE_TIME_DiagnositcTim_t, 1156 CFE_TIME_DiagnositcTim_t, 1156 CFE_TIME_DiagnositcTim_t, 1156 CFE_TIME_HousekeepingTim_t, 1157 CFE_TIME_HousekeepingTim_t, 1157 CFE_TIME_HousekeepingTim_t, 1157 CFE_TIME_DonetyCongtimentCmd_t, 1158 CFE_TIME_NooPcCmd_t, 1157 CFE_TIME_OnetyAdjustmentCmd_t, 1158 CFE_TIME_OnetyAdjustmentCmd_t, 1158 CFE_TIME_NooPcCmd_t, 1159 CFE_TIME_SET_COUNTERS_CC, 1142 CFE_TIME_SET_LOC_NI145 CFE_TIME_SET_LOC_NI145 CFE_TIME_SET_STATE_CC, 1146 CFE_TIME_SET_STATE_CC, 1146 CFE_TIME_SET_STATE_CC, 1147 CFE_TIME_SET_STATE_CC, 1148 CFE_TIME_SET_STATE_CC, 1150 CFE_TIME_SUB_ADJUST_CC, 1153 CFE_TIME_SUB_ADJUST_CC, 1153 CFE_TIME_SUB_ADJUST_CC, 1153 CFE_TIME_SUB_ADJUST_CC, 1153 CFE_TIME_SendDiagnositcCmd_t, 1158 CFE_TIME_SendDiagnositcCmd_t, 1158 CFE_TIME_SendDiagnositcCmd_t, 1158 CFE_TIME_SendDiagnositcCmd_t, 1158 CFE_TIME_SendDiagnositcCmd_t, 1159 CFE_TIME_SignalCmd_t, 1158 CFE_TIME_SendDiagnositcCmd_t, 1159 CFE_TIME_SignalCmd_t, 1159 CFE_TIME_SignalCmd_t, 1159 CFE_TIME_SignalCmd_t, 1160 CFE_TIME_SignalCmd_t, 1160 CFE_TIME_SubleAdjust_t, 1160 CFE_TIME_DiagnositcTim_Payload, 504 CFE_ES_HousekeepingTim_Payload, 569 CFE_SApplint_Payload, 569 CFE_SA_Payload_t, 1160 CFE_TIME_SignalCmd_t, 1160 CFE_TIME_DiagnositcCmd_t, 1160 CFE_TIME_SubleAdjust_t, 1160 CFE_TIME_SignalCmd_t, 1160 CFE_TIME_SubleAdjust_t, 1160 CFE_TIME_DiagnositcCmd_t, 1160 CFE_TIME_SubleAdjust_t, 1160 CFE_TIME_SignalCmd_t, 1160 CFE_TIME_SubleAdjust_t, 1160 CFE_TIME_SubleAdjust_t, 1160 CFE_TIME_DiagnositcCmd_t, 1160 CFE_TIME_DiagnositcCmd_t, 1160 CFE_TIME_SubleAdjust_t, 1160 CFE_TIME_SubleAdjust_t, 116			
CFE_TIME_AddD_DELAY_CC, 1140 CFE_TIME_AddD_DELAY_CC, 1156 CFE_TIME_AddDalayCmd_t, 1156 CFE_TIME_AddDalayCmd_t, 1156 CFE_TIME_DiagnosticTim_Payload_t, 1156 CFE_TIME_DiagnosticTim_t, 1156 CFE_TIME_DiagnosticTim_t, 1156 CFE_TIME_HousekeepingTim_Payload_t, 1157 CFE_TIME_HousekeepingTim_Payload_t, 1157 CFE_TIME_LeapSCmd_Payload_t, 1157 CFE_TIME_NoopCmd_t, 1158 CFE_TIME_SET_SCOUNTERS_CC, 1142 CFE_TIME_SET_COUNTERS_CC, 1143 CFE_TIME_SET_LEAP_SECONDS_CC, 1144 CFE_TIME_SET_SCOUNCS_CC, 1144 CFE_TIME_SET_SOURCS_CC, 1146 CFE_TIME_SET_STATE_CC, 1146 CFE_TIME_SET_STATE_CC, 1146 CFE_TIME_SET_STATE_CC, 1146 CFE_TIME_SUB_DELAY_CC, 1150 CFE_TIME_SUB_DELAY_CC, 1153 CFE_TIME_SUB_DELAY_CC, 1153 CFE_TIME_SUB_DELAY_CC, 1153 CFE_TIME_SET_SOURCM_t, 1158 CFE_TIME_SET_SOURCM_t, 1158 CFE_TIME_SUB_DELAY_CC, 1153 CFE_TIME_SUB_DELAY_CC, 1154 CFE_TIME_SUB_DELAY_CC, 1154 CFE_TIME_SUB_DELAY_CC, 1155 CFE_TIME_SUB_DELAY_CC, 1156 CFE_TIME_SUB_DELAY_CC, 1156 CFE_TIME_SET_SOURCM_t, 1158 CFE_TIME_SUB_DELAY_CC, 1156 CFE_TIME_SUB_DELAY_CC, 1			<i>.</i>
CFE_TIME_AddHZAdjustmentCmd_t, 1156 CFE_TIME_AddAdjustCmd_t, 1156 CFE_TIME_DiagnosticTim_Payload_t, 1156 CFE_TIME_DiagnosticTim_t, 1156 CFE_TIME_DiagnosticTim_t, 1156 CFE_TIME_HaveRopingTim_Payload_t, 1157 CFE_TIME_HousekeepingTim_t, 1157 CFE_TIME_HousekeepingTim_t, 1157 CFE_TIME_NOOP_CC, 1141 CFE_TIME_SOUNTERS_CC, 1142 CFE_TIME_SET_SOUNTERS_CC, 1142 CFE_TIME_SET_SIGNAL_CC, 1143 CFE_TIME_SET_SIGNAL_CC, 1144 CFE_TIME_SET_SOUNTERS_CC, 1144 CFE_TIME_SET_SIGNAL_CC, 1146 CFE_TIME_SET_STATE_CC, 1146 CFE_TIME_SET_SOUNTERS_CC, 1147 CFE_TIME_SET_SOUNTERS_CC, 1146 CFE_TIME_SET_SOUNTERS_CC, 1146 CFE_TIME_SET_SOUNTER_CC, 1146 CFE_TIME_SET_SOUNTER_CC, 1146 CFE_TIME_SET_SOUNTER_CC, 1150 CFE_TIME_SET_SOUNTER_CC, 1150 CFE_TIME_SET_SOUNTER_CC, 1156 CFE_TIME_SET_SOUNTER_CC, 1158 CFE_TIME_SET_SOUNTER_CC, 1158 CFE_TIME_SUB_DELAY_CC, 1154 CFE_TIME_SET_SOUNTER_CC, 1158 CFE_TIME_SUB_DELAY_CC, 1158 CFE_TIME_SET_SOUNTER_CC, 1158 CFE_TIME_SET_S			<del>-</del>
CFE_TIME_AddAdjustCmd_t, 1156 CFE_TIME_DiagnosticTim_Payload_t, 1156 CFE_TIME_DiagnosticTim_Payload_t, 1157 CFE_TIME_HousekeepingTim_Payload_t, 1157 CFE_TIME_HousekeepingTim_Payload_t, 1157 CFE_TIME_HousekeepingTim_t, 1157 CFE_TIME_NOOP_CC, 1141 CFE_TIME_NOOP_CC, 1142 CFE_TIME_NOOP_CC, 1144 CFE_TIME_SET_COUNTERS_CC, 1142 CFE_TIME_SET_SCURCE_CC, 1144 CFE_TIME_SET_SCURCE_CC, 1144 CFE_TIME_SET_SCURCE_CC, 1146 CFE_TIME_SET_SCURCE_CC, 1146 CFE_TIME_SET_SCURCE_CC, 1146 CFE_TIME_SUB_DELAY_CC, 1150 CFE_TIME_SUB_DELAY_CC, 1150 CFE_TIME_SUB_DELAY_CC, 1150 CFE_TIME_SUB_DELAY_CC, 1150 CFE_TIME_SET_SCURCE_CC, 1150 CFE_TIME_SUB_DELAY_CC, 1150 CFE_TIME_SET_SCURCE_CC, 1150 CFE_TIME_SET_SCURCE_CC, 1150 CFE_TIME_SUB_DELAY_CC, 1150 CFE_TIME_SU			
CFE_TIME_DiagnosticTim_1, 1156 CFE_TIME_DiagnosticTim_1, 1156 CFE_TIME_DiagnosticTim_1, 1156 CFE_TIME_HousekeepingTim_Payload_t, 1157 CFE_TIME_HousekeepingTim_1, 1157 CFE_TIME_NoOp_Cot_1, 1157 CFE_TIME_NoOp_Cot_1, 1157 CFE_TIME_NoOp_Cot_1, 1157 CFE_TIME_NoOp_Cot_1, 1157 CFE_TIME_NoOp_Cot_1, 1157 CFE_TIME_Onel+ZadjustmentCmd_t, 1158 CFE_TIME_SET_COUNTERS_CC, 1142 CFE_TIME_SET_LEAP_SECONDS_CC, 1144 CFE_TIME_SET_LEAP_SECONDS_CC, 1144 CFE_TIME_SET_LEAP_SECONDS_CC, 1144 CFE_TIME_SET_LEAP_SECONDS_CC, 1147 CFE_TIME_SET_LEAP_SECONDS_CC, 1147 CFE_TIME_SET_STATE_CC, 1148 CFE_TIME_SET_STATE_CC, 1148 CFE_TIME_SET_STATE_CC, 1148 CFE_TIME_SET_STATE_CC, 1150 CFE_TIME_SET_STATE_CC, 1150 CFE_TIME_SET_STATE_CC, 1153 CFE_TIME_SET_SECONDS_CC, 1154 CFE_TIME_SET_STATE_CC, 1153 CFE_TIME_SET_STATE_C			
CFE_TIME_DiagnosticTim_Payload_t, 1156 CFE_TIME_FakeToneCmd_t, 1156 CFE_TIME_HousekeepingTim_Payload_t, 1157 CFE_TIME_HousekeepingTim_T, 1157 CFE_TIME_NOOP_CC, 1141 CFE_TIME_NOOP_CC, 1142 CFE_TIME_SENE_COUNTERS_CC, 1142 CFE_TIME_RESET_COUNTERS_CC, 1143 CFE_TIME_SEND_DIAGNOSTIC_TLM_CC, 1143 CFE_TIME_SET_LEAP_SECONDS_CC, 1144 CFE_TIME_SET_LEAP_SECONDS_CC, 1144 CFE_TIME_SET_SIGNAL_CC, 1146 CFE_TIME_SET_SIGNAL_CC, 1146 CFE_TIME_SET_SUB_DIALY_CC, 1151 CFE_TIME_SET_STATE_CC, 1148 CFE_TIME_SET_STATE_CC, 1148 CFE_TIME_SET_SUB_DIALY_CC, 1151 CFE_TIME_SET_SUB_DIALY_CC, 1154 CFE_TIME_SET_SUB_DIALY_CC, 1154 CFE_TIME_SENE_CC_TIME_CC, 1154 CFE_TIME_SENE_CC_TIME_CC, 1154 CFE_TIME_SENE_CC_TIME_CC, 1155 CFE_TIME_SENE_CC_TIME_CC, 1154 CFE_TIME_SENE_CC_TIME_TIME_CC, 1154 CFE_TIME_SENE_CC_TIME_TIME_CC, 1155 CFE_TIME_SENE_CC_TCM_t, 1158 CFE_TIME_SENE_CC_TM_t, 1158 CF			<del>-</del> · · · ·
CFE_TIME_DiagnosticTim_t, 1156 CFE_TIME_HousekeepingTim_Payload_t, 1157 CFE_TIME_HousekeepingTim_t, 1157 CFE_TIME_LeapsCmd_Payload_t, 1157 CFE_TIME_NOOP_CC, 1141 CFE_TIME_NOOP_CC, 1141 CFE_TIME_NoOP_CC, 1141 CFE_TIME_NoOP_CC, 1141 CFE_TIME_NoOP_CC, 1141 CFE_TIME_NoOP_CC, 1141 CFE_TIME_OneHzAdjustmentCmd_Payload_t, 1157 CFE_TIME_OneHzAdjustmentCmd_Payload_t, 1157 CFE_TIME_OneHzAdjustmentCmd_t, 1158 CFE_TIME_RESET_COUNTERS_CC, 1142 CFE_TIME_SET_STO_DIAGNOSTIC_TLM_CC, 1143 CFE_TIME_SET_MET_CC, 1145 CFE_TIME_SET_MET_CC, 1146 CFE_TIME_SET_SIGNAL_CC, 1144 CFE_TIME_SET_SIGNAL_CC, 1144 CFE_TIME_SET_STATE_CC, 1146 CFE_TIME_SET_STATE_CC, 1147 CFE_TIME_SET_STOPC_CC, 1147 CFE_TIME_SET_STO_DIAGNOSTIC_TLM_CC, 1150 CFE_TIME_SET_STATE_CC, 1146 CFE_TIME_SET_STOPC_CC, 1150 CFE_TIME_SET_STOPC_CC, 1150 CFE_TIME_SET_STATE_CC, 1153 CFE_TIME_SET_STATE_CC, 1153 CFE_TIME_SET_STATE_CC, 1153 CFE_TIME_SET_STOPC_CC, 1153 CFE_TIME_SET_STOPC_CC, 1153 CFE_TIME_SET_STATE_CC, 1153 CFE_TIME_SET_STOPC_CC, 1154 CFE_TIME_SET_STATE_CC, 1155 CFE_TIME_SET_STATE_CC, 1155 CFE_TIME_SET_STATE_CC, 1156 CFE_TIME_SET_STATE_CC, 1156 CFE_TIME_SET_STATE_CC, 1150 CFE_TIME_SET_STATE_CC, 1153 CFE_TIME_SET_STATE_CC, 1154 CFE_TIME_SET_STATE_CC, 1144 CFE_TIME_SET_STATE_CC, 1146 CFE_TIME_SET_STATE_CC, 1146 CFE_TIME_SET_STATE_CC, 1146 CFE_TIME_SET_STATE_CC, 1146 CFE_TIME_SET_STATE_CC, 1146 CFE_TIME_SET_STATE_CC, 1146 CFE_TIME_SET_STATE_C		·	
CFE_TIME_HousekeepingTim_Payload_t, 1157 CFE_TIME_HousekeepingTim_Nayload_t, 1157 CFE_TIME_LeapsCmd_Payload_t, 1157 CFE_TIME_LeapsCmd_Payload_t, 1157 CFE_TIME_NOOP_CC, 1141 CFE_TIME_NOOP_CC, 1141 CFE_TIME_NOOP_CC, 1141 CFE_TIME_NOOP_CC, 1141 CFE_TIME_NOOP_CC, 1141 CFE_TIME_NOOPCMC_t, 1157 CFE_TIME_NOOPCMC_t, 1157 CFE_TIME_OneHzAdjustmentCmd_Payload_t, 1157 CFE_TIME_OneHzAdjustmentCmd_t, 1158 CFE_TIME_RESET_COUNTERS_CC, 1142 CFE_TIME_RESET_COUNTERS_CC, 1142 CFE_TIME_SEND_DIAGNOSTIC_TLM_CC, 1143 CFE_TIME_SET_LEAP_SECONDS_CC, 1144 CFE_TIME_SET_SIGNAL_CC, 1146 CFE_TIME_SET_SIGNAL_CC, 1146 CFE_TIME_SET_SIGNAL_CC, 1146 CFE_TIME_SET_SIGNAL_CC, 1150 CFE_TIME_SET_SIGNAL_CC, 1150 CFE_TIME_SET_SIGNAL_CC, 1150 CFE_TIME_SUB_ADJUST_CC, 1153 CFE_TIME_SUB_ADJUST_CC, 1153 CFE_TIME_SUB_DELAY_CC, 1154 CFE_TIME_SUB_DELAY_CC, 1154 CFE_TIME_SUB_DELAY_CC, 1155 CFE_TIME_SetSignalCmd_t, 1158 CFE_TIME_SetSignalCmd_t, 1158 CFE_TIME_SetSignalCmd_t, 1159 CFE_TIME_SetSignalCmd_t, 1159 CFE_TIME_SetSignalCmd_t, 1159 CFE_TIME_SetSignalCmd_t, 1159 CFE_TIME_SubAdjusCmd_t, 1160 CFE_TIME_SubAdjusCmd_t, 1160 CFE_TIME_SubAdjusCmd_t, 1160 CFE_TIME_SubAdjusCmd_t, 1160 CFE_TIME_TimeCmd_Payload_t, 1160 CFE_TIME_TimeCmd_Payload_t, 1160 CFE_TIME_TimeCmd_t, 1160 CFE_TIME_			
CFE_TIME_HousekeepingTlm_Payload_t, 1157 CFE_TIME_LeapsCmd_Payload_t, 1157 CFE_TIME_NOOP_CC, 1141 CFE_TIME_OneHzAdjustmentCmd_t, 1158 CFE_TIME_NOOP_CC, 1141 CFE_TIME_OneHzAdjustmentCmd_t, 1158 CFE_TIME_RESET_COUNTERS_CC, 1142 CFE_TIME_RESET_COUNTERS_CC, 1144 CFE_TIME_SET_NOOP_CC, 1144 CFE_TIME_SET_MET_CC, 1145 CFE_TIME_SET_MET_CC, 1145 CFE_TIME_SET_MET_CC, 1146 CFE_TIME_SET_SIGNAL_CC, 1146 CFE_TIME_SET_SIGNAL_CC, 1147 CFE_TIME_SET_STATE_CC, 1148 CFE_TIME_SET_STATE_CC, 1148 CFE_TIME_SET_STATE_CC, 1148 CFE_TIME_SET_SUB_ADJUST_CC, 1153 CFE_TIME_SUB_ADJUST_CC, 1153 CFE_TIME_SUB_ADJUST_CC, 1154 CFE_TIME_SUB_ADJUST_CC, 1154 CFE_TIME_SUB_ADJUST_CC, 1154 CFE_TIME_SUB_ADJUST_CC, 1154 CFE_TIME_SUB_ADJUST_CC, 1155 CFE_TIME_SUB_ADJUST_CC, 1156 CFE_TIME_DiagnosticTim_Payload, 658 ClockState CFE_TIME_DiagnosticTim_Payload, 659 CFE_TIME_BUB_DIAG_C, 1147 CFE_TIME_DiagnosticTim_Payload, 659 CFE_TI		<del>-</del>	
CFE_TIME_LeapsCmd_Payload_t, 1157 CFE_TIME_LeapsCmd_Payload_t, 1157 CFE_TIME_NOOP_CC, 1141 CFE_TIME_NOOP_CC, 1141 CFE_TIME_NoopCmd_t, 1157 CFE_TIME_NoopCmd_t, 1157 CFE_TIME_OnehtzAdjustmentCmd_Payload_t, 1157 CFE_TIME_OnehtzAdjustmentCmd_Payload_t, 1157 CFE_TIME_OnehtzAdjustmentCmd_Payload_t, 1157 CFE_TIME_DenehtzAdjustmentCmd_Payload_t, 1158 CFE_TIME_RESET_COUNTERS_CC, 1142 CFE_TIME_RESET_COUNTERS_CC, 1143 CFE_TIME_SET_LEAP_SECONDS_CC, 1144 CFE_TIME_SET_LEAP_SECONDS_CC, 1144 CFE_TIME_SET_LEAP_SECONDS_CC, 1144 CFE_TIME_SET_SURAL_CC, 1146 CFE_TIME_SET_SOURCE_CC, 1147 CFE_TIME_SET_SOURCE_CC, 1147 CFE_TIME_SET_STATE_CC, 1148 CFE_TIME_SET_STATE_CC, 1150 CFE_TIME_SET_STATE_CC, 1151 CFE_TIME_SUB_ADJUST_CC, 1153 CFE_TIME_SUB_ADJUST_CC, 1153 CFE_TIME_SetBoarcock_md_t, 1158 CFE_TIME_SetBoarcock_md_t, 1158 CFE_TIME_SetSignalCmd_t, 1159 CFE_TIME_SetSignalCmd_t, 1159 CFE_TIME_SetSignalCmd_t, 1159 CFE_TIME_SetSignalCmd_t, 1160 CFE_TIME_SubAdjustCmd_t, 1160 CFE_TIME_SubAdjustCmd_t, 1160 CFE_TIME_TimeCmd_payload_t, 1160 CF		— — — — ·	-
CFE_TIME_LeapsCmd_Payload_t, 1157 CFE_TIME_NOOP_CC, 1141 CFE_TIME_NOOP_CC, 1141 CFE_TIME_NoopCmd_t, 1157 CFE_TIME_NoopCmd_t, 1157 CFE_TIME_NoopCmd_t, 1157 CFE_TIME_OnelzAdjustmentCmd_Payload_t, 1157 CFE_TIME_OnelzAdjustmentCmd_t, 1158 CFE_TIME_RESET_COUNTERS_CC, 1142 CFE_TIME_RESET_COUNTERS_CC, 1142 CFE_TIME_SET_SIDAGNOSTIC_TLM_CC, 1143 CFE_TIME_SET_LEAP_SECONDS_CC, 1144 CFE_TIME_SET_SIGNAL_CC, 1145 CFE_TIME_SET_SIGNAL_CC, 1146 CFE_TIME_SET_SIGNAL_CC, 1146 CFE_TIME_SET_SIGNAL_CC, 1147 CFE_TIME_SET_SIGNAL_CC, 1148 CFE_TIME_SET_SICNAL_CC, 1146 CFE_TIME_SET_SICNAL_CC, 1147 CFE_TIME_SET_SICNAL_CC, 1148 CFE_TIME_SET_SICNAL_CC, 1148 CFE_TIME_SET_SICNAL_CC, 1146 CFE_TIME_SET_SICNAL_CC, 1150 CFE_TIME_SUB_ADJUST_CC, 1153 CFE_TIME_SET_SICNAL_CC, 1150 CFE_TIME_SUB_ADJUST_CC, 1153 CFE_TIME_SUB_ADJUST_CC, 1154 CFE_TIME_SUB_ADJUST_CC, 1155 CFE_TIME_SET_SICNAL_CC, 1156 CFE_TIME_SET_SICNAL_CC, 1156 CFE_TIME_SET_SICNAL_CC, 1156 CFE_TIME_SET_SICNAL_CC, 1156 CFE_TIME_SET_SICNAL_CC, 1156 CFE_TIME_SUB_ADJUST_CC, 1150 CFE_TIME_SUB_ADJUST_CC, 1150 CFE_TIME_SUB_ADJUST_CC, 1153 CFE_TIME_SUB_ADJUST_CC, 1154 CFE_TIME_SUB_ADJUST_CC, 1154 CFE_TIME_SET_SICNAL_CC, 1155 CFE_TIME_SET_SICNAL_CC, 1156 CFE_TIME_SET_SICNAL_CC, 1156 CFE_TIME_SET_SICNAL_CC, 1156 CFE_TIME_SET_SICNAL_CC, 1146 CFE_TIME_SUB_ADJUST_CC, 1154 CFE_TIME_SUB_ADJUST_CC, 1154 CFE_TIME_SUB_ADJUST_CC, 1155 CFE_TIME_SUB_ADJUST_CC, 1156 CFE_TIME_SUB_ADJUST_CC, 1156 CFE_TIME_SET_SICNAL_CC, 1156 CFE_TIME_SET_SICNAL_CC, 1156 CFE_TIME_SET_SICNAL_CC, 1156 CFE_TIME_SET_SICNAL_CC, 1146 CFE_TIME_SUB_ADJUST_CC, 1154 CFE_TIME_DiagnosticTIm_Payload, 659 CFE_TIME_DiagnosticTim_Payload, 659 CFE_TIME_DiagnosticTim_Payload, 659 CFE_TIME_DiagnosticTim_Payload, 659 CFE_TIME_DiagnosticT		· · · · _ ·	
CFE_TIME_NOOP_CC, 1141 CFE_TIME_NOAPgsCmd_t, 1157 CFE_TIME_Noop_Cmd_t, 1157 CFE_TIME_Noop_Cmd_t, 1157 CFE_TIME_OneHzAdjustmentCmd_Payload_t, 1157 CFE_TIME_OneHzAdjustmentCmd_t, 1158 CFE_TIME_RESET_COUNTERS_CC, 1142 CFE_TIME_RESET_COUNTERS_CC, 1142 CFE_TIME_RESET_COUNTERS_CC, 1143 CFE_TIME_SET_LEAP_SECONDS_CC, 1144 CFE_TIME_SET_LEAP_SECONDS_CC, 1144 CFE_TIME_SET_LEAP_SECONDS_CC, 1144 CFE_TIME_SET_LEAP_SECONDS_CC, 1144 CFE_TIME_SET_SURAL_CC, 1146 CFE_TIME_SET_SOURCE_CC, 1147 CFE_TIME_SET_STATE_CC, 1148 CFE_TIME_SET_STATE_CC, 1148 CFE_TIME_SET_STATE_CC, 1150 CFE_TIME_SET_STATE_CC, 1151 CFE_TIME_SUB_DELAY_CC, 1153 CFE_TIME_SUB_DELAY_CC, 1154 CFE_TIME_SET_SURDCMd_t, 1158 CFE_TIME_SETSTCFC_Md_t, 1158 CFE_TIME_SETSCFCCM_d, 1158 CFE_TIME_SETSCFCCM_d, 1158 CFE_TIME_SETSCFCCM_d, 1158 CFE_TIME_SETSCFCCM_d, 1159 CFE_TIME_SETSCFCCM_d, 1159 CFE_TIME_SETSCFCCM_d, 1159 CFE_TIME_SETSCFCCM_d, 1159 CFE_TIME_SETSCFCCM_d, 1159 CFE_TIME_SETSCFCCM_d, 1160 CFE_TIME_SUBADJUSTCM_d, 1, 1160 CFE_TIME_SUBADJUSTCM_d, 1, 1160 CFE_TIME_SUBADJUSTCM_d, 1, 1160 CFE_TIME_TimeCmd_Payload_t, 1161 CFE_TIME_Time		· · · · -	
CFE_TIME_NoArgsCmd_t, 1157 CFE_TIME_NopoCmd_t, 1157 CFE_TIME_OnelxAdjustmentCmd_Payload_t, 1157 CFE_TIME_OnelxAdjustmentCmd_t, 1158 CFE_TIME_ResetCountersCmd_t, 1158 CFE_TIME_RESET_COUNTERS_CC, 1142 CFE_TIME_SEND_DIAGNOSTIC_TLM_CC, 1143 CFE_TIME_SEND_DIAGNOSTIC_TLM_CC, 1144 CFE_TIME_SET_SIGNAL_CC, 1146 CFE_TIME_SET_SIGNAL_CC, 1146 CFE_TIME_SET_SIGNAL_CC, 1146 CFE_TIME_SET_SIGNAL_CC, 1146 CFE_TIME_SET_STATE_CC, 1147 CFE_TIME_SET_STATE_CC, 1148 CFE_TIME_SET_STOP_CC, 1150 CFE_TIME_SET_TIME_CC, 1150 CFE_TIME_SET_TIME_CC, 1151 CFE_TIME_SUB_DELAY_CC, 1153 CFE_TIME_SUB_DELAY_CC, 1153 CFE_TIME_SUB_DELAY_CC, 1154 CFE_TIME_SET_SOURCE_CM_t, 1158 CFE_TIME_SetSTCFCmd_t, 1158 CFE_TIME_SetSignalCmd_t, 1158 CFE_TIME_SetSignalCmd_t, 1159 CFE_TIME_SetSignalCmd_t, 1159 CFE_TIME_SetSubedjustCmd_t, 1160 CFE_TIME_SubladjustCmd_t, 1160 CFE_TIME_SubladjustCmd_t, 1160 CFE_TIME_TimeCmd_t, 1160 CFE_TIME_TimeCm			
CFE_TIME_NoopCmd_t, 1157 CFE_TIME_OneHzAdjustmentCmd_t, 1158 CFE_TIME_OneHzAdjustmentCmd_t, 1158 CFE_TIME_NooPcad_digntmentCmd_t, 1158 CFE_TIME_RESET_COUNTERS_CC, 1142 CFE_TIME_RESET_COUNTERS_CC, 1142 CFE_TIME_RESET_CDUNTERS_CC, 1143 CFE_TIME_SET_LEAP_SECONDS_CC, 1144 CFE_TIME_SET_LEAP_SECONDS_CC, 1144 CFE_TIME_SET_LEAP_SECONDS_CC, 1144 CFE_TIME_SET_SIGNAL_CC, 1146 CFE_TIME_SET_SOURCE_CC, 1147 CFE_TIME_SET_SOURCE_CC, 1147 CFE_TIME_SET_STATE_CC, 1148 CFE_TIME_SET_STATE_CC, 1151 CFE_TIME_SUB_DELAY_CC, 1151 CFE_TIME_SUB_DELAY_CC, 1152 CFE_TIME_SUB_DELAY_CC, 1153 CFE_TIME_SetLeapSecondsCmd_t, 1158 CFE_TIME_SetLeapSecondsCmd_t, 1158 CFE_TIME_SetSurceCmd_t, 1159 CFE_TIME_SetSignalCmd_t, 1158 CFE_TIME_SetSignalCmd_t, 1159 CFE_TIME_SetStateCmd_t, 1159 CFE_TIME_SetStateCmd_t, 1160 CFE_TIME_SubAdjustCmd_t, 1160 CFE_TIME_SubAdjustCmd_t, 1160 CFE_TIME_TimeCmd_Payload_t, 1160 CFE_TIME_TimeCmd_t, 1160 CFE_TIME_TimeCmd_Payload_t, 1160 CFE_TIME_TimeCmd_Payload_t, 1160 CFE_TIME_TimeCmd_L, 1160 CFE_TIME_TimeCmd_L, 1160 CFE_TIME_TimeCmd_Payload_t, 1160 CFE_TIME_TimeCmd_Payload_t, 1160 CFE_TIME_TimeCmd_L, 1161 CFE_TIME_DiagnosticTIm_Payload, 659 CFE_TIME_DiagnosticTIm_Payload, 659 CFE_TIME_DiagnosticTIm_Payload, 659 CFE_TIME_DiagnosticTlm_Payload, 659 CFE_TIME_DiagnosticTlm_Payload, 669 CFE_TIME_DiagnosticTlm_Payload, 669 CFE_TIME_DiagnosticTlm_Payload, 669 CFE_TIME_DiagnosticTlm_Payload, 669			
CFE_TIME_OneHzAdjustmentCmd_Payload_t, 1157 CFE_TIME_OneHzAdjustmentCmd_t, 1158 CFE_TIME_RESET_COUNTERS_CC, 1142 CFE_TIME_ResetCountersCmd_t, 1158 CFE_TIME_SET_SEND_DIAGNOSTIC_TLM_CC, 1143 CFE_TIME_SET_LEAP_SECONDS_CC, 1144 CFE_TIME_SET_LEAP_SECONDS_CC, 1144 CFE_TIME_SET_LEAP_SECONDS_CC, 1144 CFE_TIME_SET_LEAP_SECONDS_CC, 1144 CFE_TIME_SET_STATE_CC, 1145 CFE_TIME_SET_STATE_CC, 1146 CFE_TIME_SET_STATE_CC, 1148 CFE_TIME_SET_STATE_CC, 1148 CFE_TIME_SET_STATE_CC, 1148 CFE_TIME_SET_STATE_CC, 1150 CFE_TIME_SET_STATE_CC, 1150 CFE_TIME_SET_STATE_CC, 1150 CFE_TIME_SUB_ADJUST_CC, 1152 CFE_TIME_SUB_ADJUST_CC, 1153 CFE_TIME_SUB_DELAY_CC, 1154 CFE_TIME_SEND_DIAGNOSTICCM_t, 1158 CFE_TIME_SEND_DIAGNOSTICCM_t, 1158 CFE_TIME_SEND_ONCOM_t, 1158 CFE_TIME_SEND_ONCOM_t, 1158 CFE_TIME_SEND_ONCOM_t, 1158 CFE_TIME_SEND_ONCOM_t, 1159 CFE_TIME_SEND_ONCOM_t, 1159 CFE_TIME_SEND_ONCOM_t, 1159 CFE_TIME_SUBADJUST_CD, 1150 CFE_TIME_SUBADJUST_CC, 1150 CFE_TIME_SEND_DATE CFE_TIME_DATE CFE		<del>-</del>	<del>-</del> _ <del>-</del> _ <del>-</del> - <del>-</del>
CFE_TIME_OneHzAdjustmentCmd_t, 1158 CFE_TIME_RESET_COUNTERS_CC, 1142 CFE_TIME_RESET_COUNTERS_CC, 1143 CFE_TIME_SEND_DIAGNOSTIC_TLM_CC, 1143 CFE_TIME_SET_LEAP_SECONDS_CC, 1144 CFE_TIME_SET_SET_MET_CC, 1145 CFE_TIME_SET_SIGNAL_CC, 1146 CFE_TIME_SET_SIGNAL_CC, 1146 CFE_TIME_SET_STOF_CC, 1147 CFE_TIME_SET_STOF_CC, 1150 CFE_TIME_SET_STOF_CC, 1150 CFE_TIME_SET_STOF_CC, 1151 CFE_TIME_SUB_ADJUST_CC, 1153 CFE_TIME_SUB_ADJUST_CC, 1153 CFE_TIME_SUB_ADJUST_CC, 1154 CFE_TIME_SendDiagnosticCmd_t, 1158 CFE_TIME_SetLeapSecondsCmd_t, 1158 CFE_TIME_SetLeapSecondsCmd_t, 1158 CFE_TIME_SetSourceCmd_t, 1159 CFE_TIME_SetSignalCmd_t, 1160 CFE_TIME_SetSignalCmd_payload_t, 1160 CFE_TIME_SubAdjustCmd_t, 1160 CFE_TIME_SubAdjustCmd_t, 1160 CFE_TIME_SubAdjustCmd_t, 1160 CFE_TIME_TimeCmd_Payload_t, 1160 CFE_TIME_TimeCmd_Payload_t, 1161 CFE_TIME_SimpCmd_payload_t, 1161 CFE_TIME_SimpCmd_payload_t, 1161 CFE_TIME_SimpCmd_payload_t, 1161 CFE_TIME_TimeCmd_payload_t, 1161 CFE_TIME_TimeCmd_payload_t, 1161 CFE_TIME			
CFE_TIME_RESET_COUNTERS_CC, 1142 CFE_TIME_ResetCountersCmd_t, 1158 CFE_TIME_SET_LEAP_SECONDS_CC, 1144 CFE_TIME_SET_LEAP_SECONDS_CC, 1144 CFE_TIME_SET_LEAP_SECONDS_CC, 1144 CFE_TIME_SET_SIGNAL_CC, 1145 CFE_TIME_SET_SIGNAL_CC, 1146 CFE_TIME_SET_SOURCE_CC, 1147 CFE_TIME_SET_STATE_CC, 1148 CFE_TIME_SET_STATE_CC, 1148 CFE_TIME_SET_STATE_CC, 1148 CFE_TIME_SET_STOF_CC, 1150 CFE_TIME_SET_STOF_CC, 1150 CFE_TIME_SUB_ADJUST_CC, 1153 CFE_TIME_SUB_DELAY_CC, 1154 CFE_TIME_SUB_DELAY_CC, 1154 CFE_TIME_SetSendDiagnosticCmd_t, 1158 CFE_TIME_SetSetDecondScmd_t, 1158 CFE_TIME_SetSignalCmd_t, 1158 CFE_TIME_SetSignalCmd_t, 1159 CFE_TIME_SetSignalCmd_t, 1159 CFE_TIME_SetSignalCmd_t, 1159 CFE_TIME_SetSignalCmd_t, 1159 CFE_TIME_SourceCmd_payload_t, 1159 CFE_TIME_SubTHZAdjustmentCmd_t, 1160 CFE_TIME_SubDelayCmd_t, 1160 CFE_TIME_SubDelayCmd_t, 1160 CFE_TIME_TimeCmd_t, 1160 CFE_TIME_TimeCmd_t, 1160 CFE_TIME_TimeCmd_t, 1160 CFE_TIME_TimeCmd_t, 1160 CFE_TIME_TimeCmd_t, 1161 CFE_TIME_ToneDataCmd_Payload_t, 1161 CFE_TIME_ToneDataCmd_Payload_t, 1161 CFE_TIME_ToneDataCmd_Payload_t, 1161 CFE_TIME_ToneDataCmd_t, 1161 CFE_TIME_ToneSignalCmd_t, 1161 CFE_TIME_ToneDataCmd_t, 1161 CFE_TIME_SetCDATACCC, 1152 CFE_TIME_SetCNCDCATACCC, 1152 CFE_TIME_DataCmd_t, 1161 CFE_TIME_SetCDATACCC,		,	<del>-</del> _ <del>-</del> _ <del>-</del> - <del>-</del>
CFE_TIME_ResetCountersCmd_t, 1158 CFE_TIME_SEND_DIAGNOSTIC_TLM_CC, 1143 CFE_TIME_SET_LEAP_SECONDS_CC, 1144 CFE_TIME_SET_MET_CC, 1145 CFE_TIME_SET_MET_CC, 1145 CFE_TIME_SET_SIGNAL_CC, 1146 CFE_TIME_SET_SOURCE_CC, 1147 CFE_TIME_SET_STATE_CC, 1148 CFE_TIME_SET_STATE_CC, 1148 CFE_TIME_SET_STATE_CC, 1150 CFE_TIME_SUB_THZ_ADJUSTMENT_CC, 1152 CFE_TIME_SUB_ADJUST_CC, 1153 CFE_TIME_SUB_DELAY_CC, 1154 CFE_TIME_SUB_DELAY_CC, 1155 CFE_TIME_SetLeapSecondsCmd_t, 1158 CFE_TIME_SetLeapSecondsCmd_t, 1158 CFE_TIME_SetSignalCmd_t, 1158 CFE_TIME_SetSignalCmd_t, 1159 CFE_TIME_SetSignalCmd_t, 1159 CFE_TIME_SetSignalCmd_t, 1159 CFE_TIME_SetSignalCmd_t, 1159 CFE_TIME_SetSignalCmd_t, 1159 CFE_TIME_SetTimeCmd_t, 1160 CFE_TIME_SubDelayCmd_t, 1160 CFE_TIME_SubDelayCmd_t, 1160 CFE_TIME_SubDelayCmd_t, 1160 CFE_TIME_TimeCmd_Payload_t, 1160 CFE_TIME_TimeCmd_Payload_t, 1161 CFE_TIME_ToneDataCmd_Payload_t, 1161 CFE_TIME_ToneDataCmd_Payload_t, 1161 CFE_TIME_ToneDataCmd_Payload_t, 1161 CFE_TIME_ToneDataCmd_Payload_t, 1161 CFE_TIME_ToneDataCmd_t, 1161		<i>-</i>	
CFE_TIME_SEND_DIAGNOSTIC_TLM_CC, 1143 CFE_TIME_SET_LEAP_SECONDS_CC, 1144 CFE_TIME_SET_LEAP_SECONDS_CC, 1144 CFE_TIME_SET_SIGNAL_CC, 1145 CFE_TIME_SET_SIGNAL_CC, 1146 CFE_TIME_SET_SIGNAL_CC, 1147 CFE_TIME_SET_STATE_CC, 1148 CFE_TIME_SET_STATE_CC, 1150 CFE_TIME_SET_STATE_CC, 1150 CFE_TIME_SET_STATE_CC, 1151 CFE_TIME_SUB_ADJUST_CC, 1152 CFE_TIME_SUB_ADJUST_CC, 1153 CFE_TIME_SUB_DELAY_CC, 1154 CFE_TIME_SUB_DELAY_CC, 1158 CFE_TIME_SendDiagnosticCmd_t, 1158 CFE_TIME_SetSateCond_t, 1159 CFE_TIME_SetSignalCmd_t, 1159 CFE_TIME_SetSignalCmd_t, 1159 CFE_TIME_SetStateCmd_Payload_t, 1159 CFE_TIME_SetTimeCmd_t, 1159 CFE_TIME_SubhajustCmd_t, 1160 CFE_TIME_SubDelayCmd_t, 1160 CFE_TIME_SubDelayCmd_t, 1160 CFE_TIME_TimeCmd_Payload_t, 1160 CFE_TIME_TimeCmd_Payload_t, 1160 CFE_TIME_TimeCmd_t, 1160 CFE_TIME_TimeCmd_t, 1160 CFE_TIME_TimeCmd_Tayload_t, 1161 CFE_TIME_ToneDataCmd_t, 1161 CFE_TIME_ToneDataCmd_t, 1161 CFE_TIME_ToneDataCmd_t, 1161 CFE_TIME_ToneDataCmd_t, 1161 CFE_TIME_ToneDataCmd_t, 1161 CFE_TIME_ToneDataCmd_t, 1161 CFE_SBUILD_NUMBER, 915 CFE_SE_SendMemPoolStatsCmd, 527			
CFE_TIME_SET_LEAP_SECONDS_CC, 1144 CFE_TIME_SET_MET_CC, 1145 CFE_TIME_SET_MET_CC, 1146 CFE_TIME_SET_SIGNAL_CC, 1146 CFE_TIME_SET_SUDRCE_CC, 1147 CFE_TIME_SET_STATE_CO, 1148 CFE_TIME_SET_STATE_CO, 1148 CFE_TIME_SET_STATE_CO, 1148 CFE_TIME_SET_STOF_CC, 1150 CFE_TIME_SET_TIME_CC, 1151 CFE_TIME_SUB_HZ_ADJUSTMENT_CC, 1152 CFE_TIME_SUB_ADJUST_CC, 1153 CFE_TIME_SUB_DELAY_CC, 1154 CFE_TIME_SendDiagnosticCmd_t, 1158 CFE_TIME_SendDiagnosticCmd_t, 1158 CFE_TIME_SetNepSecondsCmd_t, 1158 CFE_TIME_SetNepSecondsCmd_t, 1158 CFE_TIME_SetStateCmd_t, 1159 CFE_TIME_SetSignalCmd_t, 1159 CFE_TIME_SetSourceCmd_t, 1159 CFE_TIME_SetStateCmd_t, 1159 CFE_TIME_SetStateCmd_t, 1159 CFE_TIME_SetStateCmd_t, 1159 CFE_TIME_SubAdjustCmd_t, 1160 CFE_TIME_SubAdjustCmd_t, 1160 CFE_TIME_SubAdjustCmd_t, 1160 CFE_TIME_SubAdjustCmd_t, 1160 CFE_TIME_TimeCmd_t, 1161 CFE_TIME_Ti			
CFE_TIME_SET_MET_CC, 1145 CFE_TIME_SET_SIGNAL_CC, 1146 CFE_TIME_SET_SOURCE_CC, 1147 CFE_TIME_SET_STATE_CC, 1148 CFE_TIME_SET_STATE_CC, 1148 CFE_TIME_SET_STATE_CC, 1150 CFE_TIME_SET_STCF_CC, 1150 CFE_TIME_SET_STCF_CC, 1151 CFE_TIME_SUB_ADJUST_CC, 1152 CFE_TIME_SUB_ADJUST_CC, 1153 CFE_TIME_SUB_DELAY_CC, 1154 CFE_TIME_SUB_DELAY_CC, 1154 CFE_TIME_SET_STCF_CM_t, 1158 CFE_TIME_SET_SEMETCM_t, 1158 CFE_TIME_SET_STCF_CM_t, 1158 CFE_TIME_SET_STCF_CM_t, 1159 CFE_TIME_SET_STCF_CM_t, 1159 CFE_TIME_SET_STCF_CM_t, 1159 CFE_TIME_SET_STCF_CM_t, 1159 CFE_TIME_SET_STCF_CM_t, 1159 CFE_TIME_SET_STCF_CM_t, 1159 CFE_TIME_SUB_DELAY_CT, 1159 CFE_TIME_DELAY_CT, 1158 CFE_TIME_BUB_DELAY_CT, 1158 CFE_ES_HousekeepingTIm_Payload, 500 CFE_TIME_BUB_DELAY_CT, 1159 CFE_TIME_BUB_DELAY_CT, 1159 CFE_TIME_BUB_DELAY_CT, 1159 CFE_TIME_BUB_DELAY_CT, 1158 CFE_TIME_BUB_DELAY_CT, 1159 CFE_TIME_BUB_DELAY_CT, 1159 CFE_TIME_BUB_DELAY_CT, 1159 CFE_TIME_BUB_DELAY_CT, 1158 CFE_TIME_BUB_DELAY_CT, 1159 CFE_TIME_BUB_DELAY_CT, 1159 CFE_TIME_BUB_DELA			<del>-</del> _ <del>-</del> _ <del>-</del> - <del>-</del>
CFE_TIME_SET_SIGNAL_CC, 1146 CFE_TIME_SET_SOURCE_CC, 1147 CFE_TIME_SET_STATE_CC, 1148 CFE_TIME_SET_STATE_CC, 1150 CFE_TIME_SET_STOF_CC, 1150 CFE_TIME_SET_TIME_CC, 1151 CFE_TIME_SUB_TADJUSTMENT_CC, 1152 CFE_TIME_SUB_ADJUST_CC, 1153 CFE_TIME_SUB_DELAY_CC, 1154 CFE_TIME_SUB_DELAY_CC, 1155 CFE_TIME_SUB_DELAY_CC, 1158 CFE_TIME_SetLeapSecondsCmd_t, 1158 CFE_TIME_SetLeapSecondsCmd_t, 1158 CFE_TIME_SetSignalCmd_t, 1158 CFE_TIME_SetSignalCmd_t, 1159 CFE_TIME_SetSignalCmd_t, 1159 CFE_TIME_SetSignalCmd_t, 1159 CFE_TIME_SetSitateCmd_t, 1159 CFE_TIME_SetSitateCmd_t, 1159 CFE_TIME_SetTimeCmd_t, 1159 CFE_TIME_Subrad_manular payload_t, 1160 CFE_TIME_Subrad_manular payload_t, 1160 CFE_TIME_SubDelayCmd_t, 1160 CFE_TIME_SubDelayCmd_t, 1160 CFE_TIME_TimeCmd_payload_t, 1160 CFE_TIME_TimeCmd_payload_t, 1160 CFE_TIME_TimeCmd_t, 1161			
CFE_TIME_SET_SOURCE_CC, 1147 CFE_TIME_SET_STATE_CC, 1148 CFE_TIME_SET_STATE_CC, 1150 CFE_TIME_SET_STCF_CC, 1151 CFE_TIME_SUB_1HZ_ADJUSTMENT_CC, 1152 CFE_TIME_SUB_ADJUST_CC, 1153 CFE_TIME_SUB_DELAY_CC, 1154 CFE_TIME_SEND_DELAY_CC, 1154 CFE_TIME_SEND_DELAY_CC, 1155 CFE_TIME_SENDECONDECCONDECT, 1158 CFE_TIME_SENDECONDECCONDECT, 1158 CFE_TIME_SENDECONDECCONDECT, 1158 CFE_TIME_SENDECONDECCONDECT, 1158 CFE_TIME_SENDECONDECCONDECT, 1158 CFE_TIME_SENDECONDECCONDECT, 1158 CFE_TIME_SENDECCONDECCONDECT, 1159 CFE_TIME_SENDECCONDECCONDECT, 1159 CFE_TIME_SENDECCONDECT, 1159 CFE_TIME_SENDECCONDECCONDECT, 1159 CFE_TIME_SENDECCONDECT, 1159 CFE_TIME_SENDECCONDECT, 1160 CFE_TIME_SUBACIDATE, 1160 CFE_TIME_SUBACIDATE, 1160 CFE_TIME_SUBACIDATE, 1160 CFE_TIME_TIMECCONDECT, 1161 CFE_TIME_TIMECCONDECT, 1161 CFE_TIME_TIMECCONDECT, 1161 CFE_TIME_TIMECCONDECT, 1161 CFE_TIME_TONEDATACCONDECT, 1161 CFE_ES_NOATSCOND, 518 CFE_ES_NOATSCOND, 518 CFE_ES_NOATSCOND, 518 CFE_ES_NOATSCOND, 524 CFE_ES_ReloadAppCond, 524 CFE_ES_ReloadAppCond, 524 CFE_ES_SENDAMECCOND, 527			
CFE_TIME_SET_STATE_CC, 1148 CFE_TIME_SET_STOF_CC, 1150 CFE_TIME_SET_TIME_CC, 1151 CFE_TIME_SUB_ADJUST_CC, 1152 CFE_TIME_SUB_ADJUST_CC, 1153 CFE_TIME_SUB_DELAY_CC, 1154 CFE_TIME_SUB_DELAY_CC, 1158 CFE_TIME_SetLeapSecondsCmd_t, 1158 CFE_TIME_SetMETCmd_t, 1158 CFE_TIME_SetSignalCmd_t, 1158 CFE_TIME_SetSignalCmd_t, 1158 CFE_TIME_SetSignalCmd_t, 1159 CFE_TIME_SetSignalCmd_t, 1159 CFE_TIME_SetStateCmd_t, 1159 CFE_TIME_SetStateCmd_t, 1159 CFE_TIME_SetTimeCmd_t, 1159 CFE_TIME_SetSignalCmd_payload_t, 1159 CFE_TIME_SetSignalCmd_payload_t, 1160 CFE_TIME_SubDalayCmd_t, 1160 CFE_TIME_SubDalayCmd_t, 1160 CFE_TIME_SubDalayCmd_t, 1160 CFE_TIME_TimeCmd_payload_t, 1160 CFE_TIME_TimeCmd_payload_t, 1160 CFE_TIME_TimeCmd_t, 1161 CFE_TIME_ToneDataCmd_Payload_t, 1161 CFE_TIME_ToneDataCmd_t, 1161 CFE_TIME_Tone			· ·
CFE_TIME_SET_STCF_CC, 1150 CFE_TIME_SET_TIME_CC, 1151 CFE_TIME_SUB_HZ_ADJUSTMENT_CC, 1152 CFE_TIME_SUB_ADJUST_CC, 1153 CFE_TIME_SUB_DELAY_CC, 1154 CFE_TIME_SUB_DELAY_CC, 1158 CFE_TIME_SetLeapSecondsCmd_t, 1158 CFE_TIME_SetLeapSecondsCmd_t, 1158 CFE_TIME_SetSTCFCmd_t, 1159 CFE_TIME_SetSignalCmd_t, 1159 CFE_TIME_SetStateCmd_t, 1159 CFE_TIME_SetStateCmd_t, 1159 CFE_TIME_SetTimeCmd_t, 1159 CFE_TIME_SetTimeCmd_t, 1159 CFE_TIME_SignalCmd_Payload_t, 1159 CFE_TIME_SetTimeCmd_t, 1159 CFE_TIME_SetTimeCmd_t, 1160 CFE_TIME_Sub1AdjustCmd_t, 1160 CFE_TIME_SubAdjustCmd_t, 1160 CFE_TIME_TimeCmd_Payload_t, 1160 CFE_TIME_TimeCmd_t, 1160 CFE_TIME_TimeCmd_t, 1161 CFE_TIME_ToneDataCmd_t, 1161 CFE_TIME_ToneDataCmd_t, 1161 CFE_TIME_ToneDataCmd_t, 1161 CFE_SBUILD_BASELINE, 915 CFE_ES_SendMemPoolStatsCmd, 527			
CFE_TIME_SET_TIME_CC, 1151 CFE_TIME_SUB_1HZ_ADJUSTMENT_CC, 1152 CFE_TIME_SUB_ADJUST_CC, 1153 CFE_TIME_SUB_DELAY_CC, 1154 CFE_TIME_SendDiagnosticCmd_t, 1158 CFE_TIME_SetLeapSecondsCmd_t, 1158 CFE_TIME_SetMETCmd_t, 1158 CFE_TIME_SetSTCFCmd_t, 1159 CFE_TIME_SetSignalCmd_t, 1159 CFE_TIME_SetSignalCmd_t, 1159 CFE_TIME_SetStateCmd_t, 1159 CFE_TIME_SetStateCmd_t, 1159 CFE_TIME_SetSignalCmd_t, 1159 CFE_TIME_SetTimeCmd_t, 1159 CFE_TIME_SourceCmd_Payload_t, 1159 CFE_TIME_Sub1AdjustmentCmd_t, 1160 CFE_TIME_SubAdjustmentCmd_t, 1160 CFE_TIME_SubOpelayCmd_t, 1160 CFE_TIME_TimeCmd_Payload_t, 1160 CFE_TIME_TimeCmd_t, 1160 CFE_TIME_			
CFE_TIME_SUB_1HZ_ADJUSTMENT_CC, 1152 CFE_TIME_SUB_ADJUST_CC, 1153 CFE_TIME_SUB_DELAY_CC, 1154 CFE_TIME_SendDiagnosticCmd_t, 1158 CFE_TIME_SetMETCmd_t, 1158 CFE_TIME_SetSpecondsCmd_t, 1158 CFE_TIME_SetSignalCmd_t, 1159 CFE_TIME_SetSignalCmd_t, 1159 CFE_TIME_SetStateCmd_t, 1159 CFE_TIME_SetStateCmd_t, 1159 CFE_TIME_SetSignalCmd_t, 1159 CFE_TIME_SetSignalCmd_t, 1159 CFE_TIME_SetSignalCmd_t, 1159 CFE_TIME_SetSignalCmd_t, 1159 CFE_TIME_SetSignalCmd_payload_t, 1159 CFE_TIME_SubadjustCmd_t, 1160 CFE_TIME_SubAdjustCmd_t, 1160 CFE_TIME_SubDelayCmd_t, 1160 CFE_TIME_TimeCmd_payload_t, 1160 CFE_TIME_TimeCmd_t, 1160 CFE_TIME_TimeCmd_t, 1160 CFE_TIME_TimeCmd_t, 1160 CFE_TIME_TimeCmd_payload_t, 1160 CFE_TIME_TimeCmd_payload_t, 1160 CFE_TIME_TimeCmd_payload_t, 1160 CFE_TIME_TimeCmd_payload_t, 1161 CFE_TIME_TimeCmd_payload_t, 1161 CFE_TIME_ToneDataCmd_payload_t, 1161 CFE_TIME_ToneDataCmd_t, 1161 CFE_ES_ReloadAppCmd, 524 CFE_ES_ReloadAppCmd, 525 CFE_ES_ReloadAppCmd, 525 CFE_ES_ReloadAppCmd, 527			
CFE_TIME_SUB_ADJUST_CC, 1153 CFE_TIME_SUB_DELAY_CC, 1154 CFE_TIME_SendDiagnosticCmd_t, 1158 CFE_TIME_SetLeapSecondsComd_t, 1158 CFE_TIME_SetMETCmd_t, 1158 CFE_TIME_SetSTCFCmd_t, 1159 CFE_TIME_SetSignalCmd_t, 1159 CFE_TIME_SetSignalCmd_t, 1159 CFE_TIME_SetStateCmd_t, 1159 CFE_TIME_SetStateCmd_t, 1159 CFE_TIME_SetStateCmd_t, 1159 CFE_TIME_SetSignalCmd_Payload_t, 1159 CFE_TIME_SetTimeCmd_t, 1159 CFE_TIME_SignalCmd_Payload_t, 1159 CFE_TIME_SubAdjustmentCmd_t, 1160 CFE_TIME_SubAdjustCmd_t, 1160 CFE_TIME_SubAdjustCmd_t, 1160 CFE_TIME_SubDelayCmd_t, 1160 CFE_TIME_TimeCmd_Payload_t, 1160 CFE_TIME_TimeCmd_t, 1160 CFE_TIME_TimeCmd_t, 1160 CFE_TIME_TimeCmd_t, 1160 CFE_TIME_TimeCmd_t, 1161 CFE_TIME_ToneDataCmd_t, 1161 CFE_TIME_ToneSignalCmd_t, 1161 CFE_ES_ReloadAppCmd, 524 CFE_ES_SendMemPoolStatsCmd, 527			
CFE_TIME_SUB_DELAY_CC, 1154 CFE_TIME_SendDiagnosticCmd_t, 1158 CFE_TIME_SetLeapSecondsCmd_t, 1158 CFE_TIME_SetMETCmd_t, 1158 CFE_TIME_SetSTCFCmd_t, 1159 CFE_TIME_SetSignalCmd_t, 1159 CFE_TIME_SetSignalCmd_t, 1159 CFE_TIME_SetStateCmd_t, 1159 CFE_TIME_SetTimeCmd_t, 1159 CFE_TIME_SetTimeCmd_t, 1159 CFE_TIME_SetJanalCmd_t, 1159 CFE_TIME_SetJanalCmd_t, 1159 CFE_TIME_SetJanalCmd_t, 1159 CFE_TIME_SetJanalCmd_t, 1159 CFE_TIME_SetJanalCmd_t, 1159 CFE_TIME_SubJanalCmd_t, 1160 CFE_TIME_SubJanalCmd_t, 1160 CFE_TIME_SubJanalCmd_t, 1160 CFE_TIME_TimeCmd_t, 1160 CFE_TIME_ToneDataCmd_payload_t, 1161 CFE_TIME_ToneDataCmd_t, 1161 CFE_TIME_ToneSignalCmd_t, 1161 CFE_TIME_ToneSignalCmd_t, 1161 CFE_TIME_ToneSignalCmd_t, 1161 CFE_ES_ReloadAppCmd, 524 CFE_ES_RestartCmd, 525 CFE_BUILD_NUMBER, 915 CS_module_address_t, 697 CommandCounter CFE_ES_HousekeepingTlm_Payload, 504 CFE_ES_HousekeepingTlm_Payload, 560 CFE_TIME_HousekeepingTlm_Payload, 631 CFE_ES_HousekeepingTlm_Payload, 560 CFE_ES_HousekeepingTlm_Payload, 669 CFE_ES_DeleteCDSCmd, 496 CFE_ES_DeleteCDSCmd, 495 CFE_ES_DeleteCDSCmd, 495 CFE_ES_NoArgsCmd, 518 CFE_ES_NoArgsCmd, 518 CFE_ES_NoArgsCmd, 526 CFE_ES_ReloadAppCmd, 524 CFE_ES_ReloadAppCmd, 524 CFE_ES_ReloadAppCmd, 525 CFE_ES_SendMemPoolStatsCmd, 527			
CFE_TIME_SendDiagnosticCmd_t, 1158 CFE_TIME_SetLeapSecondsCmd_t, 1158 CFE_TIME_SetMETCmd_t, 1158 CFE_TIME_SetMETCmd_t, 1159 CFE_TIME_SetSignalCmd_t, 1159 CFE_TIME_SetSignalCmd_t, 1159 CFE_TIME_SetSignalCmd_t, 1159 CFE_TIME_SetStateCmd_t, 1159 CFE_TIME_SetStateCmd_t, 1159 CFE_TIME_SetTimeCmd_t, 1159 CFE_TIME_SignalCmd_Payload_t, 1159 CFE_TIME_SourceCmd_Payload_t, 1159 CFE_TIME_SubadjustCmd_t, 1160 CFE_TIME_SubAdjustCmd_t, 1160 CFE_TIME_SubDelayCmd_t, 1160 CFE_TIME_SubDelayCmd_t, 1160 CFE_TIME_TimeCmd_Payload_t, 1160 CFE_TIME_TimeCmd_Payload_t, 1160 CFE_TIME_TimeCmd_Payload_t, 1160 CFE_TIME_TimeCmd_Payload_t, 1160 CFE_TIME_TimeCmd_Payload_t, 1160 CFE_TIME_TimeCmd_Payload_t, 1161 CFE_TIME_ToneDataCmd_Payload_t, 1161 CFE_TIME_ToneDataCmd_t, 1161 CFE_ES_ReloadAppCmd, 524 CFE_ES_RestartCmd, 525 CFE_BUILD_NUMBER, 915 CCmmandCounter CFE_ES_HousekeepingTlm_Payload, 560 CFE_ES_HousekeepingTlm_Payload, 631 CFE_ES_HousekeepingTlm_Payload, 669 CFE_ES_AppNameCmd, 496 CFE_ES_AppNameCmd, 489 CFE_ES_DeletcDSCmd, 495 CFE_ES_NoArgsCmd, 518 CFE_ES_NoArgsCmd, 518 CFE_ES_NoArgsCmd, 518 CFE_ES_ReloadAppCmd, 524 CFE_ES_ReloadAppCmd, 525 CFE_ES_RestartCmd, 525 CFE_ES_SendMemPoolStatsCmd, 527			
CFE_TIME_SetLeapSecondsCmd_t, 1158 CFE_TIME_SetMETCmd_t, 1158 CFE_TIME_SetSTCFCmd_t, 1159 CFE_TIME_SetSignalCmd_t, 1158 CFE_TIME_SetSignalCmd_t, 1159 CFE_TIME_SetSourceCmd_t, 1159 CFE_TIME_SetStateCmd_t, 1159 CFE_TIME_SetSignalCmd_t, 1159 CFE_TIME_SetSignalCmd_t, 1159 CFE_TIME_SetSignalCmd_t, 1159 CFE_TIME_SetSignalCmd_Payload_t, 1159 CFE_TIME_SignalCmd_Payload_t, 1159 CFE_TIME_SourceCmd_Payload_t, 1159 CFE_TIME_SourceCmd_Payload_t, 1160 CFE_TIME_Sub1HZAdjustmentCmd_t, 1160 CFE_TIME_SubDelayCmd_t, 1160 CFE_TIME_SubDelayCmd_t, 1160 CFE_TIME_SubDelayCmd_t, 1160 CFE_TIME_TimeCmd_Payload_t, 1160 CFE_TIME_TimeCmd_Payload_t, 1160 CFE_TIME_TimeCmd_t, 1160 CFE_TIME_TimeCmd_t, 1160 CFE_TIME_TimeCmd_t, 1160 CFE_TIME_ToneDataCmd_Payload_t, 1161 CFE_TIME_ToneDataCmd_t, 1161 CFE_ES_ReloadAppCmd, 524 CFE_ES_ReloadAppCmd, 525 CFE_BUILD_NUMBER, 915 CFE_ES_SendMemPoolStatsCmd, 527			
CFE_TIME_SetMETCmd_t, 1158 CFE_TIME_SetSTCFCmd_t, 1159 CFE_TIME_SetSignalCmd_t, 1158 CFE_TIME_SetSignalCmd_t, 1158 CFE_TIME_SetSignalCmd_t, 1158 CFE_TIME_SetSourceCmd_t, 1159 CFE_TIME_SetStateCmd_t, 1159 CFE_TIME_SetStateCmd_t, 1159 CFE_TIME_SetTimeCmd_t, 1159 CFE_TIME_SignalCmd_Payload_t, 1159 CFE_TIME_SignalCmd_Payload_t, 1159 CFE_TIME_SourceCmd_Payload_t, 1159 CFE_TIME_SourceCmd_Payload_t, 1159 CFE_TIME_Sub1HZAdjustmentCmd_t, 1160 CFE_TIME_Sub1HZAdjustmentCmd_t, 1160 CFE_TIME_SubAdjustCmd_t, 1160 CFE_TIME_SubDelayCmd_t, 1160 CFE_TIME_SubDelayCmd_t, 1160 CFE_TIME_TimeCmd_Payload_t, 1160 CFE_TIME_TimeCmd_Payload_t, 1160 CFE_TIME_TimeCmd_Payload_t, 1160 CFE_TIME_TimeCmd_Payload_t, 1160 CFE_TIME_TimeCmd_Payload_t, 1161 CFE_TIME_ToneDataCmd_Payload_t, 1161 CFE_TIME_ToneDataCmd_t, 1161 CFE_TIME_ToneSignalCmd_t, 1161 CFE_TIME_ToneSignalCmd_t, 1161 CFE_ES_NoArgsCmd, 518 CFE_ES_NoArgsCmd, 520 CFE_ES_ReloadAppCmd, 524 CFE_ES_RestartCmd, 525 CFE_BUILD_NUMBER, 915 CFE_ES_SendMemPoolStatsCmd, 527		<del>-</del>	
CFE_TIME_SetSTCFCmd_t, 1159 CFE_SB_HousekeepingTlm_Payload, 586 CFE_TIME_SetSignalCmd_t, 1158 CFE_TIME_SetSourceCmd_t, 1159 CFE_TIME_SetStateCmd_t, 1159 CFE_TIME_SetStateCmd_t, 1159 CFE_TIME_SetTimeCmd_t, 1159 CFE_TIME_SignalCmd_Payload_t, 1159 CFE_TIME_SignalCmd_Payload_t, 1159 CFE_TIME_SourceCmd_Payload_t, 1159 CFE_TIME_SourceCmd_Payload_t, 1160 CFE_TIME_Sub1HZAdjustmentCmd_t, 1160 CFE_TIME_SubAdjustCmd_t, 1160 CFE_TIME_SubAdjustCmd_t, 1160 CFE_TIME_SubDelayCmd_t, 1160 CFE_TIME_TimeCmd_Payload_t, 1160 CFE_TIME_TimeCmd_t, 1160 CFE_TIME_TimeCmd_t, 1160 CFE_TIME_TimeCmd_t, 1160 CFE_TIME_TimeCmd_t, 1161 CFE_TIME_ToneDataCmd_payload_t, 1161 CFE_TIME_ToneDataCmd_t, 1161 CFE_TIME_ToneSignalCmd_t, 1161 CFE_SBUILD_BASELINE, 915 CFE_BUILD_NUMBER, 915 CFE_ES_SendMemPoolStatsCmd, 527		· _ ·	
CFE_TIME_SetSignalCmd_t, 1158 CFE_TBL_HousekeepingTIm_Payload, 631 CFE_TIME_SetSourceCmd_t, 1159 CFE_TIME_SetStateCmd_t, 1159 CFE_TIME_SetTimeCmd_t, 1159 CFE_TIME_SignalCmd_Payload_t, 1159 CFE_TIME_SourceCmd_Payload_t, 1159 CFE_TIME_SourceCmd_Payload_t, 1159 CFE_TIME_StateCmd_Payload_t, 1160 CFE_TIME_Sub1HZAdjustmentCmd_t, 1160 CFE_TIME_SubDelayCmd_t, 1160 CFE_TIME_SubDelayCmd_t, 1160 CFE_TIME_TimeCmd_Payload_t, 1160 CFE_TIME_TimeCmd_t, 1160 CFE_TIME_ToneDataCmd_Payload_t, 1161 CFE_TIME_ToneDataCmd_t, 1161 CFE_TIME_ToneSignalCmd_t, 1161 CFE_TIME_ToneSignalCmd_t, 1161 CFE_BUILD_BASELINE, 915 CFE_BUILD_NUMBER, 915 CFE_ES_SendMemPoolStatsCmd, 527			
CFE_TIME_SetSourceCmd_t, 1159 CFE_TIME_SetStateCmd_t, 1159 CFE_TIME_SetTimeCmd_t, 1159 CFE_TIME_SetTimeCmd_t, 1159 CFE_TIME_SignalCmd_Payload_t, 1159 CFE_TIME_SourceCmd_Payload_t, 1159 CFE_TIME_StateCmd_Payload_t, 1159 CFE_TIME_StateCmd_Payload_t, 1160 CFE_TIME_Sub1HZAdjustmentCmd_t, 1160 CFE_TIME_SubAdjustCmd_t, 1160 CFE_TIME_SubDelayCmd_t, 1160 CFE_TIME_SubDelayCmd_t, 1160 CFE_TIME_TimeCmd_Payload_t, 1160 CFE_TIME_TimeCmd_Payload_t, 1160 CFE_TIME_TimeCmd_t, 1160 CFE_TIME_TimeCmd_t, 1160 CFE_TIME_TimeCmd_t, 1160 CFE_TIME_TimeCmd_t, 1160 CFE_TIME_ToneDataCmd_Payload_t, 1161 CFE_TIME_ToneDataCmd_t, 1161 CFE_TIME_ToneSignalCmd_t, 1161 CFE_ES_ReloadAppCmd, 524 CFE_BUILD_BASELINE, 915 CFE_BUILD_NUMBER, 915 CFE_ES_SendMemPoolStatsCmd, 527		— — — — ·	
CFE_TIME_SetStateCmd_t, 1159 CFE_TIME_SetTimeCmd_t, 1159 CFE_TIME_SignalCmd_Payload_t, 1159 CFE_TIME_SourceCmd_Payload_t, 1159 CFE_TIME_SourceCmd_Payload_t, 1159 CFE_TIME_StateCmd_Payload_t, 1160 CFE_TIME_Sub1HZAdjustmentCmd_t, 1160 CFE_TIME_SubAdjustCmd_t, 1160 CFE_TIME_SubDelayCmd_t, 1160 CFE_TIME_TimeCmd_Payload_t, 1160 CFE_TIME_TimeCmd_t, 1160 CFE_TIME_ToneDataCmd_Payload_t, 1161 CFE_TIME_ToneDataCmd_t, 1161 CFE_TIME_ToneSignalCmd_t, 1161 CFE_TIME_ToneSignalCmd_t, 1161 CFE_TIME_ToneSignalCmd_t, 1161 CFE_ES_RestartCmd, 525 CFE_BUILD_BASELINE, 915 CFE_ES_SendMemPoolStatsCmd, 527			
CFE_TIME_SetTimeCmd_t, 1159 CFE_TIME_SignalCmd_Payload_t, 1159 CFE_TIME_SourceCmd_Payload_t, 1159 CFE_TIME_StateCmd_Payload_t, 1160 CFE_TIME_Sub1HZAdjustmentCmd_t, 1160 CFE_TIME_SubAdjustCmd_t, 1160 CFE_TIME_SubDelayCmd_t, 1160 CFE_TIME_TimeCmd_Payload_t, 1160 CFE_TIME_TimeCmd_t, 1160 CFE_TIME_ToneDataCmd_t, 1160 CFE_TIME_ToneDataCmd_t, 1161 CFE_TIME_ToneSignalCmd_t, 1161 CFE_TIME_ToneSignalCmd_t, 1161 CFE_TIME_ToneSignalCmd_t, 1161 CFE_SE_BUILD_BASELINE, 915 CFE_BUILD_NUMBER, 915  CFE_ES_BHousekeepingTIm_Payload, 560 CFE_EVS_HousekeepingTlm_Payload, 586 CFE_EVS_HousekeepingTlm_Payload, 586 CFE_SB_HousekeepingTlm_Payload, 580 CFE_SB_HousekeepingTlm_Payload, 580 CFE_SB_HousekeepingTlm_Payload, 586 CFE_SB_HousekeepingTlm_Payload, 586 CFE_SB_Payload, 531 CFE_SB_AppNameCmd, 489 CFE_ES_DeleteCDSCmd, 499 CFE_ES_DeleteCDSCmd, 495 CFE_ES_NoArgsCmd, 497 CFE_ES_NoArgsCmd, 518 CFE_ES_NoArgsCmd, 518 CFE_ES_ReloadAppCmd, 520 CFE_ES_ReloadAppCmd, 524 CFE_ES_ReloadAppCmd, 525 CFE_ES_SendMemPoolStatsCmd, 527			
CFE_TIME_SignalCmd_Payload_t, 1159 CFE_TIME_SourceCmd_Payload_t, 1159 CFE_TIME_StateCmd_Payload_t, 1160 CFE_TIME_Sub1HZAdjustmentCmd_t, 1160 CFE_TIME_SubAdjustCmd_t, 1160 CFE_TIME_SubDelayCmd_t, 1160 CFE_TIME_TimeCmd_Payload_t, 1160 CFE_TIME_TimeCmd_t, 1160 CFE_TIME_TimeCmd_t, 1160 CFE_TIME_ToneDataCmd_Payload_t, 1161 CFE_TIME_ToneDataCmd_t, 1161 CFE_TIME_ToneSignalCmd_t, 1161 CFE_TIME_ToneSignalCmd_t, 1161 CFE_BUILD_BASELINE, 915 CFE_BUILD_NUMBER, 915  CFE_ES_DeleteCDSCmd, 498 CFE_ES_DumpCDSRegistryCmd, 498 CFE_ES_NoArgsCmd, 518 CFE_ES_NoArgsCmd, 518 CFE_ES_ReloadAppCmd, 524 CFE_ES_RestartCmd, 525 CFE_BUILD_NUMBER, 915  CFE_ES_SendMemPoolStatsCmd, 527			
CFE_TIME_SourceCmd_Payload_t, 1159 CFE_TIME_StateCmd_Payload_t, 1160 CFE_TIME_Sub1HZAdjustmentCmd_t, 1160 CFE_TIME_SubAdjustCmd_t, 1160 CFE_TIME_SubDelayCmd_t, 1160 CFE_TIME_SubDelayCmd_t, 1160 CFE_TIME_TimeCmd_Payload_t, 1160 CFE_TIME_TimeCmd_t, 1160 CFE_TIME_TimeCmd_t, 1160 CFE_TIME_ToneDataCmd_Payload_t, 1161 CFE_TIME_ToneDataCmd_t, 1161 CFE_TIME_ToneSignalCmd_t, 1161 CFE_TIME_ToneSignalCmd_t, 1161 CFE_ES_OverWriteSysLogCmd, 520 Cfe_version.h CFE_BUILD_BASELINE, 915 CFE_BUILD_NUMBER, 915 CFE_ES_SendMemPoolStatsCmd, 527			· · · · ·
CFE_TIME_StateCmd_Payload_t, 1160 CFE_TIME_Sub1HZAdjustmentCmd_t, 1160 CFE_TIME_SubAdjustCmd_t, 1160 CFE_TIME_SubAdjustCmd_t, 1160 CFE_TIME_SubDelayCmd_t, 1160 CFE_TIME_SubDelayCmd_t, 1160 CFE_TIME_TimeCmd_Payload_t, 1160 CFE_TIME_TimeCmd_t, 1160 CFE_TIME_TimeCmd_t, 1160 CFE_TIME_ToneDataCmd_Payload_t, 1161 CFE_TIME_ToneDataCmd_t, 1161 CFE_TIME_ToneSignalCmd_t, 1161 CFE_TIME_ToneSignalCmd_t, 1161 CFE_ES_OverWriteSysLogCmd, 520 Cfe_version.h CFE_BUILD_BASELINE, 915 CFE_BUILD_NUMBER, 915 CFE_ES_SendMemPoolStatsCmd, 527			
CFE_TIME_Sub1HZAdjustmentCmd_t, 1160 CFE_TIME_SubAdjustCmd_t, 1160 CFE_TIME_SubDelayCmd_t, 1160 CFE_TIME_SubDelayCmd_t, 1160 CFE_TIME_TimeCmd_Payload_t, 1160 CFE_TIME_TimeCmd_t, 1160 CFE_TIME_TimeCmd_t, 1160 CFE_TIME_ToneDataCmd_Payload_t, 1161 CFE_TIME_ToneDataCmd_t, 1161 CFE_TIME_ToneSignalCmd_t, 1161 CFE_TIME_ToneSignalCmd_t, 1161 CFE_ES_DeleteCDSCmd, 495 CFE_ES_DumpCDSRegistryCmd, 497 CFE_ES_FileNameCmd, 498 CFE_ES_NoArgsCmd, 518 CFE_ES_NoArgsCmd, 518 CFE_ES_OverWriteSysLogCmd, 520 CFE_ES_ReloadAppCmd, 524 CFE_ES_ReloadAppCmd, 524 CFE_ES_RestartCmd, 525 CFE_ES_SendMemPoolStatsCmd, 527		·	
CFE_TIME_SubAdjustCmd_t, 1160 CFE_TIME_SubDelayCmd_t, 1160 CFE_TIME_TimeCmd_Payload_t, 1160 CFE_TIME_TimeCmd_t, 1160 CFE_TIME_TimeCmd_t, 1160 CFE_TIME_ToneDataCmd_Payload_t, 1161 CFE_TIME_ToneDataCmd_t, 1161 CFE_TIME_ToneSignalCmd_t, 1161 CFE_TIME_ToneSignalCmd_t, 1161 CFE_ES_OverWriteSysLogCmd, 520 Cfe_version.h CFE_BUILD_BASELINE, 915 CFE_BUILD_NUMBER, 915 CCE_COMMANDAME CFE_ES_SendMemPoolStatsCmd, 527			
CFE_TIME_SubDelayCmd_t, 1160 CFE_ES_AppNameCmd, 489 CFE_TIME_TimeCmd_Payload_t, 1160 CFE_ES_DeleteCDSCmd, 495 CFE_TIME_TimeCmd_t, 1160 CFE_ES_DumpCDSRegistryCmd, 497 CFE_TIME_ToneDataCmd_Payload_t, 1161 CFE_ES_FileNameCmd, 498 CFE_TIME_ToneDataCmd_t, 1161 CFE_ES_NoArgsCmd, 518 CFE_TIME_ToneSignalCmd_t, 1161 CFE_ES_OverWriteSysLogCmd, 520 Cfe_version.h CFE_BUILD_BASELINE, 915 CFE_BUILD_NUMBER, 915 CFE_ES_RestartCmd, 525 CFE_ES_SendMemPoolStatsCmd, 527			
CFE_TIME_TimeCmd_Payload_t, 1160  CFE_ES_DeleteCDSCmd, 495  CFE_TIME_TimeCmd_t, 1160  CFE_ES_DumpCDSRegistryCmd, 497  CFE_TIME_ToneDataCmd_Payload_t, 1161  CFE_ES_FileNameCmd, 498  CFE_TIME_ToneDataCmd_t, 1161  CFE_ES_NoArgsCmd, 518  CFE_TIME_ToneSignalCmd_t, 1161  CFE_ES_OverWriteSysLogCmd, 520  Cfe_version.h  CFE_ES_ReloadAppCmd, 524  CFE_BUILD_BASELINE, 915  CFE_ES_RestartCmd, 525  CFE_ES_SendMemPoolStatsCmd, 527			
CFE_TIME_TimeCmd_t, 1160 CFE_ES_DumpCDSRegistryCmd, 497 CFE_TIME_ToneDataCmd_Payload_t, 1161 CFE_ES_FileNameCmd, 498 CFE_TIME_ToneDataCmd_t, 1161 CFE_ES_NoArgsCmd, 518 CFE_TIME_ToneSignalCmd_t, 1161 CFE_ES_OverWriteSysLogCmd, 520 Cfe_version.h CFE_ES_ReloadAppCmd, 524 CFE_BUILD_BASELINE, 915 CFE_BUILD_NUMBER, 915 CFE_ES_SendMemPoolStatsCmd, 527		·	
CFE_TIME_ToneDataCmd_Payload_t, 1161 CFE_ES_FileNameCmd, 498 CFE_TIME_ToneDataCmd_t, 1161 CFE_ES_NoArgsCmd, 518 CFE_TIME_ToneSignalCmd_t, 1161 CFE_ES_OverWriteSysLogCmd, 520 Cfe_version.h CFE_BUILD_BASELINE, 915 CFE_BUILD_NUMBER, 915 CFE_ES_RestartCmd, 525 CFE_ES_SendMemPoolStatsCmd, 527			
CFE_TIME_ToneDataCmd_t, 1161 CFE_ES_NoArgsCmd, 518 CFE_TIME_ToneSignalCmd_t, 1161 CFE_ES_OverWriteSysLogCmd, 520 Cfe_version.h CFE_BUILD_BASELINE, 915 CFE_BUILD_NUMBER, 915 CFE_BUILD_NUMBER, 915 CFE_ES_SendMemPoolStatsCmd, 527			
CFE_TIME_ToneSignalCmd_t, 1161 CFE_ES_OverWriteSysLogCmd, 520 cfe_version.h CFE_ES_ReloadAppCmd, 524 CFE_BUILD_BASELINE, 915 CFE_BUILD_NUMBER, 915 CFE_ES_RestartCmd, 525 CFE_ES_SendMemPoolStatsCmd, 527			
cfe_version.hCFE_ES_ReloadAppCmd, 524CFE_BUILD_BASELINE, 915CFE_ES_RestartCmd, 525CFE_BUILD_NUMBER, 915CFE_ES_SendMemPoolStatsCmd, 527			<del>-</del>
CFE_BUILD_BASELINE, 915  CFE_BUILD_NUMBER, 915  CFE_ES_RestartCmd, 525  CFE_ES_SendMemPoolStatsCmd, 527	cfe	<del>-</del>	· · · · · · · · · · · · · · · · · ·
CFE_BUILD_NUMBER, 915	0.0_		
		CFE_MAJOR_VERSION, 915	CFE_ES_SetMaxPRCountCmd, 529

CFE_ES_SetPerfFilterMaskCmd, 531	osal_blockcount_t, 1166
CFE_ES_SetPerfTriggerMaskCmd, 533	osal_id_t, 1166
CFE_ES_StartApp, 535	osal_index_t, 1166
CFE_ES_StartPerfDataCmd, 539	osal_objtype_t, 1166
CFE_ES_StopPerfDataCmd, 541	osal status t, 1167
CFE_EVS_AppNameBitMaskCmd, 545	uint16, 1167
CFE_EVS_AppNameCmd, 547	uint32, 1167
CFE_EVS_AppNameEventIDCmd, 549	uint64, 1167
CFE_EVS_AppNameEventIDMaskCmd, 551	uint8, 1167
CFE_EVS_BitMaskCmd, 556	CompileTimeAssert
CFE_EVS_NoArgsCmd, 567	common_types.h, 1163, 1168, 1169
CFE_EVS_SetEventFormatModeCmd, 571	ContentType
CFE_EVS_SetLogModeCmd, 573	CFE_FS_Header, 579
CFE_EVS_WriteAppDataFileCmd, 575	cpu1_msgids.h, 721
CFE_EVS_WriteLogDataFileCmd, 576	CFE_ES_APP_TLM_MID, 722
CFE_SB_RouteCmd, 600	CFE_ES_CMD_MID, 722
CFE_SB_WriteFileInfoCmd, 614	CFE ES HK TLM MID, 723
CFE_TBL_AbortLoadCmd, 616	CFE_ES_MEMSTATS_TLM_MID, 723
CFE_TBL_ActivateCmd, 618	CFE_ES_SEND_HK_MID, 723
CFE_TBL_DeleteCDSCmd, 620	CFE_EVS_CMD_MID, 723
CFE_TBL_DumpCmd, 621	CFE_EVS_HK_TLM_MID, 723
CFE_TBL_DumpRegistryCmd, 624	
	CFE_EVS_LONG_EVENT_MSG_MID, 723
CFE_TBL_LoadCmd, 639	CFE_EVS_SEND_HK_MID, 724
CFE_TBL_NoArgsCmd, 641	CFE_EVS_SHORT_EVENT_MSG_MID, 724
CFE_TBL_NotifyCmd, 642	CFE_PLATFORM_CMD_MID_BASE_GLOB, 724
CFE_TBL_SendRegistryCmd, 644	CFE_PLATFORM_CMD_MID_BASE, 724
CFE_TBL_ValidateCmd, 652	CFE_PLATFORM_TLM_MID_BASE, 725
CFE_TIME_NoArgsCmd, 674	CFE_SB_ALLSUBS_TLM_MID, 725
CFE_TIME_OneHzAdjustmentCmd, 674	CFE_SB_CMD_MID, 725
CFE_TIME_SetLeapSecondsCmd, 676	CFE_SB_HK_TLM_MID, 725
CFE_TIME_SetSignalCmd, 677	CFE_SB_ONESUB_TLM_MID, 725
CFE_TIME_SetSourceCmd, 678	CFE_SB_SEND_HK_MID, 726
CFE_TIME_SetStateCmd, 679	CFE_SB_STATS_TLM_MID, 726
CFE_TIME_TimeCmd, 684	CFE_SB_SUB_RPT_CTRL_MID, 726
CFE_TIME_ToneDataCmd, 685	CFE_TBL_CMD_MID, 726
common_types.h	CFE_TBL_HK_TLM_MID, 726
_EXTENSION_, 1162	CFE_TBL_REG_TLM_MID, 726
CompileTimeAssert, 1163, 1168, 1169	CFE_TBL_SEND_HK_MID, 727
cpuaddr, 1164	CFE_TEST_CMD_MID, 727
cpudiff, 1164	CFE_TEST_HK_TLM_MID, 727
cpusize, 1164	CFE_TIME_1HZ_CMD_MID, 727
int16, 1165	CFE_TIME_CMD_MID, 727
int32, 1165	CFE_TIME_DATA_CMD_MID, 727
int64, 1165	CFE_TIME_DIAG_TLM_MID, 728
int8, 1165	CFE_TIME_HK_TLM_MID, 728
intptr, 1165	CFE_TIME_SEND_CMD_MID, 728
OS_ArgCallback_t, 1165	CFE_TIME_SEND_HK_MID, 728
OS_PRINTF, 1163	CFE_TIME_TONE_CMD_MID, 728
OS_USED, 1163	cpu1_platform_cfg.h, 729
OSAL_BLOCKCOUNT_C, 1163	CFE_PLATFORM_CORE_MAX_STARTUP_MSEC,
OSAL_INDEX_C, 1163	732
OSAL_OBJTYPE_C, 1163	CFE_PLATFORM_ENDIAN, 733
OSAL_SIZE_C, 1164	CFE_PLATFORM_ES_APP_KILL_TIMEOUT, 733
OSAL STATUS C, 1164	CFE PLATFORM ES APP SCAN RATE, 734

CFE\_PLATFORM\_ES\_CDS\_MAX\_BLOCK\_SIZE, LE, 742 CFE PLATFORM ES CDS MAX NUM ENTRIES, CFE PLATFORM\_ES\_CDS\_MEM\_BLOCK\_SIZE $\leftarrow$ \_01, 735 CFE PLATFORM ES CDS MEM BLOCK SIZE← 02, 735 744 CFE PLATFORM ES CDS MEM BLOCK SIZE← 03, 736 CFE\_PLATFORM\_ES\_CDS\_MEM\_BLOCK\_SIZE ← 744 04, 736 CFE\_PLATFORM\_ES\_CDS\_MEM\_BLOCK\_SIZE ←  $CFE\_PLATFORM\_ES\_CDS\_MEM\_BLOCK\_SIZE {\leftarrow}$ 06, 736 CFE PLATFORM ES CDS MEM BLOCK SIZE← 07, 736 CFE PLATFORM ES CDS MEM BLOCK SIZE← 08, 736 CFE\_PLATFORM\_ES\_CDS\_MEM\_BLOCK\_SIZE ← 09, 737 CFE\_PLATFORM\_ES\_CDS\_MEM\_BLOCK\_SIZE← 10, 737  $CFE\_PLATFORM\_ES\_CDS\_MEM\_BLOCK\_SIZE {\leftarrow}$ \_11, <del>73</del>7 CFE PLATFORM ES CDS MEM BLOCK SIZE←  ${\sf CFE\_PLATFORM\_ES\_CDS\_MEM\_BLOCK\_SIZE} {\leftarrow}$ \_13, <del>737</del> CFE\_PLATFORM\_ES\_CDS\_MEM\_BLOCK\_SIZE ← 14, 737 CFE PLATFORM ES CDS MEM BLOCK SIZE← \_15, <del>738</del> CFE PLATFORM ES CDS MEM BLOCK SIZE← 749 16, <del>738</del> CFE PLATFORM ES CDS SIZE, 738 CFE PLATFORM ES DEFAULT APP LOG FILE, 750 CFE\_PLATFORM\_ES\_DEFAULT\_CDS\_REG\_DU ← 750 MP\_FILE, 739 CFE\_PLATFORM\_ES\_DEFAULT\_ER\_LOG\_FILE, ZE, 750 CFE\_PLATFORM\_ES\_DEFAULT\_PERF\_DUMP\_← ZE, 751 FILENAME, 739  $CFE\_PLATFORM\_ES\_DEFAULT\_POR\_SYSLOG \leftarrow$ MODE, 740 CFE\_PLATFORM\_ES\_DEFAULT\_PR\_SYSLOG\_← MODE, 740 CFE\_PLATFORM\_ES\_DEFAULT\_STACK\_SIZE,

```
CFE PLATFORM ES ER LOG ENTRIES, 742
CFE PLATFORM ES ER LOG MAX CONTEX↔
   T_SIZE, 743
CFE_PLATFORM_ES_MAX_APPLICATIONS, 743
CFE PLATFORM ES MAX BLOCK SIZE, 743
CFE PLATFORM ES MAX GEN COUNTERS.
CFE PLATFORM ES MAX LIBRARIES, 744
CFE_PLATFORM_ES_MAX_MEMORY_POOLS,
CFE PLATFORM ES MAX PROCESSOR RES←
   ETS, 745
CFE PLATFORM ES MEM BLOCK SIZE 01, 745
CFE_PLATFORM_ES_MEM_BLOCK_SIZE_02, 746
CFE_PLATFORM_ES_MEM_BLOCK_SIZE_03, 746
CFE PLATFORM ES MEM BLOCK SIZE 04, 746
CFE_PLATFORM_ES_MEM_BLOCK_SIZE_05, 746
CFE PLATFORM ES MEM BLOCK SIZE 06, 747
CFE_PLATFORM_ES_MEM_BLOCK_SIZE_07, 747
CFE_PLATFORM_ES_MEM_BLOCK_SIZE_08, 747
CFE PLATFORM ES MEM BLOCK SIZE 09, 747
CFE PLATFORM ES MEM BLOCK SIZE 10, 747
CFE PLATFORM ES MEM BLOCK SIZE 11, 747
CFE_PLATFORM_ES_MEM_BLOCK_SIZE_12, 748
CFE_PLATFORM_ES_MEM_BLOCK_SIZE_13, 748
CFE PLATFORM ES MEM BLOCK SIZE 14, 748
CFE PLATFORM ES MEM BLOCK SIZE 15, 748
CFE PLATFORM ES MEM BLOCK SIZE 16, 748
CFE\_PLATFORM\_ES\_MEMPOOL\_ALIGN\_SIZE \hookleftarrow
    MIN, 748
CFE PLATFORM_ES_NONVOL_DISK_MOUNT_\hookleftarrow
   STRING. 749
CFE_PLATFORM_ES_NONVOL_STARTUP_FILE,
CFE_PLATFORM_ES_OBJECT_TABLE_SIZE, 749
CFE_PLATFORM_ES_PERF_CHILD_MS_DELAY,
CFE_PLATFORM_ES_PERF_CHILD_PRIORITY,
{\sf CFE\_PLATFORM\_ES\_PERF\_CHILD\_STACK\_SI} {\leftarrow}
CFE PLATFORM ES PERF DATA BUFFER SI←
CFE PLATFORM ES PERF ENTRIES BTWN ←
   DLYS, 751
CFE PLATFORM ES PERF FILTMASK ALL, 751
CFE PLATFORM ES PERF FILTMASK INIT, 752
CFE_PLATFORM_ES_PERF_FILTMASK_NONE,
CFE_PLATFORM_ES_PERF_TRIGMASK_ALL, 752
CFE PLATFORM ES PERF TRIGMASK INIT,
   753
CFE PLATFORM ES PERF TRIGMASK NONE,
```

741

CFE PLATFORM ES DEFAULT SYSLOG FILE,

CFE PLATFORM ES DEFAULT TASK LOG FI-

753	CFE_PLATFORM_SB_FILTER_MASK5, 766
CFE_PLATFORM_ES_POOL_MAX_BUCKETS, 753	CFE_PLATFORM_SB_FILTER_MASK6, 766
CFE_PLATFORM_ES_RAM_DISK_MOUNT_STR↔	CFE_PLATFORM_SB_FILTER_MASK7, 766
ING, 754	CFE_PLATFORM_SB_FILTER_MASK8, 766
CFE_PLATFORM_ES_RAM_DISK_NUM_SECTO↔	CFE PLATFORM SB FILTERED EVENT1, 767
RS, 754	CFE_PLATFORM_SB_FILTERED_EVENT2, 767
CFE_PLATFORM_ES_RAM_DISK_PERCENT_R↔	CFE_PLATFORM_SB_FILTERED_EVENT3, 767
ESERVED, 754	CFE PLATFORM SB FILTERED EVENT4, 767
CFE_PLATFORM_ES_RAM_DISK_SECTOR_SIZE,	CFE PLATFORM SB FILTERED EVENTS, 767
755	CFE_PLATFORM_SB_FILTERED_EVENT6, 768
CFE_PLATFORM_ES_RESET_AREA_SIZE, 755	CFE_PLATFORM_SB_FILTERED_EVENT7, 768
CFE_PLATFORM_ES_START_TASK_PRIORITY,	CFE_PLATFORM_SB_FILTERED_EVENT8, 768
756	CFE_PLATFORM_SB_HIGHEST_VALID_MSGID,
CFE_PLATFORM_ES_START_TASK_STACK_SI  75 750	768
ZE, 756	CFE_PLATFORM_SB_MAX_BLOCK_SIZE, 768
CFE_PLATFORM_ES_STARTUP_SCRIPT_TIME↔	CFE_PLATFORM_SB_MAX_DEST_PER_PKT, 769
OUT_MSEC, 757	CFE_PLATFORM_SB_MAX_MSG_IDS, 769
CFE_PLATFORM_ES_STARTUP_SYNC_POLL_←	CFE_PLATFORM_SB_MAX_PIPES, 769
MSEC, 757	CFE_PLATFORM_SB_MEM_BLOCK_SIZE_01, 770
CFE_PLATFORM_ES_SYSTEM_LOG_SIZE, 758	CFE_PLATFORM_SB_MEM_BLOCK_SIZE_02, 770
CFE_PLATFORM_ES_USER_RESERVED_SIZE,	CFE_PLATFORM_SB_MEM_BLOCK_SIZE_03, 770
758	CFE_PLATFORM_SB_MEM_BLOCK_SIZE_04, 771
CFE_PLATFORM_ES_VOLATILE_STARTUP_FILE,	CFE_PLATFORM_SB_MEM_BLOCK_SIZE_05, 771
759	CFE_PLATFORM_SB_MEM_BLOCK_SIZE_06, 771
CFE_PLATFORM_EVS_DEFAULT_APP_DATA_←	CFE_PLATFORM_SB_MEM_BLOCK_SIZE_07, 771
FILE, 759	CFE_PLATFORM_SB_MEM_BLOCK_SIZE_08, 771
CFE_PLATFORM_EVS_DEFAULT_LOG_FILE, 760	CFE_PLATFORM_SB_MEM_BLOCK_SIZE_09, 771
CFE_PLATFORM_EVS_DEFAULT_LOG_MODE,	CFE_PLATFORM_SB_MEM_BLOCK_SIZE_10, 772
760	CFE_PLATFORM_SB_MEM_BLOCK_SIZE_11, 772
CFE_PLATFORM_EVS_DEFAULT_MSG_FORM←	CFE_PLATFORM_SB_MEM_BLOCK_SIZE_12, 772
AT_MODE, 760	CFE_PLATFORM_SB_MEM_BLOCK_SIZE_13, 772
CFE_PLATFORM_EVS_DEFAULT_TYPE_FLAG,	CFE_PLATFORM_SB_MEM_BLOCK_SIZE_14, 772
761	CFE PLATFORM SB MEM BLOCK SIZE 15, 772
CFE_PLATFORM_EVS_LOG_MAX, 761	CFE_PLATFORM_SB_MEM_BLOCK_SIZE_16, 773
CFE PLATFORM EVS MAX EVENT FILTERS,	CFE_PLATFORM_SB_START_TASK_PRIORITY,
761	773
CFE PLATFORM EVS PORT DEFAULT, 762	CFE_PLATFORM_SB_START_TASK_STACK_SI↔
CFE_PLATFORM_EVS_START_TASK_PRIORITY,	
762	ZE, 773
	CFE_PLATFORM_TBL_BUF_MEMORY_BYTES,
CFE_PLATFORM_EVS_START_TASK_STACK_←	773
SIZE, 762	CFE_PLATFORM_TBL_DEFAULT_REG_DUMP_←
CFE_PLATFORM_SB_BUF_MEMORY_BYTES,	FILE, 774
763	CFE_PLATFORM_TBL_MAX_CRITICAL_TABLES,
CFE_PLATFORM_SB_DEFAULT_MAP_FILENA↔	774
ME, 763	CFE_PLATFORM_TBL_MAX_DBL_TABLE_SIZE,
CFE_PLATFORM_SB_DEFAULT_MSG_LIMIT, 764	774
CFE_PLATFORM_SB_DEFAULT_PIPE_FILENA↔	CFE_PLATFORM_TBL_MAX_NUM_HANDLES, 775
ME, 764	CFE_PLATFORM_TBL_MAX_NUM_TABLES, 775
CFE_PLATFORM_SB_DEFAULT_ROUTING_FIL↔	CFE_PLATFORM_TBL_MAX_NUM_VALIDATIONS,
ENAME, 765	775
CFE_PLATFORM_SB_FILTER_MASK1, 765	CFE_PLATFORM_TBL_MAX_SIMULTANEOUS_←
CFE_PLATFORM_SB_FILTER_MASK2, 765	LOADS, 776
CFE_PLATFORM_SB_FILTER_MASK3, 766	CFE_PLATFORM_TBL_MAX_SNGL_TABLE_SIZE,
CFE_PLATFORM_SB_FILTER_MASK4, 766	776

CFE_PLATFORM_TBL_START_TASK_PRIORITY,	OS_mut_sem_prop_t, 700
777	OS_queue_prop_t, 701
CFE_PLATFORM_TBL_START_TASK_STACK_←	OS_socket_prop_t, 704
SIZE, 777	OS_task_prop_t, 707
CFE_PLATFORM_TBL_U32FROM4CHARS, 777	OS_timebase_prop_t, 710
CFE_PLATFORM_TBL_VALID_PRID_1, 778	OS_timer_prop_t, 711
CFE_PLATFORM_TBL_VALID_PRID_2, 778	Critical
CFE_PLATFORM_TBL_VALID_PRID_3, 778	CFE_TBL_Info, 636
CFE_PLATFORM_TBL_VALID_PRID_4, 778	CFE_TBL_TblRegPacket_Payload, 648
CFE_PLATFORM_TBL_VALID_PRID_COUNT, 779	CurrentLatch
CFE_PLATFORM_TBL_VALID_SCID_1, 779	CFE_TIME_DiagnosticTlm_Payload, 659
CFE_PLATFORM_TBL_VALID_SCID_2, 779	CurrentMET
CFE_PLATFORM_TBL_VALID_SCID_COUNT, 780	CFE_TIME_DiagnosticTlm_Payload, 659
CFE_PLATFORM_TIME_1HZ_TASK_PRIORITY,	CurrentQueueDepth
780	CFE_SB_PipeDepthStats, 594
CFE_PLATFORM_TIME_1HZ_TASK_STACK_SI←	CFE_SB_PipeInfoEntry, 596
ZE, 780	CurrentTAI
CFE_PLATFORM_TIME_CFG_CLIENT, 780	CFE_TIME_DiagnosticTlm_Payload, 660
CFE_PLATFORM_TIME_CFG_LATCH_FLY, 780	CurrentUTC
CFE_PLATFORM_TIME_CFG_SERVER, 781	CFE_TIME_DiagnosticTlm_Payload, 660
CFE_PLATFORM_TIME_CFG_SIGNAL, 781	
CFE PLATFORM TIME CFG SOURCE, 781	Data
CFE_PLATFORM_TIME_CFG_SRC_GPS, 782	CFE_ES_AppInfo, 484
CFE_PLATFORM_TIME_CFG_SRC_MET, 782	data_address
CFE_PLATFORM_TIME_CFG_SRC_TIME, 782	OS_module_address_t, 697
CFE_PLATFORM_TIME_CFG_START_FLY, 783	data_size
CFE_PLATFORM_TIME_CFG_TONE_LIMIT, 783	OS_module_address_t, 697
CFE_PLATFORM_TIME_CFG_VIRTUAL, 783	DataFileName
CFE_PLATFORM_TIME_MAX_DELTA_SECS, 784	CFE_ES_StopPerfCmd_Payload, 540
CFE_PLATFORM_TIME_MAX_DELTA_SUBS, 784	DataStoreStatus
CFE_PLATFORM_TIME_MAX_LOCAL_SECS, 785	CFE_TIME_DiagnosticTlm_Payload, 660
CFE_PLATFORM_TIME_MAX_LOCAL_SUBS, 785	DelayDirection
CFE_PLATFORM_TIME_START_TASK_PRIORI↔	CFE_TIME_DiagnosticTlm_Payload, 660
TY, 785	Description
CFE_PLATFORM_TIME_START_TASK_STACK_	CFE_FS_FileWriteMetaData, 577
SIZE, 785	CFE_FS_Header, 580
CFE_PLATFORM_TIME_TONE_TASK_PRIORITY,	CFE_TBL_FileDef, 627
786	DoubleBuffered
CFE_PLATFORM_TIME_TONE_TASK_STACK_←	CFE_TBL_Info, 637
SIZE, 786	CFE_TBL_TblRegPacket_Payload, 648
cpuaddr	DumpFilename
•	CFE_ES_DumpCDSRegistryCmd_Payload, 498
common_types.h, 1164	CFE_TBL_DumpCmd_Payload, 623
cpudiff	CFE_TBL_DumpRegistryCmd_Payload, 625
common_types.h, 1164	DumpOnly
cpusize	CFE_TBL_Info, 637
common_types.h, 1164	CFE_TBL_TblRegPacket_Payload, 648
Crc OFF TRULK COOP	DuplicateSubscriptionsCounter
CFE_TBL_Info, 636	CFE_SB_HousekeepingTlm_Payload, 586
CFE_TBL_TblRegPacket_Payload, 648	
CreatePipeErrorCounter	ERLogEntries
CFE_SB_HousekeepingTlm_Payload, 586	CFE_ES_HousekeepingTlm_Payload, 504
creator	ERLogIndex
OS_bin_sem_prop_t, 688	CFE_ES_HousekeepingTlm_Payload, 505
OS count sem prop t, 689	Entries

CFE_SB_AllSubscriptionsTIm_Payload, 583	CFE_TIME_DiagnosticTlm_Payload, 661
Entry	free_blocks
CFE_SB_AllSubscriptionsTlm_Payload, 583	OS_heap_prop_t, 695
entry_point	free_bytes
OS_module_prop_t, 699	OS_heap_prop_t, 695
EntryPoint	FreeFds
CFE_ES_AppInfo, 485	os_fsinfo_t, 693
EventID	FreeVolumes
CFE_EVS_AppNameEventIDCmd_Payload, 550	os_fsinfo_t, 693
CFE_EVS_AppNameEventIDMaskCmd_Payload,	freerun_time
552	OS_timebase_prop_t, 710
CFE_EVS_BinFilter, 555	
CFE_EVS_PacketID, 568	GetData
EventType	CFE_FS_FileWriteMetaData, 578
CFE_EVS_PacketID, 568	GetPipeIdByNameErrorCounter
ExceptionAction	CFE_SB_HousekeepingTlm_Payload, 587
CFE_ES_AppInfo, 485	
CFE ES StartAppCmd Payload, 537	Handle
ExecutionCounter	CFE_ES_CDSRegDumpRec, 493
CFE_ES_AppInfo, 485	HeapBlocksFree
CFE ES TaskInfo, 542	CFE_ES_HousekeepingTlm_Payload, 505
01 L_E0_1d0(d110, 012	HeapBytesFree
FailedValCounter	CFE_ES_HousekeepingTlm_Payload, 505
CFE TBL HousekeepingTlm Payload, 631	HeapMaxBlockSize
FileCreateTimeSecs	CFE_ES_HousekeepingTlm_Payload, 505
CFE_TBL_Info, 637	host_module_id
CFE_TBL_TblRegPacket_Payload, 649	OS_module_prop_t, 699
FileCreateTimeSubSecs	
CFE_TBL_Info, 637	InactiveBufferAddr
	CFE_TBL_TblRegPacket_Payload, 649
CFE_TBL_TblRegPacket_Payload, 649	Index
FileModeBits	CFE_SB_MsgMapFileEntry, 593
os_fstat_t, 694	int16
FileName	common_types.h, 1165
CFE_ES_AppInfo, 485	int32
CFE_ES_FileNameCmd_Payload, 499	common_types.h, 1165
CFE_FS_FileWriteMetaData, 577	int64
os_dirent_t, 690	common_types.h, 1165
FileSize	int8
os_fstat_t, 694	common_types.h, 1165
FileSubType	InternalErrorCounter
CFE_FS_FileWriteMetaData, 578	CFE_SB_HousekeepingTlm_Payload, 587
FileTime	interval_time
os_fstat_t, 694	OS_timer_prop_t, 711
Filename	intptr
CFE_SB_WriteFileInfoCmd_Payload, 615	common_types.h, 1165
filename	IsPending
OS_module_prop_t, 699	CFE_FS_FileWriteMetaData, 578
FilterMask	IsValid
CFE_ES_SetPerfFilterMaskCmd_Payload, 532	OS_file_prop_t, 692
FilterMaskNum	
CFE_ES_SetPerfFilterMaskCmd_Payload, 532	LENGTHCHECK
flags	osapi-macros.h, 1191
OS_module_address_t, 697	
00_modalo_dadroo0_t; 007	largest_free_block

LastFileDumped	Mask
CFE_TBL_HousekeepingTlm_Payload, 631	CFE_EVS_AppNameEventIDMaskCmd_Payload
LastFileLoaded	552
CFE_TBL_HousekeepingTlm_Payload, 632	CFE_EVS_BinFilter, 555
CFE_TBL_Info, 637	MaxElapsed
CFE_TBL_TblRegPacket_Payload, 649	CFE_TIME_DiagnosticTlm_Payload, 661
LastTableLoaded	MaxFds
CFE_TBL_HousekeepingTlm_Payload, 632	os_fsinfo_t, 693
LastUpdateTime	MaxLocalClock
CFE_TBL_HousekeepingTlm_Payload, 632	CFE_TIME_DiagnosticTlm_Payload, 662
LastUpdatedTable	MaxMemAllowed
CFE_TBL_HousekeepingTlm_Payload, 632	CFE_SB_StatsTlm_Payload, 608
LastValCrc	MaxMsgldsAllowed
CFE_TBL_HousekeepingTlm_Payload, 633	CFE_SB_StatsTlm_Payload, 608
LastValStatus	MaxPRCount
CFE_TBL_HousekeepingTlm_Payload, 633	CFE_ES_SetMaxPRCountCmd_Payload, 530
LastValTableName	MaxPipeDepthAllowed
CFE_TBL_HousekeepingTlm_Payload, 633	CFE_SB_StatsTlm_Payload, 608
LeapSeconds	MaxPipesAllowed
CFE_TIME_HousekeepingTlm_Payload, 670	CFE SB StatsTlm Payload, 609
CFE TIME LeapsCmd Payload, 673	MaxProcessorResets
Length	CFE_ES_HousekeepingTlm_Payload, 506
CCSDS_PrimaryHeader, 482	MaxQueueDepth
_ •	CFE_SB_PipeDepthStats, 594
CFE_FS_Header, 580 LoadFilename	
	CFE_SB_PipeInfoEntry, 597
CFE_TBL_LoadCmd_Payload, 640	MaxSubscriptionsAllowed
LoadPending	CFE_SB_StatsTIm_Payload, 609
CFE_TBL_TblRegPacket_Payload, 650	MaxVolumes
LocalIntCounter	os_fsinfo_t, 693
CFE_TIME_DiagnosticTIm_Payload, 661	MemInUse
LocalTaskCounter	CFE_SB_HousekeepingTlm_Payload, 587
CFE_TIME_DiagnosticTlm_Payload, 661	CFE_SB_StatsTIm_Payload, 609
LogEnabled	MemPoolHandle
CFE_EVS_HousekeepingTlm_Payload, 560	CFE_SB_HousekeepingTlm_Payload, 587
LogFilename	CFE_TBL_HousekeepingTlm_Payload, 633
CFE_EVS_LogFileCmd_Payload, 564	Message
LogFullFlag	CFE_EVS_LongEventTlm_Payload, 566
CFE_EVS_HousekeepingTlm_Payload, 560	MessageFormatMode
LogMode	CFE_EVS_HousekeepingTlm_Payload, 561
CFE_EVS_HousekeepingTlm_Payload, 561	MessageSendCounter
CFE_EVS_SetLogMode_Payload, 572	CFE_EVS_HousekeepingTlm_Payload, 561
LogOverflowCounter	MessageTruncCounter
CFE_EVS_HousekeepingTlm_Payload, 561	CFE_EVS_HousekeepingTlm_Payload, 562
LongDouble	MicroSeconds
CFE_ES_PoolAlign, 522	CFE_TIME_TimeCmd_Payload, 684
CFE_SB_Msg, 591	MinElapsed
LongInt	CFE_TIME_DiagnosticTIm_Payload, 662
CFE_ES_PoolAlign, 522	Mode
CFE_SB_Msg, 591	CFE_ES_OverWriteSysLogCmd_Payload, 521
	Module
MainTaskId	OS_static_symbol_record_t, 705
CFE_ES_AppInfo, 486	Msg
MainTaskName	CFE_SB_Msg, 591
CFE ES Applnfo, 486	MsgCnt

CFE_SB_RoutingFileEntry, 602	CFE_TBL_HousekeepingTlm_Payload, 634
MsgFormat	NumUsers
CFE_EVS_SetEventFormatCode_Payload, 570	CFE_TBL_Info, 638
Msgld	NumValRequests
CFE_SB_MsgMapFileEntry, 593	CFE_TBL_HousekeepingTlm_Payload, 634
CFE_SB_RouteCmd_Payload, 601	
CFE_SB_RoutingFileEntry, 603	OS_API_Init
CFE_SB_SingleSubscriptionTlm_Payload, 605	OSAL Core Operation APIs, 360
CFE_SB_SubEntries, 613	OS_API_Teardown
MsgldsInUse	OSAL Core Operation APIs, 361
CFE_SB_StatsTlm_Payload, 609	OS_Application_Run
MsgLimitErrorCounter	OSAL Core Operation APIs, 361
CFE_SB_HousekeepingTlm_Payload, 588	OS_Application_Startup
MsgReceiveErrorCounter	OSAL Core Operation APIs, 361
CFE_SB_HousekeepingTlm_Payload, 588	OS_ApplicationExit
MsgSendErrorCounter	OSAL Core Operation APIs, 361
CFE_SB_HousekeepingTlm_Payload, 588	OS_ApplicationShutdown
	OSAL Core Operation APIs, 362
Name	OS_ArgCallback_t
CFE_ES_AppInfo, 486	common_types.h, 1165
CFE_ES_CDSRegDumpRec, 493	OS_BSP_GetArgC
CFE_TBL_TblRegPacket_Payload, 650	OSAL BSP low level access APIs, 347
OS_static_symbol_record_t, 705	OS_BSP_GetArgV
name	OSAL BSP low level access APIs, 347
OS_bin_sem_prop_t, 688	OS_BSP_GetResourceTypeConfig
OS_count_sem_prop_t, 689	OSAL BSP low level access APIs, 347
OS_module_prop_t, 699	OS_BSP_SetExitCode
OS_mut_sem_prop_t, 700	OSAL BSP low level access APIs, 347
OS_queue_prop_t, 701	OS_BSP_SetResourceTypeConfig
OS_socket_prop_t, 704	OSAL BSP low level access APIs, 347
OS_task_prop_t, 707	OS_BUFFER_MSG_DEPTH
OS_timebase_prop_t, 710	osconfig-example.h, 713
OS_timer_prop_t, 711	OS_BUFFER_SIZE
NoSubscribersCounter	osconfig-example.h, 713
CFE_SB_HousekeepingTlm_Payload, 588	OS_BUILD_BASELINE
nominal_interval_time	osapi-version.h, 1206
OS_timebase_prop_t, 710	OS_BUILD_NUMBER
NumBlocksRequested	osapi-version.h, 1207
CFE_ES_MemPoolStats, 515	OS_BinSemCreate
NumBytes	OSAL Binary Semaphore APIs, 341
CFE_TBL_File_Hdr, 626	OS_BinSemDelete
NumCreated	OSAL Binary Semaphore APIs, 342
CFE_ES_BlockStats, 492	OS_BinSemFlush
NumFree	OSAL Binary Semaphore APIs, 342
CFE_ES_BlockStats, 492	OS_BinSemGetIdByName
NumFreeBytes	OSAL Binary Semaphore APIs, 343
CFE_ES_MemPoolStats, 516	OS_BinSemGetInfo
NumFreeSharedBufs	OSAL Binary Semaphore APIs, 344
CFE_TBL_HousekeepingTlm_Payload, 634	OS_BinSemGive
NumLoadPending	OSAL Binary Semaphore APIs, 344
CFE_TBL_HousekeepingTlm_Payload, 634	OS_BinSemTake
NumOfChildTasks	OSAL Binary Semaphore APIs, 345
CFE_ES_AppInfo, 486	OS_BinSemTimedWait
NumTables	OSAL Binary Semaphore APIs, 345

OS_	CHECK	OS_	_ERR_NAME_TAKEN
	osapi-constants.h, 1175		OSAL Return Code Defines, 379
OS_	CHK_ONLY	OS	_ERR_NAME_TOO_LONG
	osapi-filesys.h, 1186		OSAL Return Code Defines, 379
os	CloseAllFiles	os	ERR NO FREE IDS
	OSAL Standard File APIs, 392		OSAL Return Code Defines, 379
	CloseFileByName	os	_ERR_NOT_IMPLEMENTED
	OSAL Standard File APIs, 392		OSAL Return Code Defines, 379
	ConvertToArrayIndex	os	ERR OBJECT IN USE
	OSAL Object ID Utility APIs, 417	_	OSAL Return Code Defines, 380
os	CountSemCreate	os	_ERR_OPERATION_NOT_SUPPORTED
	OSAL Counting Semaphore APIs, 364		OSAL Return Code Defines, 380
	CountSemDelete	os	ERR_OUTPUT_TOO_LARGE
	OSAL Counting Semaphore APIs, 365		OSAL Return Code Defines, 380
	CountSemGetIdByName	os	ERR_SEM_NOT_FULL
	OSAL Counting Semaphore APIs, 366	00_	OSAL Return Code Defines, 380
	CountSemGetInfo	os	ERR_STREAM_DISCONNECTED
	OSAL Counting Semaphore APIs, 366	00_	OSAL Return Code Defines, 380
	CountSemGive	os	ERROR_ADDRESS_MISALIGNED
	OSAL Counting Semaphore APIs, 367	00_	OSAL Return Code Defines, 381
	CountSemTake	os	ERROR_NAME_LENGTH
_	OSAL Counting Semaphore APIs, 367		osapi-error.h, 1180
	CountSemTimedWait	os	ERROR_TIMEOUT
	OSAL Counting Semaphore APIs, 369	-	OSAL Return Code Defines, 381
OS	DIRENTRY_NAME	os	ERROR
00_	osapi-dir.h, 1177		OSAL Return Code Defines, 381
OS	DeleteAllObjects	os	Event_t
00_	OSAL Core Operation APIs, 362		osapi-common.h, 1174
OS	DirectoryClose	OS	EventHandler_t
00_	OSAL Directory APIs, 370	00_	osapi-common.h, 1173
OS	DirectoryOpen	OS	FDGetInfo
00_	OSAL Directory APIs, 371		OSAL Standard File APIs, 393
OS	DirectoryRead	os	FILESTAT_EXEC
00_	OSAL Directory APIs, 371		osapi-file.h, 1183
OS	DirectoryRewind	OS	FILESTAT ISDIR
00_	OSAL Directory APIs, 372	00_	osapi-file.h, 1183
OS	ERR_BAD_ADDRESS	os	FILESTAT_MODE
00_	OSAL Return Code Defines, 377		osapi-file.h, 1183
OS	ERR_FILE	os	FILESTAT READ
	OSAL Return Code Defines, 377	00_	osapi-file.h, 1183
	ERR INCORRECT OBJ STATE	os	FILESTAT_SIZE
_	OSAL Return Code Defines, 377		osapi-file.h, 1183
	ERR_INCORRECT_OBJ_TYPE	OS	FILESTAT TIME
00_	OSAL Return Code Defines, 378		osapi-file.h, 1184
OS	ERR_INVALID_ARGUMENT	os	FILESTAT_WRITE
	OSAL Return Code Defines, 378		osapi-file.h, 1184
	ERR INVALID ID	os	FP ENABLED
_	OSAL Return Code Defines, 378		osapi-task.h, 1201
	ERR_INVALID_PRIORITY	OS	FS_DEV_NAME_LEN
	OSAL Return Code Defines, 378		osconfig-example.h, 714
	ERR_INVALID_SIZE	os	FS_ERR_DEVICE_NOT_FREE
	OSAL Return Code Defines, 378	J <b>J</b> _	OSAL Return Code Defines, 381
	ERR_NAME_NOT_FOUND	os	FS_ERR_DRIVE_NOT_CREATED
	OSAL Return Code Defines, 379		OSAL Return Code Defines, 381

OS_FS_ERR_NAME_TOO_LONG	OS_MAX_API_NAME
OSAL Return Code Defines, 382	osconfig-example.h, 714
OS FS ERR PATH INVALID	OS_MAX_BIN_SEMAPHORES
OSAL Return Code Defines, 382	osconfig-example.h, 714
OS FS ERR PATH TOO LONG	OS_MAX_CMD_LEN
OSAL Return Code Defines, 382	osconfig-example.h, 715
OS_FS_GetPhysDriveName	OS_MAX_CONSOLES
OSAL File System Level APIs, 405	osconfig-example.h, 715
OS FS PHYS NAME LEN	OS_MAX_COUNT_SEMAPHORES
osconfig-example.h, 714	osconfig-example.h, 715
OS_FS_VOL_NAME_LEN	OS_MAX_FILE_NAME
osconfig-example.h, 714	osconfig-example.h, 715
OS_FdSet, 690	OS_MAX_FILE_SYSTEMS
object_ids, 691	osconfig-example.h, 716
OS_FileOpenCheck	OS_MAX_LOCAL_PATH_LEN
OSAL Standard File APIs, 394	osapi-constants.h, 1175
OS FileSysAddFixedMap	OS_MAX_MODULES
OSAL File System Level APIs, 404	osconfig-example.h, 716
OS FileSysStatVolume	OS_MAX_MUTEXES
OSAL File System Level APIs, 405	osconfig-example.h, 716
OS_ForEachObject	OS_MAX_NUM_OPEN_DIRS
OSAL Object ID Utility APIs, 418	osconfig-example.h, 716
OS_ForEachObjectOfType	OS MAX NUM OPEN FILES
OSAL Object ID Utility APIs, 418	osconfig-example.h, 717
OS_GetBuildNumber	OS_MAX_PATH_LEN
osapi-version.h, 1209	osconfig-example.h, 717
OS_GetErrorName	OS_MAX_QUEUES
OSAL Error Info APIs, 386	osconfig-example.h, 717
OS_GetFsInfo	OS_MAX_SYM_LEN
OSAL File System Level APIs, 406	osconfig-example.h, 717
OS_GetLocalTime	OS_MAX_TASK_PRIORITY
OSAL Real Time Clock APIs, 348	osapi-task.h, 1201
OS_GetResourceName	OS_MAX_TASKS
OSAL Object ID Utility APIs, 419	osconfig-example.h, 718
OS_GetVersionCodeName	OS_MAX_TIMEBASES
osapi-version.h, 1209	osconfig-example.h, 718
OS_GetVersionNumber	OS_MAX_TIMERS
osapi-version.h, 1210	osconfig-example.h, 718
OS_GetVersionString	OS_MINOR_VERSION
osapi-version.h, 1210	osapi-version.h, 1207
OS_HeapGetInfo	OS_MISSION_REV
OSAL Heap APIs, 412	osapi-version.h, 1207
OS_INVALID_INT_NUM	OS_MODULE_FILE_EXTENSION
OSAL Return Code Defines, 382	osconfig-example.h, 719
OS_INVALID_POINTER	OS_MODULE_FLAG_GLOBAL_SYMBOLS
OSAL Return Code Defines, 382	osapi-module.h, 1192
OS_INVALID_SEM_VALUE	OS_MODULE_FLAG_LOCAL_SYMBOLS
OSAL Return Code Defines, 383	osapi-module.h, 1192
OS_IdentifyObject	OS_ModuleInfo
OSAL Object ID Utility APIs, 420	OSAL Dynamic Loader and Symbol APIs, 424
OS_ldleLoop	OS_ModuleLoad
OSAL Core Operation APIs, 362	OSAL Dynamic Loader and Symbol APIs, 425
OS_MAJOR_VERSION	OS_ModuleSymbolLookup
osapi-version.h, 1207	OSAL Dynamic Loader and Symbol APIs, 425

OS_ModuleUnload	OS_ObjectIdDefined
OSAL Dynamic Loader and Symbol APIs, 426	OSAL Object ID Utility APIs, 420
OS_MutSemCreate	OS_ObjectIdEqual
OSAL Mutex APIs, 429	OSAL Object ID Utility APIs, 421
OS_MutSemDelete	OS_ObjectIdFromInteger
OSAL Mutex APIs, 430	OSAL Object ID Utility APIs, 421
OS_MutSemGetIdByName	OS_ObjectIdToArrayIndex
OSAL Mutex APIs, 430	OSAL Object ID Utility APIs, 422
OS_MutSemGetInfo	OS_ObjectIdToInteger
OSAL Mutex APIs, 431	OSAL Object ID Utility APIs, 422
OS MutSemGive	OS_OpenCreate
OSAL Mutex APIs, 431	OSAL Standard File APIs, 396
OS_MutSemTake	OS PEND
OSAL Mutex APIs, 432	osapi-constants.h, 1176
OS NetworkGetHostName	OS_PRINTF_CONSOLE_NAME
OSAL Network ID APIs, 434	osconfig-example.h, 719
OS_NetworkGetID	OS PRINTF
OSAL Network ID APIs, 434	cfe_es.h, 830
OS OBJECT CREATOR ANY	common_types.h, 1163
osapi-constants.h, 1175	OS_QUEUE_EMPTY
OS OBJECT ID UNDEFINED	OSAL Return Code Defines, 383
osapi-constants.h, 1176	OS_QUEUE_FULL
OS_OBJECT_INDEX_MASK	OSAL Return Code Defines, 383
osapi-idmap.h, 1189	OS_QUEUE_ID_ERROR
OS_OBJECT_TYPE_OS_BINSEM	OSAL Return Code Defines, 383
OSAL Object Type Defines, 413	OS_QUEUE_INVALID_SIZE
OS_OBJECT_TYPE_OS_CONSOLE	OSAL Return Code Defines, 383
OSAL Object Type Defines, 413	OS_QUEUE_MAX_DEPTH
OS_OBJECT_TYPE_OS_COUNTSEM	osconfig-example.h, 719
OSAL Object Type Defines, 414	OS_QUEUE_TIMEOUT
OS_OBJECT_TYPE_OS_DIR	OSAL Return Code Defines, 384
OSAL Object Type Defines, 414	OS_QueueCreate
OS_OBJECT_TYPE_OS_FILESYS	OSAL Message Queue APIs, 438
OSAL Object Type Defines, 414	OS_QueueDelete
OS_OBJECT_TYPE_OS_MODULE	OSAL Message Queue APIs, 439
OSAL Object Type Defines, 414	OS_QueueGet
OS_OBJECT_TYPE_OS_MUTEX	OSAL Message Queue APIs, 440
OSAL Object Type Defines, 414	OS_QueueGetIdByName
OS_OBJECT_TYPE_OS_QUEUE	OSAL Message Queue APIs, 440
OSAL Object Type Defines, 415	OS_QueueGetInfo
OS_OBJECT_TYPE_OS_STREAM	OSAL Message Queue APIs, 441
OSAL Object Type Defines, 415	OS_QueuePut
OS_OBJECT_TYPE_OS_TASK	OSAL Message Queue APIs, 441
OSAL Object Type Defines, 415	OS_READ_ONLY
OS_OBJECT_TYPE_OS_TIMEBASE	OSAL File Access Option Defines, 388
OSAL Object Type Defines, 415	OS_READ_WRITE
OS_OBJECT_TYPE_OS_TIMECB	OSAL File Access Option Defines, 388
OSAL Object Type Defines, 415	OS_REPAIR
OS_OBJECT_TYPE_SHIFT	osapi-filesys.h, 1186
osapi-idmap.h, 1189	OS_REVISION
OS_OBJECT_TYPE_UNDEFINED	osapi-version.h, 1207
OSAL Object Type Defines, 416	OS_RegisterEventHandler
OS_OBJECT_TYPE_USER	OSAL Core Operation APIs, 363
OSAL Object Type Defines, 416	OS SEEK CUR

OCAL Pataronae Point For Sock Offset Datings 200	OCAL Cooket Address APIs 450
OSAL Reference Point For Seek Offset Defines, 389	OSAL Socket Address APIs, 450
OS_SEEK_END	OS_SocketAddrSetPort OSAL Socket Address APIs, 451
OSAL Reference Point For Seek Offset Defines, 389	
OS_SEEK_SET	OS_SocketAddrToString
OSAL Reference Point For Seek Offset Defines, 389	OSAL Socket Address APIs, 452
OS_SEM_EMPTY	OS_SocketBind
OSAL Semaphore State Defines, 340	OSAL Socket Management APIs, 455
OS_SEM_FAILURE	OS_SocketConnect
OSAL Return Code Defines, 384	OSAL Socket Management APIs, 456
OS_SEM_FULL	OS_SocketDomain_t
OSAL Semaphore State Defines, 340	osapi-sockets.h, 1199
OS_SEM_TIMEOUT	OS_SocketGetIdByName
OSAL Return Code Defines, 384	OSAL Socket Management APIs, 456
OS_SHELL_CMD_INPUT_FILE_NAME	OS_SocketGetInfo
osconfig-example.h, 719	OSAL Socket Management APIs, 457
OS_SOCKADDR_MAX_LEN	OS_SocketOpen
osapi-sockets.h, 1199	OSAL Socket Management APIs, 458
osconfig-example.h, 720	OS_SocketRecvFrom
OS_STR_HELPER	OSAL Socket Management APIs, 458
osapi-version.h, 1208	OS SocketSendTo
OS_STR	OSAL Socket Management APIs, 459
osapi-version.h, 1208	OS SocketShutdown
OS_SUCCESS	OSAL Socket Management APIs, 460
OSAL Return Code Defines, 384	OS_SocketShutdownMode_t
OS SelectFdAdd	osapi-sockets.h, 1199
OSAL Select APIs, 443	OS_SocketType_t
OS_SelectFdClear	osapi-sockets.h, 1200
OSAL Select APIs, 444	OS_StatusToInteger
OS_SelectFdlsSet	OSAL Error Info APIs, 386
OSAL Select APIs, 444	OS_StreamState_t
OS_SelectFdZero	osapi-select.h, 1196
OSAL Select APIs, 445	OS_SymbolLookup
OS_SelectMultiple	OSAL Dynamic Loader and Symbol APIs, 427
OSAL Select APIs, 445	OS_SymbolTableDump
OS_SelectSingle	OSAL Dynamic Loader and Symbol APIs, 427
OSAL Select APIs, 446	OS_TIMER_ERR_INTERNAL
OS_SetLocalTime	OSAL Return Code Defines, 384
OSAL Real Time Clock APIs, 349	OS_TIMER_ERR_INVALID_ARGS
OS_ShellOutputToFile	OSAL Return Code Defines, 385
OSAL Shell APIs, 448	OS_TIMER_ERR_TIMER_ID
OS_SockAddr_t, 701	OSAL Return Code Defines, 385
ActualLength, 702	OS_TIMER_ERR_UNAVAILABLE
AddrData, 702	OSAL Return Code Defines, 385
OS_SockAddrData_t, 702	OS_TaskCreate
AlignPtr, 703	OSAL Task APIs, 461
AlignU32, 703	OS_TaskDelay
Buffer, 703	OSAL Task APIs, 462
OS SocketAccept	OS_TaskDelete
OSAL Socket Management APIs, 453	OSAL Task APIs, 463
OS_SocketAddrFromString	OS_TaskExit
OSAL Socket Address APIs, 449	OSAL Task APIs, 463
OS_SocketAddrGetPort	OS_TaskFindIdBySystemData
OSAL Socket Address APIs, 450	OSAL Task APIs, 463
OS Socket Address APIs, 450	OSAL Task APIS, 463 OS TaskGetId
CO COUNCIACUIIII	OO IASKUEIIU

OSAL Task APIs, 464	OSAL Standard File APIs, 400
OS_TaskGetIdByName	OS TimerAdd
OSAL Task APIs, 464	OSAL Timer APIs, 474
OS_TaskGetInfo	OS_TimerCallback_t
OSAL Task APIs, 465	osapi-timer.h, 1205
OS TaskInstallDeleteHandler	OS TimerCreate
OSAL Task APIs, 466	OSAL Timer APIs, 476
OS_TaskSetPriority	OS_TimerDelete
OSAL Task APIs, 466	OSAL Timer APIs, 477
OS_TimeAdd	OS_TimerGetIdByName
OSAL Real Time Clock APIs, 350	OSAL Timer APIs, 478
OS TimeAssembleFromMicroseconds	OS_TimerGetInfo
OSAL Real Time Clock APIs, 350	OSAL Timer APIs, 479
OS TimeAssembleFromMilliseconds	OS_TimerSet
OSAL Real Time Clock APIs, 351	OSAL Timer APIs, 480
OS TimeAssembleFromNanoseconds	OS_TimerSync_t
OSAL Real Time Clock APIs, 351	osapi-timebase.h, 1204
OS_TimeAssembleFromSubseconds	OS TranslatePath
OSAL Real Time Clock APIs, 352	OSAL File System Level APIs, 410
OS TimeBaseCreate	OS USED
OSAL Time Base APIs, 468	common_types.h, 1163
OS_TimeBaseDelete	OS_UTILITYTASK_PRIORITY
OSAL Time Base APIs, 469	osconfig-example.h, 720
OS TimeBaseGetFreeRun	OS_UTILITYTASK_STACK_SIZE
OSAL Time Base APIs, 470	osconfig-example.h, 720
OS_TimeBaseGetIdByName	OS_VERSION_CODENAME
OSAL Time Base APIs, 471	osapi-version.h, 1208
OS_TimeBaseGetInfo	OS_VERSION_STRING
OSAL Time Base APIs, 471	osapi-version.h, 1208
OS_TimeBaseSet	OS_VERSION
OSAL Time Base APIs, 472	osapi-version.h, 1208
OS_TimeGetFractionalPart	OS_WRITE_ONLY
OSAL Real Time Clock APIs, 353	OSAL File Access Option Defines, 388
OS_TimeGetMicrosecondsPart	OS_bin_sem_prop_t, 688
OSAL Real Time Clock APIs, 353	creator, 688
OS_TimeGetMillisecondsPart	name, 688
OSAL Real Time Clock APIs, 354	value, 688
OS_TimeGetNanosecondsPart	OS_chkfs
OSAL Real Time Clock APIs, 355	OSAL File System Level APIs, 403
OS_TimeGetSubsecondsPart	OS_chmod
OSAL Real Time Clock APIs, 356	OSAL Standard File APIs, 390
OS_TimeGetTotalMicroseconds	OS_close
OSAL Real Time Clock APIs, 356	OSAL Standard File APIs, 391
OS_TimeGetTotalMilliseconds	OS_count_sem_prop_t, 689
OSAL Real Time Clock APIs, 357	creator, 689
OS_TimeGetTotalNanoseconds	name, 689
OSAL Real Time Clock APIs, 357	value, 689
OS_TimeGetTotalSeconds	OS_cp
OSAL Real Time Clock APIs, 358	OSAL Standard File APIs, 393
OS_TimeSubtract	OS_file_flag_t
OSAL Real Time Clock APIs, 359	osapi-file.h, 1185
OS_TimedRead	OS_file_prop_t, 691
OSAL Standard File APIs, 399	IsValid, 692
OS_TimedWrite	Path, 692

User, 692	OS_socket_prop_t, 704
OS_heap_prop_t, 695	creator, 704
free_blocks, 695	name, 704
free_bytes, 695	OS_stat
largest_free_block, 696	OSAL Standard File APIs, 399
OS_initfs	OS_static_symbol_record_t, 705
OSAL File System Level APIs, 407	Address, 705
OS_lseek	Module, 705
OSAL Standard File APIs, 394	Name, 705
OS_mkdir	OS_statvfs_t, 706
OSAL Directory APIs, 372	block_size, 706
OS mkfs	blocks_free, 706
OSAL File System Level APIs, 408	total_blocks, 706
OS_module_address_t, 696	OS_task_prop_t, 707
bss_address, 696	creator, 707
bss_size, 697	name, 707
code address, 697	priority, 708
code_size, 697	stack_size, 708
data address, 697	OS_time_t, 708
data_size, 697	ticks, 709
flags, 697	OS_timebase_prop_t, 709
valid, 698	accuracy, 709
OS_module_prop_t, 698	
	creator, 710
addr, 698	freerun_time, 710
entry_point, 699	name, 710
filename, 699	nominal_interval_time, 710
host_module_id, 699	OS_timer_prop_t, 710
name, 699	accuracy, 711
OS_mount	creator, 711
OSAL File System Level APIs, 408	interval_time, 711
OS_mut_sem_prop_t, 699	name, 711
creator, 700	start_time, 711
name, 700	OS_unmount
OS_mv	OSAL File System Level APIs, 410
OSAL Standard File APIs, 395	OS_write
OS_printf	OSAL Standard File APIs, 401
OSAL Printf APIs, 436	OSAL BSP low level access APIs, 347
OS_printf_disable	OS_BSP_GetArgC, 347
OSAL Printf APIs, 436	OS_BSP_GetArgV, 347
OS_printf_enable	OS_BSP_GetResourceTypeConfig, 347
OSAL Printf APIs, 437	OS_BSP_SetExitCode, 347
OS_queue_prop_t, 700	OS_BSP_SetResourceTypeConfig, 347
creator, 701	OSAL Binary Semaphore APIs, 341
name, 701	OS_BinSemCreate, 341
OS_read	OS_BinSemDelete, 342
OSAL Standard File APIs, 397	OS_BinSemFlush, 342
OS_remove	OS_BinSemGetIdByName, 343
OSAL Standard File APIs, 397	OS_BinSemGetInfo, 344
OS_rename	OS_BinSemGive, 344
OSAL Standard File APIs, 398	OS_BinSemTake, 345
OS_rmdir	OS_BinSemTimedWait, 345
OSAL Directory APIs, 373	OSAL Core Operation APIs, 360
OS_rmfs	OS_API_Init, 360
OSAL File System Level APIs, 409	OS_API_Teardown, 361

OS_Application_Run, 361	OS_QueueGetIdByName, 440
OS_Application_Startup, 361	OS_QueueGetInfo, 441
OS_ApplicationExit, 361	OS QueuePut, 441
OS_ApplicationShutdown, 362	OSAL Mutex APIs, 429
OS_DeleteAllObjects, 362	OS_MutSemCreate, 429
	OS MutSemDelete, 430
OS_IdleLoop, 362	
OS_RegisterEventHandler, 363	OS_MutSemGetIdByName, 430
OSAL Counting Semaphore APIs, 364	OS_MutSemGetInfo, 431
OS_CountSemCreate, 364	OS_MutSemGive, 431
OS_CountSemDelete, 365	OS_MutSemTake, 432
OS_CountSemGetIdByName, 366	OSAL Network ID APIs, 434
OS_CountSemGetInfo, 366	OS_NetworkGetHostName, 434
OS_CountSemGive, 367	OS_NetworkGetID, 434
OS_CountSemTake, 367	OSAL Object ID Utility APIs, 417
OS_CountSemTimedWait, 369	OS_ConvertToArrayIndex, 417
OSAL Directory APIs, 370	OS_ForEachObject, 418
OS_DirectoryClose, 370	OS_ForEachObjectOfType, 418
OS_DirectoryOpen, 371	OS_GetResourceName, 419
OS_DirectoryRead, 371	OS_IdentifyObject, 420
OS_DirectoryRewind, 372	OS_ObjectIdDefined, 420
OS_mkdir, 372	OS ObjectIdEqual, 421
OS_rmdir, 373	OS_ObjectIdFromInteger, 421
OSAL Dynamic Loader and Symbol APIs, 424	OS_ObjectIdToArrayIndex, 422
OS ModuleInfo, 424	OS ObjectIdToInteger, 422
OS_ModuleLoad, 425	OSAL Object Type Defines, 413
OS_ModuleSymbolLookup, 425	OS_OBJECT_TYPE_OS_BINSEM, 413
OS_ModuleUnload, 426	OS_OBJECT_TYPE_OS_CONSOLE, 413
OS_SymbolLookup, 427	OS_OBJECT_TYPE_OS_COUNTSEM, 414
OS_SymbolTableDump, 427	OS OBJECT TYPE OS DIR, 414
OSAL Error Info APIs, 386	OS_OBJECT_TYPE_OS_FILESYS, 414
OS_GetErrorName, 386	OS_OBJECT_TYPE_OS_MODULE, 414
OS_StatusToInteger, 386	OS_OBJECT_TYPE_OS_MUTEX, 414
OSAL File Access Option Defines, 388	OS_OBJECT_TYPE_OS_QUEUE, 415
·	
OS_READ_ONLY, 388	OS_OBJECT_TYPE_OS_STREAM, 415
OS_READ_WRITE, 388	OS_OBJECT_TYPE_OS_TASK, 415
OS_WRITE_ONLY, 388	OS_OBJECT_TYPE_OS_TIMEBASE, 415
OSAL File System Level APIs, 403	OS_OBJECT_TYPE_OS_TIMECB, 415
OS_FS_GetPhysDriveName, 405	OS_OBJECT_TYPE_UNDEFINED, 416
OS_FileSysAddFixedMap, 404	OS_OBJECT_TYPE_USER, 416
OS_FileSysStatVolume, 405	OSAL Printf APIs, 436
OS_GetFsInfo, 406	OS_printf, 436
OS_TranslatePath, 410	OS_printf_disable, 436
OS_chkfs, 403	OS_printf_enable, 437
OS_initfs, 407	OSAL Real Time Clock APIs, 348
OS_mkfs, 408	OS_GetLocalTime, 348
OS_mount, 408	OS_SetLocalTime, 349
OS_rmfs, 409	OS_TimeAdd, 350
OS_unmount, 410	OS_TimeAssembleFromMicroseconds, 350
OSAL Heap APIs, 412	OS_TimeAssembleFromMilliseconds, 351
OS_HeapGetInfo, 412	OS_TimeAssembleFromNanoseconds, 351
OSAL Message Queue APIs, 438	OS_TimeAssembleFromSubseconds, 352
OS_QueueCreate, 438	OS_TimeGetFractionalPart, 353
OS_QueueDelete, 439	OS_TimeGetMicrosecondsPart, 353
OS_QueueGet, 440	OS_TimeGetMillisecondsPart, 354

OS_TimeGetNanosecondsPart, 355	OS_SelectFdAdd, 443
OS_TimeGetSubsecondsPart, 356	OS SelectFdClear, 444
OS TimeGetTotalMicroseconds, 356	OS SelectFdIsSet, 444
OS_TimeGetTotalMilliseconds, 357	OS_SelectFdZero, 445
OS_TimeGetTotalNanoseconds, 357	OS_SelectMultiple, 445
OS TimeGetTotalSeconds, 358	OS_SelectSingle, 446
OS_TimeSubtract, 359	OSAL Semaphore State Defines, 340
OSAL Reference Point For Seek Offset Defines, 389	OS_SEM_EMPTY, 340
OS_SEEK_CUR, 389	OS_SEM_FULL, 340
OS_SEEK_END, 389	OSAL Shell APIs, 448
OS SEEK SET, 389	OS ShellOutputToFile, 448
OSAL Return Code Defines, 375	OSAL Socket Address APIs, 449
OS_ERR_BAD_ADDRESS, 377	OS_SocketAddrFromString, 449
OS_ERR_FILE, 377	OS_SocketAddrGetPort, 450
OS_ERR_INCORRECT_OBJ_STATE, 377	OS_SocketAddrInit, 450
OS_ERR_INCORRECT_OBJ_TYPE, 378	OS_SocketAddrSetPort, 451
OS_ERR_INVALID_ARGUMENT, 378	OS_SocketAddrToString, 452
OS_ERR_INVALID_ID, 378	OSAL Socket Management APIs, 453
OS_ERR_INVALID_PRIORITY, 378	OS_SocketAccept, 453
OS_ERR_INVALID_SIZE, 378	OS SocketBind, 455
OS ERR NAME NOT FOUND, 379	OS_SocketConnect, 456
OS ERR NAME TAKEN, 379	OS_SocketGetIdByName, 456
OS_ERR_NAME_TAKEN, 379 OS_ERR_NAME_TOO_LONG, 379	OS_SocketGetInfo, 457
OS_ERR_NO_FREE_IDS, 379	OS_SocketOpen, 458
OS_ERR_NOT_IMPLEMENTED, 379	OS_SocketRecvFrom, 458
OS_ERR_OBJECT_IN_USE, 380	OS_SocketSendTo, 459
OS_ERR_OPERATION_NOT_SUPPORTED, 380	OS_SocketShutdown, 460
OS_ERR_OUTPUT_TOO_LARGE, 380	OSAL Standard File APIs, 390
OS_ERR_SEM_NOT_FULL, 380	OS_CloseAllFiles, 392
OS_ERR_STREAM_DISCONNECTED, 380	OS_CloseFileByName, 392
OS_ERROR_ADDRESS_MISALIGNED, 381	OS_FDGetInfo, 393
OS_ERROR_TIMEOUT, 381	OS_FileOpenCheck, 394
OS_ERROR, 381	OS_OpenCreate, 396
OS_FS_ERR_DEVICE_NOT_FREE, 381	OS_TimedRead, 399
OS_FS_ERR_DRIVE_NOT_CREATED, 381	OS_TimedWrite, 400
OS_FS_ERR_NAME_TOO_LONG, 382	OS_chmod, 390
OS_FS_ERR_PATH_INVALID, 382	OS_close, 391
OS_FS_ERR_PATH_TOO_LONG, 382	OS_cp, 393
OS_INVALID_INT_NUM, 382	OS_lseek, 394
OS_INVALID_POINTER, 382	OS_mv, 395
OS_INVALID_SEM_VALUE, 383	OS_read, 397
OS_QUEUE_EMPTY, 383	OS_remove, 397
OS_QUEUE_FULL, 383	OS_rename, 398
OS_QUEUE_ID_ERROR, 383	OS_stat, 399
OS_QUEUE_INVALID_SIZE, 383	OS_write, 401
OS_QUEUE_TIMEOUT, 384	OSAL Task APIs, 461
OS_SEM_FAILURE, 384	OS_TaskCreate, 461
OS_SEM_TIMEOUT, 384	OS_TaskDelay, 462
OS_SUCCESS, 384	OS_TaskDelete, 463
OS_TIMER_ERR_INTERNAL, 384	OS_TaskExit, 463
OS_TIMER_ERR_INVALID_ARGS, 385	OS_TaskFindIdBySystemData, 463
OS_TIMER_ERR_TIMER_ID, 385	OS_TaskGetId, 464
OS_TIMER_ERR_UNAVAILABLE, 385	OS_TaskGetIdByName, 464
OSAL Select APIs, 443	OS_TaskGetInfo, 465

OS_TaskInstallDeleteHandler, 466	OneHzDirection
OS_TaskSetPriority, 466	CFE_TIME_DiagnosticTlm_Payload, 662
OSAL Time Base APIs, 468	OneTimeAdjust
OS_TimeBaseCreate, 468	CFE_TIME_DiagnosticTIm_Payload, 663
OS_TimeBaseDelete, 469	OneTimeDirection
OS_TimeBaseGetFreeRun, 470	CFE_TIME_DiagnosticTIm_Payload, 663
OS_TimeBaseGetIdByName, 471	Opts
OS_TimeBaseGetInfo, 471	CFE_SB_PipeInfoEntry, 597
OS_TimeBaseSet, 472	os_dirent_t, 690
OSAL Timer APIs, 474	FileName, 690
OS_TimerAdd, 474	os_err_name_t
OS_TimerCreate, 476	osapi-error.h, 1180
OS_TimerDelete, 477	os_fsinfo_t, 692
OS_TimerGetIdByName, 478	FreeFds, 693
OS_TimerGetInfo, 479	FreeVolumes, 693
OS_TimerSet, 480	MaxFds, 693
OSAL_API_VERSION	MaxVolumes, 693
osapi-version.h, 1209	os_fstat_t, 694
OSAL_BLOCKCOUNT_C	FileModeBits, 694
common_types.h, 1163	FileSize, 694
OSAL_INDEX_C	FileTime, 694
common types.h, 1163	osal/src/os/inc/common types.h, 1161
OSAL OBJTYPE C	osal/src/os/inc/osapi-binsem.h, 1169
common_types.h, 1163	osal/src/os/inc/osapi-bsp.h, 1170
OSAL PRIORITY C	osal/src/os/inc/osapi-clock.h, 1171
osapi-task.h, 1202	osal/src/os/inc/osapi-common.h, 1172
OSAL SIZE C	osal/src/os/inc/osapi-constants.h, 1175
common_types.h, 1164	osal/src/os/inc/osapi-countsem.h, 1176
OSAL STACKPTR C	osal/src/os/inc/osapi-dir.h, 1177
osapi-task.h, 1202	osal/src/os/inc/osapi-error.h, 1178
OSAL STATUS C	osal/src/os/inc/osapi-file.h, 1181
common_types.h, 1164	osal/src/os/inc/osapi-filesys.h, 1185
OSAL_TASK_STACK_ALLOCATE	osal/src/os/inc/osapi-heap.h, 1187
osapi-task.h, 1202	osal/src/os/inc/osapi-idmap.h, 1187
OSALMajorVersion	osal/src/os/inc/osapi-narros.h, 1189
CFE ES HousekeepingTlm Payload, 506	osal/src/os/inc/osapi-macros.n, 1191
OSAI MinorVersion	osal/src/os/inc/osapi-module.n, 1193
	·
CFE_ES_HousekeepingTlm_Payload, 506 OSALMissionRevision	osal/src/os/inc/osapi-network.h, 1194 osal/src/os/inc/osapi-printf.h, 1194
	• •
CFE_ES_HousekeepingTlm_Payload, 506	osal/src/os/inc/osapi-queue.h, 1195
OSALRevision	osal/src/os/inc/osapi-select.h, 1195
CFE_ES_HousekeepingTlm_Payload, 507	osal/src/os/inc/osapi-shell.h, 1197
object_ids	osal/src/os/inc/osapi-sockets.h, 1197
OS_FdSet, 691	osal/src/os/inc/osapi-task.h, 1200
ObjectName	osal/src/os/inc/osapi-timebase.h, 1203
CFE_TBL_FileDef, 627	osal/src/os/inc/osapi-timer.h, 1204
ObjectSize	osal/src/os/inc/osapi-version.h, 1205
CFE_TBL_FileDef, 627	osal/src/os/inc/osapi.h, 1211
Offset	osal_blockcount_t
CFE_TBL_File_Hdr, 626	common_types.h, 1166
OnEvent	osal_id_t
CFE_FS_FileWriteMetaData, 578	common_types.h, 1166
OneHzAdjust	osal_index_t
CFE_TIME_DiagnosticTlm_Payload, 662	common_types.h, 1166

osal_objtype_t	osapi-task.h
common_types.h, 1166	OS_FP_ENABLED, 1201
osal_priority_t	OS_MAX_TASK_PRIORITY, 1201
osapi-task.h, 1202	OSAL_PRIORITY_C, 1202
osal_stackptr_t	OSAL_STACKPTR_C, 1202
osapi-task.h, 1202	OSAL_TASK_STACK_ALLOCATE, 1202
osal_status_t	osal_priority_t, 1202
common_types.h, 1167	osal_stackptr_t, 1202
osal_task	osal task, 1203
osapi-task.h, 1203	osapi-timebase.h
osapi-common.h	OS_TimerSync_t, 1204
OS Event t, 1174	osapi-timer.h
OS_EventHandler_t, 1173	OS_TimerCallback_t, 1205
osapi-constants.h	osapi-version.h
OS_CHECK, 1175	OS_BUILD_BASELINE, 1206
OS_MAX_LOCAL_PATH_LEN, 1175	OS_BUILD_NUMBER, 1207
OS_OBJECT_CREATOR_ANY, 1175	OS_GetBuildNumber, 1209
OS_OBJECT_ID_UNDEFINED, 1176	OS_GetVersionCodeName, 1209
OS PEND, 1176	OS_GetVersionNumber, 1210
osapi-dir.h	OS GetVersionString, 1210
OS_DIRENTRY_NAME, 1177	OS_MAJOR_VERSION, 1207
osapi-error.h	OS_MINOR_VERSION, 1207
OS ERROR NAME LENGTH, 1180	OS_MISSION_REV, 1207
os err name t, 1180	OS REVISION, 1207
:	OS_STR_HELPER, 1208
osapi-file.h	
OS_FILESTAT_EXEC, 1183	OS_STR, 1208
OS_FILESTAT_ISDIR, 1183	OS_VERSION_CODENAME, 1208
OS_FILESTAT_MODE, 1183	OS_VERSION_STRING, 1208
OS_FILESTAT_READ, 1183	OS_VERSION, 1208
OS_FILESTAT_SIZE, 1183	OSAL_API_VERSION, 1209
OS_FILESTAT_TIME, 1184	osconfig-example.h
OS_FILESTAT_WRITE, 1184	OS_BUFFER_MSG_DEPTH, 713
OS_file_flag_t, 1185	OS_BUFFER_SIZE, 713
osapi-filesys.h	OS_FS_DEV_NAME_LEN, 714
OS_CHK_ONLY, 1186	OS_FS_PHYS_NAME_LEN, 714
OS_REPAIR, 1186	OS_FS_VOL_NAME_LEN, 714
osapi-idmap.h	OS_MAX_API_NAME, 714
OS_OBJECT_INDEX_MASK, 1189	OS_MAX_BIN_SEMAPHORES, 714
OS_OBJECT_TYPE_SHIFT, 1189	OS_MAX_CMD_LEN, 715
osapi-macros.h	OS_MAX_CONSOLES, 715
ARGCHECK, 1190	OS_MAX_COUNT_SEMAPHORES, 715
BUGCHECK, 1190	OS_MAX_FILE_NAME, 715
BUGREPORT, 1191	OS_MAX_FILE_SYSTEMS, 716
LENGTHCHECK, 1191	OS_MAX_MODULES, 716
osapi-module.h	OS_MAX_MUTEXES, 716
OS_MODULE_FLAG_GLOBAL_SYMBOLS, 1192	OS_MAX_NUM_OPEN_DIRS, 716
OS_MODULE_FLAG_LOCAL_SYMBOLS, 1192	OS_MAX_NUM_OPEN_FILES, 717
osapi-select.h	OS_MAX_PATH_LEN, 717
OS_StreamState_t, 1196	OS_MAX_QUEUES, 717
osapi-sockets.h	OS_MAX_SYM_LEN, 717
OS_SOCKADDR_MAX_LEN, 1199	OS_MAX_TASKS, 718
OS_SocketDomain_t, 1199	OS_MAX_TIMEBASES, 718
OS_SocketShutdownMode_t, 1199	OS_MAX_TIMERS, 718
OS_SocketType_t, 1200	OS_MODULE_FILE_EXTENSION, 719

OS_PRINTF_CONSOLE_NAME, 719	CFE_EVS_SetLogModeCmd, 573
OS_QUEUE_MAX_DEPTH, 719	CFE_EVS_ShortEventTlm, 573
OS_SHELL_CMD_INPUT_FILE_NAME, 719	CFE_EVS_WriteAppDataFileCmd, 575
OS_SOCKADDR_MAX_LEN, 720	CFE_EVS_WriteLogDataFileCmd, 576
OS_UTILITYTASK_PRIORITY, 720	CFE_SB_AllSubscriptionsTlm, 582
OS_UTILITYTASK_STACK_SIZE, 720	CFE SB HousekeepingTlm, 584
OutputPort	CFE_SB_RouteCmd, 600
CFE_EVS_HousekeepingTlm_Payload, 562	CFE_SB_SingleSubscriptionTlm, 604
OwnerAppName	CFE_SB_StatsTIm, 606
CFE_TBL_TblRegPacket_Payload, 650	CFE_SB_WriteFileInfoCmd, 614
or =_rb=_rbn togr dottot_r dylodd, ooo	CFE TBL AbortLoadCmd, 616
PSPMajorVersion	CFE TBL ActivateCmd, 618
CFE_ES_HousekeepingTlm_Payload, 509	CFE_TBL_DeleteCDSCmd, 621
PSPMinorVersion	CFE_TBL_DumpCmd, 622
CFE_ES_HousekeepingTlm_Payload, 510	CFE_TBL_DumpRegistryCmd, 624
PSPMissionRevision	CFE_TBL_HousekeepingTlm, 629
CFE_ES_HousekeepingTlm_Payload, 510	CFE TBL LoadCmd, 639
PSPRevision	CFE_TBL_NotifyCmd, 642
CFE_ES_HousekeepingTlm_Payload, 510	CFE_TBL_SendRegistryCmd, 644
PacketID	CFE_TBL_TableRegistryTlm, 646
CFE EVS LongEventTlm Payload, 566	
•	CFE_TBL_ValidateCmd, 652 CFE_TIME_DiagnosticTlm, 654
CFE_EVS_ShortEventTIm_Payload, 574	
Padding	CFE_TIME_HousekeepingTlm, 668
CFE_EVS_AppTImData, 554	CFE_TIME_OneHzAdjustmentCmd, 674
Parameter Deviced Paylord C40	CFE_TIME_SetLeapSecondsCmd, 676
CFE_TBL_NotifyCmd_Payload, 643	CFE_TIME_SetSignalCmd, 677
Path	CFE_TIME_SetSourceCmd, 678
OS_file_prop_t, 692	CFE_TIME_SetStateCmd, 679
Payload	CFE_TIME_TimeCmd, 684
CFE_ES_AppNameCmd, 489	CFE_TIME_ToneDataCmd, 686
CFE_ES_DeleteCDSCmd, 495	PeakMemInUse
CFE_ES_DumpCDSRegistryCmd, 497	CFE_SB_StatsTlm_Payload, 610
CFE_ES_FileNameCmd, 498	PeakMsgldsInUse
CFE_ES_HousekeepingTlm, 500	CFE_SB_StatsTlm_Payload, 610
CFE_ES_MemStatsTlm, 517	PeakPipesInUse
CFE_ES_OneAppTlm, 519	CFE_SB_StatsTlm_Payload, 610
CFE_ES_OverWriteSysLogCmd, 520	PeakQueueDepth
CFE_ES_ReloadAppCmd, 524	CFE_SB_PipeDepthStats, 594
CFE_ES_RestartCmd, 525	CFE_SB_PipeInfoEntry, 597
CFE_ES_SendMemPoolStatsCmd, 527	PeakSBBuffersInUse
CFE_ES_SetMaxPRCountCmd, 529	CFE_SB_StatsTlm_Payload, 610
CFE_ES_SetPerfFilterMaskCmd, 531	PeakSubscriptionsInUse
CFE_ES_SetPerfTriggerMaskCmd, 533	CFE_SB_StatsTlm_Payload, 611
CFE_ES_StartApp, 535	PerfDataCount
CFE_ES_StartPerfDataCmd, 539	CFE_ES_HousekeepingTlm_Payload, 507
CFE_ES_StopPerfDataCmd, 541	PerfDataEnd
CFE_EVS_AppNameBitMaskCmd, 545	CFE_ES_HousekeepingTlm_Payload, 507
CFE_EVS_AppNameCmd, 547	PerfDataStart
CFE_EVS_AppNameEventIDCmd, 549	CFE_ES_HousekeepingTlm_Payload, 507
CFE_EVS_AppNameEventIDMaskCmd, 551	PerfDataToWrite
CFE_EVS_BitMaskCmd, 556	CFE_ES_HousekeepingTlm_Payload, 508
CFE_EVS_HousekeepingTlm, 558	PerfFilterMask
CFE_EVS_LongEventTlm, 565	CFE_ES_HousekeepingTlm_Payload, 508
CFE EVS SetEventFormatModeCmd, 571	PerfMode

CFE_ES_HousekeepingTlm_Payload, 508	RegisteredCoreApps
PerfState  CFE ES HousekeepingTlm Payload, 508	CFE_ES_HousekeepingTlm_Payload, 510
PerfTriggerCount	RegisteredExternalApps  CFE_ES_HousekeepingTlm_Payload, 511
CFE ES HousekeepingTlm Payload, 509	RegisteredLibs
PerfTriggerMask	CFE_ES_HousekeepingTlm_Payload, 511
CFE_ES_HousekeepingTlm_Payload, 509	RegisteredTasks
Pipe	CFE_ES_HousekeepingTlm_Payload, 511
. CFE_SB_RouteCmd_Payload, 601	Reliability
CFE_SB_SingleSubscriptionTlm_Payload, 605	CFE_SB_Qos_t, 599
CFE_SB_SubEntries, 613	Reserved
PipeDepthStats	CFE_TBL_File_Hdr, 626
CFE_SB_StatsTIm_Payload, 611	ResetSubtype
Pipeld	CFE_ES_HousekeepingTlm_Payload, 511
CFE_SB_PipeDepthStats, 595	ResetType
CFE_SB_PipeInfoEntry, 597	CFE_ES_HousekeepingTlm_Payload, 512
CFE_SB_RoutingFileEntry, 603	Resourceld
PipeName	CFE_ES_AppInfo, 487
CFE_SB_PipeInfoEntry, 597	RestartType
CFE_SB_RoutingFileEntry, 603	CFE_ES_RestartCmd_Payload, 526
PipeOptsErrorCounter	
CFE_SB_HousekeepingTlm_Payload, 589	SBBuffersInUse
PipeOverflowErrorCounter	CFE_SB_StatsTlm_Payload, 611
CFE_SB_HousekeepingTlm_Payload, 589	SIZE BYTE
PipesInUse	cfe_psp.h, 1223
CFE_SB_StatsTlm_Payload, 611	SIZE HALF
PktSegment  CEE_SP_AllSubscriptionsTlm_Pouloid_593	cfe_psp.h, 1223
CFE_SB_AllSubscriptionsTlm_Payload, 583	
PoolHandle	SIZE WORD
PoolHandle CEE ES PoolStateTim Payload 523	SIZE_WORD cfe psp.h, 1223
CFE_ES_PoolStatsTIm_Payload, 523	cfe_psp.h, 1223
CFE_ES_PoolStatsTlm_Payload, 523 CFE_ES_SendMemPoolStatsCmd_Payload, 528	cfe_psp.h, 1223 sample_mission_cfg.h, 786
CFE_ES_PoolStatsTlm_Payload, 523 CFE_ES_SendMemPoolStatsCmd_Payload, 528 PoolSize	cfe_psp.h, 1223
CFE_ES_PoolStatsTlm_Payload, 523 CFE_ES_SendMemPoolStatsCmd_Payload, 528 PoolSize CFE_ES_MemPoolStats, 516	cfe_psp.h, 1223 sample_mission_cfg.h, 786 CFE_MISSION_ES_APP_TLM_MSG, 788
CFE_ES_PoolStatsTIm_Payload, 523 CFE_ES_SendMemPoolStatsCmd_Payload, 528 PoolSize CFE_ES_MemPoolStats, 516 PoolStats	cfe_psp.h, 1223 sample_mission_cfg.h, 786 CFE_MISSION_ES_APP_TLM_MSG, 788 CFE_MISSION_ES_CDS_MAX_FULL_NAME_LEN
CFE_ES_PoolStatsTIm_Payload, 523 CFE_ES_SendMemPoolStatsCmd_Payload, 528 PoolSize CFE_ES_MemPoolStats, 516 PoolStats CFE_ES_PoolStatsTIm_Payload, 523	cfe_psp.h, 1223 sample_mission_cfg.h, 786 CFE_MISSION_ES_APP_TLM_MSG, 788 CFE_MISSION_ES_CDS_MAX_FULL_NAME_LEN 788
CFE_ES_PoolStatsTIm_Payload, 523 CFE_ES_SendMemPoolStatsCmd_Payload, 528 PoolSize CFE_ES_MemPoolStats, 516 PoolStats CFE_ES_PoolStatsTIm_Payload, 523 Priority	cfe_psp.h, 1223 sample_mission_cfg.h, 786 CFE_MISSION_ES_APP_TLM_MSG, 788 CFE_MISSION_ES_CDS_MAX_FULL_NAME_LEN 788 CFE_MISSION_ES_CDS_MAX_NAME_LENGTH,
CFE_ES_PoolStatsTIm_Payload, 523 CFE_ES_SendMemPoolStatsCmd_Payload, 528 PoolSize CFE_ES_MemPoolStats, 516 PoolStats CFE_ES_PoolStatsTIm_Payload, 523 Priority CFE_ES_AppInfo, 487	cfe_psp.h, 1223 sample_mission_cfg.h, 786 CFE_MISSION_ES_APP_TLM_MSG, 788 CFE_MISSION_ES_CDS_MAX_FULL_NAME_LEN 788 CFE_MISSION_ES_CDS_MAX_NAME_LENGTH, 789 CFE_MISSION_ES_CMD_MSG, 789 CFE_MISSION_ES_CRC_16, 790
CFE_ES_PoolStatsTIm_Payload, 523 CFE_ES_SendMemPoolStatsCmd_Payload, 528 PoolSize CFE_ES_MemPoolStats, 516 PoolStats CFE_ES_PoolStatsTIm_Payload, 523 Priority CFE_ES_AppInfo, 487 CFE_ES_StartAppCmd_Payload, 537	cfe_psp.h, 1223 sample_mission_cfg.h, 786 CFE_MISSION_ES_APP_TLM_MSG, 788 CFE_MISSION_ES_CDS_MAX_FULL_NAME_LEN 788 CFE_MISSION_ES_CDS_MAX_NAME_LENGTH, 789 CFE_MISSION_ES_CMD_MSG, 789 CFE_MISSION_ES_CRC_16, 790 CFE_MISSION_ES_CRC_32, 790
CFE_ES_PoolStatsTIm_Payload, 523 CFE_ES_SendMemPoolStatsCmd_Payload, 528 PoolSize CFE_ES_MemPoolStats, 516 PoolStats CFE_ES_PoolStatsTIm_Payload, 523 Priority CFE_ES_AppInfo, 487	cfe_psp.h, 1223 sample_mission_cfg.h, 786 CFE_MISSION_ES_APP_TLM_MSG, 788 CFE_MISSION_ES_CDS_MAX_FULL_NAME_LEN 788 CFE_MISSION_ES_CDS_MAX_NAME_LENGTH, 789 CFE_MISSION_ES_CMD_MSG, 789 CFE_MISSION_ES_CRC_16, 790
CFE_ES_PoolStatsTIm_Payload, 523 CFE_ES_SendMemPoolStatsCmd_Payload, 528 PoolSize CFE_ES_MemPoolStats, 516 PoolStats CFE_ES_PoolStatsTIm_Payload, 523 Priority CFE_ES_AppInfo, 487 CFE_ES_StartAppCmd_Payload, 537 CFE_ES_TaskInfo, 542	cfe_psp.h, 1223 sample_mission_cfg.h, 786 CFE_MISSION_ES_APP_TLM_MSG, 788 CFE_MISSION_ES_CDS_MAX_FULL_NAME_LEN 788 CFE_MISSION_ES_CDS_MAX_NAME_LENGTH, 789 CFE_MISSION_ES_CMD_MSG, 789 CFE_MISSION_ES_CRC_16, 790 CFE_MISSION_ES_CRC_32, 790 CFE_MISSION_ES_CRC_8, 790 CFE_MISSION_ES_CRC_8, 790 CFE_MISSION_ES_DEFAULT_CRC, 790
CFE_ES_PoolStatsTIm_Payload, 523 CFE_ES_SendMemPoolStatsCmd_Payload, 528 PoolSize CFE_ES_MemPoolStats, 516 PoolStats CFE_ES_PoolStatsTIm_Payload, 523 Priority CFE_ES_AppInfo, 487 CFE_ES_AppInfo, 487 CFE_ES_StartAppCmd_Payload, 537 CFE_ES_TaskInfo, 542 CFE_SB_Qos_t, 599	cfe_psp.h, 1223 sample_mission_cfg.h, 786 CFE_MISSION_ES_APP_TLM_MSG, 788 CFE_MISSION_ES_CDS_MAX_FULL_NAME_LEN 788 CFE_MISSION_ES_CDS_MAX_NAME_LENGTH, 789 CFE_MISSION_ES_CMD_MSG, 789 CFE_MISSION_ES_CRC_16, 790 CFE_MISSION_ES_CRC_32, 790 CFE_MISSION_ES_CRC_8, 790 CFE_MISSION_ES_CRC_8, 790 CFE_MISSION_ES_DEFAULT_CRC, 790 CFE_MISSION_ES_DEFAULT_CRC, 790 CFE_MISSION_ES_HK_TLM_MSG, 790
CFE_ES_PoolStatsTIm_Payload, 523 CFE_ES_SendMemPoolStatsCmd_Payload, 528 PoolSize CFE_ES_MemPoolStats, 516 PoolStats CFE_ES_PoolStatsTIm_Payload, 523 Priority CFE_ES_AppInfo, 487 CFE_ES_AppInfo, 487 CFE_ES_StartAppCmd_Payload, 537 CFE_ES_TaskInfo, 542 CFE_SB_Qos_t, 599 priority	cfe_psp.h, 1223 sample_mission_cfg.h, 786 CFE_MISSION_ES_APP_TLM_MSG, 788 CFE_MISSION_ES_CDS_MAX_FULL_NAME_LEN 788 CFE_MISSION_ES_CDS_MAX_NAME_LENGTH, 789 CFE_MISSION_ES_CMD_MSG, 789 CFE_MISSION_ES_CRC_16, 790 CFE_MISSION_ES_CRC_32, 790 CFE_MISSION_ES_CRC_8, 790 CFE_MISSION_ES_CRC_8, 790 CFE_MISSION_ES_DEFAULT_CRC, 790 CFE_MISSION_ES_HK_TLM_MSG, 790 CFE_MISSION_ES_MAX_APPLICATIONS, 791
CFE_ES_PoolStatsTIm_Payload, 523 CFE_ES_SendMemPoolStatsCmd_Payload, 528 PoolSize CFE_ES_MemPoolStats, 516 PoolStats CFE_ES_PoolStatsTIm_Payload, 523 Priority CFE_ES_AppInfo, 487 CFE_ES_AppInfo, 487 CFE_ES_StartAppCmd_Payload, 537 CFE_ES_TaskInfo, 542 CFE_SB_Qos_t, 599 priority OS_task_prop_t, 708	cfe_psp.h, 1223 sample_mission_cfg.h, 786 CFE_MISSION_ES_APP_TLM_MSG, 788 CFE_MISSION_ES_CDS_MAX_FULL_NAME_LEN 788 CFE_MISSION_ES_CDS_MAX_NAME_LENGTH, 789 CFE_MISSION_ES_CMD_MSG, 789 CFE_MISSION_ES_CRC_16, 790 CFE_MISSION_ES_CRC_32, 790 CFE_MISSION_ES_CRC_32, 790 CFE_MISSION_ES_CRC_8, 790 CFE_MISSION_ES_CRC_8, 790 CFE_MISSION_ES_DEFAULT_CRC, 790 CFE_MISSION_ES_HK_TLM_MSG, 790 CFE_MISSION_ES_MAX_APPLICATIONS, 791 CFE_MISSION_ES_MEMSTATS_TLM_MSG, 791
CFE_ES_PoolStatsTIm_Payload, 523 CFE_ES_SendMemPoolStatsCmd_Payload, 528 PoolSize CFE_ES_MemPoolStats, 516 PoolStats CFE_ES_PoolStatsTIm_Payload, 523 Priority CFE_ES_AppInfo, 487 CFE_ES_AppInfo, 487 CFE_ES_StartAppCmd_Payload, 537 CFE_ES_TaskInfo, 542 CFE_SB_Qos_t, 599 priority OS_task_prop_t, 708 ProcessorID	cfe_psp.h, 1223 sample_mission_cfg.h, 786 CFE_MISSION_ES_APP_TLM_MSG, 788 CFE_MISSION_ES_CDS_MAX_FULL_NAME_LEN 788 CFE_MISSION_ES_CDS_MAX_NAME_LENGTH, 789 CFE_MISSION_ES_CMD_MSG, 789 CFE_MISSION_ES_CRC_16, 790 CFE_MISSION_ES_CRC_32, 790 CFE_MISSION_ES_CRC_8, 790 CFE_MISSION_ES_CRC_8, 790 CFE_MISSION_ES_DEFAULT_CRC, 790 CFE_MISSION_ES_DEFAULT_CRC, 790 CFE_MISSION_ES_HK_TLM_MSG, 790 CFE_MISSION_ES_MAX_APPLICATIONS, 791 CFE_MISSION_ES_MEMSTATS_TLM_MSG, 791 CFE_MISSION_ES_PERF_MAX_IDS, 791
CFE_ES_PoolStatsTIm_Payload, 523 CFE_ES_SendMemPoolStatsCmd_Payload, 528  PoolSize CFE_ES_MemPoolStats, 516  PoolStats CFE_ES_PoolStatsTIm_Payload, 523  Priority CFE_ES_AppInfo, 487 CFE_ES_StartAppCmd_Payload, 537 CFE_ES_TaskInfo, 542 CFE_SB_Qos_t, 599  priority OS_task_prop_t, 708  ProcessorID CFE_EVS_PacketID, 568 CFE_FS_Header, 580  ProcessorResets	cfe_psp.h, 1223 sample_mission_cfg.h, 786 CFE_MISSION_ES_APP_TLM_MSG, 788 CFE_MISSION_ES_CDS_MAX_FULL_NAME_LEN 788 CFE_MISSION_ES_CDS_MAX_NAME_LENGTH, 789 CFE_MISSION_ES_CMD_MSG, 789 CFE_MISSION_ES_CRC_16, 790 CFE_MISSION_ES_CRC_32, 790 CFE_MISSION_ES_CRC_8, 790 CFE_MISSION_ES_CRC_8, 790 CFE_MISSION_ES_DEFAULT_CRC, 790 CFE_MISSION_ES_DEFAULT_CRC, 790 CFE_MISSION_ES_HK_TLM_MSG, 790 CFE_MISSION_ES_MAX_APPLICATIONS, 791 CFE_MISSION_ES_MEMSTATS_TLM_MSG, 791 CFE_MISSION_ES_PERF_MAX_IDS, 791 CFE_MISSION_ES_PERF_MAX_BUCKETS, 792
CFE_ES_PoolStatsTIm_Payload, 523 CFE_ES_SendMemPoolStatsCmd_Payload, 528  PoolSize CFE_ES_MemPoolStats, 516  PoolStats CFE_ES_PoolStatsTIm_Payload, 523  Priority CFE_ES_AppInfo, 487 CFE_ES_StartAppCmd_Payload, 537 CFE_ES_TaskInfo, 542 CFE_SB_Qos_t, 599  priority OS_task_prop_t, 708  ProcessorID CFE_EVS_PacketID, 568 CFE_FS_Header, 580  ProcessorResets CFE_ES_HousekeepingTIm_Payload, 509	cfe_psp.h, 1223 sample_mission_cfg.h, 786 CFE_MISSION_ES_APP_TLM_MSG, 788 CFE_MISSION_ES_CDS_MAX_FULL_NAME_LEN 788 CFE_MISSION_ES_CDS_MAX_NAME_LENGTH, 789 CFE_MISSION_ES_CMD_MSG, 789 CFE_MISSION_ES_CRC_16, 790 CFE_MISSION_ES_CRC_32, 790 CFE_MISSION_ES_CRC_8, 790 CFE_MISSION_ES_DEFAULT_CRC, 790 CFE_MISSION_ES_DEFAULT_CRC, 790 CFE_MISSION_ES_HK_TLM_MSG, 790 CFE_MISSION_ES_MAX_APPLICATIONS, 791 CFE_MISSION_ES_MEMSTATS_TLM_MSG, 791 CFE_MISSION_ES_PERF_MAX_IDS, 791 CFE_MISSION_ES_PERF_MAX_BUCKETS, 792 CFE_MISSION_ES_POOL_MAX_BUCKETS, 792 CFE_MISSION_ES_SEND_HK_MSG, 792
CFE_ES_PoolStatsTIm_Payload, 523 CFE_ES_SendMemPoolStatsCmd_Payload, 528  PoolSize CFE_ES_MemPoolStats, 516  PoolStats CFE_ES_PoolStatsTIm_Payload, 523  Priority CFE_ES_AppInfo, 487 CFE_ES_StartAppCmd_Payload, 537 CFE_ES_TaskInfo, 542 CFE_SB_Qos_t, 599  priority OS_task_prop_t, 708  ProcessorID CFE_EVS_PacketID, 568 CFE_FS_Header, 580  ProcessorResets	cfe_psp.h, 1223 sample_mission_cfg.h, 786 CFE_MISSION_ES_APP_TLM_MSG, 788 CFE_MISSION_ES_CDS_MAX_FULL_NAME_LEN 788 CFE_MISSION_ES_CDS_MAX_NAME_LENGTH, 789 CFE_MISSION_ES_CMD_MSG, 789 CFE_MISSION_ES_CRC_16, 790 CFE_MISSION_ES_CRC_32, 790 CFE_MISSION_ES_CRC_8, 790 CFE_MISSION_ES_CRC_8, 790 CFE_MISSION_ES_DEFAULT_CRC, 790 CFE_MISSION_ES_HK_TLM_MSG, 790 CFE_MISSION_ES_MAX_APPLICATIONS, 791 CFE_MISSION_ES_MEMSTATS_TLM_MSG, 791 CFE_MISSION_ES_PERF_MAX_IDS, 791 CFE_MISSION_ES_PERF_MAX_BUCKETS, 792 CFE_MISSION_ES_SEND_HK_MSG, 792 CFE_MISSION_ES_SEND_HK_MSG, 793
CFE_ES_PoolStatsTIm_Payload, 523 CFE_ES_SendMemPoolStatsCmd_Payload, 528 PoolSize CFE_ES_MemPoolStats, 516 PoolStats CFE_ES_PoolStatsTIm_Payload, 523 Priority CFE_ES_AppInfo, 487 CFE_ES_AppInfo, 487 CFE_ES_StartAppCmd_Payload, 537 CFE_ES_TaskInfo, 542 CFE_SB_Qos_t, 599 priority OS_task_prop_t, 708 ProcessorID CFE_EVS_PacketID, 568 CFE_FS_Header, 580 ProcessorResets CFE_ES_HousekeepingTIm_Payload, 509 psp/fsw/inc/cfe_psp.h, 1211 Ptr	cfe_psp.h, 1223 sample_mission_cfg.h, 786 CFE_MISSION_ES_APP_TLM_MSG, 788 CFE_MISSION_ES_CDS_MAX_FULL_NAME_LEN 788 CFE_MISSION_ES_CDS_MAX_NAME_LENGTH, 789 CFE_MISSION_ES_CMD_MSG, 789 CFE_MISSION_ES_CRC_16, 790 CFE_MISSION_ES_CRC_32, 790 CFE_MISSION_ES_CRC_8, 790 CFE_MISSION_ES_CRC_8, 790 CFE_MISSION_ES_DEFAULT_CRC, 790 CFE_MISSION_ES_HK_TLM_MSG, 790 CFE_MISSION_ES_MAX_APPLICATIONS, 791 CFE_MISSION_ES_MEMSTATS_TLM_MSG, 791 CFE_MISSION_ES_PERF_MAX_IDS, 791 CFE_MISSION_ES_PERF_MAX_BUCKETS, 792 CFE_MISSION_ES_SEND_HK_MSG, 792 CFE_MISSION_ES_SEND_HK_MSG, 793 CFE_MISSION_EVS_CMD_MSG, 793 CFE_MISSION_EVS_HK_TLM_MSG, 793
CFE_ES_PoolStatsTIm_Payload, 523 CFE_ES_SendMemPoolStatsCmd_Payload, 528 PoolSize CFE_ES_MemPoolStats, 516 PoolStats CFE_ES_PoolStatsTIm_Payload, 523 Priority CFE_ES_AppInfo, 487 CFE_ES_AppInfo, 487 CFE_ES_StartAppCmd_Payload, 537 CFE_ES_TaskInfo, 542 CFE_SB_Qos_t, 599 priority OS_task_prop_t, 708 ProcessorID CFE_EVS_PacketID, 568 CFE_FS_Header, 580 ProcessorResets CFE_ES_HousekeepingTIm_Payload, 509 psp/fsw/inc/cfe_psp.h, 1211	cfe_psp.h, 1223 sample_mission_cfg.h, 786 CFE_MISSION_ES_APP_TLM_MSG, 788 CFE_MISSION_ES_CDS_MAX_FULL_NAME_LEN 788 CFE_MISSION_ES_CDS_MAX_NAME_LENGTH, 789 CFE_MISSION_ES_CMD_MSG, 789 CFE_MISSION_ES_CRC_16, 790 CFE_MISSION_ES_CRC_32, 790 CFE_MISSION_ES_CRC_8, 790 CFE_MISSION_ES_CRC_8, 790 CFE_MISSION_ES_DEFAULT_CRC, 790 CFE_MISSION_ES_HK_TLM_MSG, 790 CFE_MISSION_ES_MAX_APPLICATIONS, 791 CFE_MISSION_ES_MEMSTATS_TLM_MSG, 791 CFE_MISSION_ES_PERF_MAX_IDS, 791 CFE_MISSION_ES_PERF_MAX_BUCKETS, 792 CFE_MISSION_ES_SEND_HK_MSG, 793 CFE_MISSION_EVS_CMD_MSG, 793 CFE_MISSION_EVS_LONG_EVENT_MSG_MSG,
CFE_ES_PoolStatsTIm_Payload, 523 CFE_ES_SendMemPoolStatsCmd_Payload, 528 PoolSize CFE_ES_MemPoolStats, 516 PoolStats CFE_ES_PoolStatsTIm_Payload, 523 Priority CFE_ES_AppInfo, 487 CFE_ES_AppInfo, 487 CFE_ES_StartAppCmd_Payload, 537 CFE_ES_TaskInfo, 542 CFE_SB_Qos_t, 599 priority OS_task_prop_t, 708 ProcessorID CFE_EVS_PacketID, 568 CFE_FS_Header, 580 ProcessorResets CFE_ES_HousekeepingTIm_Payload, 509 psp/fsw/inc/cfe_psp.h, 1211 Ptr CFE_ES_PoolAlign, 522	cfe_psp.h, 1223 sample_mission_cfg.h, 786 CFE_MISSION_ES_APP_TLM_MSG, 788 CFE_MISSION_ES_CDS_MAX_FULL_NAME_LEN 788 CFE_MISSION_ES_CDS_MAX_NAME_LENGTH, 789 CFE_MISSION_ES_CMD_MSG, 789 CFE_MISSION_ES_CRC_16, 790 CFE_MISSION_ES_CRC_32, 790 CFE_MISSION_ES_CRC_8, 790 CFE_MISSION_ES_CRC_8, 790 CFE_MISSION_ES_DEFAULT_CRC, 790 CFE_MISSION_ES_HK_TLM_MSG, 790 CFE_MISSION_ES_MAX_APPLICATIONS, 791 CFE_MISSION_ES_MEMSTATS_TLM_MSG, 791 CFE_MISSION_ES_PERF_MAX_IDS, 791 CFE_MISSION_ES_POOL_MAX_BUCKETS, 792 CFE_MISSION_ES_SEND_HK_MSG, 793 CFE_MISSION_EVS_CMD_MSG, 793 CFE_MISSION_EVS_LONG_EVENT_MSG_MSG, 793 CFE_MISSION_EVS_LONG_EVENT_MSG_MSG, 793
CFE_ES_PoolStatsTIm_Payload, 523 CFE_ES_SendMemPoolStatsCmd_Payload, 528 PoolSize CFE_ES_MemPoolStats, 516 PoolStats CFE_ES_PoolStatsTIm_Payload, 523 Priority CFE_ES_AppInfo, 487 CFE_ES_StartAppCmd_Payload, 537 CFE_ES_TaskInfo, 542 CFE_SB_Qos_t, 599 priority OS_task_prop_t, 708 ProcessorID CFE_EVS_PacketID, 568 CFE_FS_Header, 580 ProcessorResets CFE_ES_HousekeepingTIm_Payload, 509 psp/fsw/inc/cfe_psp.h, 1211 Ptr CFE_ES_PoolAlign, 522  Qos	cfe_psp.h, 1223 sample_mission_cfg.h, 786 CFE_MISSION_ES_APP_TLM_MSG, 788 CFE_MISSION_ES_CDS_MAX_FULL_NAME_LEN 788 CFE_MISSION_ES_CDS_MAX_NAME_LENGTH, 789 CFE_MISSION_ES_CMD_MSG, 789 CFE_MISSION_ES_CRC_16, 790 CFE_MISSION_ES_CRC_32, 790 CFE_MISSION_ES_CRC_8, 790 CFE_MISSION_ES_DEFAULT_CRC, 790 CFE_MISSION_ES_DEFAULT_CRC, 790 CFE_MISSION_ES_MAX_APPLICATIONS, 791 CFE_MISSION_ES_MEMSTATS_TLM_MSG, 791 CFE_MISSION_ES_PERF_MAX_IDS, 791 CFE_MISSION_ES_PERF_MAX_BUCKETS, 792 CFE_MISSION_ES_POOL_MAX_BUCKETS, 792 CFE_MISSION_ES_SEND_HK_MSG, 793 CFE_MISSION_EVS_CMD_MSG, 793 CFE_MISSION_EVS_LONG_EVENT_MSG_MSG, 793 CFE_MISSION_EVS_LONG_EVENT_MSG_MSG, 793 CFE_MISSION_EVS_LONG_EVENT_MSG_MSG, 793 CFE_MISSION_EVS_MAX_MESSAGE_LENGTH,
CFE_ES_PoolStatsTIm_Payload, 523 CFE_ES_SendMemPoolStatsCmd_Payload, 528 PoolSize CFE_ES_MemPoolStats, 516 PoolStats CFE_ES_PoolStatsTIm_Payload, 523 Priority CFE_ES_AppInfo, 487 CFE_ES_AppInfo, 487 CFE_ES_StartAppCmd_Payload, 537 CFE_ES_TaskInfo, 542 CFE_SB_Qos_t, 599 priority OS_task_prop_t, 708 ProcessorID CFE_EVS_PacketID, 568 CFE_FS_Header, 580 ProcessorResets CFE_ES_HousekeepingTIm_Payload, 509 psp/fsw/inc/cfe_psp.h, 1211 Ptr CFE_ES_PoolAlign, 522	cfe_psp.h, 1223 sample_mission_cfg.h, 786 CFE_MISSION_ES_APP_TLM_MSG, 788 CFE_MISSION_ES_CDS_MAX_FULL_NAME_LEN 788 CFE_MISSION_ES_CDS_MAX_NAME_LENGTH, 789 CFE_MISSION_ES_CMD_MSG, 789 CFE_MISSION_ES_CRC_16, 790 CFE_MISSION_ES_CRC_32, 790 CFE_MISSION_ES_CRC_8, 790 CFE_MISSION_ES_CRC_8, 790 CFE_MISSION_ES_DEFAULT_CRC, 790 CFE_MISSION_ES_HK_TLM_MSG, 790 CFE_MISSION_ES_MAX_APPLICATIONS, 791 CFE_MISSION_ES_MEMSTATS_TLM_MSG, 791 CFE_MISSION_ES_PERF_MAX_IDS, 791 CFE_MISSION_ES_POOL_MAX_BUCKETS, 792 CFE_MISSION_ES_SEND_HK_MSG, 793 CFE_MISSION_EVS_CMD_MSG, 793 CFE_MISSION_EVS_LONG_EVENT_MSG_MSG, 793 CFE_MISSION_EVS_LONG_EVENT_MSG_MSG, 793

	CFE_MISSION_EVS_SHORT_EVENT_MSG_MSG,	CFE_MISSION_SB_MAIN_PERF_ID, 808
	794	CFE_MISSION_SB_MSG_LIM_PERF_ID, 808
	CFE_MISSION_MAX_API_LEN, 794	CFE_MISSION_SB_PIPE_OFLOW_PERF_ID, 808
	CFE_MISSION_MAX_FILE_LEN, 794	CFE_MISSION_TBL_MAIN_PERF_ID, 809
	CFE_MISSION_MAX_PATH_LEN, 795	CFE_MISSION_TIME_LOCAL1HZISR_PERF_ID,
	CFE MISSION SB ALLSUBS TLM MSG, 795	809
	CFE_MISSION_SB_CMD_MSG, 796	CFE_MISSION_TIME_LOCAL1HZTASK_PERF_ID,
	CFE_MISSION_SB_HK_TLM_MSG, 796	809
	CFE_MISSION_SB_MAX_PIPES, 796	CFE_MISSION_TIME_MAIN_PERF_ID, 809
	CFE_MISSION_SB_MAX_SB_MSG_SIZE, 796	CFE MISSION TIME SENDMET PERF ID, 809
	CFE_MISSION_SB_ONESUB_TLM_MSG, 797	CFE_MISSION_TIME_TONE1HZISR_PERF_ID,
	CFE MISSION SB SEND HK MSG, 797	810
	CFE_MISSION_SB_STATS_TLM_MSG, 797	CFE_MISSION_TIME_TONE1HZTASK_PERF_ID,
	CFE_MISSION_SB_SUB_RPT_CTRL_MSG, 797	810
	CFE_MISSION_TBL_CMD_MSG, 798	Seconds
	CFE_MISSION_TBL_HK_TLM_MSG, 798	CFE_TIME_OneHzAdjustmentCmd_Payload, 675
	CFE_MISSION_TBL_MAX_FULL_NAME_LEN, 798	CFE TIME SysTime, 683
	CFE_MISSION_TBL_MAX_NAME_LENGTH, 798	CFE_TIME_TimeCmd_Payload, 685
	CFE_MISSION_TBL_REG_TLM_MSG, 799	Seconds1HzAdj
	CFE_MISSION_TBL_SEND_HK_MSG, 799	CFE_TIME_HousekeepingTlm_Payload, 670
	CFE_MISSION_TEST_CMD_MSG, 799	SecondsDelay
	CFE_MISSION_TEST_HK_TLM_MSG, 799	CFE TIME HousekeepingTlm Payload, 670
	CFE_MISSION_TIME_1HZ_CMD_MSG, 800	SecondsMET
	CFE_MISSION_TIME_AT_TONE_WAS, 800	CFE TIME HousekeepingTlm Payload, 671
	CFE_MISSION_TIME_AT_TONE_WILL_BE, 800	SecondsSTCF
	CFE MISSION TIME CFG DEFAULT TAI, 800	CFE_TIME_HousekeepingTlm_Payload, 671
	CFE_MISSION_TIME_CFG_DEFAULT_UTC, 801	SendErrors
	CFE_MISSION_TIME_CFG_FAKE_TONE, 801	CFE_SB_PipeInfoEntry, 598
	CFE_MISSION_TIME_CMD_MSG, 801	Sequence
	CFE MISSION TIME DATA CMD MSG, 802	CCSDS_PrimaryHeader, 482
	CFE_MISSION_TIME_DEF_DELAY_SECS, 802	ServerFlyState
	CFE_MISSION_TIME_DEF_DELAY_SUBS, 802	CFE_TIME_DiagnosticTlm_Payload, 663
	CFE_MISSION_TIME_DEF_LEAPS, 802	Size
	CFE_MISSION_TIME_DEF_MET_SECS, 802	CFE ES CDSRegDumpRec, 494
	CFE_MISSION_TIME_DEF_MET_SUBS, 803	CFE_ES_MemAddOff, 514
	CFE_MISSION_TIME_DEF_STCF_SECS, 803	CFE_TBL_Info, 638
	CFE_MISSION_TIME_DEF_STCF_SUBS, 803	CFE_TBL_TblRegPacket_Payload, 650
	CFE_MISSION_TIME_DIAG_TLM_MSG, 803	SpacecraftID
	CFE MISSION TIME EPOCH DAY, 804	CFE_EVS_PacketID, 569
	CFE_MISSION_TIME_EPOCH_HOUR, 804	CFE FS Header, 580
	CFE_MISSION_TIME_EPOCH_MINUTE, 804	Spare
	CFE_MISSION_TIME_EPOCH_SECOND, 804	CFE_ES_TaskInfo, 543
	CFE_MISSION_TIME_EPOCH_YEAR, 804	CFE EVS AppNameBitMaskCmd Payload, 546
	CFE_MISSION_TIME_FS_FACTOR, 804	CFE_EVS_BitMaskCmd_Payload, 557
	CFE MISSION TIME HK TLM MSG, 805	CFE_EVS_SetEventFormatCode_Payload, 570
	CFE_MISSION_TIME_MAX_ELAPSED, 805	CFE_EVS_SetLogMode_Payload, 572
	CFE_MISSION_TIME_MIN_ELAPSED, 805	CFE_SB_PipeDepthStats, 595
	CFE MISSION TIME SEND CMD MSG, 806	CFE_SB_PipeInfoEntry, 598
	CFE_MISSION_TIME_SEND_HK_MSG, 806	CFE_SB_RouteCmd_Payload, 601
	CFE_MISSION_TIME_SEND_HK_MSG, 806 CFE_MISSION_TIME_TONE_CMD_MSG, 806	Spare1
	ore_mission_fime_fone_cmb_msg, 806 perfids.h, 807	CFE_EVS_HousekeepingTlm_Payload, 562
-	CFE_MISSION_ES_MAIN_PERF_ID, 807	CFE EVS LongEventTlm Payload, 566
	CFE_MISSION_ES_MAIN_PERF_ID, 807 CFE_MISSION_ES_PERF_EXIT_BIT, 808	Spare2
	CFE_MISSION_ES_PERF_EXIT_BIT, 808 CFE_MISSION_EVS_MAIN_PERF_ID, 808	CFE_EVS_HousekeepingTlm_Payload, 562
		or L_L vo_riouserceping rini_Fayloau, 302

CFE_EVS_LongEventTlm_Payload, 566	TableLoadedOnce
Spare2Align	CFE_TBL_Info, 638
CFE_SB_HousekeepingTlm_Payload, 589	CFE_TBL_TblRegPacket_Payload, 651
Spare3	TableName
CFE_EVS_HousekeepingTlm_Payload, 563	CFE_TBL_AbortLoadCmd_Payload, 617
stack_size	CFE_TBL_ActivateCmd_Payload, 619
OS_task_prop_t, 708	CFE_TBL_DelCDSCmd_Payload, 620
StackSize	CFE_TBL_DumpCmd_Payload, 623
CFE_ES_AppInfo, 487	CFE_TBL_File_Hdr, 626
CFE_ES_StartAppCmd_Payload, 537	CFE_TBL_FileDef, 628
CFE ES TaskInfo, 543	CFE_TBL_SendRegistryCmd_Payload, 645
start_time	CFE_TBL_ValidateCmd_Payload, 653
OS_timer_prop_t, 711	Taskld
StartAddress	CFE_ES_TaskInfo, 543
CFE_ES_AppInfo, 487	TaskName
State	CFE_ES_TaskInfo, 543
CFE SB RoutingFileEntry, 603	TelemetryHeader
StreamId	CFE_ES_HousekeepingTlm, 500
CCSDS PrimaryHeader, 482	CFE_ES_MemStatsTlm, 517
SubType	CFE_ES_OneAppTlm, 519
CFE FS Header, 580	CFE_EVS_HousekeepingTlm, 558
CFE_SB_SingleSubscriptionTlm_Payload, 606	CFE_EVS_LongEventTlm, 565
SubscribeErrorCounter	CFE EVS ShortEventTlm, 574
CFE_SB_HousekeepingTlm_Payload, 589	CFE_SB_AllSubscriptionsTlm, 582
SubscriptionsInUse	CFE_SB_HousekeepingTlm, 584
CFE_SB_StatsTIm_Payload, 612	CFE_SB_SingleSubscriptionTlm, 604
Subseconds	CFE_SB_StatsTlm, 607
CFE_TIME_OneHzAdjustmentCmd_Payload, 675	CFE_TBL_HousekeepingTlm, 629
CFE_TIME_SysTime, 683	CFE_TBL_TableRegistryTlm, 646
Subsecs1HzAdj	CFE_TIME_DiagnosticTlm, 654
CFE_TIME_HousekeepingTlm_Payload, 671	CFE_TIME_HousekeepingTlm, 668
SubsecsDelay	TgtFilename
CFE_TIME_HousekeepingTlm_Payload, 671	CFE_TBL_FileDef, 628
SubsecsMET	ticks
CFE_TIME_HousekeepingTlm_Payload, 672	OS_time_t, 709
SubsecsSTCF	TimeOfLastUpdate
CFE_TIME_HousekeepingTlm_Payload, 672	CFE_TBL_Info, 638
Subsystem	CFE_TBL_TblRegPacket_Payload, 651
CCSDS_ExtendedHeader, 481	TimeSeconds
SuccessValCounter	CFE_FS_Header, 581
CFE_TBL_HousekeepingTlm_Payload, 635	TimeSinceTone
SysLogBytesUsed	CFE_TIME_DiagnosticTlm_Payload, 663
CFE_ES_HousekeepingTlm_Payload, 512	TimeSource
SysLogEntries	CFE_TIME_SourceCmd_Payload, 681
CFE_ES_HousekeepingTlm_Payload, 512	TimeSubSeconds
SysLogMode	CFE_FS_Header, 581
CFE_ES_HousekeepingTlm_Payload, 512	ToneDataCounter
SysLogSize	CFE_TIME_DiagnosticTlm_Payload, 664
CFE_ES_HousekeepingTlm_Payload, 513	ToneDataLatch
SystemId	CFE_TIME_DiagnosticTlm_Payload, 664
CCSDS_ExtendedHeader, 481	ToneIntCounter
	CFE_TIME_DiagnosticTIm_Payload, 664
Table	ToneIntErrorCounter
CFE ES CDSRegDumpRec, 494	CFE TIME DiagnosticTlm Payload, 664

ToneMatchCounter CFE_TIME_DiagnosticTIm_Payload, 665	OS_bin_sem_prop_t, 688 OS_count_sem_prop_t, 689
ToneMatchErrorCounter	VersionCounter
CFE_TIME_DiagnosticTlm_Payload, 665	CFE_TIME_DiagnosticTlm_Payload, 666
ToneOverLimit	VirtualMET
CFE_TIME_DiagnosticTIm_Payload, 665	CFE_TIME_DiagnosticTlm_Payload, 667
ToneSignalCounter	
CFE_TIME_DiagnosticTlm_Payload, 665	
ToneSignalLatch	
CFE_TIME_DiagnosticTlm_Payload, 666 ToneSource	
CFE_TIME_SignalCmd_Payload, 680	
ToneTaskCounter	
CFE_TIME_DiagnosticTlm_Payload, 666	
ToneUnderLimit	
CFE_TIME_DiagnosticTIm_Payload, 666	
total blocks	
OS statvfs t, 706	
TotalSegments	
CFE_SB_AllSubscriptionsTlm_Payload, 583	
TriggerMask	
CFE_ES_SetPerfTrigMaskCmd_Payload, 534	
TriggerMaskNum	
CFE_ES_SetPerfTrigMaskCmd_Payload, 534	
TriggerMode	
CFE_ES_StartPerfCmd_Payload, 538	
Туре	
CFE_ES_AppInfo, 488	
uint16	
common_types.h, 1167	
uint32	
common types.h, 1167	
uint64	
common_types.h, 1167	
uint8	
common_types.h, 1167	
UnmarkedMem	
CFE_SB_HousekeepingTlm_Payload, 590	
UnregisteredAppCounter	
CFE_EVS_HousekeepingTlm_Payload, 563	
User	
OS_file_prop_t, 692	
UserDefAddr	
CFE_TBL_Info, 638	
valid	
OS_module_address_t, 698	
ValidationCounter	
CFE_TBL_HousekeepingTlm_Payload, 635	
ValidationFuncPtr	
CFE_TBL_TblRegPacket_Payload, 651	
Value	
CFE_SB_Msgld_t, 592	
value	